

Spring 2011

# A Hybrid Lehmer Code Genetic Algorithm and Its Application on Traveling Salesman Problems

Jun Zhang  
*Old Dominion University*

Follow this and additional works at: [https://digitalcommons.odu.edu/emse\\_etds](https://digitalcommons.odu.edu/emse_etds)

 Part of the [Operational Research Commons](#), and the [Systems Engineering Commons](#)

## Recommended Citation

Zhang, Jun. "A Hybrid Lehmer Code Genetic Algorithm and Its Application on Traveling Salesman Problems" (2011). Doctor of Philosophy (PhD), dissertation, Engineering Management, Old Dominion University, DOI: 10.25777/hw0b-3z55  
[https://digitalcommons.odu.edu/emse\\_etds/140](https://digitalcommons.odu.edu/emse_etds/140)

This Dissertation is brought to you for free and open access by the Engineering Management & Systems Engineering at ODU Digital Commons. It has been accepted for inclusion in Engineering Management & Systems Engineering Theses & Dissertations by an authorized administrator of ODU Digital Commons. For more information, please contact [digitalcommons@odu.edu](mailto:digitalcommons@odu.edu).

A HYBRID LEHMER CODE GENETIC ALGORITHM AND ITS  
APPLICATION ON TRAVELING SALESMAN PROBLEMS

by

Jun Zhang  
M.E. July 2007, Nanchang University, China

A Dissertation Submitted to the Faculty of  
Old Dominion University in Partial Fulfillment of the  
Requirements for the Degree of

DOCTOR OF PHILOSOPHY  
ENGINEERING MANAGEMENT  
OLD DOMINION UNIVERSITY  
May 2011

Approved by:

---

Shannon Bowling (Director)

Resit Unal (Member)

---

Ariel Pinto (Member)

---

Leonardo Bedoya-Valencia  
(Member)

## ABSTRACT

### A HYBRID LEHMER CODE GENETIC ALGORITHM AND ITS APPLICATION ON TRAVELING SALESMAN PROBLEMS

Jun Zhang  
Old Dominion University, 2011  
Director: Dr. Shannon R. Bowling

Traveling Salesman Problems (TSP) is a widely studied combinatorial optimization problem. The goal of the TSP is to find a tour which begins in a specific city, visits each of the remaining cities once and returns to the initial cities such that the objective functions are optimized, typically involving minimizing functions like total distance traveled, total time used or total cost.

Genetic algorithms were first proposed by John Holland (1975). It uses an iterative procedure to find the optimal solutions to optimization problems.

This research proposed a hybrid Lehmer code Genetic Algorithm. To compensate for the weaknesses of traditional genetic algorithms in exploitation while not hampering its ability in exploration, this new genetic algorithm will combine genetic algorithm with 2-opt and non-sequential 3-opt heuristics. By using Lehmer code representation, the solutions created by crossover parent solutions are always feasible.

The new algorithm was used to solve single objective and multi-objectives Traveling Salesman Problems. A non Pareto-based technique will be used to solve multi-objective TSPs. Specifically we will use the Target Vector Approach. In this research, we used the weighted Tchebycheff function with the ideal points as the reference points as the objective function to evaluate solutions, while the local search heuristics, the 2-opt and non-sequential 3-opt heuristics, were guided by a weighted sum function.

This dissertation is dedicated to my parents, my wife and my kids: Leo and Aaron.

## ACKNOWLEDGMENTS

I would like to sincerely thank my advisor, Dr. Shannon Bowling, for your guidance and support in the three and half years of my PhD studies. Our numerous academic meetings and discussions helped me develop the ideas in this dissertation. Without your help and encouragement the completion of my dissertation would not have been possible. In addition to being my mentor, you are also a good friend. Your friendship has made my PhD experience at Old Dominion University a very pleasant journey. I enjoyed those warm moments when we exchanged our views on life and found that we shared a lot in our values. You will definitely continue to be my mentor and good friend for the rest of my life.

I would also like to thank Dr. Ariel Pinto for your assistance in my PhD research and for the trouble you took in writing those reference letters for me. The time and effort you spent reviewing my initial proposal, your constructive comments on it and all the other help you gave me are highly appreciated.

I am very grateful to Dr. Resit Unal, too, for agreeing to be one of my committee members, after Dr. Kady, who was on my dissertation committee, left. As one of your students, I learned a lot from your courses, “Robust Engineering Design” and “Reliability and Maintainability”, and I really appreciate the time and effort you put into reviewing my dissertation.

I would also like to thank Dr. Leonardo Bedoya-Valencia for your comments on my initial proposal and for the papers you sent me. These papers were really helpful for my research. And I appreciate the time and effort you spent reviewing my proposal and dissertation.

I am grateful to my friends, Mahmoud T. Khasawneh, Elkin Rodriguez and Nevan Shearer, for your friendship and support. I really enjoyed the days we spent on course study, projects and attending conferences. I value our friendship and hope it will be a lifetime one.

Finally, my thanks go to my wife, Hong, and my two children, Leo and Aaron. Hong, you are a great wife. You devoted all of your time to our family and supported me unconditionally during my PhD studies. Leo and Aaron, you are the best kids I could have. You have brought so much love and fun to my life. You made my PhD experience so much more enjoyable. Hong, Leo and Aaron, I love you with all my heart.

## TABLE OF CONTENTS

	Page
LIST OF TABLES .....	viii
LIST OF FIGURES .....	ix
1. INTRODUCTION .....	1
1.1 Background .....	1
1.2 Problem Statement .....	6
1.3 Contributions.....	13
2. REVIEW OF LITERATURE .....	14
2.1 Traveling Salesman Problem .....	14
2.2 Multi-objective Traveling Salesman Problem .....	15
2.3 Meta-heuristics.....	19
2.3.1 Genetic Algorithms.....	19
2.3.2 Random Keys Genetic Algorithms .....	23
2.3.3 Simulated Annealing.....	26
2.3.4 Tabu Search.....	29
2.3.5 Ant Colony Optimization.....	31
2.3.6 Particle Swarm Optimization.....	35
2.3.7 Harmony Search.....	37
2.4 Hybrid Meta-heuristics .....	40
2.5 Lehmer Code.....	44
3. Methodology .....	46
3.1 Research Problems.....	47
3.2 Procedure and Pseudo Code.....	52
4. IMPLEMENTATION ON SINGLE OBJECTIVE TSPS .....	58
4.1 Introduction.....	58
4.2 Implementation .....	58
4.3 Experiments and Results.....	63
4.4 Conclusion .....	69
5. IMPLEMENTATION ON MULTI-OBJECTIVE TSPS.....	73
5.1 Introduction.....	74
5.2 Implementation .....	77
5.3 Experiments and Results.....	84
5.4 Conclusion .....	88
6. FUTURE WORK AND CONCLUSION .....	92

6.1 Contributions of the Dissertation ..... 92  
6.2 Limitation and Future Work ..... 93

REFERENCES..... 97

APPENDIXE  
COORDINATE OF CITIES FOR TSPS ..... 105

VITA..... 134



## LIST OF TABLES

Table	Page
1. Advantages and Disadvantages of Simulated Annealing .....	29
2. The Coordinates of Cities (ATT 48) .....	64
3. Results for Att48 .....	65
4. Experiment Results for TSPs with 100 Cities.....	66
5. Another Experiment on TSPs with 100 Cities .....	66
6. Samanlioglu's Results for Single TSPs (Samanlioglu, 2006).....	67
7. Results for Single TSPs with 150 and 200 Cites .....	69
8. Solutions Obtained by Hansen's Method and the Proposed Method.....	85
9. Results on Multi-objective TSPs (N=25, G=125).....	86
10. Results on Multi-objective TSPs (N=50, G=62).....	86
11. Comparison of Results from This research and Samanlioglu's Research.....	86

## LIST OF FIGURES

Figure	Page
1. Classification of Hybrid Metaheuristics .....	4
2. 2-opt Move .....	6
3. Traditional Single Point Crossover (Infeasible Solution) .....	9
4. Single Point Crossover .....	22
5. A Single Point Mutation .....	23
6. Single Point Crossover in Traditional Genetic Algorithms .....	24
7. One Point Crossover for Random Keys Genetic Algorithms .....	25
8. The Pseudo Code for Ant Colony Optimization .....	34
9. Lehmer Code One Point Crossover .....	45
10. Generation Transition .....	56
11. Pseudo Code for the New Hybrid Lehmer Code Genetic Algorithm .....	57
12. Pseudo Code for 3-opt Heuristic .....	59
13. Non Sequential 3-opt Heuristics Move .....	60
14. One Point Mutation Procedure .....	61
15. Pseudo Code for 2-opt Heuristics .....	62
16. Process of the Hybrid Lehmer Code Genetic Algorithm .....	63
17. Comparison of Numbers of Optimal Solutions on TSPs with 100 Cities .....	68
18. One point Crossover of Lehmer Code GA (Keep Parent Information) .....	70
19. One Point Mutation .....	71
20. Multi-objective TSPs Process of the Hybrid Lehmer Code Genetic Algorithm .....	78
21. Matlab Code for Lehmer Presentation and Decoding Process .....	81

22. Comparison of ARE (N=25, G=125).....	87
23. Comparison of ARE (N=50, G=62).....	88



## CHAPTER 1

### INTRODUCTION

Morse and Kimball (1951) defined Operations Research (OR) as "a scientific method of providing executive departments with a quantitative basis for decisions regarding the operations under their control." OR uses methods to get optimal or near optimal solutions to complex problems. These methods include mathematical modeling, statistics and algorithms, etc. Hillier and Lieberman (2005) summarized the usual phases of an operation research study as the following:

1. Define the problem and collect the data.
2. Formulate mathematic model to represent the problem.
3. Develop a procedure to find the solutions to the problem from the model.
4. Test and refine the model.
5. Prepare for the application of the model.
6. Implement the application.

#### 1.1 Background

Searching for optimal or near optimal solutions to optimization problems is the subject matter of much research in the field of operations research. There are several reasons that make it difficult to solve real-world optimization problems; these include:

- The search space is too large to perform an exhaustive search.
- The problems are so complicated that we need to use simplified models. But the results from simplified models are essentially useless.
- The evaluation functions are noisy or time dependent. This requires finding not just a single solution but a series of solutions.

- The possible solutions are so heavily constrained that it is difficult to construct even one feasible answer, let alone an optimal solution.

When attacking hard complex optimization problems, especially combinatorial optimization problems, classical optimization methods may fail to be effective and efficient. From the 1970s a number of metaheuristics have been proposed for solving these kinds of problems, among which are genetic algorithm (Holland, 1975), simulated annealing (Kirkpatrick, Gelatt & Vecchi, 1983), tabu search (Glover, 1989), ant colony algorithms (Colomi, Dorigo & Maniezzo, 1991) and particle swarm optimization (Kennedy & Eberhart, 1995).

Combinatorial optimization is defined as the mathematical study of finding an optimal arrangement, grouping, ordering, or selection of discrete objects usually finite in numbers (Osman and Laporte, 1996). For many combinatorial optimization problems it is computationally impossible to find the optimal solution. Usually what can practically be produced are near-optimal solutions.

The term metaheuristic was first introduced by Glover (1986). It derives from the composition of two Greek words: heuristic, which means “to find” and the suffix Meta, which means “beyond, in an upper level.” A metaheuristic is a heuristic method to solve optimization problems. Much of the development of metaheuristics comes from observing nature and implementing simple rules to solve complex problems. It can be defined as a high-level framework or method which is specialized to solve optimization problems, or a high-level strategy that helps other optimization methods in the process of searching for feasible solutions. Osman and Laporte (1996) defined a metaheuristic as “ an iterative generation process which guides a subordinate heuristic by combining

intelligently different concepts for exploring and exploiting the search space, learning strategies are used to structure information in order to find efficiently near-optimal solutions.”

Exploration and exploitation of the solution spaces are the two competing goals which direct the design of a metaheuristic. The success of a metaheuristic depends on the good balance between exploration and exploitation. Exploration is needed to make sure that the solution space is searched enough to make a reliable estimate to the global optimal. Exploitation is also important because the improvement of the current solution often produces a better solution (Talbi, 2002). Generally, a metaheuristic is applied to complex problems which no specific general algorithms or methods can solve. The most common problems that metaheuristics solve are combinatorial optimization problems.

Although in theory metaheuristics can solve any optimization problem, especially complex problems which no general algorithm can solve, according to the “no free lunch” theorems (Wolpert & Macready, 1997), there is no optimization method that is perfect enough to solve all optimization problems efficiently. The performance of any algorithm over one class of problems is offset by its performance over another class. This is one of the reasons that a number of metaheuristics which focus on solving certain kinds of optimization problems are proposed, such as genetic algorithm (Holland, 1975), simulated annealing (Kirkpatrick, Gelatt & Vecchi, 1983), tabu search (Glover, 1989), ant colony (Coloni, Dorigo & Maniezzo, 1991), particle swarm optimization (Kennedy and Eberhart, 1995), etc., and variants for metaheuristics which introduce some changes to the original algorithm to improve its performance were also proposed (Grefenstette, 1986; see also Chiang & Russell, 1997; Li & Li, 2008; Wang & Wang, 2008).

Over the years, research on hybrid metaheuristics has risen considerably in combinatorial optimization. This research attempts to combine the best features from different metaheuristics to develop more powerful hybrid implementations than the original metaheuristics. One of the most common formats of the hybrid metaheuristics is: the population-based metaheuristics, like genetic algorithm, ant colony, particle swarm etc., which are powerful in exploring the solution space, were combined with local search metaheuristics, like hill climbing, simulated annealing, tabu search etc., which are more powerful in terms of exploitation to develop more powerful hybrid metaheuristics (Suh & Van Gucht, 1987; see also Fleurent & Ferland, 1994; Kim, Hayashi & Nara, 1995; Chen & Flann, 1994; Chen et al., 1995).

Talbi (2002) categorized all hybrid metaheuristics into four hierarchy categories: Low-level relay hybrid, low-level teamwork hybrid, high-level relay hybrid and high-level teamwork hybrid. He also categorized all hybrid metaheuristics using flat classification: homogeneous versus heterogeneous, global versus partial, specialist versus general. Figure 1.1 shows the hierarchical and flat classification of hybrid metaheuristics (Talbi, 2002).




Figure 1. Classification of Hybrid Metaheuristic (Talbi, 2002)

Traveling Salesman Problems (TSP) is a widely studied combinatorial optimization problem. The goal of the Traveling Salesman Problems is to find a tour



which begins in a specific city, visits each of the remaining cities once and returns to the initial cities such that the objective functions are optimized, typically involving minimizing functions like total distance traveled, total time used or total cost. The simplest TSP involves finding a shortest path that visits  $n$  cities and returns to the initial point and the distances between cities are symmetric while in multi-objective TSP, the goal is to simultaneously optimize distances, cost, times or other objectives.

TSP is NP-hard even with only a single objective. For multi-objective TSP, it has the difficulty of the TSP itself and the difficulty of multiple objectives (Ehr Gott, 2000). Therefore, heuristics which provide sub-optimal solutions are widely used to tackle multi-objective TSP, such as tabu search (Hansen, 2000), genetic algorithm (Jaszkiewicz, 2002), particle swarm (Shi, 2007), evolutionary algorithm (Jozefowicz, 2008), etc.

As a population based algorithm, GA deals with multiple solutions in one single simulation run. Because of this, GA can maintain a diverse set of solutions. This makes GA promising in dealing with multi-objective TSP. Many variant GAs were proposed to attack TSP and multi-objective TSP (Fonseca & Fleming, 1993; see also Chatterjee, Carrera & Lynch, 1996; Merz & Freisleben, 2002; Deb et al., 2002; Jaszkiewicz, 2002; Samanlioglu, Ferrell & Kurz, 2008). The performance of GAs on TSP depends very much on the encoding methods and the genetic operators, crossover and mutation. To overcome the problem of infeasible solutions coming from the crossover that uses the natural representation, repairing methods were proposed, such as partially mapped crossover (Goldberg & Lingle, 1985; Oliver, Smith & Holland, 1987), edge recombination crossover (Whitley et al., 1989), etc. Another way to solve the creating infeasible solutions problem is to change the encoding method. For example, random

keys (Bean, 1994; Samanlioglu, Ferrell & Kurz, 2008), and Lehmer code (Mantaci & Rakotondrajao, 2001; Martin, 1990) were used to code the solutions for TSP.

2-opt heuristic was first introduced by Croes (1958). It involves in breaking the route by deleting two edges and reconnecting the broken paths in the other possible way. If the 2-opt heuristic results in an improved tour, this change will be kept. Otherwise, the tour would not change. Figure 2 shows how 2-opt heuristic works. Please note that this picture is a schematic. If the distances were as shown in the figure, the tour will not change because the 2-opt will not result in a shorter tour. The Genetic Algorithms incorporated with 2-opt heuristic has been used to optimize TSP and Multi-objective TSP (Merz & Freisleben, 2002; see also Deb et al., 2002; Jaskiewicz, 2002; Nilsson, 2003; Ghoseiri & Sarhadi, 2007; Samanlioglu, Ferrell & Kurz, 2008).




Figure 2. 2-opt Move (Original Tour Left, Resulting Tour Right)

3-opt heuristics involves in breaking the solution route by deleting three edges and reconnecting the broken paths in the other possible ways. Solutions that are 3-opt are also 2-opt.

## 1.2 Problem Statement

A meta-heuristics can be a high-level framework or method which is specialized to solve optimization problems, or a high-level strategy that helps other optimization

methods in the process of searching for feasible solutions. But according to the “no free lunch” theorems (Wolpert & Macready, 1997), the performance of any optimization method over one class of problems is offset by its performance over another class. Hybrid meta-heuristics combine different meta-heuristics to produce more powerful implementations than the original ones.

Over the past decades, genetic algorithm attracted a lot of attention as a global optimization technique for complex optimization problems. Genetic algorithms were first proposed by John Holland (1975). They use an iterative procedure to find the optimal solutions to optimization problems and are categorized as a global search method. Genetic algorithms have been applied to solving optimization problems like numerical function optimization, scheduling, cognitive modeling, transportation problems, travel salesman problems, graph coloring problems, database query optimization, etc. (Bennett, Ferris & Ioannidis, 1991; see also De Jong, 1985; Goldberg, 1989; Vignaux & Michalewicz, 1991).

Genetic algorithm took clues from nature: genetic inheritance and fitness survival. As a population based optimization method, genetic algorithm is powerful in exploration but weak in exploitation. The hybrid genetic algorithm which combined genetic algorithm and local search meta-heuristics, such as hill climbing, simulated annealing, tabu search, etc. can be more efficient and effective than the original genetic algorithm and local search meta-heuristics. One of the weaknesses with genetic algorithm is that sometimes it converges towards local optimal.

In (Rugolph, 1994), the convergence properties of canonical genetic algorithm with mutation and crossover operators, proportional reproduction applied to static

optimization problems were analyzed. It concluded that “a canonical genetic algorithm will never converge to the global optimal regardless of the initialization, operators and objective function. But the variants of canonical genetic algorithm that always maintain the best solution in the population are shown to converge to the global optimal due to the irreducibility of the underlying original non-convergent canonical genetic algorithm” (Rugolph, 1994).

This research proposes a Lehmer code Genetic Algorithm to solve single objective and multi-objective TSPs. To compensate for the weakness of traditional Genetic Algorithms in exploitation while not hampering its ability in exploration, local search heuristic—2-opt heuristic and non-sequential 3-opt heuristic was incorporated into the new Genetic Algorithms. Whenever a new solution was produced, no matter if it is produced by crossover or mutation, 2-opt heuristic and/or non-sequential 3-opt heuristic will be used to improve it until a local optimal solution is obtained. This Genetic Algorithm will benefit from using the local search heuristics, 2-opt and non-sequential 3-opt heuristics because they are powerful in exploitation. Therefore, these Genetic Algorithms will have both good exploration and exploitation ability. The algorithms will converge towards a solution quicker. Ideally, this solution will be a global optimal solution or near optimal solution.

Traditional Genetic Algorithms use direct representation of the solutions. That is, for the Traveling Salesman Problem, the solution was directly coded by the numerical representation of the cities. This makes it difficult for the traditional Genetic Algorithms to maintain feasibility from parents to offspring when solving many optimization problems, like multiple machine scheduling, traveling salesman problems, etc. Crossover

is a genetic operator used to vary the programming of chromosomes from the two individuals of the fittest to form the next generation. Traditional Genetic Algorithm uses one point crossover (Holland, 1975). Suppose we have a traveling salesman problem that has 6 cities. A candidate for this problem is a permutation of these 6 cities. Two such permutations are  $1 \rightarrow 3 \rightarrow 2 \rightarrow 4 \rightarrow 5 \rightarrow 6 \rightarrow 1$  and  $6 \rightarrow 4 \rightarrow 2 \rightarrow 3 \rightarrow 1 \rightarrow 5 \rightarrow 6$ . In traditional Genetic Algorithm, the genetic representation of these two sequences are the permutations  $x = (1,3,2,4,5,6,1)$  and  $x' = (6,4,2,3,1,5,6)$ . A one-point crossover will divide each permutation at the crossover point and exchange certain segments of the two permutations. Suppose the crossover point is the fourth place of the permutation. From the Figure 1, we can see that the resulting sequences are  $1 \rightarrow 3 \rightarrow 2 \rightarrow 4 \rightarrow 1 \rightarrow 5 \rightarrow 6$  and  $6 \rightarrow 4 \rightarrow 2 \rightarrow 3 \rightarrow 5 \rightarrow 6 \rightarrow 1$ . Both of them are infeasible. So the crossing over of two feasible solutions does not result in feasible solutions.




Figure 3. Traditional Single Point Crossover (Infeasible Solution)

To overcome the difficulty in maintaining feasibility from parent to offspring, Bean (1994) proposed the Random Keys Genetic Algorithm. Not like traditional Genetic Algorithm using direct chromosomal representation of the candidate solution, the Random Keys Genetic Algorithm uses chromosomal representation in a soft manner. It encodes the candidate solution with random numbers. The values of these random

numbers range from 0 to 1. The random numbers are used as the sort keys to encode the candidate solutions. This encoding technique will eliminate the feasibility problem.

Although the random key genetic algorithm can solve the infeasible solutions problem, it has its own difficulties. First, when implemented on a large problem, the sorting process to determine the ranks is expensive. Moreover, the encoding process does not preserve the adjacency of cities in a given tour when crossover with random keys (Chatterjee, Carrera & Lynch, 1996).

This research will use Lehmer code to encode the permutation of a candidate solution. Lehmer code can code each permutation  $\Pi_n$  of  $n$  numbers with a function  $LC(\Pi) : \{1, \dots, n\} \rightarrow \{1, \dots, n-1\}$  to a special sequence of  $n-1$  numbers (Kromer, Platos and Snasel, 2009). Lehmer code of a permutation can be expressed by using an inversion table. Consider a sequence of  $n$  numbers  $x = (x_1 x_2 \dots x_n)$ . An inversion is a pair  $(x_i, x_j)$  such that  $i < j$  and  $x_i > x_j$ . For  $i \in \{1, \dots, n\}$ , let  $d_i$  count the number of inversions with  $i$  as the smaller index. Then the sequence  $(d_1 d_2 \dots d_n)$  is called inversion table of permutation  $x$ .  $0 \leq d_i \leq n - i$  for  $i = 1, \dots, n$ .

The evolutionary multi-objective optimization methods can be classified into two types: the Pareto-based technique and non Pareto-based technique (Samanlioglu, Ferrell & Kurz, 2008). In the Pareto-based techniques, the selection is directed by the Pareto dominance and Pareto ranking. The multi-objective genetic algorithm proposed by Fonseca and Fleming (Fonseca & Fleming, 1993), the niched Pareto genetic algorithm (Horn, Nafpliotis & Goldberg, 1994), NSGA II (Deb et al., 2002), SPEA II (Zitzler, Laumanns & Thiele, 2001), etc., belong to this type of technique.

In the non Pareto-base techniques, the selection does not directly rely on the Pareto dominance and Pareto ranking, such as vector evaluated genetic algorithm (Schaffer, 1984), target vector approach (Coello, 2001), memetic random key genetic algorithm (Samanlioglu, Ferrell & Kurz, 2008), etc.

According to (Samanlioglu, Ferrell and Kurz, 2008), the main advantage of Pareto-based techniques is that these methods don't need to normalize objective functions, set reference points and specify weighting coefficients for each objective function according to its importance. But the Pareto-based techniques also have some disadvantages. First, the Pareto ranking does not work for hybrid meta-heuristics with local search because many local moves do not influence the rank of a solution. In some cases, change of a rank of a solution may need to change the objective function value a lot. But this may not be achieved by local move. And for solutions which have been already ranked 1, local improvement is not possible (Jaszkiewicz, 2002). Another problem with the Pareto-based techniques is with the comparability of the solutions. According to (Knowles and Corne, 2004), the Pareto-based techniques may be suited for problems with only two or three objective functions. When working on the multi-objective optimization problems with four or more objective functions, the Pareto-based technique may cause many problems because many solutions will be incomparable.

This research presents a hybrid Lehmer code genetic algorithm, which combines genetic algorithm with 2-opt heuristics and non sequential 3-opt heuristics. And this algorithm will be used to solve single objective Traveling Salesman Problems and multi-objective Traveling Salesman Problems that have up to four or more objective functions. And this research will use a non Pareto-based technique. Specifically we will use the

Target Vector Approach that was also used in (Coello, 2001), (Samanlioglu, Ferrell and Kurz, 2008), etc. In Target Vector Approach, the goal is to minimize the distance between the generated solution and the target vector. In this research, we use the weighted Tchebycheff function with the ideal points as the reference points.

The format of this dissertation is as follows; there will be nine chapters in the dissertation, including:

The first chapter is the introduction. In this chapter, background is given and the problem statement will be discussed.

The second chapter is a literature review. Literature on related topics will be summarized in this chapter.

The third chapter is methodology. This is the main part of the dissertation. This chapter will discuss how to develop and implement the hybrid Lehmer code genetic algorithm and how it is applied on a multi-objective Traveling Salesman Problem.

Chapter four will test the performance of the new algorithm proposed in chapter three. In this chapter, I will use the method proposed in chapter three to solve some benchmark TSPs and compare the performance of the new genetic algorithms with the performances of other meta-heuristics.

Chapter five will summarize the results for chapter four. We can get a good understanding about how the Lehmer code can be used in genetic algorithms to solve multi-objective TSPs. And we will summarize the advantages and disadvantages of the proposed genetic algorithms on solving multi-objective meta-heuristics.

Chapter six will discuss future work. This chapter will discuss the potentials of the other techniques that can be used to improve the performance of the hybrid Lehmer



code genetic algorithms on solving multi-objective TSPs and the potential to use this new genetic algorithm to solve other combinatorial optimization problems.

### **1.3 Contributions**

In this research, after investigating metaheuristics, especially Genetic Algorithms and Random Keys Genetic Algorithms and their applications on the Traveling Salesman Problem, a new Hybrid Lehmer Code Genetic Algorithm was proposed. This new Genetic Algorithm used Lehmer code to represent the potential solutions to solve the infeasible solutions problem associated with traditional Genetic Algorithms when solving discrete optimization problems. And 2-opt and non-sequential 3-opt heuristics were embedded into the new algorithm to conduct a local search. This provided an alternative way to use Genetic Algorithm to solve discrete optimization problems.

This new Genetic Algorithm was implemented by using Matlab, and experiments were conducted to test its performance on single objective and multi-objective TSPs. The results showed that the new Genetic Algorithm had some advantages on some benchmark single-objective TSPs over the newly proposed methods, more specifically Hansen and Samanlioglu's methods (Hansen, 2000; Samanlioglu, Ferrell & Kurz, 2008) even with small population size and fewer generations. And the results of this new Genetic Algorithm on multi-objective TSPs were comparable with those from the methods proposed in the new literatures.

Another advantage of the new Genetic Algorithm over traditional Genetic Algorithms and Random Keys Genetic Algorithms is easy implementation. No fixing procedure is required as in traditional Genetic Algorithms when solving discrete optimization problems.

## CHAPTER 2

### REVIEW OF LITERATURE

Traveling Salesman Problem (TSP) is a well studied combinatorial optimization problem. Many exact and approximate heuristics and meta-heuristics were proposed to solve this problem. It has also served as the bench mark problem to test the efficiency of the newly proposed heuristics and meta-heuristics.

#### 2.1 Traveling Salesman Problem

The Traveling Salesman Problem is a well studied and important combinatorial optimization problem. The idea of the Traveling Salesman Problem is to find the shortest tour that visits each city exactly once and returns to the start city, given a list of cities. The origin of the Traveling Salesman Problem was not clear. But the Traveling Salesman Problem was first formulated as a mathematical problem in 1930 by Karl Menger.

Mathematically, the TSP can be defined as the following:

In the graph  $G = (V, C)$ ,  $V$  is the set of nodes, or cities,  $C$  is the "cost matrix", where  $c_{ij}$  represents the cost of going from city  $i$  to  $j$ ,  $i, j \in V$ . The goal is to find the permutation  $(i_1, i_2, \dots, i_n)$  of the integers from 1 to  $n$  such that the total cost  $c_{i_1 i_2} + c_{i_2 i_3} + \dots + c_{i_n i_1}$  is minimized.

The traveling salesman problem is a NP-complete problem. There is no polynomial-time algorithm that is capable of solving it exactly (Karp, 1977). Homaifar (1992) states "one approach which would certainly find the optimal solution of any TSP is the application of exhaustive enumeration and evaluation." But in most situations, conducting exhaustive enumeration and evaluation will take a long time. And obviously

we need to find an algorithm that gives us a solution in a short time. This means that we probably need to sacrifice optimality to get a good solution in a shorter time.

The algorithms for solving the traveling salesman problem can be classified into two classes: exact algorithm and approximate algorithms (Helsgaun, 2000). The most direct method would be the method that tries all permutations and finds the shortest path. The running time for this approach is within a polynomial factor of  $O(n!)$ . Various branch-and-bound algorithms belong to the exact algorithms. These algorithms are inefficient concerning the running time, especially when solving the traveling salesman problem with a large number of cities.

So many approximate heuristics were proposed to solve the travel salesman problem. Ghosh et al. (2007) introduced tolerance-based greedy algorithms to solve traveling salesman problem. The nearest neighbor algorithm is one of the first algorithms used to find a solution for the traveling salesman problem (Karp, 1977; Gutin, Yeo & Zverovich, 2002). Several genetic-based algorithms were proposed to solve the traveling salesman problem (Grefenstette, Gopal & Rosmaita, 1985; see also Jog, Suh & Gucht, 1989; Oliver, Smith & Holland, 1987; Seniw, 1991). Dorigo and Gambardella (1997) proposed an artificial ant colony algorithm that is capable of solving the traveling salesman problem. Shi, Zhou, Wang, Wang and Liang (2007) presented a discrete particle swarm optimization algorithm for traveling salesman problem. Ghoseiri and Sahadi (2008) present a memetic algorithm to solve the symmetric traveling salesman problem.

## **2.2 Multi-objective Traveling Salesman Problem**

The multi-objective optimization (MOP) problem can be defined as the following:

$$\begin{aligned} \min \quad & f(x) = \{f_1(x), f_2(x), \dots, f_k(x)\} \\ \text{s.t.} \quad & x \in S \end{aligned} \quad (1)$$

where  $k \geq 2$ ,  $x = (x_1, x_2, \dots, x_n)$  is the decision variable vector,  $S$  is the feasible solution space,  $f(x)$  is the objective vector.

A MOP solution is a set of the non-dominated solutions called the Pareto Set (PS).

**Definition 1** A solution  $(x^* \in S)$  dominates a solution  $(x \in S, x \neq x^*)$ ,  $x^* \succ x$  if and only if  $\forall i \in \{1, 2, \dots, n\} f_i(x) \leq f_i(x^*)$  and  $\exists i \in \{1, 2, \dots, n\} f_i(x) < f_i(x^*)$ .

**Definition 2** A solution  $(x^* \in S)$  is efficient if there do not exist a solution  $(x \in S)$  that dominates it.

**Definition 3** A solution  $x^* \in S$  is weakly efficient if there does not exist a solution  $(x \in S, x \neq x^*)$  such that  $f_i(x) < f_i(x^*)$ .

Weighted  $L_p$  norms are defined as the following (Hansen and Jazskiewicz, 1998):

$$L_p(z^1, z^2, \Lambda) = \left( \sum_{j=1}^J \lambda_j |z_j^1 - z_j^2|^p \right)^{1/p} \quad p \in \{1, 2, \dots\} \quad (2)$$

where  $\Lambda = [\lambda_1, \lambda_2, \dots, \lambda_J]$ ,  $\lambda_j \geq 0$ , is a weight vector.

For a multi-objective TSP, the general weighted  $L_p$  norm is defined as

$$\begin{aligned} \min \quad & \left( \sum_{j=1}^J \lambda_j |f_j - z^*|^p \right)^{1/p} \\ \text{s.t.} \quad & x \in S \end{aligned} \quad (3)$$

where  $\lambda_j \geq 0$ ,  $j = 1, 2, \dots, J$ ,  $\sum_{j=1}^J \lambda_j = 1$ ,  $z^*$  is the reference point.

If we set the reference point as the global optimal solution for  $f_j$ , when  $p = \infty$ , we get the weighted Tchebycheff metric

$$\begin{aligned} \min \quad & \max\{\lambda_j(f_j - z^*)\} \\ \text{s.t.} \quad & x \in S \end{aligned} \tag{4}$$

When  $p = 1$ , we get the weighted sum function

$$\begin{aligned} \min \quad & \sum_{j=1}^J (\lambda_j (f_j - z^*)) \\ \text{s.t.} \quad & x \in S \end{aligned} \tag{5}$$

Multi-objective TSPs belong to the class of NP-complete problems even with only two objectives (Hansen, 2000). It has the difficulties of both the TSPs and the multi-objectives (Ehrgott, 2000). And even a single objective TSP belongs to the class of NP-hard problems.

There are many heuristics and meta-heuristics proposed to attack on multi-objective combinatorial optimization problems. Among these, Jaskiewicz (Jaskiewicz and Czyzak, 1998) proposed a Pareto simulated annealing algorithm to solve multi-objective combinatorial optimization problems. Jaskiewicz (2002) presented a new genetic local search algorithm to solve multi-objective TSP. And he concluded that a local search guided by weighted linear function gave a better solution than guided by weighted Tchebycheff function. Hansen (2000) proposed a tabu search with a local search heuristic to solve multi-objective TSPs. He suggested that the heuristic gives better solution when using a substitute scalarizing function instead of the Tchebycheff function to guide the local search heuristic. Samanlioglu et al. (Samanlioglu, Ferrell & Kurz, 2008) present a memetic random key genetic algorithm embedded with a 2-opt heuristic to solve multi-objective TSP. In his research, the local search is guided randomly by either a weighted Tchebycheff function or a weighted sum function.

The evolutionary multi-objective optimization methods can be classified into two types: the Pareto-based technique and non Pareto-based technique (Samanlioglu, Ferrell and Kurz, 2008). For the Pareto-based techniques, the selection is directed by the Pareto dominance and Pareto ranking. The multi-objective genetic algorithm proposed by Fonseca and Fleming (1993), the niched Pareto genetic algorithm (Horn, Nafpliotis & Goldberg, 1994), NSGA II (Deb et al., 2002), SPEA II (Zitzler, Laumanns & Thiele, 2001), etc. belong to this type of technique.

In the non Pareto-base techniques, the selection does not directly rely on the Pareto dominance and Pareto ranking, like vector evaluated genetic algorithm (Schaffer, 1984), target vector approach (Coello, 2001), memetic random key genetic algorithm (Samanlioglu, Ferrell & Kurz, 2008), etc.

According to (Samanlioglu, Ferrell & Kurz, 2008), the main advantage of Pareto-based techniques is that these methods don't need to normalize objective functions, set reference points and specify weighting coefficients for each objective function according to its importance. But the Pareto-based techniques also have some disadvantages. First, the Pareto ranking does not work for hybrid meta-heuristics with local search because many local moves do not influence the rank of a solution. In some cases, change of a rank of a solution may need to change the objective function value a lot. But this may not be achieved by local move. And for solutions which have been already ranked 1, local improvement is not possible (Jaszkiewicz, 2002). Another problem with the Pareto-based techniques is with the comparability of the solutions. According to (Knowles and Corne, 2004), the Pareto-based techniques may be suited for problems with only two or three objective functions. When working on the multi-objective optimization problems with

four or more objective functions, the Pareto-based technique may cause many problems because many solutions will be incomparable.

## 2.3 Meta-heuristics

Meta-heuristic is an active field of research with more and more new methods and the applications to specific problems being proposed. Some well-known metaheuristics are: evolution programming, genetic algorithm, simulated annealing, tabu search, artificial intelligence, ant colony algorithms, particle swarm optimization and so on. Wolpert and Macready (Wolpert and Macready, 1997) explored the relationship between effective optimization algorithm and the problems they solve. They presented a number of “no free lunch” theorems which state that “for any algorithm, any elevated performance over one class of problems is offset by performance over another class.” So no optimization method is perfect enough to solve all optimization problems efficiently.

### 2.3.1 Genetic Algorithm

A genetic algorithm is an iterative procedure used to find exact or approximate solutions to optimization problems. It is categorized as a global search method. Genetic algorithm was first used by John Holland (1975). Genetic algorithm took clues from nature: genetic inheritance and Darwinian strife for survival. One distinguished character of genetic algorithm is the separation of the representation of the problem from the variables in which it was originally formulated.

Five general components are required in a genetic algorithm for a particular problem (Michalewicz, 1996):

- a genetic representation of the solution
- a way to create initial solutions

- a fitness function to evaluate the solution
- genetic operators to create offspring
- values for parameters (population size, probability of applying genetic operators, etc.)

In a genetic algorithm the representations (chromosomes or genotype) of candidate solutions (phenotypes) to an optimization problem evolve toward better solutions. Traditional genetic algorithm uses binary strings as a chromosome to represent real values of the decision variables (Holland, 1975). Suppose that the decision variable  $x$  takes values from a domain ( $D = [a, c] \subseteq R$ ) and eight decimal places for the variable's value is required. Obviously, the domain should be cut into  $(c - a) \cdot 10^8$  equal size range to achieve such precision. A representation having the variable coded as a binary string of length  $n$  satisfies the precision requirement, if  $n$  is the smallest integer which satisfies  $(c - a) \cdot 10^8 \leq 2^n - 1$ . And the following function shows how to convert a binary string  $\{b_1 b_2 \dots b_n\}_2$  into a real number  $x$ :

$$x = a + \{b_1 b_2 \dots b_n\}_2 \cdot \frac{c - a}{2^n - 1}$$

(6)

Genetic algorithm starts from a population of randomly selected individuals. In each generation, the fitness of every individual is evaluated, certain individuals are selected from the current population and modified (through the process of recombination and mutation) to form a new population of the next generation. Theoretically a genetic algorithm can run forever because it is a stochastic research method. In practice, the method stops when a certain termination criterion is reached. The criteria are: a satisfied



solution is found, a fixed number of generations are reached, the allocated budget is reached, and better solutions are no longer produced.

Pseudo codes for a genetic algorithm are:

1. Randomly generate a population of individuals.
2. Compute and save the fitness for each individual in the current population.
3. Repeat until a stopping criteria is met
  - Select best ranked individuals to reproduce
  - Breed new generation through recombination and mutation
  - Evaluate the fitness of the offspring
  - Replace the worst ranked individuals with the offspring
4. Get the individuals with the highest global objective fitness.

Selection is the process in which the fittest individuals of the current generation are used to form the next generation. In (Michalewicz, 1996), a roulette wheel with slots sized according to fitness of each solution is proposed as follows:

- Calculate the total fitness of the population

$$F = \sum_{i=1}^n eval(v_i) \quad (7)$$

- Calculate the probability of selection  $p_i$  for each solution  $v_i$

$$p_i = \frac{eval(v_i)}{F} \quad (8)$$

- Calculate the cumulative probability  $q_i$  for each solution

$$q_i = \sum_{s=1}^i p_s \quad (9)$$

Then we spin the roulette wheel  $n$  ( $n$  is the population size) times. Each time we select a solution for the next generation as follows:

- Generate a random number  $r$  from the range  $[0, 1]$
- If  $r < q_1$ , select the first solution  $v_1$ ; otherwise, select the  $i$ -th solution  $v_i$  if  $q_{i-1} < r \leq q_i$

There are two genetic operators in genetic algorithm: crossover and mutation. Crossover (or recombination) is a genetic operator used to vary the programming of chromosomes from the two individuals of the fittest to form the next generation. Traditional genetic algorithm applies single point crossover. It involves the following steps (Beasley, Bull & Martin, 1993):

- Select two individuals that will exchange certain bits of their binary string with each other.
- Get the randomly selected crossover point and cut both of two individuals into two parts according to the crossover point.
- Swap over the two individuals to produce new binary strings (see figure 2.1).




Figure 4. Single Point Crossover

Mutation is a genetic operator used to maintain genetic diversity from one generation to the next generation. Mutation provides a small amount of random search

and ensures that no point in the search space has a zero probability to be searched (Beasley, Bull & Martin, 1993), thus improving the genetic algorithm's exploring ability. It involves a probability that an arbitrary bit in a genetic sequence changes from its original state. The normal procedure for a traditional genetic algorithm is: generate a random number from the range  $[0..1]$  for each bit of each solution; if this number is less than a predetermined number called mutation rate, the bit will change from 0 to 1, or from 1 to 0 (see figure 2.2).




Figure 5. A Single Point Mutation

The strengths of the genetic algorithm are: the ability to evaluate many possible solutions simultaneously, easy implementation, good performance over a large number of problems (robust), good performance on NP-complete problems and the ability to be implemented on parallel processing (Choy, Lam & Lau, 1997-98).

The weakness of the genetic algorithm: sometimes converges towards local optima, has difficulty operating on dynamic data sets, cannot effectively solve problems with only single right/wrong measure fitness function, raises differences of opinion concerning the importance of crossover versus mutation and for specific problems, and other optimization algorithms may find better solutions than genetic algorithms.

### 2.3.2 Random Keys Genetic Algorithm

It is difficult for traditional Genetic Algorithm to maintain feasibility from parents to offspring when solving many optimization problems, like multiple machine scheduling, quadratic problem, traveling salesman problem, etc. (Bean, 1994). For example, Crossover (or recombination) is a genetic operator used to vary the programming of chromosomes from the two individuals of the fittest to form the next generation. Traditional Genetic Algorithm uses one point crossover (Holland, 1975). Suppose we have a traveling salesman problem that has 6 cities. A candidate for this problem is a permutation of these 6 cities. Two such permutations are  $1 \rightarrow 3 \rightarrow 2 \rightarrow 4 \rightarrow 5 \rightarrow 6$  and  $6 \rightarrow 4 \rightarrow 2 \rightarrow 3 \rightarrow 1 \rightarrow 5$ . In traditional Genetic Algorithm, the genetic representation of these two sequences are the permutations  $x = (1,3,2,4,5,6)$  and  $x' = (6,4,2,3,1,5)$ . A one point crossover will divide each permutation at the crossover point and exchange certain segments of the two permutations. Suppose the crossover point is the fourth place of the permutation. From the Figure 1, we can see that the resulting sequences are  $1 \rightarrow 3 \rightarrow 2 \rightarrow 4 \rightarrow 1 \rightarrow 5$  and  $6 \rightarrow 4 \rightarrow 2 \rightarrow 3 \rightarrow 5 \rightarrow 6$ . Both of them are infeasible. So the crossing over of two feasible solutions does not result in feasible solutions.




Figure 6. Single Point Crossover in Traditional Genetic Algorithms

To overcome the difficulty in maintaining feasibility from parent to offspring, Bean (1994) proposed the Random Keys Genetic Algorithm. Not like traditional Genetic Algorithm using direct chromosomal representation of the candidate solution, the Random Keys Genetic Algorithm uses chromosomal representation in a soft manner. It encodes the candidate solution with random numbers. The values of these random numbers range from 0 to 1. The random numbers are used as the sort keys to encode the candidate solutions. This encoding technique will eliminate the feasibility problem. For example, suppose that there is a single machine 6-jobs scheduling problem. The chromosome  $(0.45, 0.32, 0.58, 0.74, 0.65, 0.17)$  would represent the sequence  $6 \rightarrow 2 \rightarrow 1 \rightarrow 3 \rightarrow 5 \rightarrow 4$ . In Random Keys Genetic Algorithm, the crossovers are executed on the chromosomes while not the sequence. Suppose that we have another chromosome  $(0.87, 0.66, 0.25, 0.14, 0.49, 0.94)$  that would represent the sequence  $4 \rightarrow 3 \rightarrow 5 \rightarrow 2 \rightarrow 1 \rightarrow 6$ . And we suppose the crossover point is after the fourth gene. By using the traditional single point crossover, we get the two offspring (see Figure 2):  $(0.45, 0.32, 0.58, 0.74, 0.49, 0.94)$  that represents the sequence  $2 \rightarrow 1 \rightarrow 5 \rightarrow 3 \rightarrow 4 \rightarrow 6$  and  $(0.87, 0.66, 0.25, 0.14, 0.65, 0.17)$  that represents the sequence  $4 \rightarrow 6 \rightarrow 3 \rightarrow 5 \rightarrow 2 \rightarrow 1$ . Both of the offspring are feasible solutions.




Figure 7. One Point Crossover for Random Keys Genetic Algorithms

Bean (1994) used the Random Keys Genetic Algorithm to solve the multiple machine scheduling problems, the resource allocation problem and the quadratic

assignment problem to test its effectiveness. Chatterjee, Carrera and Lynch (1996) solved traveling salesman problems by using Random keys Genetic Algorithm. Snyder and Daskin (2006) presented a Random Keys Genetic Algorithm to solve generalized Traveling Salesman Problems. Samanlioglu et al. (Samanlioglu, Ferrell & Kurz, 2008) proposed a random-key genetic algorithm to solve the multi-objective traveling salesman problem.

While random key genetic algorithm can overcome the difficulty of maintaining feasibility from parents to offspring, there are two main difficulties with it (Chatterjee, Carrera & Lynch, 1996). First, when implemented on large problem, the sorting process to determine the ranks is expensive. Moreover, the encoding process does not preserve the adjacency of cities in a given tour when crossover with random keys. This makes the random key genetic algorithm very slow and inefficient.

### 2.3.3 Simulated Annealing

Simulated annealing is a generic probabilistic metaheuristic for the global optimization problem. It was derived from the annealing process of metals in which the crystalline configurations are dependent on the rate of the cooling process. A common use of simulated annealing is to find near globally minimum cost solutions to large optimization problems. Kirkpatrick, Gelatt and Vecchi (Kirkpatrick, Gelatt and Vecchi, 1983) were the first to come up and demonstrate applications of simulation techniques in a wide range of fields, from statistical physics to problems of combinatorial optimization.

At each step of the simulation algorithm a new state is constructed from the current state by giving random displacement to a randomly selected particle. If the energy of the new state is lower than that of the current state, then the displacement was accepted,

therefore, the new state became the current state. However, if the energy of the new state was higher by  $m$  joules it became the current state with probability

$$\exp\left(\frac{m}{kT}\right).$$

(10)

This basic step can be mentioned indefinitely. The procedure was called *metropolis loop*. The generation of current states by applying this method led to a states distribution in which the probability of a given state with energy  $e_i$  to be the current state was

$$\frac{\exp(-e_i/kT)}{\sum_j \exp(-e_j/kT)} \quad (11)$$

This is called the Boltzmann distribution, where  $k$  is Boltzmann's constant and  $T$  is the temperature.

Each iteration of the search process of simulated annealing moves from the current trial solution to an immediate neighbor. The selection of that immediate neighbor (candidate to be next trial solution) depends on certain rules, which represent the fundamentals of the simulated annealing search process. Those fundamentals are:

$Z_c$  = objective function value for the current trial solution

$Z_n$  = objective function value for current candidate to be the next trial solution

$T$  = Temperature, a parameter that measures the tendency to accept the current candidate to be the next trial solution if this candidate is not an improvement on the current trial solution.

Now we will discuss the rule in which we apply those fundamental concepts for the selection of one of the immediate neighbors. Assuming the objective is *minimization*; the

simulated annealing search process accepts or rejects a candidate solution to be the next trial solution as follows:

If  $Z_n \leq Z_c$  always accept this candidate

If  $Z_n > Z_c$  accept the candidate with the following probability:

$$\text{Probability (Acceptance)} = \exp ((Z_c - Z_n) / T_1)$$

In the case of having a worse solution ( $Z_n > Z_c$  in case of minimization), a probability of acceptance is introduced. This probability is compared to a random number (between 0 and 1) to determine if the current candidate solution will become the next trial solution.

If *random number* < Probability (Acceptance), accept the current candidate solution. Otherwise, reject.

The application of simulated annealing to optimization problems requires some preliminary steps:

1. Identify the analogues of the physics concepts in the optimization problem at hand.
  - Energy function becomes objective functions.
  - Particles configurations become parameter values configurations
  - Finding a low-energy configuration becomes looking for a near-optimal solution.
  - Temperature becomes the control parameter for the process.
2. Select an annealing schedule that consists of lowering a set of temperatures together with the amount of time that should be spent at each temperature.
3. Develop a way of generating and selecting new configurations.



Any optimization technique has strengths and weaknesses. Simulated annealing is no exception to that. The relative straightforwardness and the ability to solve many combinatorial solutions is an important strength of simulated annealing, however, there is always a need for long computer processing times. Table 2.1 lists some strengths and weaknesses of simulated annealing presented by research done in Antwerp University, Belgium.

Strengths	Weaknesses
<ol style="list-style-type: none"> <li>1. Can deal with arbitrary systems and cost functions.</li> <li>2. Statistically guarantees finding an optimal solution.</li> <li>3. Is relatively easy to code, even for complex problems.</li> <li>4. Generally gives a good solution.</li> </ol>	<ol style="list-style-type: none"> <li>1. Repeatedly annealing with a schedule is very slow, especially if the cost function is expensive to compute.</li> <li>2. For problems where the energy landscape is smooth, or there are few local minimum values, SA is overkill – simpler, faster methods will work better.</li> <li>3. Heuristic methods, which are problem-specific or take advantage of extra information about the system, will often be better than general methods. But simulated annealing will often be comparable to heuristics.</li> <li>4. Simulated annealing cannot tell whether it has found an optimal solution.</li> </ol>

Table 1. Advantages and Disadvantages of Simulated Annealing

### 2.3.4 Tabu Search

Tabu search is a metaheuristic which belongs to the class of local search techniques. Fred Glover (1989) is regarded as the one who created the method. According to Webster's dictionary, tabu is defined as "forbidden to profane use or contact because of what are held to be dangerous or supernatural powers" or "banned on grounds of morality or taste" or "banned as constituting a risk."

By using tabu, the method guides a local heuristic search procedure to explore the solution space beyond local optimality, thus improving the performance of the procedure. Glover and Laguna (1997) mentioned that "distinguished feature of Tabu Search is embodied in its exploitation of adaptive forms of memory, which equips it to penetrate complexities that often confound alternative approaches." They thought adaptive memory and responsive exploration are the general tenets of Tabu Search. Hertz, Taillard and Werra (1997) defined the Tabu Search procedure:

1. Choose an initial solution  $i$  in  $S$ . Set  $i^*=i$  and  $k=0$ .
2. Set  $k = k + 1$  and generate a subset  $V^*$  of solution in  $N(i, k)$  such that either one of the tabu conditions  $tr(i, m) \in Tr$  is violated ( $r=1, \dots, t$ ) or at least one of the aspiration conditions  $ar(i, m) \in Ar(i, m)$  holds ( $r=1, \dots, a$ ).
3. Choose a best  $j=i \oplus m$  in  $V^*$  (with respect to  $f$  or to the function  $f+$ ) and set  $i=j$ .
4. If  $f(i) < f(i^*)$  then set  $i^* = i$ .
5. Update tabu and aspiration conditions.
6. Stop if a stopping condition is met. Else go to Step 2.

They also defined the stopping criteria as:

1. The next iteration does not yield any solutions in the new neighborhood,  
 $N(i,k+1) = \emptyset$ .
2. Perform a set number of iterations,  $k$ .
3. The objective reaches a pre-specified threshold value.
4. Evidence can be given that a global optimum has been reached.

And because the aspiration criteria can allow a move that would be otherwise forbidden, it can affect the performance of Tabu Search. Glover and Laguna (1997) gave a basic aspiration criteria “consisting of removing a tabu classification from a trial move when the move yields solution better than the best obtained so far.”

The strengths of Tabu Search:

1. Allows a move to an inferior solution to escape local optimums
2. Steers away from unpromising inferior solutions
3. Can be applied to both discrete and continuous optimization problems

The weaknesses of Tabu Search (Hertz, Taillard & Werra, 1997):

1. Overwhelmed by the number of parameters to be defined
2. Overwhelmed by the number of iterations
3. The performance depends on the settings of the various parameters.
4. The objective function is hard to evaluate or may not provide enough information to effectively drive the search to a more interesting area of the search space.

### 2.3.5 Ant Colony Optimization

Ant colony optimization is a metaheuristic technique for solving hard combinatorial optimization problems, like the Traveling Sales Problem. Marco Dorigo (1992) originally proposed it in his PhD thesis in 1992. The inspiration came from the ants which took shortest path through the communication among the ants by laying and following the pheromone. The ant colony optimization is based on the communication among a colony of agents, called ants, mediated by pheromone trails.

Dorigo (Dorigo, 1992; Dorigo & Caro, 1999) defined the framework of the Ant Colony Algorithm.

- A finite set  $C = \{c_1, c_2, \dots, c_{N_c}\}$
- $L = \{l_{c_i c_j} \mid (c_i, c_j) \in C\}$ ,  $|L| \leq N_c^2$  is a finite set of possible connection among the elements of  $\tilde{C}$ , where  $\tilde{C}$  is a subset of the Cartesian product  $C \times C$ .
- $J_{c_i c_j} \equiv J(l_{c_i c_j}, t)$  is a connection cost function associated with each  $l_{c_i c_j} \in L$
- $\Omega \equiv \Omega(C, L, t)$  is a finite set of constraints assigned over the elements of  $C$  and  $L$ .
- $s = (c_i, c_j, \dots, c_k, \dots)$  is a sequence over the elements of  $C$ . A sequence  $S$  is also called a state of the problem. If  $S$  is the set of all possible sequences, the set  $\tilde{S}$  of all the sequences that are feasible with respect to the

constraint  $\Omega(C, L, t)$ , is a subset of  $S$ . The elements in  $\tilde{S}$  define the problem's feasible states.

- A neighborhood structure is defined as follows: Given two states  $s_1$  and  $s_2$ , if both  $s_1$  and  $s_2$  are in  $S$ , and the state  $s_2$  can be reached from  $s_1$  in one logical step,  $s_2$  is said to be a neighbor of  $s_1$ . The neighbor of a state  $s$  is denoted by  $N_s$ .
- $\psi$  is a solution if it is an element of  $\tilde{S}$  and satisfies all the problem's

requirements.

- $J_\psi(L, t)$  is a cost associated to each solution  $\psi$ .

Ants of the colony have the following properties:

- An ant searches for minimum cost feasible solutions  $\widehat{J}_\psi = \min_{\psi} J_\psi(L, t)$ .
- An ant  $k$  has a memory of  $M^k$  that is used to store information on the path it followed so far. Memory is used to build a feasible solution, to evaluate the solution and to retrace the path backward.

- An ant  $k$  in state  $s_r = \{s_{r-1}, i\}$  can move to any node  $j$  which is in its feasible neighborhood  $N_i^k$ . The move is selected through a probabilistic decision rule which is the function of the values stored in a node local data structure that is obtained by a functional composition of node locally available pheromone trails and heuristic values, the ant's memory and the problem constraints.
- An ant  $k$  can be assigned a start state  $s_s^k$  and one or more termination conditions  $e^k$ . Ants start from the start state and move to a feasible neighbor state until at least one of the termination conditions is satisfied to build the solution in an incremental way.
- When ants move from node  $i$  to neighbor node  $j$ , they update the pheromone trail  $\tau_{ij}$  on the arc  $(i, j)$ . This is called online step-by-step pheromone update.
- Once a solution is built, the ant can retrace the same path backward and update the pheromone trails on the traversed arcs. This is called online delayed pheromone update.
- Once it has built a solution and it has retraced the path back to the source node, the ant dies and frees all the allocated resources.

Besides ants' activities, an ant colony optimization algorithm includes two additional procedures: pheromone trail evaporation and daemon actions. Pheromone evaporation is the process through which the pheromone deposited by previous ants decreases over time. It can avoid a too-rapid convergence to a suboptimal region. Daemon actions can be used to implement centralized actions which can not be performed by a single ant. The daemon can observe the path formed by each ant in the colony and choose to deposit extra pheromone on the components used by the ant

that built the best solution. The pseudo code (Glover & Kochenberger, 2002) for ant colony optimization is in Figure 3.

Procedure ACO metaheuristic

  If not termination

    AntsActivity ( )

    PheromoneUpdate ( )

    DameonActions ( )

  End if

End Procedure

Figure 8. The Pseudo Code for Ant Colony Optimization

When the ant  $k$  is at the city  $i$  at time  $t$ , the probability that it will move to the city  $j$  is

$$p_{ij}^k(t) = \begin{cases} \frac{[\tau_{ij}(t)]^\alpha [\eta_{ij}(t)]^\beta}{\sum_{l \in N_i^k} [\tau_{il}(t)]^\alpha [\eta_{il}(t)]^\beta} & \text{if } j \in N_i^k \\ 0 & \text{otherwise} \end{cases} \quad (12)$$

Where

$\tau_{ij}$  is the amount of pheromone on edge  $(i, j)$ .

$\alpha$  is a parameter which controls the influence of  $\tau(i, j)$ .

$\eta_{ij}$  is the desirability of edge  $(i, j)$ . In traveling sales problem,  $\eta_{ij} = 1/d_{ij}$ ,  $d_{ij}$  is the distance between  $i$  and  $j$ .

$\beta$  is a parameter which controls the influence of  $\eta_{ij}$ .

In this way, we will favor the choice of edges which are short and have a greater amount of pheromone. The pheromone update is done by the following function:

$$\tau_{ij}(t+1) = (1-\rho) \cdot \tau_{ij}(t) + \sum_{k=1}^m \Delta\tau_{ij}^k(t) \quad (13)$$

Where  $0 \leq \rho \leq 1$  is the pheromone trail evaporation rate.  $m$  is the number of ants. The parameter  $\rho$  is used to avoid unlimited accumulation of the pheromone trails and let the algorithm forget the previous bad solution.

$$\Delta\tau_{ij}^k(t) = \begin{cases} \frac{1}{L^k(t)} & \text{if edge } (i,j) \text{ is used by ant } k \\ 0 & \text{otherwise} \end{cases} \quad (14)$$

where  $L^k(t)$  is the length of the  $k$  th ant's tour.

Ant colony optimization can be applied to a wide range of combinatorial optimization problems. It is mainly used in these two fields: NP-hard problems and shortest path problems in which the properties of the problems' graph representation change over time. The ant colony optimization has an advantage over simulated annealing and genetic algorithm when the graph may change dynamically. It can be run continuously and adapt to changes in real time.

The first problem with ant colony optimization is difficult in definition. It is not easy to give a precise definition of what algorithm is or is not ant colony because the definition may change according to the authors and uses. Another weakness is the search may fall into a local optimum.

### 2.3.6 Particle Swarm Optimization

Particle swarm optimization is a population-based evolutionary computation algorithm for solving optimization problems. It was developed by Kennedy and Eberhart (Kennedy and Eberhart, 1995). It is derived from the research and simulation of the social behavior of a bird flock. Particle swarm optimization is similar to genetic algorithm in



that it is also initialized with a population of random solutions. The difference between them is that in particle swarm optimization, each particle is also assigned a randomized velocity so it flows through the problem space (Eberhart and Shi, 2001).

Each particle keeps track of its coordinates in the problem space. The coordinates are associated with the best solution it has achieved so far. This value is called pbest. Another best value tracked is the overall best value and its location obtained by any particle in the population so far. It is called gbest.

Eberhart and Shi (2001) defined the process for implementing the global version of particle swarm optimization in the following:

1. Initialize a population of particles with random position and velocity in the problem space.
2. Evaluate each particle's desired optimization fitness function.
3. Update each particle's pbest and its location. If current value is better than pbest, set pbest value equal to the current value and its location equal to the current location.
4. Update gbest. If current value is better than gbest, then set gbest to the current value.
5. Change the velocity and position of each particle according to :

$$i. V_i(t + 1) = wV_i(t) + C_1 rand_1()(\hat{x}_i - x_i) + C_2 rand_2()(\hat{g} - x_i) \quad (15)$$

$$ii. X_i(t + 1) = X_i(t) + V_i(t + 1) \quad (16)$$

where  $w$  is inertia weight,  $C_1$  and  $C_2$  are acceleration constants,  $rand_1()$  and  $rand_2()$  are two different random function range from 0 to 1.  $\hat{x}_i$  is the

location of each particle's local best value (pbest),  $\hat{g}$  is the location of global best value (gbest).

6. Loop to step 2 until a criterion is met. The criterion is usually a sufficiently good fitness or a maximum number of iterations.

Particle swarm optimization has been used in a wide range of applications. Like other evolutionary optimization methods, particle swarm optimization can be applied to solve most optimization problems.

One of the reasons that particle swarm optimization is attractive is that there are very few parameters to adjust and it is easy to implement. Wang, Zhang, Zhou and Yin (2008) summarized that the advantages of particle swarm optimization are: simple structure, immediate accessibility for practical application, ease to implementation, quick convergence and robustness. But there are still problems with it. First its applications in solving global combinatorial optimization are limited and not as effective as in global continuous optimization. And on the other hand, the search in particle swarm optimization is mainly based on the local information. It is based on each particle's own best position information and the best global position information so far; therefore, the particle swarm optimization has no mechanism to get and use global information about the search space.

### 2.3.7 Harmony Search

Harmony search is a new heuristic algorithm which mimics the improvisation process of music player. Geem and Kim (2001) first discussed this new metaheuristic algorithm. Musical performers seek to find harmony, which is determined by an aesthetic standard, just as the optimization process seeks to find an optimal solution which is

determined by an objective function. And still the pitch of each musical instrument determines the aesthetic quality; just as each decision variable determines the value of the objective function. In the algorithm, the harmony is analogous to the optimization solution and the improvisations are analogous to local and global search schemes (Lee & Geem, 2005). When a musician improvises one pitch, he usually chooses one of three options: 1) playing any one pitch from his memory; 2) playing an adjacent pitch of one pitch from his memory; 3) playing a totally random pitch from the possible sound range. Similarly, in a harmony search algorithm, each decision variable follows one of three rules to choose one value: 1) choosing any one value from the harmony search memory, 2) choosing an adjacent value of one value from the harmony search memory, 3) choosing totally random from the possible value range.

Lee and Geem (2005) defined the process of harmony search optimization as follows:

1. Initialize the optimization problem and parameters.
2. Initialize the harmony memory (HM) by randomly generating solution vectors and sorting by the values of the objective function.  $x^1, x^2, \dots, x^{HMS}$  ( $HMS$  is the number of solution vectors in harmony memory.).
3. Improvise a new harmony from the HM. The new harmony vector,  $x' = (x'_1, x'_2, \dots, x'_N)$  is generated based on memory considerations, pitch adjustments and randomization.

$$x'_i \leftarrow \begin{cases} x'_i \in \{x_i^1, x_i^2, \dots, x_i^{HMS}\} & \text{with probability } HMCR \\ x'_i \in X_i & \text{with probability } (1 - HMCR) \end{cases}$$

(17)

The HMCR is the probability of choosing one value from the historic values stored in the HM, while  $(1 - HMCR)$  is the probability of randomly selecting one feasible value not limited to those stored in the HM. Each component of the new harmony vector,  $x' = (x'_1, x'_2, \dots, x'_N)$ , is examined to determine if it should be pitch-adjusted.

$$\text{Pitch adjusting decision for } x'_i \leftarrow \begin{cases} \text{Yes with probability } PAR \\ \text{No with probability } (1 - PAR) \end{cases} \quad (18)$$

The pitch adjusting is only performed after a value is chosen from the HM.

$$x'_i \leftarrow x'_i \pm bw \cdot rand(0, 1) \quad (19)$$

$bw$  is the distance bandwidth, the amount of maximum change for pitch adjustment.

The value  $(1 - PAR)$  sets the rate of doing nothing.

4. Update the HM. If the harmony vector is better than the worst harmony in the HM in terms of the objective function value, the harmony replaces the worst harmony to be put into HM.
5. Repeat steps 3 and 4 until the termination criterion is satisfied.

Harmony search is a global search algorithm which can be easily applied to various optimization problems. The advantages of the harmony search are: when making a new vector, it considers all existing vectors rather than only two parents like the genetic

algorithm. And harmony search does not require setting initial values for the decision variables. These advantages may help it in escaping local optima and finding better solutions. Harmony search gets into trouble when performing a local search for numerical application (Mahdavi, Fesanghary & Damangir, 2007).

## **2.4 Hybrid Meta-heuristics**

Over the years, research on hybrid metaheuristics has risen considerably in combinatorial optimization. This research attempted to combine the best features from different metaheuristics to develop more powerful hybrid implementations than the original metaheuristics. The most common format of the hybrid metaheuristics is: the population-based metaheuristics, like genetic algorithm, ant colony, particle swarm etc., which are powerful in exploring the solution space were combined with local search metaheuristics, like hill climbing, simulated annealing, tabu search etc., which are more powerful in terms of exploitation to develop more powerful hybrid metaheuristics (Suh & Van Gucht, 1987; see also Fleurent & Ferland, 1994; Kim, Hayashi & Nara, 1995; Chen & Flann, 1994; Chen et al., 1995; Javadi and Tan, 2005; Li and Li, 2008).

According to (Raidl, 2006), the motivation behind hybrid metaheuristics is to obtain better performance metaheuristics that exploit and unite advantages of the individual pure metaheuristics.

Talbi (2002) categorized all hybrid metaheuristics into four hierarchy categories: Low-level relay hybrid metaheuristic, low-level teamwork hybrid, high-level relay hybrid and high-level teamwork hybrid.

In low-level relay hybrid metaheuristics, a metaheuristic is embedded into a single solution metaheuristic. For example, simulated annealing was combined with local search to solve the traveling salesman problem (Martin, Otto & Felten, 1992).

A metaheuristic embedded into a population-based metaheuristic forms low-level teamwork hybrid metaheuristic. For example, local search metaheuristics, like tabu search, simulated annealing, etc., had been embedded into genetic algorithm to form this kind of hybrid metaheuristics (Fleurent & Ferland, 1994; see also Thiel & Voss, 1994; Kim, Hayashi & Nara, 1995; Davis, 1985; Chen & Flann, 1994; Chen, Wang, Kao, Ouhyang & Chen 1995).

High-level relay hybrid metaheuristics involve several metaheuristics executed in a sequence. For example, in (Javadi & Tan, 2005), a hybrid intelligent genetic algorithm based on the combination of neural network and the genetic algorithm was proposed. In this algorithm, a neural network is used to improve the convergence of the genetic algorithm.

In high-level teamwork hybrid metaheuristics, several metaheuristics conduct a search in parallel. For example, some searches proposed distributed genetic algorithms in which a fixed number of subpopulations evolve competing solutions. Each one of the subpopulations is processed independently by a genetic algorithm. An extra operator, called migration, is proposed to produce exchange between the subpopulations (Tanese, 1989; see also Whitley & Starkweather, 1990; Sun & Wan, 1995; Herrera, Lozano & Moraga, 1999).

As a population based optimization method, genetic algorithm is powerful in exploring the solution space while weak in the exploitation of the solutions found. So

genetic algorithms have been combined with local search heuristics that are powerful in exploitation to create more powerful hybrid metaheuristics.

There are several types of hybrid metaheuristics concerning genetic algorithms. Some hybrid metaheuristics are this type: a local search metaheuristic is embedded into genetic algorithm. The genetic algorithm is used as a global optimizer while its recombination operators (mutation and crossover) are augmented with the ability to perform a local search. Not like classical genetic algorithm using blind operators regardless of fitness of the original individual and the operated one, the hybrid genetic algorithms use heuristics as operator which consider an individual as the origin of its search, apply itself to the individual and replace the original individual with the enhanced one. The local search heuristics here can be hill climbing (Suh & Van Gucht, 1987; Jog, Suh & Van Gucht, 1989), tabu search (Fleurent & Ferland, 1994; see also Thiel & Voss, 1994; Kim, Hayashi & Nara, 1995), greedy heuristics (Davis, 1985), simulated annealing (Chen & Flann, 1994; Chen, Wang, Kao, Ouhyang and Chen 1995).

Another type of hybrid genetic algorithm is: genetic algorithm and other metaheuristics are executed in a sequence. As a population based optimization method, genetic algorithm is powerful in exploring the solution space. This means that genetic algorithm can quickly locate the high performance regions of the solution spaces. Once these high performance regions are located, it will be useful to use a local search metaheuristic to exploit these regions.

According to Talbi (2002), after a certain amount of time, the population of genetic algorithm is quite uniform. Thus, the process fell into a basin of attraction from which it has a low probability to escape. It will improve the performance of the

metaheuristic to exploit the basin to get the optimal solution in the basin as efficient as possible. Because genetic algorithm is not good in exploitation, it will be efficient to use a local search metaheuristic, like hill climbing, tabu search, simulated annealing, etc. Mahfound and Goldberg (1995) used simulated annealing as local search metaheuristic to improve the population obtained by a genetic algorithm to get a more powerful hybrid metaheuristic. Nissen (1994) introduced hill climbing as a local search heuristic to improve the results obtained by genetic algorithm. In (Javadi & Tan, 2005), a hybrid intelligent genetic algorithm based on the combination of neural network and the genetic algorithm was proposed. In this algorithm, a neural network is used to improve the convergence of the genetic algorithm.

Another direction is using other metaheuristics, like greedy search, simulated annealing, etc., to generate initial population for genetic algorithm. For example, Lin, Kao and Hsu (1991) proposed a hybrid genetic algorithm which incorporated genetic algorithm into simulated annealing. This hybrid genetic algorithm started with simulated annealing and used genetic algorithm to augment the solution founded by simulated annealing.

Still another type of hybrid genetic algorithm is: several genetic algorithms perform a search in parallel. Potter and De Jong (1994) proposed a cooperative co-evolutionary genetic algorithm. In this algorithm, there are multiple interacting species and each species represents a subcomponent of a potential solution. And the evolution of each species is handled by a standard GA.

Some searches proposed distributed genetic algorithms in which a fixed number of subpopulations evolve competing solutions. Each one of the subpopulations is



processed independently by a genetic algorithm. An extra operator, called migration, is proposed to produce exchange between the subpopulations (Tanese, 1989; see also Whitley & Starkweather, 1990; Sun & Wan, 1995; Herrera, Lozano & Moraga, 1999). In (Li & Li, 2008), Li and Li proposed a dual species genetic algorithm in which two subpopulations with the same size individuals have different characteristics, such as crossover rate and mutation operator. One subpopulation has a higher crossover rate while the other has a higher mutation rate. So the new hybrid genetic algorithm has both good exploration and exploitation ability.

## 2.5 Lehmer Code

Lehmer code can effectively represent a permutation. It was proposed by Lehmer (1960).

Lehmer code can code each permutation  $\Pi_n$  of  $n$  numbers with a function  $LC(\Pi) : \{1, \dots, n\} \rightarrow \{1, \dots, n-1\}$  to a special sequence of  $n-1$  numbers (Kromer, Platos & Snasel, 2009). Lehmer code of a permutation can be expressed by using an inversion table. Consider a sequence of  $n$  numbers  $x = (x_1 x_2 \dots x_n)$ . An inversion is a pair  $(x_i, x_j)$  such that  $i < j$  and  $x_i > x_j$ . For  $i \in \{1, \dots, n\}$ , let  $d_i$  count the number of inversions with  $i$  as the smaller index. Then the sequence  $(d_1 d_2 \dots d_n)$  is called an inversion table of permutation  $x$ .  $0 \leq d_i \leq n - i$  for  $i = 1, \dots, n$ .

For example, the permutation (3 4 5 2 6 1) can be coded into (2 2 2 1 1 0) by Lehmer code. When the genetic algorithm uses Lehmer code to encode the solutions, the offspring created by crossover of the parent solutions are always feasible. Moreover, it can preserve some edge information from the parent solutions to the offspring.

In (Kromer, Platos & Snasel, 2009), Kromer et al. presented a Lehmer code genetic algorithm and compared it with the other encoding methods. Pesko (2006) proposed a differential evolution algorithm with Lehmer code encoding the candidate solutions to solve the Traveling Salesman Problem.

By using Lehmer code representation, the difficulty for traditional Genetic Algorithms to maintain feasibility from crossover parent solutions to offspring solution will be solved automatically. The solutions getting from crossover will be always feasible. The following figure shows how Lehmer code representation crossover works.




Figure 9. Lehmer Code One Point Crossover

From this figure, we can see that neither solution is feasible in the one point crossover of traditional GA. While in Lehmer code GA, both solutions getting from crossover of parent solutions which are the same with those in traditional GA are feasible. And we can see that with the Lehmer code representation, a certain part of the parent solutions information can be transferred to the offspring solutions. This means that a certain part of the schematic information can be reserved. As we know, this is one of the advantages that Genetic Algorithms has, while random keys Genetic Algorithms can't

keep any edge information to transfer to the offspring. This can be one of the disadvantages of random keys Genetic Algorithms.

## **CHAPTER 3**

### **METHODOLOGY**

This research proposes developing a hybrid meta-heuristic consisting of combining genetic algorithms and local search heuristics, 2-opt heuristics and non sequential 3-opt heuristics. This method compensates for the weakness of a traditional genetic algorithm in exploitation while not hampering its ability in exploration. The new genetic algorithm will have both good exploration and exploitation ability because as a population based meta-heuristic, genetic algorithm is powerful in exploring the solution space and as local search heuristics, 2-opt heuristics and non sequential 3-opt heuristics are powerful in exploitation.

Lehmer code will be used to encode the candidate solutions to solve the infeasible solution problems for traditional Genetic algorithms brought by crossover when solving discrete optimization problems. By using Lehmer code representation, the solutions coming from crossover of parent solutions are always feasible solutions.

In this research, whenever a new solution was produced, no matter if it was produced by crossover of two solutions from the last generation or by mutation, 2-opt heuristics and/or non sequential 3-opt heuristics were used to improve this solution until a local optimal solution was obtained. The 2-opt heuristics and non sequential 3-opt heuristics were guided by a weighted sum of the objectives. The evaluation function was a weighted Tchebycheff metric with an ideal point.

The programming language, MATLAB, will be used to implement this new hybrid genetic algorithm.

### 3.1 Research Problems

There are several research problems that need to be addressed when creating the hybrid genetic algorithm. These include:

1. How to use the Lehmer code to encode the candidate solution?
2. What kind of local search heuristics will be used to perform a local search?
3. How to combine genetic algorithm and 2-opt heuristic?
4. How to evaluate the solutions?
5. How to test the performance of the new hybrid algorithm?

An approach to each of these research questions is given below.

#### **How to use the Lehmer code to encode the candidate solution?**

To overcome the difficulty in maintaining feasibility from parents to offspring for traditional genetic algorithms that use direct representation, Bean (1994) proposed random key genetic algorithms. But this encoding technique also has some disadvantages. For example, the sorting process to determine the ranks of the cities is time-consuming; the information about the adjacency cannot be preserved, this means that no schematics can be transferred from this generation to the next one.

In this research, I will use the Lehmer code to encode the solutions. For the initial solutions, I can definitely use Lehmer code to create the random permutations of  $n$  ( $n$  is the number of cities) to represent the initial solutions. But after the initial solutions are created, these solutions need to be evaluated, improved until local optimal solutions are obtained and sorted. So these solutions should be decoded to represent the path. Then these solutions need to be encoded by Lehmer code so the crossover and mutation operators will create feasible solution. And these coding and encoding processes will be

expensive and time consuming. To make these processes simpler, this research will create the random permutations of  $n$  to represent the initial solutions directly using the natural representation. After these solutions are evaluated, improved and sorted, they will be encoded by Lehmer code to prepare for the crossover and mutation.

And as stated above, Lehmer code representation can not only guarantee the feasibility of the solutions getting from crossover of parent solutions, but also keep some parts of edge information. This makes it a better representation than random keys. Another possible advantage with Lehmer code representation in Genetic Algorithms will be the easy implementation of the genetic operator, mutation. This research will implement one point mutation.

To implement this mutation, first randomly select a number in  $[0, n-5]$  ( $n$  is the number of the cities). This number will indicate the position of the city that will mutate. For example, the number is  $j$ , the Lehmer code for this city is  $temp(j)$ . Then create another random number in  $[0, 1]$ . This number will determine that the Lehmer code for selected city will be increased by 3 or be decreased by 3. If the random number is less than 0.5 and  $temp(j)-3 > 0$  or  $temp(j)+3 > n-j$ , the Lehmer code of the city will be changed to  $temp(j)-3$ . Or else, the Lehmer code for the selected city will be  $temp(j)+3$ .

### **What kind of local search heuristics will be used to perform local search?**

There are many local search algorithms and their variants that we can select from. Therefore, we need to determine what kind of local search heuristics will be used in the new hybrid genetic algorithm. The idea is that we will use a local search algorithm to find local optimal solutions, a non-exhaustive list of local search techniques includes: nearest neighbor, greedy, 2-opt, 3-opt, k-opt, L-K, etc.

The 2-opt heuristic involves in deleting two edges from a tour and reconnecting the two paths created. Only if the resulting tour is shorter than the previous one will we make this change. Otherwise, we will keep the initial tour. This procedure will be continued until no improvement can be made. At this point, we can say a 2-opt local optimal solution is obtained.

According to (Joson & Mcgeoch, 1995), the 2-opt heuristic will often result in a tour with a length less than 5% above the Held-Karp bound. The 2-opt heuristic considers the pair-wise exchange. It involves selecting an edge  $(c_1, c_2)$  and searching for another edge  $(c_3, c_4)$ , if  $dis\ tan\ ce(c_1, c_2) + dis\ tan\ ce(c_3, c_4) > dis\ tan\ ce(c_1, c_3) + dis\ tan\ ce(c_2, c_4)$ , the change will be accepted. This new solution will be served as the candidate solution to find another better solution until no better solution can be found. In the worst situation, each edge will be compared with the rest  $n-2$  edges. Therefore, a simple implementation of 2-opt heuristic runs in  $o(n^2)$ . Although the other heuristics, like 3-opt, L-K opt, etc., can find better solutions than 2-opt, they are more complex than 2-opt. For example, a simple 3-opt runs in  $o(n^3)$ .

To take advantage of the exploitation ability of 3-opt heuristics and not increase CPU time too much, this research will also use non sequential 3-opt heuristics. We only picked up one of four possible 3-opt exchanges. After balancing the effectiveness and efficiency of all these local search heuristics, this research decides to choose 2-opt heuristics and non sequential 3-opt heuristics as the local search heuristic.

**How to combine genetic algorithm and 2-opt heuristics, non sequential 3-opt heuristics?**

As discussed above, there are many types of hybrid genetic algorithms, like embedding other local search meta-heuristic into genetic algorithm to augment the genetic operators of genetic algorithms, executing other meta-heuristics and genetic algorithm in a sequence, having distributed genetic algorithms, etc. In this research, 2-opt heuristics and non sequential 3-opt heuristics were embedded into genetic algorithms. Whenever a solution was gotten, 2-opt heuristics or non sequential 3-opt heuristics were used on this solution until a local optimal solution was obtained. For single objective TSPs, the 2-opt heuristics and non sequential 3-opt heuristics are guided by the objective values of the solutions. For multi-objective TSPs, 2-opt heuristics and non sequential 3-opt heuristics are directed by the weighted sum function.

#### **How to evaluate the solutions?**

In traditional genetic algorithm, solutions are evaluated according to the fitness values of the solutions. For single objective Traveling Salesman Problem, solutions are evaluated by the objective values of the solutions. For multi-objective TSP, each solution has multiple objective values. The goal is to find a set of the non-dominated solutions called the Pareto Set (PS). The evolutionary multi-objective optimization methods can be classified into two types: the Pareto-based technique and non Pareto-based technique.

This research will use non Pareto-based technique, Target Vector Approach, for multi-objective Traveling Salesman Problems. In Target Vector Approach, the goal is to minimize the distance between the generated solution and the target vector. And in this research, solution will be evaluated by the weighted Tchebycheff function with the ideal points as the reference points. The ideal points here are the optimal solutions for each objective function. And this research considers only fixed weight vector. To be more



specific, the vector for each objective function is the same. For example, for a 4 objectives TSP, the weight for each objective function is  $1/4$ .

### **How to test the performance of the new genetic algorithm?**

To test the performance of the algorithm proposed by this research, first, the newly created algorithm will be used to work on some bench mark single objective TSPs. The bench mark single objective TSPs can be available at TSPIB (Reinelt, 1995). To be more specific, I will use this hybrid Lehmer code Genetic Algorithms to solve the TSPs: att48, kroA 100, kroB 100, kroC 100, kroD 100, kroE 100, kroA150, KroB150, KroA 200 and KroB 200. These problems have cities from 48, 100, 150 and 200. And their optimal solutions are known. All these make them good bench mark problems to test the performance of the heuristics and meta-heuristics like our algorithm.

And the performance of the new Genetic Algorithms will also be tested on solving multi-objective TSPs. I will compare the performance of my method on multi-objective TSPs with the methods proposed by Hansen (2002) and Samanlioglu et al. (Samanlioglu, Ferrell & Kurz, 2008). To make a good comparison, this research will test the performance of the algorithm proposed on the same Traveling Salesman problems as those used in (Hansen, 2000) and (Samanlioglu, Ferrell & Kurz, 2008). More specifically, I will use the set of Krolak instances with 100 cities from TSPLIB (Reinelt, 1995). The Krolak instances include 5 instances, kroA 100, kroB 100, ..., kroE 100. For the multi-objective TSP problem of this research, each instance correspond to the cost matrix of one objective function, for example, for a three objective TSP problem, kroA 100 corresponds to the cost matrix of objective function 1, kroB 100 corresponds to that of objective function 2, kroC 100 to that of objective function 3. There are two main

advantages by doing this. First, the tours will be within the same scale of range for the different objectives. This makes the range scaling unnecessary. Furthermore, the optimal value to each problem is known. So we get the exact ideal point for each objective function. This makes the implementation of the weighted Tchebycheff function very easy.

Moreover, to make the comparison between the method of this research and the methods proposed by Hansen (2002) and Samanlioglu, Ferrell and Kurz (2008) valid, the method proposed by this research will work on TSP problems that have two objectives to up to five objectives and each problem will be run for 30 times.

### 3.2 Procedure and Pseudo Code

As mentioned above, the hybrid genetic algorithm will combine genetic algorithm and 2-opt heuristics and non sequential 3-opt heuristics.

The procedure for the new genetic algorithm:

#### 1. Representation

This research will use the Lehmer code to represent the chromosome. Traditional genetic algorithm uses binary strings as a chromosome to represent real values of the decision variables (Holland, 1975). Michalewicz (1996) described the representation of a chromosome in traditional genetic algorithm.

Suppose we need to maximize a function of  $n$  variables,  $f(x_1, x_2, \dots, x_k): R^k \rightarrow R$ , and each variable  $x_i$  takes values from a domain  $D_i = [a_i, b_i] \subseteq R$ . We also suppose six decimal places for the variables' values are desirable. Obviously, each domain should be cut into  $(b_i - a_i) \cdot 10^6$  equal size range to achieve such precision. A representation having the variable coded as a binary string of length  $n_i$  satisfies the precision

requirement, if  $n_i$  is the smallest integer which satisfies  $(b_i - a_i) \cdot 10^6 \leq 2^{n_i} - 1$ . Thus,

totally we need  $n = \sum_{i=1}^k n_i$  binary bits to represent each chromosome (potential solution).

But it is difficult for traditional Genetic Algorithm to maintain feasibility from parents to offspring when solving many optimization problems, especially discrete optimization problems like TSP. For example, Crossover (or recombination) is a genetic operator used to vary the programming of chromosomes from the two individuals of the fittest to form the next generation. Traditional Genetic Algorithm uses one point crossover (Holland, 1975). Suppose we have a traveling salesman problem that has 6 cities. A candidate for this problem is a permutation of these 6 cities. Two such permutations are  $1 \rightarrow 3 \rightarrow 2 \rightarrow 4 \rightarrow 5 \rightarrow 6 \rightarrow 1$  and  $6 \rightarrow 4 \rightarrow 2 \rightarrow 3 \rightarrow 1 \rightarrow 5 \rightarrow 6$ . In traditional Genetic Algorithm, the genetic representation of these two sequences are the permutations  $x = (1,3,2,4,5,6,1)$  and  $x' = (6,4,2,3,1,5,6)$ . A one point crossover will divide each permutation at the crossover point and exchange certain segments of the two permutations. Suppose the crossover point is the fourth place of the permutation. From Figure 1, we can see that the resulting sequences are  $1 \rightarrow 3 \rightarrow 2 \rightarrow 4 \rightarrow 1 \rightarrow 5 \rightarrow 6$  and  $6 \rightarrow 4 \rightarrow 2 \rightarrow 3 \rightarrow 5 \rightarrow 6 \rightarrow 1$ . Both of them are infeasible.

In this research, we will use the Lehmer code to represent the candidate solution. But doing this, all solutions creating by crossover two parent solutions will be feasible. To do this, we first randomly generate a population of permutation of  $n$  ( $n$  is the number of the cities)  $v_i$ .

where  $i = 1, 2, \dots, n$  ( $n$  is the number of solutions in the population)

Then we use the inversion table to change this initial solution to Lehmer code representation.

2. Use 2-opt heuristic to improve these initial solutions until all solutions obtained are local optimal solutions. This 2-opt heuristic will be guided by both a weighted sum function. Then these initial solutions will be sorted according to their evaluation values which are obtained by evaluating these solutions by using a Tchebycheff function.
3. Repeat the following step until a stopping criterion is met.
  - Copying the best  $p\%$  of solutions from the current generation to the next generation. To avoid the early convergence of the solutions, these solutions are different from each other. To do this, before a solution is selected, it needs to be compared with the solutions that have already been selected to see if there is a solution that is the same as this one. Only the solution that is different from the solutions that have already been selected will be selected and kept into next generation.
  - Crossover using the classical crossover to form  $c\%$  of the solutions for the next generation.

First, pick up two solutions from the current generation to serve as the parent. To make the algorithm converge to good solutions, we only select the 50% best solutions to crossover with each other. This means that only good solutions can be crossed over with each other. This can be done by picking up two different random numbers from 1 to  $0.5*n$  ( $n$  is the population size).

In this research, the classic one point crossover will be use. And as we discussed above, the Lehmer code representation can keep edge information from the parents to the offspring. To keep enough edge information from the parents to the offspring while not hampering the exploration ability of the algorithm, we set the crossover point with 70% and 90% of the number of the cities.

For example, the first two random numbers are 1 and 3. This means that solution 1 that is  $\bar{v}_1 = (x_{11}, x_{12}, \dots, x_{1m})$  will exchange certain bits with solution 3 that is  $\bar{v}_3 = (x_{31}, x_{32}, \dots, x_{3m})$ . Then pick up another random number from  $0.7*m$  to  $0.9*m$  ( $m$  is the number of the cities), and this number will serve as the crossover point. For example, the number is 75. The solutions 1 and 3 exchange the bits after the 75th bit with each other. Thus the new solutions are  $\bar{v}'_1 = (x_{11}, x_{12}, x_{13}, \dots, x_{376}, \dots, x_{3m})$  and  $\bar{v}'_3 = (x_{31}, x_{32}, x_{33}, \dots, x_{176}, \dots, x_{1m})$ .

- Using 2-opt heuristics and non 3-opt heuristics on the newly created solutions

The solutions created by crossover will be served as initial solution and put into 2-opt heuristic to find local optimal solutions. Again, the 2-opt heuristic will be guided by a weighted sum function. And 20% best solutions created by crossover will be further improved by using non sequential 3-opt heuristics. This non sequential 3-opt heuristics will also be directed by a weighted sum function.

- Mutation to form another  $p\%$  solutions for the next generation

In this research, mutation will be worked on the  $p\%$  best solutions of the current generation to form the  $p\%$  solutions for the next generation. Thus solutions for the next generation will be completely generated ( $p\%+c\%+p\%=1$ ).

We noticed that if the Lehmer code of a city in a route is changed by 3, there will be 4 cities changed in this route. In this research, to implement mutation operator, we first select the  $p\%$  best solutions from the population of the current generation. For each selected solution, pick up a random number  $j$  between 1 and  $n-5$  ( $n$  is the number of the cities). This number indicates the position of the city that will be changed. Then pick up a random number in  $[0,1]$ . This number tells us the selected Lehmer code will be increased or decreased by 3. Finally, use non sequential 3-opt heuristic to find the local optimal solution for the new solution created by mutation. Again, here the non sequential 3-opt heuristics is guided by a weighted sum function.




Figure 10. Generation Transition

- Evaluate the solutions using the weighted Tchebycheff function with ideal points.
  - Sort the solutions according to the evaluation values getting from the above step.
4. Get the solution with best evaluation value.

This solution will be the optimal solution gotten by the new hybrid genetic algorithm.

The pseudo code for the hybrid genetic algorithm is in the following:

Begin /\* hybrid genetic algorithm\*

Generate initial population of solutions

Use Lehmer code encode the initial solutions

Find local optimal solutions by using 2-opt heuristic

Evaluate these local optimal solutions and sort them according to the fitness value.

While not finished Do

Copy certain part of solutions to form one part solutions for the next generation.

Breed new individuals through crossover and mutation

Find local optimal solutions for the newly generated solutions by using 2-opt heuristic and/or non sequential 3-opt heuristics

Evaluate these local optimal solutions and sort all the solutions for the next generation.

end

Get the best solution (this solution will be right on the first row of the solutions of last generation)

end

Figure 11. Pseudo code for the new Hybrid Lehmer code Genetic Algorithm

## CHAPTER 4

### IMPLEMENTATION ON SINGLE OBJECTIVE TSPS

#### 4.1 Introduction

To test the performance of the new hybrid Lehmer code Genetic Algorithms, this Genetic Algorithms will be used on solving some single objective bench mark TSPs. These TSPs will be att48, kroA 100, kroB 100, kroC 100, kroD 100, kroA 150, kroB 150, kroA 200 and kroB 200. These TSPs were served as bench mark problems to test performance of many newly proposed heuristics and meta-heuristics on solving combinatorial problems. And their global optimal solutions are known. All these make them good bench mark problems in this research. They are available at TSPLIB (Reinelt, 1995).

For each bench mark problem, the algorithm will be run for 5 times to test the robustness of the algorithm so we can compare the results from this research with the results from Samanlioglu's (2006) research. The criteria used here will be the number of the optimal solutions obtained by using the new algorithm and the average relative excess.

#### 4.2 Implementation

Since all these TSP problems are single objective, the solutions will be evaluated and sorted according to their objective values directly. And the fitness value will also guide the search of the local search algorithms, 2-opt and non sequential 3-opt.

In this research, the new genetic algorithm will use Lehmer code represent the candidate solutions. By using Lehmer code, the solutions getting from the crossover of



the parent solutions will be always feasible.

Except for the genetic operators, crossover and mutation, that were used in traditional Genetic Algorithms, we add another operator that is called elite. To implement this operator, the 20 percent best solutions from last generation are selected to keep it to the next generation. And to avoid the early converge to the local optimal solutions, these 20 percent best solutions are non repeatable. This means that no solution can be selected twice in each generation.

In this research, non sequential 3-opt heuristic will be used in this research. As we know, local optimal solutions getting from 3-opt heuristic are also 2-opt optimal. The following figure show the pseudo code for the 3-opt heuristic used in this research.

```

3-opt
for k=1:m (m is the number of cities)
  for j=1:m-4
    for l=1:m-2-j
      prior_change=summation of distances between z(k)and z(k+1), z(k+j) and z(k+j+1), z(k+j+l) and
z(k+j+l+1);
      post_change=summation of distances between z(k) and z(k+j+l), z(k+1) and z(k+j+1), z(k+j) and
z(k+j+l+1)
      if post_change-prior_change<0
        make the change and update the fitness value
      end
    end
  end
end
end

```

Figure 12. Pseudo Code for 3-opt Heuristic

The non sequential 3-opt heuristic will work the following way:

1. Randomly pick up 3 points from the selected path.
2. Compute the distances between each point and its successive point and sum up these distances. The summation is defined as pre-distance.
3. Recombine these 3 points and their successive points and get the summation of the distances of the newly created lines. The summation is defined as post-

distance.

4. Define the change of distance as: the post-distance – the pre-distance. If the change of the distance is less than 0, change the sequence of the selected path as the new created path and the fitness value as the fitness value plus change of the distance.
5. Repeat the step 2-4, until no improvement can be made.

The following figure shows how the 3-opt works.




Figure 13. Non Sequential 3-opt Heuristics Move

By cutting a route into 3 parts, there will have 8 combinations for these 3 parts and only 4 combinations within these 8 combinations involve in exchanging 3 edges,  $AB'C'$ ,  $ACB'$ ,  $AC'B$ ,  $A'BC'$  ( $A'$  is the reverse of  $A$ ). To make it simpler, we only take into account one of these combinations  $AB'C'$ . And we called this non sequential 3-opt heuristic. In this research, solutions obtained by using non sequential 3-opt are also 2-opt optimal.

As stated above, the new hybrid Lehmer code Genetic Algorithms will use the Lehmer code to represent the permutation of the cities. By using Lehmer code representation, the offspring solutions created by crossover the parent solutions are

always feasible. And the algorithm will also use traditional genetic operators: crossover and mutation. The crossover used here is the traditional one point crossover. First, randomly pick up two solutions. Then randomly pick up a number from 1 to  $n$  ( $n$  is the number of the cities). This random number will be served as the crossover point. Furthermore, switch certain parts of the two solutions according to the crossover point. At last, use 2-opt heuristic to find the local optimal solutions for the newly created offspring solutions.

For mutation, this research will use one point mutation. We noticed that if the Lehmer code of a city in a route is changed by 3, there will have 4 cities changed in this route. In this research, we first select the  $c\%$  best solutions from the population of the current generation. For each selected solution, pick up a random number  $j$  between 1 and  $n-5$  ( $n$  is the number of the cities). This number indicates the position of the city that will be changed. Then pick up a random number in  $[0,1]$ , this number tells us the selected Lehmer code will be increased or decreased by 3. Finally, use non sequential 3-opt heuristic to find the local optimal solution for the new solution created by mutation. The following figure shows how one point mutation works.




Figure 14. One Point Mutation Procedure

Whenever a solution is created, no matter if it is created by mutation or crossover of the parent solutions, 2-opt heuristic or non sequential 3-opt heuristic will work on it to find a local optimal solution. In this way, the solutions that comprise the population of each generation will be local optimal solutions. Thus, this new Genetic Algorithm will converge early. The 2-opt heuristic involves randomly picking up two edges in the current route and replacing them with another two edges that have same end points such that the resulting route has shorter distance. The following figure shows how 2-opt works.

```

2-opt
for k=1:m (m is the number of cities)
  for j=2:m-2
    prior_change=summation of distances between z(k) and z(k+1), z(k+j) and z(k+j+1)
    post_change=summation of distances between z(k) and z(k+j), z(k+1) and z(k+j+1)
    if post_change<prior_change<0
      make the change and update the fitness value
    end
  end
end
end

```

Figure 15. Pseudo Code for 2-opt Heuristics

In this chapter, the new algorithm will work on single objective TSP. So the evaluation of each solution will use its objective value directly. And solutions will be sorted according to their objective values. The 2-opt and 3-opt heuristics will be also guided by the objective values to search for local optimal solutions.

The following diagram (Figure 10) shows how the new hybrid Lehmer code Genetic Algorithms works on single objective TSP.




Figure 16. Process of the Hybrid Lehmer Code Genetic Algorithm

### 4.3 Experiment and Results

The new hybrid genetic algorithm will work on TSPs with cities from 48, 100, 150 to 200. The following table shows the coordinates of the cities in Att48 that has 48 cities.

	x	y		x	y
1	6734	1453	25	4307	2322
2	2233	10	26	675	1006
3	5530	1424	27	7555	4819
4	401	841	28	7541	3981
5	3082	1644	29	3177	756
6	7608	4458	30	7352	4506
7	7573	3716	31	7545	2801
8	7265	1268	32	3245	3305
9	6898	1885	33	6426	3173
10	1112	2049	34	4608	1198
11	5468	2606	35	23	2216
12	5989	2873	36	7248	3779
13	4706	2674	37	7762	4595
14	4612	2035	38	7392	2244
15	6347	2683	39	3484	2829
16	6107	669	40	6271	2135
17	7611	5184	41	4985	140
18	7462	3590	42	1916	1569
19	7732	4723	43	7280	4899
20	5900	3561	44	7509	3239
21	4483	3369	45	10	2676
22	6101	1110	46	6807	2993
23	5199	2182	47	5185	3258
24	1633	2809	48	3023	1942

Table 2. The Coordinates of Cities (ATT 48)

Att48 is a set of 48 cities (US state capitals) from TSPLIB. The distances between cities are Euclidean distance. So the goal of att48 is to minimize the distances of the route that visits each city once and return to the start point. The global optimal solution for this problem is known with the shortest distance: 10628. And the tour for the global optimal solution is: 1 → 8 → 38 → 31 → 44 → 18 → 7 → 28 → 6 → 37 → 19 → 27 → 17 → 43 → 30 → 36 → 46 → 33 → 20 → 47 → 21 → 32 → 39 → 48 → 5 → 42 → 24 → 10 → 45 → 35 → 4 → 26 → 2 → 29 → 34 → 41 → 16 → 22 → 3 → 23 → 14 → 25 → 13 → 11 → 12 → 15 → 40 → 9 → 1.

To implement the algorithm here, the initial parameters are set as the following: population size: 25 generations: 100, p% (percent of solutions being improved and mutated): 20%, c% (crossover rate): 60%. Each bench mark problem was run for 30 times. And the experiments were conducted computer with CPU, Intel Core 2 6600, 2.40 GHz, and 2 GB of RAM. And the algorithm was implemented in Matlab.

The relative excess over the best known solution is defined as

$$\text{relative excess} = \frac{\text{evaluation value getting from our method} - \text{the best known evaluation value}}{\text{the best known evaluation value}}$$

The following table shows the results of the new genetic algorithm on Att48.

	Opt	Best Solution	Worst Solution	Average Relative Excess	Number of Opt
Att48	10628	10628	10628	0	30

Table 3. Results for Att48

From Table 2, we can see that the average relative excess is 0 and the number of optimal solution is 30. The new Genetic Algorithms seems robust when dealing with small single TSPs, like att48.

More experiments are executed on TSPs with the number of cities, 100, 150 and 200. These TSPs are the set of Krolak instances from TSP (Reinelt, 1995). They are KroA 100, KroB 100, KroC 100 and KroD 100 with 100 cities and KroA 150, KroB 2150, KroA 200 and KroB 200 with 200 cities. All these problems are generated from randomly placing cities in a rectangle measuring 4000 by 2000 and the using the rounded 2 dimensional Euclidean distance to generate the cost matrix (Hansen, 2000).

For all these TSPs, the same parameters will be used for the hybrid genetic algorithms. The new Genetic Algorithms worked on all these TSPs 5 runs. And for each run, the parameter was set to be the same, population size: 25, elite rate: 0.2, mutation

rate: 0.2, crossover rate: 0.60 and generations: 100. The following table shows the results for TSPs with the 100 cities.

	Opt	Best Solution	Worst Solution	Average Relative Excess	Number of Opt (out of 5)
KroA 100	21282	21282	21282	0.00%	5
KroB 100	22141	22141	22197	0.0524%	4
KroC 100	20749	20749	20749	0.00%	5
KroD 100	21294	21294	21294	0.00%	5
KroE 100	22068	22068	22106	0.0335%	4

Table 4. Experiment Results for TSPs with 100 Cities

From the table, we can see that the new genetic algorithms proposed in this research can almost always find optimal solutions for all the selected TSPs with 100 cities with 4 to 5 out 5 runs. And the average relative excess for each TSP is very close to 0%, less than 0.1%. The average CUP time for this new Genetic Algorithms on solving single TSPs with 100 cities is around 398 second.

To make the new Genetic Algorithms more efficient, this means to make the new Genetic Algorithms running faster on single objective TSPs, we made a change to the algorithm. We only use 2-opt heuristics on the solutions created by mutation while not using non sequential 3-opt heuristics. We still got good results while the average CPU time was reduced to 152 seconds.

	Opt	Best Solution	Worst Solution	Average Relative Excess	Number of Opt (out of 5)
KroA 100	21282	21282	21282	0.00%	5
KroB 100	22141	22141	22141	0.00%	5
KroC 100	20749	20749	20749	0.00%	5
KroD 100	21294	21294	21310	0.015%	4
KroE 100	22068	22068	22106	0.0335%	4

Table 5. Another Experiment on TSPs with 100 Cities

Samanlioglu (2006) proposed a hybrid random key genetic algorithm to solve single TSPs. The population size used in her research was 300, 400, 500 and 1000 with



generations 200 and 300, respectively. The following table shows the results from her research (Table 6).

	N	X	Average Relative Excess	Average CPU Time (s)	Out of Five Replications
berlin52	300	200	0	2.4842	5o
		300	0	5.1092	5o
	400	200	0	3.0814	5o
		300	0	4.2908	5o
	500	200	0	6.7092	5o
		300	0	5.372	5o
1000	200	0	6.7722	5o	
	300	0	7.75	5o	
kroB100	300	200	0	15.4158	5o
		300	0.000867	16.9404	4o1t
	400	200	0	21.588	5o
		300	0	37.053	5o
	500	200	0	40.8218	5o
		300	0	25.5312	5o
1000	200	0.000714	62.9218	4o1t	
	300	0	60.0842	5o	
kroC100	300	200	0	14.225	5o
		300	0	13.2596	5o
	400	200	0	18.05	5o
		300	0	14.3656	5o
	500	200	0	21.053	5o
		300	0	18.7996	5o
1000	200	0	36.9718	5o	
	300	0	35.3532	5o	
kroD100	300	200	0.000282	21.472	3o2t
		300	0.000141	19.047	4o1t
	400	200	0.000282	23.4812	3o2t
		300	0.000423	27.641	2o3t
	500	200	0.000282	28.7062	3o2t
		300	0.000282	31.5592	3o2t
1000	200	0.000141	57.803	4o1t	
	300	0.000141	56.5436	4o1t	
kroE100	300	200	0.001133	24.5692	3o2t
		300	0.001251	21.147	2o3t
	400	200	0.00029	21.2564	4o1t
		300	0.00048	22.8406	4o1t
	500	200	0.001251	32.016	2o3t
		300	0.00048	24.8406	4o1t
1000	200	0	48.3846	5o	
	300	0	45.1778	5o	

Table 6. Samanlioglu's Results for Single TSPs (2006)

Compared to the results from Samanlioglu's research, we can see that the results getting from the method proposed in this research are better than Samanlioglu's method

even by using smaller population size and fewer generations. For example, for KroD 100, this research got 5 out of 5 optimal solutions with population size 25 and generation, 100 while Samanlıoğlu's research got 3 out of 5 optimal solutions with population size 300 and generation 300.




Figure 17. Comparison of Numbers of Optimal Solutions on TSPs with 100 Cities

Since in this research we programmed the code by using Matlab on the VCL (Virtual Computer Lab) computer with CPU, L5420, 2.50 GHz, and 2 GB of RAM while Samanlıoğlu's code was programmed by using C++ on a distributed computer system, we can't compare the CPU time for both methods.

To demonstrate the performance of the new hybrid Genetic Algorithms, more experiments were conducted on single objective TSPs with bigger sizes of cities. For these TSPs, the parameters are the exactly same as those used for the experiments with 100 cities, that is, population size: 25, generation: 100, c% (percent of solutions being improved and mutated): 20%, p% (crossover rate): 60%. And all these TSPs will be run for 5 times.

The following table shows the results for the new genetic algorithms on TSPs with 150 cities and 200 cities. We can see that the new genetic algorithms can still find the optimal solutions with probability. And the average relative excess for the TSPs with 150 and 200 cities is very low, less than 1% percent. This means that the performance of the proposed new hybrid Lehmer code Genetic Algorithms on medium size TSPs, such as TSPs with 150 cities and 200 cities, is also good. And it may need to use bigger population size or run longer generation to obtain better performance for the proposed method on bigger size TSPs.

	Opt	Best Solution	Worst Solution	Average Relative Excess	Number of Opt (out of 5)
KroA 150	26524	26524	26598	0.1108%	4
KroB 150	26130	26130	26140	0.0115%	4
KroA 200	29368	26431	26590	0.4358%	1
KroB 200	29437	29455	29695	0.0591%	1

Table 7. Results for Single TSPs with 150 and 200 Cities

From the above table, we can see that the algorithm also work well when dealing with bigger single TSPs with the same configuration. The average relative excess is less than 1%. To get better solutions on TSPs with more cities, the population size and the generation should be increased.

#### 4.4 Conclusion

From the above experiments, we can see that the new hybrid Genetic Algorithm can easily find the optimal solution for small size TSPs, for example, att48, kroA 100, kroB 100, kroC 100 and kroD 100, and also the optimal solutions for medium size TSP, such as, kroA 150, kroB 150, KroA 200 and KroB 200.

Compared with the other Genetic Algorithms and hybrid Genetic Algorithms, the new hybrid Lehmer code Genetic Algorithms has some advantages on single TSP.

First, by using Lehmer code, the new hybrid Genetic Algorithms can easily overcome the difficulty with traditional Genetic Algorithms in keeping feasibility when crossover parent solutions create offspring. As we can see in the experiments, the crossover operator directly work on the Lehmer code represented parent solutions and no repairing process needed for the offspring solutions. All the solutions from crossover are feasible.

Furthermore, although the random keys Genetic Algorithms can also solve this difficulty, it loses the edge information at the same time when it solves the difficulty of keeping feasible solutions. This means, the random keys Genetic Algorithms can keep any schematic information from the parent solutions to the offspring. As we know, this schematic information is very important feature of Genetic Algorithms. And it's one of the reasons that makes Genetic Algorithms converge quicker. While by using Lehmer code representation, at least certain part of the edge information can be transferred from the parent solutions to the offspring. For example, the following figure shows how Lehmer code representation one point crossover keeps part of parent information into the offspring solutions.




Figure 18. One Point Crossover of Lehmer Code GA (Keep Parent Information)

From the figure, we can see that the parent edge information,  $1 \rightarrow 3 \rightarrow 2 \rightarrow 4$  and  $6 \rightarrow 4 \rightarrow 2 \rightarrow 3$  were kept from the parent solutions to the offspring respectively.

Finally, the implementation of the new Genetic Algorithms is very easy compared to the random keys Genetic Algorithms. For example, for the encoding and evaluation of the solutions, the random keys Genetic Algorithms must sort all cities and get the ranks of all cities first. This means that at least an extra sort process is needed. And you don't know the neighbors for a specific city before you sort all cities. While in Lehmer code Genetic Algorithms, the position of each code is the rank of the city represented by the code. And the city represented by the code can be easily gotten from the list  $\{1, 2, 3, \dots, n\}$  ( $n$  is the total number of the cities) according to the code of the city. The neighbors of this city are the cities right before and behind it.

Another advantage of this new Genetic Algorithm is in tuning up the solutions. For example, in this research, I used an improvement operator in this new hybrid Genetic Algorithms. The idea is to improve the solution by randomly changing the locations of 4 cities. This operator can be very simply implemented by randomly picking up a random number and decreasing or increasing the code which is located in the position of the random number by 3. The following figure shows how this works.




Figure 19. One Point Mutation

From this figure, we can see that three cities change position by simple add 3 for one of the cities' Lehmer code. While in random keys Genetic Algorithms, it is not so easy to implement the similar operator. For example, in Samanlioglu's Random Keys

Genetic Algorithms, 4 cities were randomly picked up and all the combinations of these cities were taken into account. Then 2-opt heuristics worked on these possible solutions and selected the best one. At last, repeated the above procedure for 10 times and selected the one that had the best fitness value.

Based on the above experiments and discussion, we can reach the conclusion that the new hybrid Lehmer code Genetic Algorithms is very robust when dealing with the single small and medium size of single objective TSPs. And it's very easy to implement this new hybrid Genetic Algorithms.

The future work will be to find ways to improve the performance of the algorithms on medium and large size of single objective TSPs. As we can see the algorithm performed not good even for medium size of single TSPs as it on small size problems. Another direction is to improve the efficiency of the algorithms. Since we used non sequential 3-opt heuristic as one of the local search heuristics and as we know, 3-opt heuristic is time consuming compared to 2-opt heuristic, the time expense for this new hybrid genetic algorithm is higher than Samanlioglu's random keys genetic algorithm which used only 2-opt heuristic as the local search method. The main reason is that the algorithm in this research was coded by using Matlab on the VCL computer with CPU, L5420, 2.50 GHz, and 2 GB of RAM while Samanlioglu's code was programmed by using C++ on a distributed computer system. So it leaves some room for us to improve the efficiency of the algorithm in the future.

## CHAPTER 5

### IMPLEMENTATION ON MULTI-OBJECTIVE TSPs

The single objective TSPs belong to the class of NP-hard problems. It's hard to find a global optimal solution efficiently and effectively. While for multi-objective TSPs, the difficulty of the TSP itself and the difficulty of multiple objectives make it a NP-complete problem. It's much harder to find the global optimal solutions for multi-objective TSPs. Many research used the methods that were used to solve the single objective TSPs to solve multi-objective TSPs. But the performance was not as good as solving the single objective TSPs. And the solutions for multi-objective TSPs are highly depended on the preferences of the decision makers and the compromises between different objectives.

Many heuristics and meta-heuristics were proposed to attack the multi-objective TSPs. Within all these heuristics and meta-heuristics, the evolutionary meta-heuristics, such as Genetic Algorithms and all its variants, etc., are very promising. These meta-heuristics start from initial solutions and gradually improved to better solutions. Ideally, an acceptable solution can be found within a certain timeline. And these techniques deal with a population of solutions simultaneously. This makes them a good option to deal with multiple objectives since a compromise between different objectives can be made within a population of solutions.

The evolutionary multi-objective optimization methods can be classified into two types: the Pareto-based technique and non Pareto-based technique (Samanlioglu, Ferrell & Kurz, 2008). For the Pareto-based techniques, the selection is directed by the Pareto dominance and Pareto ranking. The multi-objective genetic algorithm proposed by

Fonseca and Fleming (1993), the niched Pareto genetic algorithm (Horn, Nafpliotis & Goldberg, 1994), NSGA II (Deb et al., 2002), SPEA II (Zitzler, Laumanns & Thiele, 2001), etc., belong to this type of technique.

In the non Pareto-base techniques, the selection does not directly rely on the Pareto dominance and Pareto ranking, like vector evaluated genetic algorithm (Schaffer, 1984), target vector approach (Coello, 2001), memetic random key genetic algorithm (Samanlioglu, Ferrell & Kurz, 2008), etc.

In this research, a new hybrid Lehmer code Genetic Algorithms will be proposed to solve the multi-objective TSPs. A non Pareto-based technique will be used for this new algorithm in solving multi-objective TSPs. More specifically, Target Vector Approach will be used in this research. In this approach, the goal is to minimize the distance between the generated solution and the target vector. This goal guides the new Genetic Algorithms to find solutions for multi-objective TSPs. Here we will use the weighted Tchebycheff function with the ideal points as the reference points. And the built-in local search technique, 2-opt heuristic and the non-sequence 3-opt will be guided by a weighted sum function.

## **5.1 Introduction**

The main difference between single objective TSPs and multi-object TSPs is that for single the evaluation of the solution is solely dependent on the single fitness value of the solution while in multi-objective TSPs, the evaluation will depend on multiple fitness values. Therefore, the difficulties to solve multi-objective TSPs come from both the difficulty of TSPs itself and the difficulty of multiple objectives. As we know, even



single TSP is a NP-hard problem. The multiple objectives make multi-objective TSPs NP-complete problems.

The multi-objective optimization problem (MOP) can be defined as the following:

$$\begin{aligned} \min \quad & f(x) = \{f_1(x), f_2(x), \dots, f_k(x)\} \\ \text{s.t.} \quad & x \in S \end{aligned} \quad (20)$$

Where  $k \geq 2$ ,  $x = (x_1, x_2, \dots, x_n)$  is the decision variable vector,  $S$  is the feasible solution space,  $f(x)$  is the objective vector.

Weighted  $L_p$  norms are defined as the following (Hansen and Jaszkievicz, 1998):

$$L_p(z^1, z^2, \Lambda) = \left( \sum_{j=1}^J \lambda_j |z_j^1 - z_j^2|^p \right)^{1/p} \quad p \in \{1, 2, \dots\} \quad (21)$$

Where  $\Lambda = [\lambda_1, \lambda_2, \dots, \lambda_J]$ ,  $\lambda_j \geq 0$ , is a weight vector.

For a multi-objective TSP, the general weighted  $L_p$  norm is defined as

$$\begin{aligned} \min \quad & \left( \sum_{j=1}^J \lambda_j |f_j - z^*|^p \right)^{1/p} \\ \text{s.t.} \quad & x \in S \end{aligned} \quad (22)$$

Where  $\lambda_j \geq 0$ ,  $j = 1, 2, \dots, J$ ,  $\sum_{j=1}^J \lambda_j = 1$ ,  $z^*$  is the reference point.

If we set the reference point the global optimal solution for  $f_j$ , when  $p = \infty$ , we get the weighted Tchebycheff metric

$$\begin{aligned} \min \quad & \max\{\lambda_j (f_j - z^*)\} \\ \text{s.t.} \quad & x \in S \end{aligned} \quad (23)$$

When  $p = 1$ , we get the weighted sum function

$$\begin{aligned} \min \quad & \sum_{j=1}^J (\lambda_j (f_j - z^*)) \\ \text{s.t.} \quad & x \in S \end{aligned} \quad (24)$$

Many heuristics and meta-heuristics were proposed to solve single and multiple

objectives TSPs, including Genetic Algorithms (Holland, 1975), Simulated Annealing (Kirkpatrick, Gelatt & Vecchi, 1983), Tabu Search (Glover, 1989), Ant Colony (Dorigo, 1992) and Particle Swarm (Kennedy & Eberhart, 1995), etc. Within all these techniques, genetic algorithm is very promising in solving TSPs including single and multiple objectives TSPs because of its ability to deal with a population of solutions simultaneously and evolve to better solutions, especially when it is combined with domain-specific local search heuristics, such as 2-opt, 3-opt, n-opt, etc. With its genetic operators, such as mutation and crossover, genetic algorithms can have good exploration and exploitation abilities. The mutation operator can keep diversity for genetic algorithm while crossover together with the elite selection procedure can let genetic algorithms converge to better solutions.

There are also many heuristics and meta-heuristic proposed to attack on multi-objective combinatorial optimization problems. Among these, Jaskiewicz and Czyzak (1998) proposed a Pareto simulated annealing algorithm to solve multi-objective combinatorial optimization problems. Jaskiewicz (2002) presented a new genetic local search algorithm to solve multi-objective TSP. And he concluded that local search guided by weighted linear function gave better solution than guided by weighted Tchebycheff function. Hansen (2000) proposed a Tabu Search with local search heuristic to solve multi-objective TSP. He suggested that heuristic of the Tchebycheff function gives better solution when using a substitute scalarizing function instead of the Tchebycheff function to guide the local search heuristic. Samanlioglu, Ferrell and Kurz (2008) present a memetic random key genetic algorithm embedded with a 2-opt heuristic to solve multi-

objective TSP. In her research, the local search is guided randomly by either a weighted Tchebycheff function or a weighted sum function.

In this research, a new hybrid Lehmer code Genetic Algorithm which combined Genetic Algorithm with local search techniques, 2-opt and non sequential 3-opt. We used Lehmer code to represent the potential solutions for Genetic Algorithms. With the exploration ability of Genetic algorithm and the exploitation ability of local search, this new genetic algorithm is good in exploration and exploitation. And by using Lehmer code, the solutions created by mutation and crossover operators are always feasible. So an extra repairing step is not required in this new algorithm.

And to attack the multiple objectives difficulty associated with multi-objective TSPs, we used non Pareto-based technique. To be more specific, the Target Vector Approach will be used in this research. The goal of this technique is to minimize the distance between the generated solution and the target vector. This goal guides the new Genetic Algorithms to find good solutions for multi-objective TSPs.

In this research, 2-opt heuristics and non-sequence 3-opt heuristics were directed by a weighted sum function to find local optimal solutions.

## **5.2 Implementation**

The implementation of the new hybrid Lehmer code on multi-objective TSPs is similar to the implementation of this algorithm on single objective TSPs. But since multi-objective TSPs is more complicated than the single objective TSPs, it's much more difficult to solve multi-objective TSPs than single objective TSPs. Additional procedures are needed to solve multi-objective TSPs.

The following diagram (Figure 10) shows how the new hybrid Lehmer code

Genetic Algorithms works on multi-objective TSP.




Figure 20. Multi-objective TSPs Process of the Hybrid Lehmer Code Genetic Algorithm

The procedure for the new genetic algorithm:

1. Initial solutions

To create initial solutions, we randomly created a population of permutations of  $n$  cities ( $n$  is the total number of the cities). And in this research, 2-opt heuristic was used to improve these initial solutions until local optimal solutions was obtained.

Unlike the 2-opt heuristic used in single objective TSPs, here the 2-opt heuristic was guided by weighted sum function. The 2-opt heuristic in single objective TSPs is solely guided by the single objective value. This means that change in the single objective value will determine if the change in the solution will be accepted. While in multi-objective TSPs, because of the existence of multiple objectives, whether a change will be accepted or rejected can't be determined by only one objective value. In this research, we used a weighted sum function to guide the 2-opt heuristics. This means that a change will be accepted if it can lead to a lower value of the weighted sum function.

After the population of initial solutions was created, they were sorted according to their evaluation values obtained by using the Tchebycheff function with an ideal point.

## 2. Representation

To prepare the initial solutions for the processing of genetic operators, these solutions should be represented by a certain representation method. As discussed above, it is difficult for traditional Genetic Algorithm to maintain feasibility from parents to offspring when solving many optimization problems, especially discrete optimization problems like TSP. The problem is with the representation of traditional Genetic Algorithms. When solving TSPs, traditional Genetic Algorithms used the permutation of the cities to represent the potential solutions. This will cause infeasible solutions problem when crossing over the current solutions to created offspring solutions.

For example, we have a traveling salesman problem that has 6 cities. A candidate for this problem is a permutation of these 6 cities. Two such permutations are  $1 \rightarrow 3 \rightarrow 2 \rightarrow 4 \rightarrow 5 \rightarrow 6 \rightarrow 1$  and  $6 \rightarrow 4 \rightarrow 2 \rightarrow 3 \rightarrow 1 \rightarrow 5 \rightarrow 6$ . These two permutations served as two parent solutions. When we use one point crossover and set the third place as the crossover point, the resulting sequences are  $1 \rightarrow 3 \rightarrow 2 \rightarrow 3 \rightarrow 1 \rightarrow 5 \rightarrow 6$  and  $6 \rightarrow 4 \rightarrow 2 \rightarrow 4 \rightarrow 5 \rightarrow 6 \rightarrow 1$ . Neither of them is feasible. To solve this problem, the repairing procedure is need for traditional Genetic Algorithms.

While by using the Lehmer code representation, these two parent solutions are represented as  $(0, 1, 0, 0, 0, 0)$  and  $(5, 3, 1, 1, 0, 0)$ . When we use the one point crossover and the same crossover point as in the traditional Genetic Algorithms, the resulting solutions are  $(0, 1, 0, 1, 0, 0)$  and  $(5, 3, 1, 0, 0, 0)$ . These two solutions represent the sequence  $1 \rightarrow 3 \rightarrow 2 \rightarrow 5 \rightarrow 4 \rightarrow 6 \rightarrow 1$  and  $6 \rightarrow 4 \rightarrow 2 \rightarrow 1 \rightarrow 3 \rightarrow 5 \rightarrow 1$ . Both solutions are feasible solutions. Crossover solutions represented by using Lehmer code always create feasible solutions and no repairing procedure is needed here.

And Lehmer code representation has an advantage over random key representation. One of the important features for Genetic Algorithms is that Genetic Algorithms can keep some parent information from the parents to the offspring. Although random key representation can overcome the infeasible solutions difficulty, it can't keep any edge information from the parent solutions to the offspring solutions. While in Lehmer code representation, the edge information before the crossover point can be preserved from the parent solution to the offspring solutions. For example, in the above example, the first three cities in the offspring solutions are exactly the same as

those in the parent solutions while in random keys Genetic Algorithms, no any edge information can be preserved from the parents to the offspring.

Lehmer code of a permutation can be expressed by using inversion table. Consider a sequence of  $n$  numbers  $x = (x_1 x_2 \dots x_n)$ . An inversion is a pair  $(x_i, x_j)$  such that  $i < j$  and  $x_i > x_j$ . For  $i \in \{1, \dots, n\}$ , let  $d_i$  count the number of inversions with  $i$  as the smaller index. Then the sequence  $(d_1 d_2 \dots d_n)$  is called inversion table of permutation  $x$ .  $0 \leq d_i \leq n - i$  for  $i = 1, \dots, n$ .

```

function num=code(solutions)
    i=size(solutions,2)-3;
    num(1:i)=0;
    for j=1:i-1
        order=0;
        for k=j+1:i
            if solutions(j) > solutions(k)
                order=order+1;
            end
        end
        num(j)=order;
    end
end

function result=dcode(coded)
    i=size(coded,2);
    result(1:i)=0 ;
    list=[1:i];
    for j=1:i
        m=coded(j)+1;
        result(j)=list(m);
        list(m)=[];
    end
end

```

Figure 21. Matlab code for Lehmer Presentation and Decoding Process

3. Repeat the following step until a stopping criterion is met.
  - Copying the best  $p\%$  of solutions from the current generation to the next generation and keep it to the next generation. And as discussed above in single objective TSPs, these  $p\%$  best solutions are different with each other.

- Crossover using the classical one point crossover to form  $c\%$  of the solutions for the next generation.

Randomly pick up two solutions from the current generation to serve as the parent solutions. This can be done by picking up 2 different random numbers for 1 to  $0.5*k$  ( $k$  is the population size). This is the same as in the single objective TSPs, only 50 percent best solutions can crossover with each other. In this research, the classic one point crossover will be use. And since all solutions are local optimal solutions, to keep more edge information while not hampering the exploration ability, the crossover point is selected between  $0.7m$  to  $0.9m$  ( $m$  is the number of cities).

For example, the first two random numbers are 1 to 3. This means that solution 1 that is  $\bar{v}_1 = (x_{11} \ x_{12} \ \dots \ x_{1m})$  will exchange certain bits with solution 3 that is  $\bar{v}_3 = (x_{31} \ x_{32} \ \dots \ x_{3m})$ . Then pick up another random number from  $0.7*m$  to  $0.9*m$  ( $m$  is the number of the cities). This number will serve as the crossover point. For example, the number is 75. Then the solutions 1 and 3 exchange the bits after the 75th cities. The new solution created will be  $\bar{v}'_1 = (x_{11} \ x_{12} \ x_{13} \ \dots \ x_{376} \ \dots \ x_{3m})$  and  $\bar{v}'_3 = (x_{31} \ x_{32} \ x_{33} \ \dots \ x_{176} \ \dots \ x_{1m})$ . Use 2-opt heuristics on the newly created solutions to get local optimal solutions. Then these two newly created solutions will be compared with each other. The one with the better fitness value (evaluated by Tchebycheff function with an ideal point) will be kept in next generation. At last, non sequential 3-opt heuristics will work on 20% best solutions created by 2-opt heuristics. Again, the 2-opt heuristics and non sequential 3-opt heuristics will be guided by the weighted sum function.

- Mutation to form another  $c\%$  solutions for the next generation



In this research, mutation will be worked on the  $p\%$  best solutions of the current generation to form the  $p\%$  solutions for the next generation. The solutions created by mutation will be put into non sequential 3-opt heuristic to find local optimal solutions. Again the non-sequential 3-opt heuristic was guided by weighted sum function.

Thus solutions for the next generation will be completely generated ( $p\%+c\%+p\%=1$ ).

To perform mutation, for each solution of the  $p\%$  best solutions in the current generation, first we generate a random number  $j$  between 1 and  $m-5$  ( $m$  is the number of cities). This number tells us the position of the number that will be mutated. Then pick up a random number in  $[0,1]$ , this number tells us the selected Lehmer code will be increased or decreased by 3.

After new solutions were created by mutation, non-sequential 3-opt heuristic was used to improve them until a local optimal solution was obtained for each solution. Again this non sequential 3-opt heuristic was guided by a weighted sum function.

- Sort the solutions according to the evaluation values from the above step.

Newly created Solutions were sorted according to their evaluation values from the weighted Tchebycheff function no matter if they were created by 2-opt heuristics and non sequential 3-opt heuristics that are guided by the weighted sum function or they were created by just copying  $p\%$  best solutions of last generation.

4. Get the solution with the best evaluation value.

This best solution will be the optimal solution gotten by the new hybrid genetic algorithm. It can be obtained by just simply picking up the first solution in the last generation.

### 5.3 Experiment and Results

The new hybrid Lehmer code Genetic Algorithms will work on TSPs with 2 to 5 objectives TSP with the size of cities 100. To make an effective comparison, the proposed algorithm will be used to solve the same multi-objective TSPs as those used in (Hansen, 2000) and (Samanlioglu, Ferrell & Kurz, 2008). More specifically, I will use the set of Krolak instances with 100 cities from TSPLIB (Reinelt, 1995). The Krolak instances include 5 instances, kroA 100, kroB 100, ..., kroE 100. For the multi-objective TSP problems of this research, each instance correspond to the cost matrix of one objective function, for example, for a three objective TSP problem, kroA 100 corresponds to the cost matrix of objective function 1, kroB 100 corresponds to that of objective function 2, kroC 100 to that of objective function 3.

There are two main advantages in doing this. First, the tours will be within the same scale of range for the different objectives. This makes the range scaling unnecessary. Furthermore, the optimal value to each problem is known. So we get the exact ideal point for each objective function. This makes the implementation of the weighted Tchebycheff function very easy.

Moreover, to make the comparison between the method of this research and the methods proposed by Hansen (2002) and Samanlioglu et al. (2008) valid, the method proposed by this research will work on TSP problems that have two objectives to up to five objectives, and each problem will be run 30 times.

For all these multi-objective TSPs, the same parameters will be used for the hybrid genetic algorithms. First, the new genetic algorithms will work on all these TSPs

30 runs. And for each run, the parameter will be the same, population size: 25, improve rate: 0.2, mutation rate: 0.2, crossover rate: 0.60 and generations: 125.

And the experiments were conducted on the computer with CPU, Intel Core 2 6600, 2.40 GHz, and 2 GB of RAM. And the algorithm was implemented in Matlab.

The following table shows the best solution gotten from Hansen's method and the best solution obtained by using the proposed method on 3 objects TSP with 100 cities. From the table, we can see that the proposed method can find better solution than Hansen's method.

	Hansen	Proposed Method
	1-53-26-49-10-97-99-5921- 72-38-88-22-94-70-56-75-80- 65-79-47-67-40-85-68-30- 100-81-69-73-3-29-46-12-27- 35-86-62-20-55- 83-43-71- 39-5-95-76-91-28-8-90-98-25- 34-58-54-50-2-64-13-41-14- 33-82-78-48-96-44-51-63-16- 24-18-19-92-45-36-74-84-66- 4-89-31-42-6-15-17-23-77-60- 57-87-52-37-7-9-61-32-11-93	1-53-26-49-10-97-99-59-21- 70-94-22-88-72-38-56-75-80- 65-79-47-67-40-85-29-46-12- 27-35-86-62-20-55-83-43-71- 34-25-58-98-90-8-28-91-76-95- 5-39-68-30-3-73-69-81-100-37- 52-96-44-78-82-33-13-41-14- 48-51-63-16-24-18-19-92-45- 36-74-84-66-4-89-54-50-2-64- 42-31-6-15-17-23-77-60-57-87- 7-9-61-32-11-93
Cost in KroA	67274	67202
Cost in KroB	68054	68079
Cost in KroC	66751	66553
W, $w_i=1/k$	(1/3,1/3,1/3)	(1/3,1/3,1/3)
Solution	15334	15313

Table 8. Solutions Obtained by Hansen's Method and the Proposed Method

The following tables (Table 9, Table 10) shows the results of the new Genetic

Algorithms on multi-objective TSPs with N=25, G=125 and N=50, G=62, respectively (N is the population size, G is the generations).

	Opt	Best Solution	Worst Solution	Average Relative Excess	Number of Opt (out of 30)
KroAB100	14256	14256	14417	0.5346%	4
KroABC100	15313	15313	22197	0.7715%	1
KroABCD 100	14241	14295	14431	0.8357%	0
KroABCE 100	14292	14292	14564	0.9328%	1
KroACDE 100	14088	14121	14310	0.8327%	0
KroABCDE100	12888	12936	13111	0.9846%	0

Table 9. Results on Multi-objective TSPs (N=25, G=125)

	Opt	Best Solution	Worst Solution	Average Relative Excess	Number of Opt (out of 30)
KroAB100	14256	14256	14417	0.5752%	2
KroABC100	15313	15313	22197	0.7580%	1
KroABCD 100	14241	14295	14431	0.7651%	0
KroABCE 100	14292	14292	14564	0.9118%	1
KroACDE 100	14088	14121	14310	0.7427%	0
KroABCDE100	12888	12936	13111	0.9539%	0

Table 10. Results on Multi-objective TSPs (N=50, G=62)

The following table shows the comparison of results of this research and Samanlioglu on multi-objective TSPs with 2, 3, 4 and 5 objectives with population size 25, generation 125 and population size:50, generation 62, respectively.

	N=25 G=125				N=50 G=62			
	Samanlioglu		This research		Samanlioglu		This research	
	ARE	R	ARE	R	ARE	R	ARE	R
KroAB100	0.452	3	0.5346	4	0.4003	2	0.5752	2
KroABC100	0.7138	1	0.7715	1	0.723	0	0.758	1
KroABCD100	0.6873	0	0.8357	0	0.5597	0	0.7651	0
KroABCE100	0.785	1	0.9328	1	0.646	0	0.9118	1
KroACDE100	0.7394	1	0.8327	0	0.5829	1	0.7427	0
KroABCDE100	0.9469	1	0.9846	0	1.0027	0	0.9539	0

Table 11. Comparison of Results from This Research and Samanlioglu's Research

The relative excess over the best known solution is defined as

$$\text{relative excess} = \frac{\text{evaluation value getting from our method} - \text{the best known evaluation value}}{\text{the best known evaluation value}}$$

From this table, we can see that the proposed Genetic Algorithm works well on multi-objective TSPs with objectives from 2 to up to 5. For all these multi-objective TSPs, the average relative excess is less than 1%. And the results getting from this research can find comparable results with Samanlioglu's research. For example, for KroAB 100, the proposed method found 4 out 30 optimal solutions while Samanlioglu's method 3. And for kroABCDE100, the average relative excess for this research is 0.9539% while Samanlioglu's method is 1.0027%.




Figure 22 Comparison of ARE (N=25, G=125)

The above figure shows the comparison of the average relative excess of these two methods with population size 25, generation 125. We can see that the relative excesses are very close for these two methods.

The figure below shows the comparison of the average relative excess of these two methods with population size 50, generation 62. We got similar results with the

above. The results for both methods are very close.




Figure 23. Comparison of ARE (N=50, G=62)

## 5.4 Conclusion

In this research, we proposed a hybrid Lehmer code Genetic Algorithm to solve multi-objective TSPs. This algorithm provided an alternative way to use Genetic Algorithms to solve discrete optimization problems. There are many researches using Random Keys Genetic Algorithms to solve discrete optimization problems, but not that many researches on Lehmer code Genetic Algorithms, especially using Lehmer code solving multi-objective combinatorial optimization problems.

The experiments showed that the proposed Lehmer code Genetic Algorithms worked well on multi-objective TSPs. The average relative excesses for all examples are less than 1%. And the results getting from the Lehmer code Genetic Algorithms are comparable to the results from Samanlıoğlu's Random keys Genetic Algorithms.

The new hybrid Lehmer code Genetic Algorithms has some advantages over Random keys Genetic Algorithms.

First, by using Lehmer code, the new hybrid Genetic Algorithms can easily

overcome the difficulty with traditional Genetic Algorithms in keeping feasibility when crossover parent solutions to create offspring. As we can see in the experiments, the crossover operator directly work on the Lehmer code represented parent solutions and no repairing process needed for the offspring solutions. All the solutions obtained from crossover are feasible.

Furthermore, although the random keys Genetic Algorithms can also solve this difficulty, it loses the edge information at the same time when it solves the difficulty of keeping feasible solutions. This means, the random keys Genetic Algorithms can keep any schematic information from the parent solutions to the offspring. As we know, this schematic information is very important feature of Genetic Algorithms. And it's one of the reasons that makes Genetic Algorithms converge quicker. While by using Lehmer code representation, at least certain part of the edge information can be transferred from the parent solutions to the offspring. This is obvious in this research. In this new Genetic Algorithms, we set the crossover point between 0.7m and 0.9m (m is the number of the cities). This means that at least 70% of parent edge information will be kept from the parents to the offspring. For example, the following figure shows how Lehmer code representation one point crossover keeps part of parent information into the offspring solutions.




Figure 18. One Point Crossover of Lehmer Code GA (Keep Parent Information)

From the figure, we can see that the parent edge information,  $1 \rightarrow 3 \rightarrow 2 \rightarrow 4$  and

6 → 4 → 2 → 3 were kept from the parent solutions to the offspring, respectively.

Finally, the implementation of the new Genetic Algorithms is very easy compared to the random keys Genetic Algorithms. For example, for the encoding and evaluation of the solutions, the random keys Genetic Algorithms must sort all cities and get the ranks of all cities first. This means that at least an extra sort process is needed. And you don't know the neighbors for a specific city before you sort all cities. While in Lehmer code Genetic Algorithms, the position of each code is the rank of the city represented by the code. And the city represented by the code can be easily gotten from the list {1, 2, 3, ..., n} (n is the total number of the cities) according to the code of the city. The neighbors of this city are the cities right before and behind it.

Another advantage of this new Genetic Algorithm is in tuning up the solutions. For example, in this research, I used an improvement operator in this new hybrid Genetic Algorithm. The idea is to improve the solution by randomly changing the locations of 4 cities. This operator can be very simply implemented by randomly picking up a number and decreasing or increasing the code which is located in the position of the random number by 3. The following figure shows how this works.




Figure 19. One Point Mutation

From this figure, we can see that three cities change position by simple adding 3 to one of the cities' Lehmer code. In random keys Genetic Algorithms, it is not so easy to



implement the similar operator. For example, in Samanlioglu's Random Keys Genetic Algorithms, 4 cities were randomly picked up and all the combinations of these cities were taken into account. Then 2-opt heuristics worked on these possible solutions and selected the best one. Lastly, the above procedure was repeated 10 times and the one that had the best fitness value was selected.

Based on the above experiments and discussion, we can get the conclusion that the new hybrid Lehmer code Genetic Algorithms works well on multi-objective TSPs. This research provided an alternative way to use Genetic Algorithms to solve multi-objective combinatorial optimization problems. And it's very easy to implement this new hybrid Genetic Algorithm.

## CHAPTER 6

### FUTURE WORK AND CONCLUSION

#### 6.1 Contributions of the Dissertation

This research proposed a new hybrid Lehmer code Genetic Algorithm to solve single objective and multi-objective TSPs. The major contributions of the dissertation are:

- After investigating the performance of traditional Genetic Algorithms and Random Keys Genetic Algorithms on Traveling Salesman Problems, a new Lehmer code Genetic Algorithms was proposed to solve both single objective and multi-objective TSPs. This provided an alternative way to use Genetic Algorithms to solve discrete optimization problems, especially Traveling Salesman Problems.
- Lehmer code was proposed to represent the potential solutions. By using Lehmer code representation, solutions created by using genetic operators are always feasible solutions. Another advantage by using Lehmer code representation is that certain parts of edge information can be retained from the parent solutions to the offspring.
- 2-opt and Non sequential 3-opt were proposed to conduct local search in this new Genetic Algorithm. By doing this, the new Genetic Algorithm has good exploitation ability while not increasing the computation time too much.
- The proposed Hybrid Lehmer code is very easy to implement compared to the traditional Genetic Algorithms and Random Keys Genetic Algorithms when solving discrete optimization problems. No additional fixing procedure is needed as in traditional Genetic Algorithms. And only traditional genetic operators: crossover and mutation were used.

- Matlab was used to implement this new hybrid Lehmer Code Genetic Algorithm.
- The new Genetic Algorithm was used to solve some bench mark single objective TSPs with up to 200 cities from the TSPLIB (Reinelt, 1995) and multi-objective TSPs with up to 5 objectives and 100 cities. The results getting from the proposed method were compared with the results from the newly proposed methods in the literature, more specifically; the results form Hansen and Samanlioglu's methods (Hansen, 2000) (Samanlioglu, Ferrell & Kurz, 2008).

The experiments showed that this new algorithm worked well on both single objective and multi-objective TSPs. Through the experiments and the comparison of the results from the proposed method and the results form Hansen and Samanlioglu's methods, we can see that the proposed method's performance on single objective TSPs is better than Samanlioglu's method even using smaller population size and fewer generations.

And for multi-objective TSPs, we can see that the proposed hybrid Genetic Algorithms got comparable solutions with Samanlioglu's method. And compared to Samanlioglu's method, the proposed algorithm is much easier for implementation.

## **6.2 Limitation and Future Work**

But there is still some room to improve this new Genetic Algorithm:

- The results obtained from the new algorithm on multi-objective TSPs is only comparable to the results from the Random keys Genetic Algorithms while not much better than them.
- The performance of the new Genetic Algorithm on single objective TSPs with large number of cities is not as good as on that with small number of

cities.

- 3-opt is more time consuming compared to 2-opt. Although we only used non-sequential 3-opt in this new Genetic Algorithm, the efficiency of the algorithm was influenced a little bit because of the using of the 3-opt. In addition, we used to Matlab to implement the new Genetic Algorithm. As we know, Matlab is not good in dealing with loops. The efficiency of the algorithm was decreased further.
- Another limitation for this research is that we only used the new algorithm solving several single objective TSPs from TSPLIB and multi-object TSPs from Hansen and Samanlioglu's research. More experiments should be conducted on more single objective TSPs, multi-objective TSPs and other discrete optimization problems to test the robustness of the new Genetic Algorithm on discrete optimization problems.

The future work will be to find ways to improve the performance of the algorithm on multi- objective TSPs. As we discussed above, the Lehmer code Genetic Algorithms has some advantages over Random Keys Genetic Algorithms, such as, keeping edge information from parents to the offspring, easy implementation, etc.

One direction to improve the performance of this new algorithm is to add more complexity to the algorithms. As we discussed above, one of advantages of this new Genetic Algorithms is easy to implement. But this also means that there is some room for us to improve the performance of the algorithm. For example, this new Genetic Algorithms only use non sequential 3-opt heuristics. Maybe in the future, we can try to implement 3-opt heuristics to see if this can improve the performance of the new Genetic

Algorithms. This means that we will take into account of all the possible combination of the three parts of the router while not just taking into account of 1 of the 4 combinations. But this will definitely increase the running time of the algorithm.

And this new algorithm uses one point mutation. To implement this mutation, this algorithm only randomly changes 4 cities position and uses non sequential to improve it. But in Samanlioglu's random keys Genetic Algorithms 4 cities were randomly selected and all the combinations of these cities were improved by 2-opt. Then select the best one. This procedure was repeated 10 times. And the best solution for this repetition was selected as one of solutions in next generation. Maybe in the future, similar procedure can be implemented in the Lehmer code Genetic Algorithms proposed by this research. At least, we can repeat the one point mutation several times and select the best one to keep it to the next generation.

Another direction is to do sensitive analysis. We had already tested the algorithms by using different parameters. So far the parameters used in this research seem to have the best performance. But we did not try all the combinations of the parameters to test the performance of the algorithms because it takes time to run the model, especially if we need to run the algorithm 30 times. In the future, if we can run this algorithm in a distribute computer system, we may find a better combination of the parameters that can improve the performance of the algorithm.

And in the future, we can try to use the new Genetic Algorithms to solve the other optimization problems.

Lastly, we used Matlab to code the new Lehmer code Genetic Algorithms. As we know, Matlab does not perform well when dealing with loops. While in this algorithm,

we need to use many loops for 2-opt and 3-opt heuristics. Maybe in the future, we can try to code this algorithm by using objective-oriented programming package, such as C++, Java, etc. This will greatly decrease the running time for this algorithm.

## REFERENCES

- Applegate, D. L., Bixby, R. E., Chvatal, V., & Cook, W. J. (2006). *The Traveling Salesman Problem: A Computational Study*. Princeton, New Jersey: Princeton University Press.
- Bean, J. C. (1994). Genetic algorithms and random keys for sequencing and optimization. *ORSA Journal on Computing*, 6(2), 154–160.
- Beasley, D., Bull, D. R., & Martin, R. R. (1993). An Overview of Genetic Algorithms: Part 1, Fundamentals. *University Computing*, 15(2), 58-69.
- Bennett, K., Ferris, M.C., & Ioannidis, Y.E. (1991). A Genetic Algorithm for Database Query Optimization. *in Proceedings of the Fourth International Conference on Genetic Algorithms*, 400-407.
- Bryant, K. (2000). *Genetic Algorithms and the Traveling Salesman Problem* (master's Thesis). Harvey Mudd College, Dept. of Mathematics.
- Chiang, W. C., & Russell, R. A. (1997). A Reactive Tabu Search Meta-heuristic for the Vehicle Routing Problem with Time Windows. *INFORMS Journal on Computing*, 9(4), 417-430.
- Chen, C.-C., Wang, L.-H., Kao, C.-Y., Ouhyoung, M. & Chen, W.-C. (1995). Molecular Binding: A Case Study of the Population-Based annealing Genetic Algorithms. *In IEEE International Conference on Evolutionary Computation ICEC'95*. Perth, Australia, 50–55.
- Choy, K. L., Lam, E. W., & Lau, K.H. (1997-98). Application of fuzzied genetic algorithms in optimizing parameters in a manufacturing system for resource allocation. *Annual Journal of IIE (HK)*, 11-16.

- De Jong, K.A. (1975). *Analysis of the Behavior of a Class of Genetic Adaptive Systems* (Doctoral dissertation). University of Michigan, Ann Arbor.
- De Jong, K.A. (1985). Genetic Algorithms: A 10 Year Perspective. *In Proceedings of the First International Conference on Genetic Algorithms and Their Applications*, 169-177.
- Dorigo, M. (1992). *Optimization, Learning and Natural Algorithms* (Doctoral dissertation). Politecnico di Milano, Italie.
- Dorigo M., & Gambardella L. M. (1997). Ant Colonies for Traveling Salesman Problem. *BioSystems*, 43, 73-81.
- Dorigo, M., & Caro, G. D. (1999). Ant Colony Optimization: A New Meta-Heuristic. *Proceedings of the 1999 Congress on Evolutionary Computation*, 2, 1470-1477.
- Eberhart, R., & Shi, Y. (2001). Particle swarm optimization: Development, Applications and Resources. *Proc. IEEE CEC*, 81-86.
- Fonseca, C. M., & Fleming, P. J. (1993). Genetic algorithms for multiobjective optimization: formation, discussion and generation. *In Proceedings of the Fifth International Conference on Genetic Algorithms*, Morgan Kaufman, 416-423.
- Garey, M. R., & Johnson, D. S. (1979). *Computers and Intractability: A Guide to the Theory of NP-Completeness*. Freeman, NY.
- Geem, Z. W., & Kim, J. H. (2001). A New Heuristic Optimization Algorithm: Harmony Search, *Simulation*, 76(2), 60-68.
- Ghoseiri, K., & Sahadi, H. (2008). A memetic algorithm for symmetric traveling salesman problem. *International Journal of Management Science and Engineering Management*, 3(4), 275-283.



- Ghosh, D., Goldengorin, B., Gutin, G., & Jäger, G. (2007). Tolerance-based greedy algorithms for the traveling salesman problem. *Communications in DQM 10*, 52–70.
- Glover, F. (1986). Future Paths for Integer Programming and Links to Artificial Intelligence. *Computer and Operations Research*, 13, 533-549.
- Glover, F., & Laguna, M. (1997). *Tabu Search*. Norwell, Massachusetts: Kluwer Academic Publishers.
- Glover, F., & Kochenberger, G. A. (2002). *Handbook of Meta-heuristics*. Norwell, Massachusetts: Kluwer Academic Publishers.
- Goldberg, D. E. (1989). *Genetic Algorithm in Search, Optimization and Machine Learning*. Boston, Massachusetts: Addison-Wesley Longman.
- Goldberg, D. E., & Lingle, R. (1985). Alleles, Loci and the Traveling Salesman Problem. *Proceedings of First International Conference on Genetic Algorithms*.
- Grefenstette, J. J. (1986). Optimization of Control Parameters for Genetic Algorithms. *IEEE Transactions on Systems, Man and Cybernetics*, 16(1), 122-128.
- Grefenstette, J. J., Gopal, R., Rosmaita, B. J., & Van Gucht, D. (1985). Genetic Algorithms for the Traveling Salesman Problem. *Proceedings of the First International Conference on Genetic Algorithms*, 160-165.
- Gutin, G., Yeo, A., & Zverovich, A. (2002). Traveling salesman should not be greedy: domination analysis of greedy-type heuristics for the TSP. *Discrete Applied Mathematics*, 117, 81-86.
- Hansen, M. P., & Jaskiewicz, A. (1998). *Evaluation the quality of approximation to the non-dominated set*. IMM Technical Report IMM-REP-1998-7.

- Hansen, M. P. (2000). Use of Substitute Scalarizing Functions to Guide a Local Search Based Heuristic: The Case of mo TSP. *Journal of Heuristics*, 6, 419-431.
- Hatta, K., Wakabayashi, S., & Koide, T. (2001). Adaptation of Genetic Operators and Parameters of Genetic Algorithm Based on the Elite Degree of an Individual. *Systems and Computers in Japan*, 31(1), 29-37.
- Helsgaun, K. (2000). An effective implementation of the Lin-Kernighan traveling salesman heuristic. *European Journal of Operational Research*, 126(2000), 106-130.
- Herrera, F., Lozano, M., & Moraga, C. (1999). Hierarchical Distributed Genetic Algorithms. *International Journal of Intelligent Systems*, 14(11), 1099-1121.
- Hertz, A., Taillard, E., & Werra, D. (1997). Tabu Search. In E. Aarts and J. K. Lenstra, (Eds.). *Local Search in Combinatorial Optimization* (pp.121-136). New York, NY: John Wiley & Sons, Ltd.
- Hillier, F. S., & Lieberman, G. J. (2005). *Introduction to Operations Research (eighth edition)*. New York, NY: McGraw-Hill.
- Homaifar, A., Guan, S., & Liepins, E. G. (1992). Schema analysis of the traveling salesman problem using genetic algorithms. *Complex Systems*, 6(2):183–217.
- Holland, J. H. (1975). *Adaption in natural and artificial systems*. Ann Arbor, Michigan: U. of Michigan Press.
- Javadi, A. A., & Tan, T. P. (2005). A hybrid intelligent genetic algorithm. *Advanced Engineering Informatics*, 19(4), 266-262.
- Horn, J., Nafpliotis, N., & Goldberg, D. (1993). A Niche Pareto Genetic Algorithm for Multiobjective Optimization. In *Proceedings of the First IEEE Conference on*

*Evolutionary Computation, IEEE World Congress on Computational Computation*, 1, 82-87.

Jog, P., Suh, J. Y., & van Gucht, D. (1989). The effects of population size, heuristic crossover, and local improvement on a genetic algorithm for the traveling salesman problem. In J. D. Schaffer (Eds.), *Proceedings of the Third International Conference on Genetic Algorithms* (pp. 110-115), San Mateo, CA: Morgan Kaufmann.

Johnson, D. S., & McGeoch, L.A. (1997). The Traveling Salesman Problem: A Case Study in Local Optimization. *Local Search in Combinatorial Optimization*. New York, NY: Wiley.

Kennedy, J., & Eberhart, R. (1995). Particle Swarm Optimization. *Proceedings of IEEE International Conference on Neural Networks* (pp. 1942-1948). NJ: Piscataway.

Kirkpatrick, S., Gelatt, C. D., & Vecchi, M. P. (1983). Optimization by Simulated Annealing. *Science*, 220(4589), 671-680.

Lehmer, H. (1960). Teaching combinatorial tricks to a computer, In *Proceedings of Symposia in Applied Mathematics, Combinatorial Analysis*, 10, 179-193.

Lee, K. S., & Geem, Z. W. (2005). A new meta-heuristic algorithm for continuous engineering optimization: harmony search theory and practice. *Computer Methods in Applied Mechanics and Engineering*, 194(36-38), 3902-3933.

Li, J. H., & Li, M. (2008). Genetic Algorithm with Dual Species, In *Proceedings of the IEEE International Conference on Automation and Logistics* (pp. 2572-2575). Qingdao, China.

- Lin, F. T., Kao, C. Y., & Hsu, C. C. (1991). Incorporating Genetic Algorithms into Simulated Annealing. In *Proceedings of the Fourth International Symposium on Artificial Intelligence* (pp. 290–297).
- Mahdavi, M., Fesanghary, M., & Damangir, E. (2007). An improved harmony search algorithm for solving optimization problems. *Applied Mathematics and Computation*, 188 (2), 1567-1579.
- Mahfoud, S. W., & Goldberg, D. E. (1995). Parallel Recombinative Simulated Annealing: A Genetic Algorithm. *Parallel Computing*, 21, 1–28.
- Martin, O. C., Otto, S. W., & Felten, E. W. (1992). Large-Step Markov Chains for the TSP: Incorporating Local Search Heuristics. *Operation Research Letters*, 11, 219–224.
- Michalewicz, Z. (1996). *Genetic Algorithms + Data Structure = Evolution Programs* (Third, Revised and Extended Edition). Berlin, Heidelberg, New York: Springer-Verlag.
- Mishra, S. K. (2006). *Particle Swarm Method on Some Difficult Test Problems of Global Optimization*. MPRA Paper 1742, University Library of Munich, Germany. Retrieved from: <http://ssrn.com/abstract=928538>.
- Morse, P. M., & Kimball, G.E. (1951). *Methods of Operations Research*. New York, NY: John Wiley & Sons.
- Nissen, V. (1994). Solving the Quadratic Assignment problem with Clues from Nature. *IEEE Transactions on Neural Networks*, 5(1), 66–72.
- Oliver, I. M., Smith, D. J., & Holland, J. R. C. (1987). A study of Permutation Crossover Operators on Traveling Salesman Problem, *Proceedings of Second International Conference on Genetic Algorithms*.

- Osman, I. H., & Laporte, G. (1996). Meta-heuristics: A bibliography. *Annals of Operations Research*, 63, 513-623.
- Pesko, S. (2006). Differential Evolution for Small TSPs with Constraints, In *Proceedings of 4<sup>th</sup> International Scientific Conference "Challenges in Transport and Communication"*.
- Potter, M. A., & De Jong, K. A. (1994). A cooperative co-evolutionary approach to function optimization. In *Proceedings of the Third Parallel Problem Solving from Nature*, 249-257. Jerusalem, Israel.
- Rudolph, G. (1994). Convergence Analysis of Canonical Genetic Algorithms. *IEEE Transactions of Neural Networks*, 5(1), 96-101.
- Singh, S. K., & Borah, M. (2009). A comparative study of Repulsive Particle Swarm Optimization and Simulated Annealing on some Numerical Bench Mark Problems. *International Journal of Computational Intelligence Research*, 5, 75-82.
- Talbi, E. G., & Muntean, T. (1993). Hill-climbing, simulated annealing and genetic algorithms: a comparative study and application to mapping problems. *Proceeding of International Conference on System Science*, 565-573.
- Tanese, R. (1989). Distributed genetic algorithms. *Proceedings of the Third International Conference on Genetic Algorithms*, pp. 434-439.
- Van den Bergh, F., & Engelbrecht, A. (2004). A Cooperative Approach to Particle Swarm Optimization. *IEEE Transactions on Evolutionary Computation*, 8(3), 225-239.
- Vignaux, G. A., & Michalewicz, Z. (1991). A Genetic Algorithm for the Linear Transportation Problem, *IEEE Transaction on System, Man and Cybernetics*, 21(2), 445-452.

- Wang, J., Zhang, Y., Zhou, Y., & Yin, J. (2008). Discrete Quantum-Behaved Particle Swarm Optimization Based on Estimated of Distribution for Combinatorial Optimization. *Proc. IEEE CEC*, pp. 897-904.
- Wang, D. Y., & Wang, G. (2008). Parameters Optimization of Fuzzy Controller Based on Improved Particle Swarm Optimization, In *IEEE International Conference on Intelligent Information Hiding and Multimedia Signal Processing*, pp. 917-921.
- Wang, H., Wang, D., & Yang, S. (2009). A memetic algorithm with adaptive hill climbing strategy for dynamic optimization problems. *Soft Computing*, 13, 763-780.
- Whitley, D., & Starkweather, T. (1990). Genitor II: a distributed genetic algorithm. *Journal of Experimental and Theoretical Artificial Intelligence*, 2, 189–214.
- Wolpert, D. H., & Macready W. G. (1997). No Free Lunch Theorems for Optimization. *IEEE Transactions on Evolutionary Computation*, 1(1), 67-82.
- Yildiz, A. L. (2009). An effective hybrid immune-hill climbing optimization approach for solving design and manufacturing optimization problems in industry. *Journal of Material Processing Technology*, 209, 2773-2780.

**APPENDIX**  
**COORDINATE FOR CITIES OF TSPS**

KroA100		
	1	1380 939
	2	2848 96
	3	3510 1671
	4	457 334
	5	3888 666
	6	984 965
	7	2721 1482
	8	1286 525
	9	2716 1432
	10	738 1325
	11	1251 1832
	12	2728 1698
	13	3815 169
	14	3683 1533
	15	1247 1945
	16	123 862
	17	1234 1946
	18	252 1240
	19	611 673
	20	2576 1676
	21	928 1700
	22	53 857
	23	1807 1711
	24	274 1420
	25	2574 946
	26	178 24
	27	2678 1825
	28	1795 962
	29	3384 1498
	30	3520 1079
	31	1256 61
	32	1424 1728
	33	3913 192
	34	3085 1528
	35	2573 1969
	36	463 1670

37	3875	598
38	298	1513
39	3479	821
40	2542	236
41	3955	1743
42	1323	280
43	3447	1830
44	2936	337
45	1621	1830
46	3373	1646
47	1393	1368
48	3874	1318
49	938	955
50	3022	474
51	2482	1183
52	3854	923
53	376	825
54	2519	135
55	2945	1622
56	953	268
57	2628	1479
58	2097	981
59	890	1846
60	2139	1806
61	2421	1007
62	2290	1810
63	1115	1052
64	2588	302
65	327	265
66	241	341
67	1917	687
68	2991	792
69	2573	599
70	19	674
71	3911	1673
72	872	1559
73	2863	558
74	929	1766
75	839	620
76	3893	102
77	2178	1619
78	3822	899
79	378	1048



80	1178	100
81	2599	901
82	3416	143
83	2961	1605
84	611	1384
85	3113	885
86	2597	1830
87	2586	1286
88	161	906
89	1429	134
90	742	1025
91	1625	1651
92	1187	706
93	1787	1009
94	22	987
95	3640	43
96	3756	882
97	776	392
98	1724	1642
99	198	1810
100	3950	1558

EOF

KroA150

1	1380	939
2	2848	96
3	3510	1671
4	457	334
5	3888	666
6	984	965
7	2721	1482
8	1286	525
9	2716	1432
10	738	1325
11	1251	1832
12	2728	1698
13	3815	169
14	3683	1533
15	1247	1945
16	123	862
17	1234	1946

18	252	1240
19	611	673
20	2576	1676
21	928	1700
22	53	857
23	1807	1711
24	274	1420
25	2574	946
26	178	24
27	2678	1825
28	1795	962
29	3384	1498
30	3520	1079
31	1256	61
32	1424	1728
33	3913	192
34	3085	1528
35	2573	1969
36	463	1670
37	3875	598
38	298	1513
39	3479	821
40	2542	236
41	3955	1743
42	1323	280
43	3447	1830
44	2936	337
45	1621	1830
46	3373	1646
47	1393	1368
48	3874	1318
49	938	955
50	3022	474
51	2482	1183
52	3854	923
53	376	825
54	2519	135
55	2945	1622
56	953	268
57	2628	1479
58	2097	981
59	890	1846
60	2139	1806

61	2421	1007
62	2290	1810
63	1115	1052
64	2588	302
65	327	265
66	241	341
67	1917	687
68	2991	792
69	2573	599
70	19	674
71	3911	1673
72	872	1559
73	2863	558
74	929	1766
75	839	620
76	3893	102
77	2178	1619
78	3822	899
79	378	1048
80	1178	100
81	2599	901
82	3416	143
83	2961	1605
84	611	1384
85	3113	885
86	2597	1830
87	2586	1286
88	161	906
89	1429	134
90	742	1025
91	1625	1651
92	1187	706
93	1787	1009
94	22	987
95	3640	43
96	3756	882
97	776	392
98	1724	1642
99	198	1810
100	3950	1558
101	3477	949
102	91	1732
103	3972	329

104	198	1632
105	1806	733
106	538	1023
107	3430	1088
108	2186	766
109	1513	1646
110	2143	1611
111	53	1657
112	3404	1307
113	1034	1344
114	2823	376
115	3104	1931
116	3232	324
117	2790	1457
118	374	9
119	741	146
120	3083	1938
121	3502	1067
122	1280	237
123	3326	1846
124	217	38
125	2503	1172
126	3527	41
127	739	1850
128	3548	1999
129	48	154
130	1419	872
131	1689	1223
132	3468	1404
133	1628	253
134	382	872
135	3029	1242
136	3646	1758
137	285	1029
138	1782	93
139	1067	371
140	2849	1214
141	920	1835
142	1741	712
143	876	220
144	2753	283
145	2609	1286
146	3941	258

147	3613	523
148	1754	559
149	2916	1724
150	2445	1820

EOF

KroA  
200

1	1357	1905
2	2650	802
3	1774	107
4	1307	964
5	3806	746
6	2687	1353
7	43	1957
8	3092	1668
9	185	1542
10	834	629
11	40	462
12	1183	1391
13	2048	1628
14	1097	643
15	1838	1732
16	234	1118
17	3314	1881
18	737	1285
19	779	777
20	2312	1949
21	2576	189
22	3078	1541
23	2781	478
24	705	1812
25	3409	1917
26	323	1714
27	1660	1556
28	3729	1188
29	693	1383
30	2361	640
31	2433	1538
32	554	1825
33	913	317
34	3586	1909

35	2636	727
36	1000	457
37	482	1337
38	3704	1082
39	3635	1174
40	1362	1526
41	2049	417
42	2552	1909
43	3939	640
44	219	898
45	812	351
46	901	1552
47	2513	1572
48	242	584
49	826	1226
50	3278	799
51	86	1065
52	14	454
53	1327	1893
54	2773	1286
55	2469	1838
56	3835	963
57	1031	428
58	3853	1712
59	1868	197
60	1544	863
61	457	1607
62	3174	1064
63	192	1004
64	2318	1925
65	2232	1374
66	396	828
67	2365	1649
68	2499	658
69	1410	307
70	2990	214
71	3646	1018
72	3394	1028
73	1779	90
74	1058	372
75	2933	1459
76	3099	173
77	2178	978

78	138	1610
79	2082	1753
80	2302	1127
81	805	272
82	22	1617
83	3213	1085
84	99	536
85	1533	1780
86	3564	676
87	29	6
88	3808	1375
89	2221	291
90	3499	1885
91	3124	408
92	781	671
93	1027	1041
94	3249	378
95	3297	491
96	213	220
97	721	186
98	3736	1542
99	868	731
100	960	303
101	1380	939
102	2848	96
103	3510	1671
104	457	334
105	3888	666
106	984	965
107	2721	1482
108	1286	525
109	2716	1432
110	738	1325
111	1251	1832
112	2728	1698
113	3815	169
114	3683	1533
115	1247	1945
116	123	862
117	1234	1946
118	252	1240
119	611	673
120	2576	1676

121	928	1700
122	53	857
123	1807	1711
124	274	1420
125	2574	946
126	178	24
127	2678	1825
128	1795	962
129	3384	1498
130	3520	1079
131	1256	61
132	1424	1728
133	3913	192
134	3085	1528
135	2573	1969
136	463	1670
137	3875	598
138	298	1513
139	3479	821
140	2542	236
141	3955	1743
142	1323	280
143	3447	1830
144	2936	337
145	1621	1830
146	3373	1646
147	1393	1368
148	3874	1318
149	938	955
150	3022	474
151	2482	1183
152	3854	923
153	376	825
154	2519	135
155	2945	1622
156	953	268
157	2628	1479
158	2097	981
159	890	1846
160	2139	1806
161	2421	1007
162	2290	1810
163	1115	1052



164	2588	302
165	327	265
166	241	341
167	1917	687
168	2991	792
169	2573	599
170	19	674
171	3911	1673
172	872	1559
173	2863	558
174	929	1766
175	839	620
176	3893	102
177	2178	1619
178	3822	899
179	378	1048
180	1178	100
181	2599	901
182	3416	143
183	2961	1605
184	611	1384
185	3113	885
186	2597	1830
187	2586	1286
188	161	906
189	1429	134
190	742	1025
191	1625	1651
192	1187	706
193	1787	1009
194	22	987
195	3640	43
196	3756	882
197	776	392
198	1724	1642
199	198	1810
200	3950	1558

EOF

KroB100

1 3140 1401

2	556	1056
3	3675	1522
4	1182	1853
5	3595	111
6	962	1895
7	2030	1186
8	3507	1851
9	2642	1269
10	3438	901
11	3858	1472
12	2937	1568
13	376	1018
14	839	1355
15	706	1925
16	749	920
17	298	615
18	694	552
19	387	190
20	2801	695
21	3133	1143
22	1517	266
23	1538	224
24	844	520
25	2639	1239
26	3123	217
27	2489	1520
28	3834	1827
29	3417	1808
30	2938	543
31	71	1323
32	3245	1828
33	731	1741
34	2312	1270
35	2426	1851
36	380	478
37	2310	635
38	2830	775
39	3829	513
40	3684	445
41	171	514
42	627	1261
43	1490	1123
44	61	81

45	422	542
46	2698	1221
47	2372	127
48	177	1390
49	3084	748
50	1213	910
51	3	1817
52	1782	995
53	3896	742
54	1829	812
55	1286	550
56	3017	108
57	2132	1432
58	2000	1110
59	3317	1966
60	1729	1498
61	2408	1747
62	3292	152
63	193	1210
64	782	1462
65	2503	352
66	1697	1924
67	3821	147
68	3370	791
69	3162	367
70	3938	516
71	2741	1583
72	2330	741
73	3918	1088
74	1794	1589
75	2929	485
76	3453	1998
77	896	705
78	399	850
79	2614	195
80	2800	653
81	2630	20
82	563	1513
83	1090	1652
84	2009	1163
85	3876	1165
86	3084	774
87	1526	1612

88	1612	328
89	1423	1322
90	3058	1276
91	3782	1865
92	347	252
93	3904	1444
94	2191	1579
95	3220	1454
96	468	319
97	3611	1968
98	3114	1629
99	3515	1892
100	3060	155

EOF

KroB150

1	1357	1905
2	2650	802
3	1774	107
4	1307	964
5	3806	746
6	2687	1353
7	43	1957
8	3092	1668
9	185	1542
10	834	629
11	40	462
12	1183	1391
13	2048	1628
14	1097	643
15	1838	1732
16	234	1118
17	3314	1881
18	737	1285
19	779	777
20	2312	1949
21	2576	189
22	3078	1541
23	2781	478
24	705	1812
25	3409	1917
26	323	1714
27	1660	1556

28	3729	1188
29	693	1383
30	2361	640
31	2433	1538
32	554	1825
33	913	317
34	3586	1909
35	2636	727
36	1000	457
37	482	1337
38	3704	1082
39	3635	1174
40	1362	1526
41	2049	417
42	2552	1909
43	3939	640
44	219	898
45	812	351
46	901	1552
47	2513	1572
48	242	584
49	826	1226
50	3278	799
51	86	1065
52	14	454
53	1327	1893
54	2773	1286
55	2469	1838
56	3835	963
57	1031	428
58	3853	1712
59	1868	197
60	1544	863
61	457	1607
62	3174	1064
63	192	1004
64	2318	1925
65	2232	1374
66	396	828
67	2365	1649
68	2499	658
69	1410	307
70	2990	214

71	3646	1018
72	3394	1028
73	1779	90
74	1058	372
75	2933	1459
76	3099	173
77	2178	978
78	138	1610
79	2082	1753
80	2302	1127
81	805	272
82	22	1617
83	3213	1085
84	99	536
85	1533	1780
86	3564	676
87	29	6
88	3808	1375
89	2221	291
90	3499	1885
91	3124	408
92	781	671
93	1027	1041
94	3249	378
95	3297	491
96	213	220
97	721	186
98	3736	1542
99	868	731
100	960	303
101	3825	1101
102	2779	435
103	201	693
104	2502	1274
105	765	833
106	3105	1823
107	1937	1400
108	3364	1498
109	3702	1624
110	2164	1874
111	3019	189
112	3098	1594
113	3239	1376

114	3359	1693
115	2081	1011
116	1398	1100
117	618	1953
118	1878	59
119	3803	886
120	397	1217
121	3035	152
122	2502	146
123	3230	380
124	3479	1023
125	958	1670
126	3423	1241
127	78	1066
128	96	691
129	3431	78
130	2053	1461
131	3048	1
132	571	1711
133	3393	782
134	2835	1472
135	144	1185
136	923	108
137	989	1997
138	3061	1211
139	2977	39
140	1668	658
141	878	715
142	678	1599
143	1086	868
144	640	110
145	3551	1673
146	106	1267
147	2243	1332
148	3796	1401
149	2643	1320
150	48	267

EOF

Kro200

1	3140	1401
2	556	1056
3	3675	1522

4	1182	1853
5	3595	111
6	962	1895
7	2030	1186
8	3507	1851
9	2642	1269
10	3438	901
11	3858	1472
12	2937	1568
13	376	1018
14	839	1355
15	706	1925
16	749	920
17	298	615
18	694	552
19	387	190
20	2801	695
21	3133	1143
22	1517	266
23	1538	224
24	844	520
25	2639	1239
26	3123	217
27	2489	1520
28	3834	1827
29	3417	1808
30	2938	543
31	71	1323
32	3245	1828
33	731	1741
34	2312	1270
35	2426	1851
36	380	478
37	2310	635
38	2830	775
39	3829	513
40	3684	445
41	171	514
42	627	1261
43	1490	1123
44	61	81
45	422	542
46	2698	1221



47	2372	127
48	177	1390
49	3084	748
50	1213	910
51	3	1817
52	1782	995
53	3896	742
54	1829	812
55	1286	550
56	3017	108
57	2132	1432
58	2000	1110
59	3317	1966
60	1729	1498
61	2408	1747
62	3292	152
63	193	1210
64	782	1462
65	2503	352
66	1697	1924
67	3821	147
68	3370	791
69	3162	367
70	3938	516
71	2741	1583
72	2330	741
73	3918	1088
74	1794	1589
75	2929	485
76	3453	1998
77	896	705
78	399	850
79	2614	195
80	2800	653
81	2630	20
82	563	1513
83	1090	1652
84	2009	1163
85	3876	1165
86	3084	774
87	1526	1612
88	1612	328
89	1423	1322

133	1646	1817
134	2993	624
135	547	25
136	3373	1902
137	460	267
138	3060	781
139	1828	456
140	1021	962
141	2347	388
142	3535	1112
143	1529	581
144	1203	385
145	1787	1902
146	2740	1101
147	555	1753
148	47	363
149	3935	540
150	3062	329
151	387	199
152	2901	920
153	931	512
154	1766	692
155	401	980
156	149	1629
157	2214	1977
158	3805	1619
159	1179	969
160	1017	333
161	2834	1512
162	634	294
163	1819	814
164	1393	859
165	1768	1578
166	3023	871
167	3248	1906
168	1632	1742
169	2223	990
170	3868	697
171	1541	354
172	2374	1944
173	1962	389
174	3007	1524
175	3220	1945

90	3058	1276
91	3782	1865
92	347	252
93	3904	1444
94	2191	1579
95	3220	1454
96	468	319
97	3611	1968
98	3114	1629
99	3515	1892
100	3060	155
101	2995	264
102	202	233
103	981	848
104	1346	408
105	781	670
106	1009	1001
107	2927	1777
108	2982	949
109	555	1121
110	464	1302
111	3452	637
112	571	1982
113	2656	128
114	1623	1723
115	2067	694
116	1725	927
117	3600	459
118	1109	1196
119	366	339
120	778	1282
121	386	1616
122	3918	1217
123	3332	1049
124	2597	349
125	811	1295
126	241	1069
127	2658	360
128	394	1944
129	3786	1862
130	264	36
131	2050	1833
132	3538	125

176	2356	1568
177	1604	706
178	2028	1736
179	2581	121
180	2221	1578
181	2944	632
182	1082	1561
183	997	942
184	2334	523
185	1264	1090
186	1699	1294
187	235	1059
188	2592	248
189	3642	699
190	3599	514
191	1766	678
192	240	619
193	1272	246
194	3503	301
195	80	1533
196	1677	1238
197	3766	154
198	3946	459
199	1994	1852
200	278	165

EOF

KroC 100

1	1357	1905
2	2650	802
3	1774	107
4	1307	964
5	3806	746
6	2687	1353
7	43	1957
8	3092	1668
9	185	1542
10	834	629
11	40	462
12	1183	1391
13	2048	1628

14	1097	643
15	1838	1732
16	234	1118
17	3314	1881
18	737	1285
19	779	777
20	2312	1949
21	2576	189
22	3078	1541
23	2781	478
24	705	1812
25	3409	1917
26	323	1714
27	1660	1556
28	3729	1188
29	693	1383
30	2361	640
31	2433	1538
32	554	1825
33	913	317
34	3586	1909
35	2636	727
36	1000	457
37	482	1337
38	3704	1082
39	3635	1174
40	1362	1526
41	2049	417
42	2552	1909
43	3939	640
44	219	898
45	812	351
46	901	1552
47	2513	1572
48	242	584
49	826	1226
50	3278	799
51	86	1065
52	14	454
53	1327	1893
54	2773	1286
55	2469	1838
56	3835	963

57	1031	428
58	3853	1712
59	1868	197
60	1544	863
61	457	1607
62	3174	1064
63	192	1004
64	2318	1925
65	2232	1374
66	396	828
67	2365	1649
68	2499	658
69	1410	307
70	2990	214
71	3646	1018
72	3394	1028
73	1779	90
74	1058	372
75	2933	1459
76	3099	173
77	2178	978
78	138	1610
79	2082	1753
80	2302	1127
81	805	272
82	22	1617
83	3213	1085
84	99	536
85	1533	1780
86	3564	676
87	29	6
88	3808	1375
89	2221	291
90	3499	1885
91	3124	408
92	781	671
93	1027	1041
94	3249	378
95	3297	491
96	213	220
97	721	186
98	3736	1542
99	868	731

100	960	303
EOF		

KroD100

1	2995	264
2	202	233
3	981	848
4	1346	408
5	781	670
6	1009	1001
7	2927	1777
8	2982	949
9	555	1121
10	464	1302
11	3452	637
12	571	1982
13	2656	128
14	1623	1723
15	2067	694
16	1725	927
17	3600	459
18	1109	1196
19	366	339
20	778	1282
21	386	1616
22	3918	1217
23	3332	1049
24	2597	349
25	811	1295
26	241	1069
27	2658	360
28	394	1944
29	3786	1862
30	264	36
31	2050	1833
32	3538	125
33	1646	1817
34	2993	624
35	547	25
36	3373	1902
37	460	267
38	3060	781
39	1828	456

40	1021	962
41	2347	388
42	3535	1112
43	1529	581
44	1203	385
45	1787	1902
46	2740	1101
47	555	1753
48	47	363
49	3935	540
50	3062	329
51	387	199
52	2901	920
53	931	512
54	1766	692
55	401	980
56	149	1629
57	2214	1977
58	3805	1619
59	1179	969
60	1017	333
61	2834	1512
62	634	294
63	1819	814
64	1393	859
65	1768	1578
66	3023	871
67	3248	1906
68	1632	1742
69	2223	990
70	3868	697
71	1541	354
72	2374	1944
73	1962	389
74	3007	1524
75	3220	1945
76	2356	1568
77	1604	706
78	2028	1736
79	2581	121
80	2221	1578
81	2944	632
82	1082	1561



83	997	942
84	2334	523
85	1264	1090
86	1699	1294
87	235	1059
88	2592	248
89	3642	699
90	3599	514
91	1766	678
92	240	619
93	1272	246
94	3503	301
95	80	1533
96	1677	1238
97	3766	154
98	3946	459
99	1994	1852
100	278	165

EOF

KroE100

1	3477	949
2	91	1732
3	3972	329
4	198	1632
5	1806	733
6	538	1023
7	3430	1088
8	2186	766
9	1513	1646
10	2143	1611
11	53	1657
12	3404	1307
13	1034	1344
14	2823	376
15	3104	1931
16	3232	324
17	2790	1457
18	374	9
19	741	146
20	3083	1938

21	3502	1067
22	1280	237
23	3326	1846
24	217	38
25	2503	1172
26	3527	41
27	739	1850
28	3548	1999
29	48	154
30	1419	872
31	1689	1223
32	3468	1404
33	1628	253
34	382	872
35	3029	1242
36	3646	1758
37	285	1029
38	1782	93
39	1067	371
40	2849	1214
41	920	1835
42	1741	712
43	876	220
44	2753	283
45	2609	1286
46	3941	258
47	3613	523
48	1754	559
49	2916	1724
50	2445	1820
51	3825	1101
52	2779	435
53	201	693
54	2502	1274
55	765	833
56	3105	1823
57	1937	1400
58	3364	1498
59	3702	1624
60	2164	1874
61	3019	189
62	3098	1594
63	3239	1376

64	3359	1693
65	2081	1011
66	1398	1100
67	618	1953
68	1878	59
69	3803	886
70	397	1217
71	3035	152
72	2502	146
73	3230	380
74	3479	1023
75	958	1670
76	3423	1241
77	78	1066
78	96	691
79	3431	78
80	2053	1461
81	3048	1
82	571	1711
83	3393	782
84	2835	1472
85	144	1185
86	923	108
87	989	1997
88	3061	1211
89	2977	39
90	1668	658
91	878	715
92	678	1599
93	1086	868
94	640	110
95	3551	1673
96	106	1267
97	2243	1332
98	3796	1401
99	2643	1320
100	48	267

EOF

## VITA

Jun Zhang was born in Jiujiang, Jiangxi, China, on January 3<sup>rd</sup>, 1972. He graduated from the Physics department at Nanchang University, China in 1994. He worked as an assistant engineer in China Petroleum & Chemical Corporation, Jiujiang Branch, China from 1994 to 2004. In 2007, he got his master's degree in Management Science and Engineering at Nanchang University, China. In the same year, he came to the United States to study for his Ph.D. in Engineering Management at Old Dominion University. He received his Ph.D. in Engineering Management at Old Dominion University on May, 2011.