

Research Article

A Study of Bipolar Fuzzy Soft Sets and Its Application in Decision-Making Problems

Saima Mustafa ¹, Neelofar Safdar,¹ Murriam Bibi,¹ A.F. Sayed ^{1,2},
Muhammad Ghaffar Khan ³ and Zabidin Salleh ^{1,4}

¹Department of Mathematics and Statistics, PMAS Arid Agriculture University, Rawalpindi, Pakistan

²Mathematics Department, Al-Lith University College, Umm Al-Qura University, Mecca, Saudi Arabia

³Institute of Numerical Sciences, Kohat University of Science and Technology, Kohat, Pakistan

⁴Department of Mathematics, Faculty of Ocean Engineering Technology and Informatics, Universiti Malaysia Terengganu, Kuala Nerus 21030, Kuala Terengganu, Terengganu, Malaysia

Correspondence should be addressed to Zabidin Salleh; zabidin@umt.edu.my

Received 7 June 2021; Revised 22 August 2021; Accepted 21 September 2021; Published 19 October 2021

Academic Editor: Hamid Reza Karimi

Copyright © 2021 Saima Mustafa et al. This is an open access article distributed under the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

We live in a society where we have to deal with so many social issues daily, and making a right choice is everyone's main concern. This study is based on the selection of right university while getting admission which is the core issue for students nowadays. We are concerned with bipolar fuzzy multicriteria decision-making methods. The main purpose is to provide guidance to the students for determining the best university and evaluating the factors that are affecting while getting admission. We thus combined bipolar fuzzy and soft expert sets to give multicriteria decision-making approach that overcomes the issues that arise while taking decisions. This study involves the development of structural hierarchical models of parameters and the implementation of soft expert sets to make the decision-making problem much more precise by introducing a new algorithm. Thus, this model is helpful for multicriteria decision making and can be used for university selection and thus suitable for education sector as well.

1. Introduction

Education is considered to be the core need and right of every individual and in every discipline, namely, in engineering and agriculture. The dream of a healthy, peaceful, and prosperous world can be made true on the basis of education. This strengthens an individual personality building and keeps updated with new knowledge, and experiences also help to understand the modern world and advancements. It is therefore considered as a tool for eradicating poverty [1]. A theory about human capital says that education is the source of bringing positive change to human life. It builds his personality by improving his intellectual capabilities and provides him with a path to upgrade his hidden talents and also provides a way of increasing his earning [2]. The students need better education and knowledge when they are getting admission for higher education. It is seen that mostly students select the

university (such as engineering or medical) according to the opinion and experiences of their fathers and senior students but it may go wrong as with the passage of time, universities change their policies and there is a need to see the certain that a student look for while getting admission. There is a need of a decision-making tool to help student for the correct selection. Decision making of multiple parameters is dynamic and difficult. The difficulty of the decision-making process with multicriteria is due to multiple parameters. Selecting the best university (such as engineering or medical) is the multicriteria decision-making method which has many problems.

The analytical hierarchy process (AHP) is a recent addition to various approaches used to determine the relative importance of a set of activities or criteria. The novel aspect and major distinction of this approach are that it structures any complex, multiperson, multicriteria, and multiperiod problem hierarchically.

L. A. Zadeh [3] gave the idea of fuzzy set theory to deal with the vagueness and uncertainties occurring while decision making. It is human nature to have dual thinking. Zhang in [4] gave the idea of bipolarity to overcome the double-sided thinking nature of human while decision making. It provides more flexibility while modeling human thinking as compared with fuzzy.

The idea of soft sets described by Molodtsov [5] is an extension of fuzzy sets which is used to describe uncertainties. Alkhazaleh and Salleh gave the idea of soft expert sets where they gave the idea of including the opinion of experts for decision making. Technique for Order Preference by Similarity to Ideal Solution (TOPSIS) is a famous approach to deal with the multicriteria decision-making method that was first proposed by Hwang and Yoon [6]. It is a multicriteria decision-making method to find a best choice among set of alternatives.

The idea of the classical TOPSIS method is discussed by Chen Hwang and Lofti in which the rating and weights of the criteria are given by crisp values [7]. As in real life situations, we deal with vagueness and ambiguity. So, the drawback of the classical TOPSIS is that it does not deal with vague situations for decision making. Therefore, Chen [8] extended the classical TOPSIS to fuzzy TOPSIS to cover the vagueness and uncertainty occurring in real-life situations. To cover the uncertainty and give more precise decision, Dey et al. [9] extended TOPSIS for solving decision-making problems under bipolar neutrosophic environment. Apart from this, some tremendous progress has been extensively done by different researchers in different disciplines (see [10–13]).

Recently, another new technique was introduced by Xiao [14] for improving the performance of fuzzy complex event processing-based decision-making systems. He addressed the issues of intrinsic uncertainty in dynamic input events and overcame the difficulties of operator distribution problem. He proposed the CAFtr system for operator scheduling on fuzzy complex event processing systems based on the technique for order preferences by similarity to an ideal solution. The efficiency of the proposed technique has been checked through an application on the stream base system.

Lots of work have been done on decision-making processes and are readily available (see [15, 16]). Decision maker always gets confused on what technique to be applied to carry out the decision process. Choosing a wrong technique can lead to imprecise and ambiguous results. Therefore, it is very important to choose a right technique at right time. Though all the techniques that are presented so far are correct and accepted across the world, it is always hard to choose a best technique. The best method implies to be the method giving the fastest results or sometimes researchers look for cheapest methods to be the best method. A technique with lots of complicated calculations could be time consuming and needs expertise to solve one.

The gaps in the previous methods were because of their inability to cover human judgmental thinking that is on both positive and negative sides. This drawback has been overcome by the bipolar fuzzy concept see [17, 18] which further innovates the new concept. On the other hand, by including

soft sets, the order of preferences see, [19, 20] is created; thus, a more precise result can be obtained. Thus, the optimal decision is obtained by using bipolar fuzzy TOPSIS approach.

Briefly speaking, the objective of this research is based on overcoming the hurdles and problems by using bipolar fuzzy which covers human dual behavior combined with soft sets which give order of preferences thus giving a bipolar fuzzy soft set decision approach.

The significance of this study is that it provides a correct decision-making method when there is ambiguity and dual human responses. It gives us basis of dealing with human nature by implementing bipolar fuzzy numbers. It is the best way to deal with two-sided human behavior as bipolar has two sides like agree and disagree. Bipolar fuzzy set is defined in the interval $(-1, +1)$, where -1 indicates the negative opinion whereas $+1$ indicates the positive opinion, so it provides a wide space of dealing with uncertainties [21–23].

In this research to cover the vagueness and imprecision, a trapezoidal bipolar fuzzy number is assigned to each linguistic value. The role of bipolar is very important as bipolarity provides precision and flexibility to the system when compared with crisp and fuzzy models. The human decision making is vague and is double sided so it allows us to make decision making in bipolar fuzzy environment, and using soft sets gave us the order of preference thus making the data precise.

2. Preliminaries

The role of bipolarity is very essential in many research fields. It provides more flexibility as compared with fuzzy and Boolean logic. Zhang [4] defined the concept of bipolarity as a wide variety of human decision making is based on double-sided or bipolar judgmental thinking on a positive side and a negative side, for instance, cooperation and competition, common interests and conflict interests, friendship and hostility, likelihood and unlikelihood, and effect and side effect.

The concept of soft expert sets is defined by Salleh (2011) as follows.

Definition 1. A pair (F, A) is called a soft expert set over U , where F is a mapping given by $F: A \rightarrow P(U)$ where $P(U)$ denotes the power set of U .

3. Proposed Bipolar Fuzzy Multicriteria Decision-Making Technique and Soft Sets Algorithm

3.1. Bipolar Fuzzy Analytical Hierarchical Process. Analytical hierarchy process (AHP) is used to estimate criterion weights through pairwise comparison tables. Through this comparison, the decision makers are allowed to assign weight to the parameters, and thus alternatives are compared without any difficulty. We convert crisp value into trapezoidal bipolar fuzzy numbers. By using these numbers, we construct a pairwise decision matrix defined as follows:




FIGURE 1: Flow chart of the proposed bipolar algorithm using fuzzy TOPSIS.

$$B = (M, N) = (m_1, m_2, m_3, m_4), (n_1, n_2, n_3, n_4), \quad (1)$$

which are the trapezoidal bipolar fuzzy numbers. Here, M and N represent the positive and negative responses of the bipolar fuzzy number.

Then, aggregated bipolar fuzzy weights are assigned with respect to the positive and negative responses of each criterion. These are represented as follows:

$$\mu_i = [(w_{1j}, w_{2j}, w_{3j}, w_{4j}), (w'_{1j}, w'_{2j}, w'_{3j}, w'_{4j})], \quad (2)$$

where $j = 1, 2, \dots, m$ and μ_i is calculated by taking the average of the weights with respect to positive and negative responses.

The defuzzification process to obtain crisp values of weights using the ranking function is as follows:

$$\varepsilon_{ij} = \left(\left[\frac{w_{1j} + w_{2j} + w_{3j} + w_{4j}}{4} \right] + \left[\frac{-w_{1j} - w_{2j} - w_{3j} - w_{4j}}{2} \right] \right) - \left(\left[\frac{w'_{1j} + w'_{2j} + w'_{3j} + w'_{4j}}{4} \right] + \left[\frac{-w'_{1j} - w'_{2j} + w'_{3j} + w'_{4j}}{2} \right] \right). \quad (3)$$

To get normalized weights, we use the following formula:

$$\sum_{i=1}^n W_i = \left[\frac{\varepsilon_1}{\sum_{k=1}^m \varepsilon}, \frac{\varepsilon_2}{\sum_{k=1}^m \varepsilon}, \dots, \frac{\varepsilon_k}{\sum_{k=1}^m \varepsilon} \right]. \quad (4)$$

The sum of the normalization must be equal to 1.

$$\sum_{i=1}^n W_i = 1. \quad (5)$$




FIGURE 2: The proposed algorithm using bipolar fuzzy soft sets.

3.2. Bipolar Fuzzy TOPSIS Method. The technique for order preference by similarity to ideal solution gives a framework to handle this type of problem. This model is based on the modified bipolar fuzzy TOPSIS method. The main steps include the construction of a decision matrix, weighted standardized decision matrix, determination of bipolar fuzzy positive ideal solution and negative ideal solution, calculation of the Euclidean distance, and computation of the score of alternatives and rank the preference order. The multi-criteria decision-making problem is defined by set of alternatives and parameters. Let the alternatives be E_1, E_2, \dots, E_m , and H_1, H_2, \dots, H_m are the parameters, respectively. The crisp information based on different criteria is then converted into bipolar fuzzy numbers, and then it is represented in the bipolar decision matrix. The bipolar decision matrix is calculated as

$$M = [m_{ij}, n_{ij}]_{m \times n}, \quad i = 1, 2, \dots, n; j = 1, 2, \dots, m, \quad (6)$$

where m_{ij} and n_{ij} represent the bipolar information based on the set of alternatives and evaluation criteria. We can also express as

TABLE 1: Parameters of study.

Symbols	Parameters
H_1	HEC ranking
H_2	Location
H_3	Environment
H_4	Fee structure
H_5	Faculty
H_6	Infrastructure
H_7	Library
H_8	Research quality
H_9	Merit
H_{10}	Cocurricular activities
H_{11}	Career guidance

$$M = \begin{pmatrix} (m_{11}, n_{11}) & (m_{11}, n_{11}) & \cdots & (m_{1n}, n_{1n}) \\ (m_{21}, n_{21}) & (m_{22}, n_{22}) & \cdots & (m_{2n}, n_{2n}) \\ \vdots & \vdots & \ddots & \vdots \\ (m_{m1}, n_{m1}) & (m_{m1}, n_{m1}) & \cdots & (m_{mn}, n_{mn}) \end{pmatrix}_{m \times n}, \quad (7)$$

in which possible alternatives are $E_{11}, E_{12}, \dots, E_{nm}$ and evaluation criteria are presented as H_1, H_2, \dots, H_m . The weights are then assigned by the decision makers, and the weight of attributes is represented by

$$W = (w_1, w_2, \dots, w_n)^T. \quad (8)$$

These weights are assigned by the faculty on the basis of set rules defined by the institute and $\sum_{i=1}^n W_i = 1$. The standardized matrix of criterion weights is given as follows:

$$X = [x_{ij}]_{m \times n}, \quad i = 1, 2, \dots, n; j = 1, 2, \dots, m, \quad (9)$$

where x_{ij} are the weights of m criteria assigned by n decision makers. The standardized matrix is obtained by assigning linguistic scales to the criteria by the decision makers which is then transformed into trapezoidal bipolar fuzzy numbers. The weighted standardized decision matrix is represented as

$$X = w_i \otimes M, \quad (10)$$

where w_i represents the weights matrix and M represents the bipolar fuzzy decision matrix based on bipolar fuzzy weighted positive value and bipolar fuzzy weighted negative value, respectively. The bipolar fuzzy weighted positive value and negative value is calculated as

$$s_{ij} = w_i \otimes m_{ij}, u_{ij} = w_i \otimes n_{ij}. \quad (11)$$

Here, s_{ij} and u_{ij} show the bipolar weighted positive value and negative value. The bipolar fuzzy positive and negative ideal solutions are calculated as follows:




FIGURE 3: Hierarchical structure model of universities flow chart.

TABLE 2: Linguistic terms for weight of parameters.

Linguistic variables	Bipolar fuzzy numbers
Very low	$\{(0.0, 0.0, 0.1, 0.2), (0.7, 0.8, 0.9, 1)\}$
Low	$\{(0.1, 0.2, 0.3, 0.4), (0.6, 0.7, 0.8, 0.8)\}$
Neutral	$\{(0.4, 0.5, 0.5, 0.6), (0.5, 0.5, 0.6, 0.7)\}$
High	$\{(0.6, 0.7, 0.7, 0.8), (0.1, 0.2, 0.3, 0.3)\}$
Very high	$\{(0.8, 0.9, 1.0, 1.0), (0.0, 0.1, 0.2, 0.2)\}$

TABLE 3: Linguistic terms for weight of parameters.

Linguistic variables	Bipolar fuzzy numbers
Very bad	$\{(0.0, 0.0, 0.1, 0.2), (0.7, 0.8, 0.9, 1)\}$
Bad	$\{(0.1, 0.2, 0.3, 0.4), (0.6, 0.7, 0.8, 0.8)\}$
Neither good nor bad	$\{(0.4, 0.5, 0.5, 0.6), (0.5, 0.5, 0.6, 0.7)\}$
Good	$\{(0.6, 0.7, 0.7, 0.8), (0.1, 0.2, 0.3, 0.3)\}$
Very good	$\{(0.8, 0.9, 1.0, 1.0), (0.0, 0.1, 0.2, 0.2)\}$

TABLE 4: Linguistic terms for weight of parameters.

Linguistic variables	Bipolar fuzzy numbers
No	$\{(0.0, 0.0, 0.1, 0.2), (0.7, 0.8, 0.9, 1)\}$
Partially no	$\{(0.1, 0.2, 0.3, 0.4), (0.6, 0.7, 0.8, 0.8)\}$
Neutral	$\{(0.4, 0.5, 0.5, 0.6), (0.5, 0.5, 0.6, 0.7)\}$
Partially yes	$\{(0.6, 0.7, 0.7, 0.8), (0.1, 0.2, 0.3, 0.3)\}$
Yes	$\{(0.8, 0.9, 1.0, 1.0), (0.0, 0.1, 0.2, 0.2)\}$

$$\begin{aligned}
 t^* &= \{x_1^*, x_2^*, \dots, x_n^*\} = \{(\max x_{ij} \setminus j \in B), (\min x_{ij} \setminus j \in C) \setminus i = 1, 2, \dots, m\}, \\
 t^- &= \{x_1^-, x_2^-, \dots, x_n^-\} = \{(\min x_{ij} \setminus j \in B), (\max x_{ij} \setminus j \in C) \setminus i = 1, 2, \dots, m\}.
 \end{aligned}
 \tag{12}$$

The distance of each alternative from bipolar fuzzy positive ideal solution and negative ideal solution is calculated as follows:

$$\begin{aligned}
 \Delta^+ &= \sqrt{\frac{1}{2} \sum_{i=1}^m s_{ij} - \max x_{ij}^2 + (u_{ij} - \min x_{ij})^2}, \\
 \Delta^- &= \sqrt{\frac{1}{2} \sum_{i=1}^m s_{ij} - \min x_{ij}^2 + (u_{ij} - \max x_{ij})^2}.
 \end{aligned}
 \tag{13}$$

The final score for the selection of the best course of action is obtained by utilizing

$$\text{final scores} = \frac{\Delta^-}{\Delta^+ + \Delta^-},
 \tag{14}$$

where Δ^+ is the distance from positive ideal solution and Δ^- is the distance from negative ideal solution.

The flow chart of the proposed methodology defined in Section 3.2 is presented in Figure 1.

3.3. Proposed Algorithm in Multicriteria Decision-Making Using Soft Expert Sets. The concept of soft expert sets is defined by Alkhazaleh and Salleh [24], and it has many uses in economics, decision making, social sciences, mathematics, and so on. In this study, we have proposed a bipolar fuzzy multicriteria decision-making method. We proposed an algorithm in which we compress the parameters to obtain a precise result by developing a preference level of the criteria. The following steps are involved in soft set technique:

- (1) Input a bipolar fuzzy soft expert set (F, U) .

TABLE 5: Weights of criteria.

Criteria	W_N
H_1	0.0964
H_2	0.0548
H_3	0.0262
H_4	0.0405
H_5	0.1393
H_6	0.1214
H_7	0.1107
H_8	0.0988
H_9	0.1059
H_{10}	0.1393
H_{11}	0.0667
Total	1




FIGURE 4: Normalized weights of criteria.

TABLE 6: Linguistic rating of alternative 1.

Criteria	Decision maker 1	Decision maker 2	Decision maker 3
H_1	VG	VG	VG
H_2	Ne	Y	Ne
H_3	Y	Y	Y
H_4	Y	PY	PY
H_5	Y	Y	Y
H_6	VG	VG	VG
H_7	Y	Y	Y
H_8	VG	VG	G
H_9	VH	VH	VH
H_{10}	Y	PY	PY
H_{11}	PY	PY	Y

$$\max(e_i) = \text{Highestvalue}, \tag{16}$$

$$e_i = \text{Alternatives}(e_1, e_2, e_3).$$

(4) Find scores for agree-bipolar fuzzy soft expert set by using

$$A_j = \sum_i e_{ij}. \tag{17}$$

(5) Find scores for disagree-bipolar fuzzy soft expert set by using

$$D_j = \sum_i e_{ij}. \tag{18}$$

(2) Find the agree-bipolar fuzzy soft expert set and disagree-bipolar fuzzy soft expert set by using

$$\mu^+(u_j) - \nu^-(u_j), \tag{15}$$

where $\mu^+(u_j)$ is the positive response and $\nu^-(u_j)$ is the negative response about each $u_j \in U$.

(3) Find the highest value for agree-BF soft expert set and disagree-BF soft expert set by using

(6) By using agree-bipolar fuzzy soft expert set and disagree-bipolar fuzzy soft expert set, find the final scores using

$$s_j = A_j - D_j, \tag{19}$$

where s_j represent the final scores, A_j is agree-bipolar fuzzy soft expert set, and D_j is disagree-bipolar fuzzy soft expert set.

TABLE 7: Aggregated bipolar fuzzy rating of alternatives.

Criteria	Alternatives		
	E1	E2	E3
H_1	{{(0.8, 0.9, 1.0, 1.0), (0.0, 0.1, 0.2, 0.2)}}	{{(0.8, 0.9, 1.0, 1.0), (0.0, 0.1, 0.2, 0.2)}}	{{(0.6, 0.7, 0.7, 0.8), (0.1, 0.2, 0.3, 0.3)}}
H_2	{{(0.5, 0.6, 0.6, 0.7), (0.3, 0.3, 0.4, 0.5)}}	{{(0.5, 0.6, 0.6, 0.7), (0.2, 0.6, 0.4, 0.4)}}	{{(0.4, 0.5, 0.6, 0.6), (0.2, 0.3, 0.4, 0.5)}}
H_3	{{(0.8, 0.9, 1.0, 1.0), (0.0, 0.1, 0.2, 0.2)}}	{{(0.8, 0.9, 1.0, 1.0), (0.0, 0.1, 0.2, 0.2)}}	{{(0.5, 0.6, 0.6, 0.7), (0.2, 0.3, 0.4, 0.4)}}
H_4	{{(0.6, 0.7, 0.8, 0.8), (0.0, 0.1, 0.2, 0.2)}}	{{(0.7, 0.8, 0.9, 0.9), (0.0, 0.1, 0.2, 0.2)}}	{{(0.5, 0.6, 0.6, 0.7), (0.3, 0.3, 0.4, 0.5)}}
H_5	{{(0.8, 0.9, 1.0, 1.0), (0.0, 0.1, 0.2, 0.2)}}	{{(0.8, 0.9, 1.0, 1.0), (0.0, 0.1, 0.2, 0.2)}}	{{(0.6, 0.7, 0.8, 0.8), (0.0, 0.1, 0.2, 0.2)}}
H_6	{{(0.8, 0.9, 1.0, 1.0), (0.0, 0.1, 0.2, 0.2)}}	{{(0.6, 0.7, 0.7, 0.8), (0.1, 0.2, 0.3, 0.3)}}	{{(0.6, 0.7, 0.8, 0.8), (0.0, 0.1, 0.2, 0.2)}}
H_7	{{(0.8, 0.9, 1.0, 1.0), (0.0, 0.1, 0.2, 0.2)}}	{{(0.5, 0.6, 0.6, 0.7), (0.2, 0.6, 0.4, 0.4)}}	{{(0.8, 0.9, 1.0, 1.0), (0.0, 0.1, 0.2, 0.2)}}
H_8	{{(0.7, 0.8, 0.9, 0.9), (0.0, 0.1, 0.2, 0.2)}}	{{(0.8, 0.9, 1.0, 1.0), (0.0, 0.1, 0.2, 0.2)}}	{{(0.5, 0.6, 0.6, 0.7), (0.2, 0.3, 0.4, 0.4)}}
H_9	{{(0.8, 0.9, 1.0, 1.0), (0.0, 0.1, 0.2, 0.2)}}	{{(0.7, 0.8, 0.9, 0.9), (0.0, 0.1, 0.2, 0.2)}}	{{(0.5, 0.6, 0.6, 0.7), (0.2, 0.3, 0.4, 0.4)}}
H_{10}	{{(0.6, 0.7, 0.8, 0.8), (0.0, 0.1, 0.2, 0.2)}}	{{(0.8, 0.9, 1.0, 1.0), (0.0, 0.1, 0.2, 0.2)}}	{{(0.5, 0.6, 0.6, 0.7), (0.2, 0.3, 0.4, 0.4)}}
H_{11}	{{(0.6, 0.7, 0.7, 0.8), (0.1, 0.2, 0.3, 0.3)}}	{{(0.5, 0.6, 0.6, 0.7), (0.3, 0.3, 0.4, 0.5)}}	{{(0.4, 0.5, 0.6, 0.6), (0.3, 0.4, 0.5, 0.5)}}

- (7) Determining the value of the highest score max of s_j , then e_i would be the optimal choice with the highest score.
- (8) If there are more than one value, then any of e_k can be chosen.

The flow chart of the proposed algorithm as defined in Section 3.3 is represented in Figure 2.

4. Numerical Computation

We have used the proposed method in education sector to deal with an issue of selecting a best university while getting admission. We have used a soft set technique to make the result more precise and obtain better results. The present research work depends on primary data collection. Data were collected from the decision makers who work in education sector. Different parameters have been developed to study the performance of alternatives. The selection of university depends on eleven parameters such as HEC ranking, location, environment, fee structure, faculty, infrastructure, library, research quality, merit, cocurricular activities, and career guidance. These linguistic terms are then changed into trapezoidal bipolar fuzzy numbers chosen by the decision makers. The three alternatives of the study were basically three universities, namely, National University of Science and Technology (NUST), Quaid-e-Azam University (QAU), and International Islamic University (IIU).

4.1. *Parameters of Study.* Nowadays, it has become very difficult for the students to take right decision in choosing a university while getting admission. Students need to focus on every aspect of the university that they want to get facilitated with while studying there. For the evaluation of the best university, the following parameters need to be compared and analysed. Table 1 shows the parameters to choose the best university. The source of Table 1 is the decision makers referred as the faculty members who work in the respective universities as mentioned above. Table 1 presents the different criteria gathered from the decision makers.

The hierarchical structure model of selected universities is represented by the flow chart in Figure 3.

We provide weightage among different alternatives on the basis of the selected criteria; the following five sets of linguistic scales are used for the denied alternatives: very bad (VB), bad (B), neither good nor bad (NGNB), good (G), very good (VG), no (N), partially no (PN), neutral (Ne), partially yes (PY), yes (Y), very low (VL), low (L), neutral (Ne), high (H), and very high (VH), respectively. The bipolar fuzzy numbers are presented in Table 2.

The linguistic terms are assigned weights with respect to bipolar fuzzy numbers as shown in Tables 3 and 4.

The data are collected through questionnaires from the decision makers, and weights are assigned in linguistic terms for each parameter. The bipolar fuzzy numbers are used to compute the weights. It is to be noted that the sum of weights must always be equivalent to 1.

5. Results and Discussion

5.1. *BF-AHP Results along with Weight of Parameters.* The weights gathered through AHP as shown in Table 5 totally depend on the judgment of the decision makers. AHP has an advantage that it is easy to utilize and provide with pairwise comparison. The weights are normalized for multicriteria decision making.

It is clear from the beginning that the sum of the weights must be equivalent to 1. So, there is a need to normalize the weights to obtain sum of 1 which are shown in Table 5.

The bar chart shown in Figure 4 depicts all the eleven criteria with their weights, respectively. The criterion weights can be further used for decision making as these weights are suitable for further process.

5.2. *BF-TOPSIS Results and Scoring of Alternatives.* TOPSIS is the frequently used among many decision-making techniques due to its simplicity of steps and precision. Its ultimate goal is to identify an alternative with distance closest to the positive ideal solution and farthest to negative ideal solution. In this study, we have highlighted one of the socialistic issue and applied TOPSIS on that for decision making. We have gathered information from three different universities and want to decide that which university is the best for getting admission in all the three alternatives. These alternatives are studied on basis of fifteen

TABLE 8: Weighted normalized decision matrix.

Criteria	Alternatives		
	E1	E2	E3
H_1	{(0.07, 0.08, 0.09, 0.09), (0.0, 0.00, 0.01, 0.01)}	{(0.07, 0.08, 0.09, 0.09), (0.0, 0.00, 0.01, 0.01)}	{(0.05, 0.06, 0.06, 0.0), (0.00, 0.01, 0.02, 0.02)}
H_2	{(0.02, 0.03, 0.03, 0.04), (0.01, 0.02, 0.02, 0.02)}	{(0.02, 0.03, 0.03, 0.04), (0.01, 0.03, 0.02, 0.02)}	{(0.02, 0.02, 0.03, 0.03), (0.01, 0.02, 0.02, 0.02)}
H_3	{(0.02, 0.02, 0.02, 0.02), (0.0, 0.00, 0.0, 0.0)}	{(0.02, 0.02, 0.02, 0.02), (0.0, 0.00, 0.0, 0.0)}	{(0.01, 0.01, 0.01, 0.01), (0.00, 0.00, 0.01, 0.01)}
H_4	{(0.02, 0.03, 0.03, 0.0), (0.00, 0.007, 0.01, 0.01)}	{(0.02, 0.03, 0.03, 0.03), (0.00, 0.00, 0.00, 0.00)}	{(0.02, 0.02, 0.02, 0.02), (0.01, 0.01, 0.0, 0.0)}
H_5	{(0.11, 0.12, 0.13, 0.13), (0.0, 0.13, 0.02, 0.02)}	{(0.11, 0.12, 0.13, 0.13), (0.0, 0.13, 0.02, 0.02)}	{(0.0, 0.10, 0.11, 0.12), (0.00, 0.02, 0.03, 0.03)}
H_6	{(0.097, 0.109, 0.12, 0.12), (0.0, 0.01, 0.02, 0.02)}	{(0.07, 0.08, 0.08, 0.09), (0.01, 0.02, 0.03, 0.03)}	{(0.08, 0.09, 0.09, 0.10), (0.00, 0.02, 0.03, 0.03)}
H_7	{(0.08, 0.09, 0.1, 0.1), (0.0, 0.01, 0.02, 0.02)}	{(0.05, 0.06, 0.07, 0.08), (0.02, 0.07, 0.04, 0.04)}	{(0.0, 0.09, 0.11, 0.11), (0.0, 0.01, 0.02, 0.02)}
H_8	{(0.07, 0.08, 0.08, 0.09), (0.00, 0.01, 0.02, 0.02)}	{(0.07, 0.08, 0.09, 0.09), (0.0, 0.00, 0.01, 0.01)}	{(0.053, 0.06, 0.06, 0.07), (0.02, 0.02, 0.03, 0.04)}
H_9	{(0.08, 0.09, 0.10, 0.10), (0.0, 0.01, 0.02, 0.02)}	{(0.07, 0.08, 0.09, 0.09), (0.00, 0.01, 0.02, 0.02)}	{(0.05, 0.06, 0.06, 0.07), (0.02, 0.03, 0.04, 0.04)}
H_{10}	{(0.09, 0.107, 0.11, 0.121), (0.00, 0.02, 0.03, 0.03)}	{(0.11, 0.12, 0.13, 0.13), (0.0, 0.01, 0.02, 0.02)}	{(0.07, 0.08, 0.08, 0.10), (0.03, 0.04, 0.05, 0.06)}
H_{11}	{(0.04, 0.04, 0.04, 0.05), (0.00, 0.01, 0.02, 0.02)}	{(0.03, 0.04, 0.04, 0.04), (0.022, 0.02, 0.03, 0.03)}	{(0.02, 0.03, 0.04, 0.04), (0.025, 0.02, 0.03, 0.03)}

TABLE 9: Bipolar fuzzy positive and negative ideal solutions.

Criteria	PIS	NIS
H_1	{(0.07, 0.08, 0.09, 0.09), (0.0, 0.00, 0.01, 0.01)}	{(0.05, 0.06, 0.06, 0.07), (0.00, 0.01, 0.02, 0.02)}
H_2	{(0.02, 0.03, 0.03, 0.04), (0.01, 0.03, 0.02, 0.02)}	{(0.02, 0.02, 0.03, 0.03), (0.01, 0.02, 0.02, 0.02)}
H_3	{(0.02, 0.02, 0.02, 0.02), (0.0, 0.00, 0.00, 0.00)}	{(0.01, 0.01, 0.01, 0.01), (0.00, 0.00, 0.01, 0.01)}
H_4	{(0.02, 0.03, 0.03, 0.03), (0.00, 0.00, 0.00, 0.00)}	{(0.02, 0.02, 0.02, 0.02), (0.01, 0.01, 0.01, 0.02)}
H_5	{(0.11, 0.12, 0.13, 0.13), (0.0, 0.01, 0.02, 0.02)}	{(0.09, 0.10, 0.11, 0.12), (0.00, 0.02, 0.03, 0.03)}
H_6	{(0.09, 0.10, 0.12, 0.12), (0.0, 0.12, 0.02, 0.02)}	{(0.07, 0.08, 0.08, 0.09), (0.01, 0.02, 0.03, 0.03)}
H_7	{(0.08, 0.09, 0.11, 0.11), (0.0, 0.01, 0.02, 0.02)}	{(0.05, 0.06, 0.07, 0.08), (0.02, 0.07, 0.04, 0.04)}
H_8	{(0.07, 0.08, 0.09, 0.09), (0.0, 0.00, 0.01, 0.01)}	{(0.05, 0.06, 0.06, 0.07), (0.02, 0.02, 0.03, 0.04)}
H_9	{(0.08, 0.09, 0.10, 0.10), (0.0, 0.01, 0.02, 0.02)}	{(0.05, 0.06, 0.06, 0.07), (0.02, 0.03, 0.04, 0.04)}
H_{10}	{(0.11, 0.12, 0.13, 0.13), (0.0, 0.01, 0.02, 0.02)}	{(0.07, 0.08, 0.08, 0.10), (0.03, 0.04, 0.05, 0.06)}
H_{11}	{(0.04, 0.04, 0.04, 0.05), (0.00, 0.01, 0.02, 0.02)}	{(0.02, 0.03, 0.04, 0.04), (0.02, 0.02, 0.03, 0.03)}

TABLE 10: Ranking and scores of alternatives.

Alternatives	Scores	Ranking
E1	0.775931	1
E2	0.567748	2
E3	0.2832	3




FIGURE 5: Scores of alternatives.

TABLE 11: Agree-bipolar fuzzy soft expert set.

E	e_1	e_2	e_3
$(h_1, p, 1)$	3.7	3.7	2.8
$(h_2, p, 1)$	3.7	3.7	2.8
$(h_3, p, 1)$	3.7	3.7	3.7
$(h_4, p, 1)$	3.7	3.7	2
$(h_1, q, 1)$	3.7	3.7	2.8
$(h_2, q, 1)$	3.7	2.8	2.8
$(h_3, q, 1)$	3.7	3.7	3.7
$(h_4, q, 1)$	2.8	3.7	2
$(h_1, r, 1)$	3.7	3.7	2.8
$(h_2, r, 1)$	3.7	3.7	2
$(h_3, r, 1)$	3.7	3.7	3.7
$(h_4, r, 1)$	2.8	2.8	3.7

criteria designed by the expert opinion. Table 6 shows the rating of alternative 1 in linguistic scale.

We repeat the same process as defined in Table 6, on the rating of alternative 2 and alternative 3. After converting all the linguistic terms into bipolar fuzzy numbers, the next step is to find the aggregated rating of alternatives. The

TABLE 12: Disagree-bipolar fuzzy soft expert set.

E	e_1	e_2	e_3
$(h_1, p, 0)$	0.5	0.5	0.9
$(h_2, p, 0)$	0.5	0.5	0.9
$(h_3, p, 0)$	0.5	0.5	0.5
$(h_4, p, 0)$	0.5	0.5	2.3
$(h_1, q, 0)$	0.5	0.5	0.9
$(h_2, q, 0)$	0.5	0.9	0.9
$(h_3, q, 0)$	0.5	0.5	0.5
$(h_4, q, 0)$	0.9	0.5	2.3
$(h_1, r, 0)$	0.5	0.5	0.9
$(h_2, r, 0)$	0.5	0.5	2.3
$(h_3, r, 0)$	0.5	0.5	0.5
$(h_4, r, 0)$	0.9	0.9	0.5

TABLE 13: Final scores.

Agree scores A_i	Disagree scores D_i	S_i
Score(e_1) = 37	Score(e_1) = 2.4	34.6
Score(e_2) = 33.3	Score(e_2) = 3.3	30
Score(e_3) = 18.5	Score(e_3) = 12.9	5.6

aggregated decision matrix of alternatives is represented in Table 7.

Next, we need to find the weighted normalized decision matrix which is obtained by multiplying the aggregated matrix with the weighted matrix. The weights were first obtained using analytical hierarchical process. The obtained weighted normalized decision matrix is shown in Table 8.

The maximum and minimum values are highlighted in Table 8. The next step is to find bipolar fuzzy positive and negative ideal solutions. The calculated bipolar fuzzy positive and negative ideal solutions are shown in Table 9.

The final scores of the alternatives are computed. Results are displayed in Table 10 which clearly shows that alternative 1 which is National University of Science and Technology has got the highest score 0.7774 and is ranked first, second is Quaid-e-Azam University with score 0.602, and third is International Islamic University getting the score of 0.3241. The ranking of the alternatives is shown in Table 10 by which we have concluded that the best university is NUST.

In Figure 5, the highest score is alternative 1, i.e., E_1 (NUST university) and is the best university and alternative 2 which is E_2 (Quaid-e-Azam University) has got the second highest score and is ranked number 2, and E_3 (International Islamic University) has obtained lowest scores and is ranked number 3.

6. Proposed Bipolar Fuzzy Soft Expert Sets Algorithm

The next step is to compute soft sets of the criteria. We have used the soft expert set technique. On the basis of students

priority, few of parameters are selected as soft sets and have questioned the decision makers for the agree and disagree of the selected soft sets.

Input a weighted bipolar fuzzy soft expert set (F, U) , where alternatives are $E = (e_1, e_2, e_3)$ which from the universe and the chosen parameter are $H = (h_1, h_2, h_3)$, where h_i ($i = 1, 2, 3, 4$) are "HEC Ranking," "Environment," "Fee structure," and "Merit," and $Z = (p, q, r)$ be set of decision makers.

$$\begin{aligned}
 (F, U) = & \left\{ \left[(h_1, p, 1), \left\{ \frac{e_1}{(0.8, 0.9, 1.0, 1.0)}, \frac{e_2}{(0.8, 0.9, 1.0, 1.0)}, \frac{e_3}{(0.6, 0.7, 0.7, 0.8)} \right\} \right], \right. \\
 & \left[(h_1, p, 1), \left\{ \frac{e_1}{(0.8, 0.9, 1.0, 1.0)}, \frac{e_2}{(0.8, 0.9, 1.0, 1.0)}, \frac{e_3}{(0.6, 0.7, 0.7, 0.8)} \right\} \right], \\
 & \left[(h_1, q, 1), \left\{ \frac{e_1}{(0.8, 0.9, 1.0, 1.0)}, \frac{e_2}{(0.8, 0.9, 1.0, 1.0)}, \frac{e_3}{(0.6, 0.7, 0.7, 0.8)} \right\} \right], \\
 & \left[(h_1, r, 1), \left\{ \frac{e_1}{(0.8, 0.9, 1.0, 1.0)}, \frac{e_2}{(0.8, 0.9, 1.0, 1.0)}, \frac{e_3}{(0.6, 0.7, 0.7, 0.8)} \right\} \right], \\
 & \left[(h_2, p, 1), \left\{ \frac{e_1}{(0.8, 0.9, 1.0, 1.0)}, \frac{e_2}{(0.8, 0.9, 1.0, 1.0)}, \frac{e_3}{(0.6, 0.7, 0.7, 0.8)} \right\} \right], \\
 & \left[(h_2, q, 1), \left\{ \frac{e_1}{(0.8, 0.9, 1.0, 1.0)}, \frac{e_2}{(0.6, 0.7, 0.7, 0.8)}, \frac{e_3}{(0.6, 0.7, 0.7, 0.8)} \right\} \right], \\
 & \left[(h_2, r, 1), \left\{ \frac{e_1}{(0.8, 0.9, 1.0, 1.0)}, \frac{e_2}{(0.8, 0.9, 1.0, 1.0)}, \frac{e_3}{(0.4, 0.5, 0.5, 0.6)} \right\} \right], \\
 & \left[(h_3, p, 1), \left\{ \frac{e_1}{(0.8, 0.9, 1.0, 1.0)}, \frac{e_2}{(0.8, 0.9, 1.0, 1.0)}, \frac{e_3}{(0.8, 0.9, 1.0, 1.0)} \right\} \right], \\
 & \left[(h_3, q, 1), \left\{ \frac{e_1}{(0.8, 0.9, 1.0, 1.0)}, \frac{e_2}{(0.8, 0.9, 1.0, 1.0)}, \frac{e_3}{(0.8, 0.9, 1.0, 1.0)} \right\} \right], \\
 & \left[(h_3, r, 1), \left\{ \frac{e_1}{(0.8, 0.9, 1.0, 1.0)}, \frac{e_2}{(0.8, 0.9, 1.0, 1.0)}, \frac{e_3}{(0.8, 0.9, 1.0, 1.0)} \right\} \right], \\
 & \left[(h_4, p, 1), \left\{ \frac{e_1}{(0.8, 0.9, 1.0, 1.0)}, \frac{e_2}{(0.8, 0.9, 1.0, 1.0)}, \frac{e_3}{(0.4, 0.5, 0.5, 0.6)} \right\} \right], \\
 & \left[(h_4, q, 1), \left\{ \frac{e_1}{(0.6, 0.7, 0.7, 0.8)}, \frac{e_2}{(0.8, 0.9, 1.0, 1.0)}, \frac{e_3}{(0.4, 0.5, 0.5, 0.6)} \right\} \right], \\
 & \left. \left[(h_4, r, 1), \left\{ \frac{e_1}{(0.6, 0.7, 0.7, 0.8)}, \frac{e_2}{(0.6, 0.7, 0.7, 0.8)}, \frac{e_3}{(0.8, 0.9, 1.0, 1.0)} \right\} \right] \right\}
 \end{aligned}$$

(20)

$$\begin{aligned}
 & \left[(h_1, p, 0), \left\{ \frac{e_1}{(0.0, 0.1, 0.2, 0.2)}, \frac{e_2}{(0.0, 0.1, 0.2, 0.2)}, \frac{e_3}{(0.1, 0.2, 0.3, 0.3)} \right\} \right], \\
 & \left[(h_1, q, 0), \left\{ \frac{e_1}{(0.0, 0.1, 0.2, 0.2)}, \frac{e_2}{(0.0, 0.1, 0.2, 0.2)}, \frac{e_3}{(0.1, 0.2, 0.3, 0.3)} \right\} \right], \\
 & \left[(h_1, r, 0), \left\{ \frac{e_1}{(0.0, 0.1, 0.2, 0.2)}, \frac{e_2}{(0.0, 0.1, 0.2, 0.2)}, \frac{e_3}{(0.1, 0.2, 0.3, 0.3)} \right\} \right], \\
 & \left[(h_2, p, 0), \left\{ \frac{e_1}{(0.0, 0.1, 0.2, 0.2)}, \frac{e_2}{(0.0, 0.1, 0.2, 0.2)}, \frac{e_3}{(0.1, 0.2, 0.3, 0.3)} \right\} \right], \\
 & \left[(h_2, q, 0), \left\{ \frac{e_1}{(0.0, 0.1, 0.2, 0.2)}, \frac{e_2}{(0.0, 0.1, 0.2, 0.2)}, \frac{e_3}{(0.1, 0.2, 0.3, 0.3)} \right\} \right], \\
 & \left[(h_2, r, 0), \left\{ \frac{e_1}{(0.0, 0.1, 0.2, 0.2)}, \frac{e_2}{(0.0, 0.1, 0.2, 0.2)}, \frac{e_3}{(0.5, 0.5, 0.6, 0.7)} \right\} \right], \\
 & \left[(h_3, p, 0), \left\{ \frac{e_1}{(0.0, 0.1, 0.2, 0.2)}, \frac{e_2}{(0.0, 0.1, 0.2, 0.2)}, \frac{e_3}{(0.0, 0.1, 0.2, 0.2)} \right\} \right], \\
 & \left[(h_3, q, 0), \left\{ \frac{e_1}{(0.0, 0.1, 0.2, 0.2)}, \frac{e_2}{(0.0, 0.1, 0.2, 0.2)}, \frac{e_3}{(0.0, 0.1, 0.2, 0.2)} \right\} \right], \\
 & \left[(h_3, r, 0), \left\{ \frac{e_1}{(0.0, 0.1, 0.2, 0.2)}, \frac{e_2}{(0.0, 0.1, 0.2, 0.2)}, \frac{e_3}{(0.0, 0.1, 0.2, 0.2)} \right\} \right], \\
 & \left[(h_4, p, 0), \left\{ \frac{e_1}{(0.0, 0.1, 0.2, 0.2)}, \frac{e_2}{(0.0, 0.1, 0.2, 0.2)}, \frac{e_3}{(0.5, 0.5, 0.6, 0.7)} \right\} \right], \\
 & \left[(h_4, q, 0), \left\{ \frac{e_1}{(0.1, 0.2, 0.3, 0.3)}, \frac{e_2}{(0.0, 0.1, 0.2, 0.2)}, \frac{e_3}{(0.5, 0.5, 0.6, 0.7)} \right\} \right], \\
 & \left[(h_4, r, 0), \left\{ \frac{e_1}{(0.1, 0.2, 0.3, 0.3)}, \frac{e_2}{(0.1, 0.2, 0.3, 0.3)}, \frac{e_3}{(0.0, 0.1, 0.2, 0.2)} \right\} \right].
 \end{aligned} \tag{21}$$

Values of agree-BF soft expert set and disagree-BF soft expert set are found which are shown in Tables 11 and 12.

Highest numerical value for agree-bipolar fuzzy expert set and disagree-bipolar fuzzy expert set is obtained using Tables 11 and 12. Then, final scores are extracted which are shown in Table 13.

7. Validation and Robustness

We check the accuracy of the proposed bipolar fuzzy TOPSIS modeling technique by validation and robustness. From the scores obtained in Table 13, it can be seen that the highest score is 34.6 for alternative 1, that is, NUST, so the optimal decision is to choose alternative 1 as the best university. Also, it is clear that by applying soft expert set technique, optimal result remains same as obtained by the BF-TOPSIS method. This method is then applied on the same alternatives for university selection. At the end, we get the same optimal solution. We conclude from Table 13 that E_1 has obtained the highest scores and is the best university among the other two universities.

8. Conclusion

Decision making in education-based problems is so common nowadays. Students also pay for counselors and advisors for the right advice and right decision to take. Bipolar

fuzzy and soft sets are combined together in this study to solve the problems that occur while taking multicriteria decisions. Fuzzy covers the vagueness, and bipolar covers human dual behavior. Soft sets on the other side give more precise results by giving order of preference. Hence, we have demonstrated a modified bipolar fuzzy soft set decision-making method. We have used the TOPSIS method for decision making as the computational steps of TOPSIS are simple and results are easy to evaluate, which is named as the bipolar fuzzy method of order preference by similarity measure to ideal solution (BF-TOPSIS). The results which are based on the positive and negative aspects are covered by the bipolar fuzzy TOPSIS method. The comparison of the existing and modified methods is as follows.

8.1. Existing Method. The existing method deals directly with the alternatives which could be very time consuming and can cause errors. The existing method does not give precise results. The existing decision-making methods in [15, 16] based on fuzzy TOPSIS and fuzzy soft sets simply consider the best optimal solution by distance measure and preferences. The method fails when the decision maker wants to assess the variables based on judgmental thinking.

8.2. Proposed Method. The bipolar fuzzy AHP minimizes this issue by allowing pairwise comparison and by giving

hierarchy. Using soft sets a preference level is made, and thus more compressed and precise results are obtained. Then, bipolar fuzzy TOPSIS is introduced to assess the linguistic variables based on dual thinking. Our proposed method can efficiently achieve the optimum solution with preferences and positive and negative aspects.

Data Availability

The data used to support the findings of this study are included within the article.

Conflicts of Interest

The authors declare that they have no conflicts of interest.

References

- [1] B. S. Gary, "The economic way of looking at behavior," *Journal of Political Economy*, vol. 101, no. 3, pp. 385–409, 1993.
- [2] T. Schultz, *Economic Value of Education*, Columbia University Press, New York, NY, USA, 1963.
- [3] L. A. Zadeh, "Fuzzy sets. information and control," vol. 8, pp. 338–353, 1965.
- [4] W. R. Zhang, "Bipolar fuzzy sets and relations: a computational framework for cognitive modeling and multigant decision analysis," in *Proceedings of the NAFIPS/IFIS/NASA '94. First International Joint Conference of The North American Fuzzy Information Processing Society Biannual Conference. The Industrial Fuzzy Control and Intelligence*, San Antonio, TX, USA, December 1994.
- [5] D. Molodtsov, "Soft set theory-first results," *Computers & Mathematics With Applications*, vol. 37, no. 4–5, pp. 19–31, 1999.
- [6] C. L. Hwang and K. Yoon, *Multiple Attribute Decision Making: Methods and Application*, Springer, New York, NY, USA, 1981.
- [7] S. J. Chen and C. L. Hwang, *Fuzzy Multiple Attribute Decision Making: Methods and Applications*, Springer-Verlag, Berlin, Germany, 1992.
- [8] C.-T. Chen, "Extension of the TOPSIS for group decision making under fuzzy environment," *Fuzzy Sets and Systems*, vol. 114, no. 1, pp. 1–9, 2000.
- [9] P. P. Dey, S. Pramanik, and B. C. Giri, "Generalized neutrosophic soft multi-attribute group decision making based on TOPSIS," *Critical Review*, vol. 11, pp. 41–55, 2015.
- [10] F. Xiao, "GIQ: a generalized intelligent quality-based approach for fusing multisource information," *IEEE Transactions on Fuzzy Systems*, vol. 29, pp. 1–10, 2020.
- [11] F. Xiao, "CEQD: a complex mass function to predict interference effects," *IEEE Transactions on Cybernetics*, vol. 10, pp. 1–13, Article ID 3040770, 2021.
- [12] S. Zeng, M. Shoaib, S. Ali, F. Smarandache, H. Rashmanlou, and F. Mofidnakhai, "Certain properties of single-valued neutrosophic graph with application in food and agriculture organization," *International Journal of Computational Intelligence Systems*, vol. 14, no. 1, pp. 1516–1540, 2021.
- [13] S. Zeng, Y. Hu, and X. Xie, "Q-rung orthopair fuzzy weighted induced logarithmic distance measures and their application in multiple attribute decision making," *Engineering Applications of Artificial Intelligence*, vol. 100, Article ID 104167, 2021.
- [14] F. Xiao, "CaFtR: a fuzzy complex event processing method," *International Journal of Fuzzy Systems*, vol. 23, 2021.
- [15] M. Bibi and S. Mustafa, "Modelling the logistic processes using fuzzy soft sets," pp. 1–79, PMAS, Arid Agriculture University, Rawalpindi, Pakistan, 2020.
- [16] S. Mustafa, I. Fatimah, and Y. B. Jun, "Modelling the logistic processes using fuzzy decision approach," *Haceteppe Journal of Mathematics and Statistics*, vol. 48, no. 2, pp. 552–563, 2019.
- [17] R. Ghanbari, K. Ghorbani-Moghadam, and N. Mahdavi-Amiri, "A direct method to compare bipolar LR fuzzy numbers," *Advance in Fuzzy systems*, vol. 2018, Article ID 9578270, 8 pages, 2018.
- [18] K. M. Lee, "Bipolar-valued fuzzy sets and their operations," in *Proceedings of the International Conference on Intelligent Technologies*, pp. 307–312, Bangkok, Thailand, 2000.
- [19] P. K. Maji, A. R. Roy, and R. Biswas, "An Application of soft sets in a decision making problem," *Computers & Mathematics with Applications*, vol. 44, no. 8, pp. 1077–1083, 2002.
- [20] R. B. Maji and A. R. Roy, "Soft set theory," *Computers & Mathematics With Applications*, vol. 45, no. 4–5, pp. 555–562, 2003.
- [21] M. Sarwar and M. Akram, "Novel concepts of bipolar fuzzy competition graphs," *Journal of Applied Mathematics and Computing*, vol. 54, no. 1, pp. 511–547, 2017.
- [22] Y. Yang, X. Peng, H. Chen, and L. Zeng, "A decision making approach based on bipolar multi-fuzzy soft set theory," *Journal of Intelligent and Fuzzy Systems*, vol. 27, no. 4, pp. 1861–1872, 2014.
- [23] W. R. Zhang and Y. Yin, "Bipolar fuzzy sets," in *Proceedings of the 1998 IEEE International Conference on Fuzzy Systems Proceedings. IEEE World Congress on Computational Intelligence*, no. 1, pp. 835–840, Anchorage, AK, USA, May 1998.
- [24] S. Alkhazaleh and A. R. Salleh, "Soft expert sets," *Advances in Decision Sciences*, vol. 2011, Article ID 757868, 12 pages, 2011.

Copyright © 2021 Saima Mustafa et al. This is an open access article distributed under the Creative Commons Attribution License (the “License”), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited. Notwithstanding the ProQuest Terms and Conditions, you may use this content in accordance with the terms of the License. <https://creativecommons.org/licenses/by/4.0/>