

# An approach based on Lifting Wavelet Salient Points For Content-based Image Description

Saad M. Saad<sup>1</sup>, Shawkat K. Guirguis<sup>2</sup>, and Ashraf M. Emam<sup>3</sup>

Department of Information Technology  
Institute of Graduate Studies and Research  
University of Alexandria  
P.O. Box 832, El Shatby, Alexandria, Egypt.

## Abstract

A new image description approach based on lifting wavelet salient points (*LWSP*) is developed. It integrates data representation and content description in a unified framework. Low-level image features, including colour and texture, are extracted from the developed approach, which combines lifting wavelet coefficients from lowest-frequency subbands with salient points extracted from other highest-frequency subbands. By using salient points to represent local information, more discriminative features can be computed and sharp parts or edges of the image are reserved in features description. Extensive experiments are performed to demonstrate the performance of the new approach in terms of retrieval accuracy.

**Index Terms** -- *Wavelet-based Salient Points - Image Description - Low-Level Descriptors.*

## 1-Introduction

Digital imaging has been acquiring a soaring interest over the last few years, which has motivated the research of image description and retrieval. Early image description techniques proposed manually annotated images for their description. However, these text-based techniques are impractical for two reasons: large size of image databases and subjective meaning of images [1]. To circumvent manual annotation, an alternative approach is the content-based image description. This approach uses the visual contents of an image such as colour, shape, and texture (low-level image features) to represent and describe the image. This requires much less effort in comparison with manual annotation because features can be automatically extracted [2]. For image description system, the selected features must be capable enough of identifying similar patterns as well as being capable of discriminating between different ones.

---

<sup>1</sup> saad\_darwish@yahoo.com

<sup>2</sup> shawkat\_g@yahoo.com

<sup>3</sup> aemamxx@yahoo.com

Previous research in image description systems has been focused on extracting global, geometrical, and topological features from the original image domain [3, 4, 5]. However, these global features cannot handle all parts of the image; therefore local features of image information are necessary. Local features can be computed to obtain an image index (descriptor) based on local properties of the image. Unfortunately, local features computation is time consuming specially when it is performed for each pixel of the image. Hence local features are extracted from limited subset of the image, the *salient points*, where the image information is supposed to be the most important [6]. Besides saving time in the indexing process, these points also lead to a more discriminative descriptor, due to their correspondence to the most visually important parts of the image.

Wavelet transform is characterized by excellent energy compaction and de-correlation properties, which therefore it is employed to effectively generate compact representations that exploit the structure of the image [7, 8]. Wavelets are also tolerance with respect to colour intensity shifts, and can capture both texture and shape information efficiently [8]. Furthermore, wavelet transforms can generally be computed in linear time, thus allowing for fast algorithms [9]. Regarding these properties, several wavelet-based image description approaches have been recently developed [3, 6, 7, 9]. These approaches are adopting the fact that an image is “summarized” by a set of image pixels, such as salient points, that may be considered as the most important pictorial information.

Daubechies and Sweldens introduced the lifting scheme as an alternative implementation of classical wavelets [10]. The lifting scheme was originally developed by Sweldens [11] to adjust wavelet transforms to irregular data and to design the fast approximation of discrete wavelet transform (DWT). The main feature of lifting is that it provides an entirely spatial domain interpretation of the transform, as opposed to the more traditional frequency domain-based constructions. Therefore it ideally suited for building second-generation wavelets when Fourier techniques are no longer available [12].

This paper presents an approach based on lifting wavelet domain for detecting salient points. A joint set of image descriptors - including colour and texture features associated to these points - are explored for image content description. The results show that extracting the image content using lifting-based wavelet salient points provides significantly improved retrieval accuracy as compared

to the global feature approaches, and also show that the developed approach is appropriate for retrieval of images with moderate amount of deformations.

The rest of the paper is organized as follows: Section 2 points out relevant related work on wavelet salient points extraction methods. Section 3 presents the developed approach for extracting salient points from lifting-based wavelet domain. Section 4 introduces the image feature descriptors. Section 5 gives the experimental results, and finally is the conclusion.

## 2-Wavelet Salient Points Extraction

In the context of wavelet-based salient points extraction several approaches have been developed. Sun et al [9] employed a simple approach for salient points extraction. This approach extracts these points from the whole wavelet-based compression domain using self-adaptable threshold  $T$ . The approach consists of two phases.

**Phase 1:** *compute*  $|X_m|$   $m=0,1,\dots,N-1$  is the magnitude of discrete wavelet transform of the original image.  $T_i = 2^{\lfloor \log_2(\max_m \{|X_m|\}) \rfloor - i}$ ,  $i$  is the number of desired decomposition level;

**Phase 2:** *compare* each coefficient in the wavelet domain with the threshold value  $T$ .

*if*  $|X_m| > T$ , **then**  $X_m$  is kept as salient point.

Sebe et al [6] developed a sophisticated approach for salient points extraction. This approach is based on the saliency values computed as the sum of wavelet coefficient tracked in finer resolutions. The approach constitute of four phases:

**Phase 1:** *For each wavelet coefficient, find the maximum child coefficient.*

**Phase 2:** *Track it recursively in finer resolutions.*

**Phase 3:** *At the finer resolution, set the saliency point of the tracked pixel:*

*the sum of the wavelet coefficients tracked.*

**Phase 4:** *Threshold to extract the most prominent points.*

In this work, another sophisticated approach is developed. This approach improves the computational efficiency over the Sebe approach [6] by using “lifting-based wavelet domain”. As well, it improves the discriminative power by embossing lifting wavelet coefficients from lowest

frequency subbands using salient points extracted from other highest frequency subbands. Figure 1 gives a schematic description of the developed approach, and the next section discusses the facility of using wavelet-based lifting scheme and describes the algorithm for extraction salient points.

### 3- Lifting wavelet-based Salient Points

Wavelet transform decomposes a signal with a family of basis functions  $\Psi_{mn}(x)$  obtained through translation and dilation of a mother wavelet  $\Psi(x)$  [13], i.e.

$$\psi_{mn}(x) = 2^{-m/2} \Psi(2^{-m}(x-n)) \quad (1)$$

where  $m$  and  $n$  are dilation and translation parameters. A signal  $f(x)$  can be represented as:

$$f(x) = \sum_{m,n} c_{mn} \Psi_{mn}(x) \quad (2)$$

where  $c_{mn}$  are wavelet coefficients, which contain the information about the signal. The wavelet representation gives information about the variations in the image at different scales [14]. Wavelet decomposes the image into four subbands; one approximation subband LL and three detailed subbands LH, HL, HH whose variances are the largest, since they carry more information than the approximate ones as shown in Figure 2.

In general, various techniques to construct wavelet bases, or to factor existing wavelet filters into basic blocks are known, one of them is *lifting*. The basic idea behind the lifting scheme is very simple. It starts with a trivial wavelet, the “lazy wavelet”; a function that essentially does not do any thing, but has the formal properties of a wavelet. The lifting then gradually builds a new wavelet, with improved properties, by adding new basis functions. This is the inspiration behind the name “*lifting scheme*” [11, 12].

A typical lifting stage is comprised of three steps [10]: *Split*, *Predict*, and *Update* as shown in Figure 3. The split step divides the original data into two disjoint subsets, e.g. into  $x_e[n] = x[2n]$ , the even indexed points, and  $x_o[n] = x[2n+1]$ , the odd indexed points. The predict step generates the wavelet coefficients  $d[n]$  as the error in predicating  $x_o[n]$  from  $x_e[n]$  using predication operator  $P$ :

$$d[n] = x_o[n] - P(x_e[n]). \quad (3)$$

In update stage,  $d[n]$  and  $x_e[n]$  are combined to obtain scaling coefficients  $c[n]$  that represents a coarse approximation to the original signal  $x[n]$ . This is accomplished by applying an update operator  $U$  to the wavelet coefficients and adding to  $x_e[n]$ :

$$c[n] = x_e[n] + U(d[n]). \quad (4)$$

for more details see [15]. An example of lifting scheme is the construction of the Haar wavelets from a single predicate step followed by a single update step as follows:

$$d_k^1 = c_{2k}^0 - c_{2k+1}^0, k = 0, \dots, M_1 - 1,$$

$$c_k^1 = \text{int} \left( \frac{d_k^1}{2} \right) + c_{2k+1}^0, k = 0, \dots, N_1 - 2,$$

$$c_{N_1-1}^1 = \begin{cases} \text{int} \left( \frac{d_{M_1-1}^1}{2} \right) + c_{N-1}^0, & N \rightarrow \text{even} \\ c_{N-1}^0 & N \rightarrow \text{odd} \end{cases} \quad (5)$$

where  $\{c_n^0\}_{n=0}^{N-1}$  is the original signal where the superscript indicates decomposition level and the

subscript indicates a particular point in the signal, also  $\{c_n^1\}_{n=0}^{N_1-1}$  and  $\{d_n^1\}_{n=0}^{M_1-1}$  are its

decomposition parts at the first level, here  $N_1 = \begin{cases} N/2 & N \rightarrow \text{even} \\ (N+1)/2 & N \rightarrow \text{odd} \end{cases}$ , and  $M_1 = N - N_1$  [12].

The lifting-based wavelet transform allows a fully in-place calculation of the wavelet transform (i.e. no auxiliary memory is needed and the original signal can be replaced with its lifting wavelet transform). Also, all operations within one lifting step can be executed entirely in parallel, which leads to a very fast algorithm [11]. The main advantage of lifting is the reduced calculation complexity. Daubechies et al [10] proved that, for long filters, the lifting scheme cuts computation complexity in half.

Lifting-based Wavelet decompositions allow for very good image approximation with just a few coefficients. Most information is concentrated in the low frequency subband LL, and some points with large values from high frequency subbands, called salient points correspond to edges of the image [14]. In this context, it is preferred in the developed approach to extract these salient

points from the locations where significant variation happens. This is manifested by injecting the lifting wavelet coefficients, at finer decomposition levels, into the lowest frequency subbands to add more variance for the feature extraction, figure1.c shows the process. Fixed sized low dimensional feature vectors are computed independent of image resolution, size and dithering effects if only the lowest frequency subbands of the lifting wavelet decomposition are considered [16].

In this work, the HSV colour space is chosen to do image description because of its perceptual uniformity [17]. The algorithm that depicts the developed wavelet salient points extraction using lifting scheme is as follows:

**Algorithm: *Salient Points Extraction*;**

**Initialisation parameter:-**

$T$  : Threshold value to extract the most prominent salient points;

$L$  : The number of desired decomposition level;

$W$  : Temporally place;

$\delta$  : The weight value to tune the contribution of each decomposition level to the lowest level.

According to the property of wavelet transformation  $\delta = \frac{1}{2}$ , as stated in [9].

**Begin**

For each pixel in the image, change it from RGB colour space to HSV colour space;

**For each colour channel**

Compute  $|X_{i,j}|$  be the magnitude of the lifting-based wavelet transformation of the original image. The lifting wavelet representation of an image is the set of coefficients for all orientations and all scales.

**For each coefficient in the lowest frequency subbands (LH, HL, HH)**

$W=0$ ;

**Begin**

Get a Coefficients  $X_{i,j}$  ;

Set  $W = X_{i,j}$  ;

**Repeat**

Get child  $(X_{i,j}) = \{X_{2i,2j}, X_{2i,2j+1}, X_{2i+1,2j}, X_{2i+1,2j+1}\}$  at the next finer scale of similar orientation ;

Set  $W = W + \text{Average}(\text{child}(X_{i,j})).\delta$ ;

Set  $X_{i,j} = \text{Max}(\text{child}(X_{i,j}));$  // find the maximum child coefficients.

**Until (the last finer scale-1)**

If  $|W| > T$ ,  $X_{i,j}$  is then kept as salient point;

**End for each coefficient**

**End for each colour channel**

**End of algorithm**

The salient points extracted using this approach, are dependent on the applied lifting-based wavelet transform. The larger the spatial support of the lifting wavelet corresponds to costly computations. Only (2,2)-lifting wavelet transform by integer calculation (Equation 5) is applied to offer fastest execution.

#### 4- Image Content Description

This section presents the low-level image descriptors including colour and texture. The connection exists between the quality of the image descriptors and the developed approach for selection salient points from lifting-based wavelet domain is stressed.

##### 4.1- Colour Descriptor

Colour features are among the most important and extensively used low-level features in image database retrieval. They are usually robust with noise, resolution, orientation and resizing effect [18]. The goal of colour feature extraction is to obtain compact, perceptually relevant representation of the colour content of an image.

Colour histogram is the most widely used colour descriptor; it captures global colour distribution in an image. While colour histograms are easy to compute, they result in large feature vectors that are difficult to index and have high search and retrieval cost. In addition, spatial information is not preserved in a colour histogram [17]. Several of the recently proposed colour descriptors try to incorporate spatial information. These include the compact colour moments, binary colour set, and colour correlogram [18].

According to the moment representation theorem, infinite set of moments uniquely determines a probability distribution and vice versa [3]. This assertion justifies the use of colour moments as colour descriptor. Stanchev has successfully used colour moments in many retrieval systems especially when the image contains just the objects [19]. Since higher order moments decay faster,

the colour feature vector can be reduced as well as the complexity of the feature extraction by using the first three colour moments. Mathematically, the first three moments are defined as:

$$\text{Mean} = \mu_i = \frac{1}{N} \sum_{j=1}^N f_{ij} \quad (6)$$

$$\text{Variance} = \sigma_i = \sqrt{\frac{1}{N} \sum_{j=1}^N (f_{ij} - \mu_i)^2} \quad (7)$$

$$\text{Skewness} = s_i = \sqrt[3]{\frac{1}{N} \sum_{j=1}^N (f_{ij} - \mu_i)^3} \quad (8)$$

where  $f_{ij}$  is the value of the  $j^{\text{th}}$  image pixel in the colour channel  $i$ , and  $N$  is the number of pixels in the image. With the fact that the statistics of the LL subband is almost the same as the statistics of the original image [9], colour moments are first extracted from this subband. In order that the local feature, such as edges is taken into account for describing colour features, the colour moments of the lowest frequency subbands (contain salient points) are computed. For colour feature generation, a  $3 \times 4$ - dimensional vector is used for each colour channel, resulting a total of  $3 \times 3 \times 4$ -dimensional vector for each image in the database.

#### 4.2- Texture Descriptor

Textures provide important surface characteristics of the image objects and are widely chosen as feature for image classification, retrieval, and description. Obviously, colour features cannot distinguish objects with identical colours from each other. But, by using a combination of colour and texture properties, many common objects may be identified with a tolerable accuracy [20]. In the digital image, according to [21] texture is depicted by the spatial interrelationship between, and/or spatial arrangement of the image pixels.

Early work considered the statistics or the distribution model of texture. The difficulty with traditional methods lies in the lack of an adequate multiresolution tool [21]. The wavelet-based approach integrates the multiresolution and the space-frequency properties naturally and has demonstrated a remarkable performance for texture description and modelling [20]. The lifting wavelet domain is suitable for texture feature generation because it expresses the interrelationship among pixels with irregular frequency decomposition, similar to the human perception system [5].



Image texture features are directly extracted from the lifting wavelet decomposition domain using the local energy function for the LL subband; the goal of the local energy is to estimate the energy in a local region [9]. Local energy of LL subband in the decomposition  $j$  is given by the following equation:

$$E_j^{LL} = \log \sum_{m,n} (C_{M,N}^{LL})^2 \cdot K(2^{-j}(m_0 - m), 2^{-j}(n_0 - n)) \quad (9)$$

where  $k(m, n)$  is the Gaussian function, and  $(m_0, n_0)$  is the centre of the LL subband. Moreover co-occurrence matrices, which represent the spatial distribution and the dependence of the grey level within a local area, are applied to the lowest frequency subbands. From these matrices, sets of statistical measure are computed for building different texture descriptors. The statistical measures are:

$$\text{Entropy} = - \sum_i \sum_j N_d(i, j) \log_2 N_d(i, j) \quad (10)$$

$$\text{Contrast} = \sum_i \sum_j (i - j)^2 N_d(i, j) \quad (11)$$

$$\text{Homogeneity} = \sum_i \sum_j \frac{N_d(i, j)}{1 + |i - j|} \quad (12)$$

where the  $N_d(i, j)$  is the co-occurrence matrix whose elements  $(i, j)$  represent the probability of going from one pixel with grey level  $(i)$  to another with grey level  $(j)$  under a predefined distance  $(d)$  and angle  $\theta$  [20]. In this work, texture descriptors are considered at three angles, namely “0°” for horizontal subband (LH), “90°” for vertical subband (HL), and “45°” for diagonal subband (HH) as well as a predefined distance of one pixel in the formation of the matrix.

For Texture feature generation, the texture descriptors described above are applied to the value (V) channel of the HSV colour space. The reason to justify the use of V channel is that the Hue (H) and Saturation (S) channels represent the two colour components while V channel represents the grey-scale image that can be used for texture analysis [23]. In general, a  $3 \times 3$ -dimensional texture feature for co-occurrence measures in addition to LL local energy value, are used as texture descriptor for each image.

## 5- Experiments

The approach described in this paper has been tested using a database of 500 colour images of varying content were chosen from the Corel Photo Collection. They cover a wide range of natural scenes, building, textures, flowers, persons, and objects, figure 4 shows sample images. A java-based prototype image retrieval system is developed to study the retrieval performance of the proposed approach. The image descriptor combines colour and texture to do image vector, which consists of *36-dimensional* colour vector adding *10-dimensional* texture vector, in all, *46-dimensional* vector to represent the image features content.

In the first experiment, in order to test the accuracy and robustness of various aspects of the developed approach, 10 variations of a database consisting of 200 images of colour objects such as cat, bird, flower and car were used. The format and motivation behind the variations are listed in Table1.

**Table 1.** Using every original image, each image variation was searched for in turn and its CMC score was recorded. The percentage of the variations returned within each ranking category is listed.

Image Variation	Purpose	% Returned in Top 5	% Returned in Top 10	% Returned in Top 15
Greyscale	Color invariance	90 %	93 %	95 %
20% Brightness	Pixel and Color Invariance	81 %	83 %	85 %
20% Contrast	Pixel and Color Invariance	79 %	81 %	84 %
Auto-Level	Color invariance	83 %	87 %	90 %
80 % Resized	Invariance to small size change	89 %	91 %	94 %
50 % Resized	Invariance to large size change	79 %	83 %	88 %
10% x & y Crop	Spatial shift invariance	68 %	70 %	73 %
20 % x Stretch	Aspect change invariance	87 %	90 %	93 %
13 % Gaussian Noise	Invariance to small noise	63 %	66 %	68 %
20 % Gaussian Noise	Invariance to large noise	55 %	61 %	63 %

Testing began by isolating each image variation in the dataset. Using the original image as the probe, and for each of the image variations, the database is searched. This procedure is performed to measure the approach's performance under each of the conditions produced by the image variations. The top-5, top-10, and top-15 matches from each search were analysed. The search results were used to calculate the cumulative match characteristic (CMC) score. The CMC score is the cumulative count of the correct number of returns [22]. It is shown as a percentage of the total number of correct images expected. The CMC scores for each image variation search are summarized in Table 1.

The results indicate similar relative strengths in the developed approach. Noising posed the biggest problem, requiring 15 returns before a CMC score of 63 % was achieved. The brightness, contrast and crop images had near-good results with CMC scores ranging from 68 % to 85 % in the top search return. Greyscale, resized, stretch, and auto-level images still generated good results.

For benchmarking purposes, the second experiment compares the retrieval accuracy results obtained with two different image description approaches. The three approaches considered are; the developed "Lifting-based Wavelet Salient Points" approach (*LWSP*), the Wavelet-based Salient Points (*WSP*) developed by Sebe et al [6] as another state-of-the-art salient points approach and the Global Salient Points approach (*GSP*) implemented in [9]. The retrieval accuracy is measured by recall and precision.

$$recall(K) = \frac{C_K}{M}, \quad precision(K) = \frac{C_K}{K} \quad (13)$$

where  $K$  is the number of retrievals,  $C_K$  is the number of relevant matches among all the  $K$  retrievals, and  $M$  is the total number of relevant matches in the database obtained through the subjective testing [24]. Each test set image is used as a query, for  $K=10$  the average recall and precision curves are plotted in Figure 5.

It can see from the figure that the developed approach has better recall-precision performance than the other approaches. This behavior is expected because the developed approach represents the most important visual information of the image. The *LWSP* approach builds the feature vectors depend on local image features like the *WSP*. Moreover, it takes into account the edges of the image in features extraction. While the *GSP* approach extracts the features from partly wavelet coefficients, and adds high frequency coefficients to LL subband to present sharp features, it does not consider local features of the image.

## 7- Conclusion

In this work, an integrated lifting-based wavelet salient points extraction scheme is developed. It demonstrates the use of salient points set for content-based image description. All the features are based on significant lifting wavelet coefficients and their energy distribution among subbands. Since salient points are distinctive, invariant, and able to capture the local feature information, they provide a better characterization for the image content [6].

The lifting-based wavelet transform is very convenient to locate salient points, because it gives information about the variations in the image at different scales. The idea of the developed approach is to find a relevant point to represent this global variation by exploring lifting-based wavelet coefficients at finer resolutions. Colour features are briefly extracted based on lowest resolution subband of wavelet coefficients using colour moments. For the texture feature vectors, the extraction is directly performed in the lowest frequency subbands using energy function and statistical measures for co-occurrence matrix.

Some experiments were conducted and the results show that the developed approach achieves the best performance in the overall consideration of retrieval accuracy, computational cost, and storage space of the feature vectors. The developed approach provides good improved results in terms of storage space of the feature vectors because the feature vectors are formed mainly from the lowest subbands, and also reveals good result in computational cost because using lifting scheme reduces the calculation complexity.


In conclusions, the content-based image retrieval can be improved by using local information provided by the lifting wavelet-based salient point. These points are able to capture the local image features and therefore, they can provide a better description for images. Finally, The developed approach can be classified as” open description architecture”; other visual features representation can be easily incorporated if needed.

## References


- [1] Eidenberger H., “A New Perspective on Visual Information Retrieval”, SPIE IS&T Electronic Imaging Conference (Storage and Retrieval Methods and Applications for Multimedia, San Jose, USA, 2004.

- [2] Amarnath Gupta, “*Visual Information Retrieval Technology: A Virage Perspective*”, Technical report, Virage Inc., <http://www.virage.com>, 1995.
- [3] Kai Chief Liang and Jay Kuo, “*Wave Guide: A joint Wavelet-based Image Representation and Description System*”, IEEE Transactions on Image processing, Vol.8, No.11, Nov.1999.
- [4] M. Flickner, H. Sawhney, W. Niblack, J.Ashley, and Q. Huang, “*Query by Image and Video Content: the QBIC System*”, IEEE Trans. Computer, Vol. 28, No. 9, pp. 23-32, September 1995.
- [5] A.W. Smeulders, M. Wrring, and R.Jain, “*Content-based Image Retrieval at the end of the Early Years*”, IEEE Transactions on Pattern Analysis and Machine Intelligence, 22/12, 1349-1380, 2000.
- [6] N. Sebe, Q. Tian, and E. Loupias, “*Image retrieval using Wavelet-based Salient Points*”, Journal of Electronic Imaging 10 (4) (2001) 835-849.
- [7] A. Natsev, R. Rastogi, and K. Shim, “*WALRUS: A Similarity Retrieval Algorithm for Image Databases*”, In Proceedings of the 1999 ACM SIGMOD International Conference on Management of Data, 1999.
- [8] L. Balmily and A. Mojsilovic, “*Wavelet Domain Features For Texture Description, Classification and Replicability Analysis*”, IEEE International Conference on Image Processing (ICIP), Vol.4, pp. 440-444, October 1999.
- [9] Y. Sun and S. Ozawa, “*Content-Based Image Retrieval using Wavelet – based Feature Extraction Method*”, The Centre for Information, Communication and Media Technologies, Keio University, Japan. Proceedings of the International Conference on Image Processing, 2002.
- [10] I. Daubechies and W. Sweldens, “*Fracting Wavelet Transform Into Lifting steps*”, J. Fourier Anal. Appl., 4(3): 245:267, 1998.
- [11] W. Sweldens, “*The Lifting Scheme: A Custom-Design of Biorthogonal Wavelets*”, Appl. Comp. Harmon. Anal. Vol.3, No.2, 1996, pp.186-200.
- [12] Ezzat A. Korany, Mohamed M. El-Serbiny, and Saad M. saad “*Utilization and Performance Study of the Second Generation Wavelet Coding for Compression of Satellite Images*” Asia-Pacific Radio Science Conference, Chuo University, Tokyo Japan, August 1-4, 2001.


- [13] [Z. Wang, G. Wiederhold, and X. W. Sha, "Content-based Image Indexing and Searching Using Daubechies' Wavelet", International Journal on Digital Libraries, Vol. 1, No. 4, pp. 311-328, 1998.](#)
- [14] [N. Sebe, Q. Tian, E. Loupias, and T. S. Huang, "Colour Indexing using Wavelet-Based Salient Points", in: IEEE Workshop on Content-based Access of Image and Video Libraries \(2000\).](#)
- [15] [R. L. Claypoole and W. Sweldens, "Non Linear Wavelets Transforms For Image Coding Via Lifting", IEEE Trans. IP, August \(25\), 1999.](#)
- [16] [Amir Said and W.A. Pearlman, "A New Fast and Efficient Image Codec based on Set Partitioning in Hierarchical Trees", IEEE Trans. Circuits and Systems for Video Technology, Vol. 6, No.3, pp. 243-250, June 1996.](#)
- [17] [Y. Deng, B. S. Manjunath, and C. Kenney, "An Efficient Colour Representation for Image retrieval", IEEE Transactions on Image Processing, Vol.12,No.1, Jan.2001.](#)
- [18] [I. Valova and B. Rachev, "Retrieval by Colour Features In Image Databases", International Conference CompSysTech'2004, Sofia, Bulgaria, 2004.](#)
- [19] [Peter L. Stanchev, "Content-based Image Retrieval Systems", CompSysTech'2001- Bulgarian Computer Science Conference, 21-22.06.2001, Sofia, Bulgaria.](#)
- [20] [S. Hatipoglu, S. K. Mitra, and N. Kingsbury, "Texture Classification Using Wavelet Transform", Image Processing and Its Applications Conference, No. 465, IEE 1999.](#)
- [21] [B. Zhang, C. Tomai, A. Zhang, "Adaptive Texture Image Retrieval in Transform Domain", the Seventh International Conference on Control, Automation, Robotics and Vision \(ICARCV 2002\), Dec., 2-5, 2002, Singapore.](#)
- [22] [Darry D. Anderson and M. S. Drew, "Image Object Search Combining Colour with Gabor Wavelet Shape Descriptors", Technical Report, School of Computing Science, Simon Fraser University, Canada, 2000.](#)
- [23] [E.L. van den Broek E.M. van Rikxoort, "Evaluation of colour representation for texture analysis", Technical Report, NICI Radboud University Nijmegen, 2005.](#)
- [24] [Eidenberger H., "Distance Measures for Mpeg-7-based Retrieval", ACM Multimedia Information Retrieval Workshop, Berkeley, USA,2003.](#)



**Fig.1.** Content-Based Image Description Approach using Lifting Wavelet-based Salient Points.




**Fig.2.** Wavelet transform of 2-D image.



**Fig.3.** Typical lifting steps: Split, Predict, and Update.



**Fig.4.** Sample images from 4 categories: Building, Flowers, Objects, and Natural scenes.



**Fig 5.** Average Precision vs. Recall