

LAMINAR: PRACTICAL FINE-GRAINED DECENTRALIZED INFORMATION FLOW CONTROL (DIFC)



Indrajit Roy, Donald E. Porter, Michael D. Bond,
Kathryn S. McKinley, Emmett Witchel



The University of Texas at Austin

Untrusted code on trusted data

- Your computer holds trusted and sensitive data
 - ▣ Credit card number, SSN, personal calendar...
- But not every program you run is trusted
 - ▣ Bugs in code, malicious plugins...



Security model


- Decentralized Information Flow Control (DIFC)
[Myers and Liskov '97]
- Associate labels with the data
- System tracks the flow of data and the labels
- Access **and distribution** of data depends on labels
 - ▣ Firefox may read the credit card number
 - ▣ But firefox may **not** send it to the outside world

Control thy data (and its fate)



DIFC Implementation

- How do we rethink and rewrite code for security?
 - ▣ Hopefully not many changes...
- Users create a lattice of labels
- Associate labels with the data-structure




Information flow in a lattice

User	Mon.	Tue.	Wed.
Alice	Watch game	Office work	Free
Bob	Free	Meet doctor	Free

Calendar data-structure

Challenge: Programmability vs. security

- An ideal DIFC system
 - ▣ No code refactoring or changes to the data structures
 - ▣ Naturally interact with the file system and the network
 - ▣ Enforce fine-grained policies



Information flow in a lattice

User	Mon.	Tue.	Wed.
Alice	Watch game	Office work	Free
Bob	Free	Meet doctor	Free

Calendar data-structure

In this talk: Laminar

A **practical** way to provide **end-to-end**
security guarantees.

Outline

- Comparison with current DIFC systems
- Laminar: programming model
 - ▣ Design: PL + OS techniques
 - ▣ Security regions
- Case studies and evaluation
- Summary

Current DIFC enabled systems

Two broad categories

- Programming language based (PL)
 - Example: Jif, Flow Caml
- Operating system based (OS)
 - Example: Asbestos, HiStar, Flume

Advantages of Laminar

	PL Based	OS based	Laminar
Fine grained	✓	✗	✓

Object level

Address space or
page level

Advantages of Laminar

	PL Based	OS based	Laminar
Fine grained	✓	✗	✓
End-to-end guarantee	✗	✓	✓

Information leaks possible through files and sockets

Advantages of Laminar

	PL Based	OS based	Laminar
Fine grained	✓	✗	✓
End-to-end guarantee	✗	✓	✓
Incrementally deployable	✗	✗	✓

New language or
type system

Code refactoring

Advantages of Laminar

	PL Based	OS based	Laminar
Fine grained	✓	✗	✓
End-to-end guarantee	✗	✓	✓
Incrementally deployable	✗	✗	✓
Advanced language features *	✗	✓	✓

*Dynamic class loading, reflection, multi-threading

Advantages of Laminar

	PL Based	OS based	Laminar
Fine grained	✓	✗	✓
End-to-end guarantee	✗	✓	✓
Incrementally deployable	✗	✗	✓
Advanced language features	✗	✓	✓

JVM tracks labels of objects

Dynamic analysis

JVM+OS integration

Security regions (new PL construct)

Outline

- Comparison with current DIFC systems
- **Laminar: programming model**
 - ▣ Design: PL + OS techniques
 - ▣ Security regions
- Case studies and evaluation
- Summary

Programming model

- No modifications to code that does not access the calendar
 - ▣ No need to trust such code!
- Security regions
 - ▣ Wraps the code that accesses the calendar
 - ▣ Again, no need to trust the code!
 - Unless it modifies the labels of the data structure

User	Monday	Tuesday
Alice	Watch game	Office work
Bob	Free	Meet doctor

Less work by the programmer.
Laminar enforces user security policy.



Trust assumptions

- Laminar JVM and Laminar OS should perform the correct DIFC checks
- Programmers should correctly specify the security policies using labels
- Limitation — covert channels
 - ▣ Timing channels
 - ▣ Termination channels
 - ▣ Probabilistic channels

Laminar design

APP

Security regions


JVM

Dynamic analysis

OS

Reference monitor

Laminar design: security regions



□ Programming language construct

□ Security sensitive data accessed only inside a security region




Lowers overhead of DIFC checks




Helps incremental deployment


Laminar design: JVM



Laminar design : OS



Laminar design : JVM+OS



Outline

- Comparison with current DIFC systems
- Laminar: programming model
 - ▣ Design: PL + OS techniques
 - ▣ **Security regions**
- Case studies and evaluation
- Summary

Example: calendar

Pseudo code to find a common meeting time for Alice and Bob



Calendar	Monday	Tuesday
Alice	Watch game	Office work
Bob	Free	Meet doctor

```
Calendar cal; // has label {Alice, Bob}
```

```
secure(new Label(Alice, Bob)){
```

```
    Calendar a = readFile("alice.cal");
```

```
    Calendar b = readFile("bob.cal");
```

```
    cal.addDates(a, b);
```

```
    Date d = cal.findMeeting();
```

```
... }
```

```
catch(..){}
```

Can read data of Alice and Bob.


Read data of Alice and Bob.

Add to common calendar

Find common meeting time


This code has been simplified to help explanation. Refer to the paper for exact syntax.

Security regions for programming ease



- Easier to add security policies
 - ▣ Wrap code that touches sensitive data inside security region
 - ▣ Hypothesis: only small portions of code and data are security sensitive
- Simplifies auditing


Threads and security regions



- ❑ Threads execute the application code

- ❑ On entering, threads get the labels and privileges of the security region

Supporting security regions: JVM+OS



```
Calendar cal; // has label {Alice, Bob}
```

```
secure(new Label(Alice, Bob)){
```

```
    Calendar a = readFile("alice.cal");
```


```
    Calendar b = readFile("bob.cal");
```

```
    cal.addDates(a, b);
```

```
    Date d = cal.findMeeting();
```

```
... }
```


```
catch(..){}
```



Labeling application data


- JVM allocates labeled objects from a separate heap space
 - ▣ Efficient checks on whether an object is labeled
 - ▣ Object header points to secrecy and integrity labels
- Locals and statics are not labeled
 - ▣ Restricted use inside and outside security regions
 - ▣ Prevents illegal information flow
- We are extending our implementation to support labeled statics

Security regions for efficiency



- Limits the amount of work done by the VM to enforce DIFC
- Prevent access to labeled objects **outside** security regions
- Use read/write barriers
- Perform efficient address range checks on objects

Checks outside a security region



```
Label credentials = new Label (Alice, Bob);  
Calendar cal; // has label {Alice, Bob}
```


```
secure(credentials){  
    ...  
    cal.addDates(a, b);  
    Date d = cal.findMeeting();  
    ... }  
catch(..){}
```

Date d= **cal.getMeetTime();**



Labeled object read
outside the security region

Checks inside a security region



- Mandatory DIFC checks **inside** security regions
- Secrecy rule
 - Cannot read *more* secret
 - Cannot write to *less* secret
- Integrity rule
 - Cannot read *less* trusted
 - Cannot write to *more* trusted

Checks inside a security region

```
Label credentials = new Label (Alice, Bob);  
Calendar mainCal; // has label {Alice, Bob}  
Calendar aliceCal; //has label {Alice}
```

```
secure(credentials){
```

```
...  
mainCal.event = aliceCal.date;
```



```
... }  
catch(..){
```


Thread in security region

WRITE

mainCal.event

READ

aliceCal.date



Information flow in a lattice

Checks inside a security region

```
Label credentials = new Label (Alice, Bob);  
Calendar mainCal; // has label {Alice, Bob}  
Calendar aliceCal; //has label {Alice}
```

```
secure(credentials){
```

```
...  
aliceCal.date = mainCal.event;  
...
```

Information flow

```
... }  
catch(..){
```

Thread in security region

WRITE

aliceCal.date

READ

mainCal.event

{Alice, Bob}

{Alice}

{Bob}

{}


Information flow in a lattice

Nested security regions

- Laminar allows nesting of security regions
- For nesting, the parent security region should have the correct privileges to initialize the child security region
 - ▣ Natural hierarchical semantics
- More details are present in the paper

Supporting security regions: OS

- OS acts as a repository for labels
 - ▣ New labels can be allocated using a system call
- Labels stored in security fields of the kernel objects
- Before each resource access, the reference monitor performs DIFC checks
 - ▣ E.g. inode permission checks, file access checks



Outline

- Comparison with current DIFC systems
- Laminar: programming model
 - ▣ Design: PL + OS techniques
 - ▣ Security regions
- Case studies and evaluation
- Summary

Evaluation hypothesis

- Laminar requires **modest code changes** to retrofit security to applications
 - ▣ Less burden on the programmer
- Laminar incurs **modest overheads**
 - ▣ Practical and efficient


Laminar requires modest changes

Application	LOC	Protected Data	LOC Added
GradeSheet	900	Student grades	92 (10%)
Battleship	1,700	Ship locations	95 (6%)
Calendar	6,200	Schedules	290 (5%)
FreeCS (Chat server)	22,000	Membership properties	1,200 (6%)

≤10% changes

Laminar has modest overheads

- ❑ Compared against unmodified applications running on unmodified JVM and OS
- ❑ Overheads range from 1% to 54%
- ❑ IO disabled to prevent masking effect
 - ❑ Lower overheads expected in real deployment



Related Work

- IFC and lattice model
 - ▣ Lattice Model[Denning'76], Biba'77, Bell-LaPadula'73

- Language level DIFC
 - ▣ Jif[Myers'97], FlowCaml[Simonet'03], Swift[Chong'07]

- OS based DIFC
 - ▣ Asbestos[Efstathopoulos'05], HiStar[Zeldovich'06], Flume[Krohn'07], DStar[Zeldovich'08]

Summary

Current DIFC systems fall short of enforcing comprehensive DIFC policies

Laminar solves this by introducing security regions and integrating PL + OS mechanisms

Laminar provides fine-grained DIFC, and yet has low overheads

Thank you!

Current DIFC systems fall short of enforcing comprehensive DIFC policies

Laminar solves this by introducing security regions and integrating PL + OS mechanisms

Laminar provides fine-grained DIFC, and yet has low overheads

BACKUP SLIDES !





The University of Texas at Austin

Implicit information flow

```
// H has label {secret}  
// L has label {}  
L.val = false;
```

```
if(H.val)  
  L.val = true;
```

H is secret



Value of L reveals H

Handling implicit information flows

```
// H has label {secret}
// L has label {}
L.val = false;
secure(credentials){
  if(H.val)
    L.val = true;
} catch(...) {
}
```

Mandatory catch block.
Executes with same labels as the
security region

