Depression and caregiver burden experienced by caregivers of Jordanian patients with stroke

Andaleeb Abu Kamel PhD

Head of Nursing Department, Faculty of Nursing, Al-Zaytoonah University of Jordan, Amman, Jordan

A Elaine Bond DNSc

Latter-Day Saints Charities Humanitarian Services, Brigham Young University Emeritus, University of Jordan, Amman, Jordan

Erika Sivarajan Froelicher PhD

Department of Physiological Nursing, School of Nursing and Department of Epidemiology and Biostatistics, School of Medicine, University of California, San Francisco, California, USA

Fulbright Fellow and Visiting Professor, Faculty of Nursing, University of Jordan, Amman, Jordan

Accepted for publication July 2011

Kamel AA, Bond AE, Sivarajan Froelicher E. *International Journal of Nursing Practice* 2012; **18**: 147–154

Many stroke survivors will be cared for at home, primarily by their relatives. Providing care to a family member with a chronic disabling disease can be both emotionally and physically distressing for the caregivers. The purpose of this study was to investigate the relationship between patients' characteristics, duration of caregiving, daily caregiving time, caregiver's characteristics, caregiver depression and burden in caregivers of patients with stroke. A cross-sectional design was used with a convenience sample of 116 subjects. The Center of Epidemiologic Studies of Depression and the Caregiver

Strain Index were used to identify caregiver depression and burden, respectively. Logistic regression analysis identified the influence of independent variables on caregiver depression and caregiver burden. Caregivers had high scores for depression and burden indices. Caregivers' health, receiving professional home health care and caregivers' burden were related to caregiver depression. Functional disabilities of patients with stroke and depression of caregivers were related to caregiver burden. To decrease caregiver depression and burden, nurses must provide caregivers with instructions for home management of patients with stroke. Development of specialized stroke home health services in Jordan that targets patients with stroke and their caregivers are recommended.

Key words: burden, caregiver, depression, Jordan, stroke.

Abu Kamel, A. Bond, A. E., Froelicher, E. (2012). Depression and caregiver burden experienced by caregivers of Jordanian patients with stroke. *International Journal of Nursing Practice*, 18: 147–154.

