Air Force Institute of Technology AFIT Scholar

Theses and Dissertations

Student Graduate Works

3-24-2016

Determining the Degree of the Routinization of Additive Manufacturing in the Air Logistics Complexes

Candis A. Woods

Follow this and additional works at: https://scholar.afit.edu/etd

Part of the <u>Industrial Technology Commons</u>, and the <u>Operations and Supply Chain Management</u>
<u>Commons</u>

Recommended Citation

Woods, Candis A., "Determining the Degree of the Routinization of Additive Manufacturing in the Air Logistics Complexes" (2016). *Theses and Dissertations*. 382.

https://scholar.afit.edu/etd/382

This Thesis is brought to you for free and open access by the Student Graduate Works at AFIT Scholar. It has been accepted for inclusion in Theses and Dissertations by an authorized administrator of AFIT Scholar. For more information, please contact richard.mansfield@afit.edu.





DETERMINING THE DEGREE OF THE ROUTINIZATION OF ADDITIVE MANUFACTURING IN THE AIR LOGISTICS COMPLEXES

THESIS

Candis A. Woods, Captain, USAF

AFIT-ENS-MS-16-M-098

DEPARTMENT OF THE AIR FORCE AIR UNIVERSITY

AIR FORCE INSTITUTE OF TECHNOLOGY

Wright-Patterson Air Force Base, Ohio

DISTRIBUTION STATEMENT A.

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED.



The views expressed in this thesis are those of the author and do not reflect the official policy or position of the United States Air Force, Department of Defense, or the United States Government. This material is declared a work of the U.S. Government and is not subject to copyright protection in the United States.



DETERMINING THE DEGREE OF THE ROUTINIZATION OF ADDITIVE MANUFACTURING IN THE AIR LOGISTICS COMPLEXES

THESIS

Presented to the Faculty

Department of Operational Sciences

Graduate School of Engineering and Management

Air Force Institute of Technology

Air University

Air Education and Training Command

In Partial Fulfillment of the Requirements for the

Degree of Master of Science in Logistics and Supply Chain Management

Candis A. Woods, BS

Captain, USAF

March 2016

DISTRIBUTION STATEMENT A.APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED.



DETERMINING THE DEGREE OF THE ROUTINIZATION OF ADDITIVE MANUFACTURING IN THE AIR LOGISTICS COMPLEXES

Candis A. Woods, BS

Captain, USAF

Committee Membership:

Lt Col M.A. Douglas, PhD Co-Chair

Lt Col R.E. Overstreet, PhD Co-Chair

Capt B.T. Hazen, PhD Reader



Abstract

Fiscal constraints have affected the United States Air Force's (USAF's) spending and sustainment of weapons systems that are being utilized beyond their programmed life cycle; therefore, it is imperative that processes be thoroughly evaluated for improvement, innovative approaches, and/or best practice implementation. The Air Force Sustainment Center (AFSC), part of the Air Force Materiel Command (AFMC), has embarked on a groundbreaking effort to transform operations and leverage industry best practices, while maintaining focus on warfighter support to create "The AFSC Way." The AFSC Way is based on a shared leadership model that emphasizes speed, safety, and quality, which gives way to innovative ideas and new technologies in order to achieve "Art of the Possible" results, despite fiscal uncertainty.

The quest for continued sustainment has led to the recognition of innovation as a vital ingredient to an organization's survival and profitability in this fiscally constrained environment. Additive manufacturing is one such innovation that the AFSC has adopted and implemented in an effort to maintain or enhance current weapons system sustainment practices. If the AFSC is to realize the potential benefits of additive manufacturing, it must be routinized to some degree into the organization's governance systems. This research concluded that additive manufacturing was moderately routinized in each ALC.



Acknowledgments

I would like to express my sincere appreciation to my faculty co-advisors, Lt Col Matthew Douglas and Lt Col Robert Overstreet, for their guidance and support throughout the course of this thesis effort.

Candis A. Woods



Table of Contents

	Page
Abstract	iv
Table of Contents	vi
List of Figures	ix
List of Tables	x
I. Introduction	1
Overview	1
Background	2
Problem and Purpose Statement	4
Research Question	4
Investigative Questions	4
Methodology	5
Assumptions/Limitations	5
Implications	5
Summary	6
II. Literature Review	7
Overview	7
Additive Manufacturing	7
Innovation	11
Types of Innovation	12
Diffusion of Innovation Theory	14
Post-Adoption Innovation Diffusion Activities	16
Routinization	18



	Passages and Cycles	18
	Summary	20
III.	Methodology	21
	Overview	21
	Research Plan	21
	Design	24
	Prepare	27
	Collect	30
	Analysis	31
	Share	31
IV.	Analysis and Results	32
	Overview	32
	Analysis	32
	Results	33
	Equipment Turnover	33
	Support by Local Funds	34
	Organizational Status.	35
	Supply and Maintenance	36
	Personnel Certification	36
	Formal Guidance	37
	Training Program	38
	Promotion of Key Personnel	38
	Turnover of Kev Personnel	39

Degree of Routinization	39
Summary	40
V. Conclusions and Recommendations	41
Overview	41
Results of Research	41
Investigative Question One	42
Investigative Question Two	42
Investigative Question Three	44
Limitations of the Research	44
Future Research	45
Appendix A: Exemption Request from Human Experimentation Requirements	46
Appendix B: Research Talking Paper	47
Appendix C: Consent to Participate in Interview	48
Appendix D: Interview Questions	49
Appendix E: Objects Produced from AM	55
Appendix F: Story Board	56
Bibliography	57



List of Figures

	Page
Figure 1: Post-adoption Innovation Diffusion (Hazen et al., 2012:122)	16
Figure 2: Unified Framework of Post-adoption Activities (Hazen <i>et al.</i> , 2012:128)	17



List of Tables

	Page
Table 1: Comparison of Research Strategies (Yin, 2014:9)	22
Table 2: Case Study Tactics for Four Design Tests (Yin, 2014:9)	26
Table 3: Interview Subjects Demographics	29
Table 4: Key Word Matrix	32
Table 5: Respondent Responses	33
Table 6: Number of Passages and Cycles Completed per ALC	40

DETERMINING THE DEGREE OF THE ROUTINIZATION OF ADDITIVE MANUFACTURING IN THE AIR LOGISTICS COMPLEXES

I. Introduction

Overview

Fiscal constraints have affected the United States Air Force's (USAF's) spending and sustainment of weapons systems that are being utilized beyond their programmed life cycle; therefore, it is imperative that processes be thoroughly evaluated for improvement, innovative approaches, and/or best practice implementation. Military leaders, speaking about managing aircraft sustainment in the future, have bluntly stated, "We have two choices: accept the costs and reduce capability or change the way we do business" (AFSC, 2014). Electing to do the latter, USAF leadership instituted a large-scale supply chain management innovation designed to improve the \$16B per year maintenance, repair, and overhaul (MRO) enterprise in the Air Logistics Complexes (ALCs) responsible for sustaining its weapons systems (Douglas *et al.*, 2015).

The quest for continued sustainment has led to the recognition of innovation as a vital ingredient to an organization's survival and profitability in this fiscally constrained environment. Additive manufacturing is one such technological innovation that the Air Force Sustainment Center (AFSC) is pursuing to maintain or enhance current weapons system sustainment practices by researching and developing its short and long term applications.

The literature has revealed many research efforts dealing with organizational innovation adoption (Damanpour, 1991; Kimberly and Evanisko, 1981), but since Yin (1981), little



research has been conducted on how innovations become routinized into an organization (Yin, 1978; Zmud and Apple, 1992; Hazen *et al.*, 2012).

The focus of this research is to identify the degree of routinization of additive manufacturing in each of the three Air Logistics Complexes (ALCs). This study will be accomplished within the framework of Yin's passages and cycles of routinization to determine how their accomplishment affects an innovation's degree of routinization. The context of this investigation will be in relation to individual perceptions of the passages and cycles with respect to their respective ALC and how the evidence of specific passages and cycles affects the degree of the routinization of additive manufacturing.

Background

The AFSC is on one six centers assigned to the Air Force Materiel Command (AFMC). Its mission and overarching focus is to provide sustainment and logistics readiness to deliver combat air power for America. The AFSC achieves this mission primarily through the three air logistics complexes (ALCs): Ogden ALC (OO-ALC), UT; Oklahoma City ALC (OK-ALC), OK; and Warner Robins ALC (WR-ALC), GA. The three ALCs are comprised of approximately 25,000 military, civilian, and contractor personnel who are responsible for providing depot-level MRO support to the USAF's extensive and aging weapons system inventory primarily through traditional maintenance and manufacturing practices.

In an environment where organizational resources are at an all-time low, the AFSC must provide the same or greater military capability and readiness to the USAF and DoD at less cost than before. To address this concern, the AFSC has embarked on a



groundbreaking effort to transform operations and leverage industry best practices, while maintaining focus on warfighter support to create "The AFSC Way." The AFSC Way is based on a shared leadership model that emphasizes speed, safety, and quality, which gives way to innovative ideas and new technologies in order to achieve "Art of the Possible" results, despite fiscal uncertainty (AFSC, 2014). Achieving the goal of mastering the "Art of the Possible", means fostering a culture in the ALCs focused on optimizing available resources and process improvement to achieve cost-effective readiness. The Air Force Chief of Staff recognized this fact when he stated, in his Air Force Vision Statement, "Faced with fiscal challenges, we must make prudent choices to ensure that the Air Force is able to release the full potential of airpower" (Welsh, 2013).

The AFSC Way is not about working harder, cutting corners, or jeopardizing workplace safety; it is about improving processes, maximizing available resources, and recognizing opportunities to use new technological innovations, such as additive manufacturing, to sustain weapons systems and provide continued support to the warfighter. Currently, the ALCs are using additive manufacturing technology in support of reverse engineering, rapid prototyping, and as a learning tool. There are a myriad of potential applications for additive manufacturing and an equal amount of methods to be used to construct three-dimensional (3-D) objects. If the ALCs are to eventually reap the full benefits of this technological innovation, it must first be routinized to the highest degree.



Problem and Purpose Statement

The need for enhanced weapons system sustainment calls for a critical look at the passages and cycles of innovation routinization. Yin *et al.* (1978) identified nine passages and cycles that will be studied to determine their effect on an organization's degree of routinization of a specific innovation. The purpose of this research is to determine the degree of routinization of additive manufacturing by exploring personnel perceptions of the nine routinization passages and cycles to determine how their [routinization passages and cycles] accomplishment relates to an ALC's degree of routinization. Understanding an innovation's degree of routinization and what events affect that degree will allow an organization to direct their efforts on the accomplishment of certain passages and cycles to achieve a higher degree of routinization. This study will also address the disparities in the degree of routinization between the ALCs and make recommendations on how to achieve the highest degree of innovation routinization.

Research Question

Given this problem, the research must be narrowed to a specific question. The focus of this research is to answer the following question: "How do the ALCs determine their degree of the routinization of additive manufacturing?"

Investigative Questions

- 1. What passages and cycles contribute to determining an ALC's degree of the routinization of additive manufacturing?
- 2. What issues prohibit the ALCs from achieving the highest degree of the routinization of additive manufacturing?



3. What additional factors were found to affect the ALC's degree of the routinization of additive manufacturing?

Methodology

A case study approach will be taken to determine an ALC's degree of routinization of additive manufacturing. Data will be triangulated and patterned matched to a theoretical proposition by examining the personnel perceptions of the accomplishment of specific routinization passages and cycles in the three ALCs. The rationale for selecting the qualitative research method employed in this research and the elements that lend this study to case study design as well as the data collection and analysis procedures will be detailed in Chapter III.

Assumptions/Limitations

The exploratory nature of this study lends itself to one underlying assumption. With the focus of this study being on a specific post-adoption stage, it is assumed that the three ALCs have already adopted and implemented additive manufacturing. This study also has two fundamental limitations. First, literature on innovation routinization is limited. Secondly, additive manufacturing use in the ALCs is in its infancy; therefore, subject-matter-expert (SME) experience and practical application are limited.

Implications

This study will be relevant to AFMC and AFSC leadership in that the results will provide a current assessment of the degree of the routinization of additive manufacturing in each ALC. It will also address the disparities in the degree of routinization between the ALCs and make recommendations on how to achieve the highest degree of



routinization. Achieving the highest degree of the routinization of additive manufacturing in the ALCs will place the AFSC one step closer to the incorporation of a vital capability that has the potential to reduce costs, waste, and wait times associated with traditional manufacturing.

Summary

This chapter introduced the current problem, research question, investigative questions, and provided a summary of the methodology used in this study. Chapter II presents an in-depth review of the existing literature on additive manufacturing and innovation routinization. Chapter III further describes the research and data collection methodology used to accomplish the objectives of this study. Chapter IV presents the analysis, while Chapter V provides conclusions, recommendations, and offers areas for further research.



II. Literature Review

Overview

This chapter provides a review of the literature relevant to both additive manufacturing and organizational innovation routinization. This review will first give a general overview of additive manufacturing. Next, innovation will be discussed by exploring the following areas: innovation, innovation type, and Innovation Diffusion Theory. Finally, the review will discuss post-adoption innovation diffusion, routinization, and the nine passages and cycles of routinization and their subsequent relationship on an organization's degree of routinization.

Additive Manufacturing

Additive manufacturing is addressed as a technological innovation in a variety of past supply chain management (SCM) studies (Walter *et al.*, 2004; Campbell *et al.*, 2012)--dating back almost 40 years and is poised to transform the industrial economy (Hauge, 2004). Although additive manufacturing has been around in the private sector for decades, it has recently caught the attention of AFMC to research practical applications that have the potential to enhance current and future weapons system sustainment processes. Additive manufacturing is a technique that combines planar layers of material, similar to that of ink-jet printers, sequentially to form three-dimensional (3-D) objects. The literature reveals additive manufacturing is synonymous with 3-D printing, additive processes, layered manufacturing, free-form manufacturing, and rapid manufacturing (Raja *et al.*, 2006; Petrovic *et al.*, 2011). Additive



flexibility not only allows for easy customization of goods; but also eliminates assembly and enables products to be designed or redesigned for higher performance (D'Aveni, 2015).

Currently, the most lucrative field of application for additive manufacturing is found in the biomedical industry for the production of customized hearing aids and surgical implants (Petrovic *et al.*, 2011). The aerospace industry has found that this technology has benefits for the rapid manufacturing of aircraft tooling, tools, and ultimately end-use parts (Walter *et al.*, 2004). Tooling is "the cutting or shaping part in a machine or machine tool", whereas a tool is "a handheld device that aids in accomplishing a task" (Tooling, 2015; Tool, 2015). "End-use parts" are flight certified flight or non-flight critical components installed on a weapons system to provide a specified level of functionality. Depending on the complexity and technique used, additive manufacturing has the ability to eliminate many traditional manufacturing constraints to make way for customized mission support. The literature identifies four additive manufacturing techniques currently used in industry. Those applications are found below.

Rapid Prototyping.

Rapid prototyping allows for the quick production of physical prototypes with the benefit of reducing the time to market (Raja *et al.*, 2006). In the past fourteen years, a number of new rapid manufacturing systems have been developed. This development permits the concept conversion of a complex component into a solid replica in a matter of days, whereas traditional prototyping systems would require an extended amount of time. All rapid prototyping techniques begin with a CAD model of the part to be made. The



computer then slices the part into thin layers and feed the information on the shape and dimensions of each layer to the manufacturing system. The systems differ in the way the component is built up layer by layer. Currently, the most frequently used methods are fused deposition modeling (FDM), binder-jetting, and direct metal laser sintering (DMLS).

Fused Deposition Modeling.

The FDM method forms 3-D objects from computer generated solid or surface models. Models can also be derived from computer tomography scans, magnetic resonance imaging scans, or model data created from 3-D object digitizing systems (Zein et al., 2002). FDM uses a small temperature controlled extruder to force out a thermoplastic filament material and deposit the semi-molten polymer onto a platform in a layer-by-layer process. The monofilament is moved by two rollers and acts as a piston to drive the semi-molten polymer. At the end of each finished layer, the base platform is lowered and the next layer is deposited. The designed object is fabricated as a 3-D part based solely on the precise deposition of thin layers of the polymer. The deposition path and parameters for every layer are designated depending on the material used, fabrication conditions, applications of the designed part, and the preferences of the designer (Zein et al., 2002). The main advantages of the FDM method are the fabrication of low cost parts and the ability to coat the surface to improve its quality (Petrovic *et al.*, 2011). Conversely, the disadvantages are poor surface quality with grainy appearance and poor dimensional precision (Petrovic et al., 2011).



Binder Jetting.

The binder jetting process uses two materials; a powder based material and a binder. The liquid binder acts as an adhesive between powder layers. A print head moves horizontally along the x and y axes of the machine and deposits alternating layers of the build and binding material to produce a 3-D object. Due to the method of binding, the material characteristics are not always suitable for structural parts, and despite the relative speed of printing, additional post-processing (cure) can add significant time to the overall process (Harris, 2015).

Direct Metal Laser Sintering.

DMLS fabricates metal prototypes and tools directly from CAD data. This process is popular in rapid tooling, since suitable metal powders can be used to produce metal parts and tools (Simichi *et* al., 2003). Although this is a popular method, the properties of the parts depend on its composition and solidification conditions. Accuracy, wear-resistance, and mechanical properties are critical in choosing the correct rapid tooling part as the production-grade part (Khaing *et al.*, 2001).

Rapid Tooling.

Rapid tooling is the result of combining rapid prototyping techniques with conventional tooling practices to manufacture moulds and dies from CAD data with a shorter lead time and at a lower cost relative to traditional manufacturing methods. This technology is currently best justified for small-batch manufacturing of prototypes used for functional testing or production process design and evaluation purposes (Raja *et al.*, 2006).



Reverse Engineering.

Reverse engineering is a method for constructing CAD models of physical parts by digitizing an existing part. A typical system consists of two parts: a measuring machine to digitize the physical model surface in the form of a point cloud, and software to create the surface and solid models from the point cloud. This method is oftentimes the only method available when the specification diagrams for physical objects are no longer available. The main benefit of reverse engineering is that it is a powerful tool in inspecting physical models, especially with complex spatial positions and orientation geometrical features (Raja *et al.*, 2006).

Rapid Manufacturing.

Hauge *et al.* (2004:4693) defines rapid manufacturing as the, "production of enduse parts through additive manufacturing systems." There are few large-scale applications of rapid manufacturing, many of which are found in the biomedical field. Although the capability exists to manufacture end-use parts, special attention needs to be paid to the manufacturing process, materials, design of the part, and overall management of the process (Mellor *et al.*, 2014).

Innovation

Research suggests that the need for organizational innovation is typically stimulated by a "performance gap" between actual and desired results (Rogers, 2003). A performance gap may be discovered within units under the same parent organization, in comparison to other DoD agencies, or missed opportunities to capitalize on industry best practices. By innovating, an organization is engaged in a learning process by which it



discovers new ideas by re-combing existing ideas in new ways with the intent of increasing organizational performance (Damanpour, 1991; Tavassoli and Karlsson, 2015).

Rogers defines innovation as, "an idea, practice, or object that is perceived as new by an individual or other unit of adoption", whereas a technology is, "a design for instrumental action that reduces the uncertainty in the cause-effect relationships involved in achieving a desired outcome" (Rogers, 2003:12-13). As such, nearly any contemporary idea, practice, or product that an organization wishes to adopt and employ for the purpose of obtaining gains in performance can be thought of as a technological innovation (Hazen *et al.*, 2012:120). Yeo *et al.* (2015:153) further elaborates stating, "Technological innovations are the successful adoption of technology-based inventions for products and processes."

In studies of innovation, there is a need to differentiate between various categories of innovations so that consistency in the comparison of findings can be maintained (Damanpour, 1989). Additionally, different types of innovations go through different types of adoption processes and have different determinants (Damanpour, 1991). Innovation cannot be understood without careful attention to the personal, organizational, technological, and environmental context for which it takes place (Wolfe, 1994).

Types of Innovation

Due to the complex, context-sensitive, nature of innovations, they are frequently classified into typologies as a means of identifying their innovative characteristics or degree of innovativeness (Wolfe, 1994; Garcia and Calantone, 2002). There are three



distinct pairs of innovation types: administrative and technical, product and process, and radical and incremental.

Administrative/Technical.

Administrative innovations involve organizational structure and administrative processes. They constitute the introduction of a new management system, administrative process, or staff development programs (Damanpour, 1991). An administrative innovation does not provide a new product or a new service, but indirectly influences the introduction of those products or services or the process of producing them (Kimberly and Evanisko, 1981). Technical innovations pertain to new products, services, and production process technology. Unlike administrative innovations, technical innovations are directly related to the basic work activities of the product or process (Damanpour, 1991).

Product/Process.

Product innovations are new products, equipment, or services introduced to meet an external user or market need (Damanpour, 1991). Process innovations improve organizational processes by introducing new elements into organizational operations to support the production of a product or service (Damanpour, 1991). Product innovations have a market focus and are primarily customer driven, while process innovations have an internal focus and are primarily efficiency driven.

Radical/Incremental.

Radical or transformational innovations are those that seek to initiate fundamental departures from current projects, products, or procedures of organizations. Additionally, radical innovations often do not address a recognized demand, but instead create a



demand previously unrecognized by the consumer. This new demand cultivates new industries with new competitors, firms, distribution channels, and new marketing activities (Garcia and Calantone, 2002). Incremental innovations are those that seek smaller scale departures from existing organization practices through minor improvements or adjustments in current technology or task systems (Damanpour, 1991). Technological innovations are typically categorized into these two categories.

Diffusion of Innovation Theory

For decades, researchers belonging to various disciplines, such as psychology, sociology, economics, anthropology, and organization theory have studied organizational innovation at great lengths (Rogers, 2003). The focus of early research was on theory development without regard for the type of innovation, while more recent research has broadened innovation theory. The diffusion of innovation theory is considered the first theory of innovation acceptance, and has its early roots in rural sociology where it was developed to explain and predict how agricultural innovations were diffused (Rogers, 2003).

Diffusion as defined by Rogers is, "the process by which an innovation is communicated through certain channels over time among the members of a social system" (Rogers, 2003:5). It has since been tested and refined in nearly 9,000 published studies of innovation adoption across a wide range of scholarly disciplines. Rogers proposed a five-stage innovation-decision process model that can lead an organization to adopt or reject an innovation. He defined the adoption process as "the process through which an adopter unit passes first knowledge of an innovation, to forming an attitude, to a



decision to adopt or reject, to implementation, and to confirmation of this decision" (Rogers, 2003:169). In particular, he argued that the decision to adopt and use an innovation unfolds in the following five stages.

- 1. *Knowledge*. In this stage, a member becomes aware of the existence and uses of an innovation (Rogers, 2003).
- 2. *Persuasion*. In this stage, a member forms a favorable or unfavorable attitude toward the innovation. It is the stage of being persuaded to adopt the innovation (Rogers, 2003).
- 3. *Decision*. In this stage, a member engages in activities that lead to making a choice of adopting or rejecting the innovation. (Rogers, 2003).
- 4. *Implementation*. In this stage, a member actually begins using the innovation (Rogers, 2003).
- 5. *Confirmation*. Finally, this stage determines whether the member accepts or rejects the innovation. It is the stage of evaluating the actual outcomes with expectations (Rogers, 2003).

The first two stages of the model (knowledge and persuasion) can be characterized as the initiation activity in the overall innovation process, whereas the last two stages (implementation and confirmation) represent the implementation activity. The decision to either adopt or reject the innovation in stage three links the two activities together. Hazen *et al.* (2012) argue that adoption is only one aspect of innovation diffusion. To achieve the ultimate goal of incorporating an innovation into an organization, special attention must be paid to the stages or events between adoption and incorporation if an organization is to reap the potential benefits of the innovation.



Post-Adoption Innovation Diffusion Activities

Regardless of an organization's motive for acquiring an innovation, the innovation must be incorporated into the organization--to some degree--if it is to fully reap the benefits of the innovation (Hazen *et al.*, 2012). Incorporation, as defined by Zmud and Apple (1992:148), is "the point when an adopted innovation is fully embedded within an organization." A variety of diffusion activities serve to facilitate the incorporation of an innovation. Hazen *et al.* (2012) categorized those activities into three stages: acceptance, routinization, and assimilation. Figure 1 depicts the post-adoption innovation diffusion process that begins when an organization adopts an innovation, and ends with incorporation.



Figure 1: Post-adoption Innovation Diffusion (Hazen et al., 2012:122)

During the acceptance stage, an innovation is implemented steadily throughout the organization and its members gradually gain a clear understanding of the innovation and its implications (Hazen *et al.*, 2012:121). During the routinization stage, an organization's governance systems are adjusted to accommodate the innovation in order for the innovation to be seen as a standard practice. Assimilation is viewed as the extent to which the innovation has diffused across organizational processes (Hazen *et al.*, 2012:127). Innovation research drawn from various disciplines was used as a basis for identifying specific activities that were relevant to each stage. From these constructs,



Hazen *et al* (2012) developed a unified framework of how the three post-adoption stage activities occur—often times simultaneously—to achieve the ultimate end-state of incorporation, Figure 2.




Figure 2: Unified Framework of Post-adoption Activities (Hazen et al., 2012:128)

Although this framework does not place emphasis on particular stage of the innovation diffusion process, it provides the field with a solid foundation of how to achieve innovation incorporation. For the purpose of this study, the researcher will focus on the routinization stage to gain an understanding how adjusting an organization's governance systems for an innovation will aid in achieving incorporation.



Routinization

Routinization is the point where an innovation is no longer regarded as an "innovation", but as a standard practice of the organization (Yin *et al.*, 1978:v). Zmud and Apple (1992:149) add that it is, "the permanent adjustment of an organization's governance system to account for the incorporation of a technology." To gain a better understanding of innovation routinization, Yin *et al.* (1978) conducted a longitudinal study of several technological innovations in a variety of settings. Those six innovations were selected based upon the similarities they shared with respect to the: type of innovation, innovation characteristics, and location of the innovation. The life histories of those innovations were analyzed against passages and cycles developed from the five types of resources needed to sustain an innovation: budgetary resources, personnel resources, training programs, organizational governance, and supply and maintenance operations (Yin, 1978).

Passages and Cycles

To gain support from these resources, an innovation must achieve a series of passages or cycles. A "passage" occurs when a formal transition from one organizational state to another has taken place (Yin *et al.*, 1978). For instance, new job skills often require the establishment of specific personnel classifications in the civil service system. The actual establishment of such classifications would constitute a passage. Similarly, the change from an external to internal source of funding would also serve as a passage. In this case, the term "passage" is used to define significant changes in organizational procedures or structure that reflect increased organizational support for an innovation



(Yin *et al.*, 1978). In contrast, a "cycle" is an organizational event that occurs repeatedly during the lifetime of an organization. Each time a cycle occurs; the use of an innovation may be questioned and threatened. The term "cycle" thus applies to repeated events that occur as part of an organization's operations and that may affect an innovation (Yin *et al.*, 1978). Although the routinization of an innovation can never fully be measured, its degree may be described in terms of its ability to negotiate several passages as well as its ability to survive a period of organizational cycles. To further elaborate this concept of routinization, the following paragraphs describe the nine organizational events Yin *et al.* (1978) conceptualized as passages and cycles that must be achieved if an organization is to achieve the highest degree of innovation routinization.

- 1. Equipment Turnover (cycle). Degree to which procedures are established for acquiring new generations of equipment needed to update the innovation (Yin, 1981).
- 2. Support by Local Funds (passage). Degree to which the innovation is supported by the normal or local budgeting process (Yin, 1981).
- 3. *Organizational Status (passage)*. Degree to which the innovation and associated practices are located in the appropriate organizational unit (Yin, 1981).
- 4. *Supply and Maintenance (passage)*. Degree to which supplies and repairs can be obtained according to normal organizational procedures (Yin, 1981).
- 5. *Personnel Certification (passage)*. Degree to which the organization is able to hire and sustain individuals qualified to work with the innovation (Yin, 1981).
- 6. *Formal Guidance (passage)*. Degree to which formal regulations and governing ordinances are established and updated to account for the innovation (Yin, 1981).



- 7. *Training Program (passage)*. Degree to which the organization offers opportunities for initial and/or recurring training regarding the innovation (Yin, 1981).
- 8. *Promotion of Key Personnel (cycle)*. Degree to which persons familiar with the innovation have been promoted into positions of greater authority such that they may support the innovation further (Yin, 1981).
- 9. *Turnover of Key Personnel (cycle)*. Degree to which the innovation serves a purpose in the organization after the original personnel involved in adoption and implementation have moved on (Yin, 1981).

Yin *et al.* (1978) concluded that the accomplishment of the above passages and cycles was directly related to an innovation's degree of routinization, and identified three degree classifications based on the number of passages and cycles accomplished. Those classifications were: poorly routinized = 1-3 passages and/or cycles accomplished, moderately routinized = 4-6 passages and/or cycles accomplished, and highly routinized = 7-9 passages and/or cycles accomplished. The above passages and cycles and degree classification will be analyzed in the following chapters.

Summary

This chapter explored the literature related to additive manufacturing and innovation routinization. Sources that were related to innovation routinization were limited; therefore, emphasis was placed on few sources specific to this area. The following chapter provides the research design and methodology used in this study, as well as the steps necessary to answer the investigative questions presented in Chapter I.



III. Methodology

Overview

This chapter provides the rationale for selecting the qualitative research method employed in this research, and the elements that lend the study to case study design. It introduces the case study subjects as well as explains the data collection and analysis procedures.

Research Plan

Traditionally, quantitative research involves measurable variables, while qualitative research is comprised of descriptive or verbal data and is typically used to answer questions about the nature of phenomena (Leedy and Ormrod, 2010). To that end, Yin (2014:9) suggests that "the first and most important condition for differentiating among the various research strategies is to identify the type of research question being asked." Since this research will examine the degree of innovation routinization in the ALCS by asking "how" and "why" questions, a qualitative research design is appropriate for this study. Further, while there are many approaches to qualitative research. A case study strategy, explained below, will be used for this research.

According to Yin (2014), there are three conditions for determining the proper fit of a research strategy. These three conditions consist of: the type of research question posed, the extent of control an investigator has over actual behavior events, and the degree of focus on contemporary as opposed to historical events (Yin, 2014:9). Table 1 below offers a comparison of the five major research strategies that address these conditions.



Table 1: Comparison of Research Strategies (Yin, 2014:9)

Strategy	Form of the	Control over	Focus on current
	research question	behavioral events?	events?
Experiment	how, why	Yes	Yes
Survey	who, what, where, how many, how much	No	Yes
Archival Analysis	who, what, where, how many, how much	No	Yes/No
History	how, why	No	No
Case Study	how, why	No	Yes

The case study research method was preferred to other research methods such as experiment and survey, strictly due to the nature of the research question. Yin (2014) identified a case study as the preferred method when "how" or "why" questions are being asked about a contemporary set of events, over which the investigator has little or no control. While the case study method may be the preferred, there are limitations of using it as a research methodology. The biggest limitation is that the case study has the potential of being subjective (Leedy and Ormrod, 2010). Another limitation is that the quality of the data relies on the knowledge and skills of the investigator. If an



interviewer has poor interviewing skills, the collected data could contain poor information which could adversely affect the outcome of the study.

Case Study Subjects.

The additive manufacturing SMEs included in this study are assigned to the Commodities Maintenance Group (CMXG), Aircraft Maintenance Group (AMXG), and Maintenance Support Group (MXSG) in the three ALCs: Warner Robins Air Logistics Complex (WR-ALC), Warner Robins AFB, Georgia; Ogden Air Logistics Complex (OO-ALC), Hill AFB, Utah; and Oklahoma City Air Logistics Complex (OC-ALC), Tinker AFB, Oklahoma. The ALCs are comprised of a mix of USAF officers, enlisted personnel, and DoD civilians assigned to various aspects of weapons system sustainment for A-10, F-16, F-15, F-22, F-35, C-130, T-38, KC-135, B-1, B-52, E-3, C-17, C-5 aircraft.

The CMXG directs, manages, and operates organic depot level maintenance facilities in the restoration of USAF and United States Navy (USN) aircraft and engine parts to serviceable condition. The group is also the Air Force Technology Repair Center for air & fuel accessories, constant speed drives, and oxygen related components.

The AMXG directs, manages and accomplishes organic depot-level maintenance, repair, modification, overhaul, functional check flights and reclamation of various military aircraft. The group conducts depot support operations on a fleet of USAF, Air Force Reserve (AFR), Air National Guard (ANG), USN and Foreign Military Sales aircraft, as well as expeditionary combat-logistics depot maintenance and distribution support.



The MXSG manages industrial services, physical sciences laboratories, precision measurement equipment laboratories and tools. It provides engineering, installation, maintenance and management support for industrial plant equipment and facilities. In addition, the group provides environmental, occupational health, continuous process improvement and point of use technology for all complex organizations.

Design

Yin (2014:29) suggests that there are five components of a research design: "a study's questions, its propositions, if any, its unit(s) of analysis, the logic linking the data to the propositions, and the criteria for interpreting the findings."

The *study questions* are the first component; they clarify the nature of the study and provide clues regarding the most relevant research method to be used. As previously noted, the nature of this study is "how" to determine an ALCs degree of innovation routinization.

Since the study questions do not sufficiently indicate exactly what the research should examine, the *propositions* direct the researcher's attention to relevant evidence that should be examined within the scope of the study (Yin, 2014). This research utilized the passages and cycles identified in Chapter II as an innovation routinization framework to be applied to this study; therefore, the study proposition became "how does the accomplishment of certain passages and cycles relate to an innovation's degree of routinization?"

The *units of analysis* define the "case" to be studied (Yin, 2014:31). For this research, the units of analysis are the three ALCs. A multiple case study design was



selected due to it being appropriate to make comparisons, build theory, or propose generalizations (Leedy and Ormrod, 2010). The passages and cycles of routinization presented in Chapter II will be used to determine the degree of the routinization of additive manufacturing in each of the ALCs.

Linking data to propositions and criteria for interpreting the findings are the last two components of research design. These two components will aid the researcher in determining which data analysis technique(s) to use and how to draw conclusions based on the collected data. For this study, the researcher developed key words for each proposition, then linked the data to each proposition through pattern matching to the established key words.

Quality of Design.

Case study methodology is often criticized for a lack of rigor; therefore, Yin (2014) suggests a number of methods to judge the quality of the research design. Four tests have been commonly used to establish the quality of any social science research and are relevant to case study research as well (Yin, 2014). Table 2 below summarizes the four tests and the associated case study tactics, followed by a discussion of each test.



Table 2: Case Study Tactics for Four Design Tests (Yin, 2014:9)

Tests	Case Study Tactic	Applicable Phase of Research
Construct	- Use multiple sources of evidence	Data collection
validity	- Establish chain of evidence	Data collection
	- Have key informants review draft case study report	Composition
Internal	- Do pattern-matching	Data collection
validity	- Do explanation-building	Data collection
	- Address rival explanations	Data collection
	- Use logic models	Data collection
External	- Use theory in single-case studies	Research design
validity	- Use replication logic in multiple-case studies	Research design
Reliability	- Use case study protocol	Data collection
	- Develop case study database	Data collection

Construct validity is "the establishment of correct operational measures for the concepts being studied. The responsibility falls on the researcher to support the claim that the criteria used during data collection was more than a series of subjective judgements (Yin, 2014). In this research, construct validity was maintained by triangulating data from multiple sources.

Internal validity is important for explanatory or causal studies. It allows the researcher to draw conclusions about casual relationships and other relationships in the data (Yin, 2014:46). The literature provided a measurement for how to determine the degree of innovation routinization based on the accomplishment of the passages and/or cycles of routinization. Internal validity was further ensured by pattern matching



personnel perceptions to the theoretical proposition, "how does the accomplishment of certain passages and cycles relate to an innovation's degree of routinization?"

External validity is the extent to which as study's findings can be generalized (Yin, 2014:46). The literature review provided support that the passages and cycles of routinization used in this study had applicability to other innovations.

Reliability is demonstrating that the operations of a study can be repeated, with the same results (Yin, 2014:46). However, Yin cautions that in case study research "the emphasis is on doing the same case over again, not on 'replicating' the results of one case by doing another case study" (2014:49). He compares reliability to the question of generalizability, in that, "the uniqueness of a study within a specific context mitigates against replicating it exactly in another context" (Yin, 2014:159). Reliability was maintained by archiving the collected data in a case study database.

Prepare

Once the case study method is selected and the research and investigative questions are identified, the next step is to prepare to conduct the case study (Yin, 2014). The data collection method of this case study includes interviews; therefore, specific ethical considerations regarding human subjects must be followed.

Human subjects interview requirements.

This case study includes interviews with various stakeholders in weapons system sustainment. The researcher conducted basic human subject research training designed by the Collaborative Institutional Training Initiative (CITI). The training topics included, but were not limited to: history and ethics of human subjects research, federal



regulations, informed consent, and basic institutional review board (IRB) regulations and review processes.

This research qualified for an exemption from human experimentation requirements because the researcher followed procedures to safeguard any personally identifiable information (PII) to avoid putting the subjects at risk of criminal or civil liability or the potential to damage the subjects' financial standing, employability, or reputation. The approved exemption memorandum is provided in Appendix A. The interview documents will be kept separate and accessible only to the researcher. Additionally, the interview subjects were required to sign a consent form detailing the interview procedures, risks, and additional consent for the interview to be recorded and transcribed. A sample consent form is provided in Appendix C.

Interview methods.

It is imperative that the data collection procedures be identified in the preparation stage. The study will use semi-structured interviews to collect perceptions of the specified subjects. The interview subjects were determined based on their role in the research and development of additive manufacturing in their respective ALC. Although the method of reaching the interview subjects was limited by time, ability to travel and funds, the researcher was able to travel to each ALC to conduct in-person interviews.

Access to interview subjects.

Potential interview subjects were first identified by AFIT faculty. Thereafter, subsequent interview subjects were suggested by name due to personal or professional relationships with the previous subject and their relationship with additive manufacturing in their respective organizations. Since additive manufacturing is regarded as a new



innovation in the ALCs, SME are limited to those that currently work with the innovation. The interview subjects were identified as SMEs in their organization; therefore, they were deemed qualified to participate in this study. The demographics of the interview subjects are shown in Table 3. Each interview subject was provided a consent form and research talking paper. Examples of these items are provided as Appendix C and Appendix B, respectively.

Table 3: Interview Subjects Demographics

Respondent	Sex	Grade	ALC	Prior AM	Time in	Engineering
				Experience	Current	Background
					Position	
1	M	GS-14	A	Yes	2 years	Mechanical
2	M	GS-13	В	No	2 years	Mechanical
3	M	GS-11	В	No	2 years	Mechanical
4	M	GS-11	В	No	2 years	Mechanical
5	M	O-2	В	No	1 year	Materials
6	M	O-1	В	No	10 months	Mechanical
7	M	GS-11	С	No	1.5 years	Mechanical
8	M	GS-11	С	No	1.5 years	Mechanical
9	M	GS-11	С	No	1.5 years	Mechanical



Interview questions.

The next step in the preparation stage is to create a set of questions to guide the discussion during the interviews. These questions were used to start the discussions and appropriate follow on questions were asked based on the subjects' response. The questions varied slightly based on the subjects' level of expertise, but were similar for each of the interviews. Interview subjects were informed that the objectives of the interview were to understand the routinization process for additive manufacturing in their respective ALC. The questions were developed around the theoretical proposition, "how does the accomplishment of certain passages and cycles relate to an innovation's degree of routinization?" The researcher developed questions specific to each passage and cycle that would provide evidence towards its [passages and cycles] accomplishment.

Interview questions can be found in Appendix D.

Collect

Multiple sources of evidence were used to collect data for the case study. The data was recorded in a case study database and multiple chains of evidence used to verify findings. The sources of evidence used included interviews and direct observations.

Interviews.

Approximately nine semi-structured interviews were conducted at the three ALCs with the target population being the experts working with additive manufacturing in the CMXG, AMXG, and MXSG. Their involvement ranged from chief engineer to materials research and development. Interviews ranged from 20 minutes to 60 minutes, depending



on the level of involvement and the amount of information the subjects were willing to provide. Anonymity was provided for all respondents.

Direct Observations.

The researcher conducted an initial site visit to the AFSC in June 2015 to gain exposure to depot maintenance. During this visit, the researcher gathered information through informal discussions, conducted shop walk throughs, prepared for interviews, and conducted research on additive manufacturing and its practical applications. During the shop walk throughs, the researcher was able to see how an object is scanned into CAD or point cloud software and sent to an additive manufacturing machine to be manufactured into a 3-D object. The researcher also saw first-hand 3-D objects that had been printed to gain familiarity with the technology. These objects can be seen in Appendix E.

Analysis

A detailed analysis of the collected data will be provided in Chapter IV. This analysis will rely on pattern matching guided by the theoretical propositions (passages and cycles of routinization) identified in the literature review.

Share

Once this case study is completed, the information will be presented to the AFIT community in a thesis report and thesis defense briefing. The information found in this case study may be of assistance to personnel seeking to routinize innovations in their organization.



IV. Analysis and Results

Overview

This chapter presents the analysis of the responses gathered from personal interviews conducted from 4 January 2016 – 8 January 2016. First, an example of the pattern matching matrix will be provided. Next, the matrix will show how specific quotations from respondents were matched to specific passages and cycles. Lastly, an analysis of each passage and cycle will be presented based on the perceptions of the interview subjects, followed by a brief conclusion to explain the overall result.

Analysis

The researcher developed key words to match interview data with specific passages and cycles. The key words were not all inclusive, and the researcher relied on her engineering and maintenance background to match data to passages and cycles when appropriate. Table 4 identifies the key words used to categorize the data by passages and cycles.

Table 4: Key Word Matrix

Passage or Cycle	Key Words		
Equipment Turnover	Machine type, mainteance, projects, uses		
Support by Local Funds	Established budget, budget, funds request process		
Supply and Maintenance	In-house, out-house, materials, warranty		
Personnel Certification	Prior experience, length of time with AM, special certification		
Formal Guidance	AFIs, official memorandums, verbal guidance		
Training Program	Trainers, training report, proficiency		
Promotion of Key Personnel	Promotions, new hires,		
Turnover of Key Personnel	New hires, gaps in personnel, manning		



Next, using the key words associated with the passages and cycles, the researcher analyzed the interview responses and determined which passage and/or cycle the information fit. A sample analysis can be seen in Table 5.

Table 5: Respondent Responses

Passage or Cycle	Key Words	ALC A: Respondent 1
		"I will be submitting a request for a DSLM in the next fiscal year",
		"Equipment is the easy part, we just reallyl have no justification for it
Equipment Turnover	Machine type, mainteance, projects, uses	right now"
Support by Local Funds	Established budget, budget, funds request process	"Funding is also an easy part of the puzzle"
Supply and Maintenance	In-house, out-house, materials, warranty	"Machines are under warranty"
		"Worked with Honda R&D, design engineer for weapons (CAD and
Personnel Certification	Prior experience, length of time with AM, special certification	structural analysis)."
		"Thinks we have polymer process developed, but maintenance
		applications are far from being developed", "Strategy is lacking; we
		don't know what we are doing.", "SPO approval and manpower are
		the biggest hurdles." "Was on the working team to investigate
		airworthy structural, non-airworthy structural, airworthy non-
		structural, and non-airworthy non-structural, but we still have no
Formal Guidance	AFIs, official memorandums, verbal guidance	strategy."
		"No formal training program, we just need to do it [additive
Training Program	Trainers, training report, proficiency	manufacturing] to learn it and get proficient"
		"Have a new engineer coming in, his sole responsibility will be to
Promotion of Key Personnel	Promotions, new hires,	research AM for practical applications in the depot"
		"Currently manned at approx 50% and our sole focus is normal
		sustainment operations. We can't afford to dedicate time to
Turnover of Key Personnel	New hires, gaps in personnel, manning	routinizing a innovation that no one really understands."

Once all the respondent data was analyzed, the researcher summarized all responses and determined whether or not a specific passage and/or cycle had been accomplished.

Results

Equipment Turnover

The additive manufacturing equipment currently in use in the organizations under investigation were all procured within the last two years. All respondents indicated they used handheld or free standing scanners in conjunction with computer-aided design to aid in the creation, modification, analysis, or optimization of a design before it is sent to the



specified machine for 3-D printing. Due to the complexity of additive manufacturing and its many potential applications, there are myriad machines and processes used to support the innovation and provide new capabilities. Respondents at one ALC indicated they had a mix of consumer grade FDM and binder-jetting 3-D printing machines. Respondents at the other two ALCs indicated they had industrial grade FDM 3-D printing machines. Respondents at two ALCs also indicated plans to procure DMLS 3-D printing machines within the next fiscal year. Although plans are made to procure machines with new capabilities, respondents indicated there were no formal procedures in place that guided their decision to procure the new equipment. All respondents indicated they wanted to procure the DMLS machine because they felt it was the future (long-term) of additive manufacturing in their organizations, and believed procuring it now would allow them to begin to familiarize themselves and others in their unit with the machine and the DMLS process. Although respondents appear to have the equipment they want, established procedures for acquiring new generations of equipment needed to update the innovation do not exist.

Support by Local Funds

Although respondents were not heavily versed on funding the use and support of additive manufacturing in their respective ALCs, they did indicate they did not have any issues requesting and receiving the necessary materials to maintain and operate their machines and support their research endeavors. Respondents at one ALC were in the process of researching the budgeting process to request additional office space in a new location. The respondents involved in this process indicated the process to request and



justify funding the new office space was the easy part. The process of locating an available space that met their personal requirements as well as requirements for housing sensitive machinery proved to be difficult. Although all respondents perceive funding not to be an issue, it could not be determined if additive manufacturing was supported by the normal budgeting process.

Organizational Status

Currently, the responsibility of overseeing additive manufacturing in the ALCs does not fall on the same unit across the AFSC. It was observed that organizations assigned to support the MRO units with additive manufacturing varied by ALC. In two of the ALCs, the responsibility was assigned to the same organization. In those two ALCs, the respondents indicated they were primarily self-servicing. Their main focus was on using reverse engineering and rapid prototyping to accomplish fit and strength checks on specified components before they were manufactured using traditional means. Respondents at these ALCs also indicated additive manufacturing was only one aspect of their responsibilities. Respondents at one ALC indicated they found it difficult to commit time to researching and developing their organization's additive manufacturing capabilities due to the fact their organization was used as a reactive versus proactive solution with regard to weapons system sustainment.

Respondents at the third ALC indicated they operated more as a for-hire shop, fulfilling requests from other organizations within their ALC and across their base. Their primary focus was rapid prototyping and producing protective equipment such as aircraft throttle covers that were either too expensive to procure from the manufacturer or that the



manufacturer was no longer willing to sell. These respondents also indicated their sole responsibility was to research additive manufacturing and develop practical applications, and that no other activities or responsibilities consumed their time. They also indicated they had excess work capacity; therefore, they actively advertised their capabilities to generate new customers.

Supply and Maintenance

All respondents indicated their equipment was still under warranty. They also indicated they had not experienced any hard breaks with their machines, but if they had, the manufacturer would be responsible for repair. Respondents at one ALC indicated they did have issues with their consumer grade FDM machines due to a minor design defect, but were able to mitigate the defect in-house. All respondents indicated they had no issues obtaining the materials they needed for their machines, but were limited in material selection due to the type of machines they currently had and ongoing research on which materials—composite and strength wise--would be best suited for their projects.

Personnel Certification

Eight out of nine respondents indicated they had been working two years or less with additive manufacturing in their current role and that they had no prior experience with additive manufacturing. One respondent indicated they had prior experience with additive manufacturing when working in the private sector prior to serving in their current capacity. Eight respondents indicated they were career mechanical engineers with one respondent indicating they were a materials engineer. All respondents indicated they did not have to obtain any special certifications to work with additive



manufacturing. They indicated their engineering backgrounds served as the basis for understanding the technical aspects of additive manufacturing. Respondents also indicated that their knowledge was furthered through basic research about the innovation and its capabilities, producing test parts to understand material strength and composition, and attending professional conferences. All respondents indicated their organization had plans to hire additional engineers whose sole purpose would be to research and develop practical applications for additive manufacturing in their respective ALCs. Hiring additional personnel to work with the innovation demonstrates the ALCs commitment to sustaining additive manufacturing in their organizations.

Formal Guidance

All respondents indicated there was no formal guidance that governed their use of additive manufacturing in their respective organization. The lack of formal guidance was due to the fact that additive manufacturing is still in its infancy and much research needs to be done with regards to material strength, material substitutes, and how components, specifically end-use parts, would be tested once developed. Respondents from two ALCs did indicate that although there was no formal guidance established, they had the support of their organizational and base leadership to facilitate research that may one day lead to formal guidance. Respondents indicated another issue with developing formal guidance for this innovation is that there are numerous applications of this innovation with just as many, if not more, material selections. Formal guidance would need to be developed for all applications with all applicable materials and compound materials that detailed the



issues above. Until these uncertainties are answered, standardized procedures cannot be developed.

Training Program

All respondents indicated there was currently no formal training program in place, but machine manufacturers provided training on basic operating procedures. As mentioned in an earlier section, since there is no formal training program, respondents indicated they remained current on the innovation by researching the innovation and the myriad materials that can be used for various projects as well as reading scholarly and practitioner journals. Respondents indicated their organizations provided opportunities for them to attend professional conferences with the DoD and industry to further their knowledge base. Respondents at one ALC did indicate they had plans to provide familiarization training and demonstrate producing test parts, but that they did not receive much interest from the base population. All respondents indicated the constant exposure to research, practicing with the machines, and attending professional conferences sufficed as recurring training.

Promotion of Key Personnel

All respondents indicated they had no knowledge of personnel receiving promotions since using their unit began using this innovation. The lack of personnel promotions can be attributed to the fact that additive manufacturing is a new innovation in the ALCS and SMEs are limited to those currently working with the innovation. Much research remains to be accomplished on additive manufacturing and its myriad practical applications. Removing or promoting personnel further from the source of additive



manufacturing in their organizations at this stage may prove to adversely affect efforts to routinize additive manufacturing.

Turnover of Key Personnel

All respondents indicated that they have not yet lost any personnel since the adoption and implementation of additive manufacturing in their respective organizations. In fact, they indicated their teams have grown. Respondents also indicated additive manufacturing has continued to serve a purpose in their respective organizations since its adoption and implementation.

Degree of Routinization

As mentioned in a previously, Yin (2014) identified three classifications of routinization based on the number of applicable routinization events achieved. Those classifications were poorly routinized, moderately routinized, and highly routinized. Although three passages were found not to be accomplished by any ALC, they were still applicable in determining the degree of routinization. The scale for degree determination is as follows: poorly routinized = 1-3 events accomplished, moderately routinized = 4-6 events accomplished, and highly routinized = 7-9 events accomplished (Yin *et al.*, 1978). Table 6 below depicts how many passages and cycles each ALC accomplished.

As indicated in the table below, although all ALCs did not accomplish the same number of passages and cycles, they did fall within the same degree classification bounds. Therefore, the researcher concluded additive manufacturing is moderately routinized in all three ALCs.



Table 6: Number of Passages and Cycles Completed per ALC

	ALC A	ALC B	ALC C
Equipment Turnover			
Support by Local Funds		X	X
Organizational Status		X	X
Supply and Maintenance	X	X	X
Personnel Certification	X	X	X
Formal Guidance			
Training Program	X	X	X
Promotion of Key Personnel			
Turnover of Key Personnel	X	X	X

Summary

This chapter analyzed the data from the interview sample at the AFSC. Each of the nine passages and cycles were discussed from each of the interviewee's perspective. The questions were directed towards validation of the routinization framework and its applicability to additive manufacturing. Chapter V will summarize the research effort described in the previous chapters. Conclusions and further discussions of analyses are presented. Lastly, recommendations for closing the gaps in the degree of routinization between the ALCs and areas of further research are discussed.



V. Conclusions and Recommendations

Overview

The focus of the research was to answer the following question: "How do individual perceptions of the nine passages and cycles of routinization (equipment turnover, support by local funds, organizational status, supply and maintenance, personnel certification, formal guidance, training program, promotion of key personnel, and turnover of key personnel) relate to an ALC's degree of the routinization of additive manufacturing?" The accomplishment of nine passages and cycles of routinization were analyzed to determine the degree of the routinization of manufacturing in each of the three ALCs. This chapter first reviews the results of the research and provides conclusions and recommendations for the investigative questions posed in Chapter I. Next, research limitations will be reiterated, followed by opportunities for future research.

Results of Research

The results found in this study were consistent with Yin *et al.*'s (1978) longitudinal study results in that not all innovation routinization passages and cycles are applicable to every innovation as it becomes more routinized, and that the accomplishment of more passages and cycles correlated to a higher degree of innovation routinization. The collected data were analyzed for evidence of the accomplishment of the nine passages and cycles of routinization. From the summarized results presented in Table 3, the researcher concluded that although all three ALCs had not completed the same number of passages and cycles, they did achieve the same degree of the



routinization of additive manufacturing. No ALC achieved the highest degree of routinization. The following section explains these discrepancies by providing conclusions and recommendations to the investigative questions presented in Chapter I.

Investigative Question One

What passages and cycles contributed to determining an ALC's degree of the routinization of additive manufacturing?

Each of the nine passages and cycles of routinization were investigated in each of the ALCs to determine their applicability to the routinization of additive manufacturing. The degree of accomplishment of four passages could not be determined for ALC A, B, and C. Those passages were: equipment turnover, support by local funds, formal guidance, and promotion of key personnel; with there being no evidence of a fifth passage, organizational status, in ALC A. Although there was no evidence of the accomplishment of the above passages, they remained applicable to determining the degree of routinization of additive manufacturing. The lack of a degree of accomplishment of certain passages could be due to the fact that additive manufacturing is still seen as a new innovation, and needs additional time to mature.

Investigative Question Two

What issues prohibited the ALCs from achieving the highest degree of the routinization of additive manufacturing?

The following four issues were applicable to all three ALCs:

The lack of established guidance to procure additive manufacturing equipment could be directly tied to the fact the innovation is not yet supported by formal guidance.



Without established guidelines to govern the applications of additive manufacturing, it makes it difficult to develop procedures for procuring the proper machines to support those applications since specific applications have not yet been determined.

Additionally, expanding the sample population to include personnel that directly work with their organization's budgets could have potentially provided enough data to make a determination on whether or not there was perceived degree of accomplishment of "support by local funds". Additionally, the use of additive manufacturing in the ALCs is still in its infancy; therefore, there may not have been sufficient time for it to be allocated as a budget line.

Furthermore, the researcher concluded from the limited amount of SMEs and use of additive manufacturing, promoting or removing the individuals further from the source of additive manufacturing research and development in their organization would adversely affect their organization's routinization efforts.

Lastly, without formal guidance, the highest level of routinization of additive manufacturing in the ALCs will never be achieved. There are numerous additive manufacturing processes that are best for specific projects. The ALCs should focus their efforts on one particular application, rapid prototyping, and narrow its use to a set number of components. Having a narrower research focus will allow engineers to direct their efforts on fully understanding all aspects of this application for the specified components, including the benefits and limitations. This deeper, focused understanding will provide critical data for the proper authorities to consider for formal guidance development.

In addition to the above issues, ALC A appeared to have its additive manufacturing SMEs in the wrong organization at the time of data collection. ALC A's



respondents indicated they were over worked with daily weapons system sustainment operations and had no time to dedicate to proactive research solutions. An alternative explanation could be that the innovation is in the right organization, the organization may just have the wrong mentality when it comes to weapons system sustainment. The AFSC's objectives were discussed in Chapter 1, and it is leadership's responsibility to ensure their organizational and AFSC objectives align.

Investigative Question Three

What additional influences were found to affect the degree of the routinization of additive manufacturing in the ALCs?

A passage that should be considered in the innovation routinization framework is top management support. This passage would measure the degree to which top management within an organization is supporting or championing an innovation. Top management support could be the distinguishing factor between transitioning a budget to local funds, sustaining qualified personnel to work with the innovation, or keeping the innovation a relevant topic for research and development.

Limitations of the Research

The generalizability of these findings should be viewed with caution since the sample was restricted to three specific ALCs seeking to adopt a specific innovation.

Using the same framework for a different innovation, or a different organization seeking to routinize the same innovation may produce different results.



Future Research

Yin *et al.*'s (1978) routinization research provided a framework to study the innovation routinization of various technological innovations in the public and private sector. Studies of this nature could not be found in USAF organizations, therefore, this research attempted to provide a starting point for future USAF innovation routinization research.

The potential for future routinization of additive manufacturing studies exist between the ALCs and the Air Force Research Laboratory (AFRL) to determine if AFRL's research objectives and focus are getting the organizational support they need.

Additionally, narrowing the research focus of additive manufacturing to specific applications could prove beneficial in that it would highlight or eliminate applications initially believed to enhance weapons system sustainment.

Lastly, a gap analysis could be conducted between the USAF and the USN, to determine what additional factors may or may not affect the routinization of additive manufacturing for weapons system sustainment.



Appendix A: Exemption Request from Human Experimentation Requirements



DEPARTMENT OF THE AIR FORCE AIR FORCE INSTITUTE OF TECHNOLOGY WRIGHT-PATTERSON AIR FORCE BASE OHIO

23 November 2015

MEMORANDUM FOR Lt Col Matthew A. Douglas, Ph.D.

FROM: Brett J. Borghetti, Ph.D.

AFIT IRB Exempt Determination Official 2950 Hobson Way

Wright-Patterson AFB, OH 45433-7765

SUBJECT: Approval for exemption request from human experimentation requirements (32 CFR 219, DoDD 3216.2 and AFI 40-402) for "Air Force Sustainment Center (AFSC) Way Routinization of Additive Manufacturing Research Study", dated 17 Nov 2015

- 1. Your request was for exemption based on the Code of Federal Regulations, title 32, part 219, section 101, paragraph (b) (2) Research activities that involve the use of educational tests (cognitive, diagnostic, aptitude, achievement), survey procedures, interview procedures, or observation of public behavior unless: (i) Information obtained is recorded in such a manner that human subjects can be identified, directly or through identifiers linked to the subjects; and (ii) Any disclosure of the human subjects' responses outside the research could reasonably place the subjects at risk of criminal or civil liability or be damaging to the subjects' financial standing, employability, or reputation.
- Your study qualifies for this exemption because you are using interview procedures and are not collecting data which could place the subjects at risk of criminal or civil liability or could reasonably damage the subjects' financial standing, employability, or reputation.
- 3. This determination pertains only to the Federal, Department of Defense, and Air Force regulations that govern the use of human subjects in research. Further, if a subject's future response reasonably places them at risk of criminal or civil liability or is damaging to their financial standing, employability, or reputation, you are required to file an adverse event report with this office immediately.

11/23/2015

BRETT J. BORGHETTI, Ph.D. AFIT Exempt Determination Official



Appendix B: Research Talking Paper

TALKING PAPER

ON

AIR FORCE SUSTAINMENT CENTER WAY ROUTINIZATION OF ADDITIVE MANUFACTURING RESEARCH PROJECT

- The purpose of this talking paper is to introduce a study being conducted by the Air Force Institute of Technology (AFIT). The purpose of the study is to determine how well the innovation, additive manufacturing, has been routinized into Air Force Sustainment Center (AFSC) organizations and how it is helping those organizations achieve the established AFSC Way objectives.
- Issue / Research Problem Statement
 - -- In 2012, the AFSC stood up and implemented the "AFSC Way," a management innovation designed to create a more process-based, efficient organization that fosters a culture of ownership and the application of scientific methodologies and standardized processes to operations.
 - -- Decision makers at AFSC need to know how its organizations are postured to support new innovations and how the innovations are working in helping them achieve their established objectives.
- Research Objectives
 - Identify the extent to which additive manufacturing has been routinized into a specified organization as compared to the developed framework.
 - Identify how well, and in what situations, the routinization of additive manufacturing has improved AFSC organizations' ability to meet performance objectives.
 - -- Identify organizational and/or framework limitations.
- Research Methodology
 - -- Multiple-case study of Air Logistics Complex units (PMXG, CMXG, etc.)
- Points of Contact
 - -- Principal Investigator and Researcher, Capt Candis Woods, Graduate Student, AFIT, Department of Operational Sciences
 - -- Advisor, Lt Col Matthew Douglas, Assistant Professor, AFIT, Department of Operational Sciences
 - -- Advisor, Lt Col Robert Overstreet, Assistant Professor, AFIT, Department of Operational Sciences
 - -- Sponsor,

Capt Woods/AFIT/ENS/336-327-9323/caw/4Jan16



Appendix C: Consent to Participate in Interview

CONSENT TO PARTICIPATE IN INTERVIEW

ROUTINIZATION OF ADDITIVE MANUFACTURING RESEARCH

You have been asked to participate in a research study conducted by researchers from the Air Force Institute of Technology (AFIT), Graduate School of Engineering and Management, Department of Operational Sciences. The main objective of the project is to determine how well additive manufacturing has been routinized into your organization as compared to the developed framework. The results of this study will be included in a report and briefing to the AFSC staff, as well as research publications. You were selected as a possible participant in this study because of your knowledge of additive manufacturing in your organization. You should read the information below and ask questions about anything you do not understand before deciding whether or not to participate.

- This interview is voluntary. You have the right not to answer any question, and to stop the interview at any time or for any reason. I expect that the interview will take 30-60 minutes.
- You will not be compensated for this interview.

Capt Woods/AFIT/ENS/336-327-9323/caw/4Jan16

- The information you tell us will be kept confidential. All data will be presented at an aggregate level
- I would like to record this interview so that I can transcribe it and use it for analysis as part of this study. I will not record this interview without your permission. If you grant permission for this conversation to be recorded, you have the right to revoke permission and/or end the interview at any time.
- This project will be completed by January 2016. All interview documents will be stored in a secure work space until 1 year after that date. The documents will then be destroyed.

I understand the procedures described above. My questions have been answered to my satisfaction, and I agree to participate in this study. I have been given a copy of this form.

(Please initial)					
[] I give permission for this interview to be recorded and transcribed.					
Name of Subject:					
Signature of Subject	Date				
Signature of Investigator	Date				
Please contact Capt Woods with any questions or concerns at <u>candis</u> .	collins@afit.edu or (336) 327-9323				



Appendix D: Interview Questions

2015 AFIT AFSC Way Routinization of Additive Manufacturing Study Technician/First Line Supervisor/Supporting Function Interview Script

- How were you first introduced to additive manufacturing? Talk to me about your experience with the innovation.
- 2. How long have you been working with additive manufacturing?
 - a) What type of training program did you go through?
 - b) How was the training administered?
- 3. How do you remain certified to work with additive manufacturing in your unit?
- 4. What type of equipment and software do you use for additive manufacturing?
 - a) How has this equipment allowed you to benefit from the capabilities of additive manufacturing?
 - b) What plans (if any) are there to procure additional equipment or software?
- 5. How is your additive manufacturing support equipment and software maintained?
 - a) What type of inspection schedule does the support equipment and software follow?
 - b) What level is the maintenance accomplished at?
- 6. How long have you been using additive manufacturing in your unit?
 - a) What official guidance governs the use of additive manufacturing in your unit?
- 7. What personnel moves have happened as a result of using additive manufacturing in your unit?
 - a) What personnel have been brought in to replace those that left?
 - b) How many new units have you seen stand up as a result of using additive manufacturing?
 - c) What personnel have you lost to other units using additive manufacturing?



- 8. How has additive manufacturing impacted your unit's manpower?
 - a) What measures are in place to retain qualified individuals to work with additive manufacturing?
- 9. How do you get the equipment you need to support additive manufacturing in your unit?
- 10. What organizations do you primarily see using additive manufacturing?
 - a) What unit do you think should primarily be using additive manufacturing?
 - b) Why do you think the capability should be located there?
- 9. Is there anything else you think I should know to understand how using additive manufacturing will support the objectives of the AFSC Way better?
- 10. Is there anything you would like to ask me?

Thank you for your participation in our study. Please contact me in the future if you come up with any other ideas or would like to clarify the things we talked about today.



2015 AFIT AFSC Way Routinization of Additive Manufacturing Study Group/Squadron Leadership Interview Script

- How were you first introduced to additive manufacturing? Talk to me about your experience with the innovation.
- 2. How did you introduce additive manufacturing in your organization?
 - a) Could you describe initiatives/events/activities leading up to the decision to routinize additive manufacturing in your organization?
 - b) What initiative/event/activity was most/least important during the routinization process?
- 3. How did you react to the react to routinization of additive manufacturing in your organization?
 - a) How has your attitude toward routinizing additive manufacturing changed (if at all)?
 - b) In your opinion, what do you think most influences your attitude toward routinizing additive manufacturing?
- 4. How did the work force react to the routinization of additive manufacturing?
 - a) How have the work force's attitudes toward routinizing additive manufacturing changed (if at all)?
 - b) In your opinion, what do you think most influences the work force's attitudes toward routinizing additive manufacturing?
- 5. How do you think the transition has gone?
 - a) How have your duties changed following the routinization of additive manufacturing?
 - b) How much more work do you think there is left to fully routinize additive manufacturing?
 - c) Where do you see your organization in two years, or beyond?
 - d) Describe the organization you hope to be a part of in the future...



- 6. How has the routinization of additive manufacturing affected your organization (good or bad)?
 - a) What positive changes have occurred in your organization since routinizing additive manufacturing?
 - b) What negative changes have occurred in your organization since routinizing additive manufacturing?
 - c) How has your organization changed since routinizing additive manufacturing?
- 7. Could you describe the role of external organizations in the routinization of additive manufacturing?
- 8. Could you describe the most important lessons learned from routinizing additive manufacturing?
- 9. Is there anything else you think I should know to understand routinizing additive manufacturing better?
- 10. Is there anything you would like to ask me?

Thanks you for your participation in our study. Please contact me in the future if you come up with any other ideas or would like to clarify the things we talked about today.



2015 AFIT AFSC Way Study External Organization Interview Script

- How were you first introduced to additive manufacturing? Talk to me about your experience with the innovation.
- 2. How has your organization been involved with the routinization of additive manufacturing?
 - a) Could you describe your organization's initiatives/events/activities associated with the routinization of additive manufacturing?
 - b) What initiative/event/activity was most/least important to your organization during the routinization process?
- 3. How did you react to the routinization of additive manufacturing?
 - a) How have your attitudes toward routinizing additive manufacturing changed (if at all)?
 - b) In your opinion, what do you think most influences your attitudes toward routinizing additive manufacturing?
- 4. How did your coworkers react to routinizing additive manufacturing?
 - a) How have your coworkers' attitudes toward routinizing additive manufacturing changed (if at all)?
 - b) In your opinion, what do you think most influences your coworkers' attitudes toward routinizing additive manufacturing?
- 5. How do you think the transition has gone?
 - a) How have your duties changed following the routinization of additive manufacturing?
 - b) How much more work do you think there is left to fully transition?
 - c) Where do you see your organization in two years, or beyond?
 - d) Describe the organization you hope to be working with in the future...
- 6. How has the routinization of additive manufacturing affected your organization (good or bad)?



- a) What positive changes have occurred in your organization since routinizing additive manufacturing?
- b) What negative changes have occurred in your organization since routinizing additive manufacturing?
- 7. Could you describe the most important lessons learned from the routinization of additive manufacturing?
- 8. Is there anything else you think I should know to understand the routinization of additive manufacturing better?
- 9. Is there anything you would like to ask me?

Thanks you for your participation in our study. Please contact me in the future if you come up with any other ideas or would like to clarify the things we talked about today.



Appendix E: Objects Produced from AM

Mini catapult produced from FDM





Appendix F: Story Board



Determining the Degree of Routinization of Additive Manufacturing (AM) in the Air ogistics Complexes ALCs

Problem Statement

at the passages and cycles of innovation manufacturing calls for a critical look The potential for enhanced weapons system sustainment through the incorporation of additive routinization.

> Co-Advisors: Lt Col Matthew Douglas, PhD Capt Candis Woods

> > ALC A accomplished 4 of 9 passages and cycles; AM moderately routinized.

Results

ALCs B and C accomplished 5 of 9 passages and cycles; AM

Reader: Capt Michael Kretser, PhD Department of Operational Sciences (ENS) Lt Col Robert Overstreet, PhD Air Force Institute of Technology

The lack of the accomplishment of five passages and cycles prevented the ALCs from achieving the highest degree of

that may affect the degree of routinization of future innovations. Top management support was identified as an additional passage determination, but degree of relevance dependent upon All passages and cycles found to be relevant in degree

organizational age of the innovation.

moderately routinized.



Research Question

routinization of additive manufacturing? How do the ALCs determine their degree of the

Support by Local Funds Supply and Maintenance

Established budget, budget, funds request process

In-house, out-house, materials, warranty

Machine type, mainteance, projects, uses

Equipment Tumover

Passage or Cycle

ersonnel Certification

Prior experience, length of time with AM, special certification

AFIs, official memorandums, verbal guidance

Trainers, training report, proficiency Promotions, new hires,

Question 1: What passages and cycles contribute to Investigative Questions

determining an ALC's degree of the routinization of

Question 2: What issues prohibit the ALCs from achieving the highest degree of the routinization of additive manufacturing?

Promotion of Key Personne

Training Program Formal Guidance

[umover of Key Personnel

New hires, gaps in personnel, manning

manufacturing in the ALCs? affect the degree of the routinization of additive Question 3: What additional factors were found to additive manufacturing?


and cycles of accomplish Pattern m proposit collecte

	innovation routinization.	ment of specific passages	ions to determine the	d data to theoretical	atch to keywords from	Allalysis
ALCC	ALCB	ALC A				
					Tumor	Equipmen

E001 × × of Key

[mplications

accomplishment of specific passages and will serve to guide the ALCs towards the manufacturing in each ALC. The results cycles that will increase their degree of This study identifies the current degree of the routinization of additive routinization.





Bibliography

- Air Force Sustainment Center (AFSC). "Cost-effective readiness: readiness optimization in a budget constrained environment." *White paper*. 2014.
- Bhattacharya, Mithu. "A conceptual framework of RFID adoption in retail using rogers stage model," *Business Process Management Journal*, 21(3): 5117-540 (2015).
- Campbell, I., Bourell, D., and Gibson, I. "Additive manufacturing: rapid prototyping comes of age," *Rapid Prototyping Journal*, 18.4 (2012): 255-258.
- Charmaz, Kathy. Constructing Grounded Theory, (2nd ed.). California: SAGE Publications, 2014.
- Cooper, R.B. and Zmud, R.W. "Information technology implementation research: a technological diffusion approach," *Management Science*, 36.2: 123-39 (1990).
- Damanpour, Fariborz. "Organizational innovations: a meta-analysis of effects of determinants and moderators, *Academy of Management Journal*, 34:555-590 (March 1991).
- Damanpour, Fariborz, Kathryn Szabat, and William Evan. "The relationship between types of innovation and organizational performance," *Journal of Management Studies*, 26: 587-601 (November 1989).
- D'Aveni, Richard. "The 3-D printing revolution," *Harvard Business Review* 93.5: 40-48 (August 2015).
- Douglas, Matthew. "AFSC Way Study Proposal." White Paper. (2014).
- Garcia, Rosanna and Roger Calantone. "A critical look at technological innovation typology and innovativeness terminology: A literature review," *The Journal of Product Innovation Management*, 19: 110-132 (2002).
- Harris, Russ. "About additive manufacturing," *Additive Manufacturing Research Group*, Loughborough University (2015).
- Hauge, R., Mansour, S., Saleh, N. "Material and design considerations for rapid manufacturing," *International Journal of Production Research*, 42 (22), 4691-4708 (2004).



- Hazen, B.T., Overstreet, R.E., and Cegielski, C.G. "Supply chain innovation diffusion: going beyond adoption," *The International Journal of Logistics Management*, 23.1(2012): 119-134.
- Kimberly, John R. and Michail Evanisko. "Organizational innovation: the influence of individual, organizational, and contextual factors on hospital adoption of technological and administrative innovations," *Academy of Management Journal*, 24: 689-713 (December 1981).
- Khaing, M.W., Fuh, J.Y.H., Lu, L. "Direct metal laser sintering for rapid tooling: processing and characterization of EOS parts," *Journal of Materials Processing Technology*, 113(1-3): 269-272 (June 2001).
- Leedy, P.D., and Ormrod, J.E. (2010). *Practical Research Planning and Design*. Saddle River, New Jersey: Pearson.
- Mellor, Stephen, Hao, Liang, Zhang, David. "Additive manufacturing: a framework for implementation," *International Journal of Production* Economics, 149: 194-201 (2014).
- Petrovic, V., Gonzalez, J.V.H., Ferrando, O.J., Gordillo, J.D., Puchades, J.R.B., Grinan, L.P. "Additive layered manufacturing: sectors of industrial application shown through case studies," *International Journal of Production Research*, 49 (4), 1061-1079 (2011).
- Tool [Def. 1a]. (2015). in *Merriam Webster Online*, Retrieved August 10, 2015, from https://www.meriiam-webster.com/dictionary/tool.
- Tooling [Def. 1b]. (2015). in *Merriam Webster Online*, Retrieved August 10, 2015, from https://www.meriiam-webster.com/dictionary/tool.
- Raja, V., Zhang, S., Garside, J., Ryall, C., Wimpenny, D. "Rapid and cost-effective manufacturing of high-integrity aerospace components," *International Journal of Advanced Manufacturing Technology*, 27: 759-773 (2006).
- Read, Anthony. "Determinants of successful organizational innovation," *Journal of Management Practice*, 3: 95-119 (Winter 2000).
- Rogers, Everett M. Diffusion of Innovations, (5th ed.). New York: The Free Press, 2003.



- Saga, V.L. and Zmud, R.W. (1994), "The Nature and Determinants of Information Technology Acceptance, Routinization, and Infusion", in Levine, L. (Ed.), Diffusion, Transfer, and Implementation of Information Technology, Elsevier Science, Amsterdam, pp. 67-86.
- Simichi, A., Petzoldt, F., Pohl, H. "On the development of direct metal sintering for rapid tooling," *Journal of Materials Processing Technology*, 141: 319-328 (2003).
- Stake, Robert E. Multiple Case Study Analysis. New York: The Guilford Press, 2006.
- Tavassoli, Sam and Karlsson, Charlie. "Persistence of various types of innovation analyzed and explained," *Research Policy*, 44(10), 1887-1901 (2015).
- Walter, Manfred, Holmstrom, Jan, Yrjola, Hannu. "Rapid manufacturing and its impact on supply chain management," Proceedings of the Logistics Research Network Annual Conference, 2004.
- Weller, Christian, Kleer, Robin, Piller, Frank. "Economic implications of 3D printing: market structure models in light of additive manufacturing revisited," *International Journal of Production Economics*, 164: 43-56 (2015).
- Yeo, Woondong, Kim, Seonho, Park, Hyunwoo, Kang, Jaewoo. "A bibliometric method for measuring the degree of technological innovation," *Technological Forecasting and Social Change*, 95:152-162 (2015).
- Yin, Robert K Case Study Research: Design and Methods, (5th ed.). US: SAGE Publications, 2014.
- Yin, R.K. (1981), "Life histories of innovations: new practices become routinized", *Public Administration Review*, Vol. 41 No. 1, pp. 22-8.
- Yin, R.K., Quick, S.K., Bateman, P.M. and Marks, E.L. (1978), Changing urban bureaucracies: how new practices become routinized, RAND Corporation, Santa Monica, CA.
- Zeina, I., Hutmacherb, D., Tanc, K., and Teoha, S. "A laboratory for biomedical engineering (LBME), *Biomaterials* 23: 1169-1185 (2002).
- Zmud, Robert W. and Apple, Eugene L. "Measuring technology incorporation/infusion," *Journal of Production and Innovation Management*, 9: 148-155 (1992).



REPORT DOCUMENTATION PAGE OMB No. 074-0188 The public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of the collection of information, including suggestions for reducing this burden to Department of Defense, Washington Headquarters Services, Directorate for Information

Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to an penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.

1. REPORT DATE (DD-MM-YYYY)	2. REPORT TYPE		3. DATES COVERED (From – To)		
24-03-2016	Master's Thesis		October 2014 – March 2016		
TITLE AND SUBTITLE		5a.	. CONTRACT NUMBER		
Determining the Degree of the Ro		GRANT NUMBER PROGRAM ELEMENT NUMBER			
Manufacturing in the Air Logistics	Complexes	əc.	PROGRAM ELEMENT NUMBER		
6. AUTHOR(S)		5d.	PROJECT NUMBER		
Woods, Candis A, Captain, USAF			5e. TASK NUMBER		
		5f.	WORK UNIT NUMBER		
7. PERFORMING ORGANIZATION NAMES(S) Air Force Institute of Technology Conducts School of Engineering and N	. ,	•	8. PERFORMING ORGANIZATION REPORT NUMBER		
Graduate School of Engineering and M 2950 Hobson Way, Building 640 WPAFB OH 45433-8865		AFIT-ENS-MS-16-M-098			
9. SPONSORING/MONITORING AGEN		10. SPONSOR/MONITOR'S ACRONYM(S)			

Intentionally left blank

Form Approved

11. SPONSOR/MONITOR'S REPORT NUMBER(S)

12. DISTRIBUTION/AVAILABILITY STATEMENT

DISTRUBTION STATEMENT A. APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED.

13. SUPPLEMENTARY NOTES

This material is declared a work of the U.S. Government and is not subject to copyright protection in the United States.

14. ABSTRACT Fiscal constraints have affected the USAF's spending and sustainment of weapons systems that are being utilized beyond their programmed life cycle; therefore, it is imperative that processes be given the critical eye for improvement, innovative approaches, and/or best practice implementation. The AFSC, part of the AFMC, has embarked on a groundbreaking effort to transform operations and leverage industry best practices, while maintaining focus on warfighter support to create "The AFSC Way." The AFSC Way is based on a shared leadership model that emphasizes speed, safety, and quality, which gives way to innovative ideas and new technologies in order to achieve "Art of the Possible" results, despite fiscal uncertainty. The quest for continued sustainment has led to the recognition of innovation as a vital ingredient for an organization's survival and profitability in this fiscally constrained environment. Additive manufacturing is one such innovation that the AFSC has adopted and implemented in an effort to maintain or enhance current weapons system sustainment practices. If the AFSC is to realize the potential benefits of additive manufacturing, it must be routinized to some degree into the organization's governance systems. This research seeks to aid in increasing the understanding of what routinization events affect an innovation's degree of routinization.

15. SUBJECT TERMS

Additive manufacturing, innovation routinization

16. SECURITY CLASSIFICATION OF:			OF NUMBER		19a. NAME OF RESPONSIBLE PERSON Lt Col Robert E. Overstreet, AFIT/ENS	
a. REPORT U	b. ABSTRAC T	c. THIS PAGE U	UU	OF PAGES	19b. TELEPHONE NUMBER (Include area code) (937) 255-6565, ext 4590 (NOT DSN) (robert.overstreet@afit.edu)	

Standard Form 298 (Rev. 8-98) Prescribed by ANSI Std. Z39

