

Double star induction machine using nonlinear integral backstepping control

Abdallah Abden¹, A. Bouchetta², O. Boughazi³, A. Baghdadi⁴, I. K. Bousserhane⁵

^{1,2,3,5}TAHRI Mohammed University, Bechar, Algeria

⁴Djillali Liabes University, Sidi-bel-Abbes, Algeria

Article Info

Article history:

Received Apr 11, 2018

Revised Sep 24, 2018

Accepted Oct 23, 2018

Keywords:

Dual star induction
Field oriented control (FOC)
Integral backstepping
Lyapunov function
Machine (DSIM)
Nonlinear control

ABSTRACT

This paper presents a nonlinear Integral backstepping control approach based on field-oriented control technique, applied to a Double Star Induction Machine 'DSIM' fed by two power voltage sources. We present this technique of integral backstepping by using reduced and complete mathematical model. The objective is to improve the robustness of machine under internal parameter variation with nonlinear Integral backstepping control. The robustness test results obtained by simulation prove the effectiveness of control with using complete model of DSIM.

Copyright © 2019 Institute of Advanced Engineering and Science.
All rights reserved.

Corresponding Author:

Abdallah Abden,
Control analysis and optimization of Electro-energy systems laboratory,
Tahri Mohammed University, Bechar, Algeria.
Email: abdenabd08@gmail.com

1. INTRODUCTION

For many years DSIM have been used in many applications, for their advantages, among others: Minimise the electromagnetic torque and the rotor losses, uses a power electronics component which allows a higher commutation frequency and the improvement of reliability by offering the possibility of operating correctly in degraded regimes (one or more open phases) [1]-[3]. A lot of research has approached the control of the DSIM for more than 20 years, while seeking to have a very good rejection of disruption and good robustness in the face of changing parameters.

In this paper we propose in this article a Backstepping control using the complete mathematical model of the machine, we will then make a comparison of these performances with the Backstepping control using reduced model. we use this technique to design a robust control based on the principle of field oriented control, this new version of backstepping with integral action solves the problem of constant static error and sensitivity to Noise appeared in the classic version of backstepping. The effectiveness of this proposed control structure is verified by simulation using the reduced and complete model of DSIM, with this proposed control, the load disturbance rejection capability is highly improved.

2. DESCRIPTION OF THE DSIM

This machine is based on the principle of a double stators displaced by $\gamma=30^\circ$. The stators are similar to the stator of a simple induction machine and fed with 03 phase alternating current and provide a rotating flux, each star is composed by three identical windings with axes spaced by $\alpha=\gamma=30^\circ$ [1]-[3], [10]-[12].

3. MODELLING OF THE DSIM IN (D-Q) REFERENCE

DSIM with the distribution of its windings and its own geometry is very complex to lend itself to an analysis taking into account its exact configuration, it is necessary to adopt certain simplifying assumptions. In addition to the hypotheses of the generalized machine, it will be assumed that the two stator three-phase windings are balanced and identical (the six phases therefore have the same electrical characteristics) [1]-[3], [11-12].

4. DIRECT FIELD ORIENTED CONTROL FOR DSIM

The principle of field Oriented Control strategy is to eliminate the coupling problem between the two direct axes (d) and quadrature (q), which makes it possible to assimilate the asynchronous machine to an independently excited DC machine as its main advantage to be easily controllable. Indeed, the inductor current is a flux generator while the armature current is a torque generator. The FOC consists in making $\phi_{qr}=0$ while the rotor direct flux ϕ_{dr} converges to the reference ϕ_r^* [3]-[5].

4.1. Complete model of DSIM

The Complete mathematical model of the Double star induction motor can be expressed in the (d-q) synchronous rotating frame by the following nonlinear equations, Taking into account that the rotor of the DSIM is short-circuited [1]-[3].

$$\begin{aligned}
 \frac{d i_{d1}}{dt} &= \left[V_{d1} - R_s i_{d1} - d_1 \frac{d \phi_{dr}}{dt} + \omega_s [(L_s + a) i_{q1} + a i_{q2} + d_1 \phi_{qr}] \right] \\
 \frac{d i_{q1}}{dt} &= \left[V_{q1} - R_s i_{q1} - d_1 \frac{d \phi_{qr}}{dt} - \omega_s [(L_s + a) i_{d1} + a i_{d2} + d_1 \phi_{dr}] \right] \\
 \frac{d i_{d2}}{dt} &= \left[V_{d2} - R_s i_{d2} - d_1 \frac{d \phi_{dr}}{dt} + \omega_s [(L_s + a) i_{q2} + a i_{q1} + d_1 \phi_{qr}] \right] \\
 \frac{d i_{q2}}{dt} &= \left[V_{q2} - R_s i_{q2} - d_1 \frac{d \phi_{qr}}{dt} - \omega_s [(L_s + a) i_{d2} + a i_{d1} + (d_1) \phi_{dr}] \right] \\
 \frac{d \phi_{dr}}{dt} &= [b_5 (i_{d1} + i_{d2}) - b_6 \phi_{dr} + \omega_s \phi_{qr}] \\
 \frac{d \phi_{qr}}{dt} &= [b_5 (i_{q1} + i_{q2}) - b_6 \phi_{qr} - \omega_s \phi_{dr}] \\
 \frac{d \omega_r}{dt} &= \frac{P^2}{J} d_1 [(i_{q1} + i_{q2}) \phi_{dr} - (i_{d1} + i_{d2}) \phi_{qr}] - \frac{p}{J} C_r - \frac{f_c}{J} \omega_r.
 \end{aligned} \tag{1}$$

4.2. Reduced model

By applying the Field Oriented Control principle to the complete mathematical model (1), we put ($\phi_{qr}=0$ and $\phi_{dr}=\phi_r$) and the system of equation in (d,q) for the DSIM in reduced model become [1]-[3]:

$$\begin{aligned}
 \frac{d i_{d1}}{dt} &= [v_{d1} - b_1 i_{d1} - d_1 (b_5 (i_{d1} + i_{d2}) - b_6 \phi_r) + a_1 b_2 i_{q1} + a a_1 i_{q2}] / b_3 \\
 \frac{d i_{q1}}{dt} &= [v_{q1} - b_1 i_{q1} - a_1 b_2 i_{d1} - a a_1 i_{d2} + a_1 d_1 \phi_r] / b_3 \\
 \frac{d i_{d2}}{dt} &= [v_{d2} - b_4 i_{d2} - d_1 (b_5 (i_{d1} + i_{d2}) - b_6 \phi_r) + a a_1 i_{q1} + a_1 b_2 i_{q2}] / b_3 \\
 \frac{d i_{q2}}{dt} &= [v_{q2} - b_4 i_{q2} - a_1 b_2 i_{d2} - a a_1 i_{d1} - a_1 d_1 \phi_r] / b_3
 \end{aligned}$$

$$\begin{aligned}
\frac{d\phi_{dr}}{dt} &= [b_5(i_{ds1} + i_{ds2}) - b_6\phi_{dr}] \\
\frac{d\omega_r}{dt} &= [b_7\phi_{dr}(i_{qs1} + i_{qs2}) - b_8 - b_9\omega_r] \\
(\omega_s - \omega_r) &= \frac{R_r L_m}{(L_m + L_r)} \frac{(i_{qs1} + i_{qs2})}{\phi_r} \\
J \frac{d\omega_r}{dt} &= C_{em} - C_r - K_f \omega_r \\
C_{em} &= \frac{3}{2} P \frac{L_m}{(L_m + L_r)} (\phi_r (i_{qs1} + i_{qs2})) \\
a &= \frac{L_r L_m}{L_r + L_m}, a_1 = \omega_s, b_1 = R_{r1}, b_2 = (L_r + a), \\
b_3 &= L_r, b_4 = R_{r2}, b_5 = \frac{R_r L_m}{L_r + L_m}, b_6 = \frac{R_r}{L_r + L_m}, \\
b_7 &= \frac{P L_m}{J(L_r + L_m)}, b_8 = \frac{C_r}{J}, b_9 = \frac{f_r}{J}, d_1 = \frac{L_m}{L_r + L_m}
\end{aligned} \tag{2}$$

with: $\omega_{sl} = (\omega_s - \omega_r)$

5. BACKSTEPPING CONTROL

The basic principle of backstepping control is to make closed loop systems equivalent to first-order subsystems in cascade that are Lyapunov stability, This gives ensures robustness and asymptotic global stability [2], [10], [11].

Our objective is to control the flux and speed variables, so we chose as intermediate variables, the stator currents (i_{ds1} , i_{qs1} , i_{ds2} , i_{qs2}), to let them follow their references values defined by the “virtual controls”, finally, we compute the stator voltages controls (V_{ds1} , V_{qs1} , V_{ds2} , V_{qs2}) required to let the “virtual controls” converge to the desired values with regards to the stability of the associated Lyapunov function [6]-[8].

5.1. Application of nonlinear integral backstepping control to DSIM

In our work, we use Integral backstepping control by using both reduced and complete model of oriented induction machine (1-2).

Our objective is to synthesize the expression of the control variables V_{sd1} , V_{sd2} and V_{sq1} , V_{sq2} to let the state variables of the DSIM follow the desired references Figures 1, 2, and 3. By making a variables change, the new ones are the errors between the set points and the state variables. This control is presented in six steps shows in Figure 2, as we will show in this section [9].

5.2. Nonlinear integral backstepping control using the reduced model

In this part we use the reduced mathematical model (2) of the DSIM[9].

5.2.1. First step “Speed Loop”:

This first step consists in identifying the errors e_1 which represent the error between real speed “ ω ” and reference speed “ ω^* ”, for the electrical speed “ ω_r ”, we define the tracking error as:

$$e_1 = \omega^* - \omega \tag{3}$$

And their dynamics are given by:

$$\dot{e}_1 = \dot{\omega}^* - \dot{\omega} \tag{4}$$

$i_{qs}^* = (i_{qs1} + i_{qs2})$ Then the error dynamical equations are:

$$\dot{e}_1 = \dot{\omega}^* - b_7 \varphi_{dr} (i_{qs1} + i_{qs2}) - b_8 - b_9 \omega_r \quad V_1(e_1) = \frac{1}{2} e_1^2 \quad (5)$$

$$\text{Its derivative is: } \dot{V}_1(e_1) = e_1 \dot{e}_1 \quad \dot{V}_1(e_1) = e_1 (\dot{\omega}^* - b_7 \varphi_{dr} (i_{qs1} + i_{qs2}) - b_8 - b_9 \omega_r) \quad (6)$$

$$i_{qs}^* = \frac{\omega^* + b_9 \omega_r + b_8 + C_1 e_1}{b_7 \varphi_r} \quad (7)$$

With C_1 is a positive constant.

The derivative of the Lyapunov function becomes: $\dot{V}_1(e_1) = -c_1 e_1^2 < 0$

Since the current i_{qs} is not a control input and is only one variable of the system with its own dynamics. We will use it to introduce the integral action, so we choose the desired dynamic behavior of the virtual control ' i_{qs}^* ' as following:

$$I_{qs}^* = \frac{\omega^* + b_9 \omega_r + b_8 + C_1 e_1}{b_7 \varphi_r} + \lambda_1 x_1 \quad (8)$$

with λ_1 is positive constant and $x_1 = \int_0^t e_1(\tau) d\tau$ is the integral action brought in accordance with the following error "e". By introducing this integral in the virtual control, we ensure the convergence of tracking error to zero in steady state shows in Figure 1.




Figure 1. Integral action backstepping diagram

5.2.2. Second step "iqs₁ Current Loop":

For this step, our goal is the replacement of the virtual current control by computing control voltages.

We define the error of the (q) axis component of the stator current and its reference:

$$e_2 = I_{qs}^* - i_{qs1} \quad (9)$$

The derivative is written as:

$$\dot{e}_2 = \dot{I}_{qs}^* - \dot{i}_{qs1} \quad (10)$$

$$\dot{e}_2 = \dot{I}_{qs}^* + \delta_1 - V_{qs1} / b_3 \quad \text{With: } \delta_1 = [b_1 i_{qs1} + a_1 b_2 i_{ds1} + a a_1 i_{ds2} - a_1 d_1 \phi_r] / b_3$$

$$V_2(e_2) = \frac{1}{2} e_2^2 \quad (11)$$

$$\text{Its derivative is: } \dot{V}_2(e_2) = e_2 \dot{e}_2 \quad \dot{V}_2(e_2) = e_2 (\dot{I}_{qs}^* + \delta_1 - V_{qs1} / b_3) \quad (12)$$

For a negative error derivative e_2 , we must choose as the first control voltage: $V_{qs1}^* = (I_{qs}^* + \delta_1 + C_2 e_2) b_3$.

$$\dot{V}_2(e_2) = -C_2 e_2^2 < 0 \text{ With } C_2 \text{ is a positive constant.}$$

5.2.3. Third step “iqs2 Current Loop”:

We define the tracking error as:

$$e_3 = I_{qs}^* - i_{qs2} \quad (13)$$

The derivative is written as:

$$\dot{e}_3 = \dot{I}_{qs}^* - \dot{i}_{qs2} \quad (14)$$

$$\dot{e}_3 = \dot{I}_{qs}^* + \delta_2 - V_{qs2} / b_3 \text{ With:}$$

$$\delta_2 = (b_4 i_{qs2} + a_1 b_2 i_{ds2} + a a_1 i_{ds1} + a_1 d_1 \phi_r) / b_3$$

$$V_3(e_3) = \frac{1}{2} e_3^2 \quad (15)$$

Its derivative is:

$$\begin{aligned} \dot{V}_3(e_3) &= e_3 \dot{e}_3 \\ \dot{V}_3(e_3) &= -e_3 (\dot{I}_{qs}^* + \delta_2 - V_{qs2} / b_3) \end{aligned} \quad (16)$$

For a negative error derivative e_2 , we must choose as the second control voltage. $V_{qs2}^* = (I_{qs}^* + \delta_2 + C_3 e_3) b_3$

$$\dot{V}_3(e_3) = -C_3 e_3^2 < 0 \text{ With } C_3 \text{ is a positive constant.}$$

5.2.4. Step four “φdr Flux Loop”:

We define the tracking error as:

$$e_4 = \dot{\varphi}_r^* - \dot{\varphi}_{dr} \quad (17)$$

And its derivative with respect to time leads to:

$$\dot{e}_4 = \ddot{\varphi}_r^* - \ddot{\varphi}_r \quad (18)$$

$$-C_4 e_4 = \ddot{\varphi}_r^* - b_5 (\dot{i}_{ds1} + \dot{i}_{ds2}) + b_6 \dot{\varphi}_r \quad \dot{i}_{ds}^* = (\dot{i}_{ds1} + \dot{i}_{ds2})$$

$$-C_4 e_4 = \ddot{\varphi}_r^* - b_5 (\dot{i}_{ds}^*) + b_6 \dot{\varphi}_r$$

$$\dot{i}_{ds}^* = \frac{\ddot{\varphi}_r^* + b_6 \dot{\varphi}_r + C_4 e_4}{b_5} \quad (19)$$

with C_4 is a positive constant.

The derivative of the Lyapunov function becomes:

$$\dot{V}_4(e_4) = -C_4 e_4^2 < 0$$

We choose the desired dynamic behaviour of the virtual control i_{ds}^* as following:

$$I_{ds}^* = \frac{\dot{\phi}_r + b_6 \phi_r + C_4 e_4}{b_5} + \lambda_2 x_2 \quad (20)$$

With λ_2 is positive constant and $x_2 = \int_0^t e_4(\tau) d\tau$ is the integral action brought in accordance with the following error 'e'. By introducing this integral in the virtual control, we ensure the convergence of the tracking error to zero in steady state.

5.2.5. Step five "ids1 Current Loop":

$$e_5 = I_{ds}^* - i_{ds1} \quad (21)$$

Its derivative is written as:

$$\dot{e}_5 = \dot{I}_{ds}^* - \dot{i}_{ds1} \quad (22)$$

$$\dot{e}_5 = \dot{I}_{ds}^* - \delta_3 - V_{ds1} / b_3, \quad \delta_3 = [b_1 i_{ds1} + d_1 (b_5 (i_{ds1} + i_{ds2}) - b_6 \phi_r) - a_1 b_2 i_{qs1} - a a_1 i_{qs2}] / b_3$$

With:

$$V_5(e_5) = \frac{1}{2} e_5^2 \quad (23)$$

Its derivative is

$$\dot{V}_5(e_5) = -e_5 (\dot{I}_{ds}^* - \delta_3 - V_{ds1}^* / b_3) \quad (24)$$

For a negative error derivative e_5 , we must choose as the Third control voltage $V_{ds1}^* = (\dot{I}_{ds}^* - \delta_3 + C_5 e_5) b_3$

$\dot{V}_5(e_5) = -C_5 e_5^2 < 0$ With C_5 is a positive constant.

5.2.6. Step Six "ids2 Current Loop":

$$e_6 = I_{ds}^* - i_{ds2} \quad (25)$$

Its derivative is written as: $\dot{e}_6 = \dot{I}_{ds}^* - \dot{i}_{ds2}$ (26)

$$\dot{e}_6 = \dot{I}_{ds}^* - \delta_4 - V_{ds1} / b_3 \quad \text{With: } \delta_4 = [b_4 i_{ds2} + d_1 (b_5 (i_{ds1} + i_{ds2}) - b_6 \phi_r - a a_1 i_{qs1} - a_1 b_2 i_{qs2})]$$

$$V_6(e_6) = \frac{1}{2} e_6^2 \quad (27)$$

Its derivative is: $\dot{V}_6(e_6) = -e_6 (\dot{I}_{ds}^* - \delta_4 - V_{ds1}^* / b_3)$ (28)

For a negative error derivative e_6 , we must choose as the fourth control voltage $V_{ds2}^* = (\dot{I}_{ds}^* - \delta_4 + C_6 e_6) b_3$

$\dot{V}_6(e_6) = -C_6 e_6^2 < 0$ With C_6 is a positive constant.

5.3. Nonlinear Integral Backstepping Control Using Complete Model

In this part we use the complete mathematical model of the DSM.

5.3.1. First Step “w Speed Loop”:

This first step consists in identifying the error ‘e1’ which represent the error between real speed ω and reference speed ω^* .

$$e_1 = \omega^* - \omega \quad (29)$$

$$\dot{e}_1 = \dot{\omega}^* - \frac{P^2}{J}(d_1)[(i_{qs1} + i_{qs2})\varphi_{dr} - (i_{ds1} + i_{ds2})\varphi_{qr}] + \frac{P}{J}C_r + \frac{f_c}{J}\omega_r \quad (30)$$

$$V_1(e_1) = \frac{1}{2}e_1^2 \quad (31)$$

Its derivative is: $\dot{V}_1(e_1) = e_1 \dot{e}_1$

$$\dot{V}_1(e_1) = e_1 \left[\dot{\omega}^* - \frac{P^2}{J}(d_1)(i_{qs1} + i_{qs2})\varphi_{dr} + \frac{P^2}{J}(d_1)(i_{ds1} + i_{ds2})\varphi_{qr} + \frac{P}{J}C_r + \frac{f_c}{J}\omega_r \right] \quad (32)$$

$$i_{qs}^* = (i_{qs1} + i_{qs2})$$

$$i_{qs}^* = \left[\dot{\omega}^* + \frac{P^2}{J}(d_1)(i_{ds1} + i_{ds2})\varphi_{qr} + \frac{P}{J}C_r + \frac{f_c}{J}\omega_r + k_1 e_1 \right] \left(\frac{J(L_m + L_r)}{P^2 L_m \varphi_{dr}} \right)$$

We will use i_{qs}^* to introduce the integral action, so we choose the desired dynamic behaviour of the virtual control” I_{qs}^* ” as following: $I_{qs}^* = i_{qs}^* + \lambda_3 \chi_3$ With k_1 is a positive constant

5.3.2. Second Step “iqs1 Current Loop”:

The Replacement of the virtual current control by computing control voltages, we define the error of the (q) axis component of the stator current and its reference:

$$e_2 = I_{qs}^* - i_{qs1} \quad (33)$$

Its derivative is written as: $\dot{e}_2 = \dot{I}_{qs}^* - \dot{i}_{qs1}$ (34)

$$\dot{e}_2 = \dot{I}_{qs}^* + \delta_5 - V_{qs1} \quad \text{with: } \delta_5 = R_s i_{sq1} + (d_1) \frac{d\varphi_{qr}}{dt} + \omega_s [(L_s + a)i_{sd1} - a i_{ds2} + (d_1)\varphi_{dr}]$$

$$\dot{e}_2 = \dot{I}_{qs}^* - \left[V_{qs1} - R_s i_{qs1} - (d_1) \frac{d\varphi_{qr}}{dt} - \omega_s [(L_s + a)i_{ds1} + a i_{ds} + (d_1)\varphi_{dr}] \right]$$

$$V_2(e_2) = \frac{1}{2}e_2^2 \quad (35)$$

Its derivative is: $\dot{V}_2(e_2) = e_2 \dot{e}_2$ and $\dot{V}_2(e_2) = e_2 (\dot{I}_{qs}^* + \delta_5 - V_{qs1})$ (36)

For a negative error derivative e_2 , we must choose as the first control voltage. $V_{qs1}^* = (\dot{I}_{qs}^* + \delta_5 + k_2 e_2)$
 $\dot{V}_2(e_2) = -k_2 e_2^2 < 0$ With k_2 is a positive constant.

5.3.3. Third Step “iqs2 Current Loop”:

We define the tracking error as:

$$e_3 = I_{qs}^* - i_{qs2} \quad (37)$$

The derivative is written as: $\dot{e}_3 = \dot{I}_{qs}^* - \dot{i}_{qs2}$ (38)

$$\dot{e}_3 = \dot{I}_{qs}^* - \delta_6 - V_{qs2}$$

with

$$\delta_6 = R_s i_{qs2} + (d_1) \frac{d\varphi_{qr}}{dt} + \omega_s [(L_s + a) i_{ds2} + a i_{ds1} + (d_1) \varphi_{dr}]$$

$$V_3(e_3) = \frac{1}{2} e_3^2 \quad (39)$$

Its derivative is: $\dot{V}_3(e_3) = e_3 \dot{e}_3$ $\dot{V}_3(e_3) = e_3 (\dot{I}_{qs}^* - \delta_6 - V_{qs2})$ (40)

For a negative error derivative e_3 , we must choose as Second control voltage: $V_{qs2}^* = I_{qs}^* + k_3 e_3 + \delta_6$
 $\dot{V}_3(e_3) = -k_3 e_3^2 < 0$ With k_3 is a positive constant.

5.3.4. Step Four “φdr Flux Loop”:

We define the tracking error as:

$$e_4 = \varphi_{dr}^* - \varphi_{dr} \quad (41)$$

And its derivative with respect to time leads to:

$$\dot{e}_4 = \dot{\varphi}_{dr}^* - \dot{\varphi}_{dr} \quad (42)$$

$$\dot{e}_4 = \dot{\varphi}_{dr}^* - [b_5 (i_{ds1} + i_{ds2}) - (b_6) \varphi_{rd} + \omega_{gl} \varphi_{qr}]$$

We make:

$$i_{ds}^* = (i_{ds1} + i_{ds2}) \quad i_{ds}^* = \left[\varphi_r - \omega_{gl} \varphi_{qr} + k_4 e_4 \right] \frac{1}{b_5} + \frac{1}{L_m} \varphi_{dr}$$

With k_4 is a positive constant.

The derivative of the Lyapunov function becomes: $\dot{V}_4(e_4) = -k_4 e_4^2 < 0$

We choose the desired dynamic behavior of the virtual control i_{ds}^* as following:

$$I_{ds}^* = i_{ds}^* + \lambda_4 x_4 \quad (43)$$

With λ_4 is positive constant and $x_4 = \int_0^t e_4(\tau) d\tau$ is the integral action brought in accordance with the following error "e". By introducing this integral in the virtual control, we ensure the convergence of the tracking error to zero in steady state.

5.3.5. Step five "id_{s1} Current Loop":

$$e_5 = I_{ds}^* - i_{ds1} \quad (44)$$

Its derivative is written as: $\dot{e}_5 = \dot{I}_{ds}^* - \dot{i}_{ds1}$ (45)

$$\dot{e}_5 = \dot{I}_{ds}^* - \delta_7 - V_{ds1} \quad \text{with: } \delta_7 = R_s i_{ds1} + (d_1) \frac{d\varphi_{dr}}{dt} - \omega_s [(L_s + a) i_{qs1} - a i_{qs2} - (d_1) \varphi_{qr}]$$

$$V_5(e_5) = \frac{1}{2} e_5^2 \quad (46)$$

Its derivative is: $\dot{V}_5(e_5) = \frac{1}{2} \dot{e}_5^2$

$$\dot{V}_5(e_5) = e_5 (\dot{I}_{ds}^* - \delta_7 - V_{ds1}^*) \quad (47)$$

For a negative error derivative e_5 , we must choose as the third control voltage $V_{ds1}^* = \dot{I}_{ds}^* - \delta_7 + k_5 e_5$

$$\dot{V}_5(e_5) = -k_5 e_5^2 < 0 \quad \text{With } k_5 \text{ is a positive constant.}$$

5.3.6. Step Six "ids₂ Current Loop":

$$e_6 = I_{ds}^* - i_{ds2} \quad (48)$$

Its derivative is written as: $\dot{e}_6 = \dot{I}_{ds}^* - \dot{i}_{ds2}$ (49)

$$\dot{e}_6 = \dot{I}_{ds}^* - V_{ds2} + \delta_8 \quad \text{With: } \delta_8 = R_s i_{ds2} + d_1 \frac{d\varphi_{dr}}{dt} - \omega_s [(L_s + a) i_{qs2} + a i_{qs1} + d_1 \varphi_{qr}]$$

$$V_6(e_6) = \frac{1}{2} e_6^2 \quad (50)$$

Its derivative is: $\dot{V}_6(e_6) = e_6 \dot{e}_6 \quad \dot{V}_6(e_6) = -e_6 (\dot{I}_{ds}^* - \delta_8 - V_{ds2}^*)$ (51)

For a negative error derivative e_6 , we must choose as fourth control voltage $V_{ds2}^* = (\dot{I}_{ds}^* - \delta_8 + k_6 e_6)$

$$\dot{V}_6(e_6) = -k_6 e_6^2 < 0 \quad \text{With } k_6 \text{ is a positive constant.}$$

5.3.7. Step seven "φ_{qr} Flux Loop":

$$e_7 = \phi_{qr}^* - \phi_{qr} \quad (52)$$

Its derivative is written as: $\dot{e}_7 = \dot{\phi}_{qr}^* - \dot{\phi}_{qr}$ and $-\dot{V}_7(e_7) = \dot{\phi}_{qr}^* - [b_5 (i_{qs1} + i_{qs2}) - b_6 \varphi_{qr} - \omega_{gl}^* \varphi_{dr}]$ (53)

$$V_7(e_7) = \frac{1}{2} e_7^2 \tag{54}$$

$$\dot{V}_7(e_7) = -k_7 e_7^2 < 0 \text{ With } k_7 \text{ is a positive constant.}$$

We choose as seven control vector as: $\omega_{gl}^* = \frac{1}{\varphi_{dr}^*} [-\dot{\varphi}_{qr}^* + b_5(i_{ds1} + i_{ds2}) - b_6 \varphi_{qr} - k_7 e_7]$

$$\dot{V}_7(e_7) = -k_7 e_7^2 < 0 \text{ With } k_7 \text{ is a positive constant.}$$

$$V_{ds1}^* = (I_{ds}^* - \delta_7 + k_5 e_5) \quad V_{ds2}^* = (I_{ds}^* - \delta_8 + k_6 e_6) \quad V_{qs1}^* = (I_{qs}^* + \delta_5 + k_2 e_2)$$

$$V_{qs2}^* = (I_{qs}^* + \delta_6 + k_3 e_3)$$




Figure 2. Backstepping diagram of double star Induction machine (DSIM) using Complete Model

6. SIMULATION RESULTS (ON LOAD)

The effectiveness of the Integral Backstepping control applied to DSIM with both complete and reduced models has been validated by numerical simulation (Matlab Simulink), With application of resistant torque of (10Nm) at $t=[1.5 \ 2.5]$, the DSIM has the same behavior for both models in the load test with good rejection of disturbance in the graph of the rotor speed, The direct and quadrature rotor fluxes (φ_{dr} , φ_{qr}) and the two stator currents of axis (d-q) stabilize to theirs reference values.

7. RESULTS DISCUSSION

The rotor speed follow very well its reference value with a good rejection of disturbance even with the application of the load due to the backstepping regulation, and the integral action allowed us to maintain the static error at a value of zero Figures 3, 4, and 7.




Figure 3. Reduced model performance




Figure 4. Complete model performances

7.1. Robustness Test

In this part we have increase the rotor resistance by application of the load ($R_r=2 \times R_{rn}$) at time $t = [1.5-2.5]$ sec in order to verifying the robustness of non-linear Integral Backstepping regulation under DSIM parameters variations, Figures 5-6 shows the responses of different variables states.




Figure 5. Reduced model robustness test with $(R_r=2 \times R_{rn})$




Figure 6. Complete model robustness test with $(R_r=2 \times R_{rn})$




Figure 7. Static error with a reference speed (100 rad/sec)

7.2. Discussion of Robustness Test Results ($R_r=2xR_{rn}$)

Reduced model test shown in Figure 5 prove that the decoupling between the Flux And the Torque is lost and the static error has appear because of the simplification adopted in field oriented control who makes ($\varphi_{qr}=0$) and renders this model incapable of adapting to the change of internal parameters.

Complete model test shown in Figure 6 responded well to the change of the internal parameter R_r , because, the expression of ' ω_{gl} ' in the complete model is derived from the regulation loop with backstepping using the ' φ_{qr} flux loop', that's allowing to take into consideration the variation of ' φ_{qr} ' which depend to ' R_r ' and ω_{gl} with: ($\omega_{gl}=\omega_s-\omega_r$) (1), intervenes so as to maintain this coupling constant.

8. CONCLUSIONS

Several researchers based on the reduced model of the double-star asynchronous machine in their works, in this paper we presented a nonlinear integral backstepping of the DSIM based on field oriented control principle followed by a comparative robustness test between reduced and complete models of DSIM. Firstly we saw that the non linear integral backstepping control of the DSIM gave satisfactory results in comparison with the PI vector regulator in terms of response time, static error and disturbance rejection, we can see also that the integral action in Figures 1-7 allow us to highly reduce the static speed error.

In the analysis of the results of the empty and load test, with the nominal parameters we obtained satisfactory and quasi identical simulation results for the two models. But the results of the robustness test obtained, proved the high performance by using complete model in control against the reduced model, it can be seen that all the state vectors converged to their desired real values in Figures 5 and 6 with a total rejection of disturbance and maintaining of the decoupling between the flux and the torque. We already know that the internal parameters and especially the rotor resistance in practice increases during operation of the machine and if we looking for a model that corresponds to the DSIM in real operation of course with the simplifications already quoted in 'paragraph 3', This leads us to opt for the complete model.

NOMENCLATURE

s: Index Stator.

r: Index Rotor.

$V_{ds1}, V_{qs1}, V_{ds2}, V_{qs2}$: Stator voltages d-q axis components.

$i_{ds1}, i_{qs1}, i_{ds2}, i_{qs2}$: Stator currents d-q axis components.

R_{s1}, R_{s2} : Stators resistances.

$\varphi_{dr}, \varphi_{qr}$: Rotor flux d-q axis components.

R_r, R_{rn} : Rotor resistance, nominal resistance

L_{s1}, L_{s2} : Stators inductances.

L_r : Rotor Inductance.

L_m : Mutual inductance.

a) Reduced Model Constants are: $C_1=C_4=C_6=10\ 000$, $C_2=C_3=C_5=1000$, $\lambda_1=0.698$, $\lambda_2=10$.

b) Complete Model Constants are: $k_1=1500$, $k_2=k_3=3000$, $k_4=20\ 000$, $k_5=K_6=k_7=1000$, $\lambda_3=0.001$, $\lambda_4=0.1$.

ω_s : Speed of the synchronous reference frame.

ω : Rotor electrical angular speed.

ω_{gl} : Slip frequency.

J : Moment of inertia.

P : Number of pole pairs.

Ω : Mechanical speed.

T_{em} or C_e : Electromagnetic torque.

T_l or C_r : Load torque.

f_c : Friction coefficient.

REFERENCES

- [1] Paulo Dainez, Daniel Glose, "Modeling and Parameter Identification of Double-Star Induction Machines" PRZEGLĄD ELEKTROTECHNICZNY (Electrical Review), ISSN 0033-2097, R. 88 NR 3b/2012.
- [2] R. Bojoi, F. Farine, F. Profumo, and A. Tenconi, "Dual-three phase induction machine drives control - a survey," *IEEE Trans. on Industry Applications*, vol. 126, no. 4, pp. 420-429, 2006
- [3] E. Merabet, R. Abdessemed, H. Amimeur and F. Hamoudi, "Field Oriented Control of a Dual Star Induction Machine Using Fuzzy Regulator" *iceeac-dz.org*.
- [4] Radhwane Sadouni, Abdelkader Meroufel "Indirect Rotor Field-oriented Control (IRFOC) of a Dual Star Induction Machine (DSIM) Using a Fuzzy Controller" in *Acta Polytechnica Hungarica*.
- [5] G.R. Arab Markadeh, J. Soltani, N.R. Abjadi, M. Hajian, "Sensorless Control of a Six-Phase Induction Motors Drive Using FOC in Stator Flux Reference Frame", *International Journal of Mechanical Aerospace Industrial Mechatronic and Manufacturing Engineering*, vol. 3, no. 10, 2009.
- [6] Laoufi A., Hazzab A, Bousserhane I.K, Rahli M, "Direct Field-Oriented Control using Backstepping Technique for Induction Motor Speed Control" in *International journal of Applied Engineering Research*, ISSN 0973-4562, Vol.1, pp.37-50, 2006.
- [7] Anissa Hosseini, Ramzi Trabelsi, Atif Iqba, Med Faouzi Mimouni "Backstepping Control for a Five-Phase Permanent Magnet Synchronous Motor Drive" *International Journal of Power Electronics and Drive System (IJPEDS)* Vol. 6, No. 4, pp. 842-852 ISSN: 2088-8694, December 2015.
- [8] O. Boughazi, A. Boumedienne, A. Omari, "An Efficiency Backstepping Control without Speed Sensor applied to the Induction Motor Voltage Supplied" (EEA) Vol.62| Nr°: 1|2014.

- [9] Mohamed Horch, Abdelmadjid Boumediene, Lotfi Baghli, "Nonlinear Integral Backstepping Control for Induction Motor drive with Adaptive Speed Observer using Super Twisting Strategy". In the *scientific journal of Electrotehnică, Electronică, and Automatică (EEA)* Vol. 64 | Nr^o: 1|2016.
- [10] Nadia Akkari, Abdelaziz Chaghi, And Rachid Abdessemed " Speed Control of Doubly Star Induction Motor Using Direct Torque DTC Based on Model Reference Adaptive Control (MRAC)" in *International Journal of Hybrid Information Technology*, Vol.7, No.2, 2014.
- [11] A. Massoum, A. Meroufel, A. Bentaallah, "Sliding Mode Speed Controller for Vector Controlled Double Star Induction Motor" *PRZEGLĄD ELEKTROTECHNICZNY (Electrical Review)*, ISSN 0033-2097, R. 88 NR 3b/2012.
- [12] Meroufel, S. Massoum, A. Bentaallah, P. Wira, F.Z. Belaimech, A. Massoum, "Double star induction motor direct torque control with fuzzy sliding mode speed controller", *Rev. Roum. Sci. Techn- Electrotechn and Energ.*, vol. 62, no. 1, pp. 31-35, 2017.

APPENDIX

$P=4.5W$, $V=220v$, $I=6.5A$, $W_n=2840$ rpm, $R_r=2.12 \Omega$, $L_{s1}=L_{s2}=0.011H$, $R_{s1}=R_{s2}=1.86 \Omega$, $L_r=0.274H$, $L_m=0.3672H$, $P=1$, $J=0.0625kg.m^2$, $fc=0.008N.m.s/rd$.

BIOGRAPHIES OF AUTHORS



Abdallah Abden was born in Bechar (Algeria), on August 8, 1980. He received Electrical engineering degree, and Master II degree in Bechar University, Bechar, Algeria, in 2006 and 2013 respectively, Currently he is a PHD student at the same university; he is a member of Control analysis and optimization of Electro-energy systems laboratory. His main research activity is focused on control, observer and estimator of electric machine drive systems. Professional e-mail: abdenabd08@gmail.com



Abdelkrim Boucheta was born in Bechar, Algeria, in 1971. He received his BS degree and M.S. degree in electrical engineering from the Electrical Engineering Institute of the University Center of Bechar, in 2001 and 2006, respectively. He received the PhD degree in Electrical Engineering from the University of Djilali Liabes Sidi-Belabbes (Algeria), in 2010, He is currently Professor of electrical engineering at University of Bechar, His areas of interest are modern and adaptive control and their application in linear electric drives control.



Othmane Boughazi was born in Bougtob, El-Bayadh, Algeria, in 1977. He received the Engineer degree in Electro-technic, and the Magister degree from Bechar University, Bechar, Algeria, in 2006 and 2010 respectively. He received the PhD degree in electrical engineering from the University of Bechar (Algeria), in 2016. His main research activity is focused on electric machine drive systems, power electronics and Process control. Professional e-mail: othmaneboughazi@yahoo.fr



Azeddine Baghdadi was born in BECHAR (Algeria), on November 26, 1990. He received Electrical licence and master degree in 2012 and 2014 respectively. Currently he is a PHD student at university of Sidi-bel-abbes; He is a member of Control and Electrical Power System Laboratory, University of Sidi-Bel-Abbes. His areas of interest are electrical machines drives, process control, estimation and observation techniques to electrical drive systems. E-mail: azeddine.baghdadi@yahoo.fr.



Bouserhane Ismail Khalil was born in Bechar, Algeria, in 1976. He received his BS degree in electrical engineering from the Electrical Engineering Institute of the University Centre of Bechar in 2000. He received the M.S. degree and the PhD degree in Electrical Engineering from the University of Sciences and Technology of Oran (Algeria), in 2003 and 2008, respectively, He is currently Professor of electrical engineering at University of Bechar, Bechar, Algeria. His areas of interest are modern control techniques and their application

Reproduced with permission of copyright owner. Further reproduction prohibited without permission.