



Effective Water Resources Management for Communities in the Chi River Basin in Thailand

Prasit Prakongsri & Toansakul Santiboon

To cite this article: Prasit Prakongsri & Toansakul Santiboon (2020): Effective Water Resources Management for Communities in the Chi River Basin in Thailand, Environmental Claims Journal, DOI: [10.1080/10406026.2020.1765529](https://doi.org/10.1080/10406026.2020.1765529)

To link to this article: <https://doi.org/10.1080/10406026.2020.1765529>



© 2020 The Author(s). Published with license by Taylor & Francis Group, LLC



Published online: 16 Aug 2020.



Submit your article to this journal [↗](#)



Article views: 75



View related articles [↗](#)

Effective Water Resources Management for Communities in the Chi River Basin in Thailand

Prasit Prakongsri^a and Toansakul Santiboon^b

^aKhon Kaen University; ^bCurtin University of Technology


ABSTRACT

Using the participatory action research methodology (IPAR) method, the input and knowledge of different stakeholder groups is an ongoing process to establish best water user practices to allocate limited resources. Ongoing studies are being held for barrier and flood prevention solutions, integration of competing water user sectors, and evaluation of customary practices and rules. The establishments of updated regulations are necessary for the future enforcement so that water allocation and management is effective and fair for all users. This article addresses effective and fair water resource management regulation (EFWRMR) for water user organizations in the Chi River Basin in Thailand. The development of water resource management regulations of water users organizations are based surveys, analysis, and development of regulations through methodologies and research from organizations and users which broadly include water users, households, community leaders, government agencies, NGOs, other institutions and organizations characterized as Integrated Participatory Action Research (“IPAR”). Using the IPAR methodology, the study compiled information from a comprehensive survey. Topics included problems floods and droughts, and water and solutions such as developing water reservoirs along the natural swamps, other storage capacities and water management. Legal experts were consulted on water management, the current state of the ecological community, and draft governmental regulations.

Introduction

Background of the river basins of Thailand

The “Kingdom of Thailand”, in short, “Thailand”, is governed by a constitutional monarchy with a parliamentary form of government. Thailand is divided into 76 provinces, administratively; the country is divided into four regions: the North, the Northeast or the Khorat Plateau, the Central Plain or the Chao Phraya Basin, and the South or the southern Isthmus. The Northeast consists of the Khorat Plateau, bordered to the East by

CONTACT Prasit Prakongsri  prasit_dr@yahoo.com

© 2020 The Author(s). Published with license by Taylor & Francis Group, LLC

This is an Open Access article distributed under the terms of the Creative Commons Attribution-NonCommercial-NoDerivatives License (<http://creativecommons.org/licenses/by-nc-nd/4.0/>), which permits non-commercial re-use, distribution, and reproduction in any medium, provided the original work is properly cited, and is not altered, transformed, or built upon in any way.




Figure 1. The location of the characteristics of the 25 major river sub-basins in Thailand. **Source:** Food and Agriculture Organization (2011) [3].

the Mekong River. It comprises several small river basins, which drain into the two principal rivers Chi and Mun, and through these rivers flow into the Mekong River. This region is the center for producing rubber and cultivation of other tropical crops (Food and Agriculture Organization, 2011).

For water quality, the monitoring program showed that mitigation and development measures are needed such as the construction of wastewater treatment plants, hazardous waste treatment, agricultural waste management, industrial waste control, and management of other pollution sources (Apipattanasri, Ketpratoom, and Kladdkempetch, 2018) (Fig. 1).

The Thai government has set up the policy on national water resources management and formulated strategies to resolve water shortages, floods, and water quality; and increasing the effectiveness of water resources management. Therefore, the Department of Water Resources has established the river basin organizations for all 25 river basins. Each river basin organization body comprises a river basin committee, river basin sub-committee for various fields, river basin working group at the provincial level, and river basin working group at river basin and at sub-basin levels and networks. The established river basin bodies function to mobilize water resources management with participation from all sectors. To increase the effectiveness of water resources management, these organizations must still be strengthened in management, maintenance, rehabilitation and conservation of water resources as well as a better plans both at the river basin and local levels (The Department of Water Resource, 2017) (Fig. 2).

Department of water resources in the Chi River basin of Thailand

The Department of Water Resources of Thailand attaches great importance to the role of the local community. To encourage knowledge, understanding and participation process of people, basin organization and networks,




Figure 2. The graphics of forestry resource in boundary and utilizing lands in the national parks of governance through the Chi River Basin.

Source: Water Crisis Prevention Center (2012).

the local administration authority, and other involved agencies in water resources management, allocation and efficiency are integrated (The Department of Water Resource, 2016) (Fig. 2). The Chi River Basin is an area with a strong social resource base. Civil society networks comprise the northeastern network of philosophers, and organic rice network. The network has grown rapidly over the past 15 years. The number of network members is estimated to be at least 50,000, knowledgeable about water resources and management. The total area is 4.9 million ha with a population of 6.6 million people. It is located in the tropical monsoon region. The annual rainfall varies from 1000 to 1400 mm/year. Most of the growth has occurred in rural areas, where about 61% of the people live. Presently, the majority of the river basin population is engaged in agriculture on the 60% of arable land where 41% is paddy fields, Their maiming area is a forest (31%), urban (2.9%), water bodies (2.5%), and others (3.5%) (Fig. 3).

The Chi River Basin constitutes approximately one-third of landmass and population of the Northeast region of Thailand. The rainfall regime is quite irregular and unreliable, which makes the area vulnerable to droughts and floods. To contribute to a better understanding of hydrologic processes and to synthesize all available data sets (time series and GIS data) in the Chi River Basin, the application of a hydrological model is used. The Ministry of Natural Resources and Environment is responsible for the policy and overall planning of natural resources including water resources, while the Ministry of Agriculture and Cooperatives are mainly responsible for the implementation and operation of the infrastructure for the agricultural areas (Ministry of Natural Resources and Environment, 2008) (Fig. 4).

The water user organization

There are four levels of water user organization in the irrigation areas: Water User Group (WUG): These are the smallest groups, responsible for



Figure 3. The head water of the Chi River Basin, and the Petchbun Mountains whereas the original of the Chi River.

Source: Majang (2005)



Figure 4. Occupation projects' model and irrigation activity areas of the Chi River Basin.

Source: RakThammachat.com (2017)

one tertiary irrigation canal. In 2014, there are 14,930 WUG with 358,846 farmer members; Integrated Water Users Group (IWUG), is the integration of many WUGs to cover one level up of irrigation canals, the secondary canals, there are 410 IWUGs with 234,203 farmer members; Water Users Association (WUA), is a legally recognized IWUG, with 40 WUAs and 17,575 farmer members; the IWUG is not profit-oriented; Water Users Cooperative (WUC), is the cooperative form of a WUA, there are 83 WUCs with 53,158 farmer members and the WUC is business-oriented (The Ministry of Natural Resources and Environment, 2017).

Presently, there is no common data or understanding as to the amount of water needed for agriculture and other uses by season. Most of the water users, especially farmers, misunderstand that the government has a direct duty to meet the needs of farmers and be responsible for the maintenances and repairs of irrigation (Fig. 4).

This study was designed to enable a better understanding of water resources to be managed in a more informed and enlightened manner, resulting in healthy ecosystems. In addition, water resources need to be distributed in an equitable and sustainable fashion to allow for a multitude of different uses. Increased attentions are needed in the rain-fed areas, and include upstream forest areas to create moisture to absorb the water and slow down the severity of floods in the river basins. Moreover, the areas along the rivers and at the confluence of the rivers, the Main River and Sub-branch rivers cause more

damage to the community. Water resource allocation will also be affected by climate change, external economies, population changes, and new technologies (Department of Water Resources Committee, 2016) (Fig. 5).

This research evaluated the relevant data in order to generate guidance rules and regulations to manage limited resources. The content of regulations on water use varies by ecological, cultural, and water-related conditions. The development of water resource management regulations of water users organizations are based on the local wisdom and surveys, analysis, and existing participatory action research methodologies that integrate significant input from a wide variety of organizations, institutions, community and government leaders, NGO's, and specialists on water resources (Integrated Participatory Action Research: "IPAR").

Methodology

A review of the general condition of the Chi River Basin was to provide the information needed to build awareness, access to facts, and enhance the capacity and potential for self-development of human resources. Water users and water user organizations gave consideration to the physical, biological, economic, social, lifestyle, cultural, and community concerns pertaining to the Chi River Basin. IPAR method was implemented between October 2011 and June 2013) (Fig. 6).

Research objectives

The research accomplished was to integrate a variety of interests to determine a sense of fairness for allocating water resources management for multiple users. Among the solutions common to all sectors is barriers and flood prevention of the Chi River Basin in Northeastern, Thailand.

Research procedures

Step I: Integrated the reviewing content related research

Selected the Chi River to the IPAR research method. Thailand can be divided into four main geographical regions: the North, the Central Plains, the Northeast, and the South (Government of Thailand, 2010). Water continues to flow into the river, causing floods in paddy fields and damaging rice crops that are about to produce grains (Government of Thailand, 2010) (Figs. 7 and 8).

The study focused on the Chi River Basin and the Branch Dividing Streams, which include Lam Nam Pong, Lam Nam Proam, Lam Nam Pao, Lam Nam Choen, and Lam Nam Young. These streams are important in the water resource streams for agricultural and irrigation, areas, and




Figure 5. Graphic of population projection (a) and population's occupations at the Chi River Basin (b).

Source: The World Bank Document (2011) (a) and Office of Royal Development Projects Board (RDPB) (2009)(b)

cropping systems. These streams are important for agricultural and irrigation, cropping systems, and personal consumption (Fig. 6).

Location and geographical of the Chi River

The Chi River Basin is in Northeastern Thailand. There are 49,131.92 square kilometers or 30,707,453 rai. Most of them are in 14 provinces including Chaiyaphum, KhonKaen, NongBua Lam Phu, Udon Thani, Maha Sarakham, Nakhon Ratchasima, Loei, Phetchabun, Kalasin, Roi-Et, Yasothon, Ubon Ratchathani, Sisaket, and Mukdahan. The watershed is located between latitudes $15^{\circ} 30' N - 17^{\circ} 30' N$ and between the longitude at $101^{\circ} 30' E - 104^{\circ} 30' N$ East, adjacent to the Mekong River, South adjacent to Mun Basin, East adjacent to the Mekong Basin, and Mun River Basin, West adjacent to Pasak watershed. The topography of the Chi Basin is composed of high mountains. The coverage of the Chi River Basin is shown in Table 1 (Water Crisis Prevention Center, 2020) (Fig. 7, and Table 1).

The central and lower parts of the Chi Basin include the terrain which is a shallow wave; the lowland floods impact the area of prominence rice fields. The rice fields suffer from water shortages which usually occur in July. The



Figure 6. Local wisdom and traditional water management of rural communities with the Integration Participatory Action Research (IPAR) method are the group discussions and solving-problem concencious according to the traditional and regular roles in effectiveness and fairness of the Chi River Basin with researcmm team together.

Source: Research team



Figure 7. Environmental locations and situations in the different seasons.

Source: GuideUbon.com (2015)

use of water in the summer season is inadequate because of the lack of water storage (Fig. 9 and Table 1). A map of 1: 50,000 scale maps are currently used by the Department of Mapping which shows the irrigation area of the Chi River Basin is divided into 20 tributaries. The Lam Nam Proam Tributary is originating from the mountains of Dong Phayayen, which the divide of the Chi River Basin and the Pasak Basin flows through Chaiyaphum province to meet the Lam Nam Choen Tributary and then flows into Ubonratana Dam reservoir (Fig. 8 and Table 1).

The Lam Nam Choen originates from the Dong Phaya Yen Mountains. Nam Phong originated from PhuKradueng Mountain, flows through Phu Kradueng and the district in Loei province to KhonKaen before converting




Figure 8. Main Chi River profiles' activities of Northeastern Region, the 5-branch streams, and river's resource management with the Dams, water storage weir, drainage weir.

Source: BasisChilInfo (2015)

to the Chi River at Muang District, Khon Kaen. The Pao Tributary originated from Nong Han, Kumphawapi District in Udon Thani, flows through Kalasin province, and comes with the Chi River at Ongka District. The Yong Tributary also originates from Phu Phan mountain range. A watershed of the Chi River Basin and the Songkram Basin, flows through Kalasin and at Roi-Et with the Chi River is met before reaching Muang District, Yasothon. (Water Crisis Prevention Center, 2020) (Fig. 9, and Table 1).

Forestry resource in boundary of governance through the Chi River basin

Chi River Basin covers the territory of 14 provinces with 133 districts in the provinces of Kalasin, Khon Kaen, Chaiyaphum, Nakhon Ratchasima, Maha Sarakham, Mukdahan, Yasothon, Roi-Et, Sisaket, Nong Bua Lam Phu, Udon Thani, Yasothon, and Ubon Ratchathani and the Central Province as Lopburi into the Chi River Basin are determinate.

Table 1. Coverage of the Chi River Basin in the Provincial Areas.

Province	Provincial area (km ²)	Water area of the Chi River			Percentage of the Chi water area
		km ²	Rai (1 Rai = 0.3952 acre)	Percentage of provincial area	
Kalasin	6928.45	6928.43	4,320,264	100.00	14.10
KhonKaen	10,643.33	9,549.41	5,968,570	89.72	19.44
Chaiyaphum	12,654.45	12,489.30	7,805,763	98.70	25.42
NakhonRatchasima	20,878.92	838.96	524,348	4.04	1.71
Petchabun	12,348.59	873.25	545,154	7.06	1.78
MahaSarakhm	5635.99	2997.47	1,873,416	53.18	6.10
Mukdahan	4123.67	47.51	29,693	1.15	0.09
Yasothon	4135.45	1739.20	1,087,002	42.06	3.54
Roi-Et	7861.03	4685.78	2,928,166	59.61	9.54
Lopburi	6502.35	2.91	1,818	0.04	0.01
Loei	10,473.34	1,638.31	1,023,944	15.64	3.33
Sisaket	8935.85	259.70	162,311	2.91	0.53
SakonNakhon	9586.04	2.71	1,634	0.03	0.01
NongbuaLamphu	4090.40	3015.88	1,884,926	73.73	6.14
UdonThani	11,074.79	3,380.62	2,112,888	30.53	6.88
UbonRatchathani	15,621.40	683.29	427,056	4.37	1.39
Total	151,494.05	49,131.22	30,707,453	32.43	100.00

Source: Water Crisis Prevention Center (2020).

There are 10,093,042 rai of national forest reserves, representing 32.87% of the watershed area. Forest status in the Chi River Basin is relatively low. There are also 11 national parks, 6 wildlife sanctuaries, 3 non-hunting zones, and 4 wetlands. They can be classified according to the type of land use in the National Forest, National Park, Information Wildlife Sanctuary Wild Hunting, and Zone Wetland (Table 2).

Branch dividing streams of the main Chi River

A river is a natural flow of running water that follows a well-defined, permanent path, usually within a valley. The term stream is often used to mean any natural flow of water, including rivers. Many tributaries make up a river system (Encyclopedia.com, 2018). There are thirteen branches, divides, or tributaries of the Main Chi River (Table 3).

Effects through the Chi River basin

The Chi River Basin has experienced rapid land-use changes, urbanization increases, and intensive and extensive agricultural land development. As a result, there is an urgent need to preserve the integrity of the river basin through monitoring land-use changes and identifying problems. According to this view, overall land use in the Chi River Basin can be divided as presented in Table 2. In fact, the total area of agricultural land is about 3 million ha. Rice is the major crop, which covers approximately 40.7% of the agricultural land. Other crops include 18.8% of field crops, 0.4% of perennial plants, and 0.1% of fruit crops (Table 4).



Figure 9. Lifestyle, local wisdom and traditional roles at the local communities whereas they are surrounding at the Chi River Basin.

Source: Photos by research team

Rice growing in paddy fields is the main activity in the Chi River Basin, which is the poorest and least developed area in Thailand. The situation was worse due to the increase in water demand from various sectors. Water shortages in some areas were severe and competed with the water use among communities, agricultural, and industrial sectors. Therefore, an integrated river basin management including public participation is necessary to solve drought problems (Office of Natural Resources and Environmental Policy and Planning, 2015).

In the Chi River Basin, there are three dams and reservoirs with a different primary purpose, namely, Ubon Rattana (Lam Nam Pong), Lam Pao (Lam Nam Pao), and Chulabhorn (Lam Nam Proam) Dams. Dams, weirs, and reservoirs have been constructed to induce gravity flow. In addition, dams and weirs are used water storage reservoirs and flood protection, which is the main cause of change in the hydrological regime of rivers. Consequently, the overall discharge of the Chi River has declined continuously since the start of dam construction. A lot of water is now diverted for irrigation and other purposes while water in reservoirs behind numerous dams provides substantial surface areas for evaporation loss.

Table 2. Types of the utilizing lands in the National Parks through the Chi River Basin.

No.	Code	Utilizing lands in the National Parks through the Chi River Basin	Water area of the Chi River		Percentage of the Chi River basin area
			km ²	Rai	
1.	A	Agriculture zone	1728.40	1,080,247	3.52
2.	C	Conservative zone	6798.02	4,248,764	13.84
3.	E	Economic zone	6940.33	4,337,703	14.13
4.	N	Non-RED control	197.36	123,349	0.40
5.	NE	Non data	484.77	302,979	0.99
		Total	16,148.86	10,093,042	32.87

Source: Department of National Park, Wildlife and Plant Conservation (2010).

Hydrology and weather beneficially of the Chi River basin

The climate of the Chi River Basin is basically seasonal in nature. Moreover, the climatic conditions often result in floods and droughts. To depict the distribution and variation of climatic elements, all relevant climate information has been taken from the Thai Meteorological Department (TMD). Such information was obtained from seven meteorological stations located inside the Chi River Basin and its vicinity.

The Chi River system is largely dependent on the monsoon rains. Average annual rainfall is 1170 mm/year. About 89% of the annual rainfall comes during the rainy season (May–October), while the rest 11% accounts for the dry period (November–April). To get a good insight into the climatic conditions of the Chi River Basin, each of the climate parameters has been broken down into several individual variables as shown in Table 4. The average annual temperature is 26.9 °C. The highest average the temperature in April is 35.9 °C and the lowest average temperature in December measured 16.9 °C; monthly average ranges are from 23.1 °C to 29.6 °C. Average relative humidity is 73.0%, the relative maximum measured 94.9% and the mean relative humidity was 41.1%; monthly, average ranges are 63.4–83.3%. Average annual evaporation of 1659.4 millimeters, and the range of monthly averages is 113.4–174.3 mm; average cloudiness 4.9 OTT (0-10 OTT) range of monthly average 2.1–7.9 OTT; average wind speed is approximately 2.3 knots, with a monthly average range of 1.5–2.9 knots; and annual rainfall is 1279.1 mm range of the monthly average 2.3–243.7 mm/year (Hydro and Agro Informatics Institute, 2012).

Step II: Integrated the water resource and water management

Water resources management must integrate the needs of all stakeholders. Community-based watershed management knowledge in natural resource management, water management in relation to community, watershed and the available natural resources were all considered. The study area, Chi

Table 3. Details of the principal tributaries of the Chi River.

Stream code	Name of branch stream	Stream basin area (km ²)	% of the Chi River area	Covering some parts of the province
0402	Upper the Chi Tributary	2551.31	5.19	Chaiyaphum, Petchabun, Lopburi
0403	Lam Sapung	743.27	1.51	Chaiyaphum
0404	Lam Krajuan	892.79	1.82	Chaiyaphum, Lopburi
0405	Lam Kanchu	1731.29	3.52	Chaiyaphum, Nakhonratchasima, Lopburi
0406	The 2 nd part of Chi River	3784.70	7.70	KhonKaen, Chaiyaphum, Nakhonratchasima
0407	Sam Moh Creek	746.89	1.52	KhonKaen, Chaiyaphum
0408	The 3 rd part of Chi River	3304.38	6.73	KhonKaen, Chaiyaphum, Mahasarakham
0409	Upper Lam Nam Pong Tributary	4067.85	8.28	KhonKaen, Petchabun, NongBauLamphu, Loei, UdonThani
0410	Lam Nam Puay Creek	896.11	1.82	Loei, NongBauLamphu
0411	Lam Panieng Creek	1875.27	3.82	Loei, NongBauLamphu, UdonThani
0412	Proam Tributary	2253.91	4.59	Chaiyaphum, Petchabun
0413	Choen Tributary	2931.75	5.97	KhonKaen, Chaiyaphum, Petchabun, Loei
0414	Lower Pong Tributary	2319.84	4.72	KhonKaen, Mahasarakham, NongBua Lam Phu, UdonThani
0415	Sai Bath Creek	676.24	1.38	Kalasin, KhonKaen, Mahasarakham
0416	The 4 th part of Chi River	5296.46	10.78	Kalasin, KhonKaen, Mahasarakham, Roi-Et
0417	Upper Pao Tributary	3250.46	6.82	Kalasin, KhonKaen, UdonThani
0418	Lam Panchat Creek	695.97	1.42	Kalasin, SakonNakhon, UdonThani
0419	Lower Pao Tributary	4216.24	8.58	Kalasin, Mahasarakham, Roi-Et, SakonNakhon, UdonThani
0420	Lam Nam Young Tributary	4134.31	8.41	Kalasin, Roi-Et, Yasothorn, Mukdahan, SakonNakhon
0421	Lower Chi River Tributary	2762.90	5.82	Yasothorn, Roi-Et, Sisaket, UbonRatchathani
	Total	49,131.92	100.00	

Source: Water Crisis Prevention Center (2012).

River Basin in the northeast of Thailand, has always been subjected to problems prone to flooding. The situation has become more severe, resulting in flash floods from the upstream and stagnant floods at the downstream part. Water resources within the Chi basin at present serve the following purposes: irrigation, hydroelectricity, flood control, water supply, and fisheries. Irrigation is the most important user for water, providing supplementary water in the wet season and virtually all available water in the dry season. At present, the total area in the basin under irrigation is about 2.4 million ha and is increasing from year to year. In relation to

Table 4. Summary of climate information.

Climate variable	Mean annual value	Unit
Temperature	26.9	°C
Humidity	71.3	%
Wind	2.3	knots
Cloudiness	5.5	Octa
Class-A pan evaporation**	1771	mm/year
Potential evapotranspiration	1824	mm/year

Source: Hydro and Agro Informatics Institute (2012).

water usage, the major water requirements include domestic consumption, agriculture, and industry (Patsinghasanee, 2012).

The biggest water-consuming activity in the Chi River Basin is agriculture, with the largest consumption occurring in the dry season. The flat areas of the Chi River Basin have very poor soils whose characteristics for rice growing improve when they become anaerobic after being flooded for long periods. The development of rice irrigation may not be economically profitable. However, the industry has resulted in retaining poor people in rural areas and not moving to large cities. On the other hand, an irrigation scheme, which may have a net economic benefit, may cause an environmental impact by reducing river flows (Kuntiyawichai, 2012).

Floods are considered as more damaging than beneficial, in the Chi River Basin. Heavy rainfall, which may cause floods near urban areas of Chaiyaphum, Khon Kaen, Maha Sarakham, and Roi-Et Provinces, is also a cause for concern in this area. Runoff increases in relation to increasing in surface areas resulting in major flooding downstream (Rujivanarom and Loho, 2017). Many local people, who have endured the flood situation for several months, have complained of insufficient toilet facilities (The Royal Irrigation Department (RID), 2017). Global warming has further impacted both severe draughts and flooding.

Step III: Lifestyle, local wisdom and traditional water management of rural communities

Water user organizations can manage water resources from water sources costing with fairness and transparency, while water users are using water efficiently and sustainably allocated. The adoption of water resource rules and regulations should consider the lifestyle and the culture of each local community.

Characteristics of lifestyle are the role that members of the community play, the responsibilities assigned, the structure and each community, and establishing. Water resources in a deliberate fashion will enhance the quality of life while conserving, protecting, and restoring the natural resources. Conservation efforts which impact lifestyle are particularly important throughout households and communities. In the past, during the dry



Figure 10. Rice field processing product.

Source: Photos by research team

season, villagers went in a caravan with many carts to large rivers and stayed a few weeks to collect enough food. Fish were dried and preserved with salt and rice bran. This kind of fish is called “PLA RA”. They would also prepare “PLA SOM” with salt and rice to make salty and sour fish. It could be kept and eaten over a long period of time. Nowadays such food is still a favorite for local household habitants. For example, agriculture and fishing have different needs for water, as do manufacturing industries, cities, and wildlife. The intended uses, cost of the water supply, and water treatment systems are also considered. Water use is classified by whether it is an upstream or a withdrawal use and by whether it is a consumptive or non-consumptive use. Upstream uses include navigation, hydroelectric power, and fish and wildlife habitats, while withdrawal uses is the removal of water from the source (Environmental Encyclopedia, 2003) (Fig. 10).

Step V: Research on the integrated participatory action research (IPAR) method

Most importantly, after the competing interests are fully explored, actual solutions will be crucial (Institute of Development Studies, British Academy, 2014). The community-based organizations of interest are those from and representing underserved communities (Krishnaswamy, 2004). The present study was motivated by two main observations: residents’ low involvement and a lack of systematic collaboration among stakeholders in various endeavors of community development. Interviews with residents revealed scattered networks, the bureaucracy of city administration, feelings of powerlessness, and frustration, as well as a lack of knowledge and citizen skills. This led to the examination of empowerment more closely. The development of water resource management regulations of water users’ organizations that are based on the local wisdom and the human environment was designed. The statistics involved, as previously addressed, and integrated all stakeholder interests with the Integrated Participatory Action Research (IPAR) method.




Figure 11. Lifestyle, local wisdom and traditional roles at the local communities whereas they are surrounding at the Chi River Basin.

Source: Photos by research team

Population and sample target for the IPAR research method

This research study on effectuating the equitable development of rules and regulations on water management included the input of the following groups:

1. Irrigation Office 6, Khon Kaen, Royal Irrigation Department
2. Water Resources Office, Region 4, Khon Kaen, Department of Water Resources
3. Industrial Promotion Center Ministry of Industry
4. Khon Kaen Provincial Waterworks Authority
5. Research Committee, National Research Council
6. Special Water Law Specialist (Director, Pipat Kanjanapruk)
7. Integrated Northeastern Water Resource Research and Development Center, Faculty of Agriculture, Khon Kaen University
8. Chairmen/Vice-Chairmen and Head Directors of the Water User Organizations.
9. Water User Committee and Water Management Rules and Regulations
10. Water Reservoir Management Groups, such as Ban Non Moea Water Reservoir, Nang Dad Sub-district, Nong Bua Dang District, Chaiyaphum; Hui Yai Reservoir, Ban Pa Wai Nung, Ban Phang District, Khon Kaen; Hui Aeng Reservoir, Ban Chok Cheik, Somdej District, Roi-Et; Hui Ka Kang Reservoir, Ban Loang Bom, Muang District, Maha Sarakham, etc.
11. Farmers Association of Irrigation Water Reservoirs in Khon Kaen and Poi-Et Provinces



Figure 12. Lifestyle, local wisdom, and traditional water management of rural communities for effectiveness and fairness, problems of users, and construction and repair of damaged parts.
Source: Photos by Research Team (2013)



Figure 13. Principles and priorities of water rights and water allocation by local wisdom and communities.
Source: Photos by research team

12. The Weirs' Water Users, such as; Lam Bong Weir, Ban Din Dam, PhuWieng District, Khon Kaen; Hui Wang Nong, Moei Wadee District, Roi-Et
13. Water User Cooperative Reservoirs, Na Nong Tum Su-bdistrict User Cooperative Reservoir, Kang Kro District, Chaiyaphum, etc.
14. National Research University Project of Khon Kaen University

These agencies/institutions/persons provided valuable expert input for managing water resources both in the present and in the future. The Chi River Basin has always been subject to flooding, and it became increasingly severe over the past decade (Santiboon, 2011). Drought is also one of the

major hydrological hazards in this area. Periodically, severe droughts in this region caused crop losses, reservoir depletion, low flows, and water quality deterioration. According to the record of drought occurrence and impact collected by the Royal Irrigation Department, out of a total of 8137 villages in the Chi River Basin, drought damage occurred in 4808 villages (59.1%) (Royal Irrigation Department, 2014). A number of organizations have carried out different activities for soil rehabilitation and conservation including growing votive grass to prevent erosion, promoting organic farming to build up soil organic matter, remediation of abandoned saline soil and soils with other problems, and revising of laws and regulations related to land use (Office of Natural Resources and Environmental Policy and Planning, 2015)

Results

The results of the study were classified according to the research objectives, Part 1: Study and survey stakeholder and expert input from water users which include barriers and preventive solutions; Part 2: Establish rules and regulations for water management according to the competing interests of various water user sectors and particularly those in the watershed; Part 3: Address governmental enforcement of integrated rules and regulations on water management and barriers to enforcement; and Part 4: Develop coordinated and cooperative input which should be ongoing as rules are established on best practices on fair water management.

Part 1: Study and survey stakeholder and expert input from water users which include barrier and preventive solutions

1. Consumer water consumption organizations:

Involve water users groups due to their role in supplying and producing tap water, water allocation, and distribution of water to consumers.

2. Industrial water user organizations:

In the Chi River Basin, there are the wide ranges of industrial activities composed of the textile industry, electronics industry, agricultural processing, ice-making, drinking water and beverages, building materials industry entrepreneurs who manage the using water from the natural water sources, such as; the Chi River and its branches.

3. Water user organizations to maintain ecological quality:

Conservation and restoration specialists on the ecosystems of water resources and water quality in tributaries to ensure the integrity and balance of those resources are organized. The Khon Kaen Water Resources Office is one group and the public sector should establish a management organization for the conservation of aquatic ecosystems.

4. Water user organizations:

73% of the land was used for agriculture, especially for rice cultivation and paddy fields. Most water users/groups use water from a pumping project and irrigation systems involve local government and support agencies.

5. Irrigation water user organizations in the chi river basin:

Water users in the Chi River Basin are encouraged to increase their participation in water management. Irrigation and water use maintenance is wise and effective, divided into two levels: basic water users which are accounting 126,085 members (households) and 1,342,682 rai are located in the irrigation and drainage area, and 2.83 million rai in the in the Chi River Basin.

6. Barriers to implementation of the groups:

External factors in the water user organizations have been obstacles including outsiders who purchase land in the project area and violate member regulations results in water shortages. All stakeholders must be subject to the ongoing establishment of water management and allocation rules (Figure 11).

Part 2: Establish rules and regulations for water management according to the competing interests of various water user sectors

1. Characteristics of traditional water management rules and regulations:

Water user organizations have developed must represent all stakeholders and take into consideration the current state of the ecological, social, cultural and community environment. The current rules for water management must reevaluate the appropriate allocation of resources.

2. Composition of rules and regulations:

Water management is a science in management of best practices and community rituals. Using a system of practices passed on from ancestors

and local traditions need to be reevaluated with respect, to the conservation of natural resources and current knowledge and changes in use for impact on values, ecosystems, and biodiversity in the watershed to create a mechanism and develop a community organization.

3. Regulation of water management organizations for consumption at the community level

The organization consists of 15 members, consisting of a chairman, vice-chairmen, treasurer, secretary, and secretary for 3 years and can work continuously if elected by the members, focusing on how to perform repairs, care and cleaning, maintenance costs, repair of buildings, system components from water user members and solicitation and participation of water users in the system management.

4. Success in operating an irrigation system of an organization:

Factors that make the water user organization successful will be to understand the problems and solutions during the annual meeting and for the government to provide recognition and rewards to the successful organizations.

5. Weaknesses/problems of water distribution and distribution:

Recognizing that the canal was used for many years, it is prone to collapse and rupture, and the drainage of the sink is too small for adequate discharge. Water user organizations must address barriers to water allocation, water supply and water use.

6. Local wisdom in water management:

Issues of concern include reservoir, width of tub and water distribution system problems. Solutions may be to have a siphon system for water distribution system from steel tubs into the agricultural area. State-owned enterprises provide technology which can become a complete water delivery system. New legislation and procedures should govern maintenance repair, buildings and canals, rice cultivation, water sharing, and cost-effective amounts of plants, pets, and overall community water usage.

Part 3: Address governmental enforcement of integrated rules and regulations on water management and barriers to enforcement

There are currently many laws and regulations in Thailand that govern and regulate water resources. Some of them are obsolete with duplicate content.

Water resources management should be centralized with common regulations and enforcement in accordance with the ecological culture.

1. Laws of water management:

Developing rules and regulations that apply to water management in an effective and fair manner for all sectors while understanding that the current Laws that are based on past social and customary practices.

2. Laws related to water users organizations:

Water user organizations in areas where irrigation systems are provided for agricultural services should be integrated. There are five user groups: (1) the general water user group, (2) an administrative water user group, (3) the agricultural water user group, (4) the associational water user group, and (5) water user cooperative.

3. History of thai water law:

4. The first phase of the Rattanakosin Era 121 to 2007 was to oversee water maintenance for the canal. Laws included the Act of Navigating in Thai Waters, 1913, Royal Irrigation Act, 1985, Fisheries Act, 1947, National Park Act, 1961, and the Constitution of the Kingdom of Thailand BE 2550 (2007). These laws generally, allowed for the community to maintain and maintain natural resources and the environment.

5. The national economic and social development plans:

No. 10 (2007-2011), No. 11 (20512-20516), and No. 12 (2017-2021) issued by Office of the National Economic and Social Development Board Office of the Prime Minister of Thailand lays out development agendas as well as flagship projects which need to be accomplished in order to prepare human capital, society and the economy for future challenges that is effective, beneficial, and sustainable for all.

6. Policies and plans to promote and maintain national environmental quality (2007–2016)

Environmental Quality Management Plan provides a framework for public review and participation in changing the management of natural resources.

7. Laws related to water resources management:

While there are many identified issues (22), the laws currently address the allocation of water for consumption. The next important issues are

flood protection and prevention, the development, utilization, maintenance, and conservation of water resources. As a result, water resources management is not presently meeting the needs of water users fairly.

8. Water resource:

The quantity and quality of groundwater varies greatly depending on local hydrological conditions. Surface water, the total annual volume of water from rainfall in all river basins is approximately 800 billion m³, of which 75% or around 600 billion m³ is lost through the processes of evaporation and infiltration. The remaining 25% or 200 billion m³ flows directly as surface runoff into rivers and streams of the Chi River basins. Water resource management and development would best address the land and water resources, soil and water conservation, rain-fed and dry-land agriculture, land reclamation, control of shifting cultivation, vegetation cover and their improvements. At present, there is no integration of resources and water resource management (Figure 12).

Part 4: Develop coordinated and cooperative input which should be ongoing as rules are established on best practices on fair water management

The research team conducted, collected, analyzed, and compiled relevant secondary data from various sources. The goal was to recognize and understand the nature of the laws pertaining to water resources and maintenance of irrigation works, including water dams, flood gates and water users in the irrigation systems.

1. Fundamental development of water management regulations:

There are a number of duplicate versions and inconsistencies between those proffered by governmental agencies, organizations, and institutions

2. The synthesis and development of an effective and fair regulation of traditional water management regulations:

Common definitions are needed when drafting the effective and fair rules of water resources and water resources management.

3. Draft regulations are the result of studies:

Once promulgated, they should be enacted and recorded with the Prime Minister's Office, the draft regulations of the Office of the Prime Minister shall be submitted by the relevant government agencies for consideration

to the Cabinet, meanwhile must be submitted to the Office of the Council of State. These regulations relate to the use of specific water bodies that are mandatory. The regulations enacted would to maximize the benefits of water resources from all sectors, of course including agriculture.

Conclusions and discussions

The aims of this research study were to engage all stakeholders from a variety of interested and affected groups, water user organizations, and institutions to provide initial input and integration into the setting up of regulations on water management; and then seek a centralized approach to adoption and enforcement by government. The integrated approaches which will continue through integrated *Participatory Action Research* (IPAR) and *Participatory Rural Appraisal* (PRA) in order to streamline efficient and fair water management regulations were designed.

Consumer water consumption organization a duty to supply water to consumers and maintain responsibility for maintenance and repairs, water supply equipment must also be managed for buildings, water pipes, and water meters and fees. The industrial use of large quantities of water and agriculture uses are also significant issues. The integrated approach involves water sources and groundwater in the Chi River, in Lam Nam Pong from the Ubonrattana Dam reservoir, Khon Kaen reservoir, and reservoir from Lam Pao dam reservoir, and Kalasin province. A group should be formed to represent the specific interests of industries.

Water user organizations exist to maintain the ecological quality, conservation and restoration of ecosystems and water resources of rivers, and streams. These groups protect fish farming, and water for agriculture. Water Resources Bureau 6, Khon Kaen that controlling the natural water sources was 73%, focused on agriculture. Also, groups exist for rice cultivation and general irrigation water management, water allocation, water distribution, repair and maintenance.

Water user organizations in the Chi River Basin are encouraged to increase stakeholder participation and expertise in water management operations, the irrigation maintenance, and water utilization increased number of user groups on behalf of the various reservoirs, and households, classified by province in the Chi River Basin, while. Irrigation areas are under the management of existing water user organizations.

To carry out the enactment and enforcement of rules and regulations of water management, agricultural cooperatives and banks will be engaged as investments are needed for upgrades representatives of government agencies, the Royal Irrigation Department, and Department of Cooperative Promotion of Ministry of Agriculture and Cooperatives; Department of

Water Resources Department of Ministry of Natural Resources and Environment, representative of Local Government Organization Groups; institutions and organizations on behalf of water users. These entities will continue to review, enhance, and integrate rules and regulations that effectively and manage and allocate water resources.

We would like to thank Khun Tikamporn Wannoi, Khun Sujitra Yossada, Khun Unchalee Prakongsri, Dr. Chunwadee Chunlasaksakul and their colleagues for preparing the data has helped, analyzing data, preparing report, organizing report, and for assistance with particular technique methodology, and for comments that greatly improved the manuscript.

We would also like to show our gratitude to the Local Wisdoms in Northeastern, Thailand for sharing their pearls of wisdom with us during the course of this research, and we thank to Prof. Dr. Toansakul Santiboon of Curtin University of Technology, Western Australia, “anonymous” reviewers for his so-called insights. We are also immensely grateful to Prof. Dr. Gregg Alexander Santiboon of Central University of Technology, South Africa for his comments on an earlier version of the manuscript, although any errors are our own and should not tarnish the reputations of these esteemed persons.

Acknowledgments

We thank our colleagues from the Irrigation Office 6, KhonKaen, Royal Irrigation Department; Water Resources Office, Region 4, KhonKaen, Department of Water Resources; Industrial Promotion Center Ministry of Industry; KhonKaen Provincial Waterworks Authority; Research Committee, National Research Council; Special Water Law Specialist (Director, Pipat Kanjanapruk); Integrated Northeastern Water Resource Research and Development Center, Faculty of Agriculture, Khon Kaen University; Chairmen/Vice Chairmen and Head Directors of the Water User Organizations; Water User Committee and Water Management Rules and Regulations; Water Reservoir Management Groups; Farmers Association of Irrigation Water Reservoirs; The Weirs’ Water Users; and the Water User Cooperative Reservoirs who provided insight and expertise that greatly assisted the research, although they may not agree with all of the interpretations/conclusions of this article.

Funding

This research was partially supported by The National Research University Project of Khon Kaen University.

About the authors

Prasit Prakongsri is an Associate Professor at Khon Kaen University, Khon Kaen, Thailand. He is the director of the IWRM R&D Center in NE, KKU, Thailand.

Toansakul Tony Santiboon is the Research and Postgraduate Administrator in Queen’s University Belfast, Northern Ireland, UK. He is also a reviewer in Curtin University of Technology, WA, Australia.

References

- Apipattanavis, S., S. Ketpratoom, and P. Kladkempetch. 2018. Water management in Thailand. *Irrigation and Drainage* 67 (1):113–7. Published online 10 January 2018 in Wiley Online Library (wileyonlinelibrary.com),
- Chartres, C., and S. Varma. 2010. *Out of water from abundance to scarcity and how to solve the World's water problems*. Upper Saddle River, NJ: FT Press.
- Department of Hydro and Agro Informatics Institute, Ministry of Science and Technology. 2012. *Data collection and analysis: Development of data warehousing system 25 watersheds and droughts: A case study in the Chi river basin*. <http://www.thaiwater.net/web/attachments/25basins/04-chi.pdf>
- Department of National Park, Wildlife and Plant Conservation. 2010. *Types of the utilizing lands in the national parks through the chi river basin*. <https://sites.google.com/site/lumnachi/sakyphaph-khxng-phunthi-karkestr>
- Department of Water Resource. 2011. The local wisdoms in water resources management: Case study on the basin of Chi river Water. *Resource Research* http://www.dwr.go.th/contents/files/article/article_th-27012012-155051-570964.pdf.
- Department of Water Resources, Ministry of Natural Resources and Environment. 2013. *Population projection for the Chi River Basin*. <http://news.dwr.go.th/>
- Department of Water Resources, Ministry of Natural Resources and Environment. 2016. *Annual report 2016: Water resource situation in Thailand*. http://www.dwr.go.th/en/menu/annual_2559eng.pdf
- Encyclopedia.com. 2018. *River and stream: Water profile system*. <https://www.encyclopedia.com/science/encyclopedias-almanacs-transcripts-and-maps/river-and-stream#D>
- Environmental Encyclopedia. 2003. *Water allocation*. <https://www.encyclopedia.com/environment/encyclopedias-almanacs-transcripts-and-maps/water-allocation>
- Food and Agriculture Organization of the United State. 2011. *Geography, climate and population of Thailand*. http://www.fao.org/nr/water/aquastat/countries_regions/THA/
- Food and Agriculture Organization of the United State. 2013. *What is land tenure rights and water rights?* <http://www.fao.org/docrep/007/y5692e/y5692e03.htm>
- Government of Thailand. 2010. *Thailand: Water level in Chi River still high*. [//reliefweb.int/report/thailand/thailand-water-level-chi-river-still-high](http://reliefweb.int/report/thailand/thailand-water-level-chi-river-still-high)
- Grafton, Q. R., and K. Hussey. 2011. *Water resources*. New York: Cambridge University Press.
- Institute of Development Studies. 2014. British Academy. *Participatory research methods*. <http://participatesdgs.org/methods/>
- Krishnaswamy, A. 2004. Participatory research: Strategies and tools. *Practitioner: Newsletter of the National Network of Forest Practitioners* 22:17–22.
- Kuntiyawichai, K. 2012. Interactions between land use and flood management in the chi river basin. Doctoral thesis, Academic Board of Wageningen University and the Academic Board of the UNESCO-IHE Institute for Water Education, the Netherlands. <http://edepot.wur.nl/210227>.
- Land Development Department. 2012. *Land resources in Thailand: Land use pattern and land suitability in Thailand*. http://www.ldd.go.th/EFiles_html/land%20resource/ed0200.htm
- Majang, N. 2005. *Calculated net evaporation from reservoirs in the Chi-Mun River Basin, Thailand*. <http://hydrology.usu.edu/giswr/archive05/natmarjang/termproject/>

- Mapraneat, V. 2014. *Drought conditions and management strategies in Thailand*. http://www.droughtmanagement.info/literature/UNW-DPC_NDMP_Country_Report_Thailand_2014.pdf
- Ministry of Natural Resources and Environment. 2017. *Environment and natural resources*. <https://thailand.opendevlopmentmekong.net/topics/environment-and-natural-resources/>
- Mongkolsawat, C., and S. Paiboonsak. 2015. *GIS application to spatial distribution of soil salinity potential in Northeast Thailand*. Geoinformatics Center for the Development of Northeast Thailand, KhonKaen University.
- Morley, C. K., P. Charusiri, P. CharusiriI, and M. Watkinson. 2011. Structural geology of Thailand during the Cenozoic. *ResearchGate*. https://www.researchgate.net/publication/285751625_Structural_geology_of_Thailand_during_the_Cenozoic.
- National Statistical Office, Ministry of Information and Communication of Technology. 2018. *Population & society*. http://web.nso.go.th/en/stat_theme_socpop.htm
- Office of Royal Development Projects Board (RDPB). 2009. *The two riverside river development for the Chi river project: Due to the royal works*. <http://km.rdpb.go.th/Project/View/7621>
- Office of Natural Resources and Environmental Policy and Planning. 2015. *United Nations framework convention on climate change (COP 24)*. <http://www.onep.go.th/topics/56842>
- Office of National Water Resources Committee. 2012. The USGS Water Science School. (2012). *The World's Water*. <https://water.usgs.gov/edu/earthwherewater.html>
- Patsinghasanee, S. 2012. *Current situation of water resources in Thailand*. Office of the National Water and Flood Management Policy. http://www.jsce-int.org/system/files/9_Thailand_Supapap_Version4.pdf
- RakThammachat.com. 2017. *New theory farming system in Thailand*. <https://www.raktamachat.org/permaculture-thailand-asia/info/rak-tamachat-permaculture-media/permaculture-master-plan>
- Royal Irrigation Department. 2014. *Drought conditions and management strategies in Thailand*. http://www.droughtmanagement.info/literature/UNW-DPC_NDMP_Country_Report_Thailand_2014.pdf
- Rujivanarom, P., and S. Loho. 2017. Chi River floods 'even worse than 2011' national. *The Nation* October 21, 2017. <http://www.nationmultimedia.com/detail/national/30329775>.
- Santiboon, T. 2011. Effects of global warming on climate change in UdonThani Province in the period in 60 surrounding years (a.d.1951-2010). World Academy of Science, Engineering and Technology International. *Journal of Environmental and Ecological Engineering* 5 (11):700-11.
- Simachaya, W., and T. Yolthantham. 2016. *Policy and implementation on water environment in Thailand*. <http://www.wepa-db.net/pdf/0712forum/paper06.pdf>
- Sustainable Agriculture Foundation (Thailand). 2013. *Traditional rules and regulations in effectiveness and fairness of water resources management for agriculture*. http://www.sathai.org/autopagev4/show_page.php?topic_id=1202&auido=33&TopicPk=
- Thailaws.com. 2010. *Thailand in-depth*. http://www.thailaws.com/aboutthailand/about_thailand_01_indepth.htm
- Thai Meteorological Department. 2017. *Climate data graphic of Thailand*. <https://www.tmd.go.th/en/climate.php?FileID=7>
- Thai PBS News. 2017. Chi River basin villagers endure! Invade the town hall. *Roi-Et Sing a Flood the State Does Not Solve the Problem* 28 September 2017. <https://www.citizen-thaipbs.net/node/21686>.
- The Consulting Engineers Association of Thailand. 2010. Strategic plan for water resources management in 25 basins. Department of Water Resources. <http://www.ceat.or.th/2010/>

index.php/water-resources-and-rural-development/326-strategic-plan-for-water-resources-management-in-25-basins-.html

The Department of Water Resource, Ministry of Natural Resources and Environment. 2016. *Annual report 2016: Department of Water Resource*. http://www.dwr.go.th/en/menu/annual_2559eng.pdf

The Ministry of Natural Resources and Environment. 2017. *Environment and natural resources*. <https://thailand.opendevelopmentmekong.net/topics/environment-and-natural-resources/>

The World Bank Document. 2011. *Thailand environment monitor integrated water resources management: A way forward*. <http://documents.worldbank.org/curated/en/367151468303847751/pdf/633680ESW0P1080RM00June020110Final0.pdf>

Water Crisis Prevention Center, Department of Water Resource of Thailand. 2020. *The Chi river basin*. <http://mekhala.dwr.go.th/knowledge-basin-chee.php>

Water Environment Partnership in Asia. 2016. *State of water environmental issues*. <http://www.wepa-db.net/policies/state/thailand/thailand.htm>

Water System Council. 2016. *Who owns the water? A summary of existing water rights laws*. <http://nationalaglawcenter.org/wp-content/uploads/2017/03/Who-Owns-the-Water-2016-Update-FINAL.pdf>

Worldometers. 2018. *Population of Thailand (2018 and historical)*. <http://www.worldometers.info/world-population/thailand-population/>