DOCUMENT RESUME

ED 377 004 RC 019 878

AUTHOR John, Patricia La Caille

TITLE Health Care in Rural America: January 1988 -

September 1993. Quick Bibliography Series: QB 94-08.

Updates QB 92-13.

INSTITUTION National Agricultural Library, Beltsville, MD.

REPORT NO ISSN-1052-5378

PUB DATE Feb 94

NOTE 92p.; Update to ED 364 389.

AVAILABLE FROM U.S. Department of Agriculture, National Agricultural

Library, Public Services Division, Room 111,

Beltsville, MD 20705.

PUB TYPE Reference Materials - Bibliographies (131)

EDRS PRICE MF01/PC04 Plus Postage.

DESCRIPTORS Annotated Bibliographies; Community Services;

*Delivery Systems; Health; *Health Education; Health Personnel; *Health Programs; *Health Services; Higher Education; *Medical Services; Resource Materials; *Rural Areas; Rural Education; Rural Population

IDENTIFIERS Access to Health Care; *AGRICOLA

ABSTRACT

This bibliography contains 323 entries related to the provision of health care services in rural aleas. The entries were derived form the AGRICOLA database produced by the National Agricultural Library and include journal articles, government reports, conference papers, Congressional hearings, and books. Entries cover such topics as community health services, elderly health care, educational programs, hospitals, health education, medical education, medical services, nutrition education, physicians, program development and evaluation, rural communities, and rural health services. Each entry contains title, author, publisher, publication date, journal or conference information (where appropriate), language, descriptors, and the National Agricultural Library call number. Some entries contain an annotation. Also included are indexes by author and subject and information about interlibrary loan from the National Agricultural Library. (LP)





ED 377 004

National Agricultural Library

Beltsville Maryland 20705




ISSN: 1052-5378

Health Care in Rural America January 1988 - September 1993


QB 94-08

Quick Bibliography Series



 ∞ ∞





Bibliographies in the Quick Bibliography Series of the National Agricultural Library, are intended primarily for current awareness, and as the title of the series implies, are not indepth exhaustive bibliographies on any given subject. However, the citations are a substantial resource for recent investigations on a given topic. They also serve the purpose of bringing the literature of agriculture to the interested user who, in many cases, could not access it by any other means. The bibliographies are derived from computerized on-line searches of the AGRICOLA data base. Timeliness of topic and evidence of extensive interest are the selection criteria.

The author/searcher determines the purpose, length, and search strategy of the Quick Bibliography. Information regarding these is available upon request from the author/searcher.

Copies of this bibliography may be made or used for distribution without prior approval. The inclusion or omission of a particular publication or citation may not be construed as endorsement or disapproval.

To request a copy of a bibliography in this series, send the title, series number and self-addressed gummed label to:

U.S. Department of Agriculture National Agricultural Library Public Services Division. Room 111 Beltsville, Maryland 20705



January 1988 - September 1993

Quick Bibliography Series: QB 94-08

Updates QB 92-13

323 citations in English from AGRICOLA

Patricia La Caille John Rural Information Center





National Agricultural Library Cataloging Record:

John, Patricia La Caille
Health care in rural America.
(Quick bibliography series; 94-08)
1. Rural health services--United States--Bibliography. I. Title. aZ5071.N3 no.94-08

The United States Department of Agriculture (USDA) prohibits discrimination in its programs on the basis of race, color, national origin, sex, religion, age, disability, political beliefs, and marital or familial status. (Not all prohibited bases apply to all programs). Persons with disabilities who require alternative means for communication of program information (braille, large print, audiotape, etc.) should contact the USDA Office of Communications at (202) 720-5881 (voice) or (202) 720-7808 (TDD).

To file a complaint, write the Secretary of Agriculture, U.S. Department of Agriculture, Washington, D.C. 20250, or call (202) 720-7327 (voice) or (202) 720-1127 (TDD). USDA is an equal employment opportunity employer.





The Rural Information Center (RIC) is a joint project of the Extension Service and the National Agricultural Library (NAL). RIC provides information and referral services to local government officials, community organizations, health professionals and organizations, cooperatives, libraries, businesses, and rural citizens working to maintain the vitality of America's rural areas. The Center combines the technical, subject-matter expertise of Extension's nationwide educational network with the information specialists and resources of the world's foremost agricultural library.

The Office of Rural Health Policy in the Department of Health and Human Services (DHHS) and the NAL jointly created a Rural Information Center Health Service (RICHS) as part of the RIC. RICHS collects and disseminates information on rural health issues, research findings related to rural health, and innovative approaches to the delivery of rural health care services.

SERVICES:

Provide customized information products to specific inquiries including assistance in economic revitalization issues; local government planning projects; rural health issues; funding sources; and other related issues for the purpose of monitoring the quality of rural life.

Process a broad array of general and funding information requests on such topics as:

- Successful strategies, models, and case studies of community development projects
- Small business attraction, retention, and expansion
- Tourism promotion and development
- Recycling programs
- Community water quality
- Technology transfer to rural areas
- Closures, restructuring and diversification of rural hospital and clinics
- Agricultural health and safety
- Health programs, services, personnel issues
- State initiatives concerning rural health delivery issues

Refer users to organizations or experts in the field who can provide additional information.

Perform brief database searches of requested topics on a complimentary basis.

Furnish bibliographies and Rural Information Center Publication Series titles.

Identify current USDA and DHHS research and Cooperative Extension Systems programs.

ACCESS:

*Telephone

1-800-633-7701 (nationwide) or 1-301-504-5547

*Mail

Rural Information Center

National Agricultural Library, Room 304

Beltsville, MD 20705-2351

^{*}NAL Bulletin Board (RIC/RICHS Conference) 1-301-504-6510



^{*}Electronic Mail through INTERNET (RIC@NALUSDA.GOV)



iv

AGRICOLA

Citations in this bibliography were entered in the AGRICOLA database between January 1979 and the present.

THE TO







SAMPLE CITATIONS

Citations in this bibliography are from the National Agricultural Library's AGRICOLA database. An explanation of sample journal article, book, and audiovisual citations appears below.


Journal Article:



Book:



Audiovisual:





National Agricultural Library Public Services Division

Beltsville, Maryland 20705

Document Delivery Services to Individuals

The National Agricultural Library (NAL) supplies agricultural materials not found elsewhere to other libraries.

Filling requests for materials readily available from other sources diverts NAL's resources and diminishes its ability to serve as a national source for agricultural and agriculturally related materials. Therefore, NAL is viewed as a library of last resort. Submit requests first to local or state library sources prior to sending to NAL. In the United States, possible sources are public libraries, land-grant university or other large research libraries within a state. In other countries submit requests through major university, national, or provincial institutions.

If the needed publications are not available from these sources, submit requests to NAL with a statement indicating their non-availability. Submit one request per page following the instructions for libraries below.

NAL's Document Delivery Service Information for the Library

The following information is provided to assist your librarian in obtaining the required materials.

Loan Service — Materials in NAL's collection are loaned only to other U.S. Ilbraries. Requests for loans are made through local public, academic, or special libraries.

The following materials are not available for loan: serials (except USDA serials); rare, reference, and reserve books; microforms; and proceedings of conferences or symposia. Photocopy or microform of non-circulating publications may be purchased as described below.

Document Delivery Service — Photocopies of articles are available for a fee. Make requests through local public, academic, or special libraries. The library will submit a separate interlibrary loan form for each article or item requested. If the citation is from an NAL database (CAIN/AGRICOLA, Bibliography of Agriculture, or the NAL Catalog) and the call number is given, put that call number in the proper block on the request form. Willingness to pay charges must be indicated on the form. Include compliance with copyright law or a statement that the article is for "research purposes only" on the interlibrary loan form or letter. Requests cannot be processed without these statements.

Charges:

- Photocopy, hard copy of microfilm and microfiche \$5.00 for the first 10 pages or fraction copied from a single article or publication. \$3.00 for each additional 10 pages or fraction.
- Duplication of NAL-owned microfilm \$10.00 per reel.
- Duplication of NAL-owned microfiche \$ 5.00 for the first fiche and \$.50 for each additional fiche per title.

Billing —Charges include postage and handling, and are subject to change. Invoices are issued quarterly by the National Technical Information Service (NTIS), 5285 Port Royal Road, Springfield, VA 22161. Establishing a deposit account with NTIS is encouraged. DO NOT SEND PREPAYMENT.

Send Requests to:

USDA, National Agricultural Library
Document Delivery Services Branch, PhotoLab
10301 Baltimore Blvd., NAL Bldg.
Beltsville, Maryland 20705-2351

Contact the Head, Document Delivery Services Branch in writing or by calling (301) 504-5755 with questions or comments about this policy.



ELECTRONIC MAIL ACCESS FOR INTERLIBRARY LOAN (ILL) REQUESTS

The National Agricultural Library (NAL), Document Delivery Services Branch accepts ILL requests from libraries via several electronic services. All requests must comply with established routing and referral policies and procedures. The transmitting library will pay all fees incurred during the creation of requests and communication with NAL. A sample format for ILL requests is printed below along with a list of the required data/format elements.

ELECTRONIC MAIL - (Sample form below)

SYSTEM	ADDRESS CODE
INTERNET	LENDING@NALUSDA.GOV
EASYLINK	62031265
ONTYME	NAL/LB
TWX/TELEX	Number is 710-828-0506 NAL LEND. This number may only be used for
	ILL requests.
FTS2000	A 12NALLEND
OCLC	NAL's symbol AGL need only be entered once, but it must be the last entry
	in the Lender string. Requests from USDA and Federal libraries may contain AGL anywhere in the Lender String.

SAMPLE ELECTRONIC MAIL REQUEST

AG University/NAL	ILLRO 23: 4	AMS NEED B	Y: 6/1/93
4			
Interlibrary Loan De	************************************		
Agriculture Universit	t y		
Heartland, IA 56789			
Dr. Smith Faculty	va ocuaei		
Canadian Journal of	Soil Science 1988	¥ 68(1): 17-27	
DeJong, R. Comparis	on of two soil-wa	der models unde	r uzni-arid growiay
conditions			
\$1000000000000000000000000000000000000			
Ver: AGRICOLA			
Remarks: Not availal	de at IU or in re	30 % .	
NAL CA: 56.8 C162			
Auth: C. Johnson	CCT Maynet	. CIE NA	
Aum. C. Johnson	CCD MARCON	. 410.00	

MORE	.5124.5135.514.5155.5155.5155.5155.5155.515	\$	

TELEFACSIMILE - Telephone number is 301-504-5675. NAL accepts ILL requests via telefacsimile. Requests should be created on standard ILL forms and then faxed to NAL. NAL does not fill requests via Fax at this time.

REQUIRED DATA ELEMENTS/FORMAT

- 1. Borrower's address must be in block format with at least two blank lines above an . below so form may be used in window envelopes.
- 2. Provide complete citation including verification, etc.
- Provide authorizing official's name (request will be rejected if not included).
- 4. Include statement of copyright compliance if applicable.
- Indicate willingness to pay applicable charges.
- 6. Include NAL call number if available.

Contact the Document Delivery Services Branch at (301) 504-6503 if additional information is required.



HEALTH CARE IN RURAL AMERICA

SEARCH STRATEGY

Line Command

- 1. exs sausa/user 9018
- 2. ss ((rural or nonmetro?) and (health or hospital or hospitals or clinic? or doctor? or physician? or medical? or medicare? or medicare? or nurse or misses or nursing))/ti,de,eng
- 3. py = 1988:1993
- 4. ss s1 and s2 and s3



1 NAL Call No: RA771.A1J68 The 1990s and beyond: determining the need for community health and primary care nurses for rural populations.

Hanson, C.M.

Kansas City, Mo.: National Rural Health Association.

The Journal of rural health v. 7 (4, suppl.): p. 413-426; 1991. In the series analytic: Issues and Trends in Availability of Heath Care Personnel in Rural America / edited by D.A. Kindig and T.C. Ricketts. Includes references.

Language: English

Descriptors: U.S.A.; Health care; Health services; Rural communities; Nurses; Needs assessment; Medical education; Roles; Technology; Telecommunications; Self management; Schools; Pediatrics; Elderly; Mental health; Migrants; Anesthetics; Midwives; Health care costs

Abstract: Increased numbers of primary care and advanced practice nurses with unique generalist skills will be required to meet the accelerating physiologic and sociocultural health care needs of rural population. Several factors have been identified that will influence the demands and position of community-based nurses in rural practice settings during the next decade. A back-to-basics type of health care offered out of a growing elderly population; technological breakthroughs that make it possible for more chronically ill patients to live at home; serious substance abuse and other adolescent problems; AIDS; and high infant morbidity and mortality statistics are only some of the concerns that will demand nursing intervention. These changes speak to the need for improved nursing coordination, stronger collegial relationships, and better communication between physicians and nurses. Health care is moving in new directions to offer more efficient and technologically sophisticated care. These changes enhance the need for clinically expert educators who teach and jointly practice in programs with a rural focus. Telecommunications, and heightened computer literacy, will play a major role both in nursing education and clinical practice. The goals of kindergarten through 12th grades health promotion and disease prevention strategies in school health will be the norm and will require better prepared, and positions for, school nurses. More midwives and public health nurses will be needed to care for the growing population of sexually active adolescents who are in need of family planning and prenatal care. Underinsured and indigent populations will

continue to fall within the purview of midlevel practitioners, as will providing anesthesia services in small rural hospitals. The transition of some rural hospitals into expanded primary care units (e.g., EACHs and RPCHs), and new models of case management will greatly influence nursing demands.

NAL Call No: LC2781.W45 1991
Abstracts of research projects conducted by historically black colleges and universities, 1984-1991

Weir. Colin C.; Prince, J. S.

Ur. 1 States, Agency for International Development, Center for University Cooperation in Development

Washington, D.C.: International Sceince and Technology Institute, [1991?].

vi, 64 p.: ill.; 22 cm. Includes bibliographical references.

Language: English

Descriptors: Afro-American universities and colleges; Rural development; Agriculture; Health

NAL Call No: KF26.F55383 1992 Access to health care for hard-to-reach populations hearing before the Subcommittee on Health for Families and the Uninsured of the Committee on Finance, United States Senate, One Hundred Second Congress, second session, on S. 773 and S. 1227, June 30, 1992.

United States. Congress. Senate. Committee on Finance. Subcommittee on Health for Families and the Uninsured

Washington: U.S. G.P.O.: For sale by the U.S. G.F.O., Supt. of Docs., Congressional Sales Office; Y 4.F 49:S.HRG.102-1050.

iv, 60 p.; 23 cm. (S. hrg.; 102-1050). Distributed to some depository libraries in microfiche. Shipping list no.: 93-0202-Γ.

Language: English

Descriptors: Poor; Health services accessibility; Federal aid to community health services; Federal aid to rural health services

4 NAL Call No: 449.9 AN '3J Access to obstetric care in rural areas: effect on birth outcomes.

Nesbitt, T.S.; Connell, F.A.; Hart, L.G.; Rosenblatt, R.A.

Washington, D.C.: American Public Health Association.



American journal of public health v. 80 (7): p. 814-818; 1990 Jul. Includes references.

Language: English

Descriptors: Health services; Health care; Rural areas; Obstetrics; Hospitals; Community health services; Childbirth; Rural women

Abstract: Hospital discharge data from 33 rural hospital service areas in Washington State were categorized by the extent to which patients left their local communities for obstetrical services. Women from communities with relatively few obstetrical providers in proportion to number of births were less likely to deliver in their local community hospital than women in rural communities with greater numbers of physicians practicing obstetrics in proportion to number of births. Women from these high-outflow communities had a greater proportion of complicated deliveries, higher rates of prematurity, and higher costs of neonatal care than women from communities where most patients delivered in the local hospital.

5 NAL Call No: RA771.5.L36 1989 Access to obstetrical services in rural communities a response to the liability crisis in North Carolina.

Langholz, Richard; Ricketts, Thomas C.

United States, Health Resources and Services Administration, Office of Rural Health Policy, University of North Carolina at Chapel Hill, Health Services Research Center

Chapel Hill, NC: Health Services Research Center, University of North Carolina at Chapel Hill, 40 leaves; 28 cm. November 1989. The University of North Carolina Rural Health Research program. ... supported by the Office of Rural Health Policy, Health Resources and Services Administration, Public Health Service, U.S. Department of Health and Human Services, grant number HA-R-000016-02. Includes bibliographical references: (leaves 36-40).

Language: English

Descriptors: Rural health services; Obstetricians; Insurance, Physicians' liability

Abstract: This paper analyzes the current medical malpractice crisis by focusing on a policy initiative by the State of North Carolina designed to alleviate the problem. Particular emphasis is given to its effects on family physicians and the delivery of obstetrical services. Rising malpractice premiums are causing many family physicians and

obstetricians to find it financially impossible to provide obstetrical care. This is especially evident in rural areas, where family physicians are often the only source of obstetrical care, and where obstetricians tend to practice solo or in small groups without the technical backup provided by large, metropolitan medical centers. In response to this growing trend, the North Carolina General Assembly in 1988 passed the Rural Obstetrical Care Incentive Bill (ROCI), designed to encourage practitioners to provide obstetrical care in underserved areas. In return for these services, the state compensates physicians for the difference between the costs of malpractice with and without obstetrical practice, or \$6,500, whichever is less. This paper outlines the context of that program in North Carolina and suggests approaches for its evaluation and application in other states.

6 NAL Call No: HD1775.V8H6 Access to rural health care.

Obidiegwu, J.; Alwang, J.

Blacksburg, Va.: Rural Economic Analysis Program

Horizons v. 5 (3): 4 p.; 1993 May. Includes references.

Language: English

Descriptors: U.S.A.; Virginia; Health care; Access; Rural areas

7 NAL Call No: 151.65 P96 Addressing barriers to perinatal care: a case study of the Access to Maternity Care Committee in Washington State.

Schleuning, D.; Rice, G.; Rosenblatt, R.A. Washington, D.C.: Public Health Service. Public health reports v. 106 (1): p. 47-52; 1991 Jan. Includes references.

Language: English

Descriptors: Washington; Maternity services; Puerperium; Obstetrics; Rural communities; Health programs; Program development; Committees; Case studies

Abstract: Access to obstetrical services has deteriorated in recent years, as large numbers of physicians have discontinued or restricted obstetrical practice. In Washington State, one response to this access crisis has been the establishment of the Access to Maternity Care Committee (AMCC), an ad hoc group composed primarily of private sector obstetrical providers and representatives of State



government responsible for the delivery of health care to women and children. The major objective of the AMCC is to improve access to obstetrical services for socially vulnerable women, both rural inhabitants and the medically indigent. The committee has been successful in serving as a forum in which to resolve many of the administrative problems that have arisen between private sector obstetrical providers and the State's Medicaid Program, the major source of payment for the one-third of pregnant women who are medically indigent. Building upon the trust that the committee members developed in working together, the AMCC served as a major force in persuading the State legislature to expand substantially its investment in perinatal care by increasing Medicaid eligibility, raising provider reimbursement, and improving social services for pregnant women. Such ad hoc coalitions between the private and public sector may be quite effective in addressing obstetrical access problems in other States.

8 NAL Call No: 6 F2212 Adult sitters: Latest wrinkle in rural health care. Braun, D.

Philadelphia: The Journal.

Farm journal v. 112 (3): p. 32-33. ill; 1988 Feb.

Language: English

Descriptors: Georgia; Vermont; Cooperative extension service; Health; Rural sociology

9 NAL Call No: RA771.A1J68
AIDS and drug abuse in rural America.

Steel, E.; Haverkos, H.W.

Kansas City, Mo.: National Rural Health Association.

The Journal of rural health v. 8 (1): p. 70-73; 1992. Includes references.

Language: English

Descriptors: U.S.A.; Acquired immune deficiency syndrome; Substance abuse; Rural areas; Human immunodeficiency virus; Disease transmission; Disease prevention; Health services; Medical treatment

Abstract: This paper reviews the nature and extent of drug abuse-related HIV disease services in the rural United States. Issues concerning the delivery of HIV disease and substance abuse health care services in rural settings are outlined and discussed.

10 NAL Call No: HV85.H85 AIDS education for rural IV drug users in Montana.

Birch, M.; Trankel, M.A.

Cheney, WA: Eastern Washington University. Human services in the rural environment v. 15 (2): p. 5-11; 1991. Includes references.

Language: English

Descriptors: Montana; Acquired immune deficiency syndrome; Rural communities; Substance abuse; Intravenous drug users; Sexual behavior; Regional surveys; Health education

11 NAL Call No: RA771.A1J68
Alternative models for the delivery of rural health
care: a case study of a western frontier state.
Baldwin, D.C. Jr; Rowley, B.D.

Kansas City, Mo.: National Rural Health Associ-

The Journal of rural health v. 6 (3): p. 265-272; 1990 Jul. Includes references.

Language: English

Descriptors: Nevada; Health care; Health services; Models; Rural communities; Case studies; Groups; Rural population

Abstract: This is a case study illustrating the wide variety of models for rural health care delivery found in a western "frontier" state. In response to a legislative mandate, the University of Nevada School of Medicine created the Office of Rural Health in 1977. Utilizing a cooperative, community development approach, this office served as a resource, as well as a catalyst, in the development and expansion of a variety of alternative practice models for health care delivery to small, underserved rural communities. These models included small, single, and multispecialty group practices; self-supporting and subsidized solo practices; contract physicians; midlevel practitioners; and National Health Service Corps personnel. The rural health care system that was created featured regional and consortial arrangements, urban and medical school outreach programs, and a "flying doctor" service.

12 NAL Call No: RA771.A1J68 Alternative models for the delivery of rural health services.

Christianson, J.B.; Grogan, C.M.

Kansas City, Mo.: National Rural Health Association.



The Journal of rural health v. 6 (4): p. 419-436; 1990 Oct. In series analytic: A Decade of Rural Health Research: Looking Back, Thinking Ahead / edited by R.T. Coward, J.W. Dwyer and M.K. Miller. Literature review. Includes references.

Language: English

Descriptors: U.S.A.; Health care; Rural areas; Models; Community health services; Health centers; Health maintenance organizations; Research; Literature reviews

NAL Call No: RA771.A1J68 America's rural hospitals: a selective review of 1980s research.

Mick, S.S.; Morlock, L.L.

Kansas City, Mo.: National Rural Health Association.

The Journal of rural health v. 6 (4): p. 437-466; 1990 Oct. In series analytic: A Decade of Rural Health Research: Looking Back, Thinking Ahead / edited by R.T. Coward, J.W. Dwyer and M.K. Miller. Literature review. Includes references.

Language: English

Descriptors: U.S.A.; Hospitals; Health centers; Health services; Rural areas; Management; Administration; Operating costs; Diversification; Case studies; Marketing techniques; Research; Literature reviews

NAL Call No: HD1775.O5O3 An analysis of demand for general practitioner services in Blackwell, Oklahoma.

Kleinholz, S.; Doeksen, G.A.; Ralstin, S.; Price, S.L.; Fleck, L.; Shelton, P.; Leavitt, D.

Stillwater, Okla.: The Department.

A. E. - Oklahoma State University, Department of Agricultural Economics (9111): 8 p.; 1991 Feb. Includes references.

Language: English

Descriptors: Oklahoma; Rural communities; Demand; Medical services; Physicians; Rural areas

NAL Call No: HD1775.O5O3 An analysis of demand for general practitioner services in Pawnee, Oklahoma.

Kleinholz, S.; Doeksen, G.A.; Waters, M.T.; Shelton, P.; Leavitt, D.

Stillwater, Okla.: The Department.

A. E. - Oklahoma State University, Department of Agricultural Economics (9134): 7 p.; 1991 Apr. Includes references.

Language: English

Descriptors: Oklahoma; Physicians; Medical services; Demand; Rural areas

16 NAL Call No: HD1775.O5O3 An analysis of demand for general practitioner services in Pryor, Oklahoma.

Kleinholz, S.; Doeksen, G.A.; Fimple-Mayes, S.; Shelton, P.; Leavitt, D.

Stillwater, Okla.: The Department.

A. E. - Oklahoma State University, Department of Agricultural Economics (9133): 9 p.; 1991 Apr. Includes references.

Language: English

Descriptors: Oklahoma; Physicians; Medical services; Demand; Rural areas

17 NAL Call No: HD1775.0503 An analysis of emergency medical services for Canton-Longdale.

Sloggett, G.; Doeksen, G.A.; Ralstin, S.; Sauter, M.; Manley, E.; Hays, M.

Stillwater, Okla.: The Department.

A. E. - Oklahoma State University, Department of Agricultural Economics (8946): 15 p.; 1989 May. Includes references.

Language: English

Descriptors: Oklahoma; Medical services; Rural areas; Emergencies; Descriptive statistics; Ratios; Demography; Cost analysis

18 NAL Call No: HD1775.0503 An analysis of emergency medical services in Rogers County, Oklahoma.

Kleinholz, S.; Doeksen, G.A.; Henderson, C.E.; Allison, L.D.; Manley, E.; Mann, J.T.

Stillwater, Okla.: The Department.

A. E. - Oklahoma State University, Department of Agricultural Economics (9047): 23 p.; 1990 May. Includes references.

Language: English

Descriptors: Oklahoma; Medical services; Emergencies; Counties; Rural communities; Health care costs; Cost analysis; Funds

19 NAL Call No: HT101.S52 The ARCH demonstration project: enhancing rural health care through community development.

Ludtke, R.L.; Cochran, C.; Geller, J.M.; Fick-



enscher, K.M.; Hart, J.P.

Ellensburg, Wash.: Small Towns Institute:. Small town v. 19 (4): p. 15-21. ill; 1989 Jan. Includes references.

Language: English

Descriptors: North Dakota; Rural areas; Health care; Community development; Program development; Models; Program evaluation

20 NAL Call No: RA771.A1R87 no.7 Are rural family physicians less likely to stop practicing obstetrics than their urban counterparts the impact of malpractice claims.

Rosenblatt, Roger A.

Seattle, Wash.: WAMI Rural Health Research Center, Dept. of Family Medicine, Research Section, University of Washington,.

22 leaves; 28 cm. (Rural health working paper series;). "April, 1990", Cover. Includes bibliographical references (leaves 16-17).

Language: English

Abstract: We studied all family physicians who purchased obstetrical malpractice insurance from the Washington State Physicians Insurance Exchange and Association (WSPIEA) between January 1, 1982, and June 30, 1988. Of the 470 family physicians in the sample, 149 (32 percent) discontinued obstetrics but remained in practice. Physicians who discontinued obstetrical practice were older, more likely to practice in an urban area, and more likely to be in solo practice. Family physicians in the state's 12 most rural counties were much less likely to quit practicing obstetrics than their urban peers. Family physicians leaving obstetrics had a lower rate of new obstetrical malpractice claims than their peers who did not quit, though the difference was not statistically significant. We conclude that rural family physicians are less likely to quit practicing obstetrics than their urban colleagues. Obstetrically related medical malpractice claims against family physicians are relatively infrequent, and being involved in a medical malpractice claim is not a factor in the decision of most family physicians who stop practicing obstetrics.

21 NAL Call No: RA771.6.A6M6 no.26 Arizona rural hospital chartbook.

Lopes, Phillip M.

Southwest Border Rural Health Research Center Tucson, Ariz.: Southwest Border Rural Health Research Center, College of Medicine, University of Arizona; UA 24.2:R 86.

ii, 48 leaves: maps, charts; 28 cm. (Monograph / Southwest Border Rural Health REsearch Center; no. 26). January 1991. Includes bibliographical references (leaf 47).

Language: English

Descriptors: Rural health services; Medical economics

NAL Call No: RA771.A1J68
An assessment of Rural hospital trustees' health
care knowledge base.

Rosenthal, T.C.; Doemland, M.; Parisella, J.S. Kansas City, Mo.: National Rural Health Association.

The Journal of rural health v. 7 (1): p. 13-22; 1991. Includes references.

Language: English

Descriptors: New York; Health centers; Hospitals; Rural areas; Volunteers; Leadership; Management; Knowledge; Roles; Sex differences; Age differences; Services; Duration; Time

NAL Call No: RA771.A1J68
Author and subject index, 1985-1989.
Burlington, Vt.: Journal of Rural Health.
The Journal of rural health v. 6 (1): p. 71-94; 1990
Jan.

Language: English

Descriptors: U.S.A.; Health care; Rural areas; Journals; Indexes

NAL Call No: RA771.A1J68 Availability and accessibility of rural health care. Hicks, L.L.

Kansas City, Mo.: National Rural Health Associ-

The Journal of rural health v. 6 (4): p. 485-505; 1990 Oct. In series analytic: A Decade of Rural Health Research: Looking Back, Thinking Ahead / edited by R.T. Coward, J.W. Dwyer and M.K. Miller. Literature review. Includes references.

Language: English

Descriptors: U.S.A.; Health care; Health services; Rural areas; Dentists; Nurses; Physicians; Research; Literature reviews

NAL Call No: LB3401.A57 Ayude Su Corazon: A health education project in rural California.



Oto-Kent, D.; Lee, M.; Gonzalez, D. Reston, Va.: American Alliance for Health, Physical Education, Recreation & Dance. Journal of health education v. 22 (5): p. 321-324, 332. charts; 1991 Sep. Includes references.

Language: English

Descriptors: California; Health education; Rural areas; Mortality; Ethnicity; Cardiovascular diseases; Neoplasms; Risk; Bilingual education; Community programs; Screening; Information services; Hispanics

Abstract: This article describes the Ayude Su Corazon/Help your Heart Community Coalition Project, a bilingual English/Spanish heart disease education and screening program, funded by the U.S. Public Health Service, Office of Minority Health (OMH) from October, 1988 through February, 1991. Methodology, strategies and results are discussed.

26 NAL Call No: HC107.A13A6 The Bakersville Clinic: caring for a Community. Hawthorne, A.

Washington, D.C.: Appalachian Regional Commission.

Appalachia v. 23 (1): p. 30-35. ill; 1990.

Language: English

Descriptors: North Carolina; Rural communities; Health programs; Funds; Community action; Case studies

NAL Call No: RA771.A1J68 Barriers to the retention of registered and licensed practical nurses in small rural hospitals. Szigeti, E.; Laxdal, S.; Eberhardt, B.J.

Kansas City, Mo.: National Rural Health Association.

The Journal of rural health v. 7 (3): p. 266-277; 1991. Includes references.

Language: English

Descriptors: North Dakota; Nurses; Rural areas; Hospitals; Labor turnover; Prediction; Work satisfaction; Constraints; Roles; Shift work

Abstract: The availability of nursing resources is one of the most critical issues facing health care organizations in the country. The study investigated the potential factors that relate to the desire of registered nurses (RNs) and licensed practical nurses (LPNs) to continue practicing in rural hospitals of North Dakota. All RNs and LPNs who

worked in North Dakota hospitals with fewer than 100 beds (490 hospitals) were mailed survey questionnaires. Approximately eight weeks later, responses were received from 291 respondents for an overall return rate of 59 percent. Correlational analyses were used to examine the subjects' responses. A moderate relationship was found among the work-related variables. Overall job satisfaction and performance constraints were the only variables to make significant contributions to the prediction of turnover intention for both RNs and LPNs. Overall job satisfaction accounted for the largest percentage of the variance (R2=0.42 and R2=0.44) for RNs and LPNs, respectively. Satisfaction with promotion was the only workrelated variable to make a significant contribution to the prediction of turnover intention for RNs (R2=0.23). Performance constraints, role ambiguity, and shift worked were the only workrelated variables contributing to the prediction of turnover for LPNs. These results are discussed in terms of their implications for the management of RNs and LPNs in rural hospitals. Clinical ladders for promotions, the identification of potential performance constraints, and supervisory training are suggested as target areas in which rural hospitals might focus attention for managing turnover in RNs and LPNs.

28 NAL Call No: KF25.E2 1989f Better health care for rural America hearing before the Joint Economic Committee, Congress of the United States, One Hundred First Congress, first session, December 13, 1989.

United States. Congress. Joint Economic Committee

Washington [D.C.]: U.S. G.P.O.: For sale by the Supt. of Docs., Congressional Sales Office, U.S. G.P.O.; Y 4.Ec 7:H 34/9.

iii, 86 p.: ill.; 24 cm. (S. hrg.; 101-595). Distributed to some depository libraries in microfiche. Includes bibliographical references (p. 61).

Language: English

Descriptors: Rural health services; United States; Federal aid to rural health services; United States; Hospital, Rural; United States; Finance

29 NAL Call No: Z6675.R9B5 Bibliographic listing of rural health professions educational strategies study of models to meet rural health care needs through mobilization of health professions education and services resources.



Cocowitch, Victor

National Rural Health Association (U.S.), Kalamazoo Center for Medical Studies Kalamazoo?: The Center,.

iii, 130 leaves; 28 cm. Cover title. "Prepared as part of contract HRSA/BHPr. February 15, 1990. Includes index.

Language: English

Descriptors: Rural health services

30 NAL Call No: RA771.A1J68 Birthweight-specific mortality: Important inequalities remain.

Baker, S.L.; Kotelchuck, M.

Burlington, Vt.: Journal of Rural Health.

The Journal of rural health v. 5 (2): p. 155-170; 1989 Apr. Includes references.

Language: English

Descriptors: Massachusetts; South Carolina; Neonatal mortality; Low birth weight infants; Rural areas; Rural urban relations; Blacks; Poverty; Medical services

31 NAL Call No: RC276.M65 1991 Cancer in rural versus urban populations a review.

Monroe, Adele C.; Ricketts, Thomas C.; Savitz, Lucy A.

University of North Carolina at Chapel Hill, Health Services Research Center

Chapel Hill, NC: Health Services Research Center, University of North Carolina at Chapel Hill, 25 leaves; 28 cm. September, 1991. "The University of North Carolina Rural Health Research program", Cover. Support for this study was provided by the U.S. Office of Rural Health Policy, Health Resources and Services Administration, Public Health Service, U.S. D.H.H.S, Grant Number HAR-000016-03. Includes bibliographical references (leaves 19-25).

Language: English

Descriptors: Cancer; Rural health services; Urban health

Abstract: Rural and urban cancer mortality, when adjusted for age, race, and sex, show urban areas with higher rates. This appears to contradict other evidence that reveals rural populations at a disadvantage in access to health services, especially specialty services including cancer care. This article reviews published research that compares urban

and rural cancer rates, measures of access, and prevention activities. Published studies show that there are differences in access between urban and rural populations when measured by stage at which cancer is diagnosed. Mortality rates, however, with a few exceptions, are lower in rural areas. There are a number of reasons why these results may not reflect the actual risk from cancer morbidity and mortality in rural areas when compared to urban areas. Research is necessary to explore the underlying rates of outcomes for cancer patients in rural versus urban areas in light of the improvement of cancer treatments and their concentration in urban places.

NAL Call No: HT401.S72 Case studies: examples of innovative infrastructure financing and delivery systems.

Mississippi State, Miss.: The Center.

SRDC series - Southern Rural Development Center (128): 127 p.; 1990 Apr. Includes references.

Language: English

Descriptors: U.S.A.; Rural communities; Infrastructure; Finance; Air transport; Small businesses; Medical services; Fire prevention; Industrial sites; Public parks; Recreation; Public schools; Public services; Social services; Solid wastes; Waste disposal

33 NAL Call No: RA771.A1J68 Causes and consequences of rural small hospital closures from the perspectives of mayors.

Hart, L.G.; Pirani, M.J.; Rosenblatt, R.A.

Kansas City, Mo.: National Rural Health Association.

The Journal of rural health v. 7 (3): p. 222-245; 1991. Includes references.

Language: English

Descriptors: U.S.A.; Hospitals; Rural areas; Health care; Health services; Social impact; Economic impact

Abstract: Mayors of rural towns whose small general hospitals closed between 1980 and 1988 were surveyed. Only hospitals that were the sole hospitals in their towns and that had not reopened were included in the survey. Of the 132 hospitals meeting these criteria, 130 (98.5%) of the mayors of their communities responded to the survey. The typical study hospital had 31 beds, with an average daily census of 12. Three fourths of the hospital closures were in the North-central and South



census regions. Half of the hospital closures were for hospitals that were 20 miles or more from another hospital. Mayors attributed the closure of their hospitals primarily to governmental reimbursement policies, poor hospital management and lack of physicians. To a lesser extent, they also implicated competition from other hospitals, reputation for poor quality care, lack of provider teamwork, and inadequate hospital board leadership. Respondents reported they had little warning that their hospitals were in imminent danger of closing. Warnings of six months or less were reported by 49 percent of the mayors; only 33 percent of mayors of towns with for-profit hospitals reported having more than six months warning. Of the 132 hospital buildings that closed, only 38 percent were not in use in some capacity in the summer of 1989. Most were being utilized as some form of health care facility such as an ambulatory clinic, nursing home, or emergency room. More than three fourths of the mayors felt access to medical care had deteriorated in their communities after hospital closure, with a disproportionate impact on the elderly and poor. Nearly three fourths of the mayors also perceived that the health status of the community was worse because of the hospital closure, and more than 90 percent felt it had substantially impaired the community's economy.

34 NAL Call No: 500 M663 The change in factors affecting physician choice of practice location: a comparison of younger and older rural and metropolitan physicians. Breu, T.M.

St. Paul, Minn.: The Academy.

Journal of the Minnesota Academy of Science v. 53 (2): p. 10-13; 1988. Includes references.

Language: English

Descriptors: Minnesota; Medical services; Physicians; Practice; Rural areas; Urban areas; Age

35 NAL Call No: RA771.5.F56 The changing rural population and health care demands in the Midwest.

Lasley, P.

New York: Praeger.

Financing rural health care / edited by LaVonne Straub and Norman Walzer. p. 1-23; 1988. Includes references.

Language: English

Descriptors: North central states of U.S.A.; Western states of U.S.A.; Rural population; Population change; Health care; History; Rural economy; Farm closures; Projections; Social welfare; Unemployment; Demography; Trends

36 NAL Call No: HN59.2.A45 The character and prospects of rural community health and medical care.

Clarke, L.L.; Miller, M.K.

Boulder, Colo.: Westview Press.

American rural communities / edited by Albert E. Luloff and Louis E. Swanson. p. 74-105; 1990. (Westview special studies in contemporary social issues).

Language: English

Descriptors: U.S.A.; Rural communities; Community health services; Medical treatment; Personnel; Facilities; Availability; Economic resources; Usage; Health; Literature reviews

37 NAL Call No: RA771.5.H3
The characteristics and performance of rural hospitals: findings from the multi hospital systems study.

Shortell, S.M.

Washington, D.C.: National Governors' Association.

Health issues in rural America / by Rick Curtis ... [et al.]. p. 53-71; 1988. Includes references.

Language: English

Descriptors: U.S.A.; Rural welfare; Hospitals; Characteristics; National surveys; Public services; Performance; Rural urban relations; Systems analysis

38 NAL Call No: RA771.5.C43 1990 Chartbook on health care in rural America background paper.

United States, Congress, Office of Technology Assessment

Washington, D.C.: Congress of the U.S., Office of Technology Assessment...

1 v.: chiefly ill., maps; 29 cm. October 1990. Based on data presented in the OTA report, Health care in rural America (September 1990).

Language: English

Descriptors: United States; Rural conditions; Health aspects; Rural health services; Hospitals, Rural; Federal aid to rural health services



39 NAL Call No: RA771.A1J68

Children and pregnant women. Lawhorne, L.; Zweig, S.; Tinker, H.

Kansas City, Mo.: National Rural Health Association

The Journal of rural health v. 6 (4): p. 365-377; 1990 Oct. In series analytic: A Decade of Rural Health Research: Looking Back, Thinking Ahead / edited by R.T. Coward, J.W. Dwyer and M.K. Miller. Literature review. Includes references.

Language: English

Descriptors: U.S.A.; Rural women; Pregnancy; Children; Health care; Health insurance; Maternity services; Demography; Rural areas; Poverty; Hospitals; Research; Literature reviews

40 NAL Call No: LC5146.R87 Children with disabilities in rural areas: the critical role of the special education teacher in promoting independence.

Smith, Q.W.; Fasser, C.E.; Wailace, S.; Richards, L.K.; Potter, C.G.

Las Cruces, NM: New Mexico State University. Rural special education quarterly v. 11 (1): p. 24-30; 1992. Includes references.

Language: English

Descriptors: U.S.A.; Handicapped children; Special education; Rural areas; Living conditions; Self care; Health care; Teachers; Daily living skills

41 NAL Call No: RA771.A1J68 Closure of rural hospital obstetric units in Missouri.

Lawhorne, L.; Zweig, S.

Burlington, Vt.: Journal of Rural Health.

The Journal of rural health v. 5 (4): p. 336-342; 1989 Oct, Includes references.

Language: English

Descriptors: Missouri; Obstetrics; Rural areas; Hospitals; Closures

42 NAL Call No: A00127

Come on in, the water's just fine.

Cordes, S.M.

Philadelphia, PA: Hanley & Belfus.

Academic medicine v. 65 (12, suppl.): p. S1-S9; 1990 Dec. Paper presented at the 1990 Invitational Symposium "Rural Health: A challenge for Medical Education," February 1-3, 1990, San Antonio, Texas. Includes references.

Language: English

Descriptors: U.S.A.; Health care; Rural areas; Rural environment; Diversity; Population dynamics; Economic development; Medical education

Abstract: Rural America is dynamic and challenging, and it is vastly different from what it was midway through the century. Unfortunately, many people, including policymakers, have a very outmoded picture of what today's rural America is really like. This paper begins by exploding seven common myths about rural America. Next, three characteristics of the rural environment, diversity, sparse population, and interdependency with broader social and economic forces, are examined in relation to health care delivery and medical education. The contribution of health care to the economic needs of rural America is also explored. The paper closes by noting both altruistic and selfserving motives for the medical education establishment to become more concerned and involved in rural health issues.

A3 NAL Call No: RA771.6.T4W34 1992 Community assessment, health care, and you a handbook for the concerned rural Texan., [Rev. ed.].

Walker, Mary; Breuer, Sara

Health Care Options for Rural Communities (Project), Texas Rural Communities, Inc, Lyndon B. Johnson School of Public Affairs

Austin, Tex.: Health Care Options for Rural Communities,.

57 p.; 28 cm. A cooperative project of Texas Rural Communities, Inc. and the LBJ School of Public Affairs. January 1992.

Language: English

Descriptors: Rural health; Rural health services

NAL Call No: RA645.3.H65 Community care workers in rural southern Illinois: job satisfaction and implications for employee retention.

Roberts, D.N.; Sarvela, P.D.

Binghamton, N.Y.: The Haworth Press.

Home health care services quarterly v. 10 (3/4): p. 93-115; 1989. Includes references.

Language: English

Descriptors: Illinois; Careproviders; Work satisfaction; Community health services; Elderly; Rural areas



45 NAL Call No: RA771.A1J68 Community financed and operated health services: the case of the Ajo-Lukeville Health Service District.

Lopes, P.M.; Nichols, A.W.

Kansas City, Mo.: National Rural Health Association.

The Journal of rural health v. 6 (3): p. 273-285; 1990 Jul. Includes references.

Language: English

Descriptors: Arizona; Community health services; Rural communities; Community development; Case studies

Abstract: The concept of a health service district, as a variation of the special tax district, is described and discussed. Tax districts have traditionally been used to support both capital construction (revenue bonds) and operational expenses of single-purpose governmental entities. The health service district, where authorized by state laws, may be used by local areas to subsidize the delivery of ambulatory health care. A particular case, the Ajo-Lukeville Health Service District in Arizona, illustrates what can be accomplished by this mechanism with the cooperation of local residents and outside agencies. Both the process of establishing such a district and the outcome of the Ajo-Lukeville experience is described. Reasons why health service districts may prove potentially attractive at this time are reviewed. Impediments to the development of more health service districts are also explored, including the lack of technical assistance, an inadequate awareness of the potential of health service districts, and the absence of a widespread orientation toward community financed and controlled health care. Movement in this direction should facilitate the development of additional health service districts.

AC NAL Call No: KF26.A643 1990c Community health center/National Health Service Corps hearing before a subcommittee of the Committee on Appropriations, United States Senate, One Hundred First Congress, second session: special hearing. (Community health center, National Health Service Corps.)

United States. Congress. Senate. Committee on Appropriations. Subcommittee on Departments of Labor, Health and Human Services, Education, and Related Agencies

Washington: U.S. G.P.O.: For sale by the Supt. of Docs., Congressional Sales Office, U.S. G.P.O.;

Y 4.Ap 6/2:S.hrg.101-845.

iii, 51 p.; 24 cm. (S. hrg.; 101-845). "Fiscal year 1991", Cover. Distributed to some depository libraries in microfiche. Shipping list no.: 90-598-P.

Language: English

Descriptors: Community health services; Rural health services

47 NAL Call No: RA771.5.C6 Community health centers and the rural economy the struggle for survival.

Joint Rural Task Force (U.S.)

Washington, D.C.: National Association of Community Health Centers; Kansas City, MO: National Rural Health Association,.

110 p.: ill.; 2 cm. December 1988.

Language: English

Descriptors: Rural health services; Economic aspects; United States; Community health services; Economic aspects; United States

48 NAL Call No: RA771.A1J68 A comparison of financial performance, organizational characteristics and management strategy among rural and urban nursing facilities.

Smith, H.L.; Piland, N.F.; Fisher, N.

Kansas City, Mo.: National Rural Health Association.

The Journal of rural health v. 8 (1): p. 27-40; 1992. Includes references.

Language: English

Descriptors: New Mexico; Nursing homes; Rural areas; Urban areas; Comparisons; Management; Administration; Diversification; Planning; Economics; Marketing techniques

Abstract: Despite efforts to deinstitutionalize longterm care, it is estimated that 43 percent of the elderly will use a nursing facility at some point. Whether sufficient nursing facility services will be available to rural elderly is debatable due to catbacks in governmental expenditures and recent financial losses among nursing facilities. This paper explores the challenges confronting rural nursing facilities in maintaining their via tity and strategies that might be considered to improve their longevity. A comparative analysis of 18 urban and 34 rural nursing facilities in New Mexico is used in identifying promising strategic adaptations available to rural facilities. Among other considerations, rural facilities should strive to enhance



revenue streams, implement strict cost control measures, emphasize broader promotional tactics, and diversify services commensurate with the constraints of the communities and populations served.

49 NAL Call No: RA421.P684 Comparison of recruitment strategies and associated disease prevalence for health promotion in rural elderly.

Ives, D.G.; Kuller, L.i. Schulz, R.; Traven, N.D.; Lave, J.R.

Orlando, Fla.: Academic Press.

Preventive medicine v. 21 (5): p. 582-591; 1992 Sep. Includes references.

Language: English

Descriptors: Pennsylvania; Health promotion; Rural areas; Elderly; Community health services; Recruitment; Methodology; Disease prevalence; Participation; Costs; Diseases; Risk; Characteristics

Abstract: Background. Although interest in health promotion for the elderly is increasing, the issues of recruitment into such programs and selfselection have not been well explored. While clinical studies require high participation levels and expensive recruitment, community efforts are satisfied with recruiting small numbers of volunteers from poorly defined populations. These small samples may not be representative of the populations at risk. Methods. As part of the Rural Health Promotion Project, a Medicare demonstration, community-based recruitment methods were evaluated and participant characteristics were compared. A total of 3,884 individuals ages 65-79 were recruited in northwestern Pennsylvania, using four sequential recruitment strategies, varying in aggressiveness. The methods were: (A) mail only, (B) mail with phone recruitment follow-up, (C) mail with phone recruitment and scheduling, and (D) mail with aggressive phone recruitment and scheduling. Results. Recruitment yields were Method A, 13.5%; B, 21.1%; and C, 31.6%. The most aggressive Method (D) yielded 7.7.0% participation. More aggressive methods (C and D) recruited more educated individuals. No other demographic or health status differences were noted. Conclusion. These data show that large numbers of the elderly can be recruited into a health promotion program using aggressive methods and professional interviewers.

NAL Call No: RA771.6.A6M6 no.27

A comparison of rural and urban certified nurse midwives in Arizona.

Gordon, Ilene Tanz

Tucson, Ariz.: Southwest Border Rural Health Research Center, College of Medicine, University of Arizona.

17, [6] leaves: ill.; 28 cm. (Monograph / Southwest Border Rural Health Research Center; no. 27). January 1991. Includes bibliographical references (leaves 16-17).

Language: English

51 NAL Call No: RA790.A1J68 A comparison of rural and urban partial hospital programs for children and adolescents.

Doan, R.J.; Petti, T.A.

Fresno, Calif.: California School of Professional Psychology.

Journal of rural community psychology v. 11 (2): p. 3-15; 1990. Includes references.

Language: English

Descriptors: Pennsylvania; Children; Adolescents; Mental health; Health services; Hospitals; Rural areas; Rural urban relations; Medical treatment; Programs

Abstract: Eighteen child and adolescent partial hospital (PH) programs in a single geographic region were surveyed through site visits. Nine of the programs with 670 clients were located in two urban areas, and nine programs with 126 clients were located in seven rural to semirural counties. Administrative and client characteristics of the urban and rural facilities were compared. Compared to urban programs, those in rural areas were much smaller, more exclusively served adolescents and not children, and had stronger financial and administrative links to local community mental health centers and special education authorities. Educational facilities at many rural programs seemed deficient. About half of the rural and urban clients received Medicaid, and there was an overrepresentation of minorities in both groups; although older, rural clients had lower rates of inpatient and residential psychiatric treatment. Similar proportions of rural and urban clients (45% and 33%, respectively) were discharged from PH services due to the achievement of some or all of their treatment goals. The implications of these findings for the design and operation of rural PH programs are discussed.

NAL Call No: RA771.A1J68

ERIC Full Text Provided by ERIC

50

Competition and rural primary care programs. Ricketts, T.C.

Kansas City, Mo.: National Rural Health Association.

The Journal of rural health v. 6 (2): p. 119-139; 1990 Apr. Includes references.

Language: English

Descriptors: U.S.A.; Health centers; Rural areas; Market competition; Health care; Health care costs

53 NAL Call No: RA771.5.R532 1989 Competition and rural primary care programs. Ricketts, Thomas C.

University of North Carolina at Chapel Hill, Health Services Research Center

Chapel Hill, NC: Health Services Research Center, University of North Carolina at Chapel Hill,. 38 leaves; 28 cm. December, 1989. The University of North Carolina Rural Health Research program. Supported by Grant No. HA-R-000016 from the Office of Rural Health Policy, Health Resources and Services Administration, Public Health Service, U.S. D.H.H.S. Includes bibliographical references (leaves 36-38).

Language: English

Descriptors: Rural health services; Medical care; Competition

Abstract: Rural primary care programs were established in areas where there was thought to be no competition for patients; however, evidence from site visits and surveys of a national sample of subsidized programs revealed a pattern of competitive responses by the clinics. In this study of 193 rural primary care programs, mail and telephone surveys produced uniform data on the organization, operation, finances, and utilization of a representative sample of clinics. The programs were found to compete in terms of: (1) price, (2) service mix, (3) staff availability, (4) structural accessibility, (5) outreach, and (6) targeting a segment of the market. The competitive strategies employed by the clinics had consequences that affected their productivity and financial stability. The strategies were related to the perceived missions of the programs, and depended heavily upon the degree of isolation of the program and the targeting of the services. The competitive strategy chosen by a particular program could not be predicted based on service area population and apparent competitors in the service area. The goals and objectives of the programs have more to do with their competitive responses than market characteristics. The chosen strategies may not meet the demands of those markets.

54 NAL Call No: HC107.A13A6 Concurrent sessions: medical and health applications.

Washington, D.C.: Appalachian Regional Commission.

Appalachia v. 25 (1): p. 17-18; 1992.

Language: English

Descriptors: Southern states of U.S.A.; Telecommunications; Medical services; Health care; Rural communities

55 NAL Call No: RA790.A1J68 Connected independence: a paradox of rural health?

Brown, K.

Fresno, Calif.: California School of Professional Psychology.

Journal of rural community psychology v. 11 (1): p. 51-64; 1990. In the series analytic: Aging in rural places / edited by R.J. Scheidt and C. Norris-Baker. Includes references.

Language: English

Descriptors: Nebraska; Elderly; Health beliefs; Towns; Rural communities; Mental health; Values

Abstract: An ethnographic analysis of elders' health beliefs and practices is presented in the context of economic and social traditions that blend the values of independence and connection in a small town. Rural mental health workers are provided with recommendations that are consistent with and reinforce these traditional mechanisms of individual and community health maintenance.

NAL Call No: RA771.A1J68 Consequences of differential residence designations for rural health policy research: the case of infant mortality.

Farmer, F.L.; Clarke, L.L.; Miller, M.K.

Kansas City, Mo.: National Rural Health Association.

The Journal of rural health v. 9 (1): p. 17-26; 1993. Includes references.

Language: English

Descriptors: U.S.A.; Infant mortality; Rural areas; Health services; Social policy; Geographical distri-



bution; Population distribution; Ethnicity; Blacks

Abstract: In 1991, members of the rural eaucus proposed numerous bills designed to attenuate the rural-urban differences in health care delivery and health status. Implicit in the legislative process is the assumption that "rural America" differs systematically from "urban America." However, research has consistently demonstrated that there is not a single rural America but rather, those areas outside of the major metropolitan areas represent a complex mosaic of varying social and environmental settings. Rural communities differ in meaningful ways along a number of socioenvironmental parameters, and accordingly, health status indicators also differ across rural communities. Thus, health outcome statistics averaged across rural communities will often mask important health disparities experienced by certain population groups. Policies based on these aggregate indicators may overlook the needs of the most disadvantaged. While a number of measures of rurality have emerged in the last decade, much of the information presented to policy-makers is either too aggregated (i.e., metropolitan-nonmetropolitan) to identify important differences across the range of communities, or it is gathered in agency-specific categories that are not comparable. The central question under examination in the current context is the possibility of distorting the picture of infant health status by aggregating the diverse rural locales of the United States. Empirical results indicate that when considering infant mortality, any rural disadvantage is contingent upon how 'rural' and 'urban' have been defined. Further, the results indicate that conclusions must be conditioned on other important sociodemographic parameters such as region of the country and race.

57 NAL Call No: 151.65 P96 Consortium building among local health departments in Northwest Illinois.

Orthoefer, J.; Bain, D.; Empereur, R.; Nesbit, T.A. Washington, D.C.: Public Health Service. Public health reports v. 103 (5): p. 500-507. maps;

1988 Sep. Includes references.

Language: English

Descriptors: Illinois; Public health; Community health services; Counties; Rural areas; Grants; Regionalization

Abstract: The 1947 report by Haven Emerson envisioned the widespread delivery of local public health services through organizational patterns

that substituted multi-county or regional agencies for . . ally controlled departments. The 1971 study by Vlado Getting supported the Emerson report and suggested alternative methods to provide public health services via multi-county area health service agencies for rural areas of Illinois. The number of local agencies in the State has doubled since the mid-1960s, yet a majority of rural counties have maintained a single-county health agency rather forming multi-county arrangements. In effect, potential economics of scale have been forfeited. In northwest Illinois, however, eight local health departments, covering both rural and urban areas, have formed a multi-county consortium to identify and meet several overlapping program needs. This Region I consortium, with a population base of 590,000, was created as a result of the 1981 Omnibus Budget Reduction Act. Through the block grants created by the act, funds became available for preventive health and health promotion activities in fiscal year 1982. Once in place, the consortium provided a cost effective means to manage the Women, Infants, and Children Supplemental Feeding Program (WIC) and some elements of family planning programs in Region I. The consortium approach offers numerous opportunities for future growth and regionalization of services.

NAL Call No: KF26.B8 1990 Crisis in rural health care hearings before the Committee on the Budget, United States Senate, One Hundred First Congress, first session, February 13, 1989, Fargo, ND; February 14, 1989, Grand Forks, ND; February 16, 1989, Minot, ND. United States. Congress. Senate Committee on the Budget

Washington [D.C.]: U.S. G.P.O.: For sale by the Supt. of Docs., Congressional Sales Office, U.S. G.P.O.,.

iv, 452 p.: ill., maps; 24 cm. (S. hrg.; 101-480). Distributed to some depository libraries in microfiche. Shipping list no.: 90-204-P. Item 1035-A-1, 1035-A-2 (MF). Includes bibliographical references.

Language: English

Descriptors: Rural health services; Medical care; Hospitals, Rural

59 NAL Call No: KF27.5.A374 1991a The crisis in rural health care problems of access, affordability, and quality: hearing before the Subcommittee on Retirement Income and Employ-



ment of the Select Committee on Aging, House of Representatives, One Hundred Second Congress, first session, August 16, 1991, Boise, Idaho.

United States, Congress, House, Select Committee on Aging, Subcommittee on Retirement Income and Employment

Washington [D.C.]: U.S. G.P.O.: For sale by the U.S. G.P.O., Supt. of Docs., Congressional Sales Office; Y 4.Ag 4/2:H 34/49.

iv, 252 p.: ill., maps; 24 cm. Distributed to some depository libraries in microfiche. Shipping list no.: 91-824-P. Comm. pub. no. 102-827. Includes bibliographical references (p. 167).

Language: English

Descriptors: Rural health services; Federal aid to rural health services

60 NAL Call No: RA771.A1J68 Cultivating physician relations to enhance rural hospital utilization.

Smith, H.L.; Piland, N.F.

Kansas City, Mo.: National Rural Health Association.

The Journal of rural health v. 7 (3): p. 192-209; 1991. Includes references.

Language: English

Descriptors: New Mexico; Hospitals; Physicians; Relationships; Rural areas; Utilization; Personnel management

Abstract: Rural hospitals are searching for new strategies to enhance utilization in view of constraints introduced by prospective payment and other environmental pressures. Developing physician relations is an approach that is reportedly leading to better hospital-physician collaboration and subsequently to improved utilization. This paper examines rural hospital-physician relations and the association with utilization. The findings suggest that rural hospitals emphasize quality care as well as diagnostic and treatment equipment procurement as methods for building relationships with physicians. These strategies are correlated with efforts to build a larger medical staff. Higher rural hospital utilization, in terms of occupancy, discharges and patient days provided, is associated with a larger medical staff. The results suggest that rural hospitals' attempts to cultivate physician relations have the potential for making significant differences in utilization outcomes. However, the linkages between utilization and physician relations are complex and require further research.

61 NAL Call No: RA771.6.A6M6 no.9 Declining availability of physician obstetric service in rural Arizona and medical malpractice issues.

Gordon, Rena J.

Tucson, Ariz.: Southwest Border Rural Health Research Center, College of Medicine, University of Arizona...

30, [26] leaves; 28 cm. (Monograph / Southwest Border Rural Health Research Center; no. 9). December 1989. Includes bibliographical references (leaves [42-56]).

Language: English

62 NAL Call No: RA771.5.H38 Defining "rural" areas impact on health care policy and research. (Rural health care.)

Hewitt, Maria Elizabeth

United States, Congress, Office of Technology Assessment

Washington, D.C.: Health Program, Office of Technology Assessment, Congress of the United States: For sale by the Supt. of Docs., U.S. G.P.O.; Y 3.T 22/2:2 R 88.

iv, 60 p.: ill.; 26 cm. (Staff paper). "Rural health care", Cover. July 1989. Includes bibliographical references (p. 56-60).

Language: English

Descriptors: United States; Rural conditions; Federal aid to rural health services; United States; Rural health services; United States

63 NAL Call No: HQ763.F35 The delivery of family planning services in the United States.

Forrest, J.D.

New York, N.Y.: Alan Guttmacher Institute. Family planning perspectives. p. 88, 90-95, 98. ill; 1988 Mar. Includes references.

Language: English

Descriptors: U.S.A.; Health care; Family planning; Health services; Rural communities; Income distribution; Health care costs

64 NAL Call No: HT421.S63 Delivery of mental health services is a special problem in rural areas.

Pitzer, R.L.

St. Paul, Minn.: The Service.



Sociology of rural life - Minnesota University, Agricultural Extension Service v. 11 (2): p. 1-2, 7; 1990.

Language: English

Descriptors: Minnesota; Mental health; Health services; Rural areas

65 NAL Call No: RA771.A1J68 A descriptive analysis of health insurance coverage among farm families in Minnesota. Kralewski, J.E.; Liu, Y.; Shapiro, J.

Kansas City, Mo.: National Rural Health Associ-

ation.

The Journal of rural health v. 8 (3): p. 178-184; 1992. Includes references.

Language: English

Descriptors: Minnesota; Health insurance; Health services; Farm families; Demography; Rural areas; Health care c tts

Abstract: This paper reports the findings of a study of health insurance coverage and access to health services among farm families in Minnesota. The study included 1,482 families actively engaged in farming during 1989. While less than 10 percent of the population were uninsured during this period, the majority had limited coverage with high deductible and coinsurance provisions. Moreover, they were paying an estimated 15 to 20 percent more for their plans than a similar plan would have cost in the Minneapolis-St. Paul, MN, area. With the exception of cost, satisfaction with health services was found to be very high, and there were few indications of access problems.

NAL Call No: RA771.6.N7D47 1988 The Design of a rural health services system for the next two decades legislative symposium proceedings, April 29-May 1, 1987, Bassett Hall Conference Center, Mary Imogene Bassett Hospital, Cooperstown, New York.

New York (State), Legislature, Legislative Commission on Rural Resources

Legislative Symposium on Rural Health Care 2nd: 1987: Cooperstown, N.Y.

Albany, N.Y.: New York State Legislative Commission on Rural Resources; LEG,373.3-4,DESRH,90-33671.

ii, 69 p.: ill.; 28 cm. A rural resources special focus report. August 1988.

Language: English

Descriptors: Rural health services

67 NAL Call No: RA771.A1J68 The determinants of utilization of nonphysician providers in rural community and migrant health centers.

Shi, L.; Samuels, M.E.; Konrad, T.R.; Ricketts, T.C.; Stoskopf, C.H.; Richter, D.L.

Kansas City, Mo.: National Rural Health Association.

The Journal of rural health v. 9 (1): p. 27-39; 1993. Includes references.

Language: English

Descriptors: U.S.A.; Health care; Health services; Rural communities; Medical auxiliaries; Supply; Demand; Geographical distribution

Abstract: The use of nonphysician providers, such as nurse practitioners, physician assistants, and certified nurse midwives, in rural areas is critically important due to the continued primary care access problems. This study examines the major factors influencing the use of nonphysician providers in rural community and migrant health centers based on a 1991 national survey of the centers. This study demonstrates that the employment of nonphysician providers in rural community and migrant health centers is significantly influenced by both supply and demand factors. Among supply factors, there is a significant and positive relationship between the number of total staff and the number of nonphysician providers employed. There is a significant but inverse relationship between the number of physicians and the number of nonphysician providers employed, indicating nonphysician providers primarily serve as substitutes for physicians in rural community and migrant health centers. The supply of nonphysician providers, as measured by the number of affiliated training programs, is significantly related to the employment of nonphysician providers. The demand variable, geographic location, and the centers' staffing policies are also significant determinants of the use of nonphysician providers.

68 NAL Call No: RA771.A1J68 Determination of nurse adequacy in rural areas. Moses, E.B.

Kansas City, Mo.: National Rural Health Association.

The Journal of rural health v. 7 (4,suppl.): p. 451-459; 1991. In the series analytic: Issues and Trends in Availability of Heath Care Personnel in Rural America / edited by D.A. Kindig and T.C. Rick-



etts. Includes references.

Language: English

Descriptors: U.S.A.; Nurses; Availability; Rural areas; Geographical distribution; Supply balance

Abstrac.. The examination of the adequacy of nursing resources requires an analysis of a variety of factors. Because registered nurses primarily provide their services as employees of organized health care delivery structures, the number, size and type of these structures in an area are key to the nursing resources required and the nurse supply.

69 NAL Call No: RA771.A1J68 Determining adequacy of physicians and nurses for rural populations: background and strategy. Kindig, D.A.; Ricketts, T.C.

Kansas City, Mo.: National Rural Health Association.

The Journal of rural health v. 7 (4, suppl.): p. 313-326; 1991. In the series analytic: Issues and Trends in Availability of Heath Care Personnel in Rural America / edited by D.A. Kindig and T.C. Ricketts. Includes references.

Language: English

Descriptors: U.S.A.; Health care; Health services; Physicians; Nurses; Rural areas; Labor force; Supply balance

70 NAL Call No: RA410.8.O7D47 1992 Determining the level of medical underservice for rural Oregon, 1992.

Oregon Health Services University, Office of Rural Health

Portland, Or.: Office of Rural Health, Oregon Health Services University,

7, [30] p.; 28 cm. Cover title. Includes bibliographical references.

Language: English

Descriptors: Medically underserved areas; Rural health services

71 NAL Call No: 389.8 AM34 Dietary fat: sources of information used by men. Ankeny, K.; Oakland, M.J.; Terry, R.D.

Chicago, Ill.: The Association.

Journal of the American Dietetic Association v. 91
(9): p. 1116-1117; 1991 Sep. Includes references.

Language: English

Descriptors: Iowa; Nutrition information; Health promotion; Dietary fat; Food intake; Eating patterns; Behavior modification; Information services; Cardiovascular diseases; Risk; Surveys; Rural areas; Men

Abstract: Of the 1.25 million heart attacks reported each year in the United States, two thirds occur in men. Health and government organizations have attempted to promote dietary behaviors that may reduce heart disease risk. However, national dietary surveys indicate that most American men fail to follow many of these dietary recommendations, including reduction of dietary fat. Moreover, studies suggest that men are less likely than women to believe in the efficacy of dietary recommendations. The purpose of our research was to determine the communication sources most likely to be used by men who have adopted dietary behaviors to reduce dietary fat.

72 NAL Call No: RA771.A1J68 Differences in need among the rural and urban aged: statistical versus practical significance. Leinbach, R.M.

Burlington, Vt.: Journal of Rural Health. The Journal of rural health v. 4 (3): p. 27-34; 1988 Oct. In the series analytic: Rural Geriatrics and Gerontology / guest editor J.K. Cooper. Includes references.

Language: English

Descriptors: Pennsylvania; Wisconsin; Elderly; Needs assessment; Health; Rural urban relations; Location theory; Statistical analysis; Probabilistic models

73 NAL Call No: HV85.H85 Disability and rural independent living: setting an agenda for rural rehabilitation.

Offner, R.; Seekins, T.; Clark, F.

Cheney, WA: Eastern Washington University. Human services in the rural environment v. 15 (3): p. 6-8; 1992. Includes references.

Language: English

Descriptors: U.S.A.; Handicapped persons; Rural areas; Health care; Resource management

74 NAL Cail No: 151.65 P96 Drug use and illnesses among eighth grade students in rural schools.

Alexander, C.S.; Klassen, A.C.

Washington, D.C.: Public Health Service.



Public health reports v. 103 (4): p. 394-399; 1988 Jul. Includes references.

Language: English

Descriptors: Maryland; Rural youth; Adolescents; Substance abuse; Counties; Tobacco smoking; Alcoholic beverages; Health

Abstract: We examined the relationship between the drug use by young adolescents and two indicators of illness, frequency of illness and numbers of days absent from school owing to illness. Data were from a general health survey of all eighth grade students enrolled in public schools in two rural Maryland counties. A total of 745 students completed a self-administered questionnaire during school hours in January 1984. Information was obtained on a variety of sociodemographic characteristics and on the students' use of tobacco, alcohol, and marijuana. Correlational analyses were used to examine the relationships among cigarette smoking, beer or wine drinking, whiskey or hard liquor drinking, and marijuana use. Logistic regression was used to model the effects of drug use behaviors on the like ihood of being absent from school 3 or more days, adjusting for the student's age, sex, race, parents' education, illness frequency, and concerns about learning problems in school. We found substantial covariation among the use of cigarettes, alcohol, and marijuana. After adjusting for the background variables of illness, frequency, and learning problems, we found that students who are frequent cigarette smokers experienced a 2.6 risk of school absenteeism. Other drug use behaviors were not associated significantly with increased risk of missing school. Findings are discussed within the context of health-related consequences of drug use.

75 NAL Call No: RA771.A1J68
The economic impact of hospitals in rural communities.

McDermott, R.E.; Cornia, G.C.; Parsons, R.J. Kansas City, Mo.: National Rural Health Association.

The Journal of rural health v. 7 (2): p. 117-133; 1991. Includes references.

Language: English

Descriptors: Utah; Hospitals; Economic impact; Rural communities

76 NAL Call No: A00127 Education for rural he in Saskatchewan. McDonald, I.M.

Philadelphia, PA: Hanley & Beisus.

Academic medicine v. 65 (12, suppl.): p. S90-S92; 1990 Dec. Paper presented at the 1990 Invitational Symposium "Rural Health: A Challenge for Medical Education," February 1-3, 1990, San Antonio, Texas. Includes references.

Language: English

Descriptors: Saskatchewan; Medical education; Medical schools; Students; Recruitment; Rural areas

Abstract: The Canadian Province of Saskatchewan, like its American counterparts, is experiencing a steady urbanization of its population particularly by young adults. This has been accompanied by progressive decrease in the availability of health services to an aging rural population. Physicians, and, in particular, Saskatchewan graduates, find rural practice unattractive. Unlike the American experience, level of income is not the issue. Not only is rural practice unattractive to Saskatchewan graduates, but medicine as a career is not attracting students from rural areas. The need for a comprehensive overall strategy ranging from recruitment to reorganization of rural health care is proposed.

77 NAL Call No: RA771.A1J68 Education of nurses for rural practice. Pickard, M.R.

Kansas City, Mo.: National Rural Health Association.

The Journal of rural health v. 6 (4): p. 527-533, 549-552; 1990 Oct. In series analytic: A Decade of Rural Health Research: Looking Back, Thinking Ahead / edited by R.T. Coward, J.W. Dwyer and M.K. Miller. Includes references.

Language: English

Descriptors: U.S.A.; Nursing; Nurses; Rural areas; Professional continuing education; Educational innovation; Curriculum; Labor market; Research

78 NAL Call No: RA771.A1J68
The effect of a preterm birth prevention program in 17 rural and three urban counties in northwest North Carolina.

Moore, M.L.; Buescher, P.A.; Meis, P.J.; Michielutte, R.; Ernest, J.M.; Sharp, P.

Burlington, Vt.: Journal of Rural Health.

The Journal of rural health v. 5 (4): p. 361-370; 1989 Oct. Includes references.



Language: English

Descriptors: North Carolina; Low birth weight infants; Rural areas; Health programs; Premature infants; Rural urban relations; Ethnicity; Risks

79 NAL Call No: LB3401.A57 The effect of genetic risk information and health risk assessment on compliance with preventive behaviors.

Bamberg, R.; Acton, R.T.; Roseman, J.M.; Go, R.C.P.; Barger, B.O.; Vanichanan, C.J.; Copeland, R.B.

Reston, Va.: American Alliance for Health, Physical Education and Dance.

Health Education v. 21 (2): p. 26-32. charts; 1990 Mar. Includes 45 references.

Language: English

Descriptors: Georgia; Genetic markers; Risk; Disease prevention; Health beliefs; Health education; Nutrition education; Patient compliance; Psychological factors; Health hazards; Motivation; Assessment; Behavior change; Program effectiveness; Rural areas; Men

Abstract: This study was conducted to determine if genetic health risk information would motivate persons to change unhealthful behaviors and engage in positive preventive health measures.

80 NAL Call No: RA771.A1J68 The effect of physician dispensing on visit compliance and blood pressure control in a rural family practice clinic.

Lawborne, L.W.

Burlington, Vt.: Journal of Rural Health. The Journal of rural health v. 5 (2): p. 113-123; 1989 Apr. Includes references.

Language: English

Descriptors: U.S.A.; Physicians; Health clinics; Rural areas; Drug formulations; Distribution; Medical treatment; Health care costs; Patient care; Patient compliance

NAL Call No: RA771.A1J68
The effects of Area Health Education Centers on primary care physician-to-population ratios from 1975 to 1985.

Hynes, K.; Givner, N.

Burlington, Vt.: Journal of Rural Health. The Journal of rural health v. 6 (1): p. 9-17; 1990 Jan. Includes references. I anguage: English

Descriptors: U.S.A.; Health centers; Health education; Physicians; Rural population; Ratios; Counties

NAL Call No: RA771.6.A6M6 no.5 The effects of malpractice insurance on certified nurse-midwives the case of rural Arizona.

Gordon, Rena J.

Tucson, Ariz.: Southwest Border Rural Health Research Center, College of Medicine, University of Arizona,.

1 v. (unpaged); 28 cm. (Monograph / Southwest Border Rural Health Research Center; no. 5). January 1989. Includes bibliographical references.

Language: English

83 NAL Call No: RA975.R87N4 Enabling rural hospitals in New York State to provide swing-bed care.

Cook, Charles D.,

New York (State). Legislature. Legislative Commission on Rural Resources

Albany, N.Y.: New York State Legislative Commission on Rural Resources,.

ii, 32 p.: ill., maps; 28 cm. At head of title: A rural resources special focus report. "Senator Charles D. Cook, chairman", Cover p. [2]. April 1988. Bibliography: p. 31.

Language: English

Descriptors: Hospitals, Rural; New York (State); Swing beds

84 NAL Call No: RA771.A1J68 Entrance and exit of obstetrics providers in rural Alabama.

Bronstein, J.M.

Kansas City, Mo.: National Rural Health Associ-

The Journal of rural health v. 8 (2): p. 14-120; 1992. Includes references.

Language: English

Descriptors: Alabama; Obstetrics; Physicians; Rural areas; Rural communities; Individual characteristics; Geographical distribution; Decision making; Trends; Health services

85 NAL Call No: R847.6.O7E77 1992 Establishing a physician assistant training program in Oregon a report to the Legislative Emergency Board.



Oregon Health Services University, Office of Rural Health

Portland, Or.?: Office of Rural Health, Oregon Health Sciences University,.

42 p.; ill.; 28 cm. Cover title. June 1992.

Language: English

Descriptors: Physicians' assistants; Rural health services

86 NAL Call No: RA771.A1J68 Establishing a rural hospital cooperative: A case study.

Rosenthal, T.C.; Bissonette, R.P.; Parisella, J.S. Kansas City, Mo.: National Rural Health Association.

The Journal of rural health v. 7 (5): p. 589-598; 1991. In series analytic: Issues in the structure, financing, and viability of rural hospitals. Includes references.

Language: English

Descriptors: New York; Hospitals; Cooperatives; Rural areas; Health care; Health services; Cooperative activities; Case studies; Personnel management

87 NAL Call No: RA771.A1J68 Estimating rural health professional requirements: an assessment of current methodologies. Pathman, D.E.

Kansas City, Mo.: National Rural Health Association.

The Journal of rural health v. 7 (4,suppl.): p. 327-346; 1991. In the series analytic: Issues and Trends in Availability of Heath Care Personnel in Rural America / edited by D.A. Kindig and T.C. Ricketts. Includes references.

Language: English

Descriptors: U.S.A.; Health care; Health services; Rural areas; Physicians; Supply balance; Population density

88 NAL Call No: RA771.A1J68 Evaluating rural nurses for preparation in implementing nutrition interventions.

Lindseth, G.

Kansas City, Mo.: National Rural Health Association.

The Journal of rural health v. 6 (3): p. 231-245; 1990 Jul. Includes references.

Language: English

Descriptors: North Dakota; Nurses; Nutrition knowledge; Nutrition information; Nutrition education; Nutritional intervention; Health promotion; Rural areas; Academic achievement; Age differences; Continuing education

Abstract: With the increase in wellness programs, earlier hospital discharges, higher health care costs, and more home health care, rural nurses are required to generalize their practices and draw from a more extensive knowledge base. The purpose of this study was to examine nursing interventions, specifically nutrition education practices, based on nutrition knowledge that is used in health promotion. A stratified random sample of rural nurses from hospitals, nursing homes, and community health agencies in North Dakota was invited to participate in this study. Data were obtained via questionnaires. The questionnaire consisted of two parts: the first analyzing demographic data and the second analyzing nutrition knowledge. Nutrition information requests were received by 90.9 percent of the practicing registered nurses. The community/public health nurses had the highest nutrition knowledge scores while medical-surgical hospital nurses had the lowest nutrition knowledge scores. With nutrition information and education being a frequently sought intervention by the rural health client, it would seem that registered nurses should be highly prepared and knowledgeable to meet these clients' needs.

89 NAL Call No: RA771.A1J68 An exploratory study of the correlates of intent to quit among certified registered nurse anesthetists in North Dakota.

Szigeti, E.; Largent, R.N.; Eberhardt, B.J.

Kansas City, Mo.: National Rural Health Association.

The Journal of rural health v. (3): p. 317-327; 1990 Jul. Includes references.

Language: English

Descriptors: North Dakota; Work satisfaction; Nurses; Rural areas; Labor turnover; Salaries; Promotion; Supervisors; Role perception; Age differences; Shift work; Marriage; Surveys

Abstract: Certified registered nurse anesthetists (CRNAs) provide the majority of anesthesia services in rural hospitals. Some services provided by CRNAs are routine, while others are for emergency conditions. The effect of the current nurse shortage on the potential pool of nurse anesthetists becomes a critical concern when considering the



nature of CPNA services in rural areas. This study investigated the potential factors that relate to the desire of CRNAs to continue practicing in rural hospitals of North Dakota. All CFNAs licensed in North Dakota (n = 125) were mailed survey questionnaires. Approximately five weeks later responses were received from 54 respondents for an overall return rate of 43 percent. Correlational analyses were used to examine responses of the subjects. A moderate degree of relationship was found among the work-related variables. The average interscale correlation, calculated using an r to z transformation, for the seven work-related variables was 0.47. Overall, pay and promotion satisfaction exhibited strong (r > 0.60) correlations with turnover intentions. Supervisory satisfaction was only moderately (r = -0.33) related to intention to quit. These results are discussed in terms of their implications for the management of CRNAs in rural hospitals. Revised salary schedules, clinical ladders for promotions, supervisory training, and the identification of potential performance constraints are suggested as areas in which rural hospitals should focus attention in an attempt to manage turnover in CRNAs.

90 NAL Call No: HT401.S72 Extensions's role in strengthening the community health infrastructure.

Jenkins, S.; Reinheimer, R.; Varnedoe, L. Mississippi State, Miss.: The Center. SRDC series - Southern Rural Development Center (130): p. 187-192; 1990 Jun. Paper presented at a Regional Conference: "Revitalizing the Rural South: Extension's Role in Enhancing the Quality of Life," January 16-18, 1990, Birmingham, Alabama. Includes references.

Language: English

Descriptors: Georgia; Community health services; Health promotion; Cooperative extension service; Role perception; Community programs; Infrastructure; Rural development

91 NAL Call No: RA771.A1J68 Factors related to job satisfaction and autonomy as correlates of potential job retention for rural nurses.

Hanson, C.M.; Jenkins. S.; Ryan, R.

Kansas City, Mo.: National Rural Health Association.

The Journal of rural health v. 6 (3): p. 302-316; 1990 Jul. Includes references.

Language: English

Descriptors: Georgia; Work satisfaction; Nurses; Rural areas; Self-actualization; Decision making; Labor turnover; Age differences; Academic achievement; Salaries; Marriage; Children

Abstract: This study of 167 nurses in 10 rural Georgia agencies examines the relationships among personal characteristics, factors of job satisfaction, autonomy, and job retention. The findings indicate that, contrary to expectations, personal characteristics (e.g., age, education, salary, marital status, and number of dependents) are not strong predictors of job retention in this sample. Some of the factors of job satisfaction do correlate negatively with indicators of impending job change, but the strongest relationships were those related to nursing autonomy. The study concludes that, of the variables studied, autonomy was the most effective predictor of job satisfaction and intention to remain in the current position.

92 NAL Call No: RA771.A1J68 Family medicine education and rural health: a response to present and future needs.

Boulger, J.G.

Kansas City, Mo.: National Rural Health Association.

The Journal of rural health v. 7 (2): p. 105-115; 1991. Includes references.

Language: English

Descriptors: Minnesota; Physicians; Families; Medicine; Medical education; Rural areas

93 NAL Call No: 30.98 AG8 Farm females, fitness, and the ideology of physical health in Antebellum New England.

Borish, L.J.

Berkeley, Calif.: University of California Press. Agricultural history v. 64 (3): p. 17-30; 1990. Literature review. Includes references.

Language: English

Descriptors: U.S.A.; Rural women; Fitness; Health; History; Ideology; Physical activity; Sport; Work; Literature reviews

94 NAL Call No: HN49.C6J6 Farm structure and infant mortality: an analysis of nonmetropolitan counties.

Lobao, L.M.; Thomas, D.W.

Athens, Ga.: The University of Georgia. Journal of the Community Development Society v. 19 (2): p. 1-29; 1988. Includes references.



Language: English

Descriptors: U.S.A.; Farm structure; Infant mortality; Neonatal mortality; Farm size; Income distribution; Educational attendance; Pregnant adolescents; Physicians; Models; Community development; Development plans

95 NAL Call No: RA771.A1J68 Farming: primary prevention for hypertension? Effects of employment type on blood pressure. Gold, M.R.; Franks, P.

Burlington, Vt.: Journal of Rural Health. The Journal of rural health v. 5 (3): p. 257-256; 1989 Jul. Includes references.

Language: English

Descriptors: New York; Farming; Hypertension; Employment; Risks; Occupational disorders; Health programs; Rural environment

96 NAL Call No: RA413.5.U5K87 1991 The feasibility of health care cooperatives in rural America learning from the past to prepare for the future.

Kushner, Christine

United States, Health Resources and Service Adminstration, Office of Rural Health Policy, University of North Carolina at Chapel H

Chapel Hill, NC: Health Services Research Center, University of North Carolina at Chapel Hill,. 29, [5] leaves; 28 cm. May 1991. The University of North Carolina Rural Health Research program. ... supported by the Office of Rural Health Policy, Health Resources and Services Administration, Public Health Service, U.S. Department of Health and Human Services, Grant No. HA-R-000016-03. Includes bibliographical references (leaves 27-29).

Language: English

Descriptors: Health maintenance organizations; Rural health services

Abstract: The decline in federal financial support for rural health care may lead rural health care consumers to turn to a once-prevalent private sector model for health care services: health care cooperatives. This study examines the feasibility of health care cooperatives in rural America and whether the corporate structure of a cooperative is a feasible option for rural residents in communities that lack access to primary health care services. The paper will familiarize readers with the

concept of cooperatives and will provide a background for anyone thinking about establishing a rural health care cooperative. The history of health care cooperatives and similar health care systems is reviewed, as are current and past examples of health care cooperatives. As an example of one state's history of cooperatives, experiences in North Carolina will be briefly discussed. Also discussed are several issues that must be considered before developing a health care cooperative: whether the practice will be prepaid or fee-forservice; the importance of professional legal, financial, and organizational assistance; and the personnel practices of the cooperative. Rural health care providers and consumers may find cooperatives a suitable and efficient option for securing health care services for their communities. In establishing a cooperative, organizers must consider whether the corporate structure of a cooperative fits the needs of their communities and of the patients who would join and be served by the cooperative. The views and recommendations expressed in this report do not necessarily reflect the views of the Department of Health and Human Services and the Administration.

97 NAL Call No: RA771.5.F56 Federal legislative changes affecting the reimbursement of health care in rural America. Knight, P.

New York: Pracger.

Financing rural health care / edited by LaVonne Straub and Norman Walzer. p. 113-128; 1988. Includes references.

Language: English

Descriptors: U.S.A.; Rural communities; Health care; Remunerations; Legislation; Medicare; Medicaid; Federal government

98 NAL Call No: RA771.4.1J68 Federal programs affecting rural perinatal mealth care.

Bacchi, D.; Phillips, D.; Kessel, W.; Smith, D. Burlington, Vt.: Journal of Rural Health. The Journal of rural health v. 5 (4): p. 413-424; 1989 Oct. Includes references.

Language: English

Descriptors: U.S.A.; Rural areas; Health care; Health programs; Federal government; Parturition

99 NAL Call No: 151.65 P96 Financing geriatric programs in community



health centers.

Yeatts, D.E.; Ray, S.; List, N.; Duggar, B. Rockville, Md.: U.S. Department of Health & Human Services, Public Health Service. Public health reports v. 106 (4): p. 375 383; 1991 Jul. Includes references.

Language: English

Descriptors: U.S.A.; Health centers; Community health services; Rural areas; Urban areas; Program development; Program effectiveness; Marketing techniques; Health insurance; Incentives; Cooperation; Elderly

Abstract: There are approximately 600 Community and Migrant Health Centers (C/MHCs) providing preventive and primary health care services principally to medically underserved rural and urban areas across the United States. The need to develop geriatric programs within C/MHCs is clear. Less clear is how and under what circumstances a comprehensive geriatric program can be adequately financed. The Health Resources and Services Administration of the Public Health Service contracted with La Jolla Management Corporation and Duke University Center on Aging to identify successful techniques for obtaining funding by examining 10 "good practice" C/MHC geriatric programs. The results from this study indicated that effective techniques included using a variety of funding sources, maintaining accurate cost-peruser information, developing a marketing strategy and user incentives, collaborating with the area agency on aging and other community organizations, and developing special services for the elderly. Developing cost-per-user information allowed for identifying appropriate drawing card" services, negotiating sound reimbursement rates and contracts with other providers, and assessing the financial impact of changing service mixes. A marketing strategy was used to enhance the ability of the centers to provide a comprehensive package of services. Collaboration with the area agency on aging and other community organizations and volunteers in the aging network was found to help establish referral networks and subsequently increase the number of elderly patients served. Finally, development of special services for the elderly, such as adult day care, case management, and health education, was found to increase program visibility, opportunities to work with the network of services for the aging, and clinical utilization.

100 NAL Call No: RA771.5.R53 1989 Financing primary care in rural America a re-

search agenda for the Health Care Financing Administration.

Ricketts, Thomas C.

United States, Health Care Financing Administration, Office of Research and Demonstrations, University of North Carolina at Chapel Hill, Health Services Research Center

Chapel Hill, N.C.: Health Services Research Center, University of North Carolina at Chapel Hill, 17 leaves; 28 cm. December 1989. A paper prepared for the Office of Research and Demonstrations, Health Care Financing Administration. The University of North Carolina Rural Health Research program. ... supported by Grant No. HA-R-000016-02 ... from the Office of Rural Health Policy, Health Resources and Services Administration, Public Health Service, U.S. D.H.H.S. Includes bibliographical references (leaves 16-17).

Language: English

Descriptors: Rural health services

101 NAL Call No: RA771.A1J68 Financing rural health and medical services.

Straub, L.A.

Kansas City, Mo.: National Rural Health Association.

The Journal of rural health v. 6 (4): p. 467-484; 1990 Oct. In series analytic: A Decade of Rural Health Research: Looking Back, Thinking Ahead / edited by R.T. Coward, J.W. Dwyer and M.K. Miller. Literature review. Includes references.

Language: English

Descriptors: U.S.A.; Health care; Health services; Rural areas; Health care costs; Finance; Hospitals; Community health services; Health centers; Low income groups; Elderly; Social benefits; Literature reviews; Research

102 NAL Call No: RA771.5.F56 Financing rural health care.

Straub, LaVonne; Walzer, Norman

New York: Praeger,.

xxii, 230 p.: ill.; 24 cm. "... papers presented at a conference on financing rural health care held in 1987", Pref. Includes index. Bibliography: p. 209-216.

Language: English

Descriptors: Rural health services; United States; Finance; Congresses; Rural health services; United States; Congresses



103 NAL Call No: KF27.W344 1989b Fiscal year 1990 budget issues relating to payment of inner-city and rural hospitals under Part A of the Medicare program hearing before the Subcommittee on Health of the Committee on Ways and Means, House of Representatives, One Hundred First Congress, first session, May 15, 1989.

United States. Congress. House. Committee on Ways and Means. Subcommittee on Health Washington [D.C.]: U.S. G.P.O.: For sale by the Supt. of Docs., Congressional Sales Office, U.S. G.P.O.; Y 4.W 36:101-44.

iii, 239 p. ill.; 24 cm. Distributed to some depository libraries in microfiche. Serial 101-44. Includes bibliographical references.

Language: English

Descriptors: Medicare; Federal aid to hospitals; United States; Hospitals; United States; Finance; Hospitals, Rural; United States; Prospective payment

NAL Call No: KF27.5.W344 1990 Fiscal year 1991 budget issues relating to payment of inner-city and rural hospitals under part A of the Medicare program hearing before the Subcommittee on Health of the Committee on Ways and Means, House of Representatives, One Hundred First Congress, second session, April 4, 1990.

United States. Congress. House. Committee on Ways and Means. Subcommittee on Health Washington [D.C.]: U.S. G.P.O.: For sale by the Supt. of Docs., Congressional Sales Office, U.S. G.P.O.; Y 4.W 36:101-89.

iii, 129 p.: ill.; 24 cm. Distributed to some depository libraries in microfiche. Serial 101-89.

Language: English

Descriptors: Budget; United States; Hospitals, Rural; United States; Prospective payment; Medicare; Insurance, Health; United States

105 NAL Call No: A00122 Focus on rural health: proceedings of the 19th Annual PA Conference: May 25-31, 1991, San Francisco, California.

St. Louis, MO: Mosby.

Journal of the American Academy of Physician Assistants v. 3 (6): 150 p.; 1990 Sep.

Language: English

Descriptors: Health care; Rural areas; Professional

continuing education; Occupations

106 NAL Call No: LB1567.J68 Four years of infusing preventive health behavior education into a small, isolated, Hispanic school. Duryea, E.J.; Semark, L.; Neto, C.

Bellingham, Wash.: National Rural Development Institute.

Journal of rural and small schools v. 5 (3): p. 2-6; 1992. Includes references.

Language: English

Descriptors: New Mexico; Hispanics; Public schools; Rural areas; Health education; Substance abuse; Behavior modification; Health programs; Rural youth; Educational programs

107 NAL Call No: RA771.5.F56 The future of rural hospitals.

Moscovice, I.

New York: Praeger.

Financing rural health care / edited by LaVonne Straub and Norman Walzer. p. 65-81; 1988. Includes references.

Language: English

Descriptors: U.S.A.; Rural communities; Hospitals; Health care; Health care costs; Finance; Profitability; Technical progress; Physicians; Nurses

108 NAL Call No: RA771.A1J68 Geographic distribution of physician manpower: the GMENAC legacy.

Jacoby, I.

Kansas City, Mo.: National Rural Health Association.

The Journal of rural health v. 7 (4,suppl.): p. 427-436; 1991. In the series analytic: Issues and Trends in Availability of Heath Care Personnel in Rural America / edited by D.A. Kindig and T.C. Ricketts. Includes references.

Language: English

Descriptors: U.S.A.; Physicians; Geographical distribution; Rural areas; Supply balance

Abstract: The Graduate Medical Education National Advisory Committee (GMENAC) projected the need for and supply of physicians and other providers, recommended time and access standards for health care services, and developed guidelines for the geographic distribution of physicians. Since this study, analysts have given



scant attention to national problems of physician geographic distribution. The issue deserves additional scrutiny in light of the current continuing problems of underservice in rural areas. The emergence information systems offers a unique opportunity to acquire data on provider distribution and provide a framework for developing and testing redistribution policy.

109 NAL Call No: A00127 Graduate medical education and rural health care.

Talley, R.C.

Philadelphia, PA: Hanley & Belfus.

Academic medicine v. 65 (12,suppl.): p. S22-S31; 1990 Dec. Paper presented at the 1990 Invitational Symposium "Rural Health: A Challenge for Medical Education," February 1-3, 1990, San Antonio, Texas. Commentaries by P.R. Young, p. S25-S27, and N.A. Vanselow, p. S27-S31. Includes references.

Language: English

Descriptors: U.S.A.; Health care; Medical education; Graduate study; Rural areas; Recruitment; Rural communities

Abstract: Currently, residency training is neither detrimental nor helpful to the problems of rural health. Based on four generally accepted "truths" about rural health, medical schools should recruit students from rural areas, have them choose family practice as a career, and train them in rural settings. Given no substantial changes in residency training, the following recommendations are made. Develop a consensus definition of "rural." Educate rural communities to the purpose of residency training. Residency review committees should support rural rotations of at least six months; consider the number of residencies at a site irrelevant for accreditation; judge the quality of the product as the standard of accreditation; and define teaching competency by other than specialty label. All medical school departments should be involved in seeking solutions to the problems of rural health. New opportunities for funding of rural residency training should be sought. If major changes in residency training are possible, internal medicine, family practice, and pediatries should merge as a single primary care specialty and for residency training. Only this residency should be considered primary care for residency reimbursement purposes, and only its graduates should be reimbursed for primary care services.

NAL Call No: 100 OK4 (3) A guidebook for rural dental services: a systematic approach to planning and development. Doeksen, G.A.; Peterson, J.E.; Stackler, L.; Quinn, J.E.

Stillwater, Okla.: The Station.

Miscellaneous publication - Agricultural Experiment Station, Oklahoma State University (128): 90 p. ill; 1989 Jun. Includes references.

Language: English

Descriptors: Oklahoma; Rural communities; Public services; Dental health; Rural planning; Input output analysis

111 NAL Call No: 1.90 C2OU8 Health and social characteristics of the nonmetro elderly.

Rogers, C.C.

Washington, D.C.: The Department.

Outlook - Proceedings, Agricultural Outlook Conference, U.S. Department of Agriculture (68th): p. 264-277; 1992. Paper presented at "New opportunities for agriculture," December 3-5, 1991, Washington, DC. Includes references.

Language: English

Descriptors: U.S.A.; Elderly; Rural areas; Health care; Health services; Utilization; Socioeconomic status; Demography; Suburban areas; Urban areas; Comparisons; Quality of life; Hypertension; Arthritis

112 NAL Call No: 281.28 R88 The health and social functions of black midwives on the Texas Brazos bottom, 1920-1985.

Schaffer, R.C.

Bozeman, Mont.: Rural Sociological Society. Rural sociology v. 56 (1): p. 89-105; 1991. Includes references.

Language: English

Descriptors: Texas; Blacks; Midwives; Health care; Rural communities; Medical services; History; Caste; Social change; Rural economy; Cotton

Abstract: This paper concerns black midwives who practiced traditional medicine in six central Texas counties, mostly located on the Brazos River. During the years of hospital segregation following the Civil War, the black midwife performed two major functions. Through formal connections with white physicians who taught them the basics of obstetrical care, black midwives were able to pro-



vide a better level of health care for black women than otherwise would have been available. The same ties enabled the black midwife to secure assistance from whites for the rural black community. These arrangements improved the health and productivity of rural black families and lessened the severity of the caste system. A sharp decline in the use of black midwives occurred when desegregation reduced training opportunities and the market for their services.

113 NAL Call No: RA421.F35 Health beliefs, health care, and rural Appalachian subcultures from an ethnographic perspective.

Hansen, M.M.; Resick, L.K.

Frederick, Md.: Aspen Publishers.

Family & community health v. 13 (1): p. 1-10; 1990 May. In the series analytic: Helath behaviors and high-risk or special populations / edited by S.R. Levy. Includes references.

Language: English

Descriptors: Kentucky; Mothers; Health beliefs; Health care; Rural areas; Cultural influences; Cultural values; Ethnography

114 NAL Call No: RA771.5.F56 Health care environment access, payment, and the rural hospital.

Damasauskas, R.

New York: Pracger.

Financing rural health care / edited by LaVonne Straub and Norman Walzer. p. 43-63; 1988. Includes references.

Language: English

Descriptors: U.S.A.; Rural communities; Hospitals; Health care; Fiscal policy; Social benefits; Economic impact; Access; Inflation; Technical progress; Health care costs; Demography

115 NAL Call No: RA771.A1J63 Health care in Canada: lessons for the United States.

Reamy, J.

Kansas City, Mo.: National Rural Health Association

The Journal of rural health v. 7 (3): p. 210-221; 1991. Includes references.

Language: English

Descriptors: Canada; U.S.A.; Health care; Access; Hospitals; Rural areas; Physicians

Abstract: This paper considers various aspects of the Canadian health care system and the implications for the improved delivery of rural health care in the United States. The major aspects examined are access to care, rural hospitals, and rural physicians. A search of the pertinent literature revealed a large amount of information concerning rural physicians in Canada, but less that dealt directly with rural hospitals and access to health care in rural areas. Universal access is the cornerstone of the Canadian health care system, which is operated by each province under certain mandates of the federal government, with both providing funding for the system. The diffusion of medical technology has been slower in Canada than in the United States, which is perceived by some as a major success of the system. Little distinction is made between rural and urban hospitals in Canada, with all hospitals funded by annual global budgets from the province, rather than by direct payment for each service provided. Funding for capital items must be requested separately. This method of reimbursement allows better planning in meeting the needs of each community. Physicians in Canada are mostly private practitioners who are reimbursed by fee for service. As in the United States, there has been difficulty in attracting physicians to rural areas. However, all but one province have incentive programs to encourage physicians to practice in underserved rural areas, with some having disincentives for those locating in overserved areas. Overal!, the Canadian health care system has chosen to control costs by focusing on the provider rather than the consumer and appears to be more successful in providing access to health care in rural areas of the country.

116 NAL Call No: RA771.5.H43 Health care in rural America.

Washington, ¹³C: Congress of the U.S., Office of Technology Assessment: U.S. G.P.O.; Y 3.T 22/2:2 H 34/5.

viii, 529 p.: ill.; 26 cm. Includes bibliographical references (p. 487-514) and index.

Language: English

Descriptors: United States; Rural conditions; Rural health services; Hospitals, Rural; Federal aid to rural health services

117 NAL Call No: aZ5071.N3 Health care in rural America: January 1979-September 1991. John, P.L.C.



Beltsville, Md.: The L'brary.

Quick bibliography seri... - U.S. Department of Agriculture, National Agricultural Library (U.S.). (92-13): 73 p.; 1991 Dec. Updates QB 90-87. Bibliography.

Language: English

Descriptors: U.S.A.; Health care; Rural areas; Bibliographies

118 NAL Call No: RA771.5.H4 1990 Health care in rural America summary.

United States, Congress, Office of Technology Assessment

Washington, D.C.: Congress of the U.S., Office of Technology Assessment; Y 3.T 22/2:2 H 34/5/sum.

viii, 26 p.: ill.; 27 cm. "September 1990", P. [4] of cover. "OTA-H-435", P. [4] of cover. Includes bibliographical references (p. 25-26).

Language: English

Descriptors: United States; Rural conditions; Health aspects; Rural health services; Hospitals, Rural; Federal aid to rural health services

119 NAL Call No: R729.5.R87W442 1992 Health care practitioners in rural Oregon an update.

Whitaker, Karen

Oregon: Office of Rural Health, Oregon, Health Sciences University, [1992?].

8 p.: ill.; 28 cm. Cover title. October 1992.

Language: English

Descriptors: Medicine, Rural; Medical personnel; Physicians; Rural health services

120 NAL Call No: HC107.A13A6 Health care tour in China holds useful lessons. Pizzano, W.A.

Washington, D.C.: Appalachian Regional Commission.

Appalachia v. 22 (2): p. 38-39. ill; 1989. Includes references.

Language: English

Descriptors: China; U.S.A.; Health care; Information dissemination; Rural communities; Cultural influences

121 NAL Call No: LC5201.L5 Health education for rural adults: challenge for nurses and adult educators.

Ballantyne, J.

Washington, D.C.: American Association for Adult and Continuing Education.

Lifelong learning v. 12 (5): p. 6-7; 1989 Feb. Includes references.

Language: English

Descriptors: Montana; Health education; Adult education; Adult learning; Teaching; Nurses; Rural communities; Needs assessment; Program development; Teaching methods; Program evaluation

122 NAL Call No: 1.90 C2OU8 Health insurance coverage of rural family members.

Frenzen, P.D.

Washington, D.C.: U.S. Dept. of Agriculture. Outlook. p. 556-567; 1993 Mar. Paper presented at the conference "Agriculture's changing horizon," December 1-3, 1992, Washington, DC. Includes references.

Language: English

Descriptors: U.S.A.; Health insurance; Families; Rural areas

123 NAL Call No: RA771.5.H3 Health issues in rural America. (New alliances for rural America.)

Curtis, Rick

National Governors' Association, Task Force on Rural Development

Washington, D.C.: National Governors' Association,.

85 p.: ill.; 28 cm. "New alliances for rural America, background paper submitted to the Task Force on Rural Development., Cover. Includes bibliographies.

Language: English

Descriptors: Rural health; United States; Hospitals, Rural; United States

124 NAL Call No: RA771.5.H3 Health issues in rural America: overview and introduction.

Bernstein, J.; Kolimaga, J.; Neuschler, E.

Washington, D.C.: National Governors' Association.

Health issues in rural America / by Rick Curtis ... [et al.]. p. 1-9; 1988.

Language: English

Descriptors: U.S.A.; Rural welfare; Public services;



Health care; Rural economy

125 NAL Call No: RA771.A1J68 Health promotion for the rural elderly. Lubben, J.E.; Weiler, P.G.; Chi, I.; De Jong, F. Burlington, Vt.: Journal of Rural Health. The Journal of rural health v. 4 (3): p. 85-96; 1988 Oct. In the series analytic: Rural Geriatrics and Gerontology / guest editor J.K. Cooper. Includes references.

Language: English

Descriptors: California; Elderly; Health promotion; Rural areas; Rural urban relations; Health protection; Preventive medicine

126 NAL Call No: RA771.A1J68 Health status and needs of migrant farm workers in the United States: a literature review. Slesinger, D.P.

Kansas City, Mo.: National Rural Health Association.

The Journal of rural health v. 8 (3): p. 227-236; 1992. Literature review. Includes references.

Language: English

Descriptors: U.S.A.; Migrants; Farm workers; Rural areas; Health; Wellness; Literature reviews

Abstract: This section of The Journal of Rural Health is intended to assist readers in their efforts to keep current in the research literature with a relevance to rural health. In monitoring the journals from neighboring disciplines, we attempt to alert readers to new research and scholarly debate. The scope of this section is, for the most part, limited to publications from the United States. Inclusion of a publication does not represent an endorsement of the research or the validity of the conclusions reported. As research reviews editor, I invite comments on this section. I am particularly interested in innovative ways the section might be used to ensure that the journal's readers are the most erudite professionals involved in rural health.

127 NAL Call No: RA771.A1J68
The health status, health services utilization, and support networks of the rural elderly: a decade review.

Dwyer, J.W.; Lee, G.R.; Coward, R.T.

Kansas City, Mo.: National Rural Health Association.

The Journal of rural health v. 6 (4): p. 379-398; 1990 Oct. In series analytic: A Decade of Rural

Health Research: Looking Back, Thinking Ahead / edited by R.T. Coward, J.W. Dwyer and M.K. Miller. Literature review. Includes references.

Language: English

Descriptors: U.S.A.; Elderly; Rural population; Health; Health care; Health services; Support systems; Families; Literatur reviews; Research; Demography; Living conditions; Family life; Population distribution; Long term care

128 NAL Call No: RA771.A1J68 HIV issues for rural hospitals in U.S. frontier areas.

Carwein, V.L.; Berry, D.E.

Kansas City, Mo.: National Rural Health Association.

The Journal of rural health v. 8 (3): p. 221-226; 1992. Includes references.

Language: English

Descriptors: Mountain states of U.S.A.; Health care; Health services; Human immunodeficiency virus; Rural areas; Hospitals; Personnel; Knowledge; Education; Training; Policy; Surveys

Abstract: A Survey of 108 hospital administrators in the eight states of the Mountain Census Region was conducted to identify frontier rural hospitals' experiences (fewer than 50 beds) in the provision of care and services to patients with HIV infection; to assess the availability of HIV care and services in these small, remote rural hospitals; and to assess the status of education and policy development related to HIV infection. Of the 62 hospitals that responded, 16 (26%) had provided care and services to HIV-infected patients. Acute inpatient and emergency room care were the services most commonly utilized. An additional 11 hospitals reported the presence of HIV-positive individuals in their medical service areas. Thus, nearly 44 percent of the hospitals were aware of the importance of addressing HIV infection as a local concern. Employees in the hospitals that had experienced caring for HIV-positive persons expressed more concern about acquiring HIV infection than those in hospitals that had not. Four nursing assistants, two registered nurses, and one dietary worker had refused to provide care. HIV education consisted primarily of video programs, presentations by inhouse staff, and sending employees away to workshops. Despite this HIV education, most staff remain fearful of caring for HIV infected patients. Major concerns expressed by the hospital admin-



istrators were related to enforcing universal precautions, confidentiality, staff response, community acceptance, and cost of care. Only 30 hospitals (48%) had AIDS policies in effect, and these focused primarily on infection control and universal precautions. The results of the study indicate that frontier rural hospital administrators are aware that increasing numbers of individuals with HIV infection will seek care and services from frontier hospitals.

129 NAL Call No: RA771.A1J68 HMOs and managed care: implications for rural physician manpower planning.

Weiner, J.P.

Kansas City, Mo.: National Rural Health Association.

The Journal of rural health v. 7 (4,suppl.): p. 373-387; 1991. In the series analytic: Issues and Trends in Availability of Heath Care Personnel in Rural America / edited by D.A. Kindig and T.C. Ricketts. Includes references.

Language: English

Descriptors: U.S.A.; Health care; Health maintenance organizations; Rural areas; Physicians; Trends; Supply balance; Social impact

Abstract: American health care is changing dramatically. Health maintenance organizations (HMOs) and other managed care plans are central to this change. Today, the majority of Americans living in metropolitan areas receive their care from these types of plans. The goal of this article is twofold. First, it will discuss the potential implications of FMOs and managed care for physician needs and supply in rural regions. Second, it will derive insight into alternative approaches for meeting rural health manpower needs by analyzing HMO staffing patterns. As HMOs and other managed care plans expand, rural physicians, their practices, and their patients will almost certainly be affected. As described in this paper, most of these effects are likely to be positive. The staffing patterns used by HMOs provide an interesting point of comparison for those responsible for rural health manpower planning and resource development. HMOs appear to meet the needs of their enrollees with significantly fewer providers than are available nationally or suggested by the federal standards. Moreover, HMOs make greater use of nonphysician providers such as a nurse practitioners and physician assistants.

NAL Call No: RA771.5.F56

HMOs in rural areas: pros, cons, and financial realities.

Christianson, J.B.; Shadle, M.

New York: Praeger.

Financing rural health care / edited by LaVonne Straub and Norman Walzer. p. 149-173; 1988. Includes references.

Language: English

Descriptors: U.S.A.; Health maintenance organizations; Rural areas; Program development; Finance; Case studies; Rural communities; Risks; Social benefits; Membership; Diversification; Health care costs

131 NAL Call No: HC10⁻⁷.A13A6 Homegrown talent meets healthcare need in Pennsylvania.

Baldwin, F.D.

Washington, D.C.: Appalachian Regional Commission, 1967-.

Appalachia: journal of the Appalachian Regional Commission v. 26 (3): p. 27-31; 1993.

Language: English

Descriptors: Pennsylvania; Cabt; Nurses; Health care; Rural areas

132 NAL Call No: RA771.A1J68 Hospital choice of medicare beneficiaries in a rural market: Why not the closest?

Adams, E.K.; Wright, G.E.

Kansas City, Mo.: National Rural Health Association.

The Journal of rural health v. 7 (2): p. 134-152; 1991. Includes references.

Lunguage: English

Descriptors: Minnesota; North Dakota; South Dakota; Medicare; Medical treatment; Hospitals; Decision making; Elderly; Rural areas; Age differences; Illness; Urban areas

133 NAL Call No: RA771.A1J68 Hospital-sponsored rural health clinics: an effective diversification alternative for rural hospitals. Bell, T.L.; Bell, S.L.

Kansas City, Mo.: National Rural Health Associ-

The Journal of rural health v. 7 (1): p. 30-38; 1991. Includes references.

Language: English

Descriptors: North Carolina; Health clinics; Hospi-



tals; Rural areas; Case studies; Health care; Diversification

134 NAL Call No: RA771.6.N8K87 1990 The Hot Springs Health Program a case study. Kushner, Christine

University of North Carolina at Chapel Hill, Health Services Research Center

Chapel Hill, NC: Health Services Research Center, University of North Carolina at Chapel Hill,. 22, [1] leaves: map; 28 cm. "January, 1990. The University of North Carolina Rural Health Research program. ... supported by Grant No. HAR-000016-02, from the Office of Rural Health Policy, Health Resources and Services Administration, Public Health Service, U.S. D.H.H.S.

Language: English

Descriptors: Hot Springs (N.C.); Hospitals; Shared services; Rural health services; Hot Springs Health Program

135 NAL Call No: 280.8 J824 How Campbell manages its rural health care dollars.

Laabs, J.J.

Costa Mesa, Calif.: ACC Communications, Inc. Personnel journal v. 71 (5): p. 74-76, 78, 80-81; 1992 May.

Language: English

Descriptors: Health care; Sickness benefits; Rural areas; Work places

Abstract: By establishing an unusual managed health care network specifically targeting five of its small-town U.S. Operations, Campbell Soup Co. has realized a bonanza of medical savings while maintaining one of the highest levels of employee health care benefit plans in America.

NAL Call No: KF27.V444 1991 H.R. 2824, proposed rural health care pilot program and expanded sharing of federal health care resources hearing before the Subcommittee on Hospitals and Health Care of the Committee on Veterans' Affairs, House of Representatives, One Hundred Second Congress, first session, October 2, 1991. (HR 2824, proposed rural health care pilot program and expanded sharing of federal health care resources.)

United States. Congress. House. Committee on Veterans' Affairs. Subcommittee on Hospitals and Health Care

Washington: U.S. G.P.O.: For sale by the U.S. G.P.O., Supt. of Docs. Congressional Sales Office; Y 4.V 64/3:102-23.

iv, 117 p.; 24 cm. Distributed to some depository libraries in microfiche. Shipping list no.: 92-254-P. Serial no. 102-23.

Language: English

Descriptors: Veterans; Hospitals, Veterans'; Hospitals; Community health services

137 NAL Call No: HV85.H85 Hunger, poverty, and malnutrition in rural Mississippi: developing culturally sensitive nutritional interventions.

Storer, J.H.; Frate, D.A.

Knoxville, Tenn.: School of Social Work, University of Tennessee.

Human services in the rural environment v. 14 (1): p. 25-30; 1990. Includes references.

Language: English

Descriptors: Mississippi; Blacks; Rural population; Hunger; Poverty; Nutritional state; Nutritional assessment; Low income groups; Diets; Health services; Cultural behavior

138 NAL Call No: RA771.A1J68 Impact of medicare's prospective payment system and the farm crisis on the health care of the elderly: a case study.

Sharp, T.S.; Halpert, B.P.; Breytspraak, L.M. Burlington, Vt.: Journal of Rural Health. The Journal of rural health v. 4 (3): p. 45-56; 1988 Oct. In the series analytic: Rural Geriatrics and Gerontology / guest editor J.K. Cooper. Includes references.

Language: English

Descriptors: Missouri; Elderly; Health care; Rural areas; Medicare; Remittances; Farm indebtedness; Economic impact; Case studies

139 NAL Call No: RA771.A1J68
The impact of obstetrical liability on access to perinatal care in the rural United States.
Nesbitt, T.S.; Scherger, J.E.; Tanji, J.L.
Burlington, Vt.: Journal of Rural Health.
The Journal of rural health v. 5 (4): p. 321-335; 1989 Oct. Literature review. Includes references.

Language: English

Descriptors: U.S.A.; Health care; Rural areas; Obstetrics; Legal liability; Parturition



140 NAL Call No: RA975.R87Z54 1990
The impact of the New York State do-notresuscitate law on rural hospitals.
Zilnik, Pamela; Strosberg, Martin A.

Schenectady, N.Y.: Union College,. 1 v. (various pagings): ill.; 28 cm. Cover title. Includes bibliographical references.

Language: English

Descriptors: Rural hospitals; Do-not-resuscitate orders

141 NAL Call No: RA771.A1J68 Implementing EACHs and RPCHs on a statewide basis: a preliminary analysis.

Hilsenrath, P.E.; Chien, R.C.; Rohrer, J.E. Kansas City, Mo.: National Rural Health Association.

The Journal of rural health v. 7 (5): p. 618-629; 1991. In series analytic: Issues in the structure, financing, and viability of rural hospitals. Includes references.

Language: English

Descriptors: Iowa; Hospitals; Rural areas; Resource utilization; Economic viability; Community health services; Federal programs; Plan implementation and evaluation

142 NAL Call No: 151.65 P96 Improving the health of Indian teenagers, a demonstration program in rural New Mexico.

Davis, S.M.; Hunt, K.; Kitzes, J.M. Washington, D.C.: Public Health Service. Public health reports v. 104 (3): p. 271-278; 1989 May. Includes references.

Language: English

Descriptors: New Mexico; Adolescents; Health; American indians; Rural youth; Public services; Demonstrations; Program development

Abstract: The health status of Indian teenagers in the United States is below that of the general population. The usual barriers to the use of health care services that young people, including young Indians, encounter are compounded in rural areas by distance, isolation, and lack of appropriate services. To overcome these barriers in rural New Mexico, a public health demonstration project (a) established a single location where adolescents can receive multiple, integrated health care services free of charge; (b) set up the initial program of

services at a rural school; (c) established links with existing agencies; and (d) incorporated community action toward creating change. The project began as a joint effort of three communities, the University of New Mexico (UNM), and the Albuquerque Area Indian Health Service (IHS) of the Public Health Service; a secondary level public school soon became a participant. The project is being replicated in two other communities that have formed separate partnerships with UNM and the area IHS; also the New Mexico Health and Environment Department has joined the effort in one community. Preliminary data suggest that the services are being used by a majority of the target population, with the proportions of boys and girls about equal.

143 NAL Call No: 151.65 P96 Increasing participation by private physicians in the EPSDT Program in rural North Carolina. Selby, M.L.; Riportella-Muller, R.; Sorenson, J.R.; Quade, D.; Luchok, K.J. Rockville, Md.: U.S. Department of Health & Human Services, Public Health Service. Public health reports v. 107 (5): p. 561-568; 1992

Language: English

Sep. Includes references.

Descriptors: North Carolina; Preventive medicine; Children; Mcdicaid; Physicians; Participation; Rural areas; Medical services; Costs; Program effectiveness

Abstract: This study evaluated a method to increase physicians' participation in Early and Periodic Screening, Diagnosis and Treatment (EPSDT), a preventive health care program for Medicaid eligible children. Use of EPSDT can improve children's health status and reduce health care costs. Although the potential benefits of EPSDT are clear, the program is underused; low rates of participation by private physicians contribute to underuse. This study targeted a population of 73 primary care physicians in six rural counties in North Carolina where the physician supply, their participation in EPSDT, and use of EPSDT were low. A mailed intervention packet attempted to address barriers to participation perceived by private providers. The packet consisted of a carefully constructed letter, an informative journal article, and an educational pamphlet. Participation in EPSDT screening increased from 15 to 25 private physicians (67 percent), at a cost, on average, of less than \$30 per recruited provider. Suggestions are presented for adapting the intervention packet to other settings.



144 NAL Call No: 281.9 M5842 Increasing the utilization of health services in rural areas of the United States and Great Britain: implications for Michigan.

Francoeur, R.B.; Stevens, R.D.

East Lansing, Mich.: The Department.

Agricultural economics report - Michigan State University, Department of Agricultural Economics (510): 31 p.; 1988 Mar. Literature review. Includes references.

Language: English

Descriptors: Michigan; U.S.A.; United Kingdom; Health care; Health services; Supply balance; Rural areas; Utilization; Centralization; Economies of scale; Consumer prices; Careproviders; Health care costs

145 NAL Call No: HQ796.J69 Indicators of rural youth drug use.

Sarvela, P.D.; McClendon, E.J.

New York, N.Y.: Plenum Publishing Corporation. Journal of youth and adolescence v. 17 (4): p. 335-347; 1988 Aug. Includes references.

Language: English

Descriptors: Michigan; Wisconsin; Substance abuse; Rural youth; Age differences; Sex differences; Religion; Health beliefs; Peer influences; Alcoholic beverages; Tobacco smoking; Cocaine

Abstract: The relationships between personal substance use, health beliefs, peer use, sex, and religion were examined using data collected from 265 middle school students in rural northern Michigan and northeastern Wisconsin in January and February 1984. A positive correlation between peer and personal drug use was established. A relationship was also found between health beliefs and personal substance use. In addition, a regression model was able to account for a statistically significant amount of the variance of alcohol, marihuana, and cigarette use in the target population. Recommendations are made concerning future research, methods of improving health education program development, and possible target areas for psychotherapy.

146 NAL Call No: HB1323.1415 Infant mortality within minority and rural communities a global perspective on causes and solutions: a symposium.

United States, Congress, House, Select Committee

on Hunger, National Commission to Prevent Infant Mortality (U.S.)

Washington: U.S. G.P.O.: For sale by the Supt. of Docs., Congressional Sales Office, U.S. G.P.O., v, 70 p.; 24 cm. At head of title: 101st Congress, 2d session. Committee print. October 15, 1990. Includes bibliographical references (p. 70).

Language: English

Descriptors: Infants; Maternal health services; Maternal and infant welfare; Federal aid to maternal health services

Abstract: A House Committee print detailing the events at a joint symposium on infant mortality within minority and rural communities. The symposium was convened to explore a variety of community-based domestic and international interventions designed to reduce the high infant mortality rates within high risk populations. Measures discussed included oral rehydration therapy, breast feeding, and home visiting projects.

147 NAL Call No: HV701.C514 In-home health education for family day care providers: a rural community-based project.

Machida, S.

New York, N.Y.: Human Sciences Press. Child & youth care quarterly v. 19 (4): p. 271-288; 1990. Includes references.

Language: English

Descriptors: California; Health education; Child day care; Child welfare; Child careproviders; Rural communities; Educational programs; Home safety; First aid; Infection; Sanitation; Infectious diseases; Skin diseases; Prevention

148 NAL Call No: 500 N484 Innovative desktop learning tools. Implications for rural hospitals and physicians.

Oeffinger, J.C.; Hiebcler, L.; Sherman, T.; Gaskill, M.; Portante, T.; Polasek, J.; Litterer, K.

New York, N.Y.: The Academy.

Annals of the New York Academy of Sciences v. 670: p. 76-90. maps; 1992. In the series analytic: Extended clinical consulting by hospital computer networks / edited by D.F. Parsons, C.M. Fleischer, and R.A. Greenes. Includes references.

Language: English

Descriptors: U.S.A.; Health care; Hospitals; Occupations; Innovations; Rural areas



149 NAL Call No: RA771.A1J68 Inpatient nursing case management as a strategy for rural hospitals: A case study.

Sowell, R.; Fuszard, B.

Burlington, Vt.: Journal of Rural Health.

The Journal of rural health v. 5 (3): p. 201-215; 1989 Jul. Includes references.

Language: English

Descriptors: U.S.A.; Nursing; Rural areas; Hospitals; Human resources; Resource management; Case studies; Cost benefit analysis

150 NAL Call No: RA771.A1J68 The Iowa hospital visitation program: does out-reach education affect management of neonatal resuscitation?

Hein, H.A.; Lathrop, S.S.

Burlington, Vt.: Journal of Rural Health. The Journal of rural health v. 5 (4): p. 371-386;

1989 Oct. Includes references.

Language: English

Descriptors: Iowa; Hospitals; Health programs; Public relations; Resuscitation; Medical auxiliaries; Rural areas

151 NAL Call No: A00122 Is the PA supply in rural America dwindling? Willis, J.B.

St. Louis, MO: Mosby.

Journal of the American Academy of Physician Assistants v. 3 (6): p. 433-435; 1990 Sep. Paper presented at the 19th Annual PA Conference, "Focus on Rural Health," May 25-31, 1991, San Francisco, California. Includes references.

Language: English

Descriptors: U.S.A.; Health care; Occupations; Supply; Rural areas; Demography

152 NAL Call No: RA771.A1J68 Is there a role for the small rural hospital? Hart, L.G.; Amundson, B.A.; Rosenblatt, R.A. Kansas City, Mo.: National Rural Health Association.

The Journal of rural health v. 6 (2): p. 101-118; 1990 Apr. Includes references.

Language: English

Descriptors: U.S.A.; Hospitals; Rural areas; Roles; Health services; Long term care; Size; Geographical distribution; Policy

153 NAL Call No: RA771.A1R87 no.1 Is there a role for the small rural hospital? Hart, L. Gary; Rosenblatt, Roger A.; Amundson, Bruce A

Scattle, Wash.: WAMI Rural Health Research Center, Dept. of Family Medicine, Research Section, University of Washington,.

23 p.; 28 cm. (Rural health working paper series;). Cover title. January, 1989. The WAMI Rural Health Research Center is supported by the Office of Rural Health Policy, Health Resources & Services Administration, Public Health Service. Includes bibliographical references (p. 15-16).

Language: English

Descriptors: Hospitals, Rural; Rural health se rvices; Rural health services

Abstruct: Rural hospitals represent almost half of all short-stay nonfederal general hospitals in the United States but have been more severely affected than their urban counterparts by changes in reimbursement, regulation, and technology. One hundred sixty rural hespitals closed during the first cht years of the decade, and the rate of closure is accelerating. This paper uses secondary data sources to examine the structure, role, and content of rural hospitals, both in relationship to the needs of the populations they serve and in comparison with nonrural hospitals. Rural hospitals differ systematically from other hospitals in the United States, with smaller daily censuses, lower occupation rates, shorter lengths of stay, and disproportionately high shares of Medicare patients. They are dominated by very small institutions, with over 1,000 rural hospitals having fewer than 50 beds and an average daily census of 12.1 hospitals patients. Nearly half of the smallest rural hospitals-those with fewer than 25 beds-incorporate nursing homes, and in these situations the nursing component has more beds and more patients than the hospital portion of the facility. Small rural hospitals offer a core of basic services to the populations they serve. Emergency, obstetric, and newborn services are virtually ubiquitous in rural hospitals of all sizes, and they are also more likely to offer longterm nursing and home care services than urban hospitals of similar size. The inpatient diagnostic and procedural mix of these institutions demonstrates that they provide care for common medical and surgical conditions of low complexity. Rural hospitals are also relatively inexpensive, representing only six percent of total expenditures for hospital care. Given their central role in supporting the provision of health services to rural



areas, the apparent appropriateness of the conditions they treat, and their relatively modest cost, it would seem reasonable to use federal policy to stabilize our previous investment in these institutions

154 NAL Call No: RA771.5.F56 Issues facing rural health care finance. Boeder, S.

New York: Praeger.

Financing rural health care / edited by LaVonne Straub and Norman Walzer. p. 25-41; 1988. Includes references.

Language: English

Descriptors: U.S.A.; Rural communities; Health care; Health care costs; Fiscal policy; Usage; Trends; Access; Payment basis; Support systems; Community involvement; Community health services; Subsidies

155 NAL Call No: RA771.A1J68 Issues surrounding the distribution and utilization of nurse nonphysician providers in rural America.

Conway-Welch, C.

Kansas City, Mo.: National Rural Health Association.

The Journal of rural health v. 7 (4,suppl.): p. 388-401; 1991. In the series analytic: Issues and Trends in Availability of Heath Care Personnel in Rural America / edited by D.A. Kindig and T.C. Ricketts. Includes references.

Language: English

156

Descriptors: U.S.A.; Health care; Health services; Rural areas; Nurses; Midwives; Supply balance; Medical education; Health care costs; Cost effectiveness analysis; Quality; Physicians

Abstract: The cost and quality of health care is an ever-increasing concern. Responsible people are looking for logical solutions. One solution is the increased involvement of nurse practitioners and certified nurse midwives in the delivery of health care services to patients. This paper reviews the supply, education, and responsibilities of nurse practitioners and certified nurse midwives, government studies of the need for nonphysician providers, the cost-effectiveness of health care delivered by nurse practitioners and certified nurse midwives, and impediments to practice.

NAL Call No: RA771.A1J68

Job retention of medical clerical job training partnership act trainees in rural health care settings. Troutt-Ervin, E.D.; Morgan, F.L.

Kansas City, Mo.: National Rural Health Association

The Journal of rural health v. 8 (1): p. 74-78; 1992. Includes references.

Language: English

Descriptors: Illinois; Employment opportunities; Training; Medical services; Rural areas; Educational programs; Rural unemployment; Low income groups; Program development; Support systems; Social legislation

Abstract: According to the Bureau of Labor Statistics (cf. Crispell, 1990), the medical clerical field is one of the faster growing areas of employment. This paper reports on long-term employment of trainees involved in nontraditional medical clerical programs. These programs were funded by the Job Training Partnership Act (JTPA) and filled both the needs of the local rural health care facilities and the employment needs of unskilled youths and adults. These nontraditional students of low socioeconomic background and poor work history were successfully mainstreamed into university courses and consequently obtained productive employment. A follow-up study was conducted of 64 individuals who completed three different, oneyear JTPA programs. The study investigated the following questions: Was the trainee currently employed? If so, was employment related to the training program, and were the quarterly salaries higher than minimum wage and previous salaries? How many different jobs were reported since training? Did the individual retain employment in a rural setting? The JTPA programs at Southern Illinois University included some innovative yet practical components that resulted in very high program completion rates, high initial placement, and a continuing pattern of long-term employment. These components included: emphasis on training for the most needed positions/jobs that matched university capabilities; the pursuit of higher starting salaries; informing participants of support services; training in job hunting and work readiness; using some individualized, competency-based instruction; establishing internship arrangements with prospective employers; and careful matching of the trainee to initial placement site with consideration of personality as well as skills.

157 NAL Call No: RA771.A1J68
Job satisfaction among hospital nurses: facility



size and location comparisons.

Coward, R.T.; Horne, C.; Duncan, R.P.; Dwyer, J.W.

Kansas City, Mo.: National Rural Health Association.

The Journal of rural health v. 8 (4): p. 255-267; 1992. Includes references.

Language: English

Descriptors: Florida; Nurses; Work satisfaction; Hospitals; Size; Rural areas; Urban areas; Sociology of work; Individual characteristics; Demography; Salaries; Professional recognition

Abstract: Despite recent declines in turnover and vacancy rates, maintaining a stable nursing staff continues to be critical to the effective operation of American hospitals. Job satisfaction is a pivotal element in nurse retention, and organizational theory suggests that some of the factors that influence job satisfaction vary by facility size. This is a study of job satisfaction among a sample of 731 nurses providing direct patient care in 22 hospitals. The sample includes approximately equal numbers of nurses employed in very small rural hospitals (1-49 beds), medium sized facilities located in small towns (50-99 beds), and larger metropolitan institutions (> 100 beds). Differences by hospital size were observed in overall job satisfaction and in five sub-dimensions of that concept (i.e., professional status, task requirements, pay, organizational policies, and autonomy). With the exception of pay, the results indicated that nurses employed in the very small rural hospitals were more satisfied with their jobs. Differences by hospital size were also observed in the personal characteristics of the nurses, several specific aspects of their job, and in their perceptions of job mobility. A set of four hierarchically nested ordinary least squares regression models indicated that job-specific characteristics were the most powerful predictors of job satisfaction.

158 NAL Call No: RA771.A1J68 Job satisfaction and retention of rural community health nurses in North Dakota.

Dunkin, J.; Juhl, N.; Stratton, T.; Geller, J.; Ludtke, R.

Kansas City, Mo.: National Rural Health Association.

The Journal of rural health v. 8 (4): p. 268-275; 1992. Includes references.

Language: English

Descriptors: North Dakota; Nurses; Work satisfaction; Health care; Rural communities; Size; , ge differences; Marriage; Family structure; Employment

Abstract: A correlation between job satisfaction and employment longevity has been demonstrated by a number of researchers. However, the measurable aspects of job satisfaction only partially explain an individual's tenure at a particular job. Information about the relationship between job satisfaction and retention of community health nurses in a rural state was provided by 258 community health nurses in North Dakota who responded to a mailed questionnaire. Job satisfaction assessment included measures of autonomy, task requirements, salary, benefits, rewards, professional status, organizational climate, and interpersonal interactions. Job satisfaction was analyzed by taking into account the individual importance of each component. While the majority (61%) of the responding nurses indicated that they expected to stay in their current jobs for a period of five years or more, they were dissatisfied with various aspects of their jobs. The greatest factor influencing the nurses' choice of current position was job availability, followed by preferences for the particular health care agencies or communities. These findings indicate that retention of rural nurses should focus on strategies that go beyond improving job satisfaction.

159 NAL Call No: RA771.A1J68 A lack of will: the perinatal care crisis in rural America.

Rosenblatt, R.A.

Burlington, Vt.: Journal of Rural Health.

The Journal of rural health v. 5 (4): p. 293-297; 1989 Oct. In the series analytic: Perinatal Care in Rural America / guest editor R.A. Rosenblatt. Includes references.

Language: English

Descriptors: U.S.A.; Parturition; Health care; Rural areas; Barriers

160 NAL Call No: HC107.A13A6 Lincoln County primary care center is a model for good health.

Casto, J.E.

Washington, D.C.: Appalachian Regional Commission.

Appalachia v. 25 (3): p. 13-18; 1992.

Language: English



Descriptors: West Virginia; Health clinics; Rural communities; Medical treatment; Health care; Community action

161 NAL Call No: RA771.A1J68 A literature review of health issues of the rural elderly.

Hassinger, E.W.; Hicks, L.L.; Godino, V. Kansas City, Mc.: National Rural Health Associ-

The Journal of rural health v. 9 (1): p. 68-75; 1993. Literature review. Includes references.

Language: English

Descriptors: U.S.A.; Elderly; Health; Wellness; Rural population; Community health services; Support systems; Urban rural migration; Literature reviews

162 NAL Call No: RA771.A1J68 Locational decisions of physicians in rural North Carolina.

Rhodes, J.F.; Day, F.A.

Burlington, Vt.: Journal of Rural Health. The Journal of rural health v. 5 (2): p. 137-153. maps; 1989 Apr. Includes references.

Language: English

Descriptors: North Carolina; Rural areas; Physicians; Location theory; Decision making; Models; Recruitment; Rural environment; Rural urban relations

163 NAL Call No: HT401.S72 Long-term care: state priority isssues and rural initiatives.

Dinkins Ford, D.E.

Mississippi State, Miss.: The Center.

SRDC series - Southern Rural Development Center (159): p. 1-8; 1992 Jun. In the series analytic: Rural Health Services. Includes references.

Language: English

Descriptors: Alabama; Georgia; Mississippi; Tennessee; Florida; Elderly; Long term care; Rural areas; Medicaid; State government; Health care; Community health services

NAL Call No: RA771.A1J68 Loss of a rural hospital obstetric unit: a case study.

Taylor, J.; Zweig, S.; Williamson, H.; Lawhorne L.; Wright, H.

Burlington, Vt.: Journal of Rural Health. The Journal of rural health v. 5 (4): p. 343-352; 1989 Oct. Includes references.

Language: English

Descriptors: Missouri; Obstetrics; Rural areas; Hospitals; Closures

165 NAL Call No: RA771.A1J68
Maternity care as an essential public service: a proposed role for state government.
Gavin, K.; Leong, D.
Rurlington, Vt.: Journal of Rural Health

Burlington, Vt.: Journal of Rural Health. The Journal of rural health v. 5 (4): p. 404-411; 1989 Oct. Includes references.

Language: English

Descriptors: Vermont; Rural areas; Health services; Public services; State government; Roles; Maternity; Health care

166 NAL Call No: RA771.5.F56 Maximizing resources in a restrained environment.

Fickenscher, K.M. New York: Praeger.

Financing rural health care / edited by LaVonne Straub and Norman Walzer. p. 129-147; 1988. Includes references.

Language: English

Descriptors: U.S.A.; Rural communities; Health care; Health care costs; Access; Systems approach; Integrated systems; Cooperatives; Leadership

167 NAL Call No: RA771.A1J68 Medical practice and satisfaction of physicians in sparsely populated rural counties of the United States: Results of a 1988 survey.

Movassaghi, H.; Kindig, D.

Burlington, Vt.: Journal of Rural Health.
The Journal of rural health v. 5 (2): p. 125-136;
1989 Apr. Includes references.

Language: English

Descriptors: U.S.A.; Rural areas; Counties; Physicians; National surveys; Opinions; Work satisfaction

168 NAL Call No: LC5146.R87 Medical-educational liaison: a valuable resource for rural educators. Rawlins, P.; Stephens, P.



Las Cruces, NM: New Mexico State University. Rural special education quarterly v. 11 (3): p. 43-47; 1992. Includes references.

Language: English

Descriptors: Kansas; School children; Special education; Health services; Educational programs

169 NAL Call No: RA771.5.U5
Medicare number of rural hospitals terminating
participation since the program began: report to
the Chairman, Subcommittee on Health, Committee on Finance, U.S. Senate. (Number of rural
spitals terminating participation since the program began.)

United States. General Accounting Office; United States, Congress, Senate, Committee on Finance, Subcommittee on Health

Washington, D.C.: The Office,.

7 p.; 28 cm. Title from cover. January 1988. GAO/HRD-88-46. "B-229962.", p. 1.

Language: English

Descriptors: Hospitals, Rural; United States; Rural health services; United States; Medicare

170 NAL Call No: KF26.F5 1989f Medicare reimbursement to rural hospitals hearing before the Committee on Finance, United States Senate, One Hundred First Congress, first session, May 4, 1989.

United States. Congress. Senate. Committee on Finance

Washington [D.C.]: U.S. G.P.O.: For sale by the Supt. of Docs., Congressional Sales Office; Y 4.F 49:S.hrg.101-370.

v, 193 p.: ill.; 24 cm. (S. hrg.; 101-370). Distributed to some depository libraries in microfiche.

Language: English

Descriptors: Hospitals, Rural; United States; Finance; Medicare

171 NAL Call No: RA771.A1J68 Meeting the health care needs of rural elderly: client satisfaction with a university-sponsored nursing center.

Giltinan, J.M.; Murray, K.T.

Kansas City, Mo.: National Rural Health Association.

The Journal of rural health v. 8 (4): p. 305-310; 1992. Includes references.

Language: English

Descriptors: Pennsylvania; Elderly; Health care; Nursing; Health centers; Rural communities; Health promotion; Patients; Consumer satisfaction; Student participation; Learning experiences; Universities

Abstract: Responding to health care needs of the elderly has presented great challenges for health care professionals. These problems are compounded in rural communities by physical and social isolation, increased poverty, and lack of transportation. An innovative approach to meeting health needs of rural elderly is through nursing centers. Through an emphasis on health promotion and maintenance of optimal level of functioning, these primary health care facilities can foster independence and self-care for this targeted population. In addition, nursing centers serve as clinical sites for student learning experiences and settings for nursing research. This article focuses on a nursing center established at Edinboro University of Pennsylvania (EUP), which tailors its services to the elderly living in Edinboro. Results of a client satisfaction survey, based on the Risser Patient Satisfaction Instrument, are described in addition to patterns of nursing center usage, general categories of care, teaching interventions, referrals. counseling, and frequency of visits. Findings from the survey indicated a general high client satisfaction level with nursing care received at the center. Discussion also includes plans to expand services to elderly in the community through home visits.

172 NAL Call No: HT440.R47 1988 Meeting the rehabilitation needs of rural Americans papers from the first national conference of the Research and Training Center on Rural Rehabilitation Services.

Foss, Gilbert

Research and Training Center on Rural Rehabilitation Services. Conference 1988: Missoula, Mont.)

Missoula, Mont.: The Center,.

58 p.: ill.; 28 cm. March 1989. Includes bibliographical references.

Language: English

Descriptors: United States; Population, Rural; Rural renewal; Handicapped; Rural health services

173 NAL Call No: RA771.A1J68 Mental health and rural America: a decade review.

Wagenfeld, M.O.

Kansas City, Mo.: National Rural Health Associ-



ation.

The Journal of rural health v. 6 (4): p. 507-522; 1990 Oct. In series analytic: A Decade of Rural Health Research: Looking Back, Thinking Ahead / edited by R.T. Coward, J.W. Dwyer and M.K. Miller. Literature review. Includes references.

Language: English

Descriptors: U.S.A.; Mental health; Health services; Rural areas; Mental disorders; Research; Literature reviews

174 NAL Call No: RA771.A1J68 The merger of rural primary care and home health services.

Zuckerman, H.S.; Smith, D.G.

Kansas City, Mo.: National Rural Health Association.

The Journal of rural health v. 7 (1): p. 39-50; 1991. Includes references.

Language: English

Descriptors: Vermont; Health care; Home care; Rural areas; Mergers; Communication; Health promotion; Health services; Case studies

175 NAL Call No: RA771.A1J68 Metropolitan and nonmetropolitan adolescents: differences in demographic and health characteristics.

McManus, M.A.; Newacheck, P.W.; Weader, R.A. Burlington, Vt.: Journal of Rural Health. The Journal of rural health v. 6 (1): p. 39-51; 1990 Jan. Includes references.

Language: English

Descriptors: U.S.A.; Adolescents; Rural urban relations; Demography; Health

176 NAL Call No: RA771.6.M8M57 1990 Missouri rural health a community challenge. Missouri Rural Innovation Institute

Columbia, Mo.: Missouri Rural Innovation Insti-

tute: Univerity Extension,.

1 v. (various pagings): ill., map; 28 cm. "Resource Guide", cover. Includes bibliographical references.

Language: English

Descriptors: Rural health; Rural health clinics; Rural health services

177 NAL Call No: RA771.6.A6M6 Monograph. [Monograph (University of Arizona. Southwest Border Rural Health Research Center)].

University of Arizona, Southwest Border Rural Health Research Center

Tucson, Ariz.: Southwest Border Rural Health Research Center, College of Medicine, University of Arizona, 1988-.

v.; 28 cm. Title from cover.

Language: English

Descriptors: Rural health services

178 NAL Call No: RA790.A1J68 Multidisciplinary treatment of pain in a small rural community.

Harris, J.L.; Rowe-Hallbert, A.; Gerlach, L.

Fresno, Calif.: California School of Professional Psychology.

Journal of rural community psychology v. 12 (1): p. 3-14; 1991. Includes references.

Language: English

Descriptors: Idaho; Pain; Medical treatment; Program effectiveness; Rural communities; Hospitals

Abstract: Archival and follow-up questionnaire data were collected from patients treated in a small rural multidisciplinary chronic pain treatment program in Pocatello, Idaho. Pre- and posttreatment improvement ratings were collected from service providers and patients; post hoc ratings of pain, improvement, activity level, and return to work were collected by questionnaire. A questionnaire return rate of 47% was seen. Findings suggest that the 10-day inpatient treatment program appeared to significantly reduce patients' pain complaints and a 69% return-to-work rate was reported.

179 NAL Call No: RA771.A1J68 Multihospital system affiliation as a survival strategy for rural hospitals under the prospective payment system.

Halpern, M.T.; Alexander, J.A.; Fennell, M.L. Kansas City, Mo.: National Rural Health Association.

The Journal of rural health v. 8 (2): p. 93-105; 1992. Includes references.

Language: English

Descriptors: U.S.A.; Hospitals; Rural areas; Medicare; Payment basis; Economic impact; Partnerships

180 NAL Call No: RA771.A1J68



A multivariate assessment of the effects of residence on infant mortality.

Clarke, L.L.; Coward, R.T.

Kansas City, Mo.: National Rural Health Association.

The Journal of rural health v. 7 (3): p. 246-265; 1991. Includes references.

Language: English

Descriptors: Florida; Infant mortality; Mothers; Households; Urban areas; Rural areas; Risk; Health; Ethnicity; Age differences; Academic achievement; Marriage; Pregnancy; Health care; Low birth weight infants; Communities

Abstract: This research examines the relationship between residence and infant mortality. The purpose of the study was to identify the effects of maternal residence on infant mortality, using a multivariate model which included both individual and county-level variables known to be associated with substimal birth outcome. Data on all births in Flori, a during 1987 were drawn from birth and infant death certificates. In addition, information concerning county sociodemographic structure and medical resources were gathered and linked to the individual records. After examining the distributions of selected risk variables across a fivecategory measure of residence (from most urban to most rural), a logit model was estimated to predict the odds of an infant death associated with maternal residence. At the bivariate level, rural residents were found to have increased odds of an infant death compared to residents of all other residence categories. Second, a logit model was estimated that controlled for the influence of important maternal, infant, and county risk characteristics. The results of this second, morefully specified model indicate that residence did not have an independent direct effect on infant mortality when the influence of the other risk factors was controlled. We conclude that although residence does not influence infant mortality directly, it does influence mortality indirectly through its association with key risk factors. In particular, because population characteristics and medical resources are differentially distributed across rural and urban areas, residence remains an important factor to be considered when predicting health outcomes. The implications of these findings for policy-makers and health planners, as well as for health services researchers are also discussed.

181 NAL Call No: RA771.A1J68 A national rural geriatrics program?

Cooper, J.K.

Burlington, Vt.: Journal of Rural Health. The Journal of rural health v. 4 (3): p. 5-9; 1988 Oct. In the series analytic: Rural Geriatrics and Gerontology / guest editor J.K. Cooper. Includes references.

Language: English

Descriptors: U.S.A.; Rural areas; National expenditure; Geriatrics; Gerontology; Public services; Health programs

182 NAL Call No: HN79.A14R87 Nebraska study attempts to identify common variables that explain closure of rural hospitals.

Turner, K.K.; Mallory, F.

Ames, Iowa: North Central Regional Center for Rural Development.

Rural development news v. 15 (3): p. 7-9; 1991 Jul.

Language: English

Descriptors: Nebraska; Hospitals; Rural areas; Towns; Medical services

183 NAL Cail No: S103.E2A37 Neighbors helping neighbors.

Stotts, D.

Stillwater, Okla.: The Station.

Agriculture at OSU - Oklahoma State University, Agricultural Experiment Station v. 21 (2): p. 17; 1991.

Language: English

Descriptors: Oklahoma; Rural areas; Medical services

184 NAL Call No: RA421.F35
The nursing center in a rural community: The promotion of family and community health.

Fenton, M.V.; Rounds, L.; Iha, S. Frederick, Md. : Aspen Publishers.

Family & community health v. 11 (2): p. 14-24; 1988 Aug. Includes references.

Language: English

Descriptors: U.S.A.; Nursing; Health centers; Rural communities; Community health services; Families; Children; Health care; Elderly; Pregnant women

185 NAL Call No: RA771.A1J68 Nursing supply and characteristics in the nonmetropolitan areas of the United States: findings



from the 1988 national sample survey of registered nurses.

Movassaghi, H.; Kindig, D.A.; Juhl, N.; Geller, J.M.

Kansas City, Mo.: National Rural Health Association.

The Journal of rural health v. 8 (4): p. 276-282; 1992. Includes references.

Language: English

Descriptors: U.S.A.; Nurses; Supply; Labor force; Rural areas; Health care; Geographical distribution; Acad nic achievement; Salaries; Health centers; Sociology of work; Size; Regional surveys

Abstract: This study examines the supply and selected characteristics of nurses working in nonmetropolitan areas of the United States using the most recent data reported in the third national sample survey of registered nurses in 1988. Nursing supply is analyzed in terms of the ratio of registered nurses per 100,000 people for three standard nonmetropolitan census county size classifications and nine regional groupings of states. Seven dimensions relating to the educational background and current professional characteristics of registered nurses are studied. Findings indicate a notable difference in the ratio of nurses per population across county size and regions of the country. In terms of characteristics selected for this study, the educational background, salary gap, and time spent in various activities differentiate nurses in rural areas from those working in urban counties. Results of this study should be particularly relevant because a variety of educational, financial, and other incentives are being considered to address what is perceived to be a crisis in rural nursing availability.

186 NAL Call No: TX341.E3 Nutritional and health status and pesticide exposure of farmworkers' children in Tulare County (California) 1969.

Brun, T.A.; Geissler, C.A.; Calloway, D.H.; Margen, S.

Reading: Gordon & Breach Science Publishers. Ecology of food and nutrition v. 28 (1/2): p. 157-169; 1991. Includes references.

Language: English

Descriptors: California; Nutritional state; Health; Pesticide residues; Food safety; Rural areas; Poverty; Growth retardation; Cholinesterase; Ddt; Nutrient intake; Children

Abstract: The nutritional status of 191 rural, lowincome subjects from the Porterville-Woodville area of Tularc County, California, was surveyed in 1969 at the request of, and in collaboration with, the medical staff of Salud Medical Clinic, Woodville, California. For comparative purposes, 28 middle-income children from the city of Visalia were also studied. The results indicate that dietary intake was adequate for most nutrients, with the exception of iron. However, a high incidence of microcytosis and low or deficient serum folate levels was observed along with a high prevalence of short stature. Evidence suggestive of organophosphate pesticide exposure was found in the low plasma cholinesterase activity of a number of children. The levels of DDT and DDE in serum were also found to be respectively twice and three times the mean values reported for non-exposed adult males.

187 NAL Call No: RA771.A1J68 Occupational health and the rural worker: agriculture, mining and logging.

Pratt, D.S.

Kansas City, Mo.: National Rural Health Association.

The Journal of rural health v. 6 (4): p. 399-417; 1990 Oct. In series analytic: A Decade of Rural Health Research: Looking Back, Thinking Ahead / edited by R.T. Coward, J.W. Dwyer and M.K. Miller. Literature review. Includes references.

Language: English

Descriptors: U.S.A.; Farm workers; Miners; Logging; Farmers; Stress; Health; Occupational hazards; Safety at work; Rural areas; Respiratory disorders; Research; Literature reviews

188 NAL Call No: RJ102.P83 Off to a poor start infant health in rural America: a report.

Shotland, Jeffrey; Loonin, Dearme Public Voice for Food and Health Policy Washington, D.C. (Suite 522, 1001 Connecticut Ave., N.W. Washington 20036): Public Voice,. vi, 60 p.: ill.; 28 cm. October 1988. Bibliography: p. 56-59.

Language: English

Descriptors: Infants; Health and hygiene; United States; Infants; United States; Mortality; Statistics; Rural poor; United States; Medical policy; United States



189 NAL Call No: RA790.A1J68 Older rural women: mythical, forbearing, and unsung.

Kivett, V.R.

Fresno, Calif.: California School of Professional

Psychology.

Journal of rural community psychology v. 11 (1): p. 83-101; 1990. In the series analytic: Aging in rural places / edited by R.J. Scheidt and C. Norris-Baker. Literature review. Includes references.

Language: English

Descriptors: U.S.A.; Rural women; Elderly; Woman's status; Mental health; Role perception; Literature reviews

Abstract: Older rural women have built upon a rich heritage of courage, optimism, perseverance, and social action. They have acted upon and reacted to economic and social crises that threatened rural institutions and values. Despite these attributes and contributions, they remain largely mythical, uncelebrated, and among the most economically disadvantaged groups. Current economic and social crises occurring in rural areas have important implications for the well-being of older women. This article, drawing upon the historical and empirical literature, suggests that many of the mental health needs of older rural women can best be met by enhancing their proclivity to act upon their environment. Furthermore, it proposes that their history specifies the mechanisms through which their needs can best be met.

190 NAL Call No: 151.65 P96 One state's response to the malpractice insurance crisis: North Carolina's Rural Obstetrical Care Incentive Program.

Taylor, D.H. Jr; Ricketts, T.C. III; Berman, J.L.; Kolimaga, J.T.

Rockville, Md.: U.S. Department of Health & Human Services, Public Health Service.

Public health reports v. 107 (5): p. 523-529; 1992 Sep. Includes references.

Language: English

Descriptors: North Carolina; Pregnancy; Preventive medicine; Medical services; Insurance; Rural areas; Program effectiveness

Abstract: In the period 1985-89, there was a severe drop in obstetrical services in rural areas of North Carolina, partly because of rising malpractice insurance rates. The State government responded

with the Rural Obstetrical Care Incentive (ROCI) Program that provides a malpractice insurance subsidy of up to \$6,500 per participating physician per year. Enacted into law in 1988, the ROCI Program was expanded in 1991, making certified nurse midwives eligible to receive subsidies of up to \$3,000 per year. To participate, practitioners must provide obstetrical care to all women, regardless of their ability to pay for services. Total funding for the program has increased from \$240,000 to \$840,000, in spite of extreme budgetary constraints faced by the State. The program and how its implementation has maintained or increased access to obstetrical care in participating counties are described on the basis of site visits to local health departments in participating counties and data from the North Carolina Division of Maternal and Child Health. The program is of significance to policy makers nationwide as both a response to rising malpractice insurance rates and reduced access to obstetrical care in rural areas, and as an innovative, nontraditional State program in which the locus of decision making is at the county level.

191 NAL Call No: HT401.S72 Options for restructuring hospitals.

Moore, M.M.

Mississippi State, Miss.: The Center.

SRDC series - Southern Rural Development Center (156): p. 11-14; 1992 Mar. In the series analytic; Rural health services. Includes references.

Language: English

Descriptors: U.S.A.; Hospitals; Rural areas; Health care; Structural change; Medical services

192 NAL Call No: RA410.8.O7O72 1988 Oregon's rural physicians a practice profile. Osterud, Harold; Cawthon, Laurie; Whitaker, Karen

Oregon: s.n., 1988?

1 v. (unpaged): ill., map; 28 cm. Cover title. "Data are derived from the periodic Medical manpower in Oregon reports", Leaf [2].

Language: English

Descriptors: Physicians; Rural health services

193 NAL Call No: RA771.5.O73 1990 Organizing communities for change a guide for action.

Ludtke, Richard L.; Ahmed, Kazi Lutheran Health Systems (Firm), University of North Dakota, Center for Rural Health



Fargo: N.D.: Lutheran Health Systems,.

1 v. (various pagings): ill.; 30 cm. Cover title. Based on experiences of the W.H. Kellogg sponsored ARCH (Affordable Rural Coalition for Health) project, coordinated by the University of North Dakota Center for Rural Health and Lutheran Health Systems. Includes bibliographical references.

Language: English

Descriptors: Rural health; Rural health services; Community health services

194 NAL Call No: RA975.R87K87 1991 Our Community Hospital the evolution of a primary care hospital. (Evolution of a primary care hospital Evolution of a rural primary care hospital.)

Kushner, Christine C.

University of North Carolina at Chapel Hill, Rural Health Research Program

Chapel Hill, NC: Health Services Research Center, University of North Carolina at Chapel Hill,. 21 leaves; 28 cm. Caption title: Our Community Hospital, the evolution of a rural primary care hospital. The University of North Carolina Rural Health Research program. The North Carolina Rural Health Research Program is designated and supported by the Office of Rural Health Policy, Health Resources and Services Administration, Public Health Service, U.S. Department of Health and Human Services, grant no. HA-R-000016-03. October 1991. Includes bibliographical references (leaves 18-19).

Language: English

Descriptors: Hospitals, Rural; Rural health services; Family medicine

195 NAL Call No: RA771.A1J68 Our community hospital: the evolution of a rural primary care hospital.

Kushner, C.; Bernstein, J.D.; Dihoff, S.

Kansas City, Mo.: National Rural Health Association.

The Journal of rural health v. 8 (3): p. 197-204; 1992. Includes references.

Language: English

Descriptors: North Carolina; Hospitals; Rural communities; Community involvement; Rural planning

Abstract: In the next few years, Our Community Hospital, located in the small town of Scotland

Neck, NC, will undergo a conversion through which it may serve as an appropriate model for similar small hospitals in distressed rural communities. With technical and grant assistance from the Office of Rural Health and Resource Development of the North Carolina Department of Human Resources, the hospital has begun to phase out almost all acute care services and will expand and strengthen its focus on primary care, emergency medical services, and services for elderly persons. This paper addresses four issues of greatest concern to hospital administrators, rural health professionals, academics, and rural residents interested in hospital conversions: (1) community involvement during the planning process; (2) the evolution of the program's structure; (3) financing for the project; and (4) the development of cooperation between state and federal governments, foundations, and private groups. This case study describes one possible course in addressing an acute health care problem facing rural Americathe viability of rural hospitals.

196 NAL Call No: RA771.A1J68
An overview of maternal and infant health services in rural America.
Hughes, D.; Rosenbaum, S.

Burlington, Vt.: Journal of Rural Health. The Journal of rural health v. 5 (4): p. 299-319; 1989 Oct. Includes references.

Language: English

Descriptors: U.S.A.; Health services; Rural areas; Infants; Mothers; Low income groups; Decision making; Health insurance

197 NAL Call No: TX341.J6 Partners for improved nutrition and health, an innovative collaborative project.

Hinton, A.W.; Rausa, A.; Lingafelter, T.; Lingafelter, R.

Baltimore, Md.: Williams & Wilkins.

Journal of nutrition education v. 24 (1, suppl.): p. 67S-70S; 1992 Jan. Includes references.

Language: English

Descriptors: Mississippi; California; Arkansas; Georgia; Hunger; Malnutrition; Community involvement; Self help; Rural environment; Poverty; Health education; Nutrition education; Project implementation; Training; Low income groups

Abstract: The Freedom From Hunger Foundation (FFHF) of Davis, California, is committed to help-



ing the hungry and poor help themselves to eliminate the root causes of malnutrition and hunger. The Foundation's programs are founded on strategies to develop, test, and refine creative and innovative self-help strategies, with an emphasis on community-based self-help and mutual help solutions that enhance self-reliance and preserve dignity (1). With a forty-year history of conducting international relief programs, the Foundation in 1986 conducted a study on poverty in the United States.

198 NAL Call No: A00122 The PA's role in rural EMS education.

Johnson, R.B.; Jewell, G.S.

St. Louis, MO: Mosby.

Journal of the American Academy of Physician Assistants v. 3 (6): p. 429-432; 1990 Sep. Paper presented at the 19th Annual PA Conference, "Focus on Rural Health," May 25-31, 1991, San Francisco, California. Includes references.

Language: English

Descriptors: Wyoming; Medical services; Emergencies; Rural communities; Health education; Health promotion; Disease prevention; Occupations

199 NAL Call No: RA771.A1J68
Patterns of illness behavior among rural elderly:
preliming y results of a health diary study.
Palo Stoller, E.; Forster, L.E.

Kansas City, Mo.: National Rural Health Association.

The Journal of rural health v. 8 (1): p. 13-26; 1992. Includes references.

Language: English

Descriptors: New York; Elderly; Illness; Rural areas; Urban areas; Health care; Self care; Symptoms; Personal support networks; Age differences; Sex differences; Households; Employment; Household income; Academic achievement

Abstract: This paper summarizes the responses of rural elderly people to a variety of symptoms experienced during a three-week period. Responses to symptoms included causal attributions, consultation patterns, and intervention strategies. Data recorded in diaries during a three-week period highlight the importance of lay care in the illnesses of older people. Most symptoms were managed by older respondents themselves. When symptoms were discussed with someone else, the consultant was most likely a family member or friend rather

than a health care professional. Only one third of the respondents contacted any formal provider about any of their symptoms. The majority of respondents combined medical and nonmedical explanations in interpreting their symptoms. The most frequent response to a symptom was doing nothing. The next two most commonly reported interventions were over-the-counter medications and activity limitation. Analyses revealed few differences among residential categories in patterns of illness behavior. Rural-urban differences often disappeared when controlling for demographic and socioeconomic background which covary with residence.

200 NAL Call No: HV85.H85 Patterns of long-term care services for the rural elderly: A community approach.

Gibbons, J.E.; Camp, H.J.; Kaiser, M.A.

Knoxville, Tenn.: School of Social Work, University of Tennessee.

Human services in the rural environment v. 14 (3): p. 6-11; 1991. Includes references.

Language: English

Descriptors: Kansas; Elderly; Rural communities; Long term care; Health care; Public services

201 NAL Call No: A00127 Physician distribution and rural health care in the States. 1. An overview of state legislative activity, 1984-1989.

Donohoe, E.A.

Philadelphia, PA: Hanley & Belfus.

Academic medicine v. 65 (12,suppl.): p. S92-S113; 1990 Dec. Paper presented at the 1990 Invitational Symposium "Rural Health: A Challenge for Medical Education," February 1-3, 1990, San Antonio, Texas. Part 2, State legislative summaries addressing physician distribution and rural health care, 1984-1989, p. S102-S113. Includes references.

Language: English

Descriptors: U.S.A.; Physicians; Distribution; Rural areas; Health care; Legislation; State government

202 NAL Call No: HT401,S72 Physician recruitment and retention: a community effort.

Reinheimer, R.

Mississippi State, Miss.: The Center.

SRDC series - Southern Rural Development Center (156): p. 15-18; 1992 Mar. In the series analytic: Rural health services. Includes references.



Language: English

Descriptors: U.S.A.; Physicians; Supply; Rural communities; Recruitment; Health care; Medical services; Community action; Community involvement

203 NAL Call No: RA771.A1R87 no.15 Physician staffing of small rural hospital emergency departments rapid change and escalating cost.

Williamson, Harold A.

Seattle, Wash.: WAMI Rural Health Research Center, Dept. of Family Medicine, Research Section, University of Washington.

19 leaves; 28 cm. (Rural health working paper series;). "September 1991", Cover. Includes bibliographical references (leaves 14-16).

Language: English

Abstract: We surveyed all 37 rural Washington State hospitals with less than 100 beds to determine how rural emergency departments (EDs) are staffed by physicians and to estimate rural hospital payments for ED physician services. Only five hospital EDs (14%) were still covered by the traditional rotation of local physicians, billing fee-forservice. Ten hospitals (27%) paid local private practitioners to provide ED coverage. Twelve other hospitals (32%) hired visiting ED physicians to cover weekends and/or evenings. The remaining ten rural EDs (27%) were staffed entirely by external contract physicians. Thus, 86 percent of rural hospitals contracted for ED coverage and 59 percent obtained some or all of this service from none I physicians. Most of the 32 hospitals with some form of contracted services have changed to this ED coverage in the last few years. The cost of these services is high, particularly for the smallest hospitals which have fewer than eight ED visits per day and pay physician wages of nearly \$100 per visit. Emergency staffing responsibility has shifted from local practitioners to the hospital administrators because of rural physician scarcity and a desire to improve quality and convenience. The cost of these changes may further undermine the economic viability of the smaller rural hospitals.

204 NAL Call No: RA771.A1J68 Physician staffing of small rural hospital emergency departments: rapid change and escalating cost.

Williamson, H.A.; Rosenblatt, R.A.; Hart, L.G. Kansas City, Mo.: National Rural Health Association.

The Journal of rural health v. 8 (3): p. 171-177; 1992. Includes references.

Language: English

Descriptors: Washington; Hospitals; Physicians; Rural areas; Health care; Health care costs; Personnel management

Abstract: We surveyed all 37 rural Washington state hospitals with fewer than 100 beds to determine how rural emergency departments are staffed by physicians and to estimate rural hospital payments for emergency department physician services. Only five hospital emergency departments (14%) were still covered by the traditional rotation of local practitioners and billed on a fee-for-service basis. Ten hospitals (27%) paid local private practitioners to provide emergency department coverage. Twelve other hospitals (32%) hired visiting emergency department physicians to cover only weekends or evenings. The remaining 10 rural emergency departments (27%) were staffed entirely by external contract physicians. Thus, 86 percent of rural hospitals contracted for emergency department coverage, and 59 percent obtained some or all of this service from nonlocal physicians. Most of the 32 hospitals with some form of contracted services have changed to this emergency department coverage in the last few Years. The cost of these services high, particularly for the smallest hospitals that have fewer than eight emergency department visits per day and pay physician wages of nearly \$100 per patient visit. Emergency staffing responsibility has shifted from local practitioners to the hospital administrators because of rural physician scarcity and a desire to improve quality and convenience. The cost of these changes may further undermine the economic viability of the smaller rural hospitals.

205 NAL Call No: A00127 Physicians for the American homelands. Bruce, T.A.

Philadelphia, PA: Hanley & Belfus.

Academic medicine v. 65 (12,suppl.): p. \$10-\$21; 1990 Dec. Paper presented at the 1990 Invitational Symposium "Rural Health: A Challenge for Medical Education," February 1-3, 1990, San Antonio, Texas. Commentaries by D.A. Kindig, p. \$15-\$17, and A. Kaufman, p. \$18-\$21. Includes references.

Language: English

Descriptors: U.S.A.; Arkansas; Physicians; Medical education; Recruitment; Supply; Rural areas; Cur-



riculum; Educational reform; Support systems; Rural urban relations; Specialization

Abstract: Academic health centers in the United States are in danger of becoming more and more irrelevant to the non-tertiary, primary health care needs of modern society. This paper explores options to respond to one segment that repeatedly has been demonstrated to be in distress: rural health care. Recommendations are made about selective recruitment into medical and other health schools to address the issue, early professional socialization, curricular reform and the types of technical assistance that academic centers might well provide to rural practitioners and caregiver institutions.

206 NAL Call No: 151.65 P96 Piecing together the crazy quilt of prenatal care. Machala, M.; Miner, M.W.

Rockville, Md.: U.S. Department of Health & Human Services, Public Health Service.

Public health reports v. 106 (4): p. 353-360; 1991 Jul. Includes references.

Language: English

Descriptors: Idaho; Health services; Prenatal period; Supplemental feeding programs; Rural areas; Program development; Public health

Abstract: The failure to provide adequate prenatal care for low-income pregnant women in the United States and the effects of this failure on infant mortality are well known. Many studies have identified institutional barriers against access to care as a major cause. To overcome these barriers, Public Health District V, South Central Idaho, has created a comprehensive prenatal health care model that has almost tripled participation in its program during the first year of implementation and increased it again significantly during the second year. This decentralized pregnancy program has succeeded in getting all of the physicians offering obstetrical care in the district to serve lowincome pregnant clients on a rotating basis. The new program provides pregnancy testing as well as financial screening services. Also, it has combined support services into one-stop-shopping clinics that include an innovative expansion of the Women, Infants and Children (WIC) Program of the U.S. Department of Agriculture. WIC food vouchers help attract clients into the prenatal care system and keep them coming. Enrichment of the duties of the public health nurse provides case coordination that pulls together the patchwork of medical and support services for the pregnant client.

207 NAL Cail No: RA771.A1J68
Poverty, primary care and age-specific mortality.
Farmer, F.L.; Stokes, C.S.; Fiser, R.H.; Papini, D.P.

Kansas City, Mo.: National Rural Health Association.

The Journal of rural health v. 7 (2): p. 153-169; 1991. Includes references.

Language: English

Descriptors: U.S.A.; Mortality; Poverty; Age differences; Health care; Health services; Rural areas; Sex differences

208 NAL Call No: RA771.A1J68 Prenatal diet adequacy among rural Alabama blacks.

Leeper, J.D.; Nagy, M.C.; Hullett-Robertson, S. Kansas City, Mo.: National Rural Health Association.

The Journal of rural health v. 8 (2): p. 134-138; 1992. Includes references.

Language: English

Descriptors: Alabama; Diet; Maternal nutrition; Health; Pregnancy; Women; Blacks; Low income groups; Rural areas; Demography; Dietary surveys

209 NAL Call No: RA771.A1J68 Primary care dilemma: career ladders without rungs.

Pratt, D.

Kansas City, Mo.: National Rural Health Association.

The Journal of rural health v. 8 (4): p. 246-253; 1992. Responses by T.A. Bruce on p. 248-249, E. Friedman on p. 249-250, and J.L. Bigbee on p. 251-252, and a reaction by D. Pratt on p. 252-253. Includes references.

Language: English

Descriptors: U.S.A.; Health care; Nurses; Professional competence; Medical education; Professional recognition; Rural areas; Career development

210 NAL Call No: RA771.6.A6M6 no.14 Primary care via a mobile health unit a case from rural Arizona.

L ocs, Phillip M.

Southwest Border Rural Health Research Center Tucson, Ariz.: Southwest Border Rural Health



Research Center, College of Medicine, University of Arizona,.

27 leaves; 28 cm. (Monograph / Southwest Border Rural Health Research Center; no. 14). July 1990. Includes bibliographical references (leaves 25-27).

Language: English

Descriptors: Rural health services; Medically underserved areas; Health promotion

Abstract: This paper describes the experience of operating a mobile primary care clinic. The clinic serves low-income, medically underserved communities in Pima County, Arizona. Over a period of ten years, the Rural Health Office of the University of Arizona has operated two mobile units. The unit presently in use began operation in mid-1987. The program philosophy and history are recounted. Each of the services, Primary Care, Health Promotion and Disease Prevention, Health Professional Education, and Community Involvement, are outlined, as well as util ization patterns and client demographics. The effectiveness of a mobile unit in the provision of primary care, including client acceptance and potential for meaningful community involvement, is addressed.

211 NAL Call No: RA771.A1J68 Professional preparation for rural medicine. Bruce, T.A.

Kansas City, Mo.: National Rural Health Association.

The Journal of rural health v. 6 (4): p. 523-526, 549-552; 1990 Oct. In series analytic: A Decade of Rural Health Research: Looking Back, Thinking Ahead / edited by R.T. Coward, J.W. Dwyer and M.K. Miller. Includes references.

Language: English

Descriptors: U.S.A.; Professional education; Medicine; Curriculum; Rural areas

212 NAL Call No: RA771.5.H3 A profile of maternal and child health in rural areas.

McManus, M.; Greaney, A.

Washington, D.C.: National Governors' Association.

Health issues in rural America / by Rick Curtis ... [et al.]. p. 81-85; 1988.

Language: English

Descriptors: U.S.A.; Women; Children; Health;

Rural welfare; Poverty; Health services; Health care costs

213 NAL Call No: HT401.S72 Programming for community health through Cooperative Extension Services.

Garland, B.; Derthick, S.

Mississippi State, Miss.: The Center.

SRDC series - Southern Rural Development Center (156): p. 3-5; 1992 Mar. In the series analytic: Rural health services. Includes references.

Language: English

Descriptors: Georgia; North Carolina; Health programs; Rural areas; Cooperative extension service; Plan implementation and evaluation; Community health services; Community programs

NAL Call No: RA771.A1J68
Prolonged travel time to Neonatal Intensive Care
Unit does not affect content of parental visiting:
a controlled prospective study.

Callahan, E.J.; Brasted, W.S.; Myerberg, D.Z.; Hamilton, S.

Kansas City, Mo.: National Rural Health Association.

The Journal of rural health v. 7 (1): p. 73-83; 1991. Includes references.

Language: English

Descriptors: U.S.A.; Parent child relationships; Infants; Illness; Risk; Hospitals; Visits; Duration; Rural areas; Demography; Mothers; Fathers; Visitor behavior

215 NAL Call No: HD7269.A292U55 1989 A proposal for the North Carolina agricultural and rural occupational medicine program.

Hartye, James; Ricketts, Thomas C.

University of North Carolina at Chapel Hill, Health Services Research Center

Chapel Hill, NC: Health Services Research Center, University of North Carolina at Chapel Hill, 8 leaves; 28 cm. October 1989. "The University of North Carolina Rural Health Research program", Cover. Supported by Grant No. HA-R-000016 from the Office of Rural Health Policy, Health Resources and Services Administration, Public Health Service, U.S. D.H.H.S. Includes bibliographical references (leaf 8).

Language: English

Descriptors: Agriculture; Farming; Rural health services



Abstract: Agriculture and farming is now the most dangerous occupation in the United States but less rural medical care is available for this occupation. This paper outlines what an agricultural and rural occupational medicine program in North Carolina should be.

216 NAL Call No: RA410.7.R631 1991 Proposed strategies for fulfilling primary care professional needs II Nurse practitioners, physician assistants, and certified nurse midwives.

Rodos, J. Jerry; Peterson, Barbara National Health Service Corps (U.S.)

Rockville, Md.: National Health Service Corps,. 145 p.; 29 cm. Cover title. As approved August 1, 1991. Includes bibliographical references (p. [97]-145).

Language: English

Descriptors: Nurse practitioners; Midwives; Rural health services

217 NAL Call No: RA771.5.H3 Provider participation in public programs: rural issues in maternity care.

Lewis-Idema, D.

Washington, D.C.: National Governors' Association.

Health issues in rural America / by Rick Curtis ... [et al.]. p. 73-79; 1988. Includes references.

Language: English

Descriptors: U.S.A.; Rural welfare; Public services; Physicians; Obstetrics; Participation; Maternity benefits; Medicaid; Child welfare; Program evaluation; Social legislation; Health care costs

Providing access to affordable health care: strategies supported by Northwest Area Foundation.
St. Paul, Minn.: Northwest Area Foundation.
Northwest report (11): p. 26-28; 1991 Apr.

Language: English

Descriptors: Minnesota; South Dakota; Oregon; North Dakota; Montana; Idaho; Missouri; Washington; Health care costs; Low income groups; Rural areas; Grants

219 NAL Call No: AS911.L6A3 Providing access to health care in rural areas: strategies supported by Northwest Area Foundation.

St. Paul, Minn.: Northwest Area Foundation. Northwest report (12): p. 9-10; 1992 Mar.

Language: English

Descriptors: Minnesota; South Dakota; Oregon; Montana; Missouri; North Dakota; Washington; Health care; Rural areas

Providing social and health care services in a small community: a multidisciplinary approach in a family practice clinic.

Mackelprang, R.W.

Cheney, WA: Eastern Washington University. Human services in the rural environment v. 15 (1): p. 19-24; 1991. Includes references.

Language: English

Descriptors: Washington; Health care; Rural communities; Social workers; Training; Educational programs

NAL Call No: RA771.A1J68
Provision of comprehensive perinatal services
through rural outreach: a model program.
Bahry, V.J.; Fullerton, J.T.; Lops, V.R.
Burlington, Vt.: Journal of Rural Health.
The Journal of rural health v. 5 (4): p. 387-396;
1989 Oct. Includes references.

Language: English

Descriptors: California; Rural areas; Health care; Health services; Public relations; Parturition

NAL Call No: Audiocassette no.231 Public health challenges facing rural Americans over the next decade D. Smith.

Smith, D.

National Rural Health Association (U.S.), ConterenceReno, Nev.)

San Diego, CA: Convention Recorders, [1989?]. 1 sound cassette (45 min.): analog. Recorded at the National Rural Health Association's annual national conference in Reno, Nevada, April 30-May 3, 1989. D. Parham, listed as speaker on cassette label, does not appear on this program.

Language: English

Descriptors: Rural health services

Abstract: D. Smith discusses the future of rural health care delivery in the United States. The topics of indigent care, health care professionals,



changing health care, and reimbursement/financial issues are covered.

223 NAL Call No: AS911.L6A3 Pulling rural health care out of the Twilight Zone: How to involve local residents.

McGinnis, P.

St. Paul, Minn.: Northwest Area Foundation. Northwest report (12): p. 2-8; 1992 Mar.

Language: English

Descriptors: Oregon; Washington; Idaho; Health

care; Rural areas

NAL Call No: RA771.A2R26 1992 RAP, rapid assessment procedures qualitative methodologies for planning and evaluation of health related programmes. (Rapid assessment procedures Rapid assessment methodologies.) Scrimshaw, Nevin S.; Gleason, Gary R.

Boston, Mass.: International Nutrition Foundation

for Developing Countries :.

viii, 528 p.: ill.; 23 cm. Running title: Rapid assessment methodologies. Based on an international conference held at the Pan American Health Organization, Washington, D.C., November 1990, funded by UNICEF, organized by the United Nations University. Includes bibliographical references.

Language: English

Descriptors: Rural health services; Medical care

Abstract: Describes the wide range of applications that have been found for qualitative assessment methodology in the planning, evaluating and improving of nutrition and health related intervention programs.

NAL Call No: RA771.A1J68 Reaching children of the uninsured and underinsured in two rural Wisconsin counties: findings from a pilot project.

Clarridge, B.R.; Larson, B.J.; Newman, K.M. Kansas City, Mo.: National Rural Health Association.

The Journal of rural health v. 9 (1): p. 40-49; 1993. Includes references.

Language: English

Descriptors: Wisconsin; Health; Health protection; Children; Low income groups; Health insurance; Health care costs; Preventive medicine; Rural areas; Poverty; Age differences; Sex differences Abstract: Debates about the accessibility, costs, and coverages of health care for the population at large have recently accelerated. This paper addresses some of the demographic, health, and fiscal ramifications of creating a preventive health care bridge to children in uninsured and underinsured families in two rural Wisconsin counties. The study findings revealed that the initial health status of children making a preventive health visit under a minimal copayment plan was noticeably worse than the status of those who had the free Early and Periodic Screening, Diagnosis, and Treatment (EPSDT) program available to them on a more or less continual basis. Upon their first visit, the children who did not have access to a free EPSDT program had a greater number of medical and dental health problems and fewer preventive dental care visits than their EPSDT contemporaries. Beyond a greater number of problems, however, we found no noticeable differences between the two groups in the types of health problems present (i.e. the clinical distribution of the problems was similar across the two groups). This paper also contrasts referral completion rates and rates of diagnostic confirmation of identified problems between the two groups. Finally, we provide estimates of the cost of coverage for each unprotected child.

NAL Call No: RA771.A1R87 no.10 Readmission following surgery in Washington State rural hospitals.

Welch, H. Gilbert

Scattle, Wash.: WAMI Rural Health Research Center, Dept. of Family Medicine, Research Section, University of Washington,.

23 leaves: ill.; 28 cm. (Rural health working paper series;). January 1991. Includes bibliographical references (leaves 14-15).

Language: English

Abstract: Because of concern about the quality of care in rural hospitals, we examined readmission following four surgical procedures commonly performed in Washington state rural hospitals: appendectomy, cesarean section, cholecystectomy and transurethral prostatectomy. Readmissions to any hospital in the state within 7 and 30 days of discharge were identified and compared to corresponding data for urban hospitals. During the two-year period examined, there were no significant differences in readmission rates for surgeries performed in rural and urban hospitals. Readmission rates for all four procedures were nominally



lower in rural hospitals. Analyses which either restricted age or excluded Medicaid, self-pay, charity, and rural patients receiving care at urban facilities did not change these results. Investigating readmission rates following common surgeries, we found no evidence of low quality care in Washington state rural hospitals. Early readmission is an imperfect marker for poor surgical outcome, however, and other proxies for quality remain to be examined.

227 NAL Call No: RA771.A1J68 Rebuilding a rural obstetrical program: a case study.

Reimer, G.M.

Burlington, Vt.: Journal of Rural Health. The Journal of rural health v. 5 (4): p. 353-360; 1989 Oct. Includes references.

Language: English

Descriptors: Nevada; Obstetrics; Rural areas; Health programs

NAL Call No: HT401.S72 Recruitment and retention of nursing personnel in a rural area.

Havard, B.

Mississippi State, Miss.: The Center. SRDC series - Southern Rural Development Cen-

ter (156): p. 19-21; 1992 Mar. In the series analytic: Rural health services. Includes references.

Language: English

Descriptors: U.S.A.; Nurses; Nursing; Personnel; Rural areas; Recruitment; Health care; Incentives

229 NAL Call No: RA771.A1J68 Recruitment and retention of rural physicians: issues for the 1990s

Crandall, L.A.; Dwyer, J.W.; Duncan, R.P. Burlington, Vt.: Journal of Rural Health. The Journal of rural health v. 6 (1): p. 19-38; 1990 Jan. Includes references.

Language: English

Descriptors: U.S.A.; Rural areas; Physicians; Recruitment; Structural change; Economic situation; Supply balance

230 NAL Call No: RA421.F35 A reexamination of community participation in health: Lessons from three community health projects.

Cook, H.L.; Goeppinger, J.; Brunk, S.E.; Price,

L.J.; Whitehead, T.L.; Sauter, S.V.H. Frederick, Md.: Aspt. Publishers. Family & community health v. 11 (2): p. 1-13; 1988 Aug. Includes references.

Language: English

Descriptors: North Carolina; Virginia; Community health services; Rural communities; Participation; Community programs; Health programs; Cultural influences; Public relations

NAL Call No: RA771.A1J68 The relationship of rural clinical rotations to where registered nurses practice.

Gordon, I.T.; Denton, D.

Kansas City, Mo.: National Rural Health Association.

The Journal of rural health v. 8 (4): p. 298-304; 1992. Includes references.

Language: English

Descriptors: Arizona; Nurses; Nursing; Rural areas; Medical education; Clinical experience; Educational programs

Abstract: An objective of exposing health profession students to rural clinical experiences was to overcome problems of geographic maldistribution of health personnel. Nevertheless, little can be said about the impact of rural training rotations on the supply of health personnel in rural areas or on students' decisions about where to practice. To assess the relationship between rural clinical rotations and practice locale, surveys were administered to all applicants taking registered nurse exams in Arizona in July 1990, February 1991, and July 1991. The students most likely to be working in rural locations were rural high school graduates with rural clinical experience during nursing school. Students who were urban high school graduates with rural clinical experience were only slightly less likely to locate in rural areas. Rural and urban high school graduates with no rural clinical experience were far less likely to choose rural practice. Rural rotations were associated with rural job selection only if students attended rural educational programs.

NAL Call No: RA771.A1J68 Residence differences in the health status of elders.

Cutler, S.J.; Coward, R.T.

Burlington, Vt.: Journal of Rural Health.

The Journal of rural health v. 4 (3): p. 11-26; 1988 Oct. In the series analytic: Rural Geriatrics and



Gerontology / guest editor J.K. Cooper. Includes references.

Language: English

Descriptors: U.S.A.; Elderly; National surveys; Aging; Rural urban relations; Health; Location theory

NAL Call No: HT421.S63 Residential options for rural Minnesota elderly. Schrader, S.L.; McTavish, D.G.

St. Paul, Minn.: The Service.

Sociology of rural life - Minnesota University, Agricultural Extension Service v. 12 (2): p. 3-4, 7-8; 1992.

Language: English

Descriptors: Minnesota; Elderly; Rural population; Rural housing; Demography; Nursing homes; Newspapers

NAL Call No: RA771.5.H3 Restructuring rural hospitals.

Rosenberg, S.; Runde, D.

Washington, D.C.: National Governors' Association.

Health issues in rural America / by Rick Curtis ... [et al.]. p. 11-35; 1988. Includes references.

Language: English

Descriptors: U.S.A.; Rural welfare; Hospitals; Structural change; Fiscal policy; Medicare; Rural economy; Medicaid; Nurses; Networking

235 NAL Call No: RA771.5.H3
Restructuring the Mono (County) General Hospital.

Rosenberg, S.; Runde, D.

Washington, D.C.: National Governors' Association.

Health issues in rural America / by Rick Curtis ... [et al.]. p. 37-39; 1988.

Language: English

Descriptors: California; Rural welfare; Hospitals; Structural change; Counties; Fiscal policy; Case studies

236 NAL Call No: HT421.S63 Role of health care systems in rural communities. Stevenson, J.

St. Paul, Minn.: The Service.

Sociology of rural life - Minnesota University, Agricultural Extension Service v. 12 (2): p. 5-6; 1992.

Language: English

Descriptors: Minnesota; Health services; Rural communities; Hospitals; Nursing homes; Health care costs

237 NAL Call No: RA771.A1J68 The role of nursing education in preparing students for rural practice.

Straub, L.A.; Frels, L.

Kansas City, Mo.: National Rural Health Association.

The Journal of rural health v. 8 (4): p. 291-297; 1992. Paper presented at the meeting of the National Rural Health Association, May 1991, Seattle, WA. Includes references.

Language: English

Descriptors: U.S.A.; Nursing; Medical education; Health care; Rural areas; Program evaluation; Regional surveys

Abstract: This paper discusses research on the role of nursing education in preparing students for rural practice. The purpose of the research was to learn how education programs respond to unique features of rural nursing. Results from a two-phase nationwide survey of 275 baccalaureate nursing programs are presented. The first phase identified programs offering a rural track, the second phase was a follow-up survey to the deans and faculty of rural-oriented programs. These findings indicate educators recognize that rural nursing differs from urban nursing because of cultural and demographic features, as well as technical and economic characteristics. Most educators believe their role should include developing student interest in rural practice. Recommendations from the findings are presented.

238 NAL Call No: RA421.F35 The rural Alabama pregnancy and infant health program.

Nagy, M.C.; Leeper, J.D.; Hullett, S.; Northrup, R.; Newell, W.H.

Frederick, Md.: Aspen Publishers.

Family & community health v. 11 (2): p. 49-56; 1988 Aug. Includes references.

Language: English

Descriptors: Alabama; Rural communities; Community health services; Pregnant women; Infants; Health care; Infant mortality; Blacks; Early child-



hood development; Prenatal development; Health programs; Educational programs

NAL Call No: aHN90.C6R78 Rural America and the revolution in health care. Bauer, J.C.; Weis, E.M.

Washington, D.C.: U.S. Department of Agriculture, Economic Research Service.

Rural development perspectives: RDP v. 5 (3): p. 2-6. ill; 1989 Jun. Includes references.

Language: English

Descriptors: U.S.A.; Health care; Rural communities; Hospitals; Population dynamics; Physicians; Nurses; Emergencies

240 NAL Call No: RA771.A1J68 Rural America in the 1980s: a context for rural health research.

Coward, R.T.; Miller, M.K.; Dwyer, J.W.

Kansas City, Mo.: National Rural Health Association.

The Journal of rural health v. 6 (4): p. 357-363; 1990 Oct. In series analytic: A Decade of Rural Health Research: Looking Back, Thinking Ahead / edited by R.T. Coward, J.W. Dwyer and M.K. Miller. Includes references.

Language: English

Descriptors: U.S.A.; Rural society; Health; Health care; Research; Cultural sociology; Poverty; Population distribution; Agricultural crises

241 NAL Call No: RA771.A1J68 Rural communities and health care.

Bruce, T.A.

Kansas City, Mo.: National Rural Health Association.

The Journal of rural health v. 7 (5): p. 471-472; 1991. In series analytic: Issues in the structure, financing, and viability of rural hospitals.

Language: English

Descriptors: U.S.A.; Hospitals; Health care; Rural communities

NAL Call No: RA771.A1J68
Rural community and physican perspectives on resource factors affecting physician retention.
Conte, S.J.; Imershein, A.W.; Magill, M.K.

Kansas City, Mo.: National Rural Health Association.

The Journal of rural health v. 8 (3): p. 185-196; 1992. Includes references.

Language: English

Descriptors: Florida; Physicians; Personnel management; Rural communities; Attitudes; Perception; Health services; Surveys

Abstract: This study was undertaken to investigate issues affecting recruitment and retention of physicians in a rural north Florida community. As part of this investigation, the authors examined the relevant context of medical care and physician practice for this community. The results identify a number of problems not uncommon in rural communities and supported by previous literature. Physicians felt isolated, dissatisfied with job security and professional autonomy, and frustrated by a lack of cooperation among the major providers of health care. More importantly, upon closer scrutiny, some of the most appealing characteristics of this community for incoming physicians become its weaknesses. Access to a regional medical center nearby and nearness to a metropolitan area were both cited as positive attributes to their choice of practice location. In this community, however, these appear to have resulted in a highly divided medical system. Many of the employed and insured patients in the country prefer to get their medical care in the nearby city. At the same time three separate entities within the community, a federally funded community health center, a county public health unit, and a community hospital, are expected to provide services for the poor and uninsured. The resulting lack of a comprehensive approach to provision of services contributes significantly to the dissatisfaction among providers and to their ultimate retention.

243 NAL Call No: 151.65 P96 Rural community hospitals and factors correlated with their risk of closing.

Mullner, R.M.; Rydman, R.J.; Whiteis, D.G.; Rich,

Washington, D.C.: Public Health Service. Public health reports v. 104 (4): p. 315-325; 1989 Jul. Includes references.

Language: English

Descriptors: U.S.A.; Rural areas; Hospitals; Closures; Risks, Variance components; Ownership; Nurses; Skilled labor: Counties; Long term care; Mathematical models

Abstract: The issue of rural hospital closings in the United States in recent years has become of increasing concern to health care policy analysts.



Rural communities face unique health needs, necessitating access to local health care. Much has been written about the social, economic, legislative, and technological changes that have increased the stress on rural hospitals in the 1980s. However, quantifiable models have been lacking with which to examine in detail factors associated with rural hospitals and to correlate such factors with individual hospitals' risks of closing. In this study, we identify variables correlated with rural community hospital closures in the period 1980-87. Using epidemiologic case-control methods, 161 closed rural hospitals were matched 1 to 3 with a control group of 483 rural hospitals which remained open during the same period. A series of hospital performance indicators and demographic, economic, and social community variables were entered into a multiple logistic regression model. Four variables were found to be positively correlated with risk of closure. They are for-profit ownership; nongovernment, not-for-profit ownership; presence of a skilled nursing or other longterm care unit; and the number of other hospitals in the county. Variables negatively correlated with risk of closure were accreditation by the Joint Commission on the Accreditation of Healthcare Organizations, the number of facilities and services, and membership in a multihospital system. Policy and research implications at the Federal, State, and local levels are discussed.

NAL Call No: RA771.A1J68
The Rural Dental Health Program: the long-range effect of a school-based enriched dental health program on children's oral health.

Bentley, J.M.; Feldman, C.; Oler, J. Burlington, Vt.: Journal of Rural Health. The Journal of rural health v. 5 (3): p. 231-245; 1989 Jul. Includes references.

Language: English

Descriptors: Pennsylvania; Dental health; Health programs; Rural areas; School children

245 NAL Call No: RA771.A1J68 Rural differentials in reimbursement. Kriebel, S.H.

Burlington, Vt.: Journal of Rural Health.
The Journal of rural health v. 5 (2): p. 99; 1989
Apr. Comment on an article by C. Hogan, "Patterns of Travel for Rural Individuals Hospitalized in New York State: Relationships Between Distance, Destination and Case Mix," Journal of Rural Health, v. 4 no. 2, July 1988, p. 29-41. Reply by C.

Hogan, p. 99-100.

Language: English

Descriptors: New York; Rural areas; Hospitals; Distance travelled; Destinations; Payment basis; Remittances

NAL Call No: HQ536.M37 Rural families and health care: refining the knowledge base.

Weinert, C.; Long, K.A.

New York, N.Y.: The Haworth Press.

Marriage and family review v. 15 (1/2): p. 57-75; 1990. In the series analytic: Families in Community Settings: Interdisciplinary Perspectives / edited by D.G. Unger and M.B. Sussman. Includes references

Language: English

Descriptors: U.S.A.; Health care; Rural population; Health beliefs; Needs assessment; Community health services; Hospitals; Mental health

247 NAL Call No: 100 AR42F

Rural health.

Farmer, F.L.

Fayetteville, Ark.: The Station.

Arkansas farm research - Arkansas Agricultural Experiment Station v. 38 (2): p. 7; 1989 Mar.

Language: English

Descriptors: Arkansas; Rural welfare; Health care; Program evaluation; History; Infant mortality; Demography; Hospitals

NAL Call No: A00127 Rural health: a challenge for medical education. Proceedings of the 1990 invitational symposium, San Antonio, Texas, February 1-3, 1990.

Philadelphia, PA: Hanley & Belfus. Academic medicine v. 65 (12, suppl.): 130 p.; 1990

Dec.

Language: English

Descriptors: U.S.A.; Health care; Rural areas; Medical education

249 NAL Call No: A00127 Rural health: a challenge for medical education. Symposium summary and recommendation for action.

Fickenscher, K.M.

Philadelphia, PA: Hanley & Belfus.

Academic medicine v. 65 (12, suppl.): p. S51-S53;



1990 Dec. Paper presented at the 1990 Invitational Symposium "Rural Health: A Challenge for Medical Education," February 1-3, 1990, San Antonio, Texas. Includes references.

Language: English

Descriptors: U.S.A.; Health care; Rural areas; Medical education

Abstract: The many changes that have affected the health care system over the last decade have had a substantial impact on the rural areas of the nation. These changes include implementation of the prospective payment system, the resource-based reimbursement system for physician services, and a host of other state- and federal-level initiatives in health care. Rural America is also experiencing dynamic changes as part of the globalization of the nations economy. Themes from the symposium include the issue of differences between urban and rural primary care, selection of medical students, continuity of care, funding of graduate medical education, and effective methods of rural physician education, including new uses for technology. The summary analysis recommends that the Association of American Medical Colleges form a task force on rural health and medical education to begin an active dialogue on how medical education can effectively respond to the challenges of rural health during the coming decade.

NAL Call No: Z6675.R9R87 1988 Rural health abstracts and citations, 1980-1987. (Rural hospitals Indian health care Rural health professionals.)

University of North Dakota, Center for Rural Health Services, Policy, and Research, University of North Dakota, Rural Health Research Center Grand Forks, N.D.: Center for Rural Health Services, Policy and Research, University of North Dakota, c1988-.

v.; 28 cm. First edition, August 1988. Title on Part III: Rural health abstracts and citations, 1980-1990. Publisher on Parts II and III is University of North Dakota Rural Health Research Center.

Language: English

Descriptors: Rural health services; Hospitals, Rural; Indians of North America

NAL Call No: KF26.A643 1990 Rural health aid hearings before a subcommittee of the Committee on Appropriations, United States Senate, One Hundred First Congress,

second session: special hearings.

United States. Congress. Senate. Committee on Appropriations. Subcommittee on Agriculture, Rural Development, and Related Agencies Washington: U.S. G.P.O.: For sale by the Supt. of Docs., Congressional Sales Office, U.S. G.P.O., iii, 89 p.: ill.; 24 cm. (S. hrg.; 101-1156).

Language: English

Descriptors: Rural health services; Hospitals, Rural; Federal aid to rural health services

NAL Call No: A00122 Rural health care: a look to the future. Caton, L.

St. Louis, MO: Mosby.

Journal of the American Academy of Physician Assistants v. 3 (6): p. 439-441; 1990 Sep. Paper presented at the 19th Annual PA Conference, "Focus on Rural Health," May 25-31, 1991, San Francisco, California.

Language: English

Descriptors: U.S.A.; Health care; Rural areas; Medical services; Access; Occupations

253 NAL Call No: 275.29 F22 Rural health care crisis.

Cordes, S.M.

Oak Brook, Ill.: Farm Foundation. Increasing understanding of public problems and policies. p. 14¹-153; 1991. Paper presented at the 41st National Public Policy Education Conference, September 15-18, 1991, Omaha, Nebraska. In-

cludes references.

Language: English

Descriptors: U.S.A.; Health care; Rural areas; Health services; Infrastructure; Community development; Economic impact; Supply; Crises

NAL Call No: KF26.F5 1990e Rural health care crisis hearings before the Committee on Finance, United States Senate, One Hundred First Congress, second session, June 2, 1990, Sioux Falls and Rapid City, SD.

United States. Congress. Senate. Committee on Finance

Washington: U.S. G.P.O.: For sale by the Supt. of Docs., Congressional Sales Office, U.S. G.P.O.; Y 4.F 49:S.hrg.101-1149.

v, 135 p.: ill., maps; 24 cm. (S. hrg.; 101-1149). Distributed to some depository libraries in microfiche. Shipping list no.: 91-184-P.



Language: English

Descriptors: Medical care; Rural health services; Medical personnel; Medical care, Cost of; Medically uninsured persons

NAL Call No: KF26.F558 1989 Rural health care hearing before the Subcommittee on Medicare and Long-Term Care of the Committee on Finance, United States Senate, One Hundred First Congress, first session, May 19, 1989.

United States. Congress. Senate. Committee on Finance. Subcommittee on Medicare and Long-Term Care

Washington [D.C.]: U.S. G.P.O.: For sale by the Supt. of Docs., Congressional Sales Office, U.S. G.P.O.; Y 4.F 49:S.hrg.101-490.

iv, 102 p.; 24 cm. (S. hrg.; 101-490). Distributed to some depository libraries in microfiche. Shipping list no.: 90-205-P. Includes bibliographical references (p. 90).

Language: English

Descriptors: Rural health services; United States; Rural aged; Medical care; United States; Medicare; Hosptals, Rural; United States; Finance; Federal aid to rural health services; United States

NAL Call No: KF27.S675 1988f Rural health care hearing before the Subcommittee on Regulation and Business Opportunities of the Committee on Small Business, House of Representatives, One Hundredth Congress, second session, Baker, OR, August 18, 1988.

United States. Congress. House. Committee on Small Business. Subcommittee on Regulation and Business Opportunities

Washington, [D.C.]: U.S. G.P.O.: For sale by the Supt. of Docs., Congressional Sales Office, U.S. G.P.O.,.

iii, 103 p.: 1 map; 24 cm. Distributed to some depository libraries in microfiche. Serial no. 100-62. Item 1031-A, 1031-B (microfiche).

Language: English

Descriptors: Rural health services; Oregon; Finance; Federal aid to rural health services; Oregon

257 NAL Call No: RA771.5.S44 1989 Rural health care in historical perspective.

Seipp, Conrad,

University of North Carolina at Chapel Hill, Health Services Research Center

Chapel Hill, N.C.: Health Services Research Center, University of North Carolina at Chapel Hill, 19 leaves; 28 cm. November 1989. The University of North Carolina Rural Health Research program. ... supported by Grant No. HA-R-000016-02 ... From the Office of Rural Health Policy, Health Resources and Services Administration, Public Health Services Administration, U.S. D.H.H.S. Includes bibliographical references.

Language: English

Descriptors: Rural health services

258 NAL Call No: HC107.A13A6 Rural health care in the 1990s decade of decision and change.

Bishirjian, T.

Washington, D.C.: Appalachian Regional Commission.

Appalachia v. 22 (2): p. 31-37. ill; 1989.

Language: English

Descriptors: U.S.A.; Rural communities; Health care; Structural change; Health care costs; Market competition; Hospitals

NAL Call No: KF26.A653 1993 Rural health care mandates for health care reform: hearing before a subcommittee of the Committee on Appropriations, United States Senate, One Hundred Third Congress, first session, special hearing.

United States. Congress. Senate. Committee on Appropriations. Subcommittee on Departments of Labor, Health and Human Services, Education, and Related Agencies

Washington: U.S. G.P.O.: For sale by the U.S. G.P.O., Supt. of Docs., Congressional Sales Office; Y 4.AP 6/2:S.HRG.103-88.

iii, 63 p.; 23 cm. (S. hrg.; 103-88). Distributed to some depository libraries in microfiche. Shipping list no.: 93-0402-P.

Language: English

Descriptors: Rural health services; Federal aid to rural health services; Medical care

260 NAL Call No: Z6673.4.C89 Rural health care services in the United States a bibliography.



Crumpler, Kathleen, S. Monticello, Ill., USA: Vance Bibliographies,. 22 p.; 28 cm. (Public administration series, bibliography, P 2713). Cover title. August 1989.

Language: English

Descriptors: Rural health services; United States; Bibliography

261 NAL Call No: RA771.6.W4W47 1991 Rural health challenges for the 90's.

West Virginia. Dept. of Health and Human Resources. Rural Health Partnership Task Force Charlestown, W. Va.: West Virginia Dept. of Health and Human Resources, Office of Health Planning.

viii, 36 p.: maps; 28 cm. Cover title. At head of title: West Virginia Department of Health and Human Resources. Final report to Taunja Willis Miller, secretary, West Virginia Department of Health and Human Resources. Chairman, William T. Wallace, commissioner, WV Bureau of Public Health. March 1991.

Language: English

Descriptors: Rural health services

NAL Call No: RA771.5.K672 1991
The Rural Health Clinic Services Act a guidebook.
Korn, Kristine; Walker, Mary; Breuer, Sara
Center for Rural Health Initiatives (Tex.)
Austin, TX: Center for Rural Health Initiatives,
[1991]-.

1 v. (loose-leaf); 30 cm. "A report developed by Health Care Options for Rural Communities, a cooperative project of Texas Rural Communities and the LBJ School of Public Affairs", P. [i]. "Funding provided by a contract with the Center for Rural Health Initiatives", P. [i].

Language: English

Descriptors: Rural health services; Clinics, Rural; Federal aid to rural health services

Abstract: This guidebook is designed to give practical information regarding establishment of rural health clinics under PL 95-210, the Rural Health Clinic Services Act. Subjects covered include an overview of the Act, eligibility requirements, types of rural health clinics, certification requirements and process, clinic services, health professionals, reimbursement, feasibility, and resources and references.

263 NAL Call No: aHN90.C6R873 Rural health funding: a resource guide.

Simmons, L.M.

Beltsville, Md.: The Center.

Rural Information Center publication series v.): 52 p., 1993 Apr.

Language: English

Descriptors: U.S.A.; Health care; Rural areas; Grants; Information services; Guide books

NAL Call No: RA771.G5 Rural health professional shortages legislative strategies.

Gibbens, Brad P.; Olson, Daron

United States, Health Resources and Services Administration, Office of Rural Health Policy, University of North Dakota Rural Health Research Center

Grand Forks, N.D.: U.N.D. Rural Health Research Center,.

66 leaves; 28 cm. "May, 1990". The U.N.D. Rural Health Research Center is supported by the Office of Rural Health Policy in the Health Resources and Services Administration, U.S. Department of Health & Human Services (Grant No. HAR000004-01, \$195,739). Bibliography: leaf 59.

Language: English

Descriptors: Rural health services

265 NAL Call No: Z6675.R9R8 Rural health research compendium 1989.

National Rural Health Association (U.S.), United States, Health Resources and Service Administration, Office of Rural Health Policy

Kansas City, Mo.: National Rural Health Association, [1990?].

154 p.; 28 cm. Cover title. Funded by the Office of Rural Health Policy. Includes indexes.

Language: English

Descriptors: Rural health; United States; Research; Bibliography; Rural health services; United States; Bibliography

266 NAL Call No: RA771.5.R8 Rural health resources directory 1989.

National Rural Health Care Association (U.S.), United States, Health Resources and Services Administration, Office of Rural Health Policy Kansas City, Mo.: National Rural Health Association

44 p.; 28 cm. A publication of the Office of Rural



Health Policy, Health Resources and Services Administration, Public Health Service, U.S. Department of Health and Human Services. Errata slips inserted. Includes indexes.

Language: English

Descriptors: Rural health; United States; Directories; Rural health services; United States; Directories

267 NAL Cali No: RA445.R88 A Rural health services research agenda special issue: Summary of a conference.

National Rural Health Association (U.S.), Foundation for Health Services Research S.l.: Published bimonthly by Health Administration Press for the Hospital Research and Educational Trust and in cooperation with the Association of University Program in Health Administration,.

xi, p. [725]-1083: ill., map; 23 cm. (Health services research; v.23, no.6). Cover title. February 1989. Errata slip inserted. Includes bibliographical references.

Language: English

Descriptors: Rural health services

268 NAL Call No: RA645.3.H65 Rural home health care workers' attitudes toward the elderly: a replication study.

Weiler, R.M.; Sarvela, P.D.

Binghamton, N.Y.: The Haworth Press.

Home health care services quarterly v. 12 (4): p. 71-80; 1991. Includes references.

Language: English

Descriptors: Illinois; Elderly; Home care; Health care; Rural areas; Attitudes; Careproviders

269 NAL Call No: RA771.A1J68 The rural hospital as a provider of health promotion programs.

Dorresteyn-Stevens, C.

Kansas City, Mo.: National Rural Health Association

The Journal of rural health v. 9 (1): p. 63-67; 1993. Includes references.

Language: English

Descriptors: North Carolina; Hospitals; Rural areas; Health promotion; Health programs; Information; Behavior modification; Target groups; Costs; Program participants

Abstract: Although patient education has always been recognized as an essential function of a hospital, it was not until the health concerns of the nation focused on prevention that hospitals began to develop activities aimed at primarily healthy individuals. Hospital health promotion evolved from patient education about specific diseases to programs focused on modifying of lifestyle practices to prevent future debilitating conditions. Studies conducted in the early 1980s show hospital-based health promotion programs increasing in number and including such target populations as senior citizens, children, business people, and hospital employees. However, the extent of involvement of the rural hospital in offering health promotion programs has not been clearly established. The current study was conducted to determine the status of health promotion programs in rural North Carolina hospitals. Elements considered were types of programs, target audiences, methods of financing, staff use, and availability of specialized facilities for health promotion programs. The results indicate rural hospitals do offer health promotion programs, but their primary focus is on hospital employees. Most programs are offered at low or no cost, making those offered for the community readily accessible. If input from the community is used and programming is aimed at specific health needs of rural populations, the rural hospital could make a significant contribution to an overall primary prevention strategy, lowering community health care costs.

270 NAL Call No: RA975.R87P47 1990 Rural hospital closure one hospital's tactics for survival.

Petit, Leo; Osborne, Diana

University of North Carolina at Chapel Hill, Health Services Research Center, United States, Health Resources and Services Administration, Office of Rural Health Policy

Chapel Hill, NC: Health Services Research Center, University of North Carolina at Chapel Hill, [1990?].

10 leaves; 28 cm. October 1989. "5/9/90", Leaf 1. The University of North Carolina Rural Health Research program. ... supported by Grant 1 c. HA-R-000016-02, from the Office of Rural Health Policy, Health Resources and Services Administration, Public Health Service, U.S. D.H.H.S. Includes bibliographical references.

Language: English

Descriptors: Hospitals, Rural; Hospital closures



Abstract: Hospital closures in general, and rural hospitals closures in particular, have received widespread attention from policymakers and the media. Between 1980 and 1987, 364 U.S. community hospitals closed or stopped providing inpatient chronic or acute medical care. There is no single strategy to keep rural hospitals open in the many rural communities which are in danger of losing what is often their only source of medical care and an important component of their local economy. These hospitals do have some problems in common, such as an unfavorable differential in Medicare reimbursement rates between urban and rural areas, small size which often means higher costs and an inability to benefit from economies of large-scale purchasing, and slimmer margins and reserves which make them less able to absorb financial pressures. For example, when presented with a Medicare patient whose cost of care exceeds the amount allowed by Medicare, a small hospital will feel this deficit more keenly, as it has fewer patients over which to spread out and recoup the loss. The following case study of the decisions made by a small, rural hospital in eastern North Carolina illustrates how these institutions must stretch their resources in order to survive.

271 NAL Call No: RA975,R87G5 Rural hospital conversion state action.

Gibbens, Brad P.; Ludtke, Richard L.

United States, Health Resources and Services Administration, Office of Rural Health Policy, University of North Dakota Rural Health Research Center

Grand Forks, N.D.: U.N.D. Rural Health Research Center,.

27 leaves; 28 cm. "January 15, 1990". The U.N.D. Rural Health Research Center is supported by the Office of Rural Health Policy in the Health Resources and Services Administration, U.S. Department of Health & Human Services (Grant No. HAR000004-01; \$195,739). Bibliography: leaf 25.

Language: English

Descriptors: Hospitals, Rural

272 NAL Call No: RA975.R87U54 Rural hospitals factors that affect risk of closure : report to congressional requesters. (Factors that affect risk of closure.)

United States. General Accounting Office Washington, D.C.: The Office; GA 1.13:HRD-90-134.

27 p.; 28 cm. Cover title. June 1990. GAO/HRD-90-134. "B-239983", P. 1. Includes bibliographical references.

Language: English

Descriptors: Hospitals, Rural

NAL Call No: RA975.R87U55 1991 Rural hospitals federal efforts should target areas where closures would threaten access to care: report to congressional requesters. (Federal efforts should target areas where closures would threaten access to care Rural hospital closures.) United States. General Accounting Office; United States, General Accounting Office, Human Resources Division

Washington, D.C.: The Office; GA 1.13:HRD-91-41.

83 p.: ill., map; 28 cm. Cover title. Running title: Rural hospital closures. "Human Resources Division", P. [1]. February 1991. GAO/HRD-91-41. "B-239983", P. [1]. Includes bibliographical references.

Language: English

Descriptors: Rural hospitals; Federal aid to hospitals

NAL Call No: RA771.5.U52 Rural hospitals federal leadership and targeted programs needed: report to the Chairman, Committee on Appropriations, House of Representatives.

United States. General Accounting Office Washington, DC: The Office,.

77 p.: ill., maps; 28 cm. Cover title. June 1990. GAO/HRD-90-67. "B-229962", P. [1]. Includes bibliographical references.

Language: English

Descriptors: Hospitals, Rural

275 NAL Call No: RA771.A1J68 A rural hospital's impact on a community's economic health.

Doeksen, G.A.; Loewen, R.A.; Strawn, D.A. Burlington, Vt.: Journal of Rural Health. The Journal of rural health v. 6 (1): p. 53-64; 1990 Jan. Includes references.

Language: English

Descriptors: Oklahoma; Rural areas; Hospitals; Rural economy; Economic situation; Simulation models



NAL Call No: RA771.A1J68 Rural hospitals under PPS: a five-year study. Davis, R.G.; Zeddies, T.C.; Zimmerman, M.K.; McLean, R.A.

Kansas City, Mo.: National Rural Health Association.

The Journal of rural health v. 6 (3): p. 286-301; 1990 Jul. Includes references.

Language: English

Descriptors: Kansas; Hospitals; Rural areas; Economic impact; Risk; Economic viability; Profitability; Assets; Liquidity; Capital; Longitudinal studies

Abstract: This research examines the impact of prospective payment (PPS) on the financial performance of Kansas hospitals, which are predominantly rural. Financial ratios are presented and regressed on bed size and year. The data suggest that bed size has the strongest effect on financial viability. There are indications of a delayed effect of PPS on the rural, smallest hospitals (fewer than 25 beds), suggesting that non-operating sources of revenue (local property tax mill levies) are being used to subsidize them in the short term. Small hospitals appear to be delaying all capital and long-term costs to survive. The research suggests that the effect of PPS may be long term.

NAL Call No: NBULD3656.5 1992 S8373 Rural hospitals use of strategic adaptation in a changing health care environment.

Sudduth, Ardith Galbreath

iv, 191 leaves: ill.; 28 cm. Includes bibliographical references.

Language: English

278 NAL Call No: RA771.5.H3 A rural long-term care system model.

Pomeranz, W.

Washington, D.C.: National Governors' Associa-

Health issues in rural America / by Rick Curtis ... [ct al.]. p. 41-57. ill; 1988.

Language: English

Descriptors: North Carolina; Rural welfare; Long term care; Models; Elderly; Public services; Population dynamics; Regulations; Health care; Geriatrics 279 NAL Call No: HV85.H85 The rural medical clinic social worker: a pilot project.

Shuttlesworth, G.E.

Cheney, WA: Eastern Washington University. Human services in the rural environment v. 15 (4): p. 26-29; 1992. Includes references.

Language: English

Descriptors: Texas; Mental health; Community '.ealth services; Pilot projects; Rural communities; Social workers

280 NAL Call No: RA771.6.P4R87 1990 Rural Pennsylvania enters the 1990s health care outlook and opportunities.

Center for Rural Pennsylvania Harrisburg, Pa. (212 Locust St., Ste. 408, Harrisburg 17101): The Center,. 25 p.: col. ill.; 28 cm. August 1990.

Language: English

Descriptors: Rural health services

281 NAL Call No: A00127 Rural practice modes. Holden, D.M.

Philadelphia, PA: Hanley & Belfus.

Academic medicine v. 65 (12, suppl.): p. S32-S50; 1990 Dec. Paper presented at the 1990 Invitational Symposium "Rural Health: A Challenge for Medical Education," February 1-3, 1990, San Antonio, Texas. Commentaries by T.L. Langford, p. S40-S42; D.L. Weaver, p. S43-S44; and E.S. Mayer, p. S45-S50. Includes references.

Language: English

Descriptors: U.S.A.; New York; North Carolina; Health care; Medical services; Rural areas; Specialization; Demography; Recruitment; Rural communities; Support systems; Infrastructure; Patterns; Health education

Abstract: Solo practice is the dominant mode of rural medical care delivery. At the same time, it is the most likely not to succeed, because the solo physician is choosing to leave the rural community. Group family practice is the most stable form of rural practice, is acceptable, and is sought by the majority of family practice residents seeking to establish new practices. Characteristics of successful rural practices include group practice, retention of the same health care providers for more than three years. a community-oriented focus, integration of



non-M.D. health care providers, and a commitment to education within the practice. Academic medical centers with area health education centers (AHECs) should consider developing expanded AHECs to provide the education, planning, consultation, and expertise now needed by rural communities. Academic medical centers without AHECs should consider creating offices of rural health to provide the education, planning, consultation, and expertise needed in rural communities.

282 NAL Call No: RA771.A1J68 Rural residence and poor birth outcome in Washington state.

Larson, E.H.; Hart, L.G.; Rosenblatt, R.A. Kansas City, Mo.: National Rural Health Association.

The Journal of rural health v. 8 (3): p. 162-170; 1992. Includes references.

Language: English

Descriptors: Washington; Obstetrics; Health care; Prenatal period; Rural areas; Urban areas; Infant mortality; Low birth weight infants; Risk; Blacks; American indians; Marriage; Age differences; Ethnic groups; Hospitals; Health centers

Abstract: It is often assumed that poor birth outcomes are more common among rural women than urban women, but there is little substantive evidence to that effect. While the effectiveness of rural provider and hospitals has been evaluated in previous studies, this study focuses on poor birth outcome in a population of rural residents, including those who leave rural areas for obstetrical care. Rural arid urban differences in rates of inadequate prenatal care, neonatal death, and low birth weight were examined in the general population and in subpopulations stratified by risk and race using data from five years (1984-88) of birth and infant death certificates from Washington state. Also examined were care and outcome differences between rural women delivering in rural hospitals and those delivering in urban facilities. Bivariate analyses were confirmed with logistic regression. Results indicate that rural residents in the general population and in various subpopulations had similar or lower rates of poor outcome than did urban residents but experienced higher rates of inadequate prenatal care than did urban residents. Rural residents delivering in urban hospitals had higher rates of poor outcomes than those delivering in rural hospitals. We conclude that rural residence is not associated with greater risk of poor birth outcome. White and nonwhite differences appear to exceed any rural and urban resident differences in rates of poor birth outcome.

283 NAL Call No: Z675.V7R8 Rural residents and health information.

Drukenbrod, E.C.

Clarion, Pa.: Center for the Study of Rural Librarianship, Clarion University of Pennsylvania. Rural libraries v. 13 (1): p. 35-51; 1993. Includes references.

Language: English

Descriptors: U.S.A.; Health; Information; Information services; Rural areas; Libraries

NAL Call No: RA771.A2R87 1990 A Rural resources special focus report training physicians for rural health careers in New York State: proceedings of a symposium held November 9 and 10, 1989, Buffalo, New York. (Training physicians for rural health careers in New York State.)

Cook, Charles D.,1935-; Rosenthal, Thomas C. State University of New York at Buffalo, Dept. of Family Medicine, New York (State), Legislature, Legislative Commission on Rural Resources Albany, N.Y.: The Commission; LEG,373.3-4,RURRS,92-11141.

46 p.: ill., maps; 28 cm. September 1990. Conference chairman: Senator Charles D. Cook; editor: Thomas C. Rosenthal ... Includes bibliographical references.

Language: English

Descriptors: Rural health services; Medical students; Physicians

NAL Call No: RA771.5.F56 The rural route to health care capital financing. Maram, B.S.; La Mothe, E.M.

New York: Praeger.

Financing rural health care / edited by LaVonne Straub and Norman Walzer. p. 175-190; 1988. Includes references.

Language: English

Descriptors: U.S.A.; Rural communities; Health care; Capital formation; Finance; Hospitals

NAL Call No: RA771.A1J68 Rurality and prescription drug utilization among the elderly: an archival study. Lago, D.; Stuart, B.; Ahern, F.



Kansas City, Mo.: National Rural Health Association.

The Journal of rural health v. 9 (1): p. 6-16; 1993. Includes references.

Language: English

Descriptors: Pennsylvania; Prescriptions; Drugs; Elderly; Rural areas; Urban areas; Health care; Health services; Demography; Geographical distribution; Health insurance; Longitudinal studies

Abstract: Despite documentation that rural elderly have reduced access to both primary care and specialist physician service there have been very few studies comparing rural and urban patterns of prescription drug use. This is unfortunate, because prescription drugs are the most commonly used type of health care by the elderly. This research merged claims data for a random sample of 18,641 enrolled elderly in the Pennsylvania Pharmaceutical Assistance Contract for the Elderly (PACE) for the years 1984 through 1988 with Medicare inpatient and outpatient health services records and with county-level demographic and health services resources data bases to test several models of factors associated with prescription drug use. The Human Resources Profile County Code from 1980 census data (HRPCC80) in the Area Resource File provided a very detailed (10 levels) definition of rurality. Consistent with our hypotheses based on preliminary studies, neither rurality designations nor county-level health care resource indices, nor interaction terms of health services resources with rurality were powerful predictors of prescription drug use. Use of health services (from Medicare data) and variables of longevity and continuity in the PACE program were consistently robust predictors of prescription drug use. Personal demographic characteristics were also strong predictors: white widowed women under age 85 with relatively higher incomes used more prescription drugs.

287 NAL Call No: RA771.A1J68 Rural-urban differences in stigma and the use of care for depressive disorders.

Rost, K.; Smith, G.R.; Taylor, J.L.

Kansas City, Mo.: National Rural Health Association.

The Journal of rural health v. 9 (1): p. 57-62; 1993. Includes references.

Language: English

Descriptors: U.S.A.; Depression; Mental health;

Health care; Psychotherapy; Rural population; Urban population; Perception; Attitudes

Abstract: Stigma may be a particularly important barrier to mental health care in rural communities where lack of anonymity increases the probability that someone who seeks care will be labeled "crazy." This study examined rural-urban differences in the stigma associated with depressive symptoms and the stigma associated with seeking treatment for depressive disorders. In addition, the study compared how the stigma associated with seeking treatment predicted use of care in rural and urban residents with a history of depressive symptoms. Two hundred subjects from metropolitan and adjacent non-metropolitan counties rated one of four randomly selected vignettes using 14-point semantic differential scales. The findings indicated that rural residents with a history of depressive symptoms labeled people who sought professional help for the disorder somewhat more negatively than their urban counterparts. Logistic models controlling for sociodemographic characteristics demonstrated that the more negative the labeling, the less likely depressed rural residents were to have sought professional help. Labeling was not associated with use of care among urban people with depressive symptoms. We concluded that prospective studies are warranted to inform the development of interventions to decrease the stigma associated with seeking treatment for depressive disorders in rural communities.

288 NAL Call No: HT401.S72 Saving lives and reducing injuries in remote rural areas

Patel, D.

Mississippi State, Miss.: The Center.

SRDC series - Southern Rural Development Center (135): p. 34-43; 1990 Sep. Paper presented at the regional conference "Community Strategies for Tomorrow's Local Infrastructure," May 1-3, 1990, Birmingham, Alabama. Includes references.

Language: English

Descriptors: Oklahoma; Medical services; Emergencies; Rural areas; Community programs; Program development

289 NAL Call No: LC5146.R87 Secondary disabilities among American Indians in Montana.

Clay, J.A.; Seckins, T.; Cowie, C.

Las Cruces, NM: New Mexico State University.



Rural special education quarterly v. 11 (2): p. 20-25; 1992. Includes references.

Language: English

Descriptors: Montana; American indians; Handicapped persons; Tribal society; Health care; Health services; Rural communities; Reserved areas; Regional surveys

290 NAL Call No: RA771.A1J68 Self-care and illness response behaviors in a frontier area.

Bartlome, J.A.; Bartlome, P.; Bradham, D.D. Kansas City, Mo.: National Rural Health Association.

The Journal of rural health v. 8 (1): p. 4-12; 1992. Includes references.

Language: English

Descriptors: Idaho; Self care; Adults; Health; Illness; Wellness; Medicine; Physicians; Health services; Rural areas; Attitudes; Age differences; Sex differences; Academic achievement; Family size; Marriage; Household income; Geographical distribution

Abstract: Self-care and illness response to a recent medical event were examined based on a mailed questionnaire to a random sample of 416 adults in a frontier area in north-central Idaho. A total of 494 questionnaires were returned (45% response rate), and 78 were eliminated. Self-care behaviors were classified as: (1) waiting to see what would happen, (2) purchasing or taking a nonprescription medication, (3) taking a prescription medication that was on hand, (4) taking both a prescription and a nonprescription medication, (5) contacting a physician, and (6) going to a hospital. These six variables were classified into three intervention constructs of no intervention (waiting), informal intervention (self-medicating), and formal intervention (contacting a health care professional). Fifty-six percent of the respondents reported self-medicating behaviors. Correlation analysis indicated that initial self-care and illness response behaviors in this frontier area were generally appropriate. Three multiple discriminant models were tested to differentiate those people who waited, self-medicated, and contacted formal providers from those who did not. A significant model could not discriminate between those who waited and those who did not. Models for selfmedicating and contracting formal providers correctly classified cases 60 to 70 percent of the time. The analyses indicate that self-medicating was more likely to be reported by younger individuals, by those who lived further from the hospital, who perceived their health status to be better, who reported less satisfaction with community health care services, and that the self-medicating was appropriate.

291 NAL Call No: 281.9 M5842 Shifts in hospital services and resource use to metropolitan areas in Michigan and the East North Central States, 1980 to 1987.

Stevens, R.D.

East Lansing, Mich.: The Department. Agricultural economics report - Michigan State University, Department of Agricultural Economics (526): 42 p.; 1989 Jul. Includes references.

Language: English

Descriptors: Michigan; North central states of U.S.A.; Hospitals; Medical services; Rural communities; Urban areas; Statistical data; Trends; Legislation

292 NAL Call No: 281.9 M5842 Shifts of hospital services from rural areas in the North Central States, 1980-1988: cost and equity issues.

Stevens, R.D.

East Lansing, Mich.: The Department. Agricultural economics report - Michigan State University, Department of Agricultural Economics (540): 10 p.; 1990 Jul. Includes references.

Language: Eng".n

Descriptors: North central states of U.S.A.; Hospitals; Medical services; Rural areas; Rural urban relations; Trends; Statistical data; Cost analysis

293 NAL Call No: RA771.A1J68 Small rural hospitals with long-term care: 1983 to 1987.

Beaulieu, J.E.

Kansas City, Mo.: National Rural Health Associ-

The Journal of rural health v. 8 (2): p. 121-127; 1992. Includes references.

Language: English

Descriptors: U.S.A.; Hospitals; Rural areas; Long term care; Longitudinal studies

294 NAL Call No: TX341.J6 A southwestern "Health Heart" cookbook.



Health Care in Rural America

Harris, M.B.; Koehler, K.M.; Baldwin, R.; Davis, S.M.; Tso, H.; Ford, V.L.

Baltimore, Md.: Williams & Wilkins.

Journal of nutrition education v. 23 (2): p. 82A-82B. ill; 1991 Mar. Includes references.

Language: English

Descriptors: Western states of U.S.A.; Nutrition education; Curriculum; Behavior change; Eating patterns; Children's cookbooks; Food preparation; Rural areas; Ethnic foods; Cardiovascular diseases;

Abstract: An important part of any school nutrition program is getting the students involved and interested, so that they see the relevance of the curriculum to their own lives. In order to involve both students and their families in making changes in their eating habits, the authors developed a cookbook that emphasized the use of heart-healthy Southwestern foods.

295 NAL Call No: A00135 State government policies and rural hospitals: facilitating change.

Mueller, K.J.

Urbana, Ill.: Policy Studies Organization, University of Illinois.

Policy studies journal v. 20 (2): p. 168-181; 1992. This publication is not regularly received by the National Agricultural Library. It is part of a special holding of items indexed through special requests. Includes references.

Language: English

Descriptors: U.S.A.; Hospitals; Rural areas; State government; Legislation; Debt; Medicare; Economic policy; Data collection; Statistical analysis; Structural change

NAL Call No: HT401.S72 State legislation for funding of rural emergency medical services.

Kleinholz, S.B.; Doeksen, G.A.

Mississippi State, Miss.: The Center.

SRDC series - Southern Rura! Development Center (159); p. 13-24; 1992 Jun. In the series analytic: Rural Health Services.

Language: English

Descriptors: U.S.A.; Health care; Medical services; Emergencies; State government; Legislation; Support measures; Surveys

NAL Call No: HT401.S72 State policies and programs for physicians. Reinheimer, R.

Mississippi State, Miss.: The Center.

SRDC series - Southern Rural Development Center (159); p. 9-12; 1992 Jun. In the series analytic: Rural Health Services. Includes references.

Language: English

Descriptors: U.S.A.; Southern states of U.S.A.; Physicians; Rural areas; Supply; Distribution; Recruitment; Programs; Loans; Repayment; Educational grants; State government

NAL Call No: RA771.5.G52 1991 State rural health policy advocacy models. Gibbens, Brad P.

United States, Health Resources and Services Administration, Office of Rural Health Policy, University of North Dakota, Rural Health Research

Grand Forks, N.D.: University of North Dakota Rural Health Center, Center for Rural Health, University of North Dakota School of Medicine,

iii, 68 p.; 28 cm. The U.N.D. Rural Health Research Center is supported by the Office of Rural Health Policy in the Health Resources and Services Administration, U.S. Department of Health & Human Services (Grant No. HAR000003-03). June, 1991. Includes bibliographical references (p. 37).

Language: English

Descriptors: Rural health services

NAL Call No: R729.5.R87W44 1991 A status report on rural health in Oregon. Whitaker, Karen

Oregon: Office of Rural Health, Oregon Health Sciences University, [1991?].

12 leaves: ill.; 28 cm. Cover title. September 1991.

Language: English

Descriptors: Medicine, Rural; Medical personnel; Physicians; Rural health services

NAL Call No: RA771.A1J68 Strategies for promoting a viable rural health care system.

Moscovice, I.

Burlington, Vt.: Journal of Rural Health.

The Journal of rural health v. 5 (3): p. 216-230;



1989 Jul. Includes references.

Language: English

Descriptors: U.S.A.; Rural areas; Health care; Health programs; Models; Hospitals

301 NAL Call No: RA771.A1J68 The structure and characteristics of rural hospital consortia.

Moscovice, I.; Johnson, J.; Finch, M.; Grogan, C.; Kralewski, J.

Kansas City, Mo.: National Rural Health Association.

The Journal of rural health v. 7 (5): p. 575-588; 1991. In series analytic: Issues in the structure, financing, and viability of rural hospitals. Includes references.

Language: English

Descriptors: U.S.A.; Community health services; Hospitals; Rural communities; Consortia; Characteristics

302 NAL Call No: RA771.A1J68 A subsidized perinatal care program in a rural Colorado county.

Main, D.S.; Tressler, C.J.; Calonge, N.; Joffe, L.; Robichaux, A.

Burlington, Vt.: Journal of Rural Health.

The Journal of rural health v. 5 (4): p. 397-403; 1989 Oct. Includes references.

Language: English

Descriptors: Colorado; Rural areas; Health care; Health programs; Countries; Subsidies; Parturition

303 NAL Call No: HV85.H85 Technical assistance consultation with community support programs in rural settings.

Sullivan, W.P.

Knoxville, Tenn.: School of Social Work, University of Tennessee.

Human services in the rural environment v. 14 (2): p. 23-28; 1990. Includes references.

Language: English

Descriptors: Kansas; Mental health; Community programs; Rural communities; History; Technical aid; Program development; Long term care

304 NAL Call No: 500 N484 Telecommunications in rural America. Opportunities and challenges for the health care system. Puskin, D.S.

New York, N.Y.: The Academy.

Annals of the New York Academy of Sciences v. 670: p. 67-75; 1992. In the series analytic: Extended clinical consulting by hospital computer networks / edited by D.F. Parsons, C.M. Fleischer, and R.A. Greenes

Language: English

Descriptors: U.S.A.; Health care; Problem solving; Rural communities; Telecommunications

305 NAL Call No: RA771.6.T4T49 1992 Texas rural health chartbook.

Center for Rural Health Initiatives (Tex.), Texas, Dept. of Health, Texas, Bureau of State Health Data & Policy Analysis

Austin, Tex.: Center for Rural Health Initiatives: Texas Dept. of Health, Bureau of State Health Data and Policy Analysis; H852.8 R88hc.

vi, 68 p.: ill., maps; 28 cm.

Language: English

Descriptors: Rural health services; Rural health; Rural hospitals; Rural development

306 NAL Call No: RA771.A1J68 A three-tier model for the delivery of rural obstetrical care using a nurse midwife and family physician copractice.

Hueston, W.; Murry, M.

Kansas City, Mo.: National Rural Health Associ-

The Journal of rural health v. 8 (4): p. 283-290; 1992. Includes references.

Language: English

Descriptors: Kentucky; Obstetrics; Health care; Midwives; Physicians; Cooperation; Support systems; Rural areas

Abstract: To meet the needs of a large indigent rural population, a rural regional referral hospital in northeastern Kentucky developed a maternity program that utilizes nurse midwives and family physicians as the primary medical providers with support from obstetricians. After five years, the number of deliveries at the hospital has increased almost 30 percent, and the maternity center is now responsible for more than 70 percent of all deliveries at the medical center. Accounting for the large increase in the number of deliveries is an increasing number of women from surrounding areas who now utilize the maternity center and the hospital for their obstetric care. During the same



Health Care in Rural America

time, there has been a corresponding decrease in deliveries to women with no prior prenatal care and a shift toward obtaining earlier prenatal care in the hospital service population. Results of the study suggest that combining the skills of nurse midwives and family physicians with surgical backup provided by a consulting obstetrician is an effective means of meeting the health care needs of an indigent, underserved rural population.

307 NAL Call No: RA975.R87T7 Trends in hospital-based nurses in rural areas, 1981-1986. (Trends in hospital based nurses in rural areas, 1981-1986.)

Dunkin, Jeri W.

United States, Health Resources and Services Administration, Office of Rural Health Policy, University of North Dakota Rural Health Research Center

Grand Forks, N.D.: U.N.D. Rural Health Research Center..

21 leaves; 28 cm. The U.N.D. Rural Health Research Center is supported by the Office of Rural Health Policy in the Health Resources and Services Administration, U.S. Department of Health and Human Services. "February, 1990". Bibliography: leaf 13.

Language: English

Descriptors: Hospitals, Rural; Nurses

308 NAL Call No: HC107.A13A6 UAB and community colleges.

Baldwin, F.

Washington, D.C.: Appalachian Regional Commission.

Appalachia v. 24 (3): p. 12-17; 1991. Includes references.

Language: English

Descriptors: Alabama; Health care; Rural communities; College programs; Universities; Medical services

309 NAL Call No: RA771.A1J68 A university rural teaching practice: A model for collaboration in rural health care.

Rosenthal, T.C.; Bissonette, R.; Holden, D.M.; Brunelle, T.

Burlington, Vt.: Journal of Rural Health. The Journal of rural health v. 5 (2): p. 103-112;

1989 Apr. Includes references.

Language: English

Descriptors: New York; Rural areas; Health care; Medical services; Teaching; Training; Finance; Universities

310 NAL Call No: HV85.H85 Use of community-based social services by older rural and urban blacks: an exploratory study. Spence, S.A.

Cheney, WA: Eastern Washington University. Human services in the rural environment v. 15 (4): p. 16-19; 1992. Includes references.

Language: English

Descriptors: Florida; Blacks; Elderly; Social services; Rural areas; Urban areas; Community health services; Demography

311 NAL Call No: RA771.A1J68 Utilizing cooperative extension services to meet rural health needs.

Halpert, B.P.; Sharp, T.S.

Kansas City, Mo.: National Rural Health Association.

The Journal of rural health v. 7 (1): p. 23-29; 1991. Includes references.

Language: English

Descriptors: U.S.A.; Health services; Rural areas; Cooperative extension service; Support systems; Cooperation; Health programs; Health care

312 NAL Call No: RA771.A1J68 The WAMI Rural Hospital Project. 1. Historical and theoretical underpinnings.

Rosenblatt, R.A.

Kansas City, Mo.: National Rural Health Association.

The Journal of rural health v. 7 (5): p. 473-491; 1991. In series analytic: Issues in the structure, financing, and viability of rural hospitals. Includes references.

Language: English

Descriptors: Washington; Alaska; Montana; Idaho; Community health services; Hospitals; Rural communities; Health care; Quality; Management

NAL Call No: RA771.A1J68 The WAMI Rural Hospital Project. 2. Changes in the availability and utilization of health services. Lishner, D.M.; Amundson, B.A.; Hart, L.G.

Kansas City, Mo.: National Rural Health Association.

The Journal of rural health v. 7 (5): p. 492-510;



Quic.. bliography Series

1991. In series analytic: Issues in the structure, financing, and viability of rural hospitals. Includes references.

Language: English

Descriptors: Washington; Alaska; Montana; Idaho; Community health services; Health care; Hospitals; Rural communities; Resource utilization; Change

314 NAL Call No: RA771.A1J68 The WAMI Rural Hospital Project. 3. Building health care leadership in rural communities. Elder, W.G.; Amundson, B.A.

Kansas City, Mo.: National Rural Health Association.

The Journal of rural healtl v. 7 (5): p. 511-525; 1991. In series analytic: Issues in the structure, financing, and viability of rural hospitals. Includes references.

Language: English

Descriptors: Washington; Alaska; Montana; Idaho; Community health services; Health care; Hospitals; Rural communities; Leadership; Organizational development; Community development; Planning

315 NA', Call No: RA771.A1J68 The WAMI Rural Hospital Project. 4. Improving the financial Health of rural hospitals.

Riley, K.K.; Elder, W.G.

Kansas City, Mo.: National Rural Health Association.

The Journal of rural health v. 7 (5): p. 526-541; 1991. In series analytic: Issues in the structure, financing, and viability of rural hospitals. Includes references.

Languag .. English

Descriptors: Washington; Alaska; Montana; Idaho; Community health services; Health care; Hospitals; Rural communities; Finance; Management; Financial planning

316 NAL Call No: RA771.A1J68 The WAMI Rural Hospital Project. 5. Community perception of local health care services.

Hart, L.G.; Lishner, D.M.; Amundson, B.A. Kansas City, Mo.: National Rural Health Association.

The Journal of rural health v. 7 (5): p. 542-559; 1991. In series analytic: Issues in the structure, financing, and viability of rural hospitals. Includes

references.

Language: English

Descriptors: Washington; Alaska; Montana; Idaho; Community health services; Health care; Hospitals; Rural communities; Consumer attitudes; Consumer satisfaction; Surveys

317 NAL Call No: RA771.A1J68 The WAMI Rural Hospital Project. 6. Overview and conclusions.

Amundson, B.A.; Rosenblatt, R.A.

Kansas City, Mo.: National Rural Health Association.

The Journal of rural health v. 7 (5): p. 560-574; 1991. In series analytic: Issues in the structure, financing, and viability of rural hospitals. Includes references.

Language: English

Descriptors: Washington; Alaska; Montana; Idaho; Community health services; Health care; Hospitals; Rural communities; Program evaluation; Program effectiveness

318 NAL Call No: HT101.S52 What small towns are doing to lure doctors. Hudler, A.W.

Ellensburg, Wash.: Small Towns Institute:. Small town v. 22 (5): p. 26-28; 1992 Mar.

Language: English

Descriptors: U.S.A.; Physicians; Recruitment; Towns; Rural communities

319 NAL Call No: HC107.A13A6 When nurses on horseback brought health care to the hills.

Grier, B.

Washington, D.C.: Appalachian Regional Commission.

Appalachia v. 23 (2): p. 15-20. ill; 1990.

Language: English

Descriptors: Kentucky; Nurses; Health care; History; Rural areas; Midwives

320 NAL Call No: S103.E2A37 When time means life or death.

Stotts, D.

Stillwater, Okla.: The Station.

Agriculture at OSU - Oklahoma State University, Agricultural Experiment Station v. 21 (2): p. 15-16; 1991.



Health Care in Rural America

Language: English

Descriptors: Oklahoma; Rural areas; Medical ser-

vices

321 NAL Call No: HC107.A13A6 Where the young meet the young at heart.

Hoffman, C.

Washington, D.C.: Appalachian Regional Com-

mission.

Appalachia v. 24 (3): p. 5-11; 1991. Includes references.

Language: English

Descriptors: New York; Elderly; Child day care; Nursing homes; Rural communities; Cooperation; Program development; Businesses

322 NAL Call No: RA771.5.W67 1990 Workshop report state approaches to solving rural health problems. (State approaches to solving rural health problems.)

National Rural Health Association (U.S.), United States, Health Resources and Services Administration, Office of Rural Health Policy

Kansas City, Mo.: National Rural Health Association..

51 p.; 28 cm. "June 1990", Cover. Includes bibliographical references (p. 25).

Language: English

Descriptors: Rural health services

NAL Call No: HD1401.A47 The zip (postal) code difference: methods to improve identification of rural subgroups.

De La Torre, A.; Fickenscher, K.; Luft, H.

Amsterdam: Elsevier.

Agricultural economics: the journal of the International Association of Agricultural Economics v. 5 (3): p. 253-262; 1991 Jul. In the special issue: Multidisciplinary problem-solving and subject-matter work / edited by G.L. Johnson. Includes references.

Language: English

Descriptors: California; Health care; Health services; Rural areas; Identification; Rural population

Abstract: Over the past decade national policymakers have grappled with the increasingly difficult issue of implementing programs which sustain the viability of the rural health care system.

The set of problems that are of major concern to these decisionmakers include: (1) the shifts in the utilization patterns away from the rural health care delivery system; (2) the impact of modification in the health care reimbursement system which disproportionately favors urban health systems; and, (3) the continuing difficulty in affecting the disproportionate supply of health providers in urban areas compared to rural settings. The complex nature of health services research demands a multidisciplinary approach especially on sociocultural problems such as rural health delivery. Effective analysis in health care crosses many disciplinary boundaries such as medicine, nutrition, economics, sociology, and public health among others disciplines. A major concern to many of these rural health research analysts is the ad hoc treatment of the rural populace in federal and state health policy decisionmaking. The key to understanding the variance in treatment of rural health can be appreciated by reviewing the accuracy of rural definitions. In the present study, a refined rural definition is proposed which will assist research analysts in providing greater information on the distribution of rural health care services. A preliminary analysis of the proposed definitions indicates that a more precise measurement of rural provides greater accuracy in determining the medical needs of rural areas. Adaptation of the concept will benefit the decisionmaking process through improvements in the methodological approach to rural health research. State legislators, regional and state planning agencies, federal funding agencies, foundations, and other programs involved in support of rural life program will be better able to assess the impact of programs through use of the new definition.



Author Index

	O. 11.1 . E. J. 01.4
Acton, R.T. 79	Callahan, E.J. 214
Adams, E.K. 132	Calloway, D.H. 186
Ahern, F. 286	Calonge, N. 302
Ahmed, Kazi 193	Camp, H.J. 200
Alexander, C.S. 74	Carwein, V.L. 128
Alexander, J.A. 179	Casto, J.E. 160
Allison, L.D. 18	Caton, L. 252
Alwang, J. 6	Cawthon, Laurie 192
Amundson, B.A. 152, 313, 314, 316, 317	Center for Rural Health Initiatives (Tex.) 262
Amundson, Bruce A. 153	Center for Rural Health Initiatives (Tex.), Texas,
Ankeny, K. 71	Dept. of Health, Texas, Bureau of State Health
Bacchi, D. 98	Data & Policy Analysis 305
Bahry, V.J. 221	Center for Rural Pennsylvania 280
Bain, D. 57	Chi, I. 125
Baker, S.L. 30	Chien, R.C. 141
Baldwin, D.C. Jr 11	Christianson, J.B. 12, 130
Baldwin, F. 308	Clark, F. 73
	Clarke, L.L. 36, 56, 180
Baldwin, F.D. 131	Clarridge, B.R. 225
Baldwin, R. 294	Clay, J.A. 289
Ballantyne, J. 121	
Bamberg, R. 79	Cochran, C. 19
Barger, B.O. 79	Cocowitch, Victor 29
Bartlome, J.A. 290	Connell, F.A. 4
Bartlome, P. 290	Conte, S.J. 242
Bauer, J.C. 239	Conway-Welch, C. 155
Beaulieu, J.E. 293	Cook, Charles D., 83
Bell, S.L. 133	Cook, Charles D.,1935- 284
Bell, T.L. 133	Cook, H.L. 230
Bentley, J.M. 244	Cooper, J.K. 181
Berman, J.L. 190	Copeland, R.B. 79
Bernstein, J. 124	Cordes, S.M. 42, 253
Bernstein, J.D. 195	Cornia, G.C. 75
Berry, D.E. 128	Coward, R.T. 127, 157, 180, 232, 240
•	Cowie, C. 289
Birch, M. 10	Crandall, L.A. 229
Bishirjian, T. 258	
Bissociette, R. 309	Crumpler, Kathleen, S. 260
Bissonette, R.P. 86	Curtis, Rick 123
Boeder, S. 154	Cutler, S.J. 232
Borish, L.J. 93	Damasauskas, R. 114
Boulger, J.G. 92	Davis, R.G. 276
Bradham, D.D. 290	Davis, S.M. 142, 294
Brasted, W.S. 214	Day, F.A. 162
Braun, D. 8	De Jong, F. 125
Breu, T.M. 34	De La Torre, A. 323
Breuer, Sara 43, 262	Denton, D. 231
Breytspraak, L.M. 138	Derthick, S. 213
Bronstein, J.M. 84	Dihoff, S. 195
Brown, K. 55	Dinkins Ford, D.E. 163
Bruce, T.A. 205, 211, 241	Doan, R.J. 51
Brun, T.A. 186	Doeksen, G.A. 14, 15, 16, 17, 18, 110, 275, 296
Brunelle, T. 309	Doemland, M. 22
Brunk, S.E. 230	Donohoc, E.A. 201
Buescher, P.A. 78	Dorresteyn-Stevens, C. 269
·	



Drukenbrod, E.C. 283 Gordon, Rena J. 61, 82 Duggar, B. 99 Greaney, A. 212 Duncan, R.P. 157, 229 Grier, B. 319 Dunkin, J. 158 Grogan, C. 301 Dunkin, Jeri W. 307 Grogan, C.M. 12 Duryea, E.J. 106 Halpern, M.T. 179 Dwyer, J.W. 127, 157, 229, 240 Halpert, B.P. 138, 311 Eberhardt, B.J. 27, 89 Hamilton, S. 214 Elder, W.G. 314, 315 Hansen, M.M. 113 Empereur, R. 57 Hanson, C.M. 1, 91 Ernest, J.M. 78 Harris, J.L. 178 Farmer, F.L. 56, 207, 247 Harris, M.B. 294 Fasser, C.E. 40 Hart, J.P. 19 Feldman, C. 244 Hart, L. Gary 153 Fennell, M.L. 179 Hart, L.G. 4, 33, 152, 204, 282, 313, 316 Fenton, M.V. 184 Hartye, James 215 Fickenscher, K. 323 Hassinger, E.W. 161 Fickenscher, K.M. 19, 166, 249 Havard, B. 228 Fimple-Mayes, S. 16 Haverkos, H.W. 9 Finch, M. 301 Hawthorne, A. 26 Fiser, R.H. 207 Hays, M. 17 Fisher, N. 48 Health Care Options for Rural Communities Fleck, L. 14 (Project), Texas Rural Communities, Inc, Lyn-Ford, V.L. 294 don B. Johnson School of Public Affairs 43 Forrest, J.D. 63 Hein, H.A. 150 Forster, L.E. 199 Henderson, C.E. 18 Foss, Gilbert 172 Hewitt, Maria Elizabeth 62 Francoeur, R.B. 144 Hicks, L.L. 24, 161 Franks, P. 95 Hiebeler, L. 148 Frate, D.A. 137 Hilsenrath, P.E. 141 Frels, L. 237 Hinton, A.W. 197 Frenzen, P.D. 122 Hoffman, C. 321 Fullerton, J.T. 221 Holden, D.M. 281, 309 Horne, C. 157 Fuszard, B. 149 Hudler, A.W. 318 Garland, B 213 Gaskill, M. 148 Hueston, W. 306 Gavin, K. 165 Hughes, D. 196 Geissler, C.A. 186 Hullett, S. 238 Geller, J. 158 Hullett-Robertson, S. 208 Geller, J.M. 19, 185 Hunt, K. 142 Gerlach, L. 178 Hynes, K. 81 Gibbens, Brad P. 264, 271, 298 Iha, S. 184 Gibbons, J.E. 200 Imershein, A.W. 242 Giltinan, J.M. 171 lves, D.G. 49 Givner, N. 81 Jacoby, I. 108 Gleason, Gary R. 224 Jenkins, S. 90, 91 Go, R.C.P. 79 Jewell, G.S. 198 Godino, V. 161 Joffe, L. 302 Goeppinger, J. 230 John, P.L.C. 117 Gold, M.R. 95 Johnson, J. 301 Gonzalez, D. 25 Gordon, I.T. 231 Johnson, R.B. 198 Joint Rural Task Force (U.S.) 47 Gordon, Hene Tanz 50 Juhl, N. 158, 185



Author Index

Kaiser, M.A. 200	Loonin, Deanne 188
Kessel, W. 98	Lopes, P.M. 45
Kindig, D. 167	Lopes, Phillip M. 21, 210
Kindig, D.A. 69, 185	Lops, V.R. 221
Kitzes, J.M. 142	Lubben, J.E. 125
Kivett, V.R. 189	Luchok, K.J. 143
Klassen, A.C. 74	Ludtke, R. 158
Kleinholz, S. 14, 15, 16, 18	Ludtke, R.L. 19
	Ludtke, Richard L. 193, 271
Kleinholz, S.B. 296	Luft, H. 323
Knight, P. 97	Lutheran Health Systems (Firm), University of
Koehler, K.M. 294	North Dakota, Center for Rural Health 193
Kolimaga, J. 124	Machala, M. 206
Kolimaga, J.T. 190	
Konrad, T.R. 67	Machida, S. 147
Korn, Kristine 262	Mackelprang, R.W. 220
Kotelchuck, M. 30	Magill, M.K. 242
Kralewski, J. 301	Main, D.S. 302
Kralewski, J.E. 65	Mallory, F. 182
Kriebel, S.H. 245	Manley, E. 17, 18
Kuller, L.H. 49	Mann, J.T. 18
Kushner, C. 195	Maram, B.S. 285
Kushner, Christine 96, 134	Margen, S. 186
Kushner, Christine C. 194	McClendon, E.J. 145
La Mothe, E.M. 285	McDermott, R.E. 75
Laabs, J.J. 135	McDona.d, I.M. 76
Lago, D. 286	McGinnis, P. 223
Langholz, Richard 5	McLean, R.A. 276
Largent, R.N. 89	McManus, M. 212
Larson, B.J. 225	McManus, M.A. 175
Larson, E.H. 282	McTavish, D.G. 233
Lasley, P. 35	Meis, P.J. 78
Lathrop, S.S. 150	Michielutte, R. 78
Lave, J.R. 49	Mick, S.S. 13
·	Miller, M.K. 36, 56, 240
Lawborne, L.W. 80	
Lawhorne, L. 39, 41, 164	Miner, M.W. 206
Laxdal, S. 27	Missouri Rural Innovation Institute 176
Leavitt, D. 14, 15, 16	Monroe, Adele C. 31
Lee, G.R. 127	Moore, M.L. 78
Lee, M. 25	Moore, M.M. 191
Leeper, J.D. 208, 238	Morgan, F.L. 156
Leinbach, R.M. 72	Morlock, L.L. 13
Leong, D. 165	Moscovice, 1. 107, 300, 301
Lewis-Idema, D. 217	Moses, E.B. 68
Lindseth, G. 88	Movassaghi, H. 167, 185
Lingafelter, R. 197	Mueller, K.J. 295
Lingafelter, T. 197	Mullner, R.M. 243
Lishner, D.M. 313, 316	Murray, K.T 171
List, N. 99	Murry, M. 306
Litterer, K. 148	Myerberg, D.Z. 214
Liu, Y. 65	Nagy, M.C. 208, 238
Lobao, L.M. 94	National Governors' Association, Task Force on
Loewen, R.A. 275	Rural Development 123
Long, K.A. 246	National Health Service Corps (U.S.) 216



National Rural Health Association (U.S.), Con-Phillips, D. 98 ferenceReno, Nev.) 222 Pickard, M.R. 77 National Rural Health Association Piland, N.F. 48, 60 (U.S.), Foundation for Health Services Pirani, M.J. 33 Research 267 Pitzer, R.L. 64 National Rural Health Association Pizzano, W.A. 120 (U.S.), Kalamazoo Center for Medical Polasck, J. 148 Studies 29 Pomeranz, W. 278 National Rural Health Association (U.S.), United Portante, T. 148 States, Health Resources and Service Admin-Potter, C.G. 40 istration, Office of Rural Health Policy 265 Pratt, D. 209 National Rural Health Association (U.S.), United Pratt, D.S. 187 States, Health Resources and Services Admin-Price, L.J. 230 istration, Office of Rural Health Policy 322 Price, S.L. 14 National Rural Health Care Association Prince, J. S. 2 (U.S.), United States, Health Resources and Public Voice for Food and Health Policy 188 Services Administration, Office of Rural Puskin, D.S. 304 Health Policy 266 Quade, D. 143 Nesbit, T.A. 57 Quinn, J.E. 110 Nesbitt, T.S. 4, 139 Ralstin, S. 14, 17 Neto, C. 106 Rausa, A. 197 Neuschler, E. 124 Rawlins, P. 168 New York (State), Legislature, Legislative Com-Ray, S. 99 mission on Rural Resources 66 Reamy, J. 115 New York (State). Legislature. Legislative Com-Reimer, G.M. 227 mission on Rural Resources 83 Reinheimer, R. 90, 202, 297 Newacheck, P.W. 175 Research and Training Center on Rural Newell, W.H. 238 Rehabilitation Services. Conference 1988: Newman, K.M. 225 Missoula, Mont.) 172 Nichols, A.W. 45 Resick, L.K. 113 Northrup, R. 238 Rhodes, J.F. 162 Oakland, M.J. 71 Rice, G. 7 Obidiegwu, J. 6 Rich, R.F. 243 Ocffinger, J.C. 148 Richards, L.K. 40 Offner, R. 73 Richter, D.L. 67 Oler, J. 244 Ricketts, T.C. 52, 67, 69 Olson, Daron 264 Ricketts, T.C. III 190 Oregon Health Services University, Office of Ricketts, Thomas C. 5, 31, 53, 100, 215 Rural Health 70, 85 Riley, K.K. 315 Orthoefer, J. 57 Riportella-Muller, R. 143 Osborne, Diana 270 Roberts, D.N. 44 Osterud, Harold 192 Robichaux, A. 302 Oto-Kent, D. 25 Rodos, J. Jerry 216 Palo Stoller, E. 199 Rogers, C.C. 111 Papini, D.P. 207 Rohrer, J.E. 141 Parisella, J.S. 22, 86 Roseman, J.M. 79 Parsons, R.J. 75 Rosenbaum, S. 196 Patel, D. 288 Rosenberg, S. 234, 235 Rosenblatt, R.A. 4, 7, 33, 152, 159, 204, 282, 312, Pathman, D.E. 87 317 Peterson, Barbara 216 Rosenblatt, Roger A. 20, 153 Peterson, J.E. 110 Rosenthal, T.C. 22, 86, 309 Petit, Leo 270 Rosenthal, Thomas C. 284 Petti, T.A. 51



Author Index

	Stevenson, J. 236
Rost, K. 287	
Rounds, L. 184	Stokes, C.S. 207
Rowe-Hallbert, A. 178	Storer, J.H. 137
Rowley, B.D. 11	Stoskopf, C.H. 67
Runde, D. 234, 235	Stotts, D. 183, 320
Ryan, R. 91	Stratton, T. 158
Rydman, R.J. 243	Straub, L.A. 101, 237
	Straub, LaVonne 102
Samuels, M.E. 67	Strawn, D.A. 275
Sarvela, P.D. 44, 145, 268	Strosberg, Martin A. 140
Sauter, M. 17	Stuart, B. 286
Sauter, S.V.H. 230	Sudduth, Ardith Galbreath 277
Savitz, Lucy A. 31	Sullivan, W.P. 303
Schaffer, R.C. 112	Szigeti, E. 27, 89
Scherger, J.E. 139	Talley, R.C. 109
Schleuning, D. 7	Tanji, J.L. 139
Schrader, S.L. 233	Taylor, D.H. Jr 190
Schulz, R. 49	Taylor, J. 164
Scrimshaw, Nevin S. 224	Taylor, J.L. 287
Seekins, T. 73, 289	Terry, R.D. 71
Seipp, Conrad, 257	Thomas, D.W. 94
Selby, M.L. 143	Tinker, H. 39
	Trankel, M.A. 10
,	Traven, N.D. 49
Shadle, M. 130	Tressler, C.J. 302
Shapiro, J. 65	Troutt-Ervin, E.D. 156
Sharp, P. 78	Tso, H. 294
Sharp, T.S. 138, 311	Turner, K.K. 182
Shelton, P. 14, 15, 16	United States, Agency for International Develop-
Sherman, T. 148	ment, Center for University Cooperation in
Shi, L. 67	Development 2
Shortell, S.M. 37	United States, Congress, House, Select Commit-
Shotland, Jeffrey . 3	tee on Hunger, National Commission to
Shuttlesworth, G.E. 279	Prevent Infant Mortality (U.S.) 146
Simmons, L.M. 263	United States, Congress, Office of Technology As-
•	
Slesinger, D.P. 126	sessment 38, 62, 118
Sloggett, G. 17	United States, Congress, Senate, Committee on
Smith, D. 98, 222	Finance, Subcommittee on Health 169
Smith, D.G. 174	United States, General Accounting Office, Human
Smith, G.R. 287	Resources Division 273
Smith, H.L. 48, 60	United States, Health Care Financing Administra-
Smith, Q.W. 40	tion, Office of Research and Demonstrations,
Sorenson, J.R. 143	University of North Carolina at Chapel Hill,
Southwest Border Rural Health Research Cen-	Health Services Research Center 100
ter 21, 210	United States, Health Resources and Service Ad-
Sowell, R. 149	minstration, Office of Rural Health Policy,
Spence, S.A. 310	University of North Carolina at Chapel H 96
Stackler, L. 110	United States, Health Resources and Services Ad-
State University of New York at Buffalo, Dept.	ministration, Office of Rural Health Policy,
of Family Medicine, New York (State),	University of North Carolina at Chapel Hill,
Legislature, Legislative Commission on Rural	Health Services Research Center 5
Resources 284	United States, Health Resources and Services Ad-
Steel, E. 9	ministration, Office of Rural Health Policy,
Stephens, P. 168	University of North Dakota Rural Health Re-
Stevens, R.D. 144, 291, 292	search Center 271, 307



United States, Health Resources and Services Administration, Office of Rural Health Policy, University of North Dakota, Rural Health Research Center 298

United States, Health Resources and Services Administration, Office of Rural Health Policy, University of North Dakota Rural Health Research Center 264

United States. Congress. House. Committee on Small Business. Subcommittee on Regulation and Business Opportunities 256

United States. Congress. House. Committee on Veterans' Affairs. Subcommittee on Hospitals and Health Care 136

United States. Congress. House. Committee on Ways and Means. Subcommittee on Health 103, 104

United States. Congress. House. Select Committee on Aging. Subcommittee on Retirement Income and Employment 59

United States. Congress. Joint Economic Committee 28

United States. Congress. Senate. Committee on Appropriations. Subcommittee on Agriculture, Rural Development, and Related Agencies 251

United States. Congress. Senate. Committee on Appropriations. Subcommittee on Departments of Labor, Health and Human Services, Education, and Related Agencies 46, 259

United States. Congress. Senate. Committee on Finance 170, 254

United States. Congress. Senate. Committee on Finance. Subcommittee on Health for Families and the Uninsured 3

United States. Congress. Senate. Committee on Finance. Subcommittee on Medicare and Long-Term Care 255

United States. Congress. Senate. Committee on the Budget 58

United States. General Accounting Office 169, 272, 273, 274

University of Arizona, Southwest Border Rural Health Research Center 177

University of North Carolina at Chapel Hill, Health Services Research Center 31, 53, 134, 215, 257

University of North Carolina at Chapel Hill, Health Services Research Center, United States, Health Resources and Services Administration, Office of Rural Health Policy 270

University of North Carolina at Chapel Hill, Rural Health Research Program 194 University of North Dakota, Center for Rural Health Services, Policy, and Research, University of North Dakota, Rural Health Research Center 250

Vanichanan, C.J. 79 Varnedoc, L. 90

Wagenfeld, M.O. 173

Walker, Mary 43, 262

Wallace, S. 40

Walzer, Norman 102

Waters, M.T. 15

Weader, R.A. 175

Weiler, P.G. 125

Weiler, R.M. 268

Weiner, J.P. 129

Weinert, C. 246

Weir, Colin C. 2 Weis, E.M. 239

Welch, H. Gilbert 226

West Virginia. Dept. of Health and Human Resources. Rural Health Partnership Task Force 261

Whitaker, Karen 119, 192, 299

Whitchead, T.L. 230

Whiteis, D.G. 243

Williamson, H. 164 Williamson, H.A. 204

Williamson, Harold A. 203

Willis, J.B. 151

Wright, G.E. 132

Wright, H. 164

Yeatts, D.E. 99

Zeddies, T.C. 276 Zilnik, Pamela 140

Zimmerman, M.K. 276

Zuckerman, H.S. 174

Zweig, S. 39, 41, 164



Academic achievement 88, 91, 180, 185, 199, 290 Child day care 147, 321 Access 6, 114, 115, 154, 166, 252 Child welfare 147, 217 Acquired immune deficiency syndrome 9, 10 Childbirth 4 Administration 13, 48 Children 39, 51, 91, 143, 184, 186, 212, 225 Adolescents 51, 74, 142, 175 Children's cookbooks 294 Adult education 121 China 120 Cholinesterase 186 Adult learning 121 Clinical experience 231 Adults 290 Afro-American universities and colleges 2 Clinics, Rural 262 Closures 41, 164, 243 Age differences 22, 88, 89, 91, 132, 145, 158, 180, Cocaine 145 199, 207, 225, 282, 290 College programs 308 Aging 232 Colorado 302 Agricultural crises 240 Committees 7 Agriculture 2, 215 Communication 174 Air transport 32 Communities 180 Alabama 84, 163, 208, 238, 308 Community action 26, 160, 202 Alaska 312, 313, 314, 315, 316, 317 Community development 19, 45, 94, 253, 314 Alcoholic beverages 74, 145 Community health services 4, 12, 36, 44, 45, 46, American indians 142, 282, 289 47, 49, 57, 90, 99, 101, 136, 141, 154, 161, 163, Anesthetics 1 184, 193, 213, 230, 238, 246, 279, 301, 310, 312, Arizona 45, 231 313, 314, 315, 316, 317 Community involvement 154, 195, 197, 202 Arkansas 197, 205, 247 Community programs 25, 90, 213, 230, 288, 303 Arthritis 111 Comparisons 48, 111 Assessment 79 Competition 53 Assets 276 Congresses 102, 102 Attitudes 242, 268, 287, 290 Availability 36, 68 Consortia 301 Constraints 27 Barriers 159 Consumer attitudes 316 Behavior change 79, 294 Behavior modification 71, 106, 269 Consumer prices 144 Consumer satisfaction 171, 316 Bibliographies 117 Bibliography 260, 265, 265 Continuing education 88 Cooperation 99, 306, 311, 321 Bilingual education 25 Cooperative activities 86 Blacks 30, 56, 112, 137, 208, 238, 282, 310 Cooperative extension service 8, 90, 213, 311 Budget 104 Cooperatives 86, 166 Businesses 321 Cost analysis 17, 18, 292 Cabt 131 California 25, 125, 147, 186, 197, 221, 235, 323 Cost benefit analysis 149 Canada 115 Cost effectiveness analysis 155 Costs 49, 143, 269 Cancer 31 Capital 276 Cotton 112 Capital formation 285 Counties 18, 57, 74, 81, 167, 235, 243 Countries 302 Cardiovascular diseases 25, 71, 294 Career development 209 Crises 253 Cultural behavior 137 Careproviders 44, 144, 268 Case studies 7, 11, 13, 26, 45, 86, 130, 133, 138, Cultural influences 113, 120, 230 Cultural sociology 240 149, 174, 235 Caste 112 Cultural values 113 Cu: iculum 77, 205, 211, 294 Centralization 144 Change 313 Daily living skills 40 Characteristics 37, 49, 301 Data collection 295 Child careproviders 147 Ddt 186



Debt 295 Ethnic foods 294 Decision making 84, 91, 132, 162, 196 Ethnic groups 282 Demand 14, 15, 16, 67 Ethnicity 25, 56, 78, 180 Demography 17, 35, 39, 65, 111, 114, 127, 151, Ethnography 113 157, 175, 208, 214, 233, 247, 281, 286, 310 Facilities 36 Demonstrations 142 Families 92, 122, 127, 184 Dental health 110, 244 Family life 127 Dentists 24 Family medicine 194 Depression 287 Family planning 63 Descriptive statistics 17 Family size 290 Destinations 245 Family structure 158 Development plans 94 Farm closures 35 Diet 208 Farm families 65 Dietary fat 71 Farm indebtedness 138 Dietary surveys 208 Farm size 94 Diets 137 Farm structure 94 Directories 266, 266 Farm workers 126, 187 Disease prevalence 49 Farmers 187 Disease prevention 9, 79, 198 Farming 95, 215 Fathers 214 Disease transmission 9 Diseases 49 Federal aid to community health services 3 Distance travelled 245 Federal aid to hospitals 103, 273 Distribution 80, 201, 297 Federal aid to maternal health services 146 Diversification 13, 48, 130, 133 Federal aid to rural health services 3, 28, 38, 59, Diversity 42 62, 116, 118, 251, 255, 256, 259, 262 Do-not-resuscitate orders 140 Federal government 97, 98 Drug formulations 80 Federal programs 141 Drugs 286 Finance 28, 32, 101, 102, 103, 107, 130, 170, 255, Duration 22, 214 256, 285, 309, 315 Early childhood development 238 Financial planning 315 Eating patterns 71, 294 Fire prevention 32 Economic aspects 47, 47 First aid 147 Economic development 42 Fiscal policy 114, 154, 234, 235 Economic impact 33, 75, 114, 138, 179, 253, 276 Fitness 93 Florida 157, 163, 180, 242, 310 Economic policy 295 Economic resources 36 Food intake 71 Economic situation 229, 275 Food preparation 294 Economic viability 141, 276 Food safety 186 Economics 48 Funds 18, 26 Economies of scale 144 Genetic markers 79 Education 128 Geographical distribution 56, 67, 68, 84, 108, Educational attendance 94 152, 185, 286, 290 Educational grants 297 Georgia 8, 79, 90, 91, 163, 197, 213 Educational innovation 77 Geriatrics 181, 278 Educational programs 106, 147, 156, 168, 220, Gerontelogy 181 231, 238 Graduate study 109 Educational reform 205 Grants 57, 218, 263 Elderly 1, 44, 49, 55, 72, 99, 101, 111, 125, 127, Groups 11 132, 138, 161, 163, 171, 184, 189, 199, 200, 232, Growth retardation 186 233, 268, 278, 286, 310, 321 Guide books 263 Emergencies 17, 18, 198, 239, 288, 296 Handicapped 172 Employment 95, 158, 199 Handicapped children 40 Employment opportunities 156 Handicapped persons 73, 289



Health 2, 8, 36, 72, 74, 93, 126, 127, 142, 161, 175, 180, 186, 187, 208, 212, 225, 232, 240, 283, 290	Hospitals, Rural 38, 58, 83, 103, 104, 116, 118, 123, 153, 169, 170, 194, 250, 251, 270, 271, 272, 274, 207
	274, 307
Health and hygiene 188	Hospitals, Veterans' 136
Health aspects 38, 118	Hosptals, Rural 255
Health beliefs 55, 79, 113, 145, 246	Hot Springs (N.C.) 134
Health care 1, 4, 6, 11, 12, 19, 23, 24, 33, 35,	Hot Springs Health Program 134
39, 40, 42, 52, 54, 63, 67, 69, 73, 86, 87, 97,	Household income 199, 290
98, 101, 105, 107, 109, 111, 112, 113, 114, 115,	Households 180, 199
117, 120, 124, 127, 128, 129, 131, 133, 135, 138,	
130 144 149 151 154 155 159 150 160 162	Human immunodeficiency virus 9, 128
139, 144, 148, 151, 154, 155, 158, 159, 160, 163,	Human resources 149
165, 166, 171, 174, 180, 184, 185, 191, 199, 200,	Hunger 137, 197
201, 202, 204, 207, 209, 219, 220, 221, 223, 228,	Hypertension 95, 111
237, 238, 239, 240, 241, 246, 247, 248, 249, 252,	Idaho 178, 206, 218, 223, 290, 312, 313, 314, 315,
253, 258, 263, 268, 278, 281, 282, 285, 286, 287,	316, 317
289, 296, 300, 302, 304, 306, 308, 309, 311, 312,	Identification 323
313, 314, 315, 316, 317, 319, 323	Ideology 93
Health care costs 1, 18, 52, 63, 65, 80, 101, 107,	Illinois 44, 57, 156, 268
114, 130, 144, 154, 155, 166, 204, 212, 217, 218,	
225, 236, 258	Illness 132, 199, 214, 290
Health centers 12, 13, 22, 52, 81, 99, 101, 171,	Incentives 99, 228
184, 185, 282	Income distribution 63, 94
	Indexes 23
Health clinics 80, 133, 160	Indians of North America 250
Health education 10, 25, 79, 81, 106, 121, 147,	Individual characteristics 84, 157
197, 198, 281	Industrial sites 32
Health hazards 79	Infant mortality 56, 94, 180, 238, 247, 282
Health insurance 39, 65, 99, 122, 196, 225, 286	Infants 146, 188, 188, 196, 214, 238
Health maintenance organizations 12, 96, 129,	Infection 147
130	Infectious diseases 147
Health programs 7, 26, 78, 95, 98, 106, 150, 181,	Inflation 114
213, 227, 230, 238, 244, 269, 300, 302, 311	Information 269, 283
Health promotion 49, 71, 88, 90, 125, 171, 174,	Information dissemination 120
198, 210, 269	Information services 25, 71, 263, 283
Health protection 125, 225	Information Services 23, 71, 203, 203
Health services 1, 4, 9, 11, 13, 24, 33, 51, 56, 63,	Infrastructure 32, 90, 253, 281
64, 65, 67, 69, 84, 86, 87, 101, 111, 127, 128,	Innovations 148
137, 144, 152, 155, 165, 168, 173, 174, 196, 206,	Input output analysis 110
207, 212, 221, 236, 242, 253, 286, 289, 290, 311,	Insurance 190
323	Insurance, Health 104
	Insurance, Physicians' liability 5
Health services accessibility 3	Integrated systems 166
Hispanics 25, 106	Intravenous drug users 10
History 35, 93, 112, 247, 303, 319	Iowa 71, 141, 150
Home care 174, 268	Journals 23
Home safety 147	Kansas 168, 200, 276, 303
Hospital closures 270	Kentucky 113, 306, 319
Hospital, Rural 28	Knowledge 22, 128
Hospitals 4, 13, 22, 27, 33, 37, 39, 41, 51, 60, 75,	Labor force 69, 185
86, 101, 103, 107, 114, 115, 128, 132, 133, 134,	Labor market 77
136, 141, 148, 149, 150, 152, 157, 164, 178, 179,	-
182, 191, 195, 204, 214, 234, 235, 236, 239, 241,	Labor turnover 27, 89, 91
243, 245, 246, 247, 258, 269, 275, 276, 282, 285,	Leadership 22, 166, 314
291, 292, 293, 295, 300, 301, 312, 313, 314, 315,	Learning experiences 171
316, 317	Legal liability 139
UNIO, UNI	Legislation 97, 201, 291, 295, 296



Libraries 283 Mergers 174 Liquidity 276 Methodology 49 Literature reviews 12, 13, 24, 36, 39, 93, 101, 126, Michigan 144, 145, 291 127, 161, 173, 187, 189 Mic vives 1, 112, 155, 216, 306, 319 Living conditions 40, 127 Migrants 1, 126 Loans 297 Miners 187 Location theory 72, 162, 232 Minnesota 34, 64, 65, 92, 132, 218, 219, 233, 236 Logging 187 Mississippi 137, 163, 197 Long term care 127, 152, 163, 200, 243, 278, 293, Missouri 41, 138, 164, 218, 219 Models 11, 12, 19, 94, 162, 278, 300 Longitudinal studies 276, 286, 293 Montana 10, 121, 218, 219, 289, 312, 313, 314, Low birth weight infants 30, 78, 180, 282 315, 316, 317 Low income groups 101, 137, 156, 196, 197, 208, Mortality 25, 188, 207 218, 225 Mothers 113, 180, 196, 214 Malnutrition 197 Motivation 79 Management 13, 22, 48, 312, 315 Mountain states of U.S.A. 128 Market competition 52, 258 National expenditure 181 Marketing techniques 13, 48, 99 National surveys 37, 167, 232 Marriage 89, 91, 158, 180, 282, 290 Nebraska 55, 182 Maryland 74 Needs assessment 1, 72, 121, 246 Massachusetts 30 Neonatal mortality 30, 94 Maternal and infant welfare 146 Neoplasms 25 Maternal health services 146 Networking 234 Maternal nutrition 208 Nevada 11, 227 Maternity 165 New Mexico 48, 60, 106, 142 Maternity benefits 217 New York 22, 86, 95, 199, 245, 281, 309, 321 Maternity services 7, 39 New York (State) 83 Mathematical models 243 Newspapers 233 Medicaid 97, 143, 163, 217, 234 North Carolina 26, 78, 133, 143, 162, 190, 195, Medical auxiliaries 67, 150 213, 230, 269, 278, 281 Medical care 53, 58, 224, 254, 255, 259 North central states of U.S.A. 35, 291, 292 Medical care, Cost of 254 North Dakota 19, 27, 88, 89, 132, 158, 218, 219 Medical economics 21 Nurse practitioners 216 Medical education 1, 42, 76, 92, 109, 155, 205, Nurses 1, 24, 27, 68, 69, 77, 88, 89, 91, 107, 121, 209, 231, 237, 248, 249 131, 155, 157, 158, 185, 209, 228, 231, 234, 239, Medical personnel 119, 254, 299 243, 307, 319 Medical policy 188 Nursing 77, 149, 171, 184, 228, 231, 237 Medical schools 76 Medical services 14, 15, 16, 17, 18, 30, 32, 34, Nursing homes 48, 233, 236, 321 54, 112, 143, 156, 182, 183, 190, 191, 198, 202, Nutrient intake 186 Nutrition education 79, 88, 197, 294 252, 281, 288, 291, 292, 296, 308, 309, 320 Nutrition information 71, 88 Medical students 284 Medical treatment 9, 36, 51, 80, 132, 160, 178 Nutrition knowledge 88 Medically underserved areas 70, 210 Nutritional assessment 137 Medically uninsured persons 254 Nutritional intervention 88 Medicare 97, 103, 104, 132, 138, 169, 170, 179, Nutritional state 137, 186 234, 255, 295 Obstetricians 5 Medicine 92, 211, 290 Obstetrics 4, 7, 41, 84, 139, 164, 217, 227, 282, Medicine, Rural 119, 299 Membership 130 Occupational disorders 95 Men 71, 79 Occupational hazards 187 Mental disorders 173 Occupations 105, 148, 151, 198, 252 Mental health 1, 51, 55, 64, 173, 189, 246, 279, Oklahoma 14, 15, 16, 17, 18, 110, 183, 275, 288, 287, 303 320



Problem solving 304 Operating costs 13 Opinions 167 Professional competence 209 Professional continuing education 77, 105 Oregon 218, 219, 223, 256, 256 Professional education 211 Organizational development 314 Professional recognition 157, 209 Ownership 243 Profitability 107, 276 Pain 178 Program development 7, 19, 99, 121, 130, 142, Parent child relationships 214 156, 206, 288, 303, 321 Participation 49, 143, 217, 230 Program effectiveness 79, 99, 143, 178, 190, 317 Partnerships 179 Program evaluation 19, 121, 217, 237, 247, 317 Parturition 98, 139, 159, 221, 302 Program participants 269 Patient care 80 Programs 51, 297 Patient compliance 79, 80 Project implementation 197 Patients 171 Projections 35 Patterns 281 Promotion 89 Payment basis 154, 179, 245 Prospective payment 103, 104 Pediatrics 1 Psychological factors 79 Peer influences 145 Psychotherapy 287 Pennsylvania 49, 51, 72, 131, 171, 244, 286 Public health 57, 206 Perception 242, 287 Public parks 32 Performance 37 Public relations 150, 221, 230 Personal support networks 199 Public schools 32, 106 Personnel 36, 128, 228 Public services 32, 37, 110, 124, 142, 165, 181, Personnel management 60, 86, 204, 242 200, 217, 278 Puerperium 7 Pesticide residues 186 Quality 155, 312 Physical activity 93 Quality of life 111 Physicians 14, 15, 16, 24, 34, 60, 69, 80, 81, 84, Ratios 17, 81 87, 92, 94, 107, 108, 115, 119, 129, 143, 155, 162, 167, 192, 201, 202, 204, 205, 217, 229, 239, Recipes 294 Recreation 32 242, 284, 290, 297, 299, 306, 318 Recruitment 49, 76, 109, 162, 202, 205, 228, 229, Physicians' assistants 85 281, 297, 318 Pilot projects 279 Regional surveys 10, 185, 237, 289 Plan implementation and evaluation 141, 213 Regionalization 57 Planning 48, 314 Regulations 278 Policy 128, 152 Relationships 60 Poor 3 Religion 145 Population change 35 Remittances 138, 245 Population density 87 Remunerations 97 Population distribution 56, 127, 240 Repayment 297 Research 12, 13, 24, 39, 77, 101, 127, 173, 187, Population dynamics 42, 239, 278 Population, Rural 172 240, 265 Poverty 30, 39, 137, 186, 197, 207, 212, 225, 240 Reserved areas 289 Practice 34 Resource management 73, 149 Prediction 27 Resource utilization 141, 313 Pregnancy 39, 180, 190, 208 Respiratory disorders 187 Pregnant adolescents 94 Resuscitation 150 Pregnant women 184, 238 Risk 25, 49, 71, 79, 180, 214, 276, 282 Premature infants 78 Risks 78, 95, 130, 243 Prenatal development 238 Role perception 89, 90, 189 Prenatal period 206, 282 Roles 1, 22, 27, 152, 165 Prescriptions 286 Rural aged 255 Prevention 147 Rural areas 4, 6, 9, 12, 13, 14, 15, 16, 17, 19, 22, Preventive medicine 125, 143, 190, 225 23, 24, 25, 27, 30, 33, 34, 39, 40, 41, 42, 44, Probabilistic models 72 48, 49, 51, 52, 56, 57, 60, 64, 65, 68, 69, 71,



73, 76, 77, 78, 79, 80, 84, 86, 87, 88, 89, 91,	Schools 1
92, 98, 99, 101, 105, 106, 108, 109, 111, 113,	Screening 25
115, 117, 122, 125, 126, 128, 129, 130, 131, 132,	Self care 40, 199, 290
133, 135, 138, 139, 141, 143, 144, 148, 149, 150,	Self help 197
151, 152, 155, 156, 157, 159, 162, 163, 164, 165,	0.16
167, 173, 174, 179, 180, 181, 182, 183, 185, 186,	Self-actualization 91
187, 190, 191, 196, 199, 201, 204, 205, 206, 207,	
208, 209, 211, 213, 214, 218, 219, 221, 223, 225,	Services 22
227, 228, 229, 231, 237, 243, 244, 245, 248, 249,	Sex differences 22, 145, 199, 207, 225, 290
252, 253, 263, 268, 269, 275, 276, 281, 282, 283,	Sexual behavior 10
286, 288, 290, 292, 293, 294, 295, 297, 300, 302,	Shared services 134
306, 309, 310, 311, 319, 320, 323	Shift work 27, 89
Rural communities 1, 7, 10, 11, 14, 18, 26, 32,	Sickness benefits 135
36, 45, 54, 55, 63, 67, 75, 84, 97, 107, 109, 110,	Simulation models 275
112, 114, 120, 121, 130, 147, 154, 158, 160, 166,	Size 152, 157, 158, 185
171, 178, 184, 195, 198, 200, 202, 220, 230, 236,	Skilled labor 243
238, 239, 241, 242, 258, 279, 281, 285, 289, 291,	Skin diseases 147
301, 303, 304, 308, 312, 313, 314, 315, 316, 317,	Small businesses 32
318, 321	Social benefits 101, 114, 130
Rural conditions 38, 62, 116, 118	Social change 112
Rural development 2, 90, 305	Social impact 33, 129
Rural economy 35, 112, 124, 234, 275	Social legislation 156, 217
Rural environment 42, 95, 162, 197	Social policy 56
Rural health 43, 123, 176, 193, 265, 266, 305	Social services 32, 310
Rural health clinics 176	Social welfare 35
Rural health se rvices 153	Social workers 220, 279
Rural health services 5, 21, 28, 29, 31, 38, 43,	Socioeconomic status 111
46, 47, 53, 58, 59, 62, 66, 70, 85, 96, 100, 102,	Sociology of work 157, 185
102, 116, 118, 119, 134, 153, 169, 172, 176, 177,	Solid wastes 32
192, 193, 194, 210, 215, 216, 222, 224, 250, 251,	South Carolina 30
254, 255, 256, 257, 259, 260, 261, 262, 264, 265,	South Dakota 132, 218, 219
266, 267, 280, 284, 298, 299, 305, 322	Southern states of U.S.A. 54, 297
Rural hospitals 140, 273, 305	Special education 40, 168
Rural housing 233	Specialization 205, 281
Rural planning 110, 195	Sport 93
Rural poor 188	State government 163, 165, 201, 295, 296, 297
Rural population 11, 35, 81, 127, 137, 161, 233,	Statistical analysis 72, 295
246, 287, 323	Statistical data 291, 292
Rural renewal 172	Statistics 188
Rural society 240	Stress 187
Rural sociology 8	Structural change 191, 229, 234, 235, 258, 295
Rural unemployment 156	Student participation 171
Rural urban relations 30, 37, 51, 72, 78, 125, 162,	Students 76
175, 205, 232, 292	Subsidies 154, 302
Rural welfare 37, 124, 212, 217, 234, 235, 247,	Substance abuse 9, 10, 74, 106, 145
278	Suburban areas 111
Rural women 4, 39, 93, 189	Supervisors 89
Ru al youth 74, 106, 142, 145	Supplemental feeding programs 206
Safety at work 187	Supply 67, 151, 185, 202, 205, 253, 297
Salaries 89, 91, 157, 185	Supply balance 68, 69, 87, 108, 129, 144, 155, 229 Support measures 296
Sanitation 147	Support systems 127, 154, 156, 161, 205, 281, 306,
Saskatchewan 76	311
School children 168, 244	Surveys 71, 89, 128, 242, 296, 316




Swing beds 83 Symptoms 199 Systems analysis 37 Systems approach 166 Target groups 269 Teachers 40 Teaching 121, 309 Teaching methods 121 Technical aid 303 Technical progress 107, 114 Technology 1 Telecommunications 1, 54, 304 Tennessee 163 Texas 112, 279 Time 22 Tobacco smoking 74, 145 Towns 55, 182, 318 Training 128, 156, 197, 220, 309 Trends 35, 84, 129, 154, 291, 292 Tribal society 289 U.S.A. 1, 6, 9, 12, 13, 23, 24, 32, 33, 36, 37, 39, 40, 42, 52, 56, 63, 67, 68, 69, 73, 77, 80, 81, 87, 93, 94, 97, 98, 99, 101, 107, 108, 109, 111, 114, 115, 117, 120, 122, 124, 126, 127, 129, 130, 139, 144, 148, 149, 151, 152, 154, 155, 159, 161, 166, 167, 173, 175, 179, 181, 184, 185, 187, 189, 191, 196, 201, 202, 205, 207, 209, 211, 212, 214, 217, 228, 229, 232, 234, 237, 239, 240, 241, 243, 246, 248, 249, 252, 253, 258, 263, 281, 283 285, 287, 293, 295, 296, 297, 300, 301, 304, 31*, 318 Unemployment 35 United Kingdom 144 United States 28, 28, 28, 38, 47, 47, 62, 62, 62, 102, 102, 103, 103, 103, 104, 104, 104, 116, 118, 123, 123, 169, 169, 170, 172, 188, 188, 188, 188, 255, 255, 255, 255, 260, 265, 265, 266, 266 Universities 171, 308, 309 Urban areas 34, 48, 99, 111, 132, 157, 180, 199, 282, 286, 291, 310 Urban health 31 Urban population 287 Urban rural migration 161 Usage 36, 154 Utah 75 Utilization 60, 111, 144 Values 55 Variance components 243 Vermont 8, 165, 174 Veterans 136 Virginia 6, 230 Visitor behavior 214 Visits 214 Volunteers 22

Washington 7, 204, 218, 219, 220, 223, 282, 312, 313, 314, 315, 316, 317
Waste disposal 32
Wellness 126, 161, 290
West Virginia 160
Western states of U.S.A. 35, 294
Wisconsin 72, 145, 225
Woman's status 189
Women 208, 212
Work 93
Work places 135
Work satisfaction 27, 44, 89, 91, 157, 158, 167
Wyoming 198







OFFICIAL BUSINESS Penalty for Private Use, \$300





Postage and Fees Paid United States Department of Agriculture AGR-101