

ORIGINAL ARTICLE

Measuring safety climate in health care

R Flin, C Burns, K Mearns, S Yule, E M Robertson

Qual Saf Health Care 2006;15:109–115. doi: 10.1136/qshc.2005.014761

See end of article for authors' affiliations

Correspondence to:
Professor R Flin, Industrial
Psychology Research
Centre, University of
Aberdeen, Aberdeen
AB24 2UB, UK; r.flin@
abdn.ac.uk

Accepted for publication
9 January 2006

Aim: To review quantitative studies of safety climate in health care to examine the psychometric properties of the questionnaires designed to measure this construct.

Method: A systematic literature review was undertaken to study sample and questionnaire design characteristics (source, no of items, scale type), construct validity (content validity, factor structure and internal reliability, concurrent validity), within group agreement, and level of analysis.

Results: Twelve studies were examined. There was a lack of explicit theoretical underpinning for most questionnaires and some instruments did not report standard psychometric criteria. Where this information was available, several questionnaires appeared to have limitations.

Conclusions: More consideration should be given to psychometric factors in the design of healthcare safety climate instruments, especially as these are beginning to be used in large scale surveys across healthcare organisations.

In response to growing concern about patient safety, the Department of Health in the UK¹ and the Institute of Medicine in the USA² advised that healthcare organisations should consider adopting the safety management techniques used in other industries. The UK industrial safety regulator, the Health and Safety Executive, recommends that organisations operating in high risk industries should regularly assess their safety culture.³ Safety culture is “the product of individual and group values, attitudes, perceptions, competencies and patterns of behaviour that determine the commitment to, and the style and proficiency of, an organisation’s safety management” (page 23).⁴ This is usually measured in industry by workforce questionnaire surveys to assess what is called the “safety climate”.⁵ Safety climate can be regarded as the surface features of the underlying safety culture.⁶ It assesses workforce perceptions of procedures and behaviours in their work environment that indicate the priority given to safety relative to other organisational goals.^{7–9} As organisations are inherently hierarchical in structure, there are multiple levels at which safety climate can be investigated—for example, individuals, work groups, departments, organizations.¹⁰ Safety climate data are generally collected at the individual level, then aggregated to a higher level. The degree of homogeneity of workers’ perceptions, as a measure of climate strength, can also be considered.^{11 12}

A number of different instruments are used to measure safety climate in industry.^{6 13} The resulting data offer managers an additional perspective on the state of their safety management systems and can also be used for benchmarking purposes and trends analysis.¹⁴ It has been argued^{15 16} that the essential dimension is management commitment to safety: while this is probably fundamental, industrial researchers do measure other aspects. The most common^{6 13} are shown in box 1. In industry, workforce perceptions of safety climate have been linked to safety outcomes such as workforce injuries,^{17–21} and to safety processes such as workers’ behaviours.²²

Safety climate surveys are now being increasingly used in healthcare organisations²³ and several instruments have been developed. This paper reviews quantitative studies designed to investigate safety climate in health care, with particular attention devoted to the questionnaires. It provides a complementary analysis to a recent review of survey instruments,²⁴ with some overlap in the studies examined.

METHODS

Four databases were searched: MEDLINE, PsychINFO, EBSCO, and Web of Science using the search terms “health care workers”, “hospital safety”, “patient safety”, “safety climate”, and “safety culture”. Relevant papers were retrieved and papers were also retrieved from patient safety conferences. A total of 29 studies were initially identified. The criteria for inclusion for detailed scrutiny were: (1) use of a questionnaire for individual response designed to measure safety climate or safety culture in a healthcare setting; (2) details provided of the measuring instrument; (3) tested on a sample of over 50 respondents; and (4) report published in English. From the 29 papers retrieved, 12 studies were identified as suitable for review.^{25–36} Studies reporting different components of the same data set^{37–41} were only included once, and those that examined general organisational culture or

Box 1 Safety climate features in industry and health care

Industry^{6 13}

- Management/supervisors
- Safety systems
- Risks
- Work pressure
- Competence
- Procedures/rules

Health care

- Management/supervisors
- Safety systems
- Risk perception
- Job demands
- Reporting/speaking up
- Safety attitudes/behaviours
- Communication/feedback
- Teamwork
- Personal resources (e.g. stress)
- Organisational factors

climate variables (such as work pressure or role ambiguity) in relation to safety in health care^{42–44} were not included. The analysis extracted information on the survey location and sample, safety climate measure, safety outcome variables, and the main findings. The specific psychometric properties^{45–46} considered (box 2) were the content validity, criterion validity, as well as the internal factor structure of the instrument.

The safety climate factors/dimensions given in each study (table 1) were independently categorised (with acceptable inter-rater agreement) by two industrial psychologists (CB, SY) into 10 themes corresponding to distinct aspects of safety management. This was carried out by examining the content of the items loading on each subscale/factor where these were available. As most of the studies had based their definitions of safety climate on the literature from industry or had adapted industrial instruments, the themes were labelled in a similar fashion to those most commonly measured in industry (box 1).

RESULTS

The 12 studies are described in table 1 in terms of the survey sample, instrument details (with any psychometric data), identified safety climate factors, outcome measures, and

Box 2 Psychometric criteria

- **Content validity** is the degree to which “elements of an assessment instrument are relevant to and representative of the targeted construct for a particular assessment purpose” (page 238).⁴⁷ Determination of whether the scales or item set of a safety climate questionnaire have good content validity can be made from a number of sources, e.g. relevant theory, empirical literature, expert judgement.
- **Criterion related validity** should be established by correlating the climate scores with outcome data, preferably collected by some method other than the questionnaire instrument. In the case of safety climate, these can be safety outcomes such as individual or organisational accident rates, or safety processes such as rates of behaviours that are deemed to be precursors of accidents (e.g. risk taking, rule breaking). In practice, industrial safety climate researchers frequently use self-report measures of accident rates or unsafe behaviours collected on the questionnaire. This is not ideal because of common method bias.⁴⁸ However, there can be difficulties in accessing confidential accident data and, because questionnaires are completed anonymously (making it impossible to identify individual safety records), self-report measures are sometimes the only means by which individual level criterion related validity can be established.
- **Factor analysis** reveals the underlying structure of a scale and shows whether there are distinct factors or themes being measured. It requires reasonably large data sets (of about 100) or a sample where there is a 10:1 ratio of participants to items.^{46–49} This ratio becomes less relevant for sample sizes above 300.⁵⁰ Factors with three items or fewer are too close to being variable specific and should be discarded.^{51–52} The internal reliability data for proposed/identified factors can also be assessed. A Cronbach’s alpha score of 0.7 or higher is usually regarded as indicative of acceptable internal reliability.⁵³

results. Most of the studies were from the USA and most sampled medical staff in different occupations (response rates 26–91%). The first nine studies used different safety climate measures while the other three used different versions of the Operating Room Management Attitudes Questionnaire (ORMAQ).⁵⁴ The ORMAQ was not originally designated as a general healthcare safety climate measure but recently it has been used for this purpose, so these studies were included for review. (Studies with the ORMAQ that did not specifically claim to be measuring organisational safety climate^{55–56} were excluded.)

Drawing from the information presented in table 1, the questionnaires were examined with respect to content validity, factor structure and internal reliability, and criterion related validity. The level of analysis used in the study is briefly considered below.

Content validity

Nine of the studies set out to measure safety climate, the remainder used the term safety culture, and one³⁰ used both terms. Four did not define either term. Definitions of safety climate were usually a version of shared perceptions of safety.¹⁰ A theoretical basis or model to outline proposed causal influences between safety climate and the safety outcome measures was rarely specified. One exception³² stated that their survey items were based on “elements of a culture of safety articulated by high reliability theory” (page 113). They listed seven components derived from this theory³⁸ but it is not clear how these relate to their questionnaire items and the five extracted factors did not provide confirmation. A circular model was given in another study³⁶ but it did not articulate any explanatory mechanism between safety climate and safety behaviours.

The 73 safety climate dimensions (table 1) were categorised into 10 safety management themes (box 1). Not surprisingly, given the origins of several of the measures, there was considerable overlap with the features measured in industry. Management commitment to safety emerged as the most frequently measured safety climate dimension in health care with nine studies including this. Three included supervisor commitment to safety. Safety systems—for example, personal protective equipment and safety training—were included in seven studies. Unlike the industrial sector, general attitudes to risk were not specifically addressed.

Work pressure is an important safety climate feature in industry and three healthcare instruments included a job demands/workload dimension. Unlike the industrial sector, competence did not emerge as a separate dimension, although two studies included measures about training and one included knowledge about universal precautions. Lastly, and in contrast to industry, compliance with procedures/rules did not emerge as a separate dimension in the healthcare measures, although two studies measured whether unsafe work practices were corrected by supervisors and workmates.

From the comparison it seems that at least three “core” dimensions from industry are being measured as components of safety climate in health care—management/supervisory commitment to safety, safety system, and work pressure. Sorra and Nieva³⁴ included two of these dimensions but did not assess perceptions of the safety system. Pronovost *et al*³⁶ also included two of these dimensions but their measure of the safety system was quite limited in scope as their safety climate scale only contained 10 items. Most of the other studies included one or two of these “core” dimensions each. This lends some weight to the argument for a set of universal or core variables that underpin safety climate across work sectors, although these probably need to be complemented with sets of sector specific factors.^{8–11}

Table 1 Studies measuring safety climate in health care

Authors	Instrument details and survey sample	Safety climate factors	Psychometric analyses	Outcome measures	Results
(1) Deloy <i>et al.</i> ²⁶ See also Deloy <i>et al.</i> , ^{37, 38} Gershon <i>et al.</i> , ³⁹ Guastello <i>et al.</i> , ⁴⁰ McGovern <i>et al.</i> ⁴¹ for analyses based on parts of same data set	Safety climate scale, 35 items (part of a longer questionnaire) 902 nurses, 322 physicians and 247 technicians (57% response rate) from 3 USA hospitals	Safety performance feedback Management commitment to safety Provision of PPE UP-related job hindrances Knowledge and information about UP Risk of infection Self-protective actions Work organisation Senior management support Absence of job hindrances Cleanliness, orderliness Minimal conflict and good communication Safety-related feedback/training by supervisors PPE/engineering control equipment availability Safety climate scale included items about: Management values Communication Training Safety systems Management commitment to safety Work area Unsafe work practices Reporting safety violations Management commitment Feedback Job demands Safety committee PPE availability	Exploratory factor analysis yielded 8 factors based on 23 items (some based on 3 items or less) α for the identified factors ranged from 0.39 (general work organisation) to 0.83 (management commitment) Regression analyses	Self-report scale on compliance; adherence to UP	Job hindrance was strongest predictor of compliance in nurses and physicians. Safety performance feedback was a strong predictor of compliance in nurses but more modest predictor for physicians
(2) Gershon <i>et al.</i> ⁴⁰	46 item safety climate scale (part of longer questionnaire) 1240 employees from a large urban USA medical research centre (60% response rate) Only employees with the highest risk for blood and body fluid exposure were selected for participation	Senior management support Absence of job hindrances Cleanliness, orderliness Minimal conflict and good communication Safety-related feedback/training by supervisors PPE/engineering control equipment availability Safety climate scale included items about: Management values Communication Training Safety systems Management commitment to safety Work area Unsafe work practices Reporting safety violations Management commitment Feedback Job demands Safety committee PPE availability	Exploratory factor analysis yielded 6 factors based on 20 items (only 2 based on more than 3 items) $\alpha > 0.7$ for all 6 factors Regression analyses	Self-report scale on compliance with universal safety precautions Exposure incident history	“Cleanliness and orderliness”, “senior management support” and “absence of job hindrances” associated with compliance with safety practices Higher “senior management support” and “feedback/training” related to lower exposure to incidents
(3) Neal <i>et al.</i> ⁴²	16 items about safety climate (part of longer questionnaire) 525 employees from an Australian hospital (56% response)	Safety climate scale included items about: Management values Communication Training Safety systems Management commitment to safety Work area Unsafe work practices Reporting safety violations Management commitment Feedback Job demands Safety committee PPE availability	Safety climate defined by mean score from 16 items No factor analysis $\alpha = 0.93$ for 16 item safety climate scale Structural equation modelling	Self-report of safety practices and procedural compliance	Safety climate indirectly related to safety compliance
(4) Felknor <i>et al.</i> ⁴³	Safety climate 11 items based on Gershon <i>et al.</i> ²⁶ (part of longer questionnaire) 878 employees from 10 Costa Rican hospitals (96% response rate)	Management commitment to safety Work area Unsafe work practices Reporting safety violations Management commitment Feedback Job demands Safety committee PPE availability	No FA ⁴⁷ Regression analysis	Work injuries Self-report compliance with safety practices	Safety climate inverse relationship with workplace injuries Positive relationship between safety climate and safety practices
(5) McCoy <i>et al.</i> ⁴⁹	21 item safety climate scale based on studies by Murphy <i>et al.</i> ⁴⁷ 149 infection control practitioners from 149 USA hospitals (62% response rate)	Management commitment to safety Work area Unsafe work practices Reporting safety violations Management commitment Feedback Job demands Safety committee PPE availability	Exploratory FA $\alpha = 0.62-0.93$ Logistic regression analysis	Perceptions of adequacy of healthcare worker training to monitor co-workers’ adherence to standard precautions	“Management commitment” and “feedback” positively related to training to observe co-workers’ standard precautions compliance “Job demands” inversely related to training to observe co-workers’ standard precautions compliance Factor 1 (reactive measures) and factor 2 (proactive measures) predicted injury rates
(6) Vredenburg ³⁰	18 item scale based on Ostrom <i>et al.</i> ⁴⁸ 62 risk managers from 62 USA hospitals (57% response rate)	Rewards Training Management commitment Communication and feedback Selection Participation Communication Satisfaction safety Involvement Work pressure Safety attitudes Safety behaviours	Exploratory factor analysis; 6 factor solution did not correspond to the hypothesised dimensions Multiple regression	Occupational injuries	Low mean scores indicated a somewhat poor safety climate for nurses
(7) Carrico ³¹	79 item questionnaire based on Offshore Safety Questionnaire ⁴³ 93 nurses in Delaware, USA (31% response)	Management commitment to safety Work area Unsafe work practices Reporting safety violations Management commitment Feedback Job demands Safety committee PPE availability	Internal reliability analysis of proposed safety climate dimensions	None	Low mean scores indicated a somewhat poor safety climate for nurses

Table 1 Continued					
Authors	Instrument details and survey sample	Safety climate factors	Psychometric analyses	Outcome measures	Results
(8) Singer <i>et al</i> ⁶²	Stanford/PSCI Culture Survey (82 items) 6312 employees including attending physicians, senior executives and a 10% random sample of other hospital personnel at 15 USA hospitals (47% response rate)	Organisation Department Production Reporting/seeking help Shame/self-awareness	Exploratory FA yielded 5 factors based on 30 items (shame/self-awareness factor only based on 3 items) α not given for identified factors	None	Problematic and neutral responses suggested "a lack of safety culture" in some hospitals
(9) Sorra and Nieva ³³	Hospital Survey on Patient Safety (79 items) 1437 staff at 21 USA hospitals (29% response rate)	Supervisor/manager expectations and actions promoting patient safety Organisational learning Teamwork within units Communication openness Feedback/communication about error Response to error Staffing Hospital management support for patient safety Teamwork across hospital units Hospital handoffs and transitions	Exploratory FA yielded 14 factors based on 66 items. Confirmatory FA yielded a 12 factor solution (2 factors that measured outcomes and 10 factors that measured safety climate) based on 42 items (6 factors only based on 3 items) $\alpha > 0.7$ for all factors except staffing ($\alpha = 0.63$) Correlations	Self-report of: Number of events reported Overall patient safety grade Overall perceptions of safety Frequency of event reporting	"Overall perceptions of safety" were correlated with "patient safety grade" and "hospital management support for patient safety" "Frequency of event reporting" was correlated with "feedback and communication about error"
ORMAQ studies ^{67, 68} (10) Itoh <i>et al</i> ⁶⁴	Adapted Operating Team Resource Management Survey which included 57 items, 66 doctors, 486 nurses and 43 pharmacists from 5 Japanese hospitals (91% response rate)	Satisfaction with management Morale and motivation Communication Teamwork Power distance Own competence Recognition of stress Stress management Error	No factor structure emerged from FA (personal communication) α not given for proposed factors Correlation	Rates of incident reporting for nurses in one hospital	"Recognition of human error" and "power distance" were negatively correlated with rates of incident reporting
(11) Pronovost <i>et al</i> ⁶⁵	Total length of questionnaire not given but it included 10 item safety climate scale 395 staff at a large USA teaching hospital (64% response rate)	Supervisor and management commitment to safety Knowledge of how to report adverse events Understanding of systems as the cause of adverse events Organisational culture Communication Teamwork Assertiveness Performance shaping factors Error	No FA α not given for proposed factors	None	Participants perceived supervisors to have a greater commitment to safety than senior leaders
(12) Woods <i>et al</i> ⁶⁶	Total length of questionnaire not given but it was adapted from the 60 item version of the ORMAG 802 healthcare workers from an Australian Health Service Area (26% response rate)		No FA α not given for proposed factors	None	None related to outcomes

PPE, personal protective equipment (e.g. gloves, masks); UP, universal precautions; FA, factor analysis; ORMAG, Operating Room Management Attitudes Questionnaire.

Factor structure and internal reliability

For this review, studies with a sample size of less than 300 and factors consisting of three items or less were regarded with caution (box 2). Two studies conceptualised safety climate as a unidimensional construct but did not report a factor analysis to confirm this. Only six studies reported the results of a factor analysis. DeJoy *et al*²⁵ conducted separate exploratory factor analyses on their 35-item measure of safety climate for each of the occupational groups studied (nurses, physicians, technicians). Each analysis yielded eight similar factors based on the same 23 items, as shown in table 1 (α coefficients ranged from 0.61 to 0.83 apart from general work organisation which was 0.39). However, more than half of these factors (feedback, knowledge and information, perceived risk, response efficacy, work organisation) were based on three items or less, which is usually regarded below minimal. Gershon *et al*²⁶ conducted an exploratory factor analysis on their 46-item safety climate scale, yielding six factors (based on 20 items) that did not correspond to their nine hypothesised safety climate dimensions. An internal reliability analysis of the factor scales yielded acceptable α coefficients. Singer *et al*³² found a five-factor solution that did not match their original thematic groupings. In two studies the data sets were rather small for the factor analyses that were conducted.^{29 30}

Only one study provided a comprehensive report of scale development. For their Hospital Survey on Patient Safety, Sorra and Nieva³³ conducted an exploratory factor analysis to explore the dimensionality of their survey data. The results of the exploratory factor analysis revealed the existence of 14 distinct factors. A subsequent confirmatory factor analysis was conducted and the final confirmatory factor model contained 42 items in 12 factors (two factors which measured outcomes and 10 which measured safety climate). This model fitted the data well with good α coefficients.

Three studies used versions of the ORMAQ.^{34–36} Despite sample sizes of more than 300, none of them reported a factor structure or internal reliabilities for the hypothesised dimensions. Itoh (personal communication, 2003) indicated that the results of an attempted factor analysis were not interpretable; a similar result has been reported elsewhere.⁵⁶

Criterion validity

Criterion or outcome measures of safety in health care could include worker behaviours, worker injuries, patient injuries, or other organisational outcomes (such as litigation costs). As shown in table 1, four studies had no outcome measures. Self-reported worker rule compliance or event reporting behaviours were recorded in five studies, with two including independent measures of occupational injuries.^{28 29} Only one study had an independent measure of injuries or annoyances to patients,³⁴ although this was broadly conceptualised and included events such as losing artificial teeth. Other studies used the term “patient safety culture”^{32 35} but included no patient outcome measures.

The three studies using independent outcome measures reported significant associations between climate scores and outcomes. Two^{28 30} found evidence that positive perceptions of organisational safety in healthcare settings were related to fewer worker injuries. Itoh³⁴ measured the relationship between rates of nurses’ reports of patient incidents from one of the participating hospitals from the preceding year and aggregated scores on the questionnaire. There was no correlation between questionnaire responses on incident reporting and rates of adverse events to patients. A significant negative correlation was reported between questionnaire scores on “recognition of inevitability of human error” and rates of incident reporting. This represents one of the few attempts to include an independent measure of

worker safety behaviour but, because of the breadth of the measure and the small sample of units, these results would require to be interpreted with a degree of caution. Correlations of climate scores with self-reported safety behaviours generally showed positive relationships.^{25 27 33}

Some care needs to be taken with the level of analysis for measuring and testing predictors against outcomes (that is, individual worker, team, department, hospital, NHS trust).^{59–61} Only one study³⁴ attempted to examine the relationship between safety climate of work units and their safety outcomes. Most aggregated questionnaire responses from the entire sample which often included more than one hospital.^{25 28 32 33} While Gershon *et al*²⁶ aggregated responses to the organisational level, their sample only included hospital employees who were at risk of exposure to blood and body fluids. Neal *et al*²⁷ and Pronovost *et al*³⁵ aggregated responses from representative samples of hospital workers to the organisational level. Although it can be argued that these studies produced more meaningful safety climate data, they did not examine the relationship with organisational safety outcomes such as worker or patient injury rates.

DISCUSSION

The UK National Audit Office⁶³ has recently reported on the state of patient safety in NHS trusts. While offering an encouraging prognosis, this is far from a clean bill of health. The report states that “*The safety culture within trusts is improving ... However, trusts are still predominantly reactive in response to patient safety issues and parts of some organisations still operate a blame culture*” (page 2). Measuring safety climate in health care helps to diagnose the underlying safety culture of an organisation or work unit. The prevailing culture influences safety behaviours and outcomes for both healthcare workers and patients. Safety climate questionnaires need to achieve as high a standard of measurement as possible so that healthcare managers can use the resulting data to design effective safety management systems and interventions.

We have reviewed the psychometric properties of instruments used to measure safety climate in 12 studies based in healthcare settings. None of these had achieved full scale testing and it is recognised that some instruments were at an early stage of development. The Hospital Survey on Patient Safety³³ met more of the specified psychometric criteria due to more systematic testing of internal structure than the other instruments reviewed. Some of the scales of this instrument—such as organisational learning/continuous improvement and teamwork (within, and across hospital units)—should not perhaps be considered part of the safety climate¹¹ unless their relationship with safety outcomes can be confirmed. This study only had a 29% response rate which was rather low compared with the other studies and may signal issues of usability or weaknesses in their survey method. Medical staff have limited time to complete and return questionnaires, so instruments for health care may need to be parsimonious and made available electronically as well as on paper to maximise response rates.

Several of the instruments had been developed from measures used in other industries (aviation, oil, nuclear). Considerable care needs to be taken when adapting measures from these very proceduralised high risk industries. Not only is the nature of the work very different, but the organisations have well defined hierarchical management structures with clear reporting relationships. Leadership issues are much more problematic to measure in health care as the managerial reporting relationships are subject to different interpretation by each professional group, thus introducing a degree of ambiguity. This is particularly true for doctors.⁶⁶ Moreover, the safety climate studies in industry all focus on worker

injury rather than product (*cf* patient) damage. Determining reliable outcome measures for these healthcare studies appears to be challenging; sometimes the focus is on workers' behaviours, which might be regarded as safety process measures, and in other cases some kind of adverse event is used. As more patient safety indicator and outcome measures are being introduced, these should permit stronger data based on work unit and organisational performance to give appropriate higher level criterion metrics.

The data sets were drawn from different levels of organisational analysis and, as mentioned earlier, nested data of this type need to be analysed with some care—for example, by using multilevel modelling statistical techniques. Aggregating safety climate data across hospitals and, indeed, across healthcare systems in different countries⁶⁴ is not entirely advisable unless the questionnaire is measuring sector rather than organisational features. Zohar¹¹ has argued that safety climate can be meaningfully construed only at the group and organisational levels so as to reflect a particular supervisor's and senior management's influence on safety, respectively.

This is a preliminary review and it should be acknowledged that many of these research teams are now engaged in larger scale questionnaire studies. In future, meta-analysis based on effect sizes will be needed to compare their results and to determine the validity and generalisability of the climate measures. In general, these studies have begun to confirm that safety climate scores can be associated with healthcare workers' safety behaviours or workers' injuries, replicating earlier findings from industry, although few independent measures were used. Very few of the reviewed studies considered the mechanisms that mediate the relationship between safety climate and safety outcomes (that is, worker injury or patient harm). In the wider literature on safety climate there are now models that attempt to explain the psychological mechanisms linking safety climate and worker behaviour.^{9, 11} In these models the relationships between safety climate, safety behaviour, and safety outcomes are focused on individual worker injury. In the healthcare sector there is an additional need to establish whether a different set of antecedents influences processes (worker behaviours) that affect patient safety outcomes as opposed to worker injury. In other words, are there different motivating factors that determine the safety behaviour of healthcare workers in relation to preventing personal harm compared with harm to a patient? The Institute of Medicine report *"To Err is Human"* stated that *"workers' safety is often linked with patient safety. If workers are safer in their jobs, patients will be safer also"* (page 20). In fact there is little evidence to support this claim, although emerging evidence is encouraging.⁶⁷ So future safety climate research in health care should elaborate and test models that attempt to explicate the mechanisms influencing not only patient safety but worker safety as well.

Finally, while questionnaires offer an efficient and anonymous method of collecting safety climate data, researchers need to consider alternative techniques for sensing organisational culture. Ethnographic approaches based on observation and interviewing⁶⁸ can be expensive but they can provide valuable qualitative data to test the validity of the survey methods.

Authors' affiliations

R Flin, C Burns, K Mearns, S Yule, Industrial Psychology Research Centre, University of Aberdeen, Aberdeen, UK

E M Robertson, Grampian University Hospitals NHS Trust, UK

This research was funded by Grampian University Hospitals NHS Trust Endowment Fund. The views presented are those of the authors and should not be taken to represent the position or policy of the funding body.

Calvin Burns is now at the Business School, University of Strathclyde.

REFERENCES

- 1 Department of Health. *An organisation with a memory*, Report of an expert group on learning from adverse events in the NHS chaired by the Chief Medical Officer. London: HMSO, 2000.
- 2 Institute of Medicine. *To err is human: building a safer health system*. Washington, DC: National Academy Press, 1999.
- 3 Health and Safety Executive (HSE). *Reducing error and influencing behaviour*, 2nd ed. Suffolk: HSE Books, 1999.
- 4 International Atomic Energy Agency. *Safety culture*. International Safety Advisory Group, Safety Series 75-INSAG-4. Vienna: International Atomic Energy Agency, 1991.
- 5 Ashkanasy N, Broadfoot L, Falkus S. Questionnaire measures of organizational culture. In: Ashkanasy N, Wilderom C, Peterson M, eds. *Handbook of organizational culture and climate*. Thousand Oaks, CA: Sage, 2000.
- 6 Flin R, Mearns K, O'Connor P, et al. Measuring safety climate: identifying the common features. *Saf Sci* 2000;**34**:177-92.
- 7 Zohar D. Safety climate in industrial organizations: theoretical and applied implications. *J Appl Psychol* 1980;**65**:96-102.
- 8 Zohar D. Safety climate: conceptual and measurement issues. In: Quick JC, Tetrick LE, eds. *Handbook of occupational health psychology*. Washington, DC: American Psychological Association, 2003:123-42.
- 9 Neal A, Griffin MA. Safety climate and safety at work. In: Barling J, Frone M, eds. *The psychology of workplace safety*. Washington, DC: American Psychological Association, 2004.
- 10 Hackman JR. Learning more by crossing levels: evidence from airplanes, hospitals and orchestras. *J Organ Behav* 2003;**24**:905-22.
- 11 Zohar D. A group-level model of safety climate: testing the effect of group climate on microaccidents in manufacturing jobs. *J Appl Psychol* 2000;**85**:587-96.
- 12 Schneider B, Salvaggio A, Subirats M. Climate strength: a new direction for climate research. *J Appl Psychol* 2002;**87**:220-9.
- 13 Guldenmund FW. The nature of safety culture: a review of theory and research. *Saf Sci* 2000;**34**:215-57.
- 14 Mearns K, Flin R, Whitaker S. Benchmarking safety climate in hazardous environments: a longitudinal, inter-organisational approach. *Risk Anal* 2001;**21**:771-86.
- 15 Zohar D. The influence of leadership and climate on occupational health and safety. In: Hofmann D, Tetrick L, eds. *Health and safety in organizations*. San Francisco: Jossey Bass, 2003.
- 16 Flin R. "Danger - Men at Work": management influences and safety. *Human Factors and Ergonomics in Manufacturing* 2003;**13**:261-8.
- 17 Griffin MA, Neal A. Perceptions of safety at work: a framework for linking safety climate to safety performance, knowledge, and motivation. *J Occup Health Psychol* 2000;**5**:347-58.
- 18 Clarke S. *Can safety climate predict accident rates?* Paper presented at the Society for Industrial and Organizational Psychology Conference, Los Angeles, April, 2005.
- 19 Donald I, Canter D. Employee attitudes and safety in the chemical industry. *J Loss Prevent Process Industries* 1994;**7**:203-8.
- 20 Lee T. Assessment of safety culture at a nuclear reprocessing plant. *Work & Stress* 1998;**12**:217-37.
- 21 Mearns K, Flin R, Gordon R, et al. Measuring safety climate on offshore installations. *Work & Stress* 1998;**12**:238-54.
- 22 Cooper D, Philips R. Exploratory analysis of the safety climate and safety behavior relationship. *J Saf Res* 2004;**35**:497-512.
- 23 Nieva V, Sorra J. Safety culture assessment: a tool for improving patient safety in health care organizations. *Qual Saf Health Care* 2003;**12**(Suppl 11):ii17-23.
- 24 Colla J, Bracken A, Kinney L, et al. Measuring safety climate: a review of surveys. *Qual Saf Health Care* 2005;**14**:364-6.
- 25 DeJoy DM, Murphy LR, Gershon RRM. Safety climate in health care settings. In: Bittner AC, Champney PC, eds. *Advances in industrial ergonomics and safety VII*. New York: Taylor & Francis, 1995.
- 26 Gershon RRM, Karkashian CD, Grosch JW, et al. Hospital safety climate and its relationship with safe work practices and workplace exposure incidents. *Am J Infect Control* 2000;**28**:211-21.
- 27 Neal A, Griffin M, Hart P. The impact of organizational climate on safety climate and individual behaviour. *Saf Sci* 2000;**34**:99-109.
- 28 Felknor SA, Aday LA, Burau KD, et al. Safety climate and its association with injuries and safety practices in public hospitals in Costa Rica. *Int J Occup Environ Health* 2000;**6**:18-25.
- 29 McCoy KD, Beekmann SE, Ferguson KJ, et al. Monitoring adherence to standard precautions. *Am J Infect Control* 2001;**29**:24-31.
- 30 Vredenburg AG. Organizational safety: which management practices are most effective in reducing employee injury rates? *J Saf Res* 2002;**33**:259-76.
- 31 Carrico CG. Nurses' perceptions of the safety climate in their workplace: a research study. *Delaware Nurses Assoc Reporter* 2003;**28**:16-7.
- 32 Singer SJ, Gaba DM, Geppert JJ, et al. The culture of safety: results of an organization-wide survey in 15 California hospitals. *Qual Saf Health Care* 2003;**12**:112-8.
- 33 Sorra J, Nieva V. *Psychometric analysis of the hospital survey on patient safety*. Final Report to Agency for Healthcare Research and Quality (AHRQ). Washington: AHRQ, 2003.
- 34 Itoh K, Abe T, Andersen H. A survey of safety culture in hospitals including staff attitudes about incident reporting. *Proceedings of the Workshop on the Investigation and Reporting of Incidents and Accidents*, Glasgow, July 2002.

- 35 **Pronovost PJ**, Weast B, Holzmueller CG, *et al.* Evaluation of the culture of safety: survey of clinicians and managers in an academic medical center. *Qual Saf Health Care* 2003;**12**:405–10.
- 36 **Woods B**, Prineas S, Thavaravy R, *et al.* Where to start? Achieving a just culture in health care. *Proceedings of the Australian Aviation Psychology Conference (Medical Track)*, Sydney, December 2003.
- 37 **DeJoy D**, Murphy L, Gershon R. The influence of employee, job/task, and organizational factors on adherence to universal precautions among nurses. *Int J Ind Ergon* 1995;**16**:43–55.
- 38 **DeJoy D**, Searcy C, Murphy L, *et al.* Behavioral-diagnostic analysis of compliance with universal precautions among nurses. *J Occup Health Psychol* 2000;**5**:127–141.
- 39 **Gershon R**, Vlahov D, Felkner S, *et al.* Compliance with universal precautions among health care workers at three regional hospitals. *Am J Infect Control* 1995;**23**:225–36.
- 40 **Guastello S**, Gershon R, Murphy L. Catastrophe model for the exposure to blood-borne pathogens and other accidents in health care settings. *Accident Anal Prevent* 1999;**31**:739–49.
- 41 **McGovern P**, Vesley D, Kochevar L, *et al.* Factors affecting universal precautions compliance. *J Business Psychol* 2000;**15**:149–61.
- 42 **Gershon R**, Stone P, Bakken S, *et al.* Measurement of organizational culture and climate in health care. *J Nurs Res* 2004;**34**:33–40.
- 43 **Hemingway M**, Smith C. Organizational climate and occupational stressors as predictors of withdrawal behaviours and injuries in nurses. *J Occup Organiz Psychol* 1999;**72**:285–99.
- 44 **Scott T**, Mannion R, Davies H, *et al.* *Organisational culture and health care performance. A review of theory, instruments and evidence.* Oxford: Radcliffe Press, 2001.
- 45 **American Psychological Association (APA).** *Standards for educational and psychological testing.* Washington, DC: APA, 1999.
- 46 **Nunnally JC**, Bernstein IH. *Psychometric theory*, 3rd ed. New York: McGraw-Hill, 1994.
- 47 **Haynes S**, Richard D, Kubany E. Content validity in psychological assessment: a functional approach to concepts and methods. *Psychol Assess* 1995;**7**:238–47.
- 48 **Podsakoff P**, MacKenzie S, Lee J, *et al.* Common method biases in behavioral research: a critical review of the literature and recommended remedies. *J Appl Psychol* 2003;**88**:879–903.
- 49 **Ferguson E**, Cox T. Exploratory factor analysis: a user's guide. *Int J Select Assess* 1993;**1**:84–94.
- 50 **Tabachnick B**, Fidell L. *Using multivariate statistics*, 4th ed. New York: Harper-Collins, 2001.
- 51 **Guadagnoli E**, Velicer W. Relation of sample size to the stability of component patterns. *Psychol Bull* 1988;**103**:265–75.
- 52 **Stevens J.** *Applied multivariate statistics for the social sciences*, 2nd ed. Hillsdale, NJ: LEA, 1992.
- 53 **DeVellis R.** *Scale development. Applications and theory.* Newbury Park, CA: Sage, 1991.
- 54 **Schaefer H**, Helmreich RL. *The Operating Room Management Attitudes Questionnaire (ORMAQ).* NASA/University of Texas FAA Technical Report. Austin: University of Texas, 1993.
- 55 **Sexton J**, Thomas E, Helmreich R. Error stress and teamwork in medicine and aviation: cross sectional surveys. *BMJ* 2000;**320**:745–9.
- 56 **Flin R**, Fletcher G, McGeorge P, *et al.* Anaesthetists' attitudes to teamwork and safety. *Anaesthesia* 2003;**58**:233–42.
- 57 **Ostrom L**, Wilhelmsen C, Kaplan B. Assessing safety culture. *Nuclear Safety* 1993;**34**:163–73.
- 58 **Roberts K.** Managing high-reliability organizations. *Calif Manage Rev* 1990;**32**:101–13.
- 59 **Zohar D.** Modifying supervisory practices to improve sub-unit safety: a leadership-based intervention model. *J Appl Psychol* 2002;**87**:156–63.
- 60 **Glick WH.** Conceptualizing and measuring organizational and psychological climate: pitfalls in multi-level research. *Acad Manage Rev* 1985;**10**:601–16.
- 61 **Hofmann D**, Stetzer A. A cross level investigation of factors influencing unsafe behaviors and accidents. *Personnel Psychol* 1996;**49**:307–39.
- 62 **Helmreich RL**, Sexton JB, Merritt A. *The Operating Room Management Attitudes Questionnaire (ORMAQ).* University of Texas Aerospace Crew Research Project Technical Report 97-6. Austin: The University of Texas, 1997.
- 63 **Mearns K**, Flin R, Gordon R, *et al.* Measuring safety climate on offshore installations. *Work & Stress* 1998;**12**:238–54.
- 64 **Sorra J**, Nieva V, Schreiber G, *et al.* Safety culture and event reporting in hospital transfusion services. *Transfusion* 2002;**42**(Suppl):138S.
- 65 **National Audit Office.** *A safer place for patients: learning to improve patient safety.* London: The Stationery Office, 2005.
- 66 **Flin R**, Yule S. Leadership and safety in health care. Lessons from industry. *Qual Saf Health Care* 2004;**13**(Suppl 1):i80–4.
- 67 **Yassi A**, Hancock T. Patient safety – worker safety: building a culture of safety to improve healthcare worker and patient well being. *Healthc Q* 2005;**8**:32–8.
- 68 **Edmondson A.** Speaking up in the operating room: how team leaders promote learning in interdisciplinary action teams. *J Manage Stud* 2003;**40**:1419–52.

ECHO

NICE guidelines for head injury are cost effective



Please visit the *Quality and Safety in Health Care* website [www.qshc.com] for a link to the full text of this article.

A UK study has confirmed that National Institute of Health and Clinical Excellence (NICE) guidelines on managing head injury will save resources while maintaining patient safety. It should allay concerns about their cost effectiveness.

The two centre case study—in a teaching hospital with regional neurosciences centre and a district general hospital—compared rates of computed tomographic (CT) and *x* ray examinations of the head and admission in patients presenting to the emergency departments with head injury. Case notes for 1130 patients were analysed for four separate months—one month in the six months before the guidelines were implemented and one month after for each hospital.

Cost savings at the teaching hospital amounted to £3381/100 head injured patients, higher than predicted. A significant drop in *x* ray examination (37%–4%) and decrease in admissions (9%–4%) outweighed raised costs owing to a doubling of the rate of computed tomography. Savings at the other hospital were more modest—£290/100 patients—and less than predicted. There was a significant drop in *x* ray examination (19.0%–0.6%) and a fall in admissions (7%–5%), against a sixfold increase in CT examination. No adverse events occurred.

The NICE guidelines, issued in June 2003, advocate a major change to managing head injury. Standard skull *x* ray examination is replaced by CT examination, which is more informative and also saves patients radiation exposure. Until now the cost effectiveness of the guidelines had not been tested on practice based data.

▲ Hassan Z, *et al.* *Emergency Medicine Journal* 2005;**22**:845–849.