

**PUBLIC HEALTH MANAGEMENT- A STUDY OF REPRODUCTIVE &
CHILD HEALTH PROGRAMME IN GUJARAT**

BY

T. NATARAJAN

A THESIS

SUBMITTED TO

THE MAHARAJA SAYAJIRAO UNIVERSITY OF BARODA

FOR THE AWARD OF

Doctor of Philosophy

IN

MANAGEMENT STUDIES



UNDER THE GUIDANCE OF
DR. KIRANKUMAR M. JOSHI
PROFESSOR, FACULTY OF MANAGEMENT
MAHARAJA SAYAJIRAO UNIVERSITY OF BARODA

April, 2012

ProQuest Number: 3744991

All rights reserved

INFORMATION TO ALL USERS

The quality of this reproduction is dependent upon the quality of the copy submitted.

In the unlikely event that the author did not send a complete manuscript and there are missing pages, these will be noted. Also, if material had to be removed, a note will indicate the deletion.



ProQuest 3744991


Published by ProQuest LLC (2015). Copyright of the Dissertation is held by the Author.

All rights reserved.

This work is protected against unauthorized copying under Title 17, United States Code
Microform Edition © ProQuest LLC.

ProQuest LLC.
789 East Eisenhower Parkway
P.O. Box 1346
Ann Arbor, MI 48106 - 1346

Faculty of Management Studies
M. S. University of Baroda
Vadodara



CERTIFICATE

This is to certify that this Ph.D work, entitled
**"PUBLIC HEALTH MANAGEMENT - A STUDY OF
REPROODUCTIVE AND CHILD HEALTH PROGRAMME IN GUJARAT"**
submitted by Mr T. Natarajan for the award of **Degree of Doctor of
Philosophy, M.S. University**, Vadodara has been carried out under my
supervision and that this work has not been submitted elsewhere. To the best of
my knowledge and belief, the thesis has duly been completed by the candidate
himself.

Student

T. Natarajan

- **T Natarajan, IAS**
Commissioner of Technical Education
Government of Gujarat

Guide

K. M. Joshi

Dr Kirankumar M. Joshi
Professor
Faculty of Management Studies
Maharaja Sayajirao University
Vadodara



Acknowledgement

The process of doing this research has been a great rewarding experience in terms of new learning opportunity, culling out concepts ingrained from past learning and application of knowledge in an apposite manner.

I thank the Government of Gujarat for providing me this wonderful opportunity for pursuit of knowledge and academic excellence through this research.

Having completed my engineering graduation from Guindy Engineering College, Anna University, Chennai and Maters in Business Administration from Bharathidasan Institute of Management, Trichy, I pursued a career in Finance in Industrial Finance Corporation of India at New Delhi. Living in an environment congenial to prepare for civil services, I was perhaps destined to join the IAS.

Working as an administrator in the districts gave me hands on experience of implementation of policies and programs of Government. During these post-reform years, the State started giving high priority to social sector areas like health and education in terms of resources and commitment. While working on delivering the programs of Government, the inquisitive side of my mind was asking many questions, seeking answers and solutions to the issues. These thoughts eventually incubated into the idea of undertaking this study.

I would like to acknowledge Prof. Kirankumar M. Joshi, my Ph.D guide (Professor, Faculty of Management Studies, The Maharaja Sayajirao University of Baroda) for his excellent guidance in conceptualising and crafting this work. As constant source of encouragement and support, he made the research purposeful and enjoyable. I am immensely thankful to him for providing this opportunity to work with him.

I thank the Management of M S University for their support and contribution in carrying out this research work. I also thank the Dean Dr G.C. Maheshwari, Faculty and Staff of Faculty of Management Studies, M S University for making this a comfortable journey by providing all necessary support.

I thank my friends and colleagues in the Indian Administrative Service for sharing invaluable knowledge and insight from their years of experience in the field. In the same way I express my sincere thanks to friends in health management domain within and outside the Government for sharing their expertise.

I take this opportunity to thank Dr Vijay Pandya, District Quality Assurance Officer, Ahmedabad who made immense contribution in designing the questionnaire and helping me to undertake the demanding task of field survey work in different geographical areas in spite of time constraints. I also thank Dr Rajendra Gadhvi, BJ Medical College for his subject matter inputs in public health for analysis and interpretations.


I fondly acknowledge the contribution of Dr. AGV Narayanan, Dean of EBET group of Institutions, Erode in conceptualising the research plan and Dr Pyare Lal Arya, currently Director of NL Dalmia Institute of Management, Mumbai who as my teacher helped me to get a sound footing on fundamentals of management.

Many of the academic tools applied in this study were learnt during the Masters in International Development Program at Duke University, NC, USA. I particularly thank Prof. Corinne M. Krupp, who was my project guide and Prof. Rosemary M. Fernholz who helped me in public policy papers.

This has been an enriching experience of my academic life with the exceptional contribution of my wife Dr. Vasuki, who as spring of energy infused spirit to the work. With her subject matter knowledge, experience and ideas, she imbued immense value to the work and performed the exacting job of proof reading many a times. This was over and above ensuring that day to day activities were sustained at home without any hassle. I have no way to thank her.

I am indebted to my parents, Thiruvenkadam and Thillaiammal, who have instilled in me a passion for academic pursuit which I hope, will continue with equal vigour. I thank all my friends and relatives who have been constant source of encouragement in doing this research and shouldered many household responsibilities which allowed me to focus on the study.

I owe a great deal to our daughter Yoga and son Venky, who have been curious about the work and intuitively supportive of my endeavour. It was their rightful share of time which went into the creation of this work and I ought to make up for that now.



CONTENTS

| No. | Topic | Page |
|-----------|---|------|
| | Abbreviations | 1 |
| 1. | Public Health in India: Introduction and Evolution | 3 |
| | 1.1 Introduction | 3 |
| | 1.2 Evolution of Public Health System in India | 3 |
| | 1.2.1 Expert Committee Reports | 4 |
| | 1.2.2 National and State Health Policies | 6 |
| 2. | Rationale for Research; Literature Review; Purpose of Research & Sources of Data | 17 |
| | 2.1 Literature Review of Public Health Management | 18 |
| | 2.2 Rationale for Research | 24 |
| | 2.3 Purpose of Research - | 25 |
| | 2.4 Source of Data | 26 |
| | 2.5 Health Indicators | 30 |
| 3. | Health Care System in India | 33 |
| | 3.1 Demographic and Socio-Economic Profile | 33 |
| | 3.1.1 Demographic Profile | 33 |
| | 3.1.2 Socio-Economic Profile | 36 |
| | 3.2 Health Profile | 39 |
| | 3.2.1 Health Care Performance across States | 39 |
| | 3.3 Health Care Infrastructure | 41 |
| | 3.4 Health Care Organizations | 45 |
| | 3.5 Health Care Legislations | 49 |
| | 3.6 Health Programs in the Country | 52 |
| 4. | Health Care Delivery in Gujarat | 55 |
| | 4.1 Demographic & Socio-Economic Profile and Physical Infrastructure | 55 |
| | 4.1.1 Demographic Profile | 55 |
| | 4.1.2 Socio-Economic Profile | 56 |
| | 4.1.3 Physical Infrastructure | 58 |
| | 4.2 Health Profile of Gujarat | 59 |
| | 4.2.1 Health Infrastructure | 60 |
| | 4.2.2 Human Resources in Public Health | 60 |
| | 4.2.3 Health Finance | 62 |
| | 4.3 Public Health Management in Gujarat | 62 |
| | 4.3.1 Health Care Delivery Structure | 63 |

| No. | Topic | Page |
|------------|---|-------------|
| 5. | National Rural Health Mission | 66 |
| | 5.1 Evolution of Maternal & Child Health Program | 66 |
| | 5.2 Reproductive and Child Health Program | 67 |
| | 5.2.1 RCH Phase II Program | 67 |
| | 5.3 National Rural Health Mission | 68 |
| | 5.3.1 NRHM in Gujarat: Vision & Strategy | 70 |
| | 5.3.2 NRHM Plan | 71 |
| 6. | Research Design and Methodology | 77 |
| | 6.1 Two Stage Research Study | 77 |
| | 6.1.1 First Stage Research Study | 78 |
| | 6.1.2 Second Stage Research Study | 79 |
| | 6.2 Survey Objectives | 79 |
| | 6.2.1 Survey of Health Workers | 79 |
| | 6.2.2 Survey of Beneficiaries | 80 |
| | 6.3 Questionnaire Design | 81 |
| | 6.4 Sampling Strategy & Data Collection | 82 |
| | 6.5 Data Analysis | 83 |
| | 6.5.1 Verification; Classification and Tabulation | 83 |
| | 6.5.2 χ^2 - Test of Hypothesis | 84 |
| | 6.5.3 Multiple Linear Regression | 85 |
| 7. | Performance Assessment of Districts | 86 |
| | 7.1 Performance of Districts in Health Indicators | 86 |
| | 7.2 Evaluation of Selected Districts | 92 |
| | 7.2.1 Ahmedabad | 92 |
| | 7.2.2 Bharuch | 93 |
| | 7.2.3 Junagadh | 96 |
| 8. | Analysis and Findings | 98 |
| | 8.1 Analysis and Findings of Health Workers Survey | 98 |
| | 8.1.1 Analysis of Sample | 98 |
| | 8.1.2 Functions of Health Workers | 99 |
| | 8.1.3 Health Planning | 101 |
| | 8.1.4 Infrastructure | 107 |
| | 8.1.5 Facilities in Health Centre | 112 |
| | 8.1.6 Resources in Health Centre | 112 |
| | 8.1.7 Activities of Health Worker | 114 |

| No. | Topic | Page |
|------------|---|-------------|
| | 8.1.8 Human Resource Management | 122 |
| | 8.1.9 Monitoring & Review | 129 |
| | 8.1.10 Time Management | 133 |
| | 8.1.11 Financial Powers | 135 |
| 8.2 | Analysis and Findings of Beneficiaries Survey | 139 |
| | 8.2.1 Analysis of Sample | 139 |
| | 8.2.2 Demography of Beneficiaries/Patients | 140 |
| | 8.2.3 Socio-Economic Profile | 142 |
| | 8.2.4 Awareness Programs | 150 |
| | 8.2.5 Health Care Seeking Behaviour | 153 |
| | 8.2.6 Accessibility: Infrastructure & Facilities | 163 |
| | 8.2.7 Quality of Service | 164 |
| | 8.2.8 Documentation & Records | 172 |
| | 8.2.9 Financial Resources and Burden | 172 |
| 8.3 | Analysis of Socio-Economic Factors | 176 |
| | 8.3.1 Age of Respondents | 176 |
| | 8.3.2 Family Size of Beneficiaries | 187 |
| | 8.3.3 Monthly Income of Family | 196 |
| | 8.3.4 Poverty Level of Beneficiaries | 206 |
| | 8.3.5 Level of Literacy | 216 |
| | 8.3.6 Caste Profile | 226 |
| | 8.3.7 Occupation of Beneficiaries | 235 |
| 8.4 | Multiple Linear Regressions | 244 |
| | 8.4.1 Health Workers: Target Achievement & Motivation | 244 |
| | 8.4.2 Beneficiaries: Quality of Services & Repeat Visit | 251 |
| 9. | Recommendations and Future Scope | 262 |
| 10. | Conclusion | 270 |
| | Bibliography | 271 |
| | Annexure | 276 |

| S. No | Topic | Page |
|--|--|------|
| Table 1.1 | Health Outcomes in India | 7 |
| Table 1.2 | Health Indicators: Regional Inequity | 11 |
| Table 1.3 | Health Indicators: Social Inequity | 12 |
| Table 1.4 | Health Indicators: International Comparison | 12 |
| Table 1.5 | Goals under National Health Policy | 14 |
| Table 1.6 | Targets under National Health Policy | 15 |
| Table 2.1 | Comparison of Health Care Outcome: Gujarat & India | 17 |
| Table 3.1 | Demographic changes in India | 33 |
| Table 3.2 | Demographic Transition of India | 35 |
| Table 3.3 | Demographic Profile of India | 36 |
| Table 3.4 | Socio-Economic Profile of India | 37 |
| Table 3.5 | Indian Economy: A Profile | 37 |
| Table 3.6 | Infrastructure in India | 38 |
| Table 3.7 | India: Health Indicators Trend | 38 |
| Table 3.8 | Health Indicators - Comparison of States I | 39 |
| Table 3.9 | Health Indicators - Comparison of States II | 40 |
| Table 3.10 | Health Care Infrastructure in India | 42 |
| Table 4.1 | Gujarat: Demographic Trend | 55 |
| Table 4.2 | Gujarat: Socio- Economy | 57 |
| Table 4.3 | Gujarat: Infrastructure | 58 |
| Table 4.4 | Gujarat: Changes in Key Health Indicators | 59 |
| Table 4.5 | Health Care Infrastructure in Gujarat | 60 |
| Table 4.6 | Manpower in Health in Gujarat | 61 |
| Table 4.7 | Gujarat: Status of Health Personnel | 61 |
| Table 4.8 | Gujarat: Health Finance/ Budget | 62 |
| Table 5.1 | RCH II: Targets | 68 |
| Table 7.1 | Public Health Performance Comparison of Districts –I | 87 |
| Table 7.2 | Public Health Performance Comparison of Districts –II | 88 |
| Table 7.3 | Public Health Performance Comparison of Districts –III | 89 |
| Table 7.4 | Ranking of Performance of Districts | 91 |
| Table 7.5 | Demography of Districts | 92 |
| Table 7.6 | Geography of Districts | 93 |
| Table 7.7 | Land Use Pattern in Districts | 93 |
| Table 7.8 | Agriculture | 94 |
| Table 7.9 | Irrigation | 94 |
| Table 7.10 | Industry & Commerce | 95 |
| Table 7.11 | Banking & Finance | 95 |
| Table 7.12 | Health Indicators in Districts | 96 |
| Tables of Analysis of Health Workers Survey | | |
| Table 8.1.1 | Sample Size of Health Workers | 98 |
| Table 8.1.2 | Sample Characteristics - χ^2 Test Statistic | 98 |

| S. No | Topic | Page |
|--------------|--|------|
| Table 8.1.3 | Functions of Health Workers | 100 |
| Table 8.1.4 | Key Functions of Health Workers | 100 |
| Table 8.1.5 | Functions of Health Workers - χ^2 Test Statistic | 101 |
| Table 8.1.6 | Planning: Health Action Plan Availability | 102 |
| Table 8.1.7 | Planning: Health Action Plan Preparation | 102 |
| Table 8.1.8 | Planning: Groups Involvement | 104 |
| Table 8.1.9 | Planning: Quality of Involvement of Groups I | 105 |
| Table 8.1.10 | Planning: Quality of Involvement of Groups II | 106 |
| Table 8.1.11 | Health Action Plan - χ^2 Test Statistic | 107 |
| Table 8.1.12 | Infrastructure: Time taken to travel to work place | 108 |
| Table 8.1.13 | Infrastructure: Availability of Transport to Health Centre | 108 |
| Table 8.1.14 | Infrastructure: Local transport to Villages in work area | 109 |
| Table 8.1.15 | Infrastructure: Transport to beneficiaries place | 109 |
| Table 8.1.16 | Infrastructure: χ^2 Test Statistic | 109 |
| Table 8.1.17 | Facilities in Health Centre | 111 |
| Table 8.1.18 | Facilities at Health Centre: χ^2 Test Statistic | 112 |
| Table 8.1.19 | Resources in Health Centre | 113 |
| Table 8.1.20 | Resources in Health Centre: χ^2 Test Statistic | 113 |
| Table 8.1.21 | Activities of Health Workers: χ^2 Test Statistic | 115 |
| Table 8.1.22 | Activities: Target Groups for IEC Activities | 116 |
| Table 8.1.23 | Planning: Targeted Activities | 117 |
| Table 8.1.24 | Activities: Place of visiting Beneficiaries | 118 |
| Table 8.1.25 | Difficulty in Achieving the Targets | 119 |
| Table 8.1.26 | Activities: Beneficiaries approaching for services on their own | 120 |
| Table 8.1.27 | Human Resource Management: χ^2 Test Statistic | 123 |
| Table 8.1.28 | Human Resource Management I – Relationship & Motivation | 124 |
| Table 8.1.29 | Human Resource Management II – Decision Making & Evaluation | 125 |
| Table 8.1.30 | Human Resource Management III – Satisfaction with Pay & Allowances | 126 |
| Table 8.1.31 | Human Resource Management IV- Burden of Work | 126 |
| Table 8.1.32 | Human Resource Management V – Clarity of Work | 127 |
| Table 8.1.33 | Human Resource Management VI - Career Growth | 127 |
| Table 8.1.34 | Training of Health Workers – Sufficiency | 129 |
| Table 8.1.35 | Training of Health Workers – Quality | 130 |
| Table 8.1.36 | Monitoring & Review – Reporting | 131 |
| Table 8.1.37 | Monitoring & Review – Review | 132 |

| S. No | Topic | Page |
|---|--|------|
| Table 8.1.38 | Monitoring & Review – χ^2 Test Statistic | 132 |
| Table 8.1.39 | Time Management - χ^2 Test Statistic | 133 |
| Table 8.1.40 | Time Management: Activity-Days | 134 |
| Table 8.1.41 | Time Management: Effective Use of Time | 135 |
| Table 8.1.42 | Exercise of Financial Powers - χ^2 Test Statistic | 136 |
| Table 8.1.43 | Exercise of Financial Powers - Repairs & Maintenance | 137 |
| Table 8.1.44 | Exercise of Financial Powers - Emergency Purchase | 138 |
| Tables of Analysis of Beneficiaries Survey | | |
| Table 8.2.1 | Sample of Beneficiaries/Patients | 139 |
| Table 8.2.2 | Sample of Beneficiaries/Patients- χ^2 Test Statistic | 140 |
| Table 8.2.3 | Age Profile of Beneficiaries | 140 |
| Table 8.2.4 | Family Size of Beneficiaries | 141 |
| Table 8.2.5 | Socio-Economic & Demographic Characteristics - χ^2 Test Statistic | 142 |
| Table 8.2.6 | Primary Occupation of Beneficiaries | 144 |
| Table 8.2.7 | Monthly Income of Beneficiaries | 145 |
| Table 8.2.8 | Poverty Level of Beneficiaries | 145 |
| Table 8.2.9 | Literacy Level of Beneficiaries | 146 |
| Table 8.2.10 | Caste Category of Beneficiaries | 147 |
| Table 8.2.11 | Participation in Awareness Programs | 151 |
| Table 8.2.12 | Utility of Awareness Programs | 152 |
| Table 8.2.13 | Visit of Health Personnel: Category | 152 |
| Table 8.2.14 | Awareness Programs - χ^2 Test Statistic | 153 |
| Table 8.2.15 | Health Care Seeking Behaviour - χ^2 Test Statistic | 154 |
| Table 8.2.16 | Health Care Seeking Behaviour - Influencers | 155 |
| Table 8.2.17 | Health Care Seeking Behaviour – Decision Makers | 156 |
| Table 8.2.18 | Health Care Seeking Behaviour – Service Providers | 158 |
| Table 8.2.19 | Health Care Seeking Behaviour – Purpose of Visit | 159 |
| Table 8.2.20 | Infrastructure: Travel to Health Centre | 161 |
| Table 8.2.21 | Facilities in Health Centre | 162 |
| Table 8.2.22 | Infrastructure - χ^2 Test Statistic | 163 |
| Table 8.2.23 | Facilities in Health Centre - χ^2 Test Statistic | 163 |
| Table 8.2.24 | Experience in Health Centre - χ^2 Test Statistic | 166 |
| Table 8.2.25 | Health Care: Quality of Service | 167 |
| Table 8.2.26 | Health Care: Guidance & Counselling | 168 |
| Table 8.2.27 | Availability of Drugs & Lab Services | 169 |
| Table 8.2.28 | Health Care: Referral Services | 170 |
| Table 8.2.29 | Repeat Visit for Health Care | 171 |
| Table 8.2.30 | Documentation and Record Keeping | 171 |
| Table 8.2.31 | Documentation and Record Keeping - χ^2 Test Statistic | 172 |

| S. No | Topic | Page |
|---|--|------------|
| Table 8.2.32 | Financial Resources/ Burden - χ^2 Test Statistic | 173 |
| Table 8.2.33 | Affordability: Out-of-Pocket Expenditure on Health Care | 174 |
| Table 8.2.34 | Financial Assistance from Government | 175 |
| Table 8.2.35 | Willingness to Pay for Better Services | 175 |
| Tables of Analysis of Socio-Economic Factors | | |
| Tables 8.3.1 to 8.3.9 | Age & Health Care of Beneficiaries | 177 to 186 |
| Tables 8.3.10 to 8.3.18 | Family Size & Health Care of Beneficiaries | 187 to 195 |
| Tables 8.3.19 to 8.3.27 | Monthly Income & Health Care of Beneficiaries | 197 to 205 |
| Tables 8.3.28 to 8.3.36 | Poverty & Health Care of Beneficiaries | 207 to 215 |
| Tables 8.3.37 to 8.3.45 | Literacy & Health Care of Beneficiaries | 217 to 225 |
| Tables 8.3.46 to 8.3.54 | Caste Category & Health Care of Beneficiaries | 226 to 234 |
| Tables 8.3.55 to 8.3.63 | Occupation & Health Care of Beneficiaries | 236 to 243 |
| Tables of Multiple Linear Regressions | | |
| Tables 8.4.1 to 8.4.5 | MLR of Target Achievement of Health Workers with all variables | 245 to 246 |
| Tables 8.4.6 to 8.4.10 | MLR of Target Achievement of Health Workers with significant variables | 247 |
| Tables 8.4.11 to 8.4.15 | MLR of Motivation of Health Workers with all variables | 248 to 249 |
| Tables 8.4.16 to 8.4.20 | MLR of Motivation of Health Workers with significant variables | 250 |

| S. No | Topic | Page |
|-------------------------------|---|---------------|
| Tables 8.4.21 8.4.25 | MLR of Quality of Service of Beneficiaries with all socio-economic variables | 252 to 253 |
| Tables 8.4.26 to 8.4.30 | MLR of Quality of Service of Beneficiaries with all health delivery variables | 253 to 254 |
| Tables 8.4.31 to 8.4.35 | MLR of Quality of Service of Beneficiaries with significant health delivery variables | 255 to 256 |
| Tables 8.4.36 to 8.4.40 | MLR of Repeat Visit of Beneficiaries with all socio-economic variables | 256 to 257 |
| Tables 8.4.41 to 8.4.45 | MLR of Repeat Visit of Beneficiaries with significant socio-economic variables | 258 to 259 |
| Tables 8.4.46 to 8.4.50 | MLR of Repeat Visit of Beneficiaries with all Health Delivery variables | 259 to 260 |
| Tables 8.4.51 to 8.4.55 | MLR of Repeat Visit of Beneficiaries with significant Health Delivery variables | 261 |

Graphs



| Graph No. | Topic | Page |
|------------------|---|-------------|
| Graph 1.1 | Health care Outcomes in India | 8 |
| Graph 1.2 | Health Indicators: International Comparison | 13 |
| Graph 2.1 | Comparison of Health Care Outcomes: IMR & MMR | 18 |
| Graph 2.2 | Comparison of Health Care Outcomes: TFR | 18 |
| Graph 3.1 | Demographic Changes in India | 34 |
| Graph 4.1 | Gujarat: Demographic Trend | 56 |
| Graph 7.1 | Health Indicators - Performance of Districts | 90 |
| Graph 8.1 | Sample size of Health Workers | 98 |
| Graph 8.2 | Sample Distribution | 99 |
| Graph 8.3 | Sample size of Beneficiaries | 139 |
| Graph 8.3 | Sample Distribution | 139 |
| Graph 8.4 | Age Profile of Respondents | 141 |
| Graph 8.5 | Family Size of Beneficiaries | 142 |
| Graph 8.6 | Occupation of Beneficiaries | 143 |
| Graph 8.7 | Monthly Income of Beneficiaries | 143 |
| Graph 8.8 | Poverty Level | 148 |
| Graph 8.9 | Literacy Profile | 149 |
| Graph 8.10 | Caste Composition | 150 |

Chart/Pictures

| Chart No. | Topic | Page |
|------------------|---|-------------|
| Chart 3.1 | Health Care Structure in India | 43 |
| Chart.4.1 | Health Care Structure in Gujarat | 64 |
| Chart 8.1 | Health Care Supply: Health Worker Perspective | 103 |
| Chart 8.2 | Beneficiaries: Distance Chart of Influencers / Decision Makers | 157 |
| Chart 8.3 | Health Care Seeking Behaviour of Beneficiaries | 179 |



Abbreviations

| | |
|--------|---|
| ASHA: | Accredited Social Health Activist |
| ANC: | Ante Natal Care |
| ANM: | Auxiliary Nurse & Midwife |
| AIDS: | Acquired Immuno-Deficiency Syndrome |
| BPL: | Below Poverty Line |
| CBR: | Crude Birth Rate |
| CBHI: | Central Bureau of Health Intelligence |
| CBHV: | Community Based Health Volunteers |
| CDR: | Crude Death Rate |
| CHC: | Community Health Centre |
| CSSM: | Child Survival and Safe Motherhood |
| DLHS: | District Level Household Survey |
| FHW: | Female Health Worker |
| FSSAI: | Food Safety and Standards Authority of India |
| GDP: | Gross Domestic Product |
| HDI: | Human Development Index |
| HDR: | Human Development Reports |
| ICDS: | Integrated Child Development Services |
| ICMR: | Indian Council of Medical Research |
| IEC: | Information; Education and Communication |
| IMA: | Indian Medical Association |
| IMR: | Infant Mortality Rate |
| IDSP: | Integrated Disease Surveillance Project |
| JSY: | Janani Surakhsha Yojna |
| MCH: | Maternal and Child Health |
| MCI: | Medical Council of India |
| MDG: | Millennium Development Goals |
| MMR: | Maternal Mortality Rate |
| MNP: | Minimum needs Program |
| MOHFW: | Ministry of Health and Family Welfare |
| MPHW: | Multi-Purpose Health Worker |
| MTP: | Medical Termination of Pregnancy |
| NABH: | National Accreditation Board for Hospitals & Healthcare Providers |
| NACO: | National AIDS Control Organization |
| NFHS: | National Family Health Survey |
| NHP: | National Health Policy |
| NIFHW: | National Institute of Health & Family Welfare |
| NMEP: | National Malaria Eradication Program |
| NPP: | National Population Policy |

| | |
|---------------|--|
| NRHM: | National Rural Health Mission |
| NSSO: | National Sample Survey Organization |
| PCI: | Pharmacy Council of India |
| PHC: | Primary Health Centre |
| PHFI: | Public Health Foundation of India |
| PNDT: | Pre-Natal Diagnostic Techniques |
| QCI: | Quality Council of India |
| RCH: (MCH) | Reproductive and Child Health |
| RGCC: | Registrar General and Census Commissioner |
| RKS: | Rogi Kalyan Samiti |
| RSBY: | Rashtriya Swastha Bhima Yojna |
| RTI: | Reproductive Tract Infection |
| SIHFW: | State Institute of Health & Family Welfare |
| SRS: | Sample Registration System |
| STI: | Sexually Transmitted Infection |
| TFR: | Total Fertility Rate |
| UNDP: | United Nations Development Program |
| UNICEF: | United Nations Children's Fund |
| WB: | World Bank |
| WHO: | World Health Organization |

CHAPTER - I

PUBLIC HEALTH IN INDIA: INTRODUCTION AND EVOLUTION

Chapter I

I. Public health system in India: An Introduction and Evolution

This chapter gives an account of national health policies, health infrastructure, priorities and initiatives in health sector during the years after independence.

1.1 Introduction

Health is a positive state of well being in which harmonious development of physical and mental capacities of individual lead to enjoyment of rich and full life. Health is thus vital for concurrent and integrated development of the individual and community and for socio-economic development of the country. According to World Health Organization, Health is a state of complete physical, mental, and social well-being and not merely the absence of disease or infirmity¹.

Public Health is the science and art of promoting health, preventing disease, and prolonging life through the organized efforts of society (WHO). Public health is a social and political concept aimed at improving health, prolonging life and quality of life among whole populations through health promotion, disease prevention and other forms of health intervention.

Directive Principles of State Policy of Indian Constitution considers that the State shall regard raising of the level of nutrition and standard of living of its people and improvement of public health as among its primary duties under Article 47. In addition, under Article 42, the State shall make provision for securing just and humane conditions of work and for maternity relief. The health system in India is expected to perform with objectives based on these principles and evolve its spirit and structure to achieve these objectives.

1.2 Evolution of Public Health System in India

After independence, India embarked on a planned effort to raise standard of living of the people and impetus was given to health care, which was made integral part of socio-economic development. Over the past six decades, public health infrastructure and services has undergone remarkable changes and huge expansion in scale and nature based

¹Health Promotion Glossary: Division of Health Promotion, Education and Communications (HPR) Health Education and Health Promotion Unit (HEP), World Health Organization, Geneva, 1998.

on recommendations by a number of expert committees². Health being a State subject under the Constitution, State Governments has undertaken various initiatives to improve healthcare in their respective States. The Central Government has given the policy direction and thrust to healthcare through many national programs.

1.2.1 Expert Committee Reports

1. Bhore Committee

Just before independence Bhore committee³ was constituted in 1943 to survey existing health conditions and organizations to make recommendations for future development. The committee emphasized the need for social orientation of medical practice, a high level of public participation and consequent development of environmental health. The two key recommendations are:

- i) A blue print for Primary Health Centres (PHC), to serve a population of 10000 to 20000 and
- ii) Formation of village health committees to obtain the active cooperation and support in development of health programs.

2. Mudaliar Committee

A committee under the chairmanship of Dr. Lakshmanaswami Mudaliar was set up in 1959 to assess the field of public health and medical relief. The important features of the recommendations are:

- i. Strengthening of district hospitals
- ii. Upgrading and strengthening of PHC
- iii. Extension of functions of University Grants Commission to education in the field of medicine.
- iv. Institution of National programs for malaria eradication, small pox, cholera, leprosy, tuberculosis and filariasis.
- v. Levying of small fee for those availing hospital services, except those who are really poor.

3. Chadha Committee

A committee was constituted under the chairmanship of Dr M S Chadha in 1963 to go into the details of requirements related to planning and functioning of PHC and

² Kumar, Virendra – Government of India: Committees and Commissions in India Vol. 7: 1966.

³ Health and Survey (Bhore) Committee Report: Government of India, Volume 1, Delhi Publications Division, 1946.

performance of National Malaria Eradication Program. The committee recommended strengthening of rural health services, vigilance through medical institutions and developing multipurpose domiciliary health services for all health programs.

4. Mukherjee Committee

The Central council of health, in 1965, appointed this committee to undertake a review of family planning and its strategy. The committee while recommending strengthening of administrative set up from PHC to State headquarters also recommended delinking of family planning from malaria eradication program, so that the former can receive undivided attention.

5. Jain Committee

A study group was constituted in 1966 under the chairmanship of Sri A P Jain to look into medical care services. The group studied the working of different hospitals in the country to improve the standards of medical care. The key recommendations were to provide specialist medical care at district hospitals, and improving the capacity and coverage of PHC to provide maternity facilities.

6. Kartar Singh Committee

This committee was constituted based on recommendation of central family planning council to study the issues of integrated services, training and mobile services. The main recommendations of the committee are:

- i. MPHWS for the delivery of health, family planning and nutrition services to the communities.
- ii. At least one FHW/ANM to be made available for a population of 10000 to 12000.
- iii. Each PHC should ultimately serve a population of 50000 and should have sub-centres spread over its area.
- iv. Training for all workers engaged in the fields of health, family planning and nutrition.

7. Shrivatsava Committee

A committee was formed in 1974 to study medical education and manpower under Dr. J B Shrivatsava. The major courses of action recommended by the committee are:

- i. Organization of basic health services (family planning, nutrition and health education) within the community itself and training the personnel for this purpose.
- ii. Creation of national referral services by developing proper linkages between PHC and higher level referral and service centres.

- iii. Creation of administrative and financial machinery to reorganize medical and health education in tune with the objective of national health services.

8. Analysis of Committee Reports

An analysis of recommendations of various expert committees reflects the changes and developments in public health delivery system in India. The basic framework suggested by Bhore committee for primary health care unit, continues till date as the focal point of public health delivery. The programs based approach of Mudaliar committee has been adopted to control major communicable diseases affecting the community.

Family planning is given impetus as a special activity after the recommendation of Mukherjee committee. Creation of multipurpose health workers and female health workers were the hallmark of recommendation of Kartar Singh Committee. Thus, in first few years of independence, development of public health delivery system was the product of recommendations of these committees constituted from time to time.

1.2.2 National and State Health Policies

1. Alma Ata Declaration

The Alma Ata declaration⁴ in 1978 led to the launch of “Health for all by 2000” signed by 137 countries including India. The declaration advocated provision of first contact services and basic medical care within the framework of integrated health services. It was declared that PHC is essential for health care based on practical, scientifically sound and socially acceptable methods and technology made universally accessible to individuals and families through participation. The responsibility of the state to provide comprehensive primary health care as per this declaration led to the formulation of country’s first National Health Policy in 1983.

2. National Health Policy, 1983

The strategy for health care development shifted from committee to policy based approach with the formulation of National Health Policy, 1983. The major goal of policy was to provide universal and comprehensive primary health services. The elements of this policy covered identification of problems requiring urgent attention and recommendations to ameliorate them, population stabilization, provision of primary health care, medical and health education, role of indigenous and other systems of medicine, medical industry, health insurance and legislation and medical Research.

⁴ Primary Health: Indian Scenario: Section 11- Origin and evolution of primary health care in India, WHO India.

An important problem identified was the state of Maternal and Child Health Care (MCH). The NHP accorded highest priority to MCH services to focus on underserved sections of society. In order to achieve its goals, the policy identified key indicators and time bound targets to be achieved in respect of these indicators. Some key indicators identified were infant mortality rate, maternal mortality rate, life expectancy at birth, crude birth and death rate, effective couple protection, net protection rate, family size, pregnant mothers receiving antenatal care, deliveries by trained birth attendants and immunization status. Consequently, Reproductive and Child Health (RCH-phase I) program which incorporated child health, maternal health, family planning, treatment and control of reproductive tract infections and adolescent health was launched in 1997. Subsequently, RCH-phase II which aims at an outcome-oriented program based approach with emphasis on decentralization, monitoring and supervision based approach was launched in 2005.

| Table 1.1 | Health Outcomes in India | | |
|-------------------------------|---------------------------------|-------------|-------------------|
| Indicator | 1951 | 1981 | 2000 |
| Life Expectancy | 36.7 | 54 | 64.6 ⁵ |
| Crude Birth Rate | 40.8 | 33.9 | 26.2 |
| Crude Death Rate ⁶ | 25 | 12.5 | 8.7 |
| IMR | 146 | 110 | 70 |

Source: Vital Statistics, Sample Registration System


To achieve these objectives, some noteworthy initiatives were undertaken in the policy:

1. A phased and time bound program for setting up a well dispersed network of comprehensive PHC services;
2. Intermediation through "Health Volunteers" having appropriate knowledge and skills;
3. Establishment of a well-worked out referral system to ensure that the patient load at the higher levels is not burdened by those who can be treated at the decentralized level and

⁵Birth Rate, Death Rate, IMR and TFR: India & States, National Commission on Population, Government of India.

⁶Sample Registration System Bulletins, Vital Statistics Division, Registrar General, Government of India

4. An integrated network of evenly spread specialty and super specialty services by encouraging private investment for patients who can pay so that Government facilities are limited to those entitled free use.



These initiatives in public health were successful in eradicating small pox and guinea worm diseases; vastly improved coverage of polio vaccination; and drastic reduction in Kala Azar, Leprosy and Filariasis. Significant fall was witnessed in total fertility rate and infant mortality rate too. IMR⁷ reduced from 146 in 1951 to 110 in 1981 and then further to 70 in 2000 (Table 1.1)

On the other hand, the levels of morbidity and mortality were still high compared to many other developing countries. Incidence in Malaria witnessed resurgence; new communicable diseases like HIV/AIDS emerged as serious threats and there has been rapid increase in life-style diseases like diabetes, cancer and cardiovascular diseases⁸.

3. National Population Policy, 2000

NPP, 2000 provided overarching policy framework for family planning and child health goals. The immediate objective was to address the unmet needs of contraception, health care infrastructure, health personnel and, to provide integrated delivery of reproductive and child care services. It envisaged one-stop integrated and coordinated delivery at village level for basic RCH services through a partnership of Government with voluntary and NGO organizations. The medium-term objective was to bring the TFR to replacement levels by 2010, through vigorous implementation of inter-sectoral operational

⁷ Sample Registration System, Registrar General of India, Government of India.

⁸ Health: Morbidity, Healthcare and Condition of the Aged - National Sample Survey 60th Round Report, Ministry of Statistics and Program Implementation.

strategies. The long-term objective was to achieve a stable population by 2045, at a level consistent with the requirements of sustainable economic growth, social development, and environmental protection.

To pursue these objectives, the following national socio-demographic goals were formulated to be achieved by 2010: Make school education up to age 14 free and compulsory, and reduce drop outs at primary and secondary school levels to below 20% for both boys and girls; Reduce infant mortality rate to below 30 per 1000 live births; Reduce maternal mortality ratio to below 100 per 100,000 live births; Achieve universal immunization of children against all vaccine preventable diseases; Promote delayed marriage for girls, not earlier than age 18 and preferably after 21 years of age; Achieve 80% institutional deliveries and 100% deliveries by trained persons; Achieve universal access to information/counseling, and services for fertility regulation and contraception; Achieve 100 per cent registration of births, deaths, marriage and pregnancy; Contain the spread of AIDS, and promote greater integration between the management of reproductive tract infections (RTI), sexually transmitted infections (STI) and the National AIDS Control Organisation; Prevent and control communicable diseases.; Integrate Indian Systems of Medicine (ISM) in the provision of RCH services, and in reaching out to households; Promote small family norm to achieve replacement levels of TFR; and bring about convergence in implementation of related social sector programs so that family welfare becomes a people centered program.

4. Millennium Development Goals

The Millennium Development Goals is eight international development goals that all 193 members of United Nations and many international organizations have agreed to achieve by the year 2015. They include eradicating extreme poverty, reducing child mortality rates, fighting disease epidemics such as AIDS, and developing a global partnership for development.

The MDG are a synthesis of the most important commitments made at the international conferences and summits in 1990s; to recognize explicitly the interdependence between growth, poverty reduction and sustainable development; to acknowledge that development rests on the foundations of democratic governance, rule of law, respect for human rights and peace and security; are based on time-bound and measurable targets accompanied by indicators for monitoring progress; and bring together the responsibilities of developing countries with those of developed countries.

The MDGs were developed out of the eight chapters of Millennium Declaration, signed in September 2000⁹. There are eight goals with 21 targets¹⁰, and a series of measurable indicators for each target by 2015. Goal 1 is to eradicate extreme poverty and hunger with targets to halve the proportion of people living on less than \$1 a day, achieve decent employment for women, men, and young people and halve the proportion of people who suffer from hunger. Goal 2 is to achieve universal primary education and ensure that all girls and boys complete a full course of primary schooling by 2015. Goal 3 is to promote gender equality and empower women with target to eliminate gender disparity in primary and secondary education by 2015.

Goal 4 is to reduce child mortality rates with targets to reduce it by two-third. Goal 5 is to improve maternal health with target to reduce maternal mortality rate by three quarters and achieve universal access to reproductive health by 2015; Goal 6 is to combat HIV/AIDS, malaria, and other diseases with target to halt and begin to reverse the spread of HIV/AIDS, achieve universal access to treatment for HIV/AIDS by 2010, halt and begin to reverse the incidence of malaria and other major diseases by 2015.

Goal 7 is to ensure environmental sustainability with target to integrate the principles of sustainable development into country policies and programs and reverse loss of environmental resources, reduce biodiversity loss by achieving a significant reduction in the rate of loss by 2010, halve the proportion of the population without sustainable access to safe drinking water and basic sanitation by 2015; to achieve a significant improvement in the lives of at least 100 million slum-dwellers by 2020; and Goal 8 is to develop a global partnership for development with target to develop an open, rule-based, predictable, non-discriminatory trading and financial system, provide essential drugs to developing countries in co-operation with the private sector pharmaceutical companies and make available the benefits of new technologies, especially information and communications. As a member of UNDP, India has adopted MDG wherein goals 3, 4 and 5 deals with public health issues of child health, maternal health and diseases in which the country has made huge commitment to achieve the universal targets¹¹.

⁹ United Nations Millennium Declaration: Resolution 55/2 adopted by the general assembly - 55th session, 18/09/2000.

¹⁰ Haines, Andy and Andrew Cassels. 2004. Can The Millennium Development Goals Be Attained? - BMJ: British Medical Journal, Vol. 329, No. 7462 (Aug. 14, 2004).

¹¹ Butler, John: Reaching the MDG in India, Oxfam India, Centre for Legislative Research and Advocacy, 2009

5. National Health Policy 2002

Health care scenario was evaluated as a precursor to new health policy. The public health investment which was already low declined from 1.3% to 0.9% between 1990 and 1999. Only 17% of the aggregate expenditure was public health spending and the balance was out-of-pocket expenditure. Hence, the issue of resource availability was a key concern in the formulation of new policy. Attainment of health indices has been very uneven with rural-urban divide, wide difference in attainment of goals between better-performing and low-performing states (Table 1.2) and between better-endowed and vulnerable sections of society (Table 1.3). Hence the new policy aimed to reduce the inequality and provide access to disadvantaged sections of society.

| Table 1.2 | | Health Indicators: Regional Inequity | | | |
|------------------|--------------------|---|----------------------------------|-----------------------------------|--|
| Region/ State | BPL Population (%) | IMR Per 1000 (1999 SRS) | < 5 Mortality Per 1000 (NFHS II) | MMR per lakh (Annual Report 2000) | Underweight (% Children under 3 years) |
| India | 26.1 | 70 | 94.9 | 408 | 47 |
| Rural | 27.09 | 75 | 103.7 | | 49.6 |
| Urban | 23.62 | 44 | 63.1 | | 38.4 |
| Kerala | 12.72 | 14 | 18.8 | 87 | 27 |
| Maharashtra | 25.02 | 48 | 58.1 | 135 | 50 |
| Tamil Nadu | 21.12 | 52 | 63.3 | 79 | 37 |
| Orissa | 47.15 | 97 | 104.4 | 498 | 54 |
| Bihar | 42.60 | 63 | 105.1 | 707 | 54 |
| Uttar Pradesh | 31.15 | 84 | 122.5 | 707 | 52 |
| Rajasthan | 15.28 | 81 | 114.9 | 607 | 51 |
| Madhya Pradesh | 37.43 | 90 | 137.6 | 498 | 55 |

Source: National Health Policy, 2002

A comparison of public health spending in select countries shows that the ratio is less in India compared to developing as well as developed countries¹² (Table 1.4). Vertical implementation structures have been created for major disease control programs which resulted in independent manpower had become expensive and difficult to sustain. For a

¹² Report of the National Commission on Macroeconomics and Health: National Commission of Macroeconomics and Health, Ministry of Health & Family Welfare, Government of India, New Delhi, September, 2005.

country of vast size and diversity, national health programs must be flexible enough to permit local modifications which must be implemented through State Governments' decentralized public health machinery. Hence there must be incentive to enhance the role of local self governments by devolving programs and funds at different levels of panchayat raj institutions. In addition, there were issues like education of health care personnel, need for specialists in public health, and availability of drugs and vaccines.

| Category | Infant Mortality Per 1000 | < 5 Mortality Per 1000 | % Children underweight |
|---------------------|----------------------------------|----------------------------------|-------------------------------|
| All India | 70 | 94.9 | 47 |
| Scheduled Castes | 83 | 119.3 | 53.5 |
| Scheduled Tribes | 84.2 | 126.6 | 55.9 |
| Other Disadvantaged | 76 | 103.1 | 47.3 |
| Others | 61.8 | 82.6 | 41.1 |


Source: National Health Policy, 2002

The NHP, 2002 was formulated from the recommendations of National Population Policy, 2000 with key objectives to address the problem of declining sex ratio, total fertility rate and speedy implementation of minimum needs program. A key area of recommendation was to focus on MCH, its administration, priorities, approach and goals for 2010. The goals envisaged under the policy are given in Table (1.5).

| Country | Population with income of <\$1 a day | Infant Mortality rate (per 1000) | Health Exp to GDP (%) | Public Health Exp to Total Health Exp (%) |
|----------------|--|--|------------------------------|--|
| India | 44.2 | 70 | 5.2 | 17.3 |
| China | 18.5 | 31 | 2.7 | 24.9 |
| Sri Lanka | 6.6 | 16 | 3 | 45.4 |
| UK | - | 6 | 5.8 | 96.9 |
| USA | - | 7 | 13.7 | 44.1 |

Source: Report of National Commission on Macroeconomics and Health

The policy approaches the issues from the perspective of outcomes, outputs and inputs. With an objective¹³ to achieve acceptable standard of good health among the population of the country, some major initiatives were envisaged under the policy. The approach was to increase the access to decentralized public health system by involving panchayat raj institutions; Information, Education and Communication activities to disseminate public health related information to people; enhance the role of private sector particularly for the income group which can afford to pay for services; empowerment of women for overall improvement in community health and finally; establish new infrastructure in deficient areas and upgrade infrastructure in existing institutions.



Careful consideration was also given to issues of health care personnel which include improvement in infrastructure in medical and dental colleges, need-based and skill oriented syllabus with sizeable component for practical training, specialized education in public health and family medicine, and improve the availability and skill level of nurses. NHP 2002 envisages setting up of an organized urban primary health care structure with two tiers. Spending on health research was proposed to increase from 1% to 2% of health expenditure by 2010. Thus, the policy envisages providing increase in financial and material resources to achieve the desired outcomes through structural improvement: decentralization, integration and participation of all stakeholders in public health care delivery in the country.

¹³ National Health Policy, 2002: Government of India New Delhi, Ministry of Health and Family Welfare, 2002.

| Table 1.5 | | Goals under National Health Policy | |
|---|--|---|--|
| Goal | | Time Limit | |
| Eradicate Polio | | 2005 | |
| Eliminate Leprosy | | 2005 | |
| Eliminate Kala Azar | | 2010 | |
| Eliminate Lymphatic Filariasis | | 2015 | |
| Achieve zero level growth in HIV/AIDS | | 2007 | |
| Reduce mortality by 50% on account of TB, Malaria and other Vector and Water borne diseases | | 2010 | |
| Reduce prevalence of blindness to 0.5% | | 2010 | |
| Reduce IMR to 30 per 1000 and MMR to 100 per 100000 | | 2010 | |
| Increase utilization of public health facilities from current level of <20 to >75% | | 2010 - | |
| Establish integrated system of surveillance, national health accounts and health statistics | | 2005 | |
| Increase health expenditure by Government as a % of GDP from 0.9% to 2% | | 2010 | |
| Increase share of Central grants to constitute at least 25% of total health spending | | 2010 | |
| Increase State health spending from 5.5% to 7% of the budget and; Further increase to 8% | | 2005 2010 | |

Source: National Health Policy, 2002

Gujarat Population Policy, 2002

Gujarat has achieved huge strides in economic development with state domestic growth rate ranking among the top eight states of the country on a consistent basis. However, the State has recognised the prevalence of marked socio-economic disparities within the State, among districts, and between rural and urban areas. Sustained development of State depends primarily on human development for which conscious efforts have to be for significant improvement. To achieve this, in harmony with National Population Policy, 2000 and Gujarat Vision, 2010, Government of Gujarat released the State Population Policy 2002¹⁴.

The goal of the policy was to improve the quality of life of the people. It aims at reducing gender discrimination, empowering women and ensuring extensive service support to achieve replacement level fertility by 2010. The objective of the policy was to

¹⁴ Population Policy: Government of Gujarat, Health and Family Welfare Department, March 2002.

provide integrated reproductive health care services, including addressing the unmet need for contraception. The state aims to strengthen health care infrastructure and support systems to improve access to these services. The objective was to reduce TFR from the 3.0 to 2.1 by 2010; increase the contraceptive prevalence from 54.2% to 70%; reduce IMR from 63 to 16 per 1000 births; and reduce MMR from 389 in 1992-93 to less than 100 by 2010 (Table 1.6).

The key strategies to achieve these goals and objectives were: paradigm shift from population control to reproductive and child health approach¹⁵; improve quality of services and make them client-oriented; promote gender equality, women empowerment and male participation; decentralization, structural changes and financial reforms; promote inter-sectoral coordination and partnership between Government organizations, NGO, corporate sector, co-operatives and private sector; enforce accountability of public, private health and social service sector; resource mobilization, alternative financing and better financial utilization; and social mobilization through information, education and communication.

| Table 1.6 | | | Targets under Gujarat Population Policy | |
|------------------------------------|-----------------------|-------------|--|--|
| Health Indicators | Current Status | 2010 | | |
| Total Fertility Rate | 3.0 (1998) | 2.1 | | |
| Couple Protection Rate (%) | 54.2 (2001) | 70 | | |
| MMR, per lakh | 389 (1992-93) | < 100 | | |
| IMR, per 1000 | 63 (1999) | 16 | | |
| Under 5 mortality rate, per 1000 | 20.4 (1996) | < 10 | | |
| Immunization (%) | 48 (1998-99) | 100 | | |
| Delivery by trained attendants (%) | 74.2 (1998-99) | 100 | | |
| Institutional Delivery (%) | 46 (1998-99) | 80 | | |

Source: Gujarat Population policy, 2002

. Thus the policy has recognized that infant mortality, maternal mortality and incidence of infectious diseases can be curtailed only by enhancing awareness among women; increased involvement of stakeholders; improved performance of health delivery system and establishing an effective monitoring system. In consonance with the NPP,

¹⁵ Khanna, Renu: Women's Perspective on Population Policies; Feminist Critique of Population Policies: Population Policy of Gujarat – Medico Friend, July-Oct 2001.

Gujarat Population Policy also focuses on improving quality of life of people and improving women empowerment. The state has constituted Gujarat Population Commission (GPC) to oversee the implementation of the policy, review the progress and act as advisory body to the Government on population and development matters.

CHAPTER – II

RATIONALE FOR RESEARCH: LITERATURE REVIEW; PURPOSE OF RESEARCH & SOURCES OF DATA



Chapter II

2. Rationale for Research; Review of Literature; Purpose of Research and Sources of Data

The National Health Policy proposes to optimize utilization of public health delivery at primary level by gradual convergence of all health programs under a single field administration. Vertical programs like RCH, Universal Immunization Programs, TB, Malaria and HIV/AIDS would be integrated to bring about desirable outcomes through convergence of all public health inputs. The impact of the policy is measured based on outcomes in key health indicators. A comparison of goals set in the policy and achievements made, once in mid-period and finally towards the end of policy period in 2010 (later extended to 2012) is given below. Analysis shows that the country lags behind in achieving the goals set for both mid-period and final targets. Gujarat could achieve mid-period goals but lags behind in final goals (Table 2.1). This phenomenon is required to be understood thoroughly so that the areas of policy which require reform can be identified. Hence, there is reason and merit for detailed study of impact of public health delivery during this period. NRHM is the flagship program for health care delivery and hence needs to be evaluated for this purpose.

| Table 2.1 | Comparison of Health Care Outcome: Gujarat & India | | | | | | | | | |
|------------|---|-------------|-------------|-------------|-------------|-------------------|-------------|-------------|-------------|-------------|
| Indicator | Gujarat | | | | | India | | | | |
| | Status in 2002 | Goal | | Achievement | | Status in 2002 | Goal | | Achievement | |
| | | 2006- 07 | 2009- 10 | 2004- 06 | 2009- 10 | | 2006- 07 | 2009- 10 | 2004- 06 | 2009- 10 |
| IMR | 60 | 45 | <30 | 54 | 44 | 66 | 45 | <30 | 58 | 47 |
| TFR | 2.9 | | 2.1 | 2.8 | 2.5 | 3.2 | | 2.1 | 2.9 | 2.6 |
| MMR | 389 | 200 | <100 | 160 | 148 | 407 | 200 | <100 | 254 | 212 |

Source: National Health Policy and Sample Registration System



2.1 Literature Review

There are reasonably good literature in the subject of public health in India. Many books, papers and reports have been published from time to time by national and international organizations like ICMR, WHO, UNICEF, UNDP and World Bank.

2.1.1 Articles and Papers

A paper on Public Management and Essential Public Functions, published by World Bank¹⁶ provides an overview of how different approaches to improve public sector management relate to essential public health functions such as disease surveillance, health education, monitoring and evaluation, work force development and health policy development. Managerial autonomy is important for promoting adaptation and innovation. Strengthening hierarchical accountability within public health system is essential and requires not only changes in the capacity, autonomy and behaviour of service managers, but also requires change in monitoring systems.

Social Science and Medicine Journal¹⁷ examines the patterns and determinants of maternal health care utilization across different social settings in south India: in the States of Andhra Pradesh, Karnataka, Kerala and Tamil Nadu. Results show that utilization of maternal health care services is not only associated with a range of reproductive, socio-economic, cultural and program factors but also with the State and type of health service. The interstate differences in utilization could be partly due to variations in implementation of maternal health care program as well as differences in availability and accessibility of services between States. In case of antenatal care, there was no significant rural–urban gap, thanks to the role played by the health workers working in rural areas to provide these services. The findings of this study provide insights for planning and implementing appropriate maternal health programs in order to improve the health and well-being of both mother and child.

Another paper published by Public Health Foundation of India,¹⁸ deals with the quality in health care in terms of safety, efficiency, timelines, responsiveness, equity, and human and physical resources. The study is based on outcomes assessed over time in safe delivery and maternal and neonatal mortality. The study was carried out for Malaysia, India and Ethiopia. In case of India, the study identifies the persistence of high proportion of maternal and neonatal deaths and low institutional delivery. Further, it is observed that

¹⁶Khaleghian and Monica Das Gupta - Public Management and Essential Public Health Functions, World Bank, 2005.

¹⁷Navaneetham K and A Dharmalinga: Utilization of Maternal Health Care Services in Southern India – Asia Metacentre of Population and Sustainable Development Analysis, Institute of Asian Research, Singapore.

¹⁸ Dr. Clar, Christine, Dr. Bilal Iqbal Avan: Evolution of the concept of quality of care with respect to clean delivery in health system in high, middle and low income countries.- Public Health Foundation of India, 2010.

issues such as poor access, poor infrastructure and facilities, ineffective treatment due to poor skills, corruption and lack of responsiveness as major problems.

A working paper by Planning Commission of India¹⁹ aims to evaluate quantity and quality of service delivery in rural public health facilities under NRHM. The former is assessed on the static and dynamic condition of physical infrastructure; by number of paramedical, technician and medical staff employed; by the supply, quality and range of drugs; by availability and usage of maintenance funding of centres; and by actual availability of laboratory, diagnostics and service facilities. Quality is defined in relation to the condition of the above tangibles, and also supplemented by subjective data on intangibles, such as patient satisfaction, gathered from exit interviews. The findings across four States of Uttar Pradesh, Bihar, Rajasthan and Andhra Pradesh, resulted in reflecting context-specific driving factors and identifying problems where implementation is less than desirable. Thus, while the study attempts to identify factors which affect implementation of NRHM, it falls short of assessing the underlying management practices and the mechanism for delivery of health care services.

2.1.2 Books

There are many challenges and opportunities for health care managers which are discussed in the book, “Strategic Issues and Challenges in Health Management”²⁰ which should be used to stimulate action, thought, reflective practice and service provision. Health system has to respond to issues relating to management. This includes potentially new health systems structures with greater emphasis on quality and performance of management. Information management is becoming more important with the explosion of information. The lowest income groups in India receive the smallest share of subsidies for curative health care²¹. To reduce inequity and make services pro-poor, programs and facilities must be targeted better and made more accessible to poor. A judicious combination of supply and demand side strategies will be required for this. Supply-centric strategy practiced for a long time without any parallel demand from the community has failed to reach the poor. This is because of lack of awareness about availability of services

¹⁹ Gill, Kaveri: A Primary Evaluation of Service Delivery under the National Rural Health Mission: Findings from study in Andhra Pradesh, Uttar Pradesh, Bihar and Rajasthan – Planning Commission of India, Working Paper 1/2009 – PEO, May 2009.

²⁰ Ramani, K.V, Mavalankar, Dileep and Govil, Dipti; Strategic Issues and Challenges in Health Management, SAGE Publications India Private Ltd, New Delhi, 2008.

²¹ Mahal, Ajay, J.Singh, F. Afridi, V. Lamba, A.Lumber and V. Selvaraju: Who Benefits from Public Sector Spending in India? National Council of Applied Economic Research, New Delhi, 2002.

or lack of access due to social barriers. A demand-driven approach requires improvement in availability of essential services, accountability mechanisms and empowerment of clients.

Leadership in health care management has to adapt to changes in terms of style, process and structure. With transition from feudalistic and paternalistic society towards knowledge society, the leader is expected not necessarily to have all right answers but all right questions. People and technology management will be important issues. Leaders of future should think of integrating internal processes and systems to external needs. Organizational structures will move from pyramidal to spherical structures within which the locus of control will continually shift. With rapid changes in information technology, leaders of future should perceive change; conceive change and; deliver change, thus leading change with change.

A recent edition of book on public health, "Essentials of Public Health Management",²² discusses the theoretical models, day to day activities and realities in public health management. Management is the art of using all available resources to accomplish a given set of tasks in a timely and economical manner. Its success depends on ability to understand local organizational milieu as well as larger environment in which it exists. Governance is a critical component of all aspects of public endeavour and is oriented to both process and outcome. An important aspect of public health leadership is monitoring activities of practitioners. Governance is the oversight in the public health system, whereas the management implements the activities to make the system effective. The organization of public health varies from state to state in United States of America. The most common structure is a local public health department with six basic service areas: collecting and analysing vital statistics, sanitation, communicable disease control, maternal and child health, health education and laboratory services. The leadership for the majority of health departments is provided by board of health. The most familiar form of organizational structure is the classic bureaucracy which is widely used in Government, militaries and churches. This was first systematically described by Max Weber²³ in bureaucratic theory in which bureaucracy follows a rational code of conduct.

²² Fleming Fallon, L Jr., and Eric J Zgodzinski: Essentials of Public Health Management – Jones and Bartlett Learning, - ISBN-13: 978 1-4496-1896-4.

²³ Gerth H.H, and C.W. Mills- Max Weber: Essays in Sociology. Fair Lawn, New Oxford University Press, 1958.

Three major theories describe the attitude and behaviour of individuals towards subordinates in the organization. In his book, "The professional Manager", by Douglas McGregor²⁴ discusses Theory X which gives a traditional view of direction and control. A more humanistic Theory Y integrates individual and organizational goals. Theory Z²⁵ is a recent theory of management, based on management practices in Japan. In this, management makes long term commitments to the employees

Organizations are affected by interpersonal and intergroup factors where positional authority has to be accompanied by the need to understand political factors. From the perspective of public health professional, organizational behaviour can be defined as the study of how groups function and the psychological underpinnings contributing to that behaviour. Some key tenets concerning individual behaviour are significant components of organizational behaviour. Causality is forces acting on people are responsible for human behaviour. These forces can be internal or external to an individual and include influence of genetics, experience and environment. Directedness means human behaviour is not only caused, it is also pointed towards something. This is referred to as goal directed. Motivation: As a result of underlying behaviour, a push, need, drive or motive can be found to explain most rational actions taken by individuals.

Abraham Maslow made major contribution to the understanding of individual behaviour with five level of hierarchy of needs: physiological; safety; love and belonging; esteem and self-actualization. Sociologist Homans characterized social behaviour as being an exchange. When in groups, people interact to receive a reward. Each person communicates with others in the group, and each tries to make contribution to the group. Groups usually refer to small number of individuals in which membership is related to both technology and pace of work. The status within the group is an outcome of internal and external factors. Internal factors refer to titles, job, perquisites, offices, work schedules, mobility and methods of evaluation. External factors refer to influences that are brought to work place like age, gender, race, education and seniority.

In the increasingly complex nature of modern public health organizations, the use of complex technological tools and concepts, and the need to increase productivity have contributed to the growth and importance of profession.

The district health administration is considered the bridging administrative unit between National and State Government and the community at village level. Given the

²⁴ McGregor D- The Professional Manager, New York: Mc Graw Hills, 1967.

²⁵ Ouchi, W.G- Theory Z: How American Business can meet Japanese challenge, 1981.

poor health indicators in the country, the book “Primary/Rural health Care System and Hospital Administration” suggests three urgent reforms²⁶. First, it is time to accept that the Government has at best limited capacity to deliver health services and hence a radical shift in strategy that gives the poor greater opportunity to choose between private and public providers is needed. Second, the Government must introduce one year long term training courses for practitioners engaged in treating routine illness. Finally, there is urgent need to accelerate availability of qualified doctors to displace the unqualified doctors who operate in both rural and urban areas.

As primary health care approach is people-oriented, the organization of health care starts with the people, individuals and families and communities. The book compares the national rural health mission initiative with health initiatives in countries like Democratic Republic of Korea, Singapore and Sweden. According to Jeffrey D Sachs²⁷, NRHM is the single largest mobilization of public health measures in the world. Half-million young women have been hired as health workers to link impoverished households and public hospitals. This has broken three common myths: First, the burden of disease among the poor is somehow inevitable and unavoidable. Second, it breaks the myth that the aid from rich countries is wasted. Poor countries are capable of establishing effective health care programs rapidly when they are helped. Thirdly, there is myth that saving poor people will worsen the population explosion. But in reality households have many children because of fear of high childhood death rates. This declines since families feel confident that their children will survive.

2.1.3 Reports on Public Health

The report by the World Bank²⁸ defines six core performance domains: quality, efficiency, utilization, access, learning, and sustainability and provide a compendium of metrics that have been used to measure organizational performance in each of these six domains. Based on this, the report identifies seven major strategy areas potentially useful for improving performance among health care organizations: 1) standards and guidelines 2) organizational design 3) education and training 4) process improvement and technology and tool development 5) incentives 6) organizational culture and 7) leadership and

²⁶ Goel, S.L: Primary/Rural Health Care System and Hospital Administration, Deep & Deep Publications Private Ltd, New Delhi, 2010.

²⁷ Sachs, D Jeffrey: The Healthier Poor – Economic Times, 3rd September, 2007.

²⁸ Bradley H Elizabeth, Sarah Pallas, Chhitj Bashyal, Leslie Curry and Peter Berman: Developing Strategies for Improving Health Care Delivery: A User’s Guide to Concepts, Determinants, Measurement, and Intervention Design by World Bank, June 2010.

management. It also provides illustrations of facility-level interventions within each of the strategy areas and highlight the conditions under which certain strategies may be more effective than others and proposes that the choice of strategy targeted at organizational level to improve performance should be informed by the identified root causes of the problem, the implementation capabilities of the organization, and the environmental conditions faced by the organization.

Human Development Report for Gujarat²⁹ published in 2004 focuses on the link between economic growth and human development and suggests modifications to achieve higher levels of human development. The report studies the growth in agriculture, industry, labour and expenditure on social sectors and links it with development in education, health, poverty, gender and weaker sections like tribal people.

2.2 Rationale for Research

A detailed analysis of books, papers and reports shows that there have are both macro and micro level studies and scholarly works on health sector. These works cover theory and practice of public health delivery system, national health policy, health functions, inter-state comparison, human development at state and country level, improving accountability of public health managers and performance evaluation. However, it is observed that no significant research has been undertaken to study and assess management of public health delivery. Huge financial and other resources are committed for RCH program under NRHM to bring time-bound health care outcomes. Already under implementation for 5 years, the mission needs to be rigorously evaluated to make meaningful policy interventions.

From the recent report of UNDP in 2011³⁰, the achievement in comparison to MDG in the area of child and maternal health can be ascertained. Though IMR for the country as a whole declined by 30 points (rural IMR by 31 points vis-à-vis urban IMR by 16 points) in the last 20 years at an annual average decline of 1.5 points, it declined by three points between 2008 and 2009. With the present improved trend due to sharp fall during 2008-09, the national level estimate of IMR is likely to be 45.04 against the MDG target of 26.67 in 2015.

²⁹ Hirway, Indira and Darshini Mahadevia: Gujarat Human Development Report, 2004 – Mahatma Gandhi Labour Institute, Ahmedabad.

³⁰ Millennium Development Goals in India: Country Report 2011- Central Statistical Organization, Ministry of Statistics and Programme Implementation, Government of India.

Similarly, in case of maternal mortality ratio, SRS data indicates India has recorded a decline in MMR of 35% from 327 in 1999-2001 to 212 in 2007-09 with a fall of about 17% during 2006-09. The decline in MMR from 1990 to 2009 is 51%. From an estimated MMR level of 437 in 1990-91, India is required to reduce MMR to 109 by 2015. At the historical pace of decrease, the country is expected to reach MMR of 139 per 100,000 live births by 2015, falling short of target by 29 points.

2.3 Purpose of Research

Thus the analysis of outcome reveals the gap between goals and achievement of key RCH indicators: IMR, TFR and MMR. This issue needs detailed study and research to ascertain various reasons as no major studies have been undertaken in the country in this regard. The research study, while analyzing the gaps in achievement must go in to details regarding the management of public health delivery to make any meaningful contribution to the subject and issue.

RCH program aims to bring about significant improvement in maternal and child health indicators in the country. NRHM is a major initiative to improve health care in the country which provides flexible financing, convergence of services, decentralization and a strong monitoring system in major departure from existing approach and is implemented from 2005-12. The experience of implementing RCH under NRHM has to be evaluated in a scientific manner to assess gaps in inputs and outputs leading to low outcome. Gaps in demand and supply of services need to be ascertained to find weak as well as strong elements of management. While the entire link of service delivery from policy to outcome is important, field study at cutting edge level, where ideas translate into action requires more focus to understand the dynamics of public health management.

Thus, the purpose of research is to study the management of public health delivery system in Gujarat, and propose suggestions for improvement in delivery of public health services. The detailed purposes of research are

1. To study and examine the changes in key health care outcomes in primary health with particular focus on maternal and child health indicators during RCH Phase II under NRHM in the country and Gujarat.
2. To assess the demographic trends of population, socio-economic changes like structure of economy, income, education, poverty and unemployment, and infrastructure in the country and Gujarat during this period.

3. To study the status of health sector in the country and state: structure and functioning of health sector; health care organizations and stakeholders; health legislation; health programs; health infrastructure and health status of the population.
4. To study the Reproductive and Child Health Program: objective, evolution, approach and management strategy before and after introduction of NRHM. Describe the vision, strategy, goals and objectives under NRHM.
5. To assess the performance of the RCH indicators in all districts of Gujarat before and after introduction of NRHM and ascertain relative improvement in districts. And, based on comparative performance, select districts for field survey.
6. To study the supply and demand side of health delivery by undertaking survey of health workers and beneficiaries at field level in districts selected for field study. The purpose is to assess the planning, organization, infrastructure, human resources, monitoring and finance at health centres by administering questionnaires to health workers in field survey. In case of beneficiaries, the survey is to assess the awareness, availability, access and affordability of health services by administering questionnaire during field survey.
7. To undertake statistical analysis of data collected from the field survey, evaluate the linkages between various factors and identify factors which are responsible for improvement or otherwise of various parameters in these districts.
8. Based on above, to propose appropriate suggestions to policy makers to improve public health delivery in Gujarat.

2.4 Sources of Data

Given the fact that health care is of immense importance to improve human development in the country, many studies and research works have been undertaken to ascertain the impact of health policies and programs. Many governmental and non-governmental organizations collect and collate data on health care indicators through population and sample surveys. These data provide valuable insight into the changes in health care outcomes in the country.

1. Census

The Census Act enacted in 1948³¹ provides scheme for conducting population census based on which steps were initiated for systematic collection of statistics on the

³¹ The Census Act, 1948, as amended in 1994- Ministry of Home Affairs, Government of India.

size of population, its growth, etc., and for this purpose Registrar General and ex-Officio Census Commissioner was established under the Ministry of Home Affairs. This organisation was made responsible for generating data on population statistics including Vital Statistics and Census. Later, this office was also entrusted with the responsibility of implementation of Registration of Births and Deaths Act, 1969. The Indian census is a valuable source of information on demography, economic activity, literacy, housing, urbanisation, fertility, mortality, language, religion, migration, disability and many other socio-cultural and demographic data since 1872. Decadal population census is conducted to obtain this data. This information is useful in analyzing the demographic trends in the country and relates them to health care indicators to ascertain the underlying reasons causing these changes through further studies and research.

2. District Level Health Survey

In order to meet the need to monitor the health and family welfare programs at the district level, household and facilities survey was undertaken for the first time in 1998-99 which is referred to as DLHS-1. Subsequently DLHS-2 was undertaken in 2002-04 and DLHS-3 in 2007-08. The survey provides estimates of maternal and child health, family planning and other reproductive health indicators. Survey is carried out throughout the country to assess facilities at the village level and socio-economic and health characteristics at household level.

The main focus and objectives of DLHS-3 was to estimate the coverage of antenatal and immunization services; proportion of institutional/safe deliveries; Janani Suraksha Yojna beneficiaries; contraceptive prevalence rates; unmet need for family planning; awareness about RTI/STI and HIV/AIDS and; family life education among unmarried adolescent girls. In addition, in DLHS-3 information related to programs under NRHM especially performance under RCH such as health care utilization, accessibility to health facilities, effectiveness of ASHA in promoting RCH care, health facility capacity and preparedness in terms of infrastructure were surveyed. The survey was carried out by International Institute of Population Studies (IIPS), Mumbai under Ministry of Health and Family Welfare.

3. National Family Health Survey

The National Family Health Survey (NFHS) is a large-scale, multi-round survey conducted in a representative sample of households throughout India to provide trend data on key indicators of health. The survey provides state and national information on fertility, infant and child mortality, the practice of family planning, maternal and child health,



reproductive health, nutrition, anaemia, utilization and quality of health and family planning services. NFHS has had two specific goals: a) to provide essential data on health and family welfare needed by the Government and other agencies for policy and program purposes, and b) to provide information on important emerging health and family welfare issues like information on topics like attitude towards education for girls, Integrated Child Development Services Program, men's involvement in maternal care and health insurance.

NFHS -3 conducted in 2005-06 is the third in the series of NFHS surveys³². The first and second surveys were conducted in 1992-93 and 1998-99. The surveys are carried out under Ministry of Health and Family Welfare which has designated the International Institute of Population Studies, Mumbai as the nodal agency.

4. Sample Registration System

Registration of births and deaths is an important source for demographic data for socio-economic development and population control in developing countries. The data on vital indicators like population growth, fertility and mortality serves in evaluation of a number of programs in the health sector including family planning, maternal and reproductive health, immunization programs which is dependent on the availability of accurate and up-to-date data on fertility and mortality. For this purpose, SRS³³ which is based on a dual record system is followed in India. The field investigation under the system consists of continuous enumeration of births and deaths in a sample of villages/urban blocks, first by an enumerator, and then an independent six monthly retrospective survey by a supervisor.

Based on the survey data, SRS bulletins are released every year since 1970³⁴ by the SRS Division in the Office of the Registrar General and Census Commissioner of India. These bulletins provide estimates of birth rate, death rate and infant mortality rate at the natural division level for the rural areas and at the state level for the urban areas. Natural divisions are National Sample Survey (NSS) classified group of contiguous administrative districts with distinct geographical and other natural characteristics. It also

³² National Family Health Survey – 2005-06, India – Gujarat – International Institute of Population Sciences and Macro International, Mumbai, 2008

³³ Sethi, R C – Sample Registration System in India, Additional Registrar General, Office of the Registrar General of India, Ministry of Home Affairs, New Delhi, 2007.

³⁴ Mahapatra, Prasanta - An Overview of the Sample Registration System in India: Institute of Health Systems, Hyderabad, India- Prince Mahidol Award Conference & Global Health Information Forum, 2010.

provides data for other measures of fertility and mortality including total fertility, infant and child mortality rate at higher geographical levels.

5. National Sample Survey Organization (NSSO)

NSSO is an organization in the Ministry of Statistics and Programme Implementation of the Government of India. It is the largest organisation conducting regular socio-economic surveys in India. NSSO conducts nationwide sample surveys on various socio-economic issues in successive rounds, each round covering subjects of current interest in a specific survey period³⁵. Some important topics of survey which have direct and indirect impact on health status in the country are maternity, childcare, family planning; distribution and utilisation of medical services, participation in education, utilization of survey on persons age 60 and above, disabled persons, developmental milestone of children, village facilities, particulars of slums, housing condition and morbidity and health care.

Information on morbidity was collected in the seventh round (1953-54) and twenty-eighth round (1973-74). Since then, data on morbidity became a part of the decennial surveys on social consumption. The second survey on Social Consumption was carried out in the 42nd round (1986-87) and the third in the 52nd round (1995-96). A survey on 'Morbidity and Health care' was taken up during the period of January to June, 2004³⁶. These surveys covered the curative aspects of the general health care system in India and also the utilization of health care services provided by the public and private sector, together with the expenditure incurred by the households for availing these services. Morbidity and utilisation of health care services including immunisation and maternity care, problems of aged persons, and expenditure of the households for availing the health care services were also covered.

6. Rural Health Statistics

The Ministry of Health and Family Welfare brings out regular publication of rural health statistics of India³⁷ to provide detailed statistics on rural health infrastructure to cater to the needs of health planners and policy makers both in government and non-

³⁵ Concepts and Definitions used in National Sample Survey: Golden Jubilee Publication- National Sample Survey Organization, Ministry of Statistics and Programme Implementation, Government of India, May 2001.

³⁶ Select Health Indicators: A comparative analysis across the National Sample Survey Organization, Ministry of Health and Family Welfare, Government of India in collaboration with WHO country office of India, 2007.

³⁷ Rural Health Statistics in India: Ministry of Health and Family Welfare, Government of India 2006 to 2011.

government organizations as well as research organizations in the sector. The publication covers information on sub centres, PHC, CHC and district hospitals, availability of health manpower, training of medical and paramedical personnel and achievement in parameters like average population covered and average villages covered by PHC, CHC and sub centres and health workers.

7. Socio-Economic Survey of Gujarat

Socio-Economic review of Gujarat State is prepared and published by the Directorate of Economics and Statistics³⁸ for the presentation of budget session of the assembly. The publication presents a profile of key socio-economic activities and achievements in different sectors of the state economy based on the responses from various departments and official publications. Part-I gives an overview of Indian Economy followed by sector wise write up in Part-II. Part-III compares key economic indicators for the state and country, whereas Part-IV provides detailed statistical information.

8. Gujarat Health Statistics

This statistics presents the recent health statistics of State and National programs for the State as a whole and all the 26 districts³⁹. Statistics on achievement in various programs, performance of hospitals, human resources in health, health finance, health infrastructure and medical and paramedical education are made available. Districtwise statistics of health centres, registration of indoor and outdoor patients, and performance under various programs are also provided in this publication of Commissioner of Health.

2.5 Health Indicators

2.5.1 Maternal Health Indicators

1. Maternal Mortality rate (MMR)

Complications during pregnancy and child birth are leading causes of death and disability among women in reproductive age. MMR represents the risk associated with pregnancy and measure the number of maternal death per 10000 live births during one year period.

2. Ante Natal Care

³⁸ Socio-Economic Review, Gujarat State – 2010-2011: Directorate of Economics and Statistics, Government of Gujarat, February, 2011.

³⁹ Health Statistics, Gujarat, 2009-10: Vital Statistics Division, Commissionerate of Health, Medical Services, Medical Education and Research, Gujarat State, January, 2011.

Ante Natal Care (ANC) is an important component of RCH under NRHM. ANC is provided by a doctor, health workers, ANM or other health professionals and comprises of physical checkups, checking the position and growth of foetus and giving TT injection at periodic intervals during the time of pregnancy. At least 3 check-ups (one in each trimester), TT injection, regular intake of 100 iron folic acid tablets, periodic measurement of height, weight and blood pressure and basic laboratory test in every trimester.

3. Institutional Delivery

The place and conduct of delivery is a key factor in the safe delivery. The aim is to promote institutional delivery conducted by skilled persons. Under Chiranjeevi scheme, the State Government expects to improve institutional delivery by availing services of private obstetric and gynaecology practitioners in remote areas.

2.5.2 Child Health Indicators

In order to promote child survival and reduce infant mortality rate, NRHM includes new born care, breast feeding and complete package of immunization for children.

1. Infant Mortality Rate (IMR)

Infant mortality is a leading indicator of the level of child health in a country. IMR is the probability of a child born in a specific year, dying before reaching the age of one.

The rate in a given region is the total number of newborns dying under one year of age divided by the total number of live births during the year, then all multiplied by 1,000.

2. Immunization

An important aim of the program is to increase the percentage of full immunization in the State which include BCG, 3 doses of DPT and Polio and vaccine for Measles before the age of 1. Along side these efforts, the State Government runs Mamta Abhiyan for improving immunization in the State.

2.5.3 Family Planning:

With the objective to achieve population stabilization and promote healthy married life, NRHM is designed to promote contraceptive use among the men and especially women.

1. Total Fertility Rate

Fertility is measured in terms of Mean Children Ever Born to married women in the age group of 15-49 years. The objective is to reduce the rate by improving maternal and child health care and contraceptive use.

2. Contraceptive Prevalence:

The prevalence of contraceptive use among the women and men using temporary methods like oral pills, IUDs, and condoms and permanent methods like female and male sterilization is measured as percentage of currently married men or women using these methods of contraception.

CHAPTER – III

HEALTH CARE SYSTEM IN INDIA

Chapter III

3. Health Care System in India

3.1 Demographic and Socio-Economic Profile

3.1.1. Demographic Profile

As second most populous country in the world, with over 1.21 billion people (2011 census), India houses more than a sixth of world's population. Already containing 17.5% of the world's population, India is projected to be the world's most populous country by 2025, surpassing China, with its population reaching 1.6 billion by 2050⁴⁰. India has more than 50% of its population below the age of 25 and more than 65% below age of 35. It is expected that in 2020, the average age of an Indian will be 29 years, compared to 37 for China and 48 for Japan; and, by 2030, India's dependency ratio should be just over 0.4.

| Table 3.1 | | Demographic changes in India⁴¹ | | | | | | |
|--------------------------|--------------------|--|-----------------------|------------|------------|-----------------------|------------|------------|
| Period | Live Births | Deaths | Natural Change | CBR | CDR | Natural Change | TFR | IMR |
| figures in '000 per year | | | | | | | | |
| 1950-55 | 16832 | 9928 | 6904 | 43.3 | 25.5 | 17.8 | 5.9 | 165 |
| 1955-60 | 17891 | 9686 | 8205 | 42.1 | 22.7 | 19.4 | 5.9 | 153 |
| 1960-65 | 19086 | 9358 | 9728 | 40.4 | 19.8 | 20.6 | 5.82 | 140 |
| 1965-70 | 20611 | 9057 | 11554 | 39.2 | 17.2 | 22 | 5.69 | 129 |
| 1970-75 | 22022 | 8821 | 13201 | 37.5 | 15 | 22.5 | 5.26 | 118 |
| 1975-80 | 24003 | 8584 | 15419 | 36.3 | 13 | 23.3 | 4.89 | 106 |
| 1980-85 | 25577 | 8763 | 16814 | 34.5 | 11.8 | 22.7 | 4.47 | 95 |
| 1985-90 | 26935 | 9073 | 17862 | 32.5 | 10.9 | 21.6 | 4.11 | 85 |
| 1990-95 | 27566 | 9400 | 18166 | 30 | 10.2 | 19.8 | 3.72 | 76 |
| 1995-2000 | 27443 | 9458 | 17985 | 27.2 | 9.4 | 17.8 | 3.31 | 69 |
| 2000-05 | 27158 | 9545 | 17613 | 24.8 | 8.7 | 16.1 | 2.96 | 61 |
| 2005-10 | 27271 | 9757 | 17514 | 23.1 | 8.3 | 14.8 | 2.73 | 53 |


Source: World Population Prospects

The demographic pattern of India over last few decades has witnessed steady fall in crude birth rate and crude death rate from 39.3% and 18.9% in 1961 to 22.5% and 7.3% in 2009 (Table 3.1 & 3.2). IMR, TFR, CPR and MMR have consistently decreased during this period as can be observed from Table 3.2. The annual exponential population

⁴⁰Birth Rate, Death Rate, Infant Mortality Rate & Total Fertility Rate: India & States-National Commission on Population, Govt of India. 2010.

⁴¹World Population Prospect: United Nations, Department of Socio-Economic Affairs, Population Division, Population Estimates and Projections Section, 2010.

growth rate which reached a peak of 2.22% in 1981 has begun declining since then and has reached 1.64% as per 2011 census. Rate of decline in birth rate and population growth is likely to further accelerate in the next decade.



The life expectancy level has been improving over these decades for both male and female population. The improvement among female is better than male population. Sex ratio has improved from 930 in 1961 to 940 in 2011 which is an appreciable improvement but still below the international levels. The country has a long way to go before attaining the levels achieved by developed countries and many developing countries. There are also indicators which show deterioration during the last decade. CPR has declined from 45.6% in 2001 to 41.1% in 2011. Hence, while ensuring that the health indicators continue to improve, the health care system should also consolidate the improvements already made through these decades.

| Table 3.2 | Demographic Transition of India | | | |
|----------------------------------|--|----------------------|----------------------|----------------------|
| Parameter | 1961 | 1991 | 2001 | 2011 |
| Crude Birth Rate | 39.3 | 29.5 | 25.4 | 22.5 (SRS 2009) |
| Crude Death Rate | 18.9 | 9.5 | 8.4 | 7.3 (SRS 2009) |
| Total Fertility rate | 6 (1969) | 4.1 (SRS 1990) | 3.5 (SRS 2000) | 2.6 (SRS 2008) |
| Couple Protection Rate | 10.1 (1970-71) | 43 | 45.6 | 41.1 |
| Infant Mortality Rate | 138 | 80 | 66 | 50 (SRS 2009) |
| Maternal Mortality Rate | - | 327 (SRS 1999-01) | 301 (SRS 2001-03) | 212 (SRS 2007-09) |
| Sex Ratio | 930 | 927 | 933 | 940 |
| Urbanization | 17.97 | 25.71 | 27.8 | 31.15 |
| Life Expectancy at Birth, Male | 41.89 | 59.4 | 61.6 (SRS 2002) | 65.8 (SRS 2008) |
| Life Expectancy at Birth, Female | 40.55 | 60.4 | 60.3 (SRS 2002) | 68.1 (SRS 2008) |

Source: Sample Registration System and Census of India

Referred to as demographic transition by demographers, this phenomenon is witnessed by change from population with high fertility and mortality to a new stability in population due to low fertility and mortality. Demographic transition occurs in four phases in which the first three phases are characterized by population growth. In the first phase there is fall in death rate and improvement in longevity; this leads to population growth. In the second phase there is a fall in birth rate but fall is less steep than fall in death rates and consequently there is population growth. In the third phase death rates plateau and replacement level of fertility is attained but the population growth continues because of the large size of population in reproductive age group. The fourth phase is characterized by fall in birth rate to below replacement level and reduction in proportion of population in reproductive age group; as a result of these changes, population growth ceases and population stabilizes. India is currently moving towards the third phase of demographic transition⁴². Though the changes in the population growth rates in India have been relatively slow, but the change has been steady and sustained.

⁴² Strategies to meet the unmet needs for maternal and child health, Report of the working groups, National Commission of Population, March, 2001.

| Table 3.3 | | Demographic Profile of India | |
|-----------------------------|--------|------------------------------|--------|
| Area | sq.km | 3287263 | |
| Demography | | 2001 | 2011 |
| Population, 2001 | crores | 102.86 | 121.01 |
| Sex Ratio, All | | 933 | 940 |
| Sex Ratio, children < 7 yrs | | 934 | 944 |
| Decadal Growth | % | 21.53 | 17.64 |
| Literacy, 2001 | | | |
| All | % | 64.84 | 74.04 |
| Male | % | 75.26 | 82.14 |
| Female | % | 53.67 | 65.26 |

Source: Census of India

During the last decade, the rate of growth in population has declined following the similar trend as in previous decades. Alongwith this, it can be seen that the literacy rate has jumped up by nearly 10% in this decade alone. The female literacy rate has shown tremendous rise of 12% which can be a key catalyst to bring about significant socio-economic changes in the country. The urbanization in the country is increasing in a steady manner but likely to accelerate in coming decades. Sex ratio has improved marginally for the whole population and considerably for population below 7 years of age (Table 3.3).

3.1.2 Socio-Economic Profile

During 2005 to 2010, the GDP and per capita income increased by 49% and 40% respectively. Human development index, which is a global index of relative level of human development across countries, has increased from 0.482 to 0.547. The multi-dimensional poverty index estimated on the basis of income, consumption, access to resources etc has improved from 0.313 to 0.283. These indexes are estimated periodically by United Nations Development Programme⁴³. However, the level of poverty in the country has declined only marginally from 28.6% in 2004-05 to 27.5% in 2010. The period has also witnessed a modest increase in public expenditure in health and education from 3.8% to 4.2% and 4.1% to 4.2% (Table 3.4).

⁴³ Human Development Reports: 2005, 2006, 2007-08, 2010 & 2011, United Nations Development Program.

| Table 3.4 | | Socio-Economic Profile of India | | |
|---------------------------------|------------|---------------------------------|--------------|------------|
| Indicator | | 2004-05 | 2009-10 | Change (%) |
| GDP | '000 crore | 2922 | 4351 | 49% |
| Per capita income | Rs | 24143 | 33731 | 40% |
| GDP, PPP | \$ Billion | 3078 | 3356 | 9% |
| Per capita income, PPP | \$ | 3159 | 3296 | 4% |
| Human Development | | | | |
| Human Development Index | | 0.482 | 0.547 (2011) | |
| Gender Inequality Index | | | 0.617 (2011) | |
| Multi-Dimensional Poverty Index | | 0.313 | 0.283 (2011) | |
| National Poverty Line | % | 28.6 | 27.50 | |
| Public Exp. on Education | % of GDP | 3.80 | 4.2(2009) | |
| Public Exp. on Health | % of GDP | 4.10 | 4.2(2009) | |

Source: Socio-Economic Survey of Gujarat

Study of different sectors of Indian economy shows a clear shift in the composition of the economy from agrarian to industrial and service economy. The average holding of agricultural land has continued to decrease from 2001-02 to 2008-09⁴⁴, from 1.41 ha to 1.32 ha. Within primary sector also, growth is witnessed in livestock and milk production which indicates the changing pattern of food products in the economy.

| Table 3.5 | | Indian Economy: A Profile | | |
|----------------------|----------------|---------------------------|----------------|------------|
| Agriculture | | 2000-01 | 2008-09 | Change (%) |
| Average Landholding | Ha | 1.41 | 1.32 | -6% |
| | | 2003 | 2007 | |
| Livestock population | 000 | 485002 | 529698 | 9% |
| | | 2004-05 | 2007-08 | |
| Milk Production | Million Tonnes | 91 | 104.8 | 15% |
| Industries | | | | |
| Employment | 000 | 7750 | 10328 | 33% |
| Value of Output | Rs. Cr | 962457 | 2407658 | 150% |
| Unemployment, % | Rural | 2.00 | 10.1 | |
| | Urban | 4.50 | 7.3 | |
| Commerce | | | | |
| Banks | | 68116 | 79933 | 17% |
| Credit-Deposit ratio | | 66.04% | 70.30% | 6% |

Source: Socio-Economic Review of Gujarat

⁴⁴ Socio-Economic Review, Gujarat State: 2005-06 & 2010-11- Directorate of Economic and Statistics, Government of Gujarat, February, 2006

In the industrial sector remarkable growth has been achieved in terms of increase in value of industrial output and employment generation from industries. At the same time unemployment in the country has been rising fast both in urban and rural areas, especially in rural areas. Stagnancy in agriculture and lack of alternate employment opportunities in rural areas is a major challenge before the country. Banking sector, which is key part of services sector has grown in terms of network and healthy improvement in credit-deposit ratio during the period (Table 3.5).

| Table 3.6 | | Infrastructure in India | | |
|------------------------------|------|--------------------------------|-------------|-------------------|
| Indicator | | 2004 | 2008 | Change (%) |
| Railway Length | km | 63221 | 63273 | 0% |
| Electricity Generation | MKWH | 552655 | 627077 | 13% |
| Per capita power consumption | KWH | 411 | 672 | 64% |
| | | 2002 | 2008 | |
| Road Length | km | 2456647 | 3174620 | 29% |
| | | 2002 | 2006 | |
| Motor vehicles | 000 | 58863 | 89618 | 52% |
| Vehicle Density | | 18 | 27 | 50% |

Source: Socio-Economic Review of Gujarat

| Table 3.7 | | Trend of Health Indicators of India⁴⁵ | | |
|--------------------------|----------|---|----------------|----------------|
| Indicator | | 2000 | 2005 | 2010 |
| Crude Birth Rate | % | 25.80 | 23.80 | 22.1 |
| Crude Death rate | % | 8.4 | 7.6 | 7.2 |
| Decadal Pop. Growth | % | 21.2 | 16.3 | 14.9 |
| | | 1999-2001 | 2004-06 | 2009 |
| Maternal Mortality Rate | per lakh | 327 | 254 | 212 |
| | | 1996-98 | 2002-04 | 2007-08 |
| Total Fertility Rate | | 3.3 | 2.9 | 2.6 |
| Infant Mortality Rate | Per 1000 | 68 | 58 | 47 |
| Institutional Delivery | % | 33.6 | 40.5 | 47 |
| Full ANC | % | 43.8 | 44.2 | 50.7 |
| Full Immunization | % | 42 | 45.8 | 53.5 |
| Contraceptive use | % | 48 | 53 | 54 |
| Life Expectancy at Birth | Male | 61.3 | 61.6 | 63.3 |
| | Female | 63 | 65.8 | 68.1 |

Source: Sample Registration System & National Family Health Survey

⁴⁵ Sample Registration System: Registrar General of India, Vital Statistics Division- October 2006 and December 2011 bulletins.

Physical infrastructure of the country has shown general improvement in the areas of electricity generation and per capita consumption, length of roads, number & density of vehicles. However, the railways network has remained stagnant during the period 2004 to 2008 (Table 3.6).

3.2 Health Profile

Analysis of RCH indicators in the last 10 years shows the trend before and after the launch of NRHM (Table 3.7). The improvement in RCH indicators during the 5 years period before and 5 years period after the launch of NRHM can be ascertained from the data. Decline can be seen in CBR, CDR and decadal population growth. However, the rate of improvement has slowed down in last five years in some indicators. This can be observed in MMR and TFR, whereas decline in IMR has accelerated after NRHM. While the institutional delivery has improved at a steady level, improvement in full ante-natal check up and full immunization has accelerated. Contraceptive use has shown only marginal improvement which is the reason for decline in couple protection rate.

Improvement in life expectancy is much more among female than male population both before and after NRHM. In case of male population, life expectancy which was almost static before the launch of NRHM, has improved after the launch.

3.2.1 Health care Performance across States

| State | Health Indicators - Comparison of States I | | | | | | | | | | | |
|----------------|--|------|------|------|------------------|------|------|------|----------------------|------|------|------|
| | Crude Birth Rate | | | | Crude Death Rate | | | | Total Fertility Rate | | | |
| | 1971 | 1981 | 1999 | 2009 | 1971 | 1981 | 1999 | 2009 | 1971 | 1981 | 1999 | 2009 |
| Andhra Pradesh | 34.8 | 31.7 | 21.7 | 18.3 | 14.6 | 11.1 | 8.2 | 7.6 | 4.6 | 4 | 2.4 | 2 |
| Assam | 38.5 | 33 | 27 | 23.6 | 17.8 | 12.6 | 9.7 | 8.4 | 5.7 | 4.1 | 3.2 | 2.6 |
| Bihar | | 39.1 | 30.4 | 28.5 | | 13.9 | 9.1 | 7.0 | | 5.7 | 4.3 | 4 |
| Gujarat | 40 | 34.5 | 25.4 | 22.3 | 16.4 | 12 | 7.9 | 6.9 | 5.6 | 4.3 | 3 | 2.8 |
| Karnataka | 31.7 | 28.3 | 22 | 19.5 | 12.1 | 9.1 | 7.9 | 7.2 | 4.4 | 3.6 | 2.4 | 2.2 |
| Kerala | 31.1 | 25.6 | 18 | 14.7 | 9 | 6.6 | 6.4 | 6.8 | 4.1 | 2.8 | 1.8 | 1.7 |
| Maharashtra | 32.2 | 28.5 | 21.1 | 17.6 | 12.3 | 9.6 | 7.5 | 6.7 | 4.6 | 3.6 | 2.7 | 2.1 |
| Punjab | 34.2 | 30.3 | 21.5 | 17 | 10.4 | 9.4 | 7.4 | 7.0 | 5.2 | 4 | 2.6 | 2 |
| Tamil Nadu | 31.4 | 28 | 19.3 | 16.3 | 14.4 | 11.8 | 8 | 7.6 | 3.9 | 3.4 | 2 | 1.7 |
| Uttar Pradesh | 44.9 | 39.6 | 32.1 | 28.7 | 20.1 | 16.3 | 10.5 | 8.2 | 6.6 | 5.8 | 4.6 | 4 |
| West Bengal | | 33.2 | 20.7 | 17.2 | | 11 | 7.1 | 6.2 | | 4.2 | 2.4 | 2.1 |
| India | 36.9 | 33.9 | 26.1 | 22.5 | 14.9 | 12.5 | 8.7 | 7.3 | 5.2 | 4.5 | 3.2 | 2.9 |

Source: Population Commission of India

Availability and utilisation of RCH services is a critical determinant of performance of these initiatives and achievements in terms of reduction in IMR, TFR and CBR. However, it can be noted that achievement in all the States is not uniform⁴⁶ (Table 3.8).

For example, though both Punjab and Tamil Nadu have good primary health care system and the former has higher per capita income, IMR and TFR are higher in Punjab at 38 and 2 compared to 28 and 1.7 in Tamil Nadu. Till 1980s, Tamil Nadu had higher IMR compared to Punjab. Uttar Pradesh and Bihar have similar socio-economic development. However, IMR is lower in Bihar at 52 compared to 63 in Uttar Pradesh in 2009. The same can be observed in other indicators like MMR and CDR also. A comparison of Assam and Bihar shows that, Bihar has an IMR of 52 and TFR of 4 whereas Assam has a higher IMR of 61 and a lower TFR of 2.6.

| Table 3.9 | Health Indicators - A comparison of States II | | | | | | | |
|----------------|---|------|------|------|-------------------------|---------|---------|---------|
| | Infant Mortality Rate | | | | Maternal Mortality Rate | | | |
| | 1971 | 1981 | 1999 | 2009 | 1987-96 | 2001-03 | 2004-06 | 2007-09 |
| Andhra Pradesh | 106 | 86 | 66 | 49 | 283 | 195 | 154 | 134 |
| Assam | 139 | 106 | 76 | 61 | 964 | 490 | 480 | 390 |
| Bihar | 118 | 69 | 66 | 52 | 513 | 371 | 312 | 261 |
| Gujarat | 144 | 116 | 63 | 48 | 596 | 172 | 160 | 148 |
| Karnataka | 95 | 69 | 58 | 44 | 480 | 228 | 213 | 178 |
| Kerala | 58 | 37 | 14 | 12 | | 110 | 95 | 81 |
| Maharashtra | 105 | 79 | 48 | 31 | 380 | 149 | 130 | 104 |
| Punjab | 102 | 81 | 53 | 38 | | 178 | 192 | 172 |
| Tamil Nadu | 113 | 91 | 52 | 28 | 195 | 134 | 111 | 97 |
| Uttar Pradesh | 167 | 150 | 84 | 63 | 737 | 517 | 440 | 359 |
| West Bengal | 91 | 71 | 52 | 33 | 458 | 194 | 141 | 145 |
| India | 129 | 110 | 70 | 50 | 479 | 301 | 254 | 212 |

Source: Sample Registration System & Population Commission

The relative performance of different States in various indicators also shows high level of variation. Gujarat which had a CDR of 16.4 in 1971 achieved a level of 6.9 in 2009. As against this, Karnataka which had a lower CDR of 12.1 in 1971 attained 7.2 in 2009. But in TFR, Karnataka achieved a lower level of 2.2 in 2009 from 4.4 in 1971 compared to 2.8 from 5.6 in Gujarat. It is required to identify factors responsible for poor

⁴⁶ Population growth trends, projections, challenges and opportunities - Working Papers on Health, Planning Commission of India, 2001.

achievements and specific remedial measures have to be undertaken in the States. In case of MMR, Gujarat reached a level of 148 in 2007-09 compared to 596 in late 80's as compared to 178 from 480 in Karnataka. Kerala has maintained a consistent and steady improvement in all the indicators during the last 4 decades (Table 3.9).

In last 4 decades, across the country, Kerala, Tamil Nadu and Andhra Pradesh achieved a steep fall in CBR. In case of CDR, Uttar Pradesh, Bihar and Tamil Nadu achieved significant decline. High decline in TFR is witnessed in Punjab and Assam. Decline in IMR was significantly high in Gujarat, Bihar and Tamil Nadu. Assam, UP and Gujarat has high decline in MMR during the period.

Similar pattern can be observed in the differences between districts within the same State. Under the Reproductive Child Health program efforts are made to improve the quality and coverage of these services in all states. In each state, the success achieved by better performing districts can be replicated in other districts; in addition, efforts will have to be made to achieve incremental improvement in performance in all districts so that the performance in the State improves.

States like Kerala and Tamil Nadu have achieved low CBR and IMR at relatively low cost⁴⁷. On the other hand, States like Haryana and Punjab have not achieved any substantial reduction in CBR in spite of higher expenditure per eligible couple. In States like Bihar and Uttar Pradesh the expenditure level and performance is low. In between these extreme categories are States like Orissa and Andhra Pradesh with average expenditure and moderate performance in RCH or family planning.

3.3 Healthcare Infrastructure in India

At the national level, Ministry of Health and Family Welfare plays a key role in the effort to enable citizens to lead a healthy life by promoting policies and programs to cover preventive, promotive and curative health care. Maternal and Child Health comes under the Department of Family Welfare. The Ministry is headed by Cabinet Minister and the executive head of the department is Secretary to Government of India. Various technical divisions functioning in the department are technical operations, maternal and child health, evaluation and intelligence, information, education and communication, supply, universal immunization, projects and rural health.

Under the constitution, main responsibility of providing health services to people lies with the State Government through hospitals, dispensaries, health centres and clinics.

⁴⁷ Berman, Peter and Ravi Ahuja: Government Health Spending in India, *Economic & Political Weekly*, June 28, 2008.


The Ministry of Health and Family Welfare at the State level has the responsibility of delivering primary health care services including maternal and child health services. Like Central Government, the ministry is headed by Cabinet Minister and the departments of Health and Family Welfare are headed by Principal Secretary to State Government. The Commissioner or Director of health is responsible for the organization and implementation of all health services including family welfare services.

| Table 3.10 | | Health Care Infrastructure in India | | |
|-----------------------------|--------|--|-------------|-------------------|
| Indicator | | 2004 | 2009 | Change (%) |
| No of Doctors | | 643964 | 793305 | 23% |
| No of Nurses | | 865135 | 1073638 | 24% |
| Doctors in PHC | | 21974 | 23982 | 9% |
| Specialists in CHC | | 3953 | 5789 | 46% |
| Health Workers | Male | 60756 | 57439 | -5% |
| | Female | 138906 | 190919 | 37% |
| Sub Centres | | 142655 | 145894 | 2% |
| PHC | | 23109 | 23391 | 1% |
| CHC | | 3222 | 4510 | 40% |
| Allopathic Medical Colleges | | 229 | 289 | 26% |

Source: Central Bureau of Health Intelligence

District is the vital link between the State and the network of primary health centres and sub-centres. The Chief District Health Officer is responsible for implementing health and family welfare programs according to the policies of the Government. Under him, Reproductive and Child Health Officer is responsible for implementation of RCH initiatives in the district. The 3-tier of health centres at the district level covers the functional and spatial needs of health delivery. At the top is Community Health Centre (CHC) which is established at taluka/block level which functions as first level referral institution.

Chart 3.1: Health Care Structure in India



Delivery of primary health care at rural level is the principal objective of network of PHC and sub-centres. One PHC covers a population of 30000 and provides comprehensive essential health care including maternal and child health. Sub-Centres are the peripheral outposts of health care delivery system which cover a population of approximately 5000. They provide preventive and promotive health care. Female Health Worker is crucial in providing MCH services in rural areas supporting multipurpose health workers, village health guides, traditional birth attendants and Anganwadi workers.

The health care infrastructure in terms of hospitals and manpower has improved between 2004 and 2009 in the country. During this period, the number of doctors and nurses improved by 23% and 24% respectively. However, at the PHC level, availability of doctors improved only by 9%. Number of male health workers has declined by 5% whereas number of female health workers has increased by 37% respectively. The number of sub-centres and PHC has become almost stagnant whereas number of CHC has increased by 37%. New medical colleges have come up during the period with an increase of 26%. (Table 3.10)

Non-Governmental Sector

Private sector, voluntary organizations and indigenous medical practitioners play an important role in health delivery system. Private sector and practitioners have a dominant presence in the health care system providing nearly 60% of the health care services in the country with predominant focus and presence in curative health care. The role of NGO has been undergoing sea change in recent years towards equal partnership to support the Government efforts to implement various programs like school health program, pulse polio program, strengthening women organizations, control of STD/HIV and family planning programs. Indigenous medical practitioners including registered and non-registered medical practitioners have good rapport with the community and can be of great help in promoting preventive aspects of health

It is estimated that at the time of independence private sector in India had only 8% of health care facilities. But at present 93% of all hospitals, 64% of beds, 80-85% of doctors, 80% of outpatients and 57% of inpatients are in the private sector⁴⁸. Non-profit health institutions account for 1.32% of all health care enterprises. Their spread is erratic in different states. Uttarakhand and Punjab have 43% and 15% of health care establishments run by NGOs. States like Bihar, Karnataka, Jharkhand and Goa have negligible presence of NGOs accounting for less 1% of total health care establishments⁴⁹.

Though there is no restriction for the participation of the private sector in all areas of health activities – primary, secondary or tertiary, looking to the past experience, it can reasonably be expected that its contribution would be substantial in the urban tertiary sector, and moderate in the secondary sector. Presence of large poor population in the

⁴⁸ Health Care in India: Emerging Market Report – PricewaterhouseCoopers, 2007.

⁴⁹ Venkata Raman, A: Private Sector Health Care Delivery in India – Faculty of Management Studies, Delhi University, 2005.

country necessitates the primary role of Government mechanism to provide primary health care.

3.4 Health Care Organizations in India

1. Medical Council of India

The Medical Council of India (MCI) is the statutory body for maintenance of quality and high standards of medical education in India⁵⁰. The Council grants recognition of medical qualifications, gives accreditation to medical colleges, grants registration to medical practitioners, and monitors medical practice in India. Established in 1934 under the Indian Medical Council Act, 1933, the Council was later reconstituted under the Indian Medical Council Act, 1956. The main functions of the Medical Council of India are: recognition of medical qualifications granted by medical institutions of India; recognition of foreign medical qualifications in India; accreditation of medical colleges; maintenance of uniform standards for undergraduate medical education and; regulation of postgraduate medical education in medical colleges accredited by it.

At present there are 229 recognized medical colleges permitted under the Indian Medical Council Act, 1956. Approximately 33528 graduates pass out every year from these colleges. After completing compulsory rotating internship, they are required to be registered with State Medical Council or Medical Council of India to practice medicine in the country.

2. Indian Medical Association

Indian Medical Association (IMA) is a national organization of doctors of modern scientific system of medicine, which looks after the interest of doctors and the well being of the community at large. It has Branches in 23 States and 9 Union Territories with over 178000 doctors as its members through over 1700 local branches spread all over the country⁵¹. The main objectives of the organization are: promotion and advancement of medical and allied sciences in all their branches; improvement of public health and medical Education in India and; maintenance of honour and dignity of medical profession.

It plays key role with involvement in the formulation and implementation of National Health Programs like Family Welfare, Maternal and Child Health, Universal Immunization Programme, Oral Rehydration Therapy, and AIDS Prevention, Control and

⁵⁰ Annual Report 2009-10: Medical Council of India, New Delhi, 2010.

⁵¹ Indian Medical Association: http://www.ima-india.org/IMA_history.html

Management⁵². The IMA and its branches have been running many community service projects and a number of branches have established Family Welfare Clinics, Immunization Centres, Ambulance Services, Blood Banks, Polio Eradications and RCH programs.

3. Nursing Council of India

Indian Nursing Council is an autonomous regulatory body under the Ministry of Health & Family Welfare, Government of India, constituted under the Indian Nursing Council Act, 1947. The functions of Indian Nursing Council are: to establish and monitor a uniform standard of nursing education; to prescribe syllabus and regulations for nursing programs; to withdraw the recognition of qualification and; to advise the State nursing councils, examining boards, State Governments and Central Government in important issues regarding nursing education. In 2010, there were 2028 general nurse midwives and 676 auxiliary nurse midwives institutions which had admission strength of 80332 and 15335 students respectively.

4. Dental Council of India

The Dental Council of India was incorporated under The Dentists Act, 1948 to regulate dental education and profession in India. The council is entrusted with the functions of maintenance of uniform standards of dental education and to prescribe standard curricula for the training and examination.

In consonance of the provisions of the Act, Dental Council of India is entrusted with the following objectives: Maintenance of uniform standards of Dental Education – both at undergraduate and postgraduate levels; to prescribe a standard curricula for the training of dentists, dental hygienists, dental mechanics and the conditions for such training; to prescribe the standards of examinations and other requirements required to secure recognition under the Act. In 2010, there were 289 dental colleges which gave admission to 21547 under-graduate and 2783 post-graduate students.

5. Pharmacy Council of India

Pharmacy education and profession in India is regulated by Pharmacy Council of India (PCI), a statutory body governed by the provisions of the Pharmacy Act, 1948. The objectives of the council are: to regulate the profession and practice of pharmacy; to prescribe minimum standard of education; to ensure uniform implementation of standards; to approve courses of study and examination and to maintain central register of

⁵² Journal of Indian Medical Association, May, 2010

pharmacists. In 2010, there were 608 pharmacy colleges which provided admission to 36115 students.

6. Indian Council of Medical Research

The Indian Council of Medical Research (ICMR) founded in 1911 is the apex body for formulation, coordination and promotion of biomedical research in India. Funded by the Government of India, the council's research priorities are based on national health priorities such as control and management of communicable diseases, fertility control, maternal and child health, control of nutritional disorders, developing alternative strategies for health care delivery, containment within safety limits of environmental and occupational health hazards, research on major non-communicable diseases and drug research.

ICMR's research effort has a special focus on changing public health scene especially when resources are severely limited, which is a typical problem encountered in the management of medical research, particularly in developing countries.

7. Quality Council of India

Quality Council of India (QCI) was set up in 1997 jointly by the Government of India and the three industry associations i.e. Associated Chambers of Commerce and Industry of India (ASSOCHAM), Confederation of Indian Industry (CII) and Federation of Indian Chambers of Commerce and Industry (FICCI), to establish and operate national accreditation structure and promote quality through National Quality Campaign. QCI is registered as not-for-profit society with its own Memorandum of Association and Rules & Regulations. The Department of Industrial Policy & Promotion, Ministry of Commerce & Industry, is the nodal ministry for QCI.

National Accreditation Board for Hospitals & Healthcare Providers (NABH) is a constituent board of Quality Council of India, set up to establish and operate accreditation program for healthcare organisations. The board is structured to cater to much desired needs of the consumers and to set benchmarks for progress of health industry. The board while being supported by all stakeholders including industry, consumers, government, have full functional autonomy in its operation. Some States like Gujarat have initiated the process of NABH accreditation for public hospitals. The mission of Gujarat government is to enhance patients' quality of life by providing specialized medical treatment and preventive health care at free/affordable cost.

8. Public Health Foundation of India

Public Health Foundation of India (PHFI) is a public-private initiative of Central and State Governments, academia, multilateral agencies and civil society groups. PHFI was launched in 2006 to strengthen training, research and policy development in the area of Public Health. As an independent foundation, PHFI adopts a broad, integrative approach to public health, tailoring its endeavours to Indian conditions. It focuses on broad dimensions of public health that encompass promotive, preventive and therapeutic services.

The main purposes of PHFI⁵³ are assisting the growth of public health training institutions/ departments to facilitate their evolution into major institutes of public health; establishing a strong national research network of public health and allied institutions which would undertake policy and program relevant research that will advance public health goals in priority areas; engaging public health expertise to collectively undertake analytical work for generating policy recommendations related to public health action and; developing a vigorous advocacy platform to communicate these recommendations to policy makers and other relevant stake holder groups.

9. National AIDS Control Organization (NACO)

NACO is a division of the Ministry of Health and Family Welfare that provides leadership to HIV/AIDS control program in India through 35 HIV/AIDS Prevention and Control Societies. The vision of NACO is that every person living with HIV has access to quality care and is treated with dignity. Effective prevention, care and support for HIV/AIDS is possible in an environment where human rights are respected and where those infected or affected by HIV/AIDS live a life without stigma and discrimination.

NACO strives to improve access and accountability of services by fostering collaboration with NGOs, women's self-help groups, faith-based organisations, people's networks and communities. NACO aims to contain the spread of HIV in India by building an all-encompassing response reaching out to diverse populations and provide accurate, complete and consistent information about HIV, promote use of condoms for protection, and emphasise treatment of sexually transmitted diseases.

⁵³ La Forgia, Gerard and Krishna D. Rao: India Health Beat – Policy Notes- Public Health Foundation of India, New, 2006-12.

3.5 Health Care Legislations

1. Constitutional Provisions

Health care as envisaged in the Constitution of India as outlined in the Directive Principles of State Policy in Articles 42 and 47 of Chapter IV. As per Article 42, the State shall make “Provision for just and humane conditions of work and maternity relief”. And according to Article 47, it is the “Duty of the State to raise the level of nutrition and the standard of living and to improve public health”. Thus both the Articles feature a universal health care system run by the Centre and States.

2. Public Health Act

Few States like Kerala and Tamil Nadu have separate law for public health, the Travancore-Cochin Public Health Act, 1955 and Madras Public Health Act, 1939 respectively. Key public health functions are transferred to Pañchayats and Municipal bodies under the Act. Some key functions transferred under the Act are sanitation, disposal of solid and liquid wastes, vector control, immunization and other preventive measures, management of dispensaries, and management of child welfare centres and maternity homes.

3. Medical Termination of Pregnancy Act, 1971

As an important legislation for maternal and child health in India, this law provides for abortion services on a woman in an approved clinic or hospital under stipulated conditions. The Medical Termination of Pregnancy (MTP) Act of India clearly states the conditions under which a pregnancy can be ended or aborted, the persons who are qualified to conduct the abortion and the place of implementation. According to Consortium on National Consensus for Medical Abortion in India⁵⁴, an average of about 11 million abortions take place annually and around 20,000 women die every year due to abortion related complications. Most abortion-related maternal deaths are attributable to illegal abortions.

Voluntarily ‘causing miscarriage’ to a woman with child – other than in ‘good faith for the purpose of saving her life’ is a crime under Section 312 of the Indian Penal Code. The MTP Act is an empowering legislation, which if adhered to completely, offers protective umbrella allowing clinicians to offer legal safe abortion services within well-defined limits.

⁵⁴ Radhakrishnan, Prathima: Referral for Abortion, Indian Journal of Medical Ethics: 2009, Oct-Dec: 6(4)

4. Pre-Natal Diagnostic Techniques (PNDT) Act, 1994

Female infanticide was prohibited in the country even before independence, by way of penal provisions in Indian Penal Code, 1860. However, the provisions were toothless as a result of which there is prevalence of high rates of infanticide and foeticide. With the advent of technologies⁵⁵ for sex determination during pregnancy, female foeticide became rampant resulting in decline in sex ratio. In 1994, the parliament enacted The Pre-Natal Diagnostic Techniques (Regulation and prevention of misuse) Act to regulate and prevent misuse of diagnostic techniques and to provide strict penal action.

The Act was further amended in 2003 to make it more comprehensive and renamed as Pre-Conception and Pre-Natal Diagnostic Techniques (Prohibition of Sex Selection) Act, 1994. It has explicit provisions for use, regulation and monitoring of ultra sound machines to curb their misuse for determination of sex of the foetus. -


5. Food Safety and Standards Act, 2006

Various central Acts like Prevention of Food Adulteration Act, 1954, Fruit Products order, 1955, Meat Food Products Order, 1973, Vegetable Oil Products (Control) Order, 1947, Edible Oils Packaging (Regulation) Order 1988, Solvent Extracted Oil, De-Oiled Meal and Edible Flour (Control) Order, 1967, Milk and Milk Products Order, 1992 etc were repealed with the enactment of this law.

The Act aims to establish a single reference point for all matters relating to food safety and standards by establishing an independent statutory authority – the Food Safety and Standards Authority of India (FSSAI) to enforce various provisions of the Act. Ministry of Health & Family Welfare is the administrative ministry for the implementation of laws for food safety and standards. It lays down standards for articles of food and to regulate their manufacture, storage, distribution, sale and import to ensure availability of safe and wholesome food for human consumption.

FSSAI has been mandated by the FSS Act, 2006 to: frame regulations to lay down the standards and guidelines in relation to articles of food; lay down mechanism and guidelines for accreditation of certification bodies; lay down procedure and guidelines for accreditation of laboratories; provide scientific advice and technical support to Government; collect and collate data regarding food consumption, incidence and prevalence of biological risk, contaminants in food, identification of emerging risks and

⁵⁵ Annual Report on implementation of Pre-Conception and Pre-Natal Diagnostic Techniques (Prohibition of sex selection) Act, 1994, PNDT Division, Ministry of Health and Family Welfare, Govt. of India, 2005.



introduction of rapid alert system; creating an information network of public, consumers and panchayats across the country; provide training programs for persons involved in food businesses; contribute to the development of international technical standards for food, sanitary and phyto-sanitary standards and; promote general awareness about food safety and food standards.

6. Drugs and Cosmetics Act, 1940

The manufacture and sale of drugs is a licensed activity under the Drugs and Cosmetics Act, 1940. It has provisions to check production of spurious and sub-standard drugs in the country and to take penal action against the offenders. Regulatory control over manufacture and licensing is exercised by the State licensing authorities appointed by State Governments. The prevalence of spurious drugs is a major public health concern and hence the Government has taken many initiatives to enforce the law which include whistleblower scheme, strengthening drug testing laboratories and good manufacturing practices.

7. Environmental Legislations

Pollution of environment in different forms has a direct impact on the public health of the people. There are legislations on water, air and other forms of pollution in the form of Water (Prevention and Control of Pollution) Act, 1974; Air (Prevention and Control of Pollution) Act, 1981, Environment (Protection) Act, 1986, Hazardous Waste (Management & Handling) Rules, 1989 and Bio-medical Waste (Management & Handling) Rules, 1998. These laws are implemented through the State pollution control boards under the guidance of central pollution control board.

8. Other Laws

There are many other statutes which are relevant in the context of health care management in the country. The important statutes are the Drugs (Control) Act, 1948, Maternity Benefit Act, 1961, the Registration of Birth and Death Act, 1969, Dangerous Machines (Regulation) Act, 1983, Narcotic Drugs and Psychotropic Substance Act, 1983, Consumer Protection Act, 1986, Epidemic Diseases Act, 1987, The Mental Health Act, 1987 and Transplantation of Human Organs Act, 1994.

3.6 Health Programs in the Country

1. Reproductive and Child Health Program

The second phase of RCH program i.e. RCH II commenced from 1st April, 2005 under NRHM after the end of Phase I⁵⁶. The main objective of the program is to bring about a change mainly in three critical health indicators i.e. reducing total fertility rate, infant mortality rate and maternal mortality rate with a view to achieve the outcomes envisioned in the NPP, NHP, MDG, Tenth Plan Document and India Vision 2020.

Salient features of RCH - II Program are: adoption of sector-wide approach; building State ownership by involving States from the beginning of the program; decentralization through development of District and State level need based plans and; capacity building at the district, state and the central level to ensure improved program implementation. In particular, the emphasis is on strengthening financial management systems and monitoring and evaluation capabilities at different levels.

2. National Vector Borne Disease Control Program

Directorate of National Vector Borne Disease Control Program (NVBDCP) is the central nodal agency for prevention and control of vector borne diseases i.e. Malaria, Dengue, Lymphatic Filariasis, Kala-azar, Japanese Encephalitis and Chikungunya in India. It is one of the technical departments of Directorate General of Health Services, Government of India. The program provides detailed guidelines for control of these diseases, information, education and communication activities and capacity building.

3. Revised National Tuberculosis Control Program (RNTCP)

India has adopted WHO- recommended Directly Observed Treatment (DOT) under RNTCP program in 1997. The main components are: case detection by sputum smear microscopy examination among symptomatic patients; administration of anti-TB drugs under the direct observation of the health care provider/community DOT provider; regular and uninterrupted supply of anti-TB drugs; systematic recording and reporting that allows assessment of treatment result of each patient and: finally, political commitment to control TB. In 2006, a new stop strategy for TB with the following components was adopted: to pursue high quality DOT expansion; to address TBHIV, MDR-TB and other challenges; contribute to health system reengineering and; to promote research.

⁵⁶Meeting people's health needs in rural areas, National Rural Health Mission – Framework of Implementation 2005-12, Ministry of Health and Family Welfare, Government of India.

4. Integrated Disease Surveillance Project (IDSP)

IDSP was launched in November 2004 under Ministry of Health and Family Welfare⁵⁷. It is a decentralized, State based surveillance program intended to detect early warning signals of impending outbreaks and help initiate an effective response in a timely manner. Major components of the project are : (1) Integrating and decentralization of surveillance activities; (2) Strengthening of public health laboratories; (3) Human Resource Development – Training of State Surveillance Officers, District Surveillance Officers, Rapid Response Team, other medical and paramedical staff; and (4) Use of Information Technology for collection, collation, compilation, analysis and dissemination of data.

New areas in the project are Non-Communicable Diseases Risk Factor Survey currently being conducted in the states of Andhra Pradesh, Tamil Nadu, Kerala, Maharashtra, Madhya Pradesh, Uttarakhand and Mizoram. The survey is to be repeated every 3 years to cover all states in phases.

5. National Leprosy Eradication Program

The National Leprosy Eradication Program is a centrally sponsored health scheme of Ministry of Health and Family Welfare. The program is also supported by WHO, International federation of anti-leprosy association and NGO. The strategy for elimination of leprosy includes decentralization to states and districts, integration of leprosy with general health care system, training, early diagnosis, prevention of disability and medical rehabilitation. The prevalence at the national level has declined from 5.9 in 1991 to 0.69 in 2011 per 10000 populations.

6. Rogi Kalyan Samiti (RKS)

RKS (Patient Welfare Committee) is a management structure which is a registered society to manage the affairs of hospitals. It consists of representatives of local bodies, NGOs, local elected representatives and is responsible for proper functioning and management of hospitals and quality of services.

The functions include identifying problems faced by the patients, procuring equipments and furniture, arrangements for maintenance of hospitals, involve private partners for cleaning, laundry, diagnostic and ambulance services and encourage community participation.

⁵⁷ Annual Report, Integrated Disease Surveillance Project, Ministry of Health and Family Welfare, Govt. of India, 2008

7. Rashtriya Swastha Bhima Yojna (RSBY)

RSBY, introduced in 2007 is a new health insurance scheme for the Below Poverty Line (BPL) families in the unorganized sector. The objective of RSBY is to provide the insurance cover to below poverty line households from major health shocks that involve hospitalization. In terms of funding, 75% is provided by the centre while the remainder is borne by the state government. The scheme is being implemented in phased manner covering 20% of districts every year. Under the scheme, BPL families are entitled to more than 700 in-patient medical procedures with a cost of up to 30,000 rupees per annum for a nominal registration fee of 30 rupees. Pre-existing medical conditions are covered and there is no age limit. Coverage extends to the head of household, spouse and up to three dependents.

8. Janani Surakhsha Yojna (JSY)

JSY is a safe motherhood intervention under the NRHM implemented with the objective to reduce maternal and neo-natal mortality by promoting institutional delivery among the poor pregnant women. The scheme launched in 2005, is being implemented in all states with special focus on low performing states. The scheme integrates cash assistance with delivery and post-delivery care. Each beneficiary registered under this program is tracked with a MCH card and an ASHA/AWW/ any other identified link worker under the overall supervision of the ANM, and the medical officer of the concerned PHC, should prepare a micro-birth plan. This will effectively help in monitoring Antenatal check-up, improve institutional delivery and the post delivery care.

CHAPTER – IV

HEALTH CARE DELIVERY IN GUJARAT

Chapter IV

4. Health Care Delivery in Gujarat

Gujarat State, located in the western part of India possesses a total land area of 196924 sq. km and was established in the year 1960. For administrative purpose the State is organized into 26 districts, 225 talukas and 18066 villages. There are 242 towns and urban agglomerations including 8 municipal corporations. From the inception, the State has witnessed not only significant growth in size of economy but undergone a structural change in economy with high degree of industrialization and rapid urbanization.

4.1 Demographic and Socio-Economic Profile

4.1.1 Demographic Profile


| Table 4.1 | | Gujarat: Demographic Trend | | | |
|------------------------------------|----------------------|----------------------------|-----------|------------|------------|
| Factor | | Gujarat | | India | |
| | | 2001 | 2011 | 2001 | 2011 |
| Population (Lakhs) | | 506 | 603 | 10287 | 12101 |
| Urbanization (%) | | 37.35 | 42.58 | 27.81 | 31.20 |
| Sex Ratio | All | 920 | 918 | 933 | 940 |
| | Children below 7 yrs | 883 | 886 | 934 | 944 |
| Crude Birth Rate ⁵⁸ , % | | 24.9 | 22.3 | 24.1 | 22.3 |
| Crude Death Rate, % | | 6.9 | 6.9 | 7.5 | 7.3 |
| Annual growth in population, % | | 2.06 | 1.77 | 1.97 | 1.64 |
| Total Fertility Rate | | 2.8 (2004) | 2.5(2009) | 2.9 (2004) | 2.6 (2009) |
| Literacy rate, % | Men | 79.66 | 87.23 | 75.26 | 82.14 |
| | Women | 57.80 | 70.73 | 53.67 | 65.26 |
| | Overall | 69.14 | 79.31 | 64.84 | 74.04 |

Source: Census of India and Sample Registration System

The population of the State increased from 506 lakhs in 2001 to 603 lakhs in 2011 (Table 4.1). An analysis of growth trend shows a significant drop in annual growth rate in population of 2.06% during 1991-2001 to 1.77% in 2001-11. The annual growth of population is higher than country as a whole because the CBR is same as the country and CDR is lesser. In the last decade, CBR has declined more rapidly than the country as a whole whereas the CDR has remained static. This demographic shift where both crude

⁵⁸ Sample Registration System Reports, Registrar General & Census Commissioner, Ministry of Home, Govt. of India- April, 2006 and June 2011.

birth and death rates have declined is due to sustained efforts to improve the health services and the overall socio-economic condition of people.



The State is getting rapidly urbanized with growth in urban population from 37.35% in 2001 to 42.58% in 2011 which is much higher than the national average of 31.20%. Though the sex ratio has marginally declined from 920 to 918 between 2001 and 2011, there is an increase in the ratio among the children below 7 years age from 883 to 886 but still a matter of concern.

4.1.2 Socio-Economic Profile

Socio-economic factors like education, per capita income, poverty and investment have large impact on the health outcomes and are in turn influenced by health status of people. Gujarat has strived to attain high and balanced social and economic development as can be ascertained from the indicators like literacy, per capita income and poverty⁵⁹. The overall literacy is 79.31% in 2011 with a female literacy of 70.73%. This is an increase from 69.14% and 57.80% respectively in 2001. It can be observed that the overall literacy has increased and the gap in respect of female literacy has declined. Similar trend can be observed at the national level too.

The State domestic product has witnessed a strong annual growth of 12.63% during 2001-11 compared to 9% for the country as a whole. This has translated in to

⁵⁹ Socio-Economic Review, Gujarat State, 2005-06 and 2010-11- Directorate of Economic and Statistics, Government of Gujarat, February, 2006.

growth in per capita income of 11% compared to 7.6% for the country. Share of Gujarat's GDP in the country has increased from 5.89% in 2005 to 6.50% in 2010. The per capita income of Gujarat has increased by 51.12% compared to 39.7% for the country. The population below poverty line was 16.8% in Gujarat compared to 27.5% for the country. Poverty is higher in rural areas at 19.1% and 16.8% in urban areas (Table 4.2).

In agriculture sector, the average size of landholding is higher in Gujarat at 2.35 ha as against 1.32 ha for the country. However, this has declined in both the cases in 2010 compared to 2005. The livestock population and milk production has increased during the period. Share of livestock in Gujarat has decreased marginally whereas the share of milk production has increased significantly.

| Table 4.2 | | Gujarat: Socio-Economy | | | | | |
|-----------------------------|------------|-------------------------------|----------------|--------------|----------------|----------------|--------------|
| Indicator | | India | Gujarat | Share | India | Gujarat | Share |
| | | 2004-05 | | | 2009-10 | | |
| GDP | '000 crore | 2922 | 172 | 5.89% | 4351 | 283 | 6.50% |
| Per capita income | Rs | 24143 | 32021 | | 33731 | 49030 | |
| Poverty | | 2004-05 | | | | | |
| Overall | % | 27.5 | 16.8 | | | | |
| Rural | % | 25.7 | 19.1 | | | | |
| Urban | % | 28.3 | 13 | | | | |
| Agriculture | | 2000-01 | | | 2008-09 | | |
| Average size of Landholding | ha | 1.41 | 2.62 | | 1.32 | 2.35 | |
| | | 2003 | | | 2007 | | |
| Livestock population | 000 | 485002 | 21671 | 4.47% | 529698 | 23515 | 4.44% |
| | | 2004-05 | | | 2007-08 | | |
| Milk Production | Mill. Ton | 91 | 6.75 | 7.42% | 104.8 | 7.91 | 7.55% |
| Industries | | 2001-02 | | | 2006-07 | | |
| Working Factories | | 13950 | 128549 | 10.85% | 144710 | 14328 | 9.90% |
| Employment | 000 | 7750 | 713 | 9.20% | 10328 | 984 | 9.53% |
| Value of Output | Rs. Cr | 962457 | 147550 | 15.33% | 2407658 | 371687 | 15.44% |
| Unemployment, 2005-06 | Rural | 2% | 1.30% | | | | |
| | Urban | 4.50% | 3.30% | | | | |
| Commerce | | 2005 | | | 2009 | | |
| Banks | | 68116 | 3705 | 5.44% | 79933 | 4338 | 5.43% |
| Credit-Deposit ratio | | 66.04% | 46.73% | | 70.30% | 61.90% | |

Source: Socio-Economic survey of Gujarat

In Industrial sector, the share of number of working factories has declined in Gujarat whereas share in employment and value of output has increased from 2002 and 2007. The share of industrial output of 15.44% is much higher than the population share of 4.98%. In banking, the share of number of branches in Gujarat has remained almost the same. However, the credit-deposit ratio of the state is less than the country though the gap is narrowing down.

4.1.3 Physical Infrastructure⁶⁰

The availability, accessibility and quality of infrastructure are key factors in the progress and development of the State. Gujarat had 4.62% of total road length and 8.4% of rail length of the country in 2004 (Table 4.3) but witnessed a marginal decline of share in road length and rise in share of railway length in 2008. Per capita consumption of power has increased by almost 50% and remains around twice the national average. Thus, it can be understood that the people of Gujarat have better physical infrastructure and mobility compared to national average.

| Table 4.3 | | Gujarat: Infrastructure | | | | | |
|---------------------------|-------------|--------------------------------|----------------|----------------|--------------|----------------|----------------|
| Parameter | | India | Gujarat | % share | India | Gujarat | % share |
| | | 2004 | | | 2008 | | |
| Railway Length | km | 63221 | 5186 | 8.20% | 63273 | 5328 | 8.42% |
| Electricity Generation | Million kwh | 552655 | 41030 | 7.42% | 627077 | 41307 | 6.59% |
| Per cap power consumption | kwh | 411 | 908 | | 672 | 1331 | |
| | | 2002 | | | 2008 | | |
| Road Length | '000 km | 2457 | 138 | 5.60% | 3175 | 147 | 4.62% |
| | | 2002 | | | 2006 | | |
| Motor Vehicles | '000 | 58863 | 6008 | 10.21% | 89618 | 8622 | 9.62% |
| Vehicle Density | | 18 | 31 | | 27 | 44 | |

Source: Socio-Economic Survey of Gujarat

Though the share of motor vehicles has declined marginally, it is much higher than the population share of Gujarat. The vehicle density is 44 compared to national average of 27. All these factors indicate a robust physical infrastructure which is stronger than country as a whole.

⁶⁰ Health Statistics, 2009-10, Vital Statistics Division, Commissioner of Health, Medical Services, Medical Education and Research, Gujarat.

4.2 Health Profile of Gujarat

Health has an impact on every other sector of the economy and society and is in turn affected by the growth and development in other sectors. Hence, it is critical to understand the performance of the health sector and the context in which the NRHM program is conceptualised and implemented in the State.

An analysis of major health indicators shows progressive improvement in health status of the people in the State (Table 4-4). The life expectancy of both female and male has increased from 1998-2002 to 2008 by 6.4 and 1.9 years which is higher than the national average improvement of 4.6 and 1.5 years. A decline in crude birth rate as well as crude death rate indicating attainment of the 4th stage of demographic transition where both birth rate and death rates decline and the society achieves stabilization in population in due course can be observed.

| Table 4.4 | Gujarat: Changes in Key Health Indicators | | | | |
|--------------------------|---|---------|---------|---------|--------|
| | India | Gujarat | India | Gujarat | |
| Life Expectancy at Birth | 1999-2003 | | 2008 | | |
| Male | 61.8 | 62.5 | 63.3 | 64.4 | SRS |
| Female | 63.5 | 64.6 | 68.1 | 71 | |
| Sex Ratio, All | 2001 | | 2011 | | |
| | 933 | 920 | 940 | 918 | Census |
| | 2004-06 | | 2009 | | |
| Maternal Mortality | 254 | 160 | 212 | 148 | SRS |
| | 2002-04 | | 2007-08 | | |
| Total Fertility Rate | 2.9 | 2.8 | 2.6 | 2.5 | CBHI |
| Infant Mortality Rate | 58 | 54 | 47 | 44 | SRS |
| Full ANC | 16.4 | 25.8 | 18.8 | 19.9 | DLHS |
| Institutional Delivery | 40.5 | 52.2 | 47 | 56.4 | DLHS |
| Full Immunization | 45.8 | 54 | 53.5 | 54.8 | DLHS |
| Contraceptive Use | 53 | 59.2 | 54 | 63.3 | DLHS |

Source: Sample Registration System, District Level Health Survey & Central Bureau of Health Intelligence

Sex ratio has seen minor improvement at the national level has fallen in the State. IMR and MMR have improved at the state and national level. However, attainment of outcome targets of less than 30 for IMR and less than 100 for MMR by 2012 in the State appears to be a tough challenge for the health care administration of the State. This appears to be a huge challenge for the country as a whole. Among the output factors,

institutional delivery has improved at national and state level with the former outpacing the later. Similar trend is observed in total immunization also. In contraceptive use, Gujarat outperforms the country as a whole.

4.2.1 Health Infrastructure in Gujarat

Primary health care infrastructure in terms of number of PHC and sub-centres has remained the same in Gujarat after NRHM, from 2004 to 2009. However, the state has better coverage in terms of average number of villages covered by health centres. New CHC were started during the period. It can be observed that the basic physical infrastructure was in place in Gujarat even before the launch of NRHM (Table 4.5).

| Indicator | 2004 | | | 2009 | | |
|-----------------------------|--------|---------|-------|--------|---------|-------|
| | India | Gujarat | Share | India | Gujarat | Share |
| Sub Centres | 142655 | 7274 | 5.10% | 145894 | 7274 | 4.99% |
| Villages /Sub-Centre | | | | 4 | 2 | |
| PHC | 23109 | 1070 | 4.63% | 23391 | 1084 | 4.63% |
| Villages/PHC | | | | 25 | 17 | |
| CHC | 3222 | 271 | 8.41% | 4510 | 281 | 6.23% |
| Villages/CHC | | | | 132 | 64 | |
| Allopathic Medical Colleges | 229 | 13 | 5.68% | 289 | 14 | 4.84% |

Source: Central Bureau of Health Intelligence

Thus, as far as physical health infrastructure is concerned, the number of villages covered by each sub-centre, PHC and CHC is well above the national figures indicating better reach of health centres. Number of allopathic medical colleges has also increased during the period.

4.2.2 Human Resources in Public Health

Manpower availability in the State as a whole has improved between 2005 and 2010. Population served per doctor has improved from 1401 to 1260 (Table 4.6). The availability of doctors has increased at the national level also. While the availability of nurses has improved at the national level, it has not kept pace with population and has declined from 444 to 469 in Gujarat. The availability of doctors has improved at the PHC level. Gujarat has witnessed improvement as far as the specialists in CHC. Number of health workers has improved for the country as a whole, though number of male health workers has declined. In Gujarat, number of male workers has increased while number of female workers has declined.

| Indicator | 2004 | | | 2009 | | |
|-------------------------|--------|---------|-------|---------|---------|--------|
| | India | Gujarat | Share | India | Gujarat | Share |
| No of Doctors | 643964 | 37194 | 5.78% | 793305 | 45058 | 5.68% |
| Population per Doctor | 1658 | 1401 | | 1440 | 1260 | |
| No of Nurses | 865135 | 84796 | 9.80% | 1073638 | 88258 | 8.22% |
| Population per Nurse | 765 | 444 | | 713 | 469 | |
| Registered Midwives | 521593 | 35935 | 6.89% | 576542 | 36427 | 6.32% |
| Population per Midwives | 2100 | 1506 | | 2041 | 1606 | |
| Doctors in PHC | 21974 | 912 | 4.15% | 23982 | 1019 | 4.25% |
| Specialists in CHC | 3953 | 122 | 3.09% | 5789 | 758 | 13.09% |
| Health Workers | | | | | | |
| Male | 60756 | 2389 | 3.93% | 57439 | 4884 | 8.50% |
| Female | 138906 | 6650 | 4.79% | 190919 | 6431 | 3.37% |

Source: Central Bureau of Health Intelligence

| Category | Required | Available | Shortfall | % Shortfall |
|--|----------|-----------|-----------|-------------|
| Sub-Centre | 7263 | 7274 | - | |
| Primary Health Centre | 1172 | 1073 | 99 | 8% |
| Community Health Centre | 293 | 273 | 20 | 7% |
| MPHW (Female) at Sub-Centres & PHC | 8347 | 7060 | 1287 | 15% |
| HW & MPW (Male) at Sub-Centres & PHC | 7274 | 4456 | 2818 | 39% |
| Health Assistant (Female)/LHV at PHCs | 1073 | 267 | 806 | 75% |
| Health Assistant (Male) at PHCs | 1073 | 2421 | - | |
| Doctors at PHCs | 1073 | 1019 | 54 | 5% |
| Obstetricians & Gynaecologists at CHCs | 273 | 6 | 267 | 98% |
| Physicians at CHCs | 273 | 0 | 273 | 100% |
| Paediatricians at CHCs | 273 | 6 | 267 | 98% |
| Total Specialist at CHCs | 1092 | 81 | 1011 | 93% |
| Radiographers | 273 | 124 | 149 | 55% |
| Pharmacist | 1346 | 781 | 565 | 42% |
| Laboratory Technicians | 1346 | 897 | 449 | 33% |
| Nurse/Midwife | 2984 | 1585 | 1399 | 47% |

Source: Central Bureau of Health Intelligence

An analysis of health personnel at sub-centre, PHC and CHC of Gujarat was carried out to ascertain the requirement, availability and shortfall. Shortfall level is significant in case of health workers and assistants at 27%. In case of doctors vacancy is 5%. Huge vacancy is observed in the category of specialist doctors posts in CHC. Vacancy in case of paramedical staff is 39.2% and nurses are 47% (Table 4.7).

4.2.3 Health Finance

It can be seen that financial resources committed to health sector in the Government budget has significantly increased from 3.95% in 2005 to 6.4% in 2010 in planned outlay. Significantly, non-plan budget has declined from 2.75% to 2.6% during the same period. Overall, the health sector allocation has increased from 3.11% to 4.19% (Table 4.8).

| Table 4.8 | | Gujarat: Health Finance/ Budget | |
|------------------------|--------|--|-------------|
| | | | 2005 |
| Plan outlay for health | Crores | 434 | 1900 |
| | % | 3.95 | 6.40 |
| Non Plan outlay | Crores | 720 | 1088 |
| | % | 2.75 | 2.6 |
| Total | Crores | 1155 | 2988 |
| | % | 3.11 | 4.19 |

Source: Vital Statistics, Gujarat

4.3 Public Health Management in Gujarat

Public health care system in Gujarat has three levels – primary, secondary and tertiary level institutions. Primary level infrastructure comprises of 7274 sub-centres, 1096 PHC and 290 CHC. The secondary level consists of 24 district level and 26 taluka/sub-district level hospitals. The tertiary level covers teaching hospitals with medical colleges and specialized hospitals. The State has 14 medical colleges⁶¹ out of which 8 are in non-Government sector and 15 training schools for auxiliary nurse midwives.

The State implements national health programs for Malaria, Tuberculosis, Leprosy, epidemic control, HIV/AIDS, Janani Suraksha Yojna and family welfare

⁶¹ Health Statistics of Gujarat: Commissionerate of Health, Government of Gujarat- 2010.

(including RCH), in addition to the State programs⁶² like Chiranjeevi, 108 emergency ambulance services, Mamta Abhiyan, Bal Sakha Scheme and Beti Bachao Abhiyan.

Chiranjeevi Yojna was launched by the Government to protect mothers and babies from complications arising out of child birth by promoting institutional deliveries, with the involvement of private nursing homes and recognized hospitals. **Under Bal Sakha Scheme**, all babies born to BPL mothers in the State are covered for neonatal care by partnering with private Paediatricians, including care in their Neonatal Intensive Care Unit at no cost to the beneficiary. 108 emergency services were launched in private public partnership to cater to wide ranging medical emergencies including cardiac arrests, accidents and obstetric emergencies.

Janani Suraksha Yojna is a safe motherhood intervention under NRHM implemented with the objective of reducing maternal and neo-natal mortality by promoting institutional deliveries. **Mamta Abhiyan** is a package of preventive, promotive, curative and referral services under RCH program comprising of elements of nutrition, immunization and post-natal visit. Periodically, the State Government organizes health campaigns to improve awareness and reach of maternal and child health programs. Nirogi Bal Varsh (Healthy Child Year) campaign was organized in 2008-09 to address issues of nutrition of neonates, care for special children, right of girl child, care of mother and unmet needs of family planning.


Private sector plays a key role in health care delivery in Gujarat. The State has 122 grant-in-aid hospitals based on conventional model of private public partnership. As mentioned earlier, health programs like Chiranjeevi, emergency ambulance service etc are operated on PPP basis. Many corporate groups have set up speciality and super speciality hospitals in the tertiary sector, mainly for curative care.

4.3.1 Health Care Delivery Structure in Gujarat

The department of health and family welfare in Gujarat is headed by the Minister of Health & Family Welfare, who is responsible for policy and administrative decisions at the State level. Principal Secretary (Health and Family Welfare) and Principal Secretary (Medical Services and Medical Education) are the administrative heads of the areas and responsible for implementing policies. Health Commissioner is responsible for implementation of health and medical care policies of the State. He is assisted by

⁶² Saving the mothers and children the Gujarat way- Department of Health & Family Welfare, Gujarat, and October 2008.

Chart 4.1: Department of Health & Family Welfare, Govt. of Gujarat



Additional Directors for Health, Medical Services, Family Welfare, Medical Education & Research and Vital Statistics. Functions under Health division comprises of rural and urban health, epidemic control, Malaria, Leprosy, Tuberculosis and AIDS/HIV control, Blindness Control, disaster management, health evaluation and post-partum program. Medical services address curative care and look after all the Civil Hospitals which are headed by Chief District Medical Officers. It also looks after speciality hospitals like mental hospitals, eye hospitals and infectious diseases hospitals.

Family Welfare division supervises RCH, Polio eradication, Neo-Natal survival, NRHM, Malnutrition, Micro-nutrient initiatives, implementation of National Maternity Scheme, Quality Control, Rashtriya Swastha Bhima Yojna and Nutritional cell. Medical Education division supervises all medical, dental and nursing colleges, Physiotherapy, Paramedical institutions, Medical Education and Research Institute. Vital Statistics division looks after State civil registration of birth and death, training material for registration and publication and survey. State Institute of Health and Family Welfare along with its 5 regional training centres imparts training in health and family welfare. Apart from the above, Food and Drugs, AID control society and Indian System of Medicine are the other health care related activities under the department.

CHAPTER – V

NATIONAL RURAL HEALTH MISSION

Chapter V

5. National Rural Health Mission

5.1 Evolution of Maternal and Child Health Programs

1. Safe motherhood and child health programs

Safe motherhood and child health activities are critical and important public health issues in a country which has high level of infant and maternal mortality. Efforts have been made by Government from the first and second five year plans⁶³ (1951-56 and 1956-61) to strengthen maternal and child health services. In 1952, a national family planning program was launched with the objective of population stabilization. The reactions to population control measures in the 70's prompted the Government to adopt the vision of **Stokhey committee**⁶⁴ which was close to the Alma Ata declaration on primary health care which sought commitment of Government to health as a fundamental right, community involvement, integration of health services, universal coverage, choice of appropriate technology, effective use of traditional system of medicine and use of essential drugs.

2. Family Planning Services

Family planning services were integrated with maternal and child health and nutritional programs from fifth five year plan (1974-79) with an objective to provide basic health services to vulnerable groups of pregnant women, lactating mothers and preschool children. In rural areas, MCH services were delivered mainly by Government-run primary health centres and sub-centres. In urban areas, these services were availed from Government or municipal hospitals/ dispensaries, hospitals run by voluntary bodies and private nursing or maternity homes.

3. Child Survival and Safe Motherhood (CSSM)

Based on National Health Policy, 1983, Universal immunization program (UIP) was launched in 1985 to provide universal coverage of immunization to infants and pregnant women. In 1992-93, UIP was strengthened under Child Survival and Safe Motherhood (CSSM) project and was augmented with activities like oral rehydration therapy, prophylaxis for control of blindness in children and control of acute respiratory infections. Under safe motherhood component, training of traditional birth attendants,

⁶³ Maternal and Child Health: Chapter 9, National Family Health Survey, 1992-93, Government of India.

⁶⁴ Report of Sub-Committee on National Health (Stokhey) Committee Report-Government of India, National Planning Committee- Vora, Mumbai, 1948.

provision of aseptic delivery kits and strengthening of first referral units to deal with high risk obstetric emergencies were taken up.

5.2 Reproductive and Child Health Program

In 1996, safe motherhood and child health services were incorporated into the Reproductive and Child Health Program (RCH I). The components of RCH I included family planning, child survival & safe motherhood, adolescent reproductive health and prevention/management of RTI/STD/HIV. The management of the program envisaged client- centric approach, community needs assessment through participatory approach, training and capacity building, management information system and target free approach.

5.2.1 RCH Phase II Program

Second phase of RCH program commenced from April, 2005 along with NRHM for five year period up to 2010 (later extended to 2012). The main objectives of the program were to bring about a change in three critical health indicators i.e. reducing total fertility rate, infant mortality rate and maternal mortality rate with a view to realize the outcomes envisioned in the NPP 2000, NHP 2002, MDG, the Tenth Plan Document and India Vision 2020.

The salient features of RCH - II program are: Sector-wide approach to extend the program reach beyond RCH to the entire family welfare sector; building State ownership by involving all the States; decentralization through development of district and State level need based plans; flexible programming to allow States to develop need based work plans with freedom to decide upon program inputs and; capacity building at district, state and the central level to ensure improved program implementation. There is stress on strengthening financial management systems and monitoring and evaluation capabilities at different levels; performance based funding to ensure adherence to program objectives; reward good performance and support weak performers through enhanced technical performance; and convergence, both inter-sectoral as well as intra- sectoral to optimize utilization of resource as well as infrastructural facilities.

5.2.1 RCH II Program in Gujarat

When NRHM was launched, RCH outcomes in Gujarat were better than the national performance for most of the indicators. In order to achieve the goals under the program, targets were set for various RCH indicators (Table 5.1). The implementation of the RCH II program is for a period of 5 years starting from April 2005 to March 2010, extended till 2012. In the initial years emphasis was given on institutional strengthening followed by technical strengthening before it can be scaled at a higher level.

| Table 5.1 | RCH II: Targets | | |
|--|------------------------|-------------|-------------|
| Indicator | 2005 | 2007 | 2010 |
| % Receiving complete Ante natal care | 27.21 | 70 | 90 |
| % Institutional deliveries | 51 | 67 | 80 |
| No. of FRUs for emergency obstetric care | 39 | 102 | 102 |
| % new born weighed at birth | 60 | 80 | 90 |
| % women contacted by health worker within 3 days of delivery | 50 | 80 | 90 |
| % unmet need for family planning | 9 | 7 | 3 |
| % couple using spacing method | 11 | 20 | 30 |

5.3 National Rural Health Mission (NRHM)

NRHM is mission mode initiative with a framework to implement NHP, 2002. It subsumes key national programs, namely RCH II, National disease control programs and integrated disease surveillance project under the same umbrella. It was launched to improve the availability and access to quality health care, particularly to vulnerable rural population. NRHM seeks to provide universal access, equitable, affordable and quality healthcare, reduction of maternal and child mortality as well as population stabilization with gender and demographic balance during its implementation period 2005-12.

To achieve these goals, NRHM will facilitate improved access and utilization of quality health services by all; forge partnership between central, state and local Governments; provide platform for involving panchayat raj institutions in the management of primary health care; provide flexibility to the States and community to promote local initiatives and; develop framework to promote inter-sectoral convergence. Under the mission, the expected outcomes by 2012 are to reduce the IMR to 30 per 1000 live births; to reduce MMR to 100 per 100000 live births; to reduce TFR to 2.1; reduce malaria mortality by 50% in 2010 and by another 10% in 2012; eliminate Kala-Azar by 2010; reduce Filaria/Microfilaria by 70% in 2010, 80% in 2012 and elimination by 2015; reduce dengue mortality by 50% in 2010; reduce Leprosy prevalence rate from 1.8 per 100000 to less than 1 per 100000 and; increase bed occupancy from < 20% to 75%.

The key features⁶⁵ of the mission are to make the public delivery system accountable to community, human resource management, community involvement, decentralization, monitoring and evaluation, convergence of health programs and flexible financing to improve the health indicators. These features are operationalized by

- i. Improvement of infrastructure by providing funds for construction/up-gradation of Sub-Centres/PHC/CHC/District hospitals
- ii. To ensure availability of requisite equipments and drugs and improve outreach to unserved and under-served areas through mobile medical units.
- iii. To ensure availability of critical manpower through initiatives like introduction of Accredited Social Health Activist (ASHA) and Community Based Health Volunteers (CBHV) in urban areas.
- iv. To provide managerial support by setting up Program Management Units (PMU) at State and District levels, capacity building of ASHA, ANM, nurses and rural health practitioners by way of continuous skill development
- v. Decentralization and convergence of health programs at village and district panchayat levels, preparation of village and district health action plans for planning, convergence, implementation and monitoring of activities under the mission.
- vi. To have flexibility in funding by bringing funds under different budget heads under single budget head and flow of funds through societies at State and District level.
- vii. Since the mission is based on rights-based approach, to have three pronged accountability- community based, external surveys and internal monitoring. All these efforts will be backed by a strong MIS of indicators and components.

While the mission covers the entire country, 18 states with weak public health indicators and health infrastructure are identified for special attention. The high focus states would be supported by additional ASHA and financial support. Gujarat falls under non-focus major state.

⁶⁵ Meeting people's health needs in rural areas, National Rural Health Mission-Framework for implementation-2005-2012: Ministry of Health and Family Welfare, Government of India.

5.3.1 NRHM in Gujarat⁶⁶: Vision & Strategy

Vision

The overall goal is to improve the quality of life of people living in Gujarat as articulated in Vision 2010 and State Population Policy 2002. NRHM aims to contribute to this and plans to improve the Reproductive and Child Health Status of the people living in the State by implementing RCH II (2005-2012). The specific objectives of the program are to

1. Reduce MMR from 172 (in 2006) to below 100 per 100000 live births by 2012
2. Reduce IMR from 50 to 30 by 2012
3. Stabilize population by reducing TFR from 2.4 to 2.1 by 2012

Strategies and Interventions

The strategies and interventions include program and services for improving maternal health, child health, family planning and adolescents' health.

1. Maternal Healthcare

The goal is to reduce Maternal Mortality Rate (MMR) from the present level of 172 per 100,000 to below 100 per 100,000 live births by 2012. In order to achieve this, the objectives are to 1) improve coverage of antenatal care (90%) by 2010 2) increase the deliveries attended by Skilled Birth Attendants by 90% and institutional deliveries by 80% 3) increase access to Emergency Obstetric Care for complicated deliveries 4) increase coverage of post partum care (90%) 5) increase access to early & safe abortion services (1/100,000 Pop) and 6) improve access to RTI/ STI services in all PHCs and all CHC.

2. Child Healthcare

To achieve the goal to bring down the Infant Mortality Rate (IMR) from the present level of 60 per thousand live births to less than 30 per thousand live births by 2012, the objectives are to 1) provide essential care to new born at community and facility level 2) promote exclusive breast feeding 4) provide critical newborn care at FRU level, 5) universalise immunisation coverage 6) manage of diarrhoea and ARIs 7) implement Integrated Management of Neonatal and Childhood Illness (IMNCI) in State to manage

⁶⁶ Reproductive and Child Health Program (RCH II) Annual Plan 2007-08, State Program Implementation Plan, Gujarat: Commissionerate of Health & Family Welfare, Department of Health and Family Welfare, Government of Gujarat, March 2007.

sick neonates and children in phased manner and 8) develop Public Private Partnership for critical neonatal care.

3. Family Planning

The goal is to stabilize State population by reducing Total Fertility Rate (TFR) from 3.0 to 2.1 by 2012. In order to achieve this, the objective are to 1) reduce current unmet need for family planning by 75% 2) reduce unmet need for spacing 3) reduce unmet need for terminal methods 4) increase access to non-clinical contraceptives through community based distribution system and 5) improve access to non-clinical contraceptives through Social Marketing and 6) popularise IUD 380- A as an alternative to sterilisation.

4. Adolescent Health

In Gujarat, 22% of population is adolescents (10-19 year group). About one-third (32.26%) of the boys and two-fifths of the girls (38.95%) dropped-out of the school after class 5 in 1997-98. Department of Women and Child Development (DWCD) is supporting Adolescent Counseling Centres in several districts in Gujarat. These Centres are run by NGO with the support of DWCD.

The aim is to improve adolescent health by 1) providing Adolescent Friendly Health Services (AFHS) at CHC/ PHC to increase awareness among the adolescents about the services available 2) Adolescent Reproductive and Sexual Health (ARSH) service to influence the health seeking behaviour of adolescents who are in sexually active age 3) developing linkages for referral services, and 4) Anemia control in adolescent girls and boys.

5.3.2 NRHM Plan

1. Institutional Strengthening

The State would engage the service of experts/ consultants/ staff to put effective management systems in place which will strengthen health care institutions. State health society, family planning bureaus, State supervisory board and other authorities under PNDT Act, State and district level quality assurance committees, District Health Society, training institutions and medical colleges are covered under this activity.

2. Training

Capacity building of human resources is recognised as priority intervention in RCH II for which a program management unit has been planned at district level. The activities include IEC training, program management training for the district and state

managers in collaboration with Indian Institute of Management, Ahmedabad and NGO training by Regional Resource Centre. RCH II orientation, MIS, finance, institutional components and technical training for service providers have been planned in the initial years of the program through State Institute of Health & Family Welfare. Apart from the internal faculties, experts will be invited for the training.

National Institute of Health and Family Welfare (NIHFW) is the nodal institute for training under NRHM. It has the responsibility to organize national level training courses and coordination of the training activities under NRHM with the help of collaborating training institutions in various parts of the country. In Gujarat, the overall responsibility of training programs will be with SIHFW. The Divisional training centre and District training team will provide trainings to doctors, paramedical personnel and supervisors.

3. Financial Management

In Gujarat, a Governing Body of State Health Society mechanism has been established for externally aided programs. For RCH II, Governing body of State health society receives fund from Government of India. The Program Director is responsible for disbursement of funds and its proper accounting with the support of Operations Manager and develop tailor made accounting software suitable for the state and district level for disbursement of funds and its monitoring.

4. Quality Assurance

Continuous monitoring of quality of services provided is required to assess service to clients and supplies utilized to ensure that the public health system provides the best possible service. Quality Assurance is considered as an important management approach to minimize variations and standardize managerial and clinical practices and procedures to improve the health outcomes. This is institutionalized by establishing quality assurance teams at State and district level to ensure quality and effective management of services and designing and implementing quality interventions to enhance user's satisfaction with the service.

Its functions are to review centers (public/private) providing family planning services in the state and district and ensure implementation of national standards; review & report conception due to failure of sterilization in the state and district; review and report complications due to IUD/Oral pills; review quality assurance activities at state and district level; suggest measures to improve quality of family planning services and;

collect and publish six monthly reports of the number of persons sterilized as well as the number of deaths or complications arising out of sterilization.

District level committee periodically visits the facilities and meets every month to discuss the findings and feedback is given to district health authorities and state level committee. Need based improvement is undertaken to improve the quality of programs. This will be an ongoing process covering all the RCH components and facilities.

5. Behaviour Change Communication (BCC)

Goals set under various national health programs and RCH II can be achieved by increasing the demand for services and improving the coverage and utilization of services. On one side, community requires awareness of various health services and their benefits. On other side, service providers require coping up with demand for health care. Communication strategy will be formulated keeping in mind these two objectives.

Behavior change communication plan is combination of tools focusing on the individuals to ultimately bring about a societal change involving the NGOs and private sector with appropriate communication message.

6. NGOs involvement in RCH II

Gujarat is well known for its voluntary movements and cooperative sector movements. A significant number of NGOs are actively working in the field of health care and development. In Gujarat, NGO partnership is envisaged for running PHC, programs like pulse polio, training, and involvement in HIV/AIDS and ICDS programs. Other specific activities identified for NGO involvement are the issues of female foeticide and declining sex ratio, community mobilization, emergency transport and ambulance services, adolescent health, monitoring public health system and initiatives for empowerment of women and community.

7. Convergence and Coordination

Convergence is required for complementary working of departments or agencies to achieve common goals and objectives under NRHM. In order to achieve synergy, NRHM plan seeks convergence in program planning, resources, training, IEC activities, activity time line and monitoring. Coordination mechanism is required with Women and Child Development, Urban development, Rural Development, Social Justice & Empowerment, Education, Panchayat and Youth Affairs departments.

Institutional mechanism for convergence at State level comprises of the Governing Body of State Health Society which has Chief Secretary as Chairperson, Principal Secretary, Health & Family Welfare as Vice chairperson, Commissioner of

Health, Principal Secretaries of Education, Rural Development, Urban Development and Women & Child Development as members and RCH Director as Member Secretary. District Level Coordination and Convergence is under District Health Society in which District Collector is Chairperson with members from various departments and NGO.

8. District Implementation plans

The district specific implementation plans are prepared based on local needs. In addition to this, community specific interventions with NGOs, CBOs and community mobilization for demand generation will be thrust areas of district plans. Equity and gender issues will be addressed looking into the local situation. Health Workers will be trained to monitor the unmet need for family planning and other services. After two years, the objectives of all districts will be revisited based on information collected through community needs assessment approach.

9. Thrust Activities under NRHM/RCH II

i. Comprehensive malnutrition Scheme⁶⁷

Realizing the need to focus on malnutrition in the state, a detailed plan has been prepared and sanctioned under NRHM. With a life cycle approach to the problem, the plan aims at improvement in quality of food intake; universal coverage of pregnant, lactating mothers, children up to 14 years through Mamta Abhiyan, ICDS and MDM; iron supplementation for adolescent girls; making financial provision as per the actual requirement; special component for tribal areas; awareness generation and sensitization for developing healthy food habits; training and sensitization of ICDS and MDM cooks and helpers and; replacement of fire wood with solar cooker.

ii. Strengthening Outreach Services (Mamta Abhiyan):

Mamta Abhiyan⁶⁸ is an approach to strengthen the comprehensive outreach of RCH Services. It aims at preventive, promotive and curative services through convergence with ICDS and participation of community. Four components of Mamta Abhiyan are Mamta Divas (Health and Nutrition Day), Mamta Mulakat (Post natal care visit), Mamta Sandarbh (Referral and Services) and Mamta Nondh (Record and Reports)

Mamta divas is a fixed day and fixed site preventive/promotive health care service for mother and children of the village conducted every month. All pregnant women,

⁶⁷ A Leadership agenda for Action: The Coalition for Sustainable Nutritional Security in India, September 19, 2008.

⁶⁸ Yoong, Joanne- Does Decentralization Hurt Childhood Immunization?- Department of Economics, Stanford University, October 20, 2007.

breast feeding women and under-five children are beneficiaries of this session. Services provided include health check up, immunization, primary treatment, referral and counselling services. These services are provided by a team of health workers, ICDS workers, Kishori Shakti Yojna girls, Mahila Swasthya Sangh representative and NGO representatives.

. Mamta mulakat is a home visit on 1st, 3rd and 7th day after delivery for preventive/promotive health care and timely referral of sick mother and child to prevent neonatal and maternal mortality in this critical phase. Mamta Sandarbh is the development and mapping of fixed day and fixed site referral services for ANC, PNC, ENBC and RTI – STI. Mamta Nondh services are important to monitor coverage and quality of RCH services. A comprehensive individual recording of health status and health services with antenatal registration tracked upto the age of 3 years of the child. All health monitoring and health service records are maintained on Mamta card given to mother.

iii. Services to difficult areas and marginalized communities

Several interventions which include initiatives under RCH have been taken up to address the equity issues in health. Initiatives like Chiranjeevi Yojna in partnership with private providers aims at access of indigent sections to quality maternity services by removing access barriers like finance, distance and time for proper health care. To reach out the marginalized communities living in far-flung areas, the State has 108 Mobile Health Units (MHU) that are currently functioning in tribal, peri-urban, difficult areas and earthquake affected areas.

iv. Public Private Partnerships

To increase access to safe delivery services, the state has initiated “Chiranjeevi Yojna” wherein all BPL families will be covered is an example of public private partnership initiative. Under this scheme, an expectant mother from BPL family will be given entitlement coupon for deliveries. She can use it to avail health care from an identified private provider/ facility for delivery. The coupon will cover all delivery costs as part of a package. The scheme has been inbuilt into the RCH-II phase and State will bridge the funding gap to cover entire state.

The above RCH objectives envisage a result oriented approach under the NRHM by improvement in management of the program at all levels. One striking feature of the program is its focus on management of resources to attain these objectives. In Gujarat, the program is dovetailed with the existing management structures and programs from State to village level. The approach is to cover entire spectrum of issues involved in running the

program: institutional set up; planning; man power; financial power; infrastructure enhancement; training etc.

10. Reporting System

The program lays special emphasis on timely submission of reports. Software and MIS tools have been developed for use upto PHC level where they will ensure uniformity and regularity in data collection and reporting.

CHAPTER – VI

RESEARCH DESIGN AND METHODOLOGY

Chapter VI

6. Research Design and Methodology

As the purpose of the research is to study the public health delivery system, the focus of the study is field, at the level of health centres. District is the unit for implementation of NRHM under the District Health Mission. As district is the major administrative unit, the effectiveness of functioning of public health delivery system can be measured by evaluation of performance of health care outcomes at district level.

At the cutting edge level, it can be observed that the focal point for actual delivery are villages where services are provided from sub-centres and PHCs. CHCs are the first referral hospitals which provide specialised health care with specialists like physician, obstetrician & Gynaecologist and paediatricians. But the most crucial and paramount public health care services are provided by female and multi-purpose health workers at the sub-centres and PHC under the supervision of Medical Officer at PHCs. Thus the availability, quality, efficiency and effectiveness of management of health centres in terms of infrastructure, manpower and resources therein are critical for the performance of the public health delivery system.

While the above factors are important for supply of health care services, the demand for these services is derived from the people in the area, mainly women and children in case of RCH program. Beneficiaries who require preventive and curative health care are the potential consumers of the services. Health service is also available from other sources like qualified private practitioners, traditional/indigenous medical practitioners, nurses and others. A beneficiary for public health care would evaluate various factors like availability, access, quality, cost, experience, references and facilities in choosing the health care provider. The aim of the rural health mission is to improve these parameters in health centres to enhance the demand for services from the people in the area. Even in situations where health centre services do not have any competition in providing quality health care, deficiency and defect in these factors would restrict the demand. This latent demand which remains untapped is a key contributor to low level outcomes.

6.1 Two Stage Research Study

Considering these aspects, methodology for research requires two stage study of public health delivery. In the first stage, performance of all the districts is evaluated for various health care outcomes in key general health and RCH indicators. The aim is to

evaluate the performance of districts before and after the introduction of NRHM and compare the performances. Based on actual status of health indicators and improvement during the period, the districts are grouped to three categories. A district from each group is selected on random basis for second stage of research. The steps involved in the first stage are:

6.1.1 First Stage Research Study

1. Selection of key RCH indicators to evaluate maternal, child and family planning outcomes in these districts. The indicators chosen were institutional delivery, full ANC check-ups, full immunization of children, prevalence of contraceptive use, total fertility rate and sex-ratio
2. Compare the performance of indicators in these districts before and after the implementation of NRHM program. Since NRHM was simultaneously launched in all districts this comparison is free of any time bias.
3. The source of data is another key factor. For first stage study, main source of data are decadal census data and district level health and facilities survey. For the purpose of this study, data was obtained from DLHS-2 in 2002-04, DLHS-3 in 2007-08 and Census reports of 2001 and 2011. It may be noted that the DLHS-2 was conducted before the launch of NRHM and DLHS-3 was conducted 3 to 4 after the launch of NRHM. Hence, this data is useful in estimating and comparing the performance of the districts.
4. Actual performance for each district was estimated by measuring the relative performance with respect to the overall performance in Gujarat, taking State's performance as benchmark. Districts above zero have performed better than state average and those below zero have performed below state average.
5. With this data, percentage improvement (or otherwise) for each of the selected parameter is estimated. Any improvement in positive parameter and any decline in negative parameter are taken as positive and vice versa. An equal weighted average of the percentages is estimated to ascertain the overall improvement in the district performance.
6. In the next step, districts were ranked for performance before the launch, after the launch and improvement during the program. Based on these ranks, all the districts were classified into three groups: above average, average and sub-average performers.

7. One district from each category was selected for field survey on a random basis. Selected districts were Junagadh, Ahmedabad and Bharuch.

6.1.2 Second Stage Research Study

1. After the selection of three districts in the first stage, detailed field study was undertaken in these selected districts. The scope of the second stage is to study supply and demand of public health care at the level of PHC and villages.
2. Supply side management is studied through survey of health workers at the PHC and sub-centres. Detailed field survey was undertaken to ascertain factors which affect the supply of public health delivery: planning; organization; infrastructure and facilities; activities and targets; human resource issues; time management; finance and monitoring & review.
3. Demand side management was studied by way of survey of beneficiaries of health care services in health centres. Detailed survey was undertaken to ascertain factors like: awareness; health care seeking behaviour; access to health care; infrastructure and facilities; availability of services; affordability; quality; referral services; documentation & record keeping; willingness to pay; and possibility of repeat services.

6.2 Survey Objectives

Field survey has two components: survey of health workers to ascertain supply and provision of public health care and survey of beneficiaries to ascertain the demand and satisfaction with the delivery of services.

6.2.1 Survey of Health Workers

Health workers who constitute the first level contact for health care provide basic public health care to various beneficiaries. Most of the initiatives under RCH II and NRHM converge at the level of health workers who have a decisive role in the success of the program. Purpose of survey of health workers was to assess and analyze various factors which make management and delivery of public health care effective. Survey aims to identify all the work areas of health workers and key work areas from their point of view. Further, the survey assesses the process of preparation of health plan and main stakeholders involved in the exercise. Since NRHM aims at participation of stakeholders in public health service, the extent and quality of involvement of local bodies like gram sabha and gram panchayat, anganwadi workers, ASHA etc., is also assessed.

Preventive health care being a key component of RCH, the efforts made to improve the awareness, visit to target groups and meeting with community groups is

assessed in the survey. Determination of targets, performance of day to day activities and mode of contact of beneficiaries is also assessed. Availability of infrastructure like connectivity and transport to health centre and villages in their service area, facilities like water, toilet and sitting arrangements were also evaluated.

Human resource management is the most critical factor in quality of health care at health centres. Interpersonal relationship, involvement in decision making, motivation, performance evaluation and opportunities for career growth were assessed in the survey. Time management is measured in terms of number of active days spent on different activities like field visit, health centre activity, training/workshops, meetings and emergency work. Monitoring and review by superiors, training, and delegation of financial powers were also assessed in the survey.

6.2.2 Survey of Beneficiaries/ Patients

Public health services are made available to persons from all sections of society by Government. Thus the market for these services is entire population in domain area of each health centre. However, the actual market depends on socio-economic and demographic profile of area which varies from one centre to the other. Various type of health service providers include practitioners of traditional system of medicine like Ayurvedic, Unani and Homeopathy, health healers, nurses and qualified private practitioners apart from health centre facilities. The health seeking behaviour of people depends on awareness, availability, accessibility and affordability of these services

Demographic and socio-economic factors like age, family size, literacy, income, poverty, occupation, community and gender of beneficiaries affect the awareness of health care programs and schemes. Availability is a key factor which limits the choice of services to beneficiary. It refers to the availability health service providers in the market and of health care personnel like doctors & health workers to provide health care. Accessibility means physical infrastructure and facilities like road connectivity to health centres, transport, timings and distance. Affordability is a measure of cost of health care, both direct and indirect. Though cost of health care itself may be absent, there are other elements of cost like transport and loss of wages. Cost is incurred also due to non-availability of drugs in health centre and absence of laboratory facilities. Thus, demand for health care is a function of many qualitative and quantitative parameters evaluated consciously and sub-consciously by beneficiaries.

Survey of beneficiaries was carried out among beneficiaries of health care services, both preventive and curative. The target group was persons who had availed

maternal and child health services in recent past, preferably in the last two years. The purpose was to ascertain from their experience, the impact of initiative under RCH II and NRHM.

Survey of Beneficiaries: Framework

The purpose of beneficiary survey was to assess the management of public health delivery at health centres from a demand side perspective. With this objective, survey was designed to capture the socio-economic parameters of respondents. Awareness and participation in awareness programs were also assessed. Survey also ascertained health care seeking behaviour of beneficiaries in recent past along with their evaluation of quality of services at the health centre. Availability of infrastructure like transport and road, and facilities in the health centre was also assessed from beneficiaries. Extent of availability of supplies like drugs and allied services like laboratory testing was also surveyed.

Survey also included the extent of ease or difficulty in availing Government financial assistance, spending on private health care, willingness to pay for better services, referral services, record keeping and repeat visits to health centres in future.

6.3 Questionnaire Design⁶⁹

Separate questionnaires were prepared for Health Workers and Beneficiaries/patients for field survey and both were administered in Gujarati. Test surveys were undertaken using draft questionnaires among health workers and beneficiaries and based on the feedback, final questionnaires were prepared.

In case of health workers, nominal data was obtained for ascertaining the category of health worker, availability of health plan, targeted functions, point of contact of beneficiaries, mode of travel and awareness generation methods. Cardinal data was obtained to ascertain time spent of various activities in a year. Ordinal responses were obtained to ascertain the level of satisfaction, involvement, quality and difficulty in their work. This included ascertaining involvement level of stakeholders in preparation of health plan, difficulty in achieving targets, quality of facilities at health centres, level of motivation, interpersonal relationship, satisfaction with pay and allowances, opportunity for career growth, effective use of time, ability to exercise financial powers, adequacy and quality of training, extent of monitoring and review. Continuous response scales were used for ascertaining duration of travel time. Likert scale type questions were indirectly

⁶⁹ Siniscalco, Maria Teresa and Nadia Auriat: Questionnaire Design, UNESCO International Institute for Educational Planning, September, 2005.

used to assess strength of opinion in some areas. Ranking scale was used to ascertain key health functions.

In beneficiary survey, cardinal data was obtained for family size and age. Other demographic and socio-economic parameters like gender, poverty, caste and occupation were obtained through nominal questions where as monthly income and literacy were obtained through continuous response scale. Responses to issues like type of awareness programs attended, type of private medical practitioners visited, identifying influencers and decision makers for health care, availability of doctors and health workers in health centres, availing financial assistance from Government, availing referral services and willingness to pay for better service were obtained using nominal questions. For ascertaining satisfaction, quality, connectivity, utility of services and facilities cardinal questions were administered. These include ascertaining quality of services in health centre, usefulness of awareness program, connectivity to health centre, difficulty in availing financial assistance from Government, level of facilities in health centre and quality of services. Continuous scale assessment was made to ascertain annual expenditure on health care and waiting time in health centre.

6.4 Sampling Strategy & Data Collection

1. Sampling Method

Survey of health workers was undertaken in three districts of Ahmedabad, Bharuch and Junagadh. The sample was selected randomly among all the health workers of the district.

Survey of beneficiaries was also carried out in same districts of Ahmedabad, Bharuch and Junagadh. Respondents were selected from those who had availed health care service in the health centres in the last 2 years on a random basis. Thus, a stratified random sampling method was adopted in case of beneficiaries/patients.

2. Sample Size

Sample size was estimated based on the population size of the health workers in these districts for 5% confidence level of estimating statistical variates. In case of health workers, the sample size was 50, 67 and 55 in Ahmedabad, Bharuch and Junagadh districts, of whom 35, 47 and 39 were FHW constituting 70% of the respondents and the rest 30% were MPHWS.

Sample size in case of beneficiaries/patients was estimated at 95, 91 and 94 respectively with a total of 280 for all districts. Beneficiaries were selected on a random

basis in which female were 70, 63 and 59, constituting 69% of total for all districts, 74% in Ahmedabad, 69% in Bharuch and 63% in Junagadh.

3. Data Collection

Data was obtained from both the surveys by administering questionnaires in Gujarati. Female and multipurpose health workers were contacted for survey on a random basis in these districts by visiting the health centres and headquarters. Beneficiaries were also contacted based on the list of beneficiaries in PHC and sub-centres on a random basis. In cases where there was incomplete information, the persons next in the list were selected for survey.

6.5 Data Analysis

The questionnaires were designed to gather the response of health workers and beneficiaries to obtain their experience, feedback and assessment on different issues of management of health delivery.

6.5.1 Verification; Classification and Tabulation

The collected data was verified for completeness and consistency. In case of any defect, next person in the list was surveyed to complete the sample size. Then the data was entered in MS-Excel spreadsheets with proper codification. For example, FHW were given a code as “1” and MPHWH as “2”. Similarly ordinal data like satisfaction, involvement, difficulty and quality which were given in scales of 1 to 5 were also given numerical index during data entry. Similar exercise was done for continuous scale data. For cardinal data like age and days, actual numbers were used for analysis.

In case of health workers, tables were generated with district and category of health workers (FHW & MPHWH). The broad categories were health functions, planning, infrastructure, facilities, human resources management, monitoring and time management. In case of beneficiaries, tables were generated demographic and socio-economic profile, awareness programs, infrastructure & facilities, decision making behaviour, purpose of visit to health centre, quality of service, financial burden, documentation and repeat visit to health centre based on districts and gender. Tables were also generated for each demographic and socio-economic factor: age, family size, occupation, income, poverty, caste and education of beneficiaries/patients against key behavioural variables, attributes and opinions. These were attendance in awareness programs, health care seeking behaviour like decision makers and influencers, purpose of

visit to health centre, visit to private health practitioners, out-of-pocket expenditure on health and willingness to pay for better services.

Tables were generated with numeric as well as percentage distribution for different categories. Thus, the tables could be used for further statistical analysis and ascertaining key relationships to make meaningful interpretations.

6.5.2 χ^2 - Test of Hypothesis

The strength of association between various factors and attributes, behaviour and opinions were ascertained by χ^2 - test of hypothesis. This was carried out for various factors and parameters across the districts⁷⁰.

Pearson's chi-squared was used for comparison based on tests of goodness of fit and tests of independence. Test of goodness of fit establishes whether or not an observed frequency distribution differs from a theoretical distribution. A test of independence assesses whether paired observations on two variables are independent of each other. For estimating the chi-squared test statistic- χ^2 , degrees of freedom- d and probability- p, version 4.0 of PEPI software was employed. Null hypothesis was defined as absence of significant difference between the districts in the chosen parameters. This was evaluated at 95% confidence level based on which the null hypothesis was accepted or rejected (rejected for $p \leq 0.05$).

In case of beneficiaries similar tables were generated from the data collected from the survey. Here again, test of hypothesis was carried out by applying chi-square test⁷¹. In addition, statistical tables were generated for different socio-economic parameters and key factors concerning health care for beneficiaries. Subsequently, test of hypothesis was applied in these cases too.

χ^2 - test statistic were estimated to reject or accept the null hypothesis. Based on this, the tabulated data was further analyzed to make interpretations and derive conclusions⁷² for different districts, category of health workers and category of beneficiaries on basis of which recommendations are proposed.

⁷⁰ Stockburger, David W- Introductory Statistics - Concepts, Models and Applications, Missouri State University, Revised Version, 1998

⁷¹ DiMaria, Rose Ann- Understanding and Interpreting the Chi-square Statistic (χ^2): WVU School of Nursing, Charleston Division

⁷² McCreery, Charles: The Chi-Square Test- A test of association between categorical variables, Oxford Forum, Psychological Paper No. 2007-1.

6.5.3 Multiple Linear Regression (MLR)

Key factors which affect the demand and supply of health care in health centres are influenced by demographic and socio-economic parameters and health delivery factors. During the field survey many of these factors were ascertained from the health workers and beneficiaries. Since there are many independent variables affecting the dependent variable(s), MLR is a very useful statistical model which can explain the strength relationship between dependent and independent variables and significance of each independent variable. The regression equation generated from MLR⁷³ has predictive value to the extent these factors affect the dependent variable and also gives the directional impact based on the sign of the coefficient.

The key dependent variables identified in case of health workers were Target Achievement and Motivation Level. In case of beneficiaries it was Quality of Service availed in the health centre and Repeat visit to the health centre were identified as dependent variables. MLR was performed with the Statistical Package for Social Sciences⁷⁴ (SPSS) version 19.

For each of the dependent variable, SPSS was run for all the possible independent factors obtained from the survey in the first iteration. In subsequent iterations, independent variables which have no significant impact or correlation were eliminated. Eventually, the process identifies key factors significantly affecting the dependent variable. Thus, this process tends to reduce the multi-collinearity by reducing the number of variables at each stage.

Null hypothesis was that each independent variable has no significant impact at 95% confidence level. The key test statistics applied for analysing and interpreting the output are: sigma (if $p \leq 0.05$, then the hypothesis is rejected); R^2 , the coefficient of determination explains the percentage of variation in dependent variables due to the selected independent variables and; Beta β , the coefficient of the independent variable. The magnitude and direction of β indicates the nature of influence on dependent variable.

⁷³ Trammer, Mark and Mark Eliot: Multiple Linear Regression, Cathie Marsh Centre of Census and Survey Research.

⁷⁴ Field, A: Discovering Statistics Using SPSS (Introducing Statistical Methods Second Edition), Sage Publications, 2005.

CHAPTER – VII

PERFORMANCE ASSESSMENT OF DISTRICTS

Chapter VII

7. Performance Assessment of Districts

Performance of districts was compared before and after the implementation of NRHM in 2005 in Gujarat. Since district level data is required for this purpose, data from DLHS survey undertaken in 2002-04 and 2007-08 is taken into consideration for analysis. Performance data for total fertility rate, full ANC coverage, institutional delivery, full vaccination, prevalence of contraceptive use and sex ratio were obtained from DLHS and census reports for this purpose.

Three categories of performance evaluation were undertaken for each district: firstly, performance in 2002-04 which was before introduction of NRHM; secondly, performance in 2007-08 which was after the launch of NRHM and; finally, improvement/change during the period. Performance of districts in these indicators was first evaluated from this data. Mean and standard deviation of performance for each district across the indicators was estimated to rank the performance before and after NRHM and percentage change after launch of NRHM.

7.1 Performance of Districts in Health Indicators (Table 7.1, 7.2 & 7.3)

1. Total Fertility Rate

In 2002-04, Navsari, Surat and Ahmedabad had highest performance while Banaskantha, Bhavnagar and Surendranagar were at the bottom. In 2007-08, performance in Navsari, Surat and Valsad was on top, and Banaskantha, Bhavnagar and Surendranagar at bottom. Improvement was highest in Banaskantha, Bhavnagar and Junagadh and least in Valsad, Dahod and Sabarkantha.

2. ANC Full

In 2002-04, performance was highest in Vadodara, Anand and Navsari and least in Banaskantha, Dangs and Kutch. Similarly in 2007-08, Rajkot, Junagadh and Anand had best performance whereas Sabarkantha, Dangs and Surendranagar were at the bottom. Improvement was highest in Junagadh, Amreli and Rajkot and lowest in Sabarkantha, Dangs and Narmada.

3. Institutional Delivery

In 2002-04, performance was highest in Mehasana, Gandhinagar and Navsari and least in Narmada, Dangs and Junagadh. In 2007-08, the top performers were Mehasana, Navsari and Ahmedabad while Dangs, Narmada and Bharuch were at the bottom.

Improvement in the indicator was the highest in Junagadh, Kutch and Jamnagar and lowest in Dangs, Vadodara and Sabarkantha.

| Table 7.1 | | Public Health Performance Comparison of Districts -I | | | | | | | | | |
|------------------|----------------|---|----------------|-----------------------------|-----------------------------|----------------|--------------------|----------------|----------------------------|-----------------------------|----------------|
| Indicator | | Total Fertility Rate | | | | | ANC Full | | | | |
| District | | Performance | | Change / Improvement | Relative Improvement | | Performance | | Change/ Improvement | Relative Improvement | |
| | | 2002-04 | 2007-08 | | 2002-04 | 2007-08 | 2002-04 | 2007-08 | | 2002-04 | 2007-08 |
| 1 | Ahmedabad | 3.2 | 2.4 | 25% | 11% | 8% | 28.3 | 25.2 | -11% | 10% | 27% |
| 2 | Amreli | 4.1 | 2.9 | 29% | -14% | -12% | 19.3 | 25.7 | 33% | -25% | 29% |
| 3 | Anand | 3.1 | 2.5 | 19% | 14% | 4% | 39.2 | 37.4 | -5% | 52% | 88% |
| 4 | Banaskantha | 4.5 | 2.8 | 38% | 36% | -8% | 8.4 | 10.6 | 26% | -67% | -47% |
| 5 | Bharuch | 3.3 | 2.4 | 27% | 8% | 8% | 31.9 | 22.7 | -29% | 24% | 14% |
| 6 | Bhavnagar | 4.4 | 2.8 | 36% | -22% | -8% | 29 | 16.7 | -42% | 12% | -16% |
| 7 | Dahod | 4.2 | 3.5 | 17% | -17% | -35% | 12.8 | 13.1 | 2% | -50% | -34% |
| 8 | Dang | 4 | 2.8 | 30% | -11% | -8% | 16.1 | 2.3 | -86% | -38% | -88% |
| 9 | Gandhinagar | 3.4 | 2.4 | 29% | 6% | 8% | 22 | 17.7 | -20% | -15% | -11% |
| 10 | Jamnagar | 3.7 | 2.5 | 32% | -3% | 4% | 30.4 | 20.3 | -33% | 18% | 2% |
| 11 | Junagadh | 4 | 2.6 | 35% | -11% | 0% | 19.9 | 38.3 | 92% | -23% | 92% |
| 12 | Kheda | 3.3 | 2.3 | 30% | 8% | 12% | 36.8 | 28 | -24% | 43% | 41% |
| 13 | Kutch | 3.7 | 3 | 19% | -3% | -15% | 16 | 16 | 0% | -38% | -20% |
| 14 | Mehsana | 3.5 | 2.5 | 29% | 3% | 4% | 27.6 | 15.9 | -42% | 7% | -20% |
| 15 | Narmada | 3.3 | 2.6 | 21% | 8% | 0% | 35.8 | 16.3 | -54% | 39% | -18% |
| 16 | Navsari | 2.9 | 2.1 | 28% | 19% | 19% | 54.2 | 28.2 | -48% | 110% | 42% |
| 17 | Panchmahal | 3.7 | 2.7 | 27% | -3% | -4% | 22.7 | 24.2 | 7% | -12% | 22% |
| 18 | Patan | 4 | 2.9 | 28% | -11% | -12% | 26.6 | 23.7 | -11% | 3% | 19% |
| 19 | Porbandar | 3.9 | 2.6 | 33% | -8% | 0% | 34.9 | 31.2 | -11% | 35% | 57% |
| 20 | Rajkot | 3.4 | 2.5 | 26% | 6% | 4% | 28 | 39.7 | 42% | 9% | 99% |
| 21 | Sabarkantha | 3.3 | 2.8 | 15% | 8% | -8% | 23 | 7.4 | -68% | -11% | -63% |
| 22 | Surat | 3.1 | 2.2 | 29% | 14% | 15% | 30.4 | 25.1 | -17% | 18% | 26% |
| 23 | Surendranagar | 4.2 | 2.8 | 33% | -17% | -8% | 8.8 | 10.1 | 15% | -66% | -49% |
| 24 | Vadodara | 3.2 | 2.4 | 25% | 11% | 8% | 46.5 | 20.4 | -56% | 80% | 3% |
| 25 | Valsad | 2.8 | 2.3 | 18% | 22% | 12% | 34.8 | 27.7 | -20% | 35% | 39% |
| | Gujarat | 3.6 | 2.6 | 28% | 0% | 0% | 25.8 | 19.9 | -23% | 0% | 0% |

| Table 7.2 | | Public Health Performance Comparison of Districts -II | | | | | | | | | |
|-----------|----------------|---|-------------|---------------------|----------------------|-----------|------------------|-------------|---------------------|----------------------|-----------|
| Indicator | | Institutional Delivery | | | | | Full Vaccination | | | | |
| District | | Performance | | Change /Improvement | Relative Improvement | | Performance | | Change /Improvement | Relative Improvement | |
| | | 2002-04 | 2007-08 | | 2002-04 | 2007-08 | 2002-04 | 2007-08 | | 2002-04 | 2007-08 |
| 1 | Ahmedabad | 71.7 | 80.2 | 12% | 37% | 42% | 65.8 | 53.7 | -18% | 22% | -2% |
| 2 | Amreli | 40.2 | 50.9 | 27% | -23% | -10% | 62.6 | 50.5 | -19% | 16% | -8% |
| 3 | Anand | 69.2 | 78.4 | 13% | 33% | 39% | 63.8 | 68.8 | 8% | 18% | 25% |
| 4 | Banaskantha | 53.7 | 61.7 | 15% | 3% | 9% | 29.2 | 38.9 | 33% | -46% | -29% |
| 5 | Bharuch | 38.7 | 47.9 | 24% | -26% | -15% | 83.4 | 56.8 | -32% | 54% | 3% |
| 6 | Bhavnagar | 43.6 | 58.4 | 34% | -16% | 4% | 51.4 | 57.4 | 12% | -5% | 5% |
| 7 | Dahod | 46.5 | 60.4 | 30% | -11% | 7% | 19.2 | 32.9 | 71% | -64% | -40% |
| 8 | Dang | 10.7 | 9.4 | -12% | -80% | -83% | 31.9 | 39.3 | 23% | -41% | -28% |
| 9 | Gandhinagar | 73.6 | 77.1 | 5% | 41% | 37% | 48.1 | 65.2 | 36% | -11% | 19% |
| 10 | Jamnagar | 49.7 | 69.3 | 39% | -5% | 23% | 57 | 56.4 | -1% | 6% | 3% |
| 11 | Junagadh | 37.1 | 56.3 | 52% | -29% | 0% | 61.1 | 66.7 | 9% | 13% | 21% |
| 12 | Kheda | 53.4 | 69 | 29% | 2% | 22% | 62.1 | 54.1 | -13% | 15% | -1% |
| 13 | Kutch | 40.3 | 57.2 | 42% | -23% | 1% | 54 | 49.2 | -9% | 0% | -10% |
| 14 | Mehsana | 74.6 | 84.3 | 13% | 43% | 49% | 54.3 | 72 | 33% | 1% | 31% |
| 15 | Narmada | 26.9 | 28.4 | 6% | -48% | -50% | 47.9 | 64.3 | 34% | -11% | 17% |
| 16 | Navsari | 72.4 | 80.9 | 12% | 39% | 43% | 91.7 | 74 | -19% | 70% | 35% |
| 17 | Panchmahal | 40.2 | 52.4 | 30% | -23% | -7% | 36.3 | 46.1 | 27% | -33% | -16% |
| 18 | Patan | 53 | 61.7 | 16% | 2% | 9% | 53.6 | 70.2 | 31% | -1% | 28% |
| 19 | Porbandar | 50.4 | 68.1 | 35% | -3% | 21% | 72.5 | 76.7 | 6% | 34% | 40% |
| 20 | Rajkot | 55.7 | 68.3 | 23% | 7% | 21% | 70.6 | 62.3 | -12% | 31% | 13% |
| 21 | Sabarkantha | 62.6 | 61.4 | -2% | 20% | 9% | 49.1 | 47.6 | -3% | -9% | -13% |
| 22 | Surat | 56.5 | 72.3 | 28% | 8% | 28% | 51.8 | 88.2 | 70% | -4% | 61% |
| 23 | Surendranagar | 40.7 | 49.1 | 21% | -22% | -13% | 50.5 | 49 | -3% | -6% | -11% |
| 24 | Vadodara | 55.8 | 54.4 | -3% | 7% | -4% | 69.6 | 59.6 | -14% | 29% | 9% |
| 25 | Valsad | 57.2 | 68.4 | 20% | 10% | 21% | 64.5 | 51.8 | -20% | 19% | -6% |
| | Gujarat | 52.2 | 56.4 | 8% | 0% | 0% | 54 | 54.9 | 2% | 0% | 0% |

| Table 7.3 | | Public Health Performance Comparison of Districts -III | | | | | | | | | |
|-----------|----------------|--|-------------|---------------------|----------------------|-----------|-------------|------------|---------------------|----------------------|-----------|
| Indicator | | Contraceptive Prevalence | | | | | Sex Ratio | | | | |
| District | | Performance | | Change /Improvement | Relative Improvement | | Performance | | Change /Improvement | Relative Improvement | |
| | | 2002-04 | 2007-08 | | 2002-04 | 2007-08 | 2001 | 2011 | | 2001 | 2011 |
| 1 | Ahmedabad | 56.4 | 63.2 | 12% | -5% | 0% | 892 | 903 | 1% | -3% | -2% |
| 2 | Amreli | 67.6 | 76.8 | 14% | 14% | 21% | 987 | 964 | -2% | 7% | 5% |
| 3 | Anand | 61.1 | 61.9 | 1% | 3% | -2% | 910 | 921 | 1% | -1% | 0% |
| 4 | Banaskantha | 41.2 | 54.5 | 32% | -30% | -14% | 930 | 936 | 1% | 1% | 2% |
| 5 | Bharuch | 62.7 | 70.3 | 12% | 6% | 11% | 921 | 924 | 0% | 0% | 1% |
| 6 | Bhavnagar | 67 | 64.2 | -4% | 13% | 1% | 937 | 931 | -1% | 2% | 1% |
| 7 | Dahod | 43.7 | 44.3 | 1% | -26% | -30% | 985 | 986 | 0% | 7% | 7% |
| 8 | Dang | 45.8 | 53.2 | 16% | -23% | -16% | 987 | 1007 | 2% | 7% | 10% |
| 9 | Gandhinagar | 56.9 | 65.2 | 15% | -4% | 3% | 913 | 920 | 1% | -1% | 0% |
| 10 | Jamnagar | 64.5 | 69.3 | 7% | 9% | 9% | 941 | 938 | 0% | 2% | 2% |
| 11 | Junagadh | 63 | 64.8 | 3% | 6% | 2% | 955 | 952 | 0% | 4% | 4% |
| 12 | Kheda | 65.2 | 69.3 | 6% | 10% | 9% | 923 | 937 | 1% | 0% | 2% |
| 13 | Kutch | 47.4 | 55.1 | 16% | -20% | -13% | 942 | 907 | -4% | 2% | -1% |
| 14 | Mehsana | 58.3 | 64 | 10% | -2% | 1% | 927 | 925 | 0% | 1% | 1% |
| 15 | Narmada | 67.4 | 63.8 | -5% | 14% | 1% | 949 | 960 | 1% | 3% | 5% |
| 16 | Navsari | 68.7 | 66.2 | -4% | 16% | 5% | 955 | 961 | 1% | 4% | 5% |
| 17 | Panchmahal | 55.3 | 64.8 | 17% | -7% | 2% | 938 | 945 | 1% | 2% | 3% |
| 18 | Patan | 54.6 | 67.1 | 23% | -8% | 6% | 932 | 935 | 0% | 1% | 2% |
| 19 | Porbandar | 62.2 | 62.2 | 0% | 5% | -2% | 946 | 947 | 0% | 3% | 3% |
| 20 | Rajkot | 66.9 | 73.4 | 10% | 13% | 16% | 930 | 924 | -1% | 1% | 1% |
| 21 | Sabarkantha | 58.7 | 56.3 | -4% | -1% | -11% | 947 | 950 | 0% | 3% | 4% |
| 22 | Surat | 69.8 | 68.9 | -1% | 18% | 9% | 810 | 788 | -3% | -12% | -14% |
| 23 | Surendranagar | 56.2 | 62.1 | 10% | -5% | -2% | 924 | 929 | 1% | 0% | 1% |
| 24 | Vadodara | 61.5 | 68.9 | 12% | 4% | 9% | 919 | 934 | 2% | 0% | 2% |
| 25 | Valsad | 55.2 | 64.3 | 16% | -7% | 2% | 920 | 926 | 1% | 0% | 1% |
| | Gujarat | 59.2 | 63.3 | 7% | 0% | 0% | 920 | 918 | 0% | 0% | 0% |


4. Full Vaccination

Performance in 2002-04 was highest Navsari, Bharuch and Porbandar and least in Dahod, Banaskantha and Dangs. In 2007-08, best performance was in Surat, Porbandar and Navsari while Banaskantha, Dahod and Dangs were at bottom. Improvement was highest in Dahod, Surat and Narmada and lowest in Bharuch, Valsad and Amreli.

5. Contraceptive Prevalence

In 2002-04, highest performance was in Navsari, Surat and Amreli and least in Banaskantha, Dahod and Dangs. Comparative situation in 2007-08 shoes Rajkot, Amreli

and Bharuch were top performers and Dahod, Banaskanta and Dangs were at bottom. Improvement was highest in Banaskanta, Patan and Panchmahal and lowest in Narmada, Bhavnagar and Navsari.



6. Sex Ratio

Performance in 2001 shows that Amreli, Dahod and Dangs were on top while Ahmedabad, Surat and Anand were at the bottom. In 2011, performance was highest in Dahod, Dangs and Amreli and least in Surat, Ahmedabad and Kutch. Improvement was highest in Dangs, Vadodara and Ahmedabad and lowest in Kutch, Amreli and Surat.

7. Overall Performance

In terms of overall improvement, Junagadh district (31.8%) has done better than other districts in these indicators. In actual performance, Navsari (43%) had done better than other districts before NRHM and Rajkot (25.8%) after NRHM. It can be noted that districts like Banaskantha, Dahod, Surendranagar and Panchmahal were at the bottom of performance in 2007-08, but were on top of the table in terms of improvement. These are tribal and backward districts of the State. However, Sabarkantha and Dang has low level performance and have shown negligible improvement. Both are predominantly tribal districts and require special attention.

For the purpose of field survey Junagadh, Ahmedabad and Bharuch districts were selected. Junagadh had sub-average performance before and above average performance

after NRHM and had highest improvement among all the districts. Performance in Ahmedabad was above average before (12%) and after (12.1%) NRHM with improvement (3.5%) which is near the average for State. Bharuch had above average (11.1%) performance before and below average (3.6%) performance after NRHM and low improvement (0.5%). These districts are located in distinct geographical regions of the state with Ahmedabad in north-central, Junagadh in Saurashtra and Bharuch in South Gujarat thereby representing different geographical regions and social groups which can be observed in the social composition of beneficiaries in field survey (Table 7.4).

| Table 7.4 | | Ranking of Performance of Districts | | | | | | | |
|-----------|----------------------------|-------------------------------------|----------|------------------------|---------|----------|------------------------|---------|----------|
| Rank | Improvement in performance | | | Performance in 2002-04 | | | Performance in 2007-08 | | |
| | District | Average | Std. Dev | District | Average | Std. Dev | District | Average | Std. Dev |
| 1 | Junagadh | 32% | 36% | Navsari | 43% | 40% | Rajkot | 26% | 37% |
| 2 | Banaskantha | 24% | 14% | Vadodara | 22% | 30% | Anand | 26% | 35% |
| 3 | Dahod | 20% | 28% | Anand | 20% | 20% | Navsari | 25% | 18% |
| 4 | Panchmahal | 18% | 12% | Valsad | 13% | 15% | Surat | 21% | 25% |
| 5 | Surat | 18% | 32% | Kheda | 13% | 15% | Junagadh | 20% | 36% |
| 6 | Rajkot | 15% | 19% | Ahmedabad | 12% | 16% | Porbandar | 20% | 24% |
| 7 | Patan | 15% | 17% | Bharuch | 11% | 27% | Kheda | 14% | 15% |
| 8 | Amreli | 14% | 21% | Porbandar | 11% | 19% | Ahmedabad | 12% | 18% |
| 9 | Surendranagar | 13% | 13% | Rajkot | 11% | 10% | Valsad | 11% | 17% |
| 10 | Gandhinagar | 11% | 20% | Mehsana | 9% | 17% | Mehsana | 11% | 25% |
| 11 | Kutch | 11% | 19% | Surat | 7% | 12% | Gandhinagar | 9% | 17% |
| 12 | Porbandar | 11% | 19% | Jamnagar | 5% | 8% | Patan | 9% | 14% |
| 13 | Jamnagar | 7% | 26% | Gandhinagar | 3% | 20% | Jamnagar | 7% | 8% |
| 14 | Mehsana | 7% | 27% | Sabarkantha | 2% | 11% | Amreli | 4% | 17% |
| 15 | Anand | 6% | 9% | Narmada | 1% | 29% | Vadodara | 4% | 5% |
| 16 | Bhavnagar | 6% | 29% | Gujarat | 0% | 0% | Bharuch | 4% | 10% |
| 17 | Kheda | 5% | 22% | Patan | -2% | 6% | Gujarat | 0% | 0% |
| 18 | Gujarat | 4% | 16% | Bhavnagar | -3% | 15% | Panchmahal | 0% | 13% |
| 19 | Ahmedabad | 3% | 16% | Amreli | -4% | 19% | Bhavnagar | -2% | 8% |
| 20 | Valsad | 2% | 19% | Junagadh | -7% | 17% | Narmada | -8% | 24% |
| 21 | Bharuch | 0% | 26% | Panchmahal | -13% | 13% | Kutch | -10% | 8% |
| 22 | Narmada | 0% | 30% | Kutch | -14% | 16% | Surendranagar | -14% | 18% |
| 23 | Dang | -4% | 43% | Surendranagar | -19% | 24% | Sabarkantha | -14% | 26% |
| 24 | Navsari | -5% | 26% | Dahod | -27% | 26% | Banaskantha | -14% | 21% |
| 25 | Vadodara | -6% | 28% | Banaskantha | -27% | 27% | Dahod | -21% | 22% |
| 26 | Sabarkantha | -10% | 29% | Dang | -31% | 30% | Dang | -36% | 41% |

7.2 Evaluation of Selected Districts

7.2.1 Ahmedabad

Ahmedabad district is located in Central Gujarat with Ahmedabad as district headquarters which is the 7th largest urban agglomeration in India and is spread across 10 talukas. Ahmedabad has been a hub for textiles industry. With several educational institutions, it has emerged as a technological and research & development hub. Ahmedabad is a highly urbanized district with a decadal population growth rate much higher than the State average, primarily due to high migration. Literacy rate is significantly higher than the State's average (Table 7.5 & 7.6).

| Parameter | Districts: Demography | | | | | | | |
|----------------------|-----------------------|--------|-----------|-------|---------|-------|----------|-------|
| | Gujarat | | Ahmedabad | | Bharuch | | Junagadh | |
| | 2001 | 2011 | 2001 | 2011 | 2001 | 2011 | 2001 | 2011 |
| Population (Lakhs) | 506.71 | 603.83 | 58.17 | 72.08 | 13.71 | 15.5 | 24.48 | 27.42 |
| Decadal Growth (%) | 22.66 | 19.17 | 26.79 | 22.31 | 19.37 | 13.14 | 17.07 | 12.01 |
| Urban Population (%) | 37.36 | 42.58 | 80.18 | | 25.72 | | 29.06 | |
| Sex Ratio | 920 | 918 | 892 | 903 | 921 | 924 | 95 | |
| Literacy-Overall (%) | 69.14 | 79.31 | 79.5 | 86.65 | 74.41 | 83.02 | 67.78 | 76.88 |
| Literacy-Female (%) | 57.8 | 70.73 | 70.98 | 80.29 | 70.68 | 84.98 | 56.43 | 67.59 |
| Literacy-Male (%) | 79.66 | 87.23 | 87.4 | 92.44 | 82.98 | 88.8 | 78.74 | 85.8 |
| Sch. Caste Pop (%) | 7.09 | | 10.67 | | 4.49 | | 9.62 | |
| Sch. Tribes Pop (%) | 14.76 | | 1 | | 32.4 | | 0.77 | |

Source: Socio-Economic Survey of Gujarat

Agriculture⁷⁵ is the key economic activity in rural areas with 42% gross irrigated area (Table 5-3). Wheat and rice are the main crops. Canals, tanks and tube wells are the main source of irrigation (Table 7.7, 7.8 & 7.9). As the key industrial and commercial hub of the State, Ahmedabad accounts for 21.5% of factories and 18% workers in the State. There are around 422 medium and large scale industries based in the district, employing 79904 skilled people. There are 23734 small scale industries employing 95591 people (Table 7.10 & 7.11).

The city is well connected by road, rail and air to different parts of the State and Country. The city has the presence of premier educational institutions such as Indian Institute of Management, National Institute of Design etc. There are 10 management institutions, 74 colleges of engineering, medical, science and law, 7 polytechnics and 45 Industrial Training Institutes.

⁷⁵ District Statistical Handbook, Ahmedabad - 2009-10, District Panchayat, Ahmedabad.

| Table 7.6 | Districts: Geography | | | |
|------------------|-----------------------------|------------------|----------------|-----------------|
| In 2011 | Gujarat | Ahmedabad | Bharuch | Junagadh |
| Area(sq.km) | 196030 | 8086 | 6527 | 8846 |
| No. of Districts | 26 | | | |
| No. of Talukas | 226 | 11 | 8 | 14 |
| No. of Villages | 18066 | 746 | 768 | 1131 |

Source: Socio-Economic Survey of Gujarat

Healthcare

The district has 43 PHCs, 279 sub centres, 9 CHCs, 18 Government, 8 municipal and 6 Government aided hospitals (Table 5-5). The city has 31 hospitals/dispensaries which includes many reputed private and public hospitals which provide multi-speciality and super-speciality health care. The district has achieved significant improvement in total fertility rate which has declined from 3.2 to 2.4 during NRHM. Institutional delivery has improved from 71.7% to 80.2%, contraceptive prevalence from 56.4% to 63.2% and sex ratio from 892 to 903. Decline in performance can be seen in full ANC coverage from 28.3% to 25.2% and full vaccination from 65.8% to 53.7% (Tables 7.12).

7.2.2 Bharuch

Bharuch⁷⁶ (formerly known as Broach) is a district in South Gujarat along the west coast where River Narmada outlets into the Gulf of Khambat. Administratively, the district contains eight talukas of Bharuch, Hansot, Jambusar, Jhagadia, Amod, Ankaleshwar, Valia and Vagra. There are 7 municipal towns and 663 villages in the district.

| Table 7.7 | Land Use Pattern | | | |
|-------------------------|-------------------------|------------------|----------------|-----------------|
| Sq.km in 2004-05 | Gujarat | Ahmedabad | Bharuch | Junagadh |
| Total Land Area | 196030 | 8087 | 6527 | 8846 |
| Forest Land | 18334 | 106 | 245 | 1759 |
| Barren Land | 26075 | 662 | 198 | 98 |
| Non Agriculture Use | 11467 | 670 | 725 | 455 |
| Cultivable Waste | 19765 | 263 | 355 | 88 |
| Pasture and Grazing | 8545 | 278 | 163 | 889 |
| Fallow Land | 67124 | 801 | 253 | 136 |
| Net sown area | 97469 | 4968 | 3308 | 5377 |

Source: Socio-Economic Survey of Gujarat

⁷⁶District Statistical Outlook, Bharuch, 2009-10 - District Panchayat, Bharuch.

The district has low urbanization and during the last decade, the population growth has slowed down compared to previous decade. Agriculture is the mainstay of population with 36.67% gross irrigated area. Canals and tube wells are the main source of irrigation. Main crops are cotton, pulses and sugarcane. Animal husbandry and fisheries employ large section of the population.

| Table 7.8 | Agriculture | | | |
|-------------------------------|---|------------------|-------------------------|---------------------------------|
| sq.km in 2004-05 | Gujarat | Ahmedabad | Bharuch | Junagadh |
| Net sown area | 97469 | 4968 | 3308 | 5377 |
| Area sown more than once | 11549 | 115.94 | 80 | 1630 |
| Per capita net sown area (ha) | 0.19 | 0.09 | 0.24 | 0.22 |
| Cropping intensity | 115.49 | 115.94 | 102.42 | 130.31 |
| Main crops | Cotton, Bajra, Groundnut, Wheat, Rice, Sugar cane | Rice, Wheat | Rice, Bajra & Sugarcane | Wheat, Bajra, Groundnut, Cotton |

Source: Socio-Economic Survey of Gujarat

| Table 7.9 | Irrigation | | | |
|---------------------------|---------------------------|---------------------------|--------------------|--------------------|
| 2004-05 | Gujarat | Ahmedabad | Bharuch | Junagadh |
| Net Irrigated area (%) | 36.19 | 36.21 | 35.55 | 37.57 |
| Gross irrigated area (%) | 38.02 | 41.65 | 36.66 | 36.69 |
| Main source of Irrigation | Canals, tubewells & tanks | Canals, tubewells & tanks | Canals & tubewells | Canals & tubewells |

Source: Socio-Economic Survey of Gujarat

| Table 7.10 | Industry and Commerce | | | | |
|-------------------------|---|----------------|-----------|--------------------|-----------------|
| | Gujarat | | Ahmedabad | Bharuch | Junagadh |
| MSME | 2006-07 | 2009-10 | | | |
| No | | 229738 | 48564 | 9199 | 6085 |
| Employment | | 1290029 | 362902 | 68668 | 22141 |
| SSIs - No | | 312782 | 65763 | 14328 | 8752 |
| Medium and Large | | 2009-10 | | | |
| No | 4130 | 76097 | | | |
| Employment | 19992 | 246989 | | | |
| Major Minerals | Oil & Gas, Lignite, Limestone, Bauxite, Bentonite | | NA | Oil & Gas, Lignite | Limestone, Clay |

Source: Socio-Economic Survey of Gujarat

Bharuch is endowed with lignite, silica sand, oil and gas and houses industries based on these minerals. It has witnessed large scale investments in chemicals and petrochemicals, drugs & pharmaceuticals, engineering and textiles. The presence of existing industrial estates in Bharuch, Ankaleshwar and Panoli has enhanced the location attractiveness of the region. The district has 135 commercial bank offices with a credit-deposit ratio of 36% with large portion of credit flowing to industries and agriculture. There are 9199 medium and small scale industries employing 68668 persons in Bharuch.

| Table 7.11 | Banking and Finance | | | | |
|----------------------|---------------------|-------|-----------|---------|----------|
| | Gujarat | | Ahmedabad | Bharuch | Junagadh |
| | 2005 | 2009 | 2009 | 2009 | 2009 |
| No. SCB Branches | 3705 | 4283 | 718 | 135 | 159 |
| Credit Deposit ratio | 46.73 | 63.16 | 96.77 | 36.67 | 37.12 |

Source: Socio-Economic Survey of Gujarat

Literacy rate has increased substantially during the last decade for both males and females. The district has 886 primary schools, 260 middle/high schools and 10 colleges.

Health Care

In Bharuch, rural areas are served by 7 CHCs in addition to 38 PHCs and 200 sub-centres and urban areas are served by 7 hospitals/dispensaries; 16 ayurvedic and 5 homeopathic hospitals. During the NRHM period, the district has witnessed improvement in institutional delivery from 38.7% to 47.9%, total fertility rate from 3.3 to 2.4, contraceptive prevalence from 62.7% to 70.3. However, full ANC has declined from

31.9% to 22.7% and full vaccination from 83.4% to 56.8%. Sex ratio has improved marginally from 921 to 924.

7.2.3 Junagadh

Junagadh⁷⁷ district located in Saurashtra region possesses a long coast line on Arabian Sea. The district comprises of 14 talukas and 1030 villages. Urban areas comprise of 1 municipal corporation and 17 municipal towns. During the last decade, the population growth has slowed down compared to the previous decade. Literacy level has increased substantially during the last decade for both males and females. Junagadh district has 1330 primary schools, 512 middle/high schools and 5 colleges.

| Table 7.12 | Health Indicators in Districts | | | | |
|-----------------------------|--------------------------------|---------|-----------|---------|----------|
| | Gujarat | | Ahmedabad | Bharuch | Junagadh |
| Health Infrastructure | 2003-04 | 2007-08 | 2007-08 | 2007-08 | 2007-08 |
| Medical Institutions | | | | | |
| Overall | 1747 | 1749 | 86 | 84 | 56 |
| Government | 1635 | 1641 | 17 | 5 | 8 |
| Non-Government | 112 | 108 | 69 | 79 | 48 |
| Rural | | | | | |
| CHCs | 273 | 273 | 9 | 15 | 7 |
| PHCs | 1067 | 1073 | 43 | 55 | 38 |
| Sub Centres | 7274 | 7274 | 279 | 200 | 390 |
| Dispensaries | 5 | 5 | 0 | 0 | 0 |
| Others | 40 | 52 | 3 | 2 | 4 |
| Urban | | | | | |
| Hospitals | 83 | 83 | 7 | 2 | 2 |
| Dispensaries | 180 | 180 | 10 | 1 | 7 |
| Others | 99 | 93 | 14 | 4 | 3 |
| Urban Total | 362 | 356 | 31 | 7 | 12 |
| Ayurvedic Hospitals | 775 | 501 | 25 | 16 | 22 |
| Homeopathy Hospitals | 216 | 216 | 22 | 5 | 9 |
| No of Hospital Beds | 40419 | 41008 | 4361 | 1066 | 1395 |

Source: Statistical Handbook

⁷⁷ District Statistical Outlook, Junagadh, 2009-10- District Panchayat, Junagadh.

Agriculture is the main economic activity and livelihood of the people with 37.57% area under irrigation. Canals and tube wells are the main source of irrigation. Main crops are groundnut, wheat, cotton and pulses. Dairy and fishing activities employ significant number of people. Important minerals available in the district are limestone and black stone. Sizeable industrial activity is found in cement, chemicals and textiles sectors. There are 159 commercial bank offices with a credit-deposit ratio of 37%. Maximum share of credit flows to agriculture sector. Junagadh has 6085 medium and small scale industries employing 22141 persons.

Health Care

Health care services are spread across urban and rural areas in Junagadh. Rural areas are served by 55 PHCs and 390 sub-centres in addition to 15 CHC; urban areas are served by 12 hospitals/dispensaries; 22 ayurvedic and 9 homeopathic hospitals. During the implementation of NRHM, total fertility rate has improved from 4 to 2.6, full ANC from 19.9% to 38.3%, institutional delivery from 37.1% to 56.3% and full vaccination from 61.1% to 66.7%. Contraceptive prevalence has improved marginally from 63% to 64.8% and sex ratio has declined from 955 to 952.

CHAPTER – VIII

ANALYSIS AND FINDINGS

Chapter VIII

8. Analysis and Findings of Survey


8.1 Health Workers


8.1.1 Analysis of Sample

| District | Ahmedabad | | Bharuch | | Junagadh | | All Districts | |
|-------------------|-----------|------|---------|------|----------|------|---------------|------|
| | No | % | No | % | No | % | No | % |
| No. of FHW | 35 | 70% | 47 | 70% | 39 | 71% | 121 | 70% |
| No. of MPH | 15 | 30% | 20 | 30% | 16 | 29% | 51 | 30% |
| Total HW | 50 | 100% | 67 | 100% | 55 | 100% | 172 | 100% |

| Null Hypothesis | Deg. of Freedom | χ^2 | p | Reject/ Accept | Remarks |
|------------------------------|-----------------|----------|-------|----------------|---------------------------|
| Sample size and distribution | 3 | 0.023 | 0.988 | Accept | No Significant Difference |

Sample size was determined for each district based on the number of health workers and subsequent selection of respondents was on random basis. In all three districts, the proportion of FHM and MPH was almost same (Table 8.1.1). Test of hypothesis show no significant difference in sample distribution (Table 8.1.2).






8.1.2 Functions of Health Workers

In response to the question to identify work areas, health workers have identified family planning, immunization, epidemic control, health education, maternal health and nutrition as their functions (Table 8.1.3). Importance of each function is based on the share of frequency of response to each category to total responses from health workers. Variations are observed within the districts and category of health workers. In all the districts, most MPHWS have identified family planning whereas as most FHW have identified immunization in Ahmedabad, and maternal health in Bharuch and Junagadh. Test of Hypothesis shows significant difference in work areas identified across districts (Table 8.1.5).

| Table 8.1.3 | | Functions of Health Workers | | | | | | | | | | | | |
|---------------------|------------|-----------------------------|-----------|-------------|------------|-------------|------------|-------------|---------------|-------------|------------|-------------|-----|--|
| Function | District | | Ahmedabad | | | | | | Bharuch | | | | | |
| | | | FHW | | MPHW | | All | | FHW | | MPHW | | All | |
| | No | % | No | % | No | % | No | % | No | % | No | % | | |
| 1. Family Planning | 25 | 16% | 16 | 23% | 41 | 18% | 41 | 16% | 20 | 20% | 61 | 17% | | |
| 2. Epidemic Control | 22 | 14% | 12 | 17% | 34 | 15% | 37 | 14% | 18 | 18% | 55 | 15% | | |
| 3. Health Education | 19 | 12% | 8 | 11% | 27 | 12% | 41 | 16% | 18 | 18% | 59 | 16% | | |
| 4. Immunization | 32 | 20% | 11 | 16% | 43 | 19% | 42 | 16% | 13 | 13% | 55 | 15% | | |
| 5. Maternal Health | 16 | 10% | 7 | 10% | 23 | 10% | 45 | 17% | 12 | 12% | 57 | 16% | | |
| 6. Nutrition | 24 | 15% | 9 | 13% | 33 | 15% | 39 | 15% | 14 | 14% | 53 | 15% | | |
| 7. Other | 19 | 12% | 7 | 10% | 26 | 11% | 13 | 5% | 6 | 6% | 19 | 5% | | |
| Total | 157 | 100% | 70 | 100% | 227 | 100% | 258 | 100% | 101 | 100% | 359 | 100% | | |
| | | | Junagadh | | | | | | All Districts | | | | | |
| 1. Family Planning | 36 | 18% | 13 | 18% | 49 | 18% | 102 | 17% | 49 | 20% | 151 | 18% | | |
| 2. Epidemic Control | 33 | 16% | 12 | 16% | 45 | 16% | 92 | 15% | 42 | 17% | 134 | 16% | | |
| 3. Health Education | 35 | 17% | 13 | 18% | 48 | 17% | 95 | 15% | 39 | 16% | 134 | 16% | | |
| 4. Immunization | 36 | 18% | 13 | 18% | 49 | 18% | 110 | 18% | 37 | 15% | 147 | 17% | | |
| 5. Maternal Health | 39 | 19% | 13 | 18% | 52 | 19% | 100 | 16% | 32 | 13% | 132 | 15% | | |
| 6. Nutrition | 6 | 3% | 5 | 7% | 11 | 4% | 69 | 11% | 28 | 11% | 97 | 11% | | |
| 7. Other | 17 | 8% | 4 | 5% | 21 | 8% | 49 | 8% | 17 | 7% | 66 | 8% | | |
| Total | 202 | 100% | 73 | 100% | 275 | 100% | 617 | 100% | 244 | 100% | 861 | 100% | | |

| Table 8.1.4 | | Key Functions of Health Workers | | | | | | | | | | | | |
|---------------------|------------|---------------------------------|-----------|-------------|------------|-------------|------------|-------------|---------------|-------------|------------|-------------|-----|--|
| Key Work Areas | District | | Ahmedabad | | | | | | Bharuch | | | | | |
| | | | FHW | | MPHW | | All | | FHW | | MPHW | | All | |
| | No | % | No | % | No | % | No | % | No | % | No | % | | |
| 1. Family Planning | 16 | 16% | 12 | 31% | 28 | 20% | 27 | 22% | 18 | 31% | 45 | 25% | | |
| 2. Epidemic Control | 16 | 16% | 11 | 28% | 27 | 19% | 8 | 6% | 13 | 22% | 21 | 12% | | |
| 3. Health Education | 8 | 8% | 9 | 23% | 17 | 12% | 8 | 6% | 10 | 17% | 18 | 10% | | |
| 4. Immunization | 27 | 26% | 3 | 8% | 30 | 21% | 36 | 29% | 11 | 19% | 47 | 26% | | |
| 5. Maternal Health | 22 | 22% | 1 | 3% | 23 | 16% | 37 | 30% | 4 | 7% | 41 | 23% | | |
| 6. Nutrition | 9 | 9% | 3 | 8% | 12 | 9% | 4 | 3% | 1 | 2% | 5 | 3% | | |
| 7. Other | 4 | 4% | 0 | 0% | 4 | 3% | 0 | 0% | 0 | 0% | 0 | 0% | | |
| Total | 102 | 100% | 39 | 100% | 141 | 100% | 124 | 100% | 58 | 100% | 182 | 100% | | |
| | | | Junagadh | | | | | | All Districts | | | | | |
| 1. Family Planning | 32 | 28% | 13 | 29% | 45 | 28% | 75 | 22% | 43 | 30% | 118 | 24% | | |
| 2. Epidemic Control | 2 | 2% | 5 | 11% | 7 | 4% | 26 | 8% | 29 | 20% | 55 | 11% | | |
| 3. Health Education | 6 | 5% | 2 | 4% | 8 | 5% | 22 | 6% | 21 | 15% | 43 | 9% | | |
| 4. Immunization | 36 | 32% | 12 | 27% | 48 | 30% | 99 | 29% | 26 | 18% | 125 | 26% | | |
| 5. Maternal Health | 37 | 32% | 10 | 22% | 47 | 30% | 96 | 28% | 15 | 11% | 111 | 23% | | |
| 6. Nutrition | 1 | 1% | 3 | 7% | 4 | 3% | 14 | 4% | 7 | 5% | 21 | 4% | | |
| 7. Other | 0 | 0% | 0 | 0% | 0 | 0% | 4 | 1% | 0 | 0% | 4 | 1% | | |
| Total | 114 | 100% | 45 | 100% | 159 | 100% | 340 | 100% | 142 | 100% | 482 | 100% | | |



| Table 8.1.5 | | Functions of Health Workers | | | |
|-----------------------------|--------------------|-----------------------------|--------|----------------|---------------------------|
| Null Hypothesis | Degrees of Freedom | χ^2 | p | Reject/ Accept | Remarks |
| All functions | 12 | 37.0 | 0.001 | Reject | Significant Difference |
| Key Functions | 10 | 43.08 | <0.001 | Reject | Significant Difference |
| FHW & MPHWS – All Functions | 6 | 3.94 | 0.685 | Accept | No Significant Difference |
| FHW & MPHWS – Key Functions | 5 | 42.9 | <0.001 | Reject | Significant Difference |

To ascertain their priority work areas, health workers were asked to identify three key functions. Key functions identified for all three districts are immunization, family planning and maternal health. In case of FHW, they are immunization, maternal health and family planning and for MPHWS, they are family planning, epidemic control and immunization (Table 8.1.4). Here again, significant difference exists in key function across districts (Table 8.1.5). Across districts, it is observed that key functions of FHW are immunization and maternal health and for MPHWS it is family planning. Variation can be seen in the other key functions of MPHWS, which is epidemic control in Ahmedabad and Bharuch and immunization in Junagadh.

A comparison of functions of FHW and MPHWS shows insignificant difference in case of all functions and interestingly, significant difference is observed while comparing key functions (Table 8.1.5)

8.1.3 Health Planning

Health action plan is required to be prepared for each village as per the NRHM norms, based on local needs and problem, and forms the basis for implementation of maternal, child health and other health programs. Survey shows that health action plan was prepared in most health centres. Health action plan was not available in 4% overall, 2% in Ahmedabad and Bharuch and 7% in Junagadh (Table 8.1.6). No significant difference is found in the availability of health action plan. (Table 8.1.11)


Process of preparation of plan requires a participatory approach at village level in which various groups are involved. They are Gram Panchayats, Gram Sabha, Anganwadi workers, women groups, NGO and others like ASHA workers. The aim is to prepare the plan in alignment with broader health objectives of the State while ensuring that it

addresses local needs, resources and challenges. It is observed that preparation is undertaken at the level of health workers in 55% cases and at PHC in 30% of cases. In rest of the cases planning was done at district or taluka or by others (Table 8.1.7). This is 28% in Ahmedabad, 15% in Bharuch and 11% in Junagadh. Strong efforts have to be made in Ahmedabad to strengthen the planning process at the local level. Both FHW and MPHWH have similar responses in choosing the preparation level. No significant difference is found as far as the level at which plans are prepared (Table 8.1.11).

| Table 8.1.6 | | Planning: Health Action Plan Availability | | | | | | | | | | | |
|-------------|-----------|---|----|----|-------|------|---------------|------|----|----|-----|------|--|
| District | Ahmedabad | | | | | | Bharuch | | | | | | |
| | Yes | | No | | All - | | Yes | | No | | All | | |
| FHW | 34 | 97% | 1 | 3% | 35 | 100% | 46 | 98% | 1 | 2% | 47 | 100% | |
| MPHW | 15 | 100% | 0 | 0% | 15 | 100% | 18 | 100% | 0 | 0% | 18 | 100% | |
| All | 49 | 98% | 1 | 2% | 50 | 100% | 64 | 98% | 1 | 2% | 65 | 100% | |
| District | Junagadh | | | | | | All Districts | | | | | | |
| FHW | 36 | 92% | 3 | 8% | 39 | 100% | 116 | 96% | 5 | 4% | 121 | 100% | |
| MPHW | 15 | 94% | 1 | 6% | 16 | 100% | 48 | 98% | 1 | 2% | 49 | 100% | |
| All | 51 | 93% | 4 | 7% | 55 | 100% | 164 | 96% | 6 | 4% | 170 | 100% | |

| Table 8.1.7 | | Planning: Health Action Plan Preparation | | | | | | | | | | | |
|-------------|-----------|--|-----|------|-------|------|---------------|-------|-----|------|-------|------|--|
| District | Dist | Block | PHC | Self | Othrs | All | Dist | Block | PHC | Self | Othrs | All | |
| | Ahmedabad | | | | | | Bharuch | | | | | | |
| FHW | 0 | 1 | 11 | 19 | 4 | 35 | 2 | 2 | 12 | 28 | 4 | 48 | |
| | 7% | 7% | 28% | 44% | 13% | 100% | 4% | 4% | 25% | 58% | 8% | 100% | |
| MPHW | 0 | 4 | 6 | 5 | 0 | 15 | 0 | 0 | 8 | 9 | 2 | 19 | |
| | 0% | 25% | 35% | 35% | 5% | 100% | 0% | 0% | 42% | 47% | 11% | 100% | |
| All | 0 | 5 | 17 | 24 | 4 | 50 | 2 | 2 | 20 | 37 | 6 | 67 | |
| | 5% | 12% | 30% | 42% | 11% | 100% | 3% | 3% | 30% | 55% | 9% | 100% | |
| District | Junagadh | | | | | | All Districts | | | | | | |
| FHW | 0 | 0 | 9 | 27 | 3 | 39 | 2 | 3 | 32 | 74 | 11 | 122 | |
| | 0% | 0% | 23% | 69% | 8% | 100% | 2% | 2% | 26% | 61% | 9% | 100% | |
| MPHW | 0 | 0 | 6 | 7 | 3 | 16 | 0 | 4 | 20 | 21 | 5 | 50 | |
| | 0% | 0% | 38% | 44% | 19% | 100% | 0% | 8% | 40% | 42% | 10% | 100% | |
| All | 0 | 0 | 15 | 34 | 6 | 55 | 2 | 7 | 52 | 95 | 16 | 172 | |
| | 0% | 0% | 27% | 62% | 11% | 100% | 1% | 4% | 30% | 55% | 9% | 100% | |

Chart 8.1: Health Management: Health Worker Perspective



| Health Action Plan: Groups involvement | | | | | | | | | | | | | | |
|--|------------------|--------------|------|-------------------|------------|--------|------|----------------------|--------------|------|-------------------|------------|--------|------|
| Level | Gram panchayat | Women groups | NGOs | Anganwadi workers | Gram Sabha | Others | All | Gram panchayat | Women groups | NGOs | Anganwadi workers | Gram Sabha | Others | All |
| Districts | Ahmedabad | | | | | | | Bharuch | | | | | | |
| FHW | 4 | 1 | 4 | 22 | 3 | 12 | 46 | 6 | 1 | 4 | 25 | 6 | 7 | 49 |
| | 9% | 2% | 9% | 48% | 7% | 26% | 100% | 12% | 2% | 8% | 51% | 12% | 14% | 100% |
| MPHW | 2 | 1 | 1 | 12 | 4 | 8 | 28 | 3 | 3 | 1 | 14 | 6 | 6 | 33 |
| | 7% | 4% | 4% | 43% | 14% | 29% | 100% | 9% | 9% | 3% | 42% | 18% | 18% | 100% |
| All | 6 | 2 | 5 | 34 | 7 | 20 | 74 | 9 | 4 | 5 | 39 | 12 | 13 | 82 |
| | 8% | 3% | 7% | 46% | 9% | 27% | 100% | 11% | 5% | 6% | 48% | 15% | 16% | 100% |
| Districts | Junagadh | | | | | | | All Districts | | | | | | |
| FHW | 1 | 3 | 1 | 24 | 5 | 9 | 43 | 11 | 5 | 9 | 71 | 14 | 28 | 138 |
| | 2% | 7% | 2% | 56% | 12% | 21% | 100% | 8% | 4% | 7% | 51% | 10% | 20% | 100% |
| MPHW | 1 | 1 | 0 | 9 | 3 | 4 | 18 | 6 | 5 | 2 | 35 | 13 | 18 | 79 |
| | 6% | 6% | 0% | 50% | 17% | 22% | 100% | 8% | 6% | 3% | 44% | 16% | 23% | 100% |
| All | 2 | 4 | 1 | 33 | 8 | 13 | 61 | 17 | 10 | 11 | 106 | 27 | 46 | 217 |
| | 3% | 7% | 2% | 54% | 13% | 21% | 100% | 8% | 5% | 5% | 49% | 12% | 21% | 100% |

| Districts | | Planning: Quality of Involvement of Groups I | | | | | | | | | | |
|-------------------|-----|--|------|--------|------|-----------|---------|--------------|------|--------|------|-----------|
| | | Ahmedabad | | | | | Bharuch | | | | | |
| | | Not Involved | Less | Normal | Good | Very Good | Total | Not Involved | Less | Normal | Good | Very Good |
| FHW | | | | | | | | | | | | |
| Gram Panchayat | 1 | 8 | 0 | 5 | 2 | 16 | 5 | 2 | 2 | 4 | 0 | 13 |
| Women groups | 1 | 6 | 3 | 2 | 2 | 14 | 6 | 0 | 7 | 1 | 1 | 15 |
| NGOs | 1 | 5 | 2 | 1 | 3 | 12 | 8 | 1 | 0 | 1 | 0 | 10 |
| Anganwadi workers | 1 | 0 | 3 | 12 | 16 | 32 | 3 | 1 | 8 | 20 | 8 | 40 |
| Gram Sabha | 1 | 0 | 1 | 11 | 18 | 31 | 2 | 0 | 3 | 18 | 16 | 39 |
| Gram panchayat | 6% | 50% | 0% | 31% | 13% | 100% | 38% | 15% | 15% | 31% | 0% | 100% |
| Women groups | 7% | 43% | 21% | 14% | 14% | 100% | 40% | 0% | 47% | 7% | 7% | 100% |
| NGOs | 8% | 42% | 17% | 8% | 25% | 100% | 80% | 10% | 0% | 10% | 0% | 100% |
| Anganwadi workers | 3% | 0% | 9% | 38% | 50% | 100% | 8% | 3% | 20% | 50% | 20% | 100% |
| Gram sabha | 3% | 0% | 3% | 35% | 58% | 100% | 5% | 0% | 8% | 46% | 41% | 100% |
| MHW | | | | | | | | | | | | |
| Gram Panchayat | 1 | 1 | 2 | 2 | 2 | 8 | 6 | 1 | 2 | 1 | 0 | 10 |
| Women Groups | 0 | 2 | 0 | 2 | 2 | 6 | 6 | 0 | 1 | 3 | 0 | 10 |
| NGOs | 0 | 1 | 1 | 2 | 3 | 7 | 6 | 2 | 0 | 2 | 1 | 11 |
| Anganwadi workers | 1 | 0 | 0 | 5 | 6 | 12 | 3 | 0 | 3 | 7 | 5 | 18 |
| Gram Sabha | 1 | 0 | 4 | 3 | 7 | 15 | 1 | 1 | 2 | 7 | 5 | 16 |
| Gram Panchayat | 13% | 13% | 25% | 25% | 25% | 100% | 60% | 10% | 20% | 10% | 0% | 100% |
| Women groups | 0% | 33% | 0% | 33% | 33% | 100% | 60% | 0% | 10% | 30% | 0% | 100% |
| NGOs | 0% | 14% | 14% | 29% | 43% | 100% | 55% | 18% | 0% | 18% | 9% | 100% |
| Anganwadi workers | 8% | 0% | 0% | 42% | 50% | 100% | 17% | 0% | 17% | 39% | 28% | 100% |
| Gram sabha | 7% | 0% | 27% | 20% | 47% | 100% | 6% | 6% | 13% | 44% | 31% | 100% |
| All Workers | | | | | | | | | | | | |
| Gram Panchayat | 2 | 9 | 2 | 7 | 4 | 24 | 11 | 3 | 4 | 5 | 0 | 23 |
| Women groups | 1 | 8 | 3 | 4 | 4 | 20 | 12 | 0 | 8 | 4 | 1 | 25 |
| NGOs | 1 | 6 | 3 | 3 | 6 | 19 | 14 | 3 | 0 | 3 | 1 | 21 |
| Anganwadi workers | 2 | 0 | 3 | 17 | 22 | 44 | 6 | 1 | 11 | 27 | 13 | 58 |
| Gram Sabha | 2 | 0 | 5 | 14 | 25 | 46 | 3 | 11 | 5 | 25 | 21 | 55 |
| Gram Panchayat | 8% | 38% | 8% | 29% | 17% | 100% | 48% | 13% | 17% | 22% | 0% | 100% |
| Women Groups | 5% | 40% | 15% | 20% | 20% | 100% | 48% | 0% | 32% | 16% | 4% | 100% |
| NGOs | 5% | 32% | 16% | 16% | 32% | 100% | 67% | 14% | 0% | 14% | 5% | 100% |
| Anganwadi workers | 5% | 0% | 7% | 39% | 50% | 100% | 10% | 2% | 19% | 47% | 22% | 100% |
| Gram Sabha | 4% | 0% | 11% | 30% | 54% | 100% | 5% | 2% | 9% | 45% | 38% | 100% |

| Table 8.1.10 | | Planning: Quality of Involvement of Groups II | | | | | | | | | | |
|-------------------|--------------|---|--------|------|-----------|---------------|--------------|------|--------|------|-----------|-------|
| Districts | Junagadh | | | | | All Districts | | | | | | |
| | Not Involved | Less | Normal | Good | Very Good | Total | Not Involved | Less | Normal | Good | Very Good | Total |
| | FHW | | | | | | | | | | | |
| Gram panchayat | 13 | 1 | 1 | 2 | 0 | 17 | 19 | 11 | 3 | 11 | 2 | 46 |
| Women groups | 11 | 2 | 1 | 3 | 0 | 17 | 18 | 8 | 11 | 6 | 3 | 46 |
| NGOs | 13 | 0 | 0 | 1 | 1 | 15 | 22 | 6 | 2 | 3 | 4 | 37 |
| Anganwadi workers | 9 | 3 | 6 | 10 | 7 | 35 | 13 | 4 | 17 | 42 | 31 | 107 |
| Gram Sabha | 6 | 2 | 9 | 8 | 11 | 36 | 9 | 2 | 13 | 37 | 45 | 106 |
| Gram panchayat | 76% | 6% | 6% | 12% | 0% | 100% | 41% | 24% | 7% | 24% | 4% | 100% |
| Women groups | 65% | 12% | 6% | 18% | 0% | 100% | 39% | 17% | 24% | 13% | 7% | 100% |
| NGOs | 87% | 0% | 0% | 7% | 7% | 100% | 59% | 16% | 5% | 8% | 11% | 100% |
| Anganwadi workers | 26% | 9% | 17% | 29% | 20% | 100% | 12% | 4% | 16% | 39% | 29% | 100% |
| Gram sabha | 17% | 6% | 25% | 22% | 31% | 100% | 8% | 2% | 12% | 35% | 42% | 100% |
| MHW | | | | | | | | | | | | |
| Gram panchayat | 3 | 1 | 1 | 0 | 1 | 6 | 10 | 3 | 5 | 3 | 3 | 20 |
| Women groups | 3 | 0 | 1 | 1 | 1 | 6 | 9 | 2 | 2 | 6 | 3 | 22 |
| NGOs | 4 | 1 | 0 | 0 | 0 | 5 | 10 | 4 | 1 | 4 | 4 | 23 |
| Anganwadi workers | 1 | 0 | 4 | 5 | 3 | 13 | 5 | 0 | 7 | 17 | 14 | 43 |
| Gram sabha | 0 | 0 | 2 | 10 | 2 | 14 | 2 | 1 | 8 | 20 | 14 | 45 |
| Gram panchayat | 50% | 17% | 17% | 0% | 17% | 100% | 50% | 15% | 25% | 15% | 15% | 100% |
| Women groups | 50% | 0% | 17% | 17% | 17% | 100% | 41% | 9% | 9% | 27% | 14% | 100% |
| NGOs | 80% | 20% | 0% | 0% | 0% | 100% | 43% | 17% | 4% | 17% | 17% | 100% |
| Anganwadi workers | 8% | 0% | 31% | 38% | 23% | 100% | 12% | 0% | 16% | 40% | 33% | 100% |
| Gram sabha | 0% | 0% | 14% | 71% | 14% | 100% | 4% | 2% | 18% | 44% | 31% | 100% |
| All Workers | | | | | | | | | | | | |
| Gram panchayat | 16 | 2 | 2 | 2 | 1 | 23 | 29 | 14 | 8 | 14 | 5 | 66 |
| Women groups | 14 | 2 | 2 | 4 | 1 | 23 | 27 | 10 | 13 | 12 | 6 | 68 |
| NGOs | 17 | 1 | 0 | 1 | 1 | 20 | 32 | 10 | 3 | 7 | 8 | 60 |
| Anganwadi workers | 10 | 3 | 10 | 15 | 10 | 48 | 18 | 4 | 24 | 59 | 45 | 150 |
| Gram sabha | 6 | 2 | 11 | 18 | 13 | 50 | 11 | 3 | 21 | 57 | 59 | 151 |
| Gram panchayat | 70% | 9% | 9% | 9% | 4% | 100% | 44% | 21% | 12% | 21% | 8% | 100% |
| Women groups | 61% | 9% | 9% | 17% | 4% | 100% | 40% | 15% | 19% | 18% | 9% | 100% |
| NGOs | 85% | 5% | 0% | 5% | 5% | 100% | 53% | 17% | 5% | 12% | 13% | 100% |
| Anganwadi workers | 21% | 6% | 21% | 31% | 21% | 100% | 12% | 3% | 16% | 39% | 30% | 100% |
| Gram sabha | 12% | 4% | 22% | 36% | 26% | 100% | 7% | 2% | 14% | 38% | 39% | 100% |

| Table 8.1.11 | Health Action Plan | | | | |
|--|---------------------------|----------|----------|-----------------------|---------------------------|
| Null Hypothesis | Degrees of Freedom | χ^2 | P | Reject/ Accept | Remarks |
| Availability of Health Plan | 2 | 3.36 | 0.186 | Accept | No significant difference |
| Where the Health Plan is prepared? | 8 | 6.675 | 0.352 | Accept | |
| Groups involved in preparation of plan | 10 | 9.416 | 0.493 | Accept | |
| Quality of involvement of groups | 6 | 276.82 | <0.0001 | Reject | Significant difference |

Analysis of participation of various groups in preparation of plan shows that Anganwadi (51%) and ASHA (20%) workers have the highest level of involvement (Table 8.1.8). Gram Sabhas (10%) are involved to a reasonable extent whereas the involvement of Gram Panchayats, Women Groups and NGOs is weak in all the districts. No significant difference is found across districts in participation of groups in planning process.

Survey also ascertained the quality of involvement of various groups in planning process. Analysis of the response shows that involvement is good or very good in 69% responses in case of Anganwadi workers and 77% in case of Gram Sabha. However, in case of Gram Panchayats, Women Groups and NGOs it is 29%, 27% and 15% (Table 8.1.9 & 8.1.10). There is immense scope for improving the quality of involvement of these groups in the State. In comparison to FHW, more proportion of MPHWS had specified that the involvement of these three groups is very good or good. This is found especially in Junagadh district. This indicates need to expand and strengthen the quality of participation of key stakeholders in the process of preparation of health plan. The prevalence of significant difference in the quality of involvement is found from test of hypothesis.

8.1.4 Infrastructure

Infrastructure and facilities play crucial role in enhancing the quality and productivity of health workers in delivering health care. Travel from residence to work place in terms of time taken and availability of transport, local travel from health centre to villages in work area and travel to place of beneficiaries constitute major travel requirements of health workers. Facilities in health centre like physical condition of the health centre, and availability of drinking water, toilet and seating are important to improve the work place efficiency.

| Table 8.1.12 | | Infrastructure: Time taken to travel to work place | | | | | | | |
|---------------|-------|--|--------|------|-----|-----|--------|------|------|
| Districts | Level | Low | Medium | High | All | Low | Medium | High | All |
| Ahmedabad | FHW | 29 | 5 | 1 | 35 | 83% | 14% | 3% | 100% |
| | MPHW | 14 | 0 | 1 | 15 | 93% | 0% | 7% | 100% |
| | All | 43 | 5 | 2 | 50 | 86% | 10% | 4% | 100% |
| Bharuch | FHW | 37 | 9 | 1 | 47 | 79% | 19% | 2% | 100% |
| | MPHW | 14 | 3 | 1 | 18 | 78% | 17% | 6% | 100% |
| | All | 51 | 12 | 2 | 65 | 78% | 18% | 3% | 100% |
| Junagadh | FHW | 29 | 8 | 2 | 39 | 74% | 21% | 5% | 100% |
| | MPHW | 13 | 3 | 0 | 16 | 81% | 19% | 0% | 100% |
| | All | 42 | 11 | 2 | 55 | 76% | 20% | 4% | 100% |
| All Districts | FHW | 95 | 22 | 4 | 121 | 79% | 18% | 3% | 100% |
| | MPHW | 41 | 6 | 2 | 49 | 84% | 12% | 4% | 100% |
| | All | 136 | 28 | 6 | 170 | 80% | 16% | 4% | 100% |

| Table 8.1.13 | | Infrastructure: Availability of Transport to Health Centre | | | | | | | |
|---------------|-------|--|------------|--------|-----|-------|------------|--------|------|
| Districts | Level | Never | Some times | Always | All | Never | Some times | Always | All |
| Ahmedabad | FHW | 2 | 8 | 25 | 35 | 6% | 23% | 71% | 100% |
| | MPHW | 0 | 4 | 11 | 15 | 0% | 27% | 73% | 100% |
| | All | 2 | 12 | 36 | 50 | 4% | 24% | 72% | 100% |
| Bharuch | FHW | 1 | 13 | 33 | 47 | 2% | 28% | 70% | 100% |
| | MPHW | 2 | 6 | 10 | 18 | 11% | 33% | 56% | 100% |
| | All | 3 | 19 | 43 | 65 | 5% | 29% | 66% | 100% |
| Junagadh | FHW | 4 | 12 | 22 | 38 | 11% | 32% | 58% | 100% |
| | MPHW | 0 | 7 | 9 | 16 | 0% | 44% | 56% | 100% |
| | All | 4 | 19 | 31 | 54 | 7% | 35% | 57% | 100% |
| All Districts | FHW | 7 | 33 | 80 | 120 | 6% | 28% | 67% | 100% |
| | MPHW | 2 | 17 | 30 | 49 | 4% | 35% | 61% | 100% |
| | All | 9 | 50 | 110 | 169 | 5% | 30% | 65% | 100% |

| Table 8.1.14 | | Infrastructure: Local transport to Villages in work area | | | | | | | |
|---------------|----------|--|------------|--------|-----|-------|------------|--------|------|
| District | Category | Never | Some times | Always | All | Never | Some times | Always | All |
| Ahmedabad | FHW | 5 | 8 | 22 | 35 | 14% | 23% | 63% | 100% |
| | MPHW | 0 | 5 | 10 | 15 | 0% | 33% | 67% | 100% |
| | All | 5 | 13 | 32 | 50 | 10% | 26% | 64% | 100% |
| Bharuch | FHW | 2 | 19 | 26 | 47 | 4% | 40% | 55% | 100% |
| | MPHW | 0 | 4 | 14 | 18 | 0% | 22% | 78% | 100% |
| | All | 2 | 23 | 40 | 65 | 3% | 35% | 62% | 100% |
| Junagadh | FHW | 1 | 15 | 22 | 38 | 3% | 39% | 58% | 100% |
| | MPHW | 2 | 5 | 8 | 15 | 13% | 33% | 53% | 100% |
| | All | 3 | 20 | 30 | 53 | 6% | 38% | 57% | 100% |
| All Districts | FHW | 8 | 42 | 70 | 120 | 7% | 35% | 58% | 100% |
| | MPHW | 2 | 14 | 32 | 48 | 4% | 29% | 67% | 100% |
| | All | 10 | 56 | 102 | 168 | 6% | 33% | 61% | 100% |

| Table 8.1.15 | | Infrastructure: Transport to beneficiaries place | | | | | | | | | |
|---------------|----------|--|-----------|--------------|--------|-----|------|-----------|--------------|--------|------|
| Districts | Category | Walk | 2-Wheeler | Local Transp | Others | All | Walk | 2-Wheeler | Local Transp | Others | All |
| Ahmedabad | FHW | 26 | 3 | 5 | 1 | 35 | 74% | 9% | 14% | 3% | 100% |
| | MPHW | 15 | 2 | 2 | 1 | 20 | 75% | 10% | 10% | 5% | 100% |
| | All | 41 | 5 | 7 | 2 | 55 | 75% | 9% | 13% | 4% | 100% |
| Bharuch | FHW | 42 | 12 | 8 | 1 | 63 | 67% | 19% | 13% | 2% | 100% |
| | MPHW | 18 | 3 | 2 | 1 | 24 | 75% | 13% | 8% | 4% | 100% |
| | All | 60 | 15 | 10 | 2 | 87 | 69% | 17% | 11% | 2% | 100% |
| Junagadh | FHW | 32 | 3 | 4 | 0 | 39 | 82% | 8% | 10% | 0% | 100% |
| | MPHW | 13 | 2 | 0 | 1 | 16 | 81% | 13% | 0% | 6% | 100% |
| | All | 45 | 5 | 4 | 1 | 55 | 82% | 9% | 7% | 2% | 100% |
| All Districts | FHW | 100 | 18 | 17 | 2 | 137 | 73% | 13% | 12% | 1% | 100% |
| | MPHW | 46 | 7 | 4 | 3 | 60 | 77% | 12% | 7% | 5% | 100% |
| | All | 146 | 25 | 21 | 5 | 197 | 74% | 13% | 11% | 3% | 100% |

| Table 8.1.16 | | Infrastructure | | | |
|---------------------------------------|-----------------|----------------|-------|----------------|---------------------------|
| Null Hypothesis | Deg. of Freedom | χ^2 | p | Reject/ Accept | Remarks |
| Time taken to place of work | 4 | 2.25 | 0.69 | Accept | No significant difference |
| Vehicle Availability to Health Centre | 4 | 2.64 | 0.62 | Accept | |
| Local transport to villages | 4 | 0.86 | 0.93 | Accept | |
| Transport to beneficiaries place | 6 | 5.52 | 0.479 | Accept | |

1. Travel Infrastructure

a. To Place of Work

This is measured by ascertaining the availability of transport and time taken to travel to health centre. An analysis of vehicle availability shows that is always available in 65% responses in all districts. Availability is the best in Ahmedabad with 72%, followed by Bharuch at 66% and Junagadh with 57% level (Table 8.1.13). For others, either the availability of transport is sometimes (30%) or never (5%). Time taken to travel to place of work is another dimension of travel infrastructure. Analysis reveal that in 80% responses, time taken is low (less than one hour), medium (1 to 2 hours) in 16% responses and high (more than 2 hours) in 4%. Districtwise analysis reveals that time taken is low in 86% responses in Ahmedabad, 78% in Bharuch and 76% in Junagadh (Table 8.1.12). Test of hypothesis show that there is no significant difference in availability of transport and time taken to go to place of work across districts. (Table 8.1.16)

Combined analysis of availability of transport and time taken reveal that both are interrelated. In Junagadh, where the share of responses in which transport is always available is least and the share of responses with time taken to travel as medium or high is the highest. Thus vehicle availability is a key physical infrastructure to ensure less travel time to work place.

b. Local Transport to Villages in Work Area

Local travel to villages in work area of health workers is always available in 61% cases with 64% in Ahmedabad, 62% in Bharuch and 57% in Junagadh. Availability is sometimes in 33% in cases, and never in 6% cases. Thus in 40% cases, availability of local transport has to be improved to ensure that this does not affect productivity of health workers (Table 8.1.14). No significant difference in this respect is found across the districts based on test of hypothesis (Table 8.1.16).

| Table No 8.1.17 | Facilities in Health Centre | | | | | | | | | | | |
|----------------------|-----------------------------|-----|------|------|---------------------------------------|----|------|------|-----|-----|------|------|
| District | FHW | | | | MPHW | | | | All | | | |
| | I Condition of Centre; | | | | II. Water, Sitting, toilet facilities | | | | | | | |
| Ahmedabad | I | II | I | II | I | II | I | II | I | II | I | II |
| Bad | 0 | 0 | 0% | 0% | 0 | 0 | 0% | 0% | 0 | 0 | 0% | 0% |
| Poor | 1 | 1 | 3% | 3% | 0 | 0 | 0% | 0% | 1 | 1 | 2% | 2% |
| Normal | 10 | 8 | 29% | 23% | 2 | 4 | 13% | 27% | 12 | 12 | 24% | 24% |
| Good | 18 | 17 | 51% | 49% | 9 | 6 | 60% | 40% | 27 | 23 | 54% | 46% |
| Very Good | 6 | 9 | 17% | 26% | 4 | 5 | 27% | 33% | 10 | 14 | 20% | 28% |
| Total | 35 | 35 | 100% | 100% | 15 | 15 | 100% | 100% | 50 | 50 | 100% | 100% |
| Bharuch | | | | | | | | | | | | |
| Bad | 5 | 4 | 11% | 9% | 0 | 0 | 0% | 0% | 5 | 4 | 8% | 6% |
| Poor | 6 | 4 | 13% | 9% | 0 | 0 | 0% | 0% | 6 | 4 | 9% | 6% |
| Normal | 10 | 15 | 21% | 32% | 3 | 3 | 17% | 17% | 13 | 18 | 20% | 28% |
| Good | 23 | 23 | 49% | 49% | 8 | 7 | 44% | 39% | 31 | 30 | 48% | 46% |
| Very Good | 3 | 1 | 6% | 2% | 7 | 8 | 39% | 44% | 10 | 9 | 15% | 14% |
| Total | 47 | 47 | 100% | 100% | 18 | 18 | 100% | 100% | 65 | 65 | 100% | 100% |
| Junagadh | | | | | | | | | | | | |
| Bad | 1 | 4 | 3% | 5% | 0 | 3 | 0% | 20% | 1 | 7 | 1% | 3% |
| Poor | 4 | 5 | 10% | 13% | 0 | 2 | 0% | 13% | 4 | 7 | 2% | 3% |
| Normal | 13 | 23 | 33% | 28% | 6 | 4 | 38% | 27% | 19 | 27 | 11% | 13% |
| Good | 14 | 40 | 36% | 33% | 7 | 4 | 44% | 27% | 21 | 44 | 12% | 21% |
| Very Good | 7 | 10 | 18% | 21% | 3 | 2 | 19% | 13% | 10 | 12 | 6% | 6% |
| Total | 39 | 82 | 100% | 100% | 16 | 15 | 100% | 100% | 55 | 97 | 32% | 46% |
| All Districts | | | | | | | | | | | | |
| Bad | 6 | 8 | 5% | 5% | 0 | 3 | 0% | 6% | 6 | 11 | 4% | 5% |
| Poor | 11 | 10 | 9% | 6% | 0 | 2 | 0% | 4% | 11 | 12 | 6% | 6% |
| Normal | 33 | 46 | 27% | 23% | 11 | 11 | 22% | 23% | 44 | 57 | 26% | 27% |
| Good | 55 | 80 | 45% | 50% | 24 | 17 | 49% | 35% | 79 | 97 | 46% | 46% |
| Very Good | 16 | 20 | 13% | 16% | 14 | 15 | 29% | 31% | 30 | 35 | 18% | 17% |
| Total | 121 | 164 | 100% | 100% | 49 | 48 | 100% | 100% | 170 | 212 | 100% | 100% |

a. Travel to Beneficiary Place

Visiting beneficiaries to provide health care services is an important part of duty of health workers. Availability of transport to beneficiaries place can be by walk, 2-wheelers, local transport and other means (Table 8.1.15). The response shows that in 74% of cases, they reach the beneficiaries by walk, which is 75% in Ahmedabad, 69% in Bharuch and 82% in Junagadh. 2-wheeler is used by 13% workers: 9% in Ahmedabad, 17% in Bharuch and 9% in Junagadh. In case of both FHW and MPHW, the travel pattern to beneficiary place is similar. In this case also, no significant difference is found across the districts based on test of hypothesis (Table 8.1.16).

| Table 8.1.18 | Facilities at Health Centre | | | | |
|----------------------------|------------------------------------|----------------------------|----------|-----------------------|---------------------------|
| Null Hypothesis | Deg. of Freedom | χ^2 | p | Reject/ Accept | Remarks |
| Condition of Health Centre | 6 | 10.69 | 0.098 | Accept | No Significant Difference |
| Water, sitting and toilet | 6 | 10.37 | 0.11 | Accept | No Significant difference |

8.1.5 Facilities in Work Place

Through NRHM and various other programs, Government has committed huge resources to improve the physical condition and facilities of health centres in the State. Over years new buildings have been built and existing building have been renovated and repaired. The aim is to provide good quality work place to workers and beneficiaries. Facilities like drinking water, sitting arrangements and toilet have been added or improved in these centres (Table 8.1.17)

1. Condition of Health Centre

Overall physical condition of health centres is good or very good in 64%, with a district wise break up of 74% in Ahmedabad, 63% in Bharuch and 56% in Junagadh. The condition is bad or poor in 10% cases with 2% in Ahmedabad, 17% in Bharuch and 9% in Junagadh. Thus Bharuch has more health centres which require improvement in condition. All instances of poor or bad condition are mentioned by FHW. It has to be ascertained whether the conditions in health centres are convenient for female. No significant difference in condition of health centres is found across the districts based on test of hypothesis. (Table 8.1.18)

2. Water, Sitting and Toilet facilities

Availability of these facilities is found to be good or very good by 52% health workers whereas 11% found them bad or poor. Only 2% in Ahmedabad found them to be bad or poor compared to 6% in Junagadh and 12% in Bharuch. No significant difference is found in the availability of these facilities at health centres based on test of hypothesis.

8.1.6 Resources in Health Centre

Day to day functioning of health centres require sufficient quantity of drugs without stock-outs which may adversely affect the health care outcomes and reliability for the patients. Likewise, medical equipments for laboratory and few emergency medical care equipments are provided in PHCs. Proper availability of drugs and equipments in

PHCs is crucial to provide proper health care to the patients/ beneficiaries. Hence, these aspects too were covered in the survey.

| Table 8.1.19 Resources in Health Centre | | | | | | | | | | | | |
|---|---------------------------|-----|------|------|------|----|------|------|-----------------------------|-----|------|------|
| District | FHW | | | | MPHW | | | | All | | | |
| | I. Availability of drugs; | | | | | | | | II. Condition of equipments | | | |
| | I | II | I | II | I | II | I | II | I | II | I | II |
| Ahmedabad | | | | | | | | | | | | |
| Bad | 0 | 0 | 0% | 0% | 0 | 0 | 0% | 0% | 0 | 0 | 0% | 0% |
| Poor | 0 | 2 | 0% | 6% | 0 | 0 | 0% | 0% | 0 | 2 | 0% | 4% |
| Normal | 7 | 5 | 20% | 14% | 5 | 0 | 33% | 0% | 12 | 5 | 24% | 10% |
| Good | 16 | 12 | 46% | 34% | 7 | 6 | 47% | 40% | 23 | 18 | 46% | 36% |
| Very Good | 12 | 16 | 34% | 46% | 3 | 9 | 20% | 60% | 15 | 25 | 30% | 50% |
| Total | 35 | 35 | 100% | 100% | 15 | 15 | 100% | 100% | 50 | 50 | 100% | 100% |
| Bharuch | | | | | | | | | | | | |
| Bad | 0 | 1 | 0% | 2% | 0 | 0 | 0% | 0% | 0 | 1 | 0% | 2% |
| Poor | 1 | 2 | 2% | 4% | 0 | 0 | 0% | 0% | 1 | 2 | 2% | 3% |
| Normal | 18 | 2 | 38% | 4% | 3 | 0 | 17% | 0% | 21 | 2 | 32% | 3% |
| Good | 23 | 30 | 49% | 64% | 11 | 7 | 61% | 39% | 34 | 37 | 52% | 57% |
| Very Good | 5 | 12 | 11% | 26% | 4 | 11 | 22% | 61% | 9 | 23 | 14% | 35% |
| Total | 47 | 47 | 100% | 100% | 18 | 18 | 100% | 100% | 65 | 65 | 100% | 100% |
| Junagadh | | | | | | | | | | | | |
| Bad | 0 | 0 | 0% | 0% | 1 | 0 | 6% | 0% | 1 | 0 | 2% | 0% |
| Poor | 1 | 0 | 3% | 0% | 1 | 1 | 6% | 6% | 2 | 1 | 4% | 2% |
| Normal | 12 | 0 | 31% | 0% | 2 | 1 | 13% | 6% | 14 | 1 | 25% | 2% |
| Good | 19 | 14 | 49% | 37% | 8 | 2 | 50% | 13% | 27 | 16 | 49% | 30% |
| Very Good | 7 | 24 | 18% | 63% | 4 | 12 | 25% | 75% | 11 | 36 | 20% | 67% |
| Total | 39 | 38 | 100% | 100% | 16 | 16 | 100% | 100% | 55 | 54 | 100% | 100% |
| All Districts | | | | | | | | | | | | |
| Bad | 0 | 1 | 0% | 1% | 1 | 0 | 2% | 0% | 1 | 1 | 1% | 1% |
| Poor | 4 | 4 | 4% | 3% | 1 | 1 | 2% | 2% | 5 | 5 | 3% | 3% |
| Normal | 38 | 7 | 34% | 6% | 10 | 1 | 20% | 2% | 48 | 8 | 30% | 5% |
| Good | 53 | 56 | 47% | 47% | 26 | 15 | 53% | 31% | 79 | 71 | 49% | 42% |
| Very Good | 17 | 52 | 15% | 43% | 11 | 32 | 22% | 65% | 28 | 84 | 17% | 50% |
| Total | 112 | 120 | 100% | 100% | 49 | 49 | 100% | 100% | 161 | 169 | 100% | 100% |

| Table 8.1.20 Resources at Health Centre | | | | | |
|---|-----------------|----------|-------|----------------|---------------------------|
| Null Hypothesis | Deg. of Freedom | χ^2 | p | Reject/ Accept | Remarks |
| Availability of drugs | 6 | 0.28 | 0.218 | Accept | No significant Difference |
| Condition of equipments | 6 | 16.58 | 0.011 | Reject | Significant difference |

1. Availability of Drugs

Response of health workers show that overall in 66% cases, drug inventory is good or very good. Corresponding level is 76% in Ahmedabad, 66% in Bharuch and 57% in Junagadh. Availability is bad or poor in 4% cases: nil in Ahmedabad, 2% in Bharuch

and 11% in Junagadh. In Junagadh, there are a relatively more number of cases in which drug inventory is bad or poor in both FHW and MPHWS Table (8.1.19). Test of hypothesis shows no significant difference in availability of drugs across districts (Table 8.1.20).

2. Condition of Medical Equipments

This is found to be good or very good in 92% cases in all districts. It is 86% in Ahmedabad, 92% in Bharuch and 97% in Junagadh. The lowest is 80% among FHW in Ahmedabad. Test of hypothesis shows significant difference in condition of medical equipments in these districts (Tables 8.1.20 & 8.1.20).

8.1.7 Activities of Health Workers

Many activities are undertaken by the health workers to implement various health programs, provide health care and emergency medical services. For efficient and effective delivery of health care, important activities undertaken are awareness generation, target for key programs and meet beneficiaries.

1. Awareness Generation: Target Groups

Awareness generation is a key component of activities taken up under RCH program at the field level by health workers. Awareness generation with specific information, education and communication activities are undertaken targeting different groups. In addition, it is combined with other activities like Mamta abhiyan which is designated for immunization and antenatal checkups held every Wednesday.

Main target groups are beneficiaries of programs, Women Groups, Community/social groups, Mamta day visitors and Gram Sabha. Overall feedback of health workers shows that most of the beneficiary oriented activities target beneficiaries directly (24%) and Mamta day visitors (24%) followed by Women Groups (19%), Gram Sabhas (16%) and community groups (12%). This is 24%, 25%, 21%, 13% and 12% in Ahmedabad, 24%, 24%, 19%, 18% and 11% in Bharuch and 26%, 23%, 18%, 15% and 13% in Junagadh. The pattern of activities is similar in all the districts except minor variations. Involvement of Women groups in Ahmedabad and Gram Sabhas in Bharuch is more compared to overall level (Table 8.1.22). No significant difference is seen across districts as far as groups targeted for these activities (Table 8.1.21).

| Table 8.1.21 | Activities of Health Workers | | | | |
|---|-------------------------------------|----------|----------|-----------------------|---------------------------|
| Null Hypothesis | Deg. of Freedom | χ^2 | p | Reject/ Accept | Remarks |
| Activities for which targets are fixed | 6 | 11.26 | 0.081 | Accept | No Significant Difference |
| Target groups for awareness generation activities | 10 | 3.42 | 0.97 | Accept | |
| Whether beneficiaries approach for services on their own (Demand for health care) | 6 | 2.75 | 0.84 | Accept | |
| Place of visiting beneficiaries | 8 | 19.88 | 0.011 | Reject | Significant difference |
| Difficulty in achieving targets | 8 | 25.4 | 0.001 | Reject | |

2. Place of meeting Beneficiaries

Delivery of health care by the workers takes place at different locations depending on local needs and situation. Sub-Centre is the focal point of services of health workers catering to 5-7 villages. As the headquarters of health workers, they are expected to stay near sub-centres, work from there and visit villages and beneficiaries from there. Health workers meet beneficiaries/patients for the purpose of awareness activities, preventive health care, and treatment. For these purposes, they meet at home of beneficiaries, sub centres, Anganwadi, places of friends/relatives and other locations. (Table 8.1.24)

Survey results show that in 47% cases they meet at beneficiaries home, in 21% cases at sub-centres, 17% cases at Anganwadi and 9% cases at place of friends or relatives. Comparison of three districts shows that in Ahmedabad, the place of meeting is less in sub-centres at 9% and more at home in 57% cases. Significant difference is seen as far as place of meeting beneficiaries across districts.

| Table 8.1.22 | | Activities: Target Groups for IEC Activities | | | | | | | | | | | | | |
|---------------|------|--|-----------------|---------------|--------------|---------------|------------|-----|-----------------|----------------|-----------------|--------------|---------------|--------|------|
| Districts | | Benefi Ciaries | Women groups | Comm. Meet | Mamta Day | Gram sabha | Oth ers | All | Benef iciari | Wome groups | Comm. meetin | Mamta day | Gram sabha | Others | All |
| Ahmedabad | FHW | 23 | 21 | 10 | 22 | 11 | 5 | 92 | 25% | 23% | 11% | 24% | 12% | 5% | 100% |
| | MPHW | 8 | 6 | 6 | 11 | 6 | 2 | 39 | 21% | 15% | 15% | 28% | 15% | 5% | 100% |
| | All | 31 | 27 | 16 | 33 | 17 | 7 | 131 | 24% | 21% | 12% | 25% | 13% | 5% | 100% |
| Bharuch | FHW | 40 | 32 | 19 | 41 | 30 | 6 | 168 | 24% | 19% | 11% | 24% | 18% | 4% | 100% |
| | MPHW | 17 | 13 | 7 | 17 | 13 | 5 | 72 | 24% | 18% | 10% | 24% | 18% | 7% | 100% |
| | All | 57 | 45 | 26 | 58 | 43 | 11 | 240 | 24% | 19% | 11% | 24% | 18% | 5% | 100% |
| Junagadh | FHW | 37 | 25 | 19 | 31 | 21 | 10 | 143 | 26% | 17% | 13% | 22% | 15% | 7% | 100% |
| | MPHW | 14 | 10 | 6 | 14 | 8 | 3 | 55 | 25% | 18% | 11% | 25% | 15% | 5% | 100% |
| | All | 51 | 35 | 25 | 45 | 29 | 13 | 198 | 26% | 18% | 13% | 23% | 15% | 7% | 100% |
| All Districts | FHW | 100 | 78 | 48 | 94 | 62 | 21 | 403 | 25% | 19% | 12% | 23% | 15% | 5% | 100% |
| | MPHW | 39 | 29 | 19 | 42 | 27 | 10 | 166 | 23% | 17% | 11% | 25% | 16% | 6% | 100% |
| | All | 139 | 107 | 67 | 136 | 89 | 31 | 569 | 24% | 19% | 12% | 24% | 16% | 5% | 100% |

| Table 8.1.23 | | Planning: Targeted Activities | | | | | | | | | |
|--------------|-----------------|-------------------------------|--------------|--------|------|-----------------|----------------|--------------|--------|------|-----------|
| Districts | Family Planning | Institutional Delivery | ANC 3 visits | Others | All | Family Planning | Inst. Delivery | ANC 3 visits | Others | All | |
| | | | | | | | | | | | Ahmedabad |
| FHW | 23 | 14 | 23 | 15 | 75 | 43 | 24 | 23 | 7 | 97 | |
| | 31% | 19% | 31% | 20% | 100% | 44% | 25% | 24% | 7% | 100% | |
| | 13 | 2 | 4 | 1 | 20 | 18 | 9 | 8 | 3 | 38 | |
| MPHW | 65% | 10% | 20% | 5% | 100% | 47% | 24% | 21% | 8% | 100% | |
| | 36 | 16 | 27 | 16 | 95 | 61 | 33 | 31 | 10 | 135 | |
| All | 38% | 17% | 28% | 17% | 100% | 45% | 24% | 23% | 7% | 100% | |
| Districts | Junagadh | | | | | All Districts | | | | | |
| FHW | 35 | 28 | 28 | 19 | 110 | 101 | 66 | 74 | 41 | 282 | |
| | 32% | 25% | 25% | 17% | 100% | 36% | 23% | 26% | 15% | 100% | |
| MPHW | 14 | 10 | 9 | 6 | 39 | 45 | 21 | 21 | 10 | 97 | |
| | 36% | 26% | 23% | 15% | 100% | 46% | 22% | 22% | 10% | 100% | |
| All | 49 | 38 | 37 | 25 | 149 | 146 | 87 | 95 | 51 | 379 | |
| | 33% | 26% | 25% | 17% | 100% | 39% | 23% | 25% | 13% | 100% | |

| Table 8.1.1.24 | | Activities: Place of visiting Beneficiaries | | | | | | | | | | | |
|----------------|------|---|------------|------------|--------------|--------|-----|---------|------------|------------|--------------|--------|------|
| Districts | | at home | Sub-centre | Angan-wadi | Friend / Rel | Others | All | at home | Sub-centre | Angan-wadi | Friend / Rel | Others | All |
| Ahmedabad | FHW | 33 | 5 | 7 | 5 | 7 | 57 | 58% | 9% | 12% | 9% | 12% | 100% |
| | MPHW | 14 | 2 | 3 | 3 | 3 | 25 | 56% | 8% | 12% | 12% | 12% | 100% |
| | All | 47 | 7 | 10 | 8 | 10 | 82 | 57% | 9% | 12% | 10% | 12% | 100% |
| Bharuch | FHW | 46 | 29 | 25 | 12 | 2 | 114 | 40% | 25% | 22% | 11% | 2% | 100% |
| | MPHW | 18 | 7 | 5 | 3 | 3 | 36 | 50% | 19% | 14% | 8% | 8% | 100% |
| | All | 64 | 36 | 30 | 15 | 5 | 150 | 43% | 24% | 20% | 10% | 3% | 100% |
| Junagadh | FHW | 38 | 22 | 12 | 7 | 5 | 84 | 45% | 26% | 14% | 8% | 6% | 100% |
| | MPHW | 15 | 8 | 6 | 3 | 1 | 33 | 45% | 24% | 18% | 9% | 3% | 100% |
| | All | 53 | 30 | 18 | 10 | 6 | 117 | 45% | 26% | 15% | 9% | 5% | 100% |
| All Districts | FHW | 117 | 56 | 44 | 24 | 14 | 255 | 46% | 22% | 17% | 9% | 5% | 100% |
| | MPHW | 47 | 17 | 14 | 9 | 7 | 94 | 50% | 18% | 15% | 10% | 7% | 100% |
| | All | 164 | 73 | 58 | 33 | 21 | 349 | 47% | 21% | 17% | 9% | 6% | 100% |

| Table 8.1.25 | | Difficulty in Achieving the Targets | | | | | | | | | | | |
|---------------|----------|-------------------------------------|------|--------|-----------|------------|-----|-----------|------|--------|-----------|------------|------|
| Districts | Category | Very Easy | Easy | Normal | Difficult | Impossible | All | Very Easy | Easy | Normal | Difficult | Impossible | All |
| Ahmedabad | FHW | 4 | 13 | 11 | 8 | 3 | 39 | 10% | 33% | 28% | 21% | 8% | 100% |
| | MPHW | 2 | 3 | 3 | 6 | 1 | 15 | 13% | 20% | 20% | 40% | 7% | 100% |
| | All | 6 | 16 | 14 | 14 | 4 | 54 | 11% | 30% | 26% | 26% | 7% | 100% |
| Bharuch | FHW | 4 | 10 | 13 | 20 | 5 | 52 | 8% | 19% | 25% | 38% | 10% | 100% |
| | MPHW | 3 | 0 | 7 | 9 | 2 | 21 | 14% | 0% | 33% | 43% | 10% | 100% |
| | All | 7 | 10 | 20 | 29 | 7 | 73 | 10% | 14% | 27% | 40% | 10% | 100% |
| Junagadh | FHW | 4 | 0 | 6 | 24 | 5 | 39 | 10% | 0% | 15% | 62% | 13% | 100% |
| | MPHW | 2 | 1 | 2 | 9 | 2 | 16 | 13% | 6% | 13% | 56% | 13% | 100% |
| | All | 6 | 1 | 8 | 33 | 7 | 55 | 11% | 2% | 15% | 60% | 13% | 100% |
| All Districts | FHW | 12 | 23 | 30 | 52 | 13 | 130 | 9% | 18% | 23% | 40% | 10% | 100% |
| | MPHW | 7 | 4 | 12 | 24 | 5 | 52 | 13% | 8% | 23% | 46% | 10% | 100% |
| | All | 19 | 27 | 42 | 76 | 18 | 182 | 10% | 15% | 23% | 42% | 10% | 100% |

| Table 8.1.26 | | Activities: Beneficiaries approaching for services on their own | | | | | | | | | | | |
|---------------|----------|---|--------|------------|--------|--------|-----|-------|--------|------------|--------|--------|------|
| Districts | Category | Never | Rarely | Some times | Mostly | Always | All | Never | Rarely | Some times | Mostly | Always | All |
| Ahmedabad | FHW | 0 | 3 | 11 | 12 | 12 | 38 | 0% | 8% | 29% | 32% | 32% | 100% |
| | MPHW | 0 | 3 | 0 | 5 | 6 | 14 | 0% | 21% | 0% | 36% | 43% | 100% |
| | All | 0 | 6 | 11 | 17 | 18 | 52 | 0% | 12% | 21% | 33% | 35% | 100% |
| Bharuch | FHW | 0 | 23 | 7 | 12 | 8 | 50 | 0% | 46% | 14% | 24% | 16% | 100% |
| | MPHW | 0 | 6 | 1 | 6 | 6 | 19 | 0% | 32% | 5% | 32% | 32% | 100% |
| | All | 0 | 29 | 8 | 18 | 14 | 69 | 0% | 42% | 12% | 26% | 20% | 100% |
| Junagadh | FHW | 0 | 17 | 6 | 5 | 12 | 40 | 0% | 43% | 15% | 13% | 30% | 100% |
| | MPHW | 0 | 6 | 1 | 5 | 3 | 15 | 0% | 40% | 7% | 33% | 20% | 100% |
| | All | 0 | 23 | 7 | 10 | 15 | 55 | 0% | 42% | 13% | 18% | 27% | 100% |
| All Districts | FHW | 0 | 43 | 24 | 29 | 32 | 128 | 0% | 34% | 19% | 23% | 25% | 100% |
| | MPHW | 0 | 15 | 2 | 16 | 15 | 48 | 0% | 31% | 4% | 33% | 31% | 100% |
| | All | 0 | 58 | 26 | 45 | 47 | 176 | 0% | 33% | 15% | 26% | 27% | 100% |

3. Targeted Activities

To achieve the overall health goals the State, time bound targets are given to the health workers. Target determination for various activities is an important component of health plan. In all districts, target setting is done in 39% cases for Family Planning, 23% for Institutional Delivery, 22% for ANC check up and 13% for others. District level analysis shows Family Planning as targeted activity in 38% cases in Ahmedabad, 45% in Bharuch and 33% in Junagadh. In case of Institutional Delivery it is 17%, 24% and 26% whereas for ANC check up it is 28%, 23% and 25% indicating variation across districts. This also shows that the key maternal health activities are planned through a targeted approach at delivery level whereas the same cannot be said for child health activities like immunization and nutrition (Table 8.1.23). No significant difference is seen in targeted activities across districts (Table 8.1.21):

4. Difficulty in Achieving Targets

Health care objectives are achieved by fixing targets for key activities on an annual basis. Targets are achieved or not achieved depending on local situation, problems and challenges. An assessment of difficulty in achieving targets reveals that in 25% cases it was very easy or easy. In 52% cases it is found to be difficult or impossible. Difficulty level is highest in Junagadh where 73% health workers found it difficult or impossible. The same is 50% in Bharuch and 33% in Ahmedabad (8.1.25). Significant difference is seen as far as difficulty in achieving targets across districts.

Determination of target, its monitoring and review are crucial in management of public health delivery in the State. Variation in difficulty levels across districts show that the process of fixing targets not uniform and the methodology needs to be streamlined. Though targets have to be fixed by taking into account the local factors, the process needs to be scientific and facilitate attaining the overall health objectives.

5. Demand for Health Care

Availability of reliable and effective public health system will ensure that beneficiaries would approach for health care services on their own (Table 8.1.26). Though it depends on many factors, perception of health workers gives a measure of this indicator. Survey findings show that 53% of health workers feel that beneficiaries approach for health care in all or most cases. This is 68% in Ahmedabad, 46% in Bharuch and 45% in Junagadh. Overall, in 33% cases, beneficiaries rarely approach for services. This is 12% in Ahmedabad, 42% in Bharuch and 42% in Junagadh. Compared to MPHWS, few FHW perceive that the beneficiaries approach on their own for services.

No significant variation in the behaviour of beneficiaries is observed across districts (Table 8.1.21).

8.1.8 Human Resources Management

Human resources are at the heart of an effective public health delivery system. Health workers constitute the cutting edge level of health care providing preventive and curative health care and implementing various health programs involving different stakeholders. Effectiveness of human resource management can be assessed by evaluating the influence of extrinsic and intrinsic motivational factors. Extrinsic factors are pay and allowances, condition of health centre and facilities and intrinsic factors are interpersonal relationship, performance evaluation, involvement in decision making and recognition of work.

1. Interpersonal Relationship

This is considered to be good or very good by 94% of workers and bad or poor by 1% workers (Table 8.1.28). However, situation varies across the districts, wherein 9% in Bharuch, 8% in Ahmedabad and none in Junagadh feel, it is normal or bad. Significant difference is observed across the districts based on test of hypothesis (Table 8.1.27)

2. Motivation Level of Health Workers

Level of motivation is good or very good in 37% cases in all districts. This is 31% in Ahmedabad, 40% in Bharuch and 37% in Junagadh. Overall, 43% feel it is bad or poor. This is 28% in Ahmedabad, 48% in Bharuch and 50% in Junagadh (Table 8.1.27). Significant difference is found across the districts based on test of hypothesis (Table 8.1.27).

3. Involvement in Decision Making

This is considered to be good or very good in 37% cases and bad or poor in 43% cases. Involvement level is lowest in Ahmedabad where 31% feel it is good or very good while the same is 40% in Bharuch and 37% in Junagadh. High variation in level of involvement of MPHWS in decision making is observed with 14% in Ahmedabad and in Bharuch 67% feel good or very good (Table 8.1.29). Test of hypothesis show significant difference across the districts (Table 8.1.27).

4. Quality of Evaluation of Work

This is considered good or very good in 40% cases in all districts with 52% in Ahmedabad, 34% in Bharuch and 35% in Junagadh. 6% in Ahmedabad, 30% in Bharuch and 44% in Junagadh perceive this as bad or poor (Table 8.1.29). In general more

MPHW (46%) perceive appraisal as good or very good compared to FHW (36%). Test of hypothesis shows significant difference across the districts.

| Table 8.1.27 | | Human Resources Management | | | | |
|--------------------------------------|-----------------|----------------------------|--------|----------------|---------------------------|--|
| Null Hypothesis | Deg. of Freedom | χ^2 | p | Reject/ Accept | Remarks | |
| Interpersonal Relationships | 6 | 20.4500 | 0.0020 | Reject | Significant Difference | |
| Motivation Level | 8 | 31.2000 | 0.0040 | Reject | | |
| Involvement in decision making | 6 | 34.8000 | 0.0040 | Reject | | |
| Quality of evaluation of performance | 6 | 20.5900 | 0.0020 | Reject | | |
| Burden of work | 4 | 12.69 | 0.002 | Reject | | |
| Opportunities for career growth | 6 | 15.2 | 0.019 | Reject | | |
| Sufficiency of training | 4 | 9.98 | 0.041 | Reject | | |
| Quality of training | 6 | 6.44 | 0.376 | Accept | No significant difference | |
| Satisfaction with pay and allowances | 4 | 8.31 | 0.081 | Accept | | |
| Clarity of work | 6 | 11.11 | 0.085 | Accept | | |

5. Pay & Allowances

Overall, 44% health workers are fully satisfied with pay and allowances whereas 41% are partially satisfied and 5% not satisfied. Health workers are fully satisfied in 54% cases in Ahmedabad, 35% in Bharuch and 45% in Junagadh. There is no satisfaction in 18% cases in Ahmedabad and Bharuch and 7% cases in Junagadh. Level of satisfaction among the FHW (47%) is more than MPHWS (37%) (Table 8.1.30). The difference is highest in Ahmedabad where the level of full satisfaction is 66% in FHW and 27% in MPHWS. Significant difference is found in this respect across districts based on test of hypothesis (Table 8.1.27).

| Table 8.1.28 | | Human Resource Management I | | | | | | | | | | | |
|--|------------|-----------------------------|------|------|-------------|----|------|------|------------|-----|------|------|--|
| I. Inter-personal relationship; II. Motivation level | | | | | | | | | | | | | |
| | I | II | I | II | I | II | I | II | I | II | I | II | |
| Ahmedabad | FHW | | | | MPHW | | | | All | | | | |
| Bad | 0 | 0 | 0% | 0% | 0 | 4 | 0% | 29% | 0 | 4 | 0% | 8% | |
| Poor | 0 | 5 | 0% | 14% | 0 | 5 | 0% | 36% | 0 | 10 | 0% | 20% | |
| Normal | 4 | 17 | 11% | 49% | 0 | 3 | 0% | 21% | 4 | 20 | 8% | 41% | |
| Good | 22 | 12 | 63% | 34% | 7 | 2 | 47% | 14% | 29 | 14 | 58% | 29% | |
| Very Good | 9 | 1 | 26% | 3% | 8 | 0 | 53% | 0% | 17 | 1 | 34% | 2% | |
| Total | 35 | 35 | 100% | 100% | 15 | 14 | 100% | 100% | 50 | 49 | 100% | 100% | |
| Bharuch | | | | | | | | | | | | | |
| Bad | 2 | 2 | 4% | 4% | 0 | 3 | 0% | 17% | 2 | 5 | 3% | 8% | |
| Poor | 0 | 24 | 0% | 51% | 0 | 2 | 0% | 11% | 0 | 26 | 0% | 40% | |
| Normal | 4 | 7 | 9% | 15% | 0 | 1 | 0% | 6% | 4 | 8 | 6% | 12% | |
| Good | 31 | 13 | 66% | 28% | 11 | 12 | 61% | 67% | 42 | 25 | 65% | 38% | |
| Very Good | 10 | 1 | 21% | 2% | 7 | 0 | 39% | 0% | 17 | 1 | 26% | 2% | |
| Total | 47 | 47 | 100% | 100% | 18 | 18 | 100% | 100% | 65 | 65 | 100% | 100% | |
| Junagadh | | | | | | | | | | | | | |
| Bad | 0 | 12 | 0% | 32% | 0 | 4 | 0% | 25% | 0 | 16 | 0% | 30% | |
| Poor | 0 | 8 | 0% | 21% | 0 | 3 | 0% | 19% | 0 | 11 | 0% | 20% | |
| Normal | 0 | 6 | 0% | 16% | 0 | 1 | 0% | 6% | 0 | 7 | 0% | 13% | |
| Good | 12 | 12 | 32% | 32% | 8 | 7 | 57% | 44% | 20 | 19 | 38% | 35% | |
| Very Good | 26 | 0 | 68% | 0% | 6 | 1 | 43% | 6% | 32 | 1 | 62% | 2% | |
| Total | 38 | 38 | 100% | 100% | 14 | 16 | 100% | 100% | 52 | 54 | 100% | 100% | |
| All Districts | | | | | | | | | | | | | |
| Bad | 2 | 14 | 2% | 12% | 0 | 11 | 0% | 23% | 2 | 25 | 1% | 15% | |
| Poor | 0 | 37 | 0% | 31% | 0 | 10 | 0% | 21% | 0 | 47 | 0% | 28% | |
| Normal | 8 | 30 | 7% | 25% | 0 | 5 | 0% | 10% | 8 | 35 | 5% | 21% | |
| Good | 65 | 37 | 54% | 31% | 26 | 21 | 55% | 44% | 91 | 58 | 54% | 35% | |
| Very Good | 45 | 2 | 38% | 2% | 21 | 1 | 45% | 2% | 66 | 3 | 40% | 2% | |
| Total | 120 | 120 | 100% | 100% | 47 | 48 | 100% | 100% | 167 | 168 | 100% | 100% | |

| Table 8.1.29 | | Human Resource Management II | | | | | | | | | | | |
|--|------------|------------------------------|------|------|-------------|----|------|------|------------|-----|------|------|--|
| I. Involvement in decision making; II. Quality of evaluation of Work | | | | | | | | | | | | | |
| | I | II | I | II | I | II | I | II | I | II | I | II | |
| Ahmedabad | FHW | | | | MPHW | | | | All | | | | |
| Bad | 0 | 0 | 0% | 0% | 2 | 2 | 13% | 13% | 2 | 2 | 4% | 4% | |
| Poor | 10 | 1 | 29% | 3% | 5 | 0 | 33% | 0% | 15 | 1 | 30% | 2% | |
| Normal | 16 | 14 | 46% | 40% | 5 | 7 | 33% | 47% | 21 | 21 | 42% | 42% | |
| Good | 9 | 20 | 26% | 57% | 3 | 6 | 20% | 40% | 12 | 26 | 24% | 52% | |
| Very Good | 0 | 0 | 0% | 0% | 0 | 0 | 0% | 0% | 0 | 0 | 0% | 0% | |
| Total | 35 | 35 | 100% | 100% | 15 | 15 | 100% | 100% | 50 | 50 | 100% | 100% | |
| Bharuch | | | | | | | | | | | | | |
| Bad | 6 | 5 | 13% | 11% | 3 | 3 | 18% | 17% | 9 | 8 | 14% | 13% | |
| Poor | 21 | 10 | 45% | 22% | 5 | 1 | 29% | 6% | 26 | 11 | 41% | 17% | |
| Normal | 13 | 18 | 28% | 39% | 0 | 5 | 0% | 28% | 13 | 23 | 20% | 36% | |
| Good | 7 | 13 | 15% | 28% | 9 | 9 | 53% | 50% | 16 | 22 | 25% | 34% | |
| Very Good | 0 | 0 | 0% | 0% | 0 | 0 | 0% | 0% | 0 | 0 | 0% | 0% | |
| Total | 47 | 46 | 100% | 100% | 17 | 18 | 100% | 100% | 64 | 64 | 100% | 100% | |
| Junagadh | | | | | | | | | | | | | |
| Bad | 17 | 8 | 49% | 22% | 4 | 3 | 25% | 20% | 21 | 11 | 41% | 21% | |
| Poor | 4 | 10 | 11% | 27% | 5 | 2 | 31% | 13% | 9 | 12 | 18% | 23% | |
| Normal | 5 | 8 | 14% | 22% | 2 | 3 | 13% | 20% | 7 | 11 | 14% | 21% | |
| Good | 9 | 11 | 26% | 30% | 5 | 7 | 31% | 47% | 14 | 18 | 27% | 35% | |
| Very Good | 0 | 0 | 0% | 0% | 0 | 0 | 0% | 0% | 0 | 0 | 0% | 0% | |
| Total | 35 | 37 | 100% | 100% | 16 | 15 | 100% | 100% | 51 | 52 | 100% | 100% | |
| All Districts | | | | | | | | | | | | | |
| Bad | 23 | 13 | 20% | 11% | 9 | 8 | 19% | 17% | 32 | 21 | 19% | 13% | |
| Poor | 35 | 21 | 30% | 18% | 15 | 3 | 31% | 6% | 50 | 24 | 30% | 14% | |
| Normal | 34 | 40 | 29% | 34% | 7 | 15 | 15% | 31% | 41 | 55 | 25% | 33% | |
| Good | 25 | 44 | 21% | 37% | 17 | 22 | 35% | 46% | 42 | 66 | 25% | 40% | |
| Very Good | 0 | 0 | 0% | 0% | 0 | 0 | 0% | 0% | 0 | 0 | 0% | 0% | |
| Total | 117 | 118 | 100% | 100% | 48 | 48 | 100% | 100% | 165 | 166 | 100% | 100% | |

| Table 8.1.30 | | Human Resource Management III | | | | | | | |
|---------------|----------|------------------------------------|----------|-------|-------|-----|----------|-------|-------|
| Districts | Category | Satisfaction with Pay & Allowances | | | | | | | |
| | | No | Somewhat | Fully | Total | No | Somewhat | Fully | Total |
| Ahmedabad | FHW | 0 | 12 | 23 | 35 | 0% | 34% | 66% | 100% |
| | MPHW | 9 | 2 | 4 | 15 | 60% | 13% | 27% | 100% |
| | All | 9 | 14 | 27 | 50 | 18% | 28% | 54% | 100% |
| Bharuch | FHW | 9 | 22 | 16 | 47 | 19% | 47% | 34% | 100% |
| | MPHW | 3 | 8 | 7 | 18 | 17% | 44% | 39% | 100% |
| | All | 12 | 30 | 23 | 65 | 18% | 46% | 35% | 100% |
| Junagadh | FHW | 2 | 19 | 18 | 39 | 5% | 49% | 46% | 100% |
| | MPHW | 2 | 7 | 7 | 16 | 13% | 44% | 44% | 100% |
| | All | 4 | 26 | 25 | 55 | 7% | 47% | 45% | 100% |
| All Districts | FHW | 0 | 53 | 57 | 121 | 0% | 44% | 47% | 100% |
| | MPHW | 9 | 17 | 18 | 49 | 18% | 35% | 37% | 100% |
| | All | 9 | 70 | 75 | 170 | 5% | 41% | 44% | 100% |

| Table 8.1.31 | | Human Resource Management IV | | | | | | | |
|---------------|----------|------------------------------|--------|------|-------|-----------|--------|------|-------|
| Districts | Category | Burden of work | | | | | | | |
| | | Very high | Normal | Less | Total | Very high | Normal | Less | Total |
| Ahmedabad | FHW | 15 | 16 | 4 | 35 | 43% | 46% | 11% | 100% |
| | MPHW | 9 | 6 | 0 | 15 | 60% | 40% | 0% | 100% |
| | All | 24 | 22 | 4 | 50 | 48% | 44% | 8% | 100% |
| Bharuch | FHW | 25 | 22 | 0 | 47 | 53% | 47% | 0% | 100% |
| | MPHW | 9 | 9 | 0 | 18 | 50% | 50% | 0% | 100% |
| | All | 34 | 31 | 0 | 65 | 52% | 48% | 0% | 100% |
| Junagadh | FHW | 32 | 6 | 1 | 39 | 82% | 15% | 3% | 100% |
| | MPHW | 11 | 5 | 0 | 16 | 69% | 31% | 0% | 100% |
| | All | 43 | 11 | 1 | 55 | 78% | 20% | 2% | 100% |
| All Districts | FHW | 72 | 44 | 5 | 121 | 60% | 36% | 4% | 100% |
| | MPHW | 29 | 20 | 0 | 49 | 59% | 41% | 0% | 100% |
| | All | 71 | 77 | 22 | 170 | 42% | 45% | 13% | 100% |

| Table 8.1.32 | | Human Resource Management V | | | | | | | | | |
|---------------|------|-----------------------------|------------|--------|--------|-------|-------|------------|--------|--------|-------|
| District | | Clarity of work | | | | | | | | | |
| | | Never | Some times | Mostly | Always | Total | Never | Some times | Mostly | Always | Total |
| Ahme dabad | FHW | 7 | 18 | 5 | 5 | 35 | 20% | 51% | 14% | 14% | 100% |
| | MPHW | 4 | 4 | 3 | 4 | 15 | 27% | 27% | 20% | 27% | 100% |
| | All | 11 | 22 | 8 | 9 | 50 | 22% | 44% | 16% | 18% | 100% |
| Bharuch | FHW | 16 | 28 | 3 | 0 | 47 | 34% | 60% | 6% | 0% | 100% |
| | MPHW | 5 | 6 | 5 | 2 | 18 | 28% | 33% | 28% | 11% | 100% |
| | All | 21 | 34 | 8 | 2 | 65 | 32% | 52% | 12% | 3% | 100% |
| Junagadh | FHW | 15 | 12 | 8 | 3 | 38 | 39% | 32% | 21% | 8% | 100% |
| | MPHW | 2 | 6 | 3 | 4 | 15 | 13% | 40% | 20% | 27% | 100% |
| | All | 17 | 18 | 11 | 7 | 53 | 32% | 34% | 21% | 13% | 100% |
| All Districts | FHW | 38 | 58 | 16 | 8 | 120 | 32% | 48% | 13% | 7% | 100% |
| | MPHW | 11 | 16 | 11 | 10 | 48 | 23% | 33% | 23% | 21% | 100% |
| | All | 49 | 74 | 27 | 18 | 168 | 29% | 44% | 16% | 11% | 100% |

| Table 8.1.33 | | Human Resource Management VI | | | | | | | | | |
|---------------|------|------------------------------|------|--------|------|-------|-----|------|--------|------|-------|
| District | | Career Growth | | | | | | | | | |
| | | Nil | Poor | Normal | Good | Total | Nil | Poor | Normal | Good | Total |
| Ahmedabad | FHW | 8 | 4 | 20 | 3 | 35 | 23% | 11% | 57% | 9% | 100% |
| | MPHW | 10 | 3 | 0 | 2 | 15 | 67% | 20% | 0% | 13% | 100% |
| | All | 18 | 7 | 20 | 5 | 50 | 36% | 14% | 40% | 10% | 100% |
| Bharuch | FHW | 18 | 10 | 8 | 11 | 47 | 38% | 21% | 17% | 23% | 100% |
| | MPHW | 6 | 2 | 2 | 8 | 18 | 33% | 11% | 11% | 44% | 100% |
| | All | 24 | 12 | 10 | 19 | 65 | 37% | 18% | 15% | 29% | 100% |
| Junagadh | FHW | 9 | 11 | 8 | 9 | 37 | 24% | 30% | 22% | 24% | 100% |
| | MPHW | 4 | 2 | 4 | 5 | 15 | 27% | 13% | 27% | 33% | 100% |
| | All | 13 | 13 | 12 | 14 | 52 | 25% | 25% | 23% | 27% | 100% |
| All Districts | FHW | 35 | 25 | 36 | 23 | 119 | 29% | 21% | 30% | 19% | 100% |
| | MPHW | 20 | 7 | 6 | 15 | 48 | 42% | 15% | 13% | 31% | 100% |
| | All | 55 | 32 | 42 | 38 | 167 | 33% | 19% | 25% | 23% | 100% |

6. Burden of Work

Overall, 60% workers think they have very high burden of work. This level is 48% in Ahmedabad, 52% in Bharuch and 78% in Junagadh. 82% of FHW in Junagadh find the burden of work as very high. Burden of work is considered less in 8% cases in Ahmedabad, nil cases in Bharuch and 2% in Junagadh (Table 8.1.31). Test of hypothesis show significant difference in burden of work across the districts (Table 8.1.27).

7. Clarity of Work

In 27% cases clarity of work exists in most or at all times. In rest 73% cases, clarity exists sometimes or never. Districtwise analysis shows that clarity exists always or mostly in 34% cases in Ahmedabad, 15% in Bharuch and 34% in Junagadh. Clarity is low among FHW (80%) compared to MPHWH (56%). Among the districts, clarity is lowest in Bharuch (84%) compared to 66% in both Ahmedabad and Junagadh (Table 8-1.32). Test of hypothesis show no significant difference in clarity of work across the districts.

8. Career Growth (Opportunity for of Promotion)

48% of health workers think that their chances of promotion are normal or good. This level is 50% in Ahmedabad, 44% in Bharuch and 49% in Junagadh. Others feel that their chances are nil or poor. Comparison of FHW and MPHWH shows that 29% of FHW and 42% of MPHWH feel that their promotional chances are nil (Table 8.1.33). Test of hypothesis show significant difference in perception of opportunity for career growth across the districts (Table 8.1.27).

9. Training

An important and integral part of human resource development is training. Sufficiency and quality of training are two important parameters which were assessed in survey of health workers.

a. Adequacy of Training

Assessments show that 25% of health workers think the training is less and 8% think it is excess. 34% in Ahmedabad, 29% in Bharuch and 13% in Junagadh think the training is less. Significant variation is observed in MPHWH across districts, with 53% in Ahmedabad, 22% in Bharuch and 0% in Junagadh who think that the training is less (Table 8.1.34). Significant difference is found in adequacy of training across districts based on test of hypothesis (Table 8.1.27).

| Table 8.1.34 | | Training of Health Workers | | | | | | | |
|---------------|----------|----------------------------|------------|--------|-------|------|------------|--------|-------|
| Districts | Category | Adequacy of training | | | | | | | |
| | | Less | Sufficient | Excess | Total | Less | Sufficient | Excess | Total |
| Ahmedabad | FHW | 9 | 22 | 4 | 35 | 26% | 63% | 11% | 100% |
| | MPHW | 8 | 5 | 2 | 15 | 53% | 33% | 13% | 100% |
| | All | 17 | 27 | 6 | 50 | 34% | 54% | 12% | 100% |
| Bharuch | FHW | 14 | 30 | 1 | 45 | 31% | 67% | 2% | 100% |
| | MPHW | 4 | 13 | 1 | 18 | 22% | 72% | 6% | 100% |
| | All | 18 | 43 | 2 | 63 | 29% | 68% | 3% | 100% |
| Junagadh | FHW | 7 | 29 | 3 | 39 | 18% | 74% | 8% | 100% |
| | MPHW | 0 | 12 | 2 | 14 | 0% | 86% | 14% | 100% |
| | All | 7 | 41 | 5 | 53 | 13% | 77% | 9% | 100% |
| All Districts | FHW | 9 | 81 | 8 | 119 | 8% | 68% | 7% | 100% |
| | MPHW | 8 | 30 | 5 | 47 | 17% | 64% | 11% | 100% |
| | All | 17 | 111 | 13 | 166 | 10% | 67% | 8% | 100% |

b. Quality of Training

As far as the quality of training concerned, 18% of all health workers think it is weak or normal. This is 20% in Ahmedabad, 12% in Bharuch and 23% in Junagadh. 50% of all health workers observe that quality is very good or excellent. This is 49% in Ahmedabad, 48% in Bharuch and 53% in Junagadh (Table 8.1.35). Test of hypothesis show that no significant difference in quality of training across the districts.

8.1.9 Monitoring & Review

All the activities planned are monitored and reviewed by higher officials to ensure that they are properly implemented. Functioning of health workers is monitored by Medical Officers at PHC level and CDHO at the district level. Periodic reports and meetings are the normal monitoring mechanism for this purpose. This has to be optimal, without being too many or too few to be effective.

8.1.9 Monitoring & Review

All the activities planned are monitored and reviewed by higher officials to ensure that they are properly implemented. Functioning of health workers is monitored by Medical Officers at PHC level and CDHO at the district level. Periodic reports and meetings are the normal monitoring mechanism for this purpose. This has to be optimal, without being too many or too few to be effective.

| Table 8.1.35 | | Training of Health Workers | | | | | |
|---------------|----------|----------------------------|--------|------|-----------|-----------|-------|
| Districts | Category | Quality of Training | | | | | Total |
| | | Weak | Normal | Good | Very Good | Excellent | |
| Ahmedabad | FHW | 0 | 4 | 11 | 11 | 9 | 35 |
| | MPHW | 0 | 6 | 5 | 1 | 3 | 15 |
| | All | 0 | 10 | 16 | 12 | 12 | 50 |
| | FHW | 0% | 11% | 31% | 31% | 26% | 100% |
| | MPHW | 0% | 40% | 33% | 7% | 20% | 100% |
| | All | 0% | 20% | 32% | 24% | 24% | 100% |
| Bharuch | FHW | 2 | 3 | 20 | 15 | 7 | 47 |
| | MPHW | 0 | 3 | 6 | 5 | 4 | 18 |
| | All | 2 | 6 | 26 | 20 | 11 | 65 |
| | FHW | 4% | 6% | 43% | 32% | 15% | 100% |
| | MPHW | 0% | 17% | 33% | 28% | 22% | 100% |
| | All | 3% | 9% | 40% | 31% | 17% | 100% |
| Junagadh | FHW | 0 | 9 | 9 | 10 | 11 | 39 |
| | MPHW | 1 | 2 | 4 | 3 | 4 | 14 |
| | All | 1 | 11 | 13 | 13 | 15 | 53 |
| | FHW | 0% | 23% | 23% | 26% | 28% | 100% |
| | MPHW | 7% | 14% | 29% | 21% | 29% | 100% |
| | All | 2% | 21% | 25% | 25% | 28% | 100% |
| All Districts | FHW | 0 | 16 | 40 | 36 | 27 | 121 |
| | MPHW | 0 | 11 | 15 | 9 | 11 | 47 |
| | All | 0 | 27 | 55 | 45 | 38 | 168 |
| | FHW | 0% | 13% | 33% | 30% | 22% | 100% |
| | MPHW | 0% | 23% | 32% | 19% | 23% | 100% |
| | All | 0% | 16% | 33% | 27% | 23% | 100% |

| Table 8.1.36 | Monitoring & Review: I. No of Reports; II. Utility of Reporting | | | | | | | | | | | |
|----------------------|---|------------|-------------|-------------|-----------|-----------|-------------|-------------|-----------|------------|-------------|-------------|
| | FHW | | | | MPHW | | | | All | | | |
| Ahmedabad | I | II | I | II | I | II | I | II | I | II | I | II |
| Very High | 4 | 7 | 13% | 20% | 4 | 5 | 29% | 33% | 8 | 12 | 18% | 24% |
| High | 8 | 15 | 26% | 43% | 1 | 2 | 7% | 13% | 9 | 17 | 20% | 34% |
| Normal | 18 | 10 | 58% | 29% | 9 | 8 | 64% | 53% | 27 | 18 | 60% | 36% |
| Less | 1 | 2 | 3% | 6% | 0 | 0 | 0% | 0% | 1 | 2 | 2% | 4% |
| Very Less | 0 | 1 | 0% | 3% | 0 | 0 | 0% | 0% | 0 | 1 | 0% | 2% |
| Total | 31 | 35 | 100% | 100% | 14 | 15 | 100% | 100% | 45 | 50 | 100% | 100% |
| Bharuch | | | | | | | | | | | | |
| Very High | 6 | 6 | 13% | 13% | 6 | 4 | 33% | 22% | 12 | 10 | 19% | 15% |
| High | 8 | 32 | 17% | 68% | 4 | 10 | 22% | 56% | 12 | 42 | 19% | 65% |
| Normal | 31 | 9 | 67% | 19% | 7 | 2 | 39% | 11% | 38 | 11 | 59% | 17% |
| Less | 1 | 0 | 2% | 0% | 0 | 1 | 0% | 6% | 1 | 1 | 2% | 2% |
| Very Less | 0 | 0 | 0% | 0% | 1 | 1 | 6% | 6% | 1 | 1 | 2% | 2% |
| Total | 46 | 47 | 100% | 100% | 18 | 18 | 100% | 100% | 64 | 65 | 100% | 100% |
| Junagadh | | | | | | | | | | | | |
| Very High | 17 | 12 | 45% | 32% | 5 | 2 | 33% | 13% | 22 | 14 | 42% | 26% |
| High | 11 | 14 | 29% | 37% | 3 | 6 | 20% | 40% | 14 | 20 | 26% | 38% |
| Normal | 10 | 11 | 26% | 29% | 6 | 4 | 40% | 27% | 16 | 15 | 30% | 28% |
| Less | 0 | 1 | 0% | 3% | 0 | 2 | 0% | 13% | 0 | 3 | 0% | 6% |
| Very Less | 0 | 0 | 0% | 0% | 1 | 1 | 7% | 7% | 1 | 1 | 2% | 2% |
| Total | 38 | 38 | 100% | 100% | 15 | 15 | 100% | 100% | 53 | 53 | 100% | 100% |
| All Districts | | | | | | | | | | | | |
| Very High | 4 | 25 | 13% | 21% | 4 | 11 | 29% | 23% | 8 | 36 | 18% | 21% |
| High | 8 | 61 | 26% | 51% | 1 | 18 | 7% | 38% | 9 | 79 | 20% | 47% |
| Normal | 18 | 30 | 58% | 25% | 9 | 14 | 64% | 29% | 27 | 44 | 60% | 26% |
| Less | 1 | 3 | 3% | 3% | 0 | 3 | 0% | 6% | 1 | 6 | 2% | 4% |
| Very Less | 0 | 1 | 0% | 1% | 0 | 2 | 0% | 4% | 0 | 3 | 0% | 2% |
| Total | 31 | 120 | 100% | 100% | 14 | 48 | 100% | 100% | 45 | 168 | 100% | 100% |

| Table 8.1.37 | Reporting & Review: I. No of Reviews; II. Utility of Reviews | | | | | | | | | | | |
|----------------------|--|------------|-------------|-------------|-----------|-----------|-------------|-------------|------------|------------|-------------|-------------|
| | FHW | | | | MPHW | | | | All | | | |
| Ahmedabad | I | II | I | II | I | II | I | II | I | II | I | II |
| Very High | 7 | 6 | 22% | 18% | 2 | 3 | 13% | 21% | 9 | 9 | 19% | 19% |
| High | 10 | 18 | 31% | 55% | 3 | 1 | 20% | 7% | 13 | 19 | 28% | 40% |
| Normal | 12 | 7 | 38% | 21% | 10 | 10 | 67% | 71% | 22 | 17 | 47% | 36% |
| Less | 3 | 2 | 9% | 6% | 0 | 0 | 0% | 0% | 3 | 2 | 6% | 4% |
| Very Less | 0 | 0 | 0% | 0% | 0 | 0 | 0% | 0% | 0 | 0 | 0% | 0% |
| Total | 32 | 33 | 100% | 100% | 15 | 14 | 100% | 100% | 47 | 47 | 100% | 100% |
| Bharuch | | | | | | | | | | | | |
| Very High | 8 | 5 | 17% | 11% | 5 | 5 | 28% | 28% | 13 | 10 | 20% | 15% |
| High | 10 | 35 | 22% | 74% | 2 | 8 | 11% | 44% | 12 | 43 | 19% | 66% |
| Normal | 28 | 7 | 61% | 15% | 9 | 4 | 50% | 22% | 37 | 11 | 58% | 17% |
| Less | 0 | 0 | 0% | 0% | 1 | 1 | 6% | 6% | 1 | 1 | 2% | 2% |
| Very Less | 0 | 0 | 0% | 0% | 1 | 0 | 6% | 0% | 1 | 0 | 2% | 0% |
| Total | 46 | 47 | 100% | 100% | 18 | 18 | 100% | 100% | 64 | 65 | 100% | 100% |
| Junagadh | | | | | | | | | | | | |
| Very High | 12 | 10 | 32% | 28% | 3 | 3 | 20% | 19% | 15 | 13 | 29% | 25% |
| High | 6 | 14 | 16% | 39% | 2 | 9 | 13% | 56% | 8 | 23 | 15% | 44% |
| Normal | 19 | 10 | 51% | 28% | 9 | 2 | 60% | 13% | 28 | 12 | 54% | 23% |
| Less | 0 | 2 | 0% | 6% | 0 | 2 | 0% | 13% | 0 | 4 | 0% | 8% |
| Very Less | 0 | 0 | 0% | 0% | 1 | 0 | 7% | 0% | 1 | 0 | 2% | 0% |
| Total | 37 | 36 | 100% | 100% | 15 | 16 | 100% | 100% | 52 | 52 | 100% | 100% |
| All Districts | | | | | | | | | | | | |
| Very High | 27 | 21 | 23% | 18% | 10 | 11 | 21% | 23% | 37 | 32 | 23% | 20% |
| High | 26 | 67 | 23% | 58% | 7 | 18 | 15% | 38% | 33 | 85 | 20% | 52% |
| Normal | 59 | 24 | 51% | 21% | 28 | 16 | 58% | 33% | 87 | 40 | 53% | 24% |
| Less | 3 | 4 | 3% | 3% | 1 | 3 | 2% | 6% | 4 | 7 | 2% | 4% |
| Very Less | 0 | 0 | 0% | 0% | 2 | 0 | 4% | 0% | 2 | 0 | 1% | 0% |
| Total | 115 | 116 | 100% | 100% | 48 | 48 | 100% | 100% | 163 | 164 | 100% | 100% |

| Table 8.1.38 | Monitoring and Review | | | | |
|--------------------|-----------------------|----------|-------|----------------|---------------------------|
| Null Hypothesis | Deg. of Freedom | χ^2 | p | Reject/ Accept | Remarks |
| Number of reports | 6 | 14.63 | 0.023 | Reject | Significant Difference |
| Usage of reporting | 6 | 14.13 | 0.028 | Reject | |
| Number of reviews | 6 | 5.28 | 0.508 | Accept | No significant difference |
| Usage of review | 6 | 12.47 | 0.052 | Accept | |

1. Reports

Overall, 48% of health workers find the number of reports as very high or high whereas only 2% think it as less or very less. In Junagadh, 68% think that number of reports as very high or high while it is 38% in both Ahmedabad and Bharuch. The pattern is similar for FHW and MPHW (Table 8.1.36).

As far as the utility of reports is concerned, 68% health workers think it to be very high or high. This level is 80% in Bharuch, 64% in Junagadh and 58% in Ahmedabad. FHW think the reports to be more useful at 71% compared to 61% in MPHW. Significant difference is observed across districts both in number of reports as well as utility of reports (Table 8.1.38).

2. Reviews

Observation regarding number of review meetings is similar across districts with an overall of 43% health workers finding it high or very high and 53% as normal. In case of utility of reviews, this is found to be 72% in all districts who find it to be very high or high. The level is 81% in Bharuch, 69% Junagadh and 57% in Ahmedabad (Table 8.1.37). No significant difference is observed across districts both in number of reviews and utility of such reviews (Table 8.1.38).

8.1.10 Time Management

With many activities and programs to be planned and implemented, proper management of available time by health workers will increase their productivity in attaining the goals. Perception of health workers regarding time spent on different activities in terms of activity-days and their perception of effective use of time was ascertained in the field survey.

| Table 8.1.39 | Time Management | | | | |
|--------------------------------|-----------------|--------------------|----------|--------|------------------------|
| | Null Hypothesis | Degrees of Freedom | χ^2 | p | Reject/ Accept |
| Time devoted to key activities | 12 | 35.48 | 0.004 | Reject | Significant Difference |
| Effective use of time | 4 | 14.6 | 0.006 | Reject | |

| Time Management: Activity-Days | | | | | | | | | | | | |
|--------------------------------|-----------------|------------|------------|-------------|-------------|-------------|----------------------|------------|------------|-------------|-------------|-------------|
| District | Ahmedabad | | | | | | Bharuch | | | | | |
| | FHW | MPHW | All | FHW | MPHW | All | FHW | MPHW | All | FHW | MPHW | All |
| 1. Field Visit | 159 | 169 | 162 | 49% | 57% | 51% | 170 | 180 | 174 | 51% | 51% | 51% |
| 2. Health Centre | 73 | 68 | 72 | 22% | 23% | 22% | 77 | 69 | 74 | 23% | 20% | 22% |
| 3. Training/Workshop | 10 | 8 | 10 | 3% | 3% | 3% | 15 | 11 | 13 | 4% | 3% | 4% |
| 4. Meetings | 48 | 31 | 43 | 15% | 10% | 14% | 21 | 25 | 22 | 6% | 7% | 6% |
| 5. Reporting etc | 21 | 19 | 21 | 6% | 6% | 6% | 26 | 33 | 29 | 8% | 9% | 8% |
| 6. Emergency | 7 | 2 | 6 | 2% | 1% | 2% | 24 | 32 | 27 | 7% | 9% | 8% |
| 7. Others | 9 | 1 | 6 | 3% | 0% | 2% | 4 | 3 | 4 | 1% | 1% | 1% |
| Total | 328 | 297 | 319 | 100% | 100% | 100% | 336 | 353 | 343 | 100% | 100% | 100% |
| District | Junagadh | | | | | | All Districts | | | | | |
| 1. Field Visit | 175 | 184 | 178 | 51% | 52% | 51% | 167 | 178 | 171 | 50% | 53% | 51% |
| 2. Health Centre | 58 | 52 | 56 | 17% | 15% | 16% | 71 | 64 | 68 | 21% | 19% | 20% |
| 3. Training/Workshop | 16 | 17 | 17 | 5% | 5% | 5% | 14 | 12 | 13 | 4% | 4% | 4% |
| 4. Meetings | 33 | 28 | 31 | 10% | 8% | 9% | 33 | 28 | 31 | 10% | 8% | 9% |
| 5. Reporting etc | 27 | 30 | 28 | 8% | 9% | 8% | 25 | 28 | 26 | 7% | 8% | 8% |
| 6. Emergency | 20 | 21 | 21 | 6% | 6% | 6% | 17 | 21 | 18 | 5% | 6% | 5% |
| 7. Others | 13 | 20 | 16 | 4% | 6% | 5% | 8 | 8 | 8 | 2% | 2% | 2% |
| Total | 343 | 352 | 347 | 100% | 100% | 100% | 335 | 338 | 336 | 100% | 100% | 100% |

| Table 8.1.41 | | Time Management: Effective Use of time | | | | | | | | | |
|---------------|----------|--|-----------|--------|-----------|-------|--------------|-----------|--------|-----------|-------|
| Districts | Category | Not Possible | Very Less | Normal | Very Good | Total | Not Possible | Very Less | Normal | Very Good | Total |
| Ahmedabad | FHW | 0 | 3 | 4 | 22 | 29 | 0% | 10% | 14% | 76% | 100% |
| | MPHW | 0 | 0 | 2 | 11 | 13 | 0% | 0% | 15% | 85% | 100% |
| | All | 0 | 3 | 6 | 33 | 42 | 0% | 7% | 14% | 79% | 100% |
| Bharuch | FHW | 0 | 4 | 21 | 19 | 44 | 0% | 9% | 48% | 43% | 100% |
| | MPHW | 0 | 0 | 7 | 11 | 18 | 0% | 0% | 39% | 61% | 100% |
| | All | 0 | 4 | 28 | 30 | 62 | 0% | 6% | 45% | 48% | 100% |
| Junagadh | FHW | 3 | 3 | 11 | 19 | 36 | 8% | 8% | 31% | 53% | 100% |
| | MPHW | 0 | 2 | 7 | 7 | 16 | 0% | 13% | 44% | 44% | 100% |
| | All | 3 | 5 | 18 | 26 | 52 | 6% | 10% | 35% | 50% | 100% |
| All Districts | FHW | 0 | 10 | 36 | 60 | 109 | 0% | 9% | 33% | 55% | 100% |
| | MPHW | 0 | 2 | 16 | 29 | 47 | 0% | 4% | 34% | 62% | 100% |
| | All | 0 | 12 | 52 | 89 | 156 | 0% | 8% | 33% | 57% | 100% |

1. Activity-Days

Number of days spent on key activities spread over a year was ascertained in survey. The key activities identified were field visits, health centre activity, training/workshop, meetings, emergency medical care or other activities. It is observed that health workers spend 51% of days in field activities, 20% in health centre activities, 9% in meetings, 8% in preparation of reports, 5% in emergency care, 4% in training/workshop and 2% in other activities (Table 8.1.40).

In Ahmedabad, MPHWS spend (57%) more time in field activities compared to FHW (49%) whereas FHW spend (15%) more time in training compared to MPHWS (10%). In Junagadh and Bharuch 51% time is spent in field activities. 8% of time is spent on emergency medical care in Bharuch. In Junagadh time spent in health centre activities is 16% which is 22% in both Ahmedabad and Bharuch. Significant difference is observed across districts both in number of reports as well as utility of reports (Table 8.1.39).

2. Effective Use of Time

Overall, 57% think that effective use of time is very good. This is highest in Ahmedabad with 79%, and 50% in Junagadh and 48% in Bharuch (Table 8.1.41). Significant difference is observed across districts in this respect.

8.1.11 Financial Powers

Absence of authority to undertake minor activities involving financial implication can have adverse impact on ability to provide proper service delivery. Under NRHM health centres are provided financial powers to undertake minor repairs and maintenance

in health centre and for emergency purchases. However, it is important to understand whether these powers are exercised in practice.

| Table 8.1.42 | | Exercise of Financial Powers | | | |
|-------------------------|--------------------|------------------------------|---------|----------------|---------------------------|
| Null Hypothesis | Degrees of Freedom | χ^2 | P | Reject/ Accept | Remarks |
| Repairs and Maintenance | 8 | 11.53 | 0.17 | Accept | No significant difference |
| Emergency Purchase | 6 | 23.55 | <0.0001 | Reject | Significant difference |

1. Repairs and Maintenance

32% of all health workers find it easy or very easy to undertake repairs and maintenance work. This is 34% in Ahmedabad, 21% in Bharuch and 35% in Junagadh. In contrast, 37% find this very difficult with 36% in Ahmedabad, 35% in Bharuch and 39% in Junagadh. Thus, substantial proportions of health workers feel that it is not easy to undertake such works (Table 8.1.43). Test of hypothesis show that there is no significant difference across districts in exercising these powers (Table 8.1.42).

2. Emergency Purchases

As regards emergency purchases, 49% think this is possible always or most of the times. This is 44% in Ahmedabad, 42% in Bharuch and 62% in Junagadh. However, 51% think it is difficult or impossible to make emergency purchases. This is highest in 58% in Bharuch, 56% in Ahmedabad and 37% in Junagadh. Here again, it is observed that the powers are not easy to exercise (Table 8.1.44). Significant difference is found across districts in exercising these powers.

| Table 8.1.43 | | Financial Powers | | | | | | | | | | | |
|---------------|------|----------------------|------|--------|-----------|------------|-------|-----------|------|--------|-----------|------------|-------|
| | | Repair & Maintenance | | | | | | | | | | | |
| Districts | | Very Easy | Easy | Normal | Difficult | Impossible | Total | Very Easy | Easy | Normal | Difficult | Impossible | Total |
| Ahmedabad | FHW | 1 | 11 | 10 | 6 | 7 | 35 | 3% | 31% | 29% | 17% | 20% | 100% |
| | MPHW | 1 | 2 | 7 | 3 | 2 | 15 | 7% | 13% | 47% | 20% | 13% | 100% |
| | All | 2 | 13 | 17 | 9 | 9 | 50 | 4% | 26% | 34% | 18% | 18% | 100% |
| Bharuch | FHW | 1 | 9 | 17 | 17 | 3 | 47 | 2% | 19% | 36% | 36% | 6% | 100% |
| | MPHW | 5 | 7 | 3 | 2 | 1 | 18 | 28% | 39% | 17% | 11% | 6% | 100% |
| | All | 6 | 16 | 20 | 19 | 4 | 65 | 9% | 25% | 31% | 29% | 6% | 100% |
| Junagadh | FHW | 6 | 7 | 11 | 10 | 3 | 37 | 16% | 19% | 30% | 27% | 8% | 100% |
| | MPHW | 2 | 1 | 4 | 6 | 1 | 14 | 14% | 7% | 29% | 43% | 7% | 100% |
| | All | 8 | 8 | 15 | 16 | 4 | 51 | 16% | 16% | 29% | 31% | 8% | 100% |
| All Districts | FHW | 1 | 27 | 38 | 33 | 13 | 119 | 1% | 23% | 32% | 28% | 11% | 100% |
| | MPHW | 1 | 10 | 14 | 11 | 4 | 47 | 2% | 21% | 30% | 23% | 9% | 100% |
| | All | 2 | 37 | 52 | 44 | 17 | 166 | 1% | 22% | 31% | 27% | 10% | 100% |



| Table 8.1.44 | | Financial Powers | | | | | | | | | | |
|---------------|----------|--------------------|--------|-----------|-------|-------|--------|--------|-----------|-------|-------|--|
| Districts | Category | Emergency Purchase | | | | | | | | | | |
| | | Always | Mostly | Sometimes | Never | Total | Always | Mostly | Sometimes | Never | Total | |
| Ahmedabad | FHW | 11 | 9 | 11 | 4 | 35 | 31% | 26% | 31% | 11% | 100% | |
| | MPHW | 1 | 1 | 2 | 11 | 15 | 7% | 7% | 13% | 73% | 100% | |
| | All | 12 | 10 | 13 | 15 | 50 | 24% | 20% | 26% | 30% | 100% | |
| Bharuch | FHW | 8 | 8 | 27 | 3 | 46 | 17% | 17% | 59% | 7% | 100% | |
| | MPHW | 8 | 3 | 6 | 1 | 18 | 44% | 17% | 33% | 6% | 100% | |
| | All | 16 | 11 | 33 | 4 | 64 | 25% | 17% | 52% | 6% | 100% | |
| Junagadh | FHW | 15 | 8 | 11 | 3 | 37 | 41% | 22% | 30% | 8% | 100% | |
| | MPHW | 4 | 5 | 5 | 0 | 14 | 29% | 36% | 36% | 0% | 100% | |
| | All | 19 | 13 | 16 | 3 | 51 | 37% | 25% | 31% | 6% | 100% | |
| All Districts | FHW | 11 | 25 | 49 | 10 | 118 | 9% | 21% | 42% | 8% | 100% | |
| | MPHW | 1 | 9 | 13 | 12 | 47 | 2% | 19% | 28% | 26% | 100% | |
| | All | 12 | 34 | 62 | 22 | 165 | 7% | 21% | 38% | 13% | 100% | |

8.2 Analysis of Survey of Beneficiaries

8.2.1 Analysis of Sample

| District | Sample of Beneficiaries/ Patients | | | | | |
|---------------|-----------------------------------|-----|------|-----|-------|------|
| | Female | | Male | | Total | |
| | No | % | No | % | No | % |
| Ahmedabad | 70 | 74% | 25 | 26% | 95 | 100% |
| Bharuch | 63 | 69% | 28 | 31% | 91 | 100% |
| Junagadh | 59 | 63% | 35 | 37% | 94 | 100% |
| All Districts | 192 | 69% | 88 | 31% | 280 | 100% |

Beneficiaries and patients who availed primarily Reproductive and Child Health care in the last 2 years were selected on a random basis for field survey. In total there were 280 beneficiaries with a break-up of 69% female and 31% male beneficiaries (Table 8.2.1). Test of hypothesis of sample distribution shows that the male and female distribution of respondents has no significant difference across districts (Table 8.2.2).




| Table 8.2.2 | | Beneficiary: Survey Sample | | | |
|---------------------|--------------------|----------------------------|------|----------------|---------------------------|
| Null Hypothesis | Degrees of Freedom | χ^2 | P | Reject/ Accept | Remarks |
| Sample Distribution | 3 | 2.64 | 0.27 | Accept | No significant difference |

8.2.2 Demographic Profile of Beneficiaries

1. Age of Respondents

Age distribution of beneficiaries reveal that majority of beneficiaries from Ahmedabad district were from <25 year age group (34%) while majority of beneficiaries from Bharuch (52%) & Junagadh district (53%) were from 26-35 years of age (Table 8.2.3). There is statistically significant difference found in the age composition of respondents across the districts (Table 8.2.5). Similarly, significant statistical difference is observed in the age of male and female ($X^2=40$; $p=0.003$). Female respondents were found to be younger in comparison to male counterparts. 33% female are < 25 years compared to 15% males. Thus, few men especially in reproductive active age of < 35 years avail reproductive health care.


| Table 8.2.3 | | Age Profile Beneficiaries/ Patients | | | | | | | | | | |
|--------------|-----------|-------------------------------------|-----|------|------|------|---------------|----|-----|------|------|------|
| Age | Ahmedabad | | | | | | Bharuch | | | | | |
| | F | M | Tot | F | M | Tot | F | M | Tot | F | M | Tot |
| <25 | 27 | 4 | 31 | 40% | 16% | 34% | 20 | 4 | 24 | 29% | 18% | 26% |
| 26-35 | 20 | 8 | 28 | 30% | 32% | 30% | 38 | 9 | 47 | 55% | 41% | 52% |
| 36-45 | 13 | 8 | 21 | 19% | 32% | 23% | 4 | 9 | 13 | 6% | 41% | 14% |
| >45 | 7 | 5 | 12 | 10% | 20% | 13% | 7 | 0 | 7 | 10% | 0% | 8% |
| Total | 67 | 25 | 92 | 100% | 100% | 100% | 69 | 22 | 91 | 100% | 100% | 100% |
| | Junagadh | | | | | | All Districts | | | | | |
| <25 | 18 | 4 | 22 | 31% | 11% | 23% | 65 | 12 | 77 | 33% | 15% | 28% |
| 26-35 | 28 | 22 | 50 | 47% | 63% | 53% | 86 | 39 | 125 | 44% | 48% | 45% |
| 36-45 | 7 | 4 | 11 | 12% | 11% | 12% | 24 | 21 | 45 | 12% | 26% | 16% |
| >45 | 6 | 5 | 11 | 10% | 14% | 12% | 20 | 10 | 30 | 10% | 12% | 11% |
| Total | 59 | 35 | 94 | 100% | 100% | 100% | 195 | 82 | 277 | 100% | 100% | 100% |



| | Ahmedabad | | Bharuch | | Junagadh | | All Districts | |
|----------------|-----------|------|---------|------|----------|------|---------------|------|
| | No | % | No | % | No | % | No | % |
| Up to 2 | 5 | 5% | 0 | 0% | 2 | 2% | 7 | 3% |
| 3-4 | 30 | 32% | 26 | 29% | 23 | 24% | 79 | 29% |
| 5-6 | 40 | 43% | 50 | 56% | 56 | 60% | 146 | 53% |
| >6 | 19 | 20% | 13 | 15% | 13 | 14% | 45 | 16% |
| Total | 94 | 100% | 89 | 100% | 94 | 100% | 277 | 100% |

2. Family Size

Analysis of number of members in families of respondents reveals that 3% have up to 2, 29% have 3 to 4, 53% have 5 to 6 and 16% have more than 6 members (Table 8.2.4). Significant variation is observed across districts. It can be seen that Ahmedabad has a flatter distribution of beneficiaries compared to Bharuch and Junagadh. However, no statistically significant difference is found in the family size of respondents across districts (Table 8.2.5).





8.2.3 Socio-Economic Profile of Beneficiaries

1. Primary Occupation

Assessment of occupation of beneficiaries shows that 36% do household activities, 9% business, 6% services, 34% work as labourers and 14% as agricultural workers (Table 8.2.6). The same is 48%, 7%, 5%, 28%, and 11% for female and 12%, 13%, 9%, 45% and 20% for male respondents. After household work, most of women do labour work followed by agriculture. Men are mostly engaged in labour work followed by agricultural labour. No statistically significant difference is found in the primary occupation of beneficiaries in the survey (Table 8.2.5).

| Socio-Economic and Demographic characteristics | | | | | |
|---|---------------------------|----------------------------|----------|-----------------------|---------------------------|
| Null Hypothesis | Degrees of Freedom | χ^2 | p | Reject/ Accept | Remarks |
| Age profile | 6 | 13.7 | 0.034 | Reject | Significant Difference |
| Family size of respondents | 6 | 6.13 | 0.189 | Accept | No significant difference |
| Primary occupation | 10 | 10.5 | 0.4 | Accept | |
| Monthly Income | 4 | 19.38 | 0.0007 | Reject | Significant Difference |
| Poverty | 2 | 46.48 | <0.0001 | Reject | |
| Literacy | 8 | 63.03 | <0.0001 | Reject | |
| Caste | 6 | 42.97 | <0.0001 | Reject | |



| Table 8.2.6 Primary Occupation of Beneficiaries | | | | | | | | | | | | |
|---|-----------|------|-------|--------|------|-------|---------------|------|-------|--------|------|-------|
| District | Ahmedabad | | | | | | Bharuch | | | | | |
| | Female | Male | Total | Female | Male | Total | Female | Male | Total | Female | Male | Total |
| 1. Household | 29 | 2 | 31 | 45% | 8% | 34% | 32 | 1 | 33 | 51% | 4% | 37% |
| 2. Business | 4 | 2 | 6 | 6% | 8% | 7% | 4 | 4 | 8 | 6% | 15% | 9% |
| 3. Service | 2 | 2 | 4 | 3% | 8% | 4% | 2 | 1 | 3 | 3% | 4% | 3% |
| 4. Labour | 24 | 14 | 38 | 37% | 56% | 42% | 18 | 11 | 29 | 29% | 42% | 33% |
| 5. Agricultural workers | 5 | 5 | 10 | 8% | 20% | 11% | 7 | 8 | 15 | 11% | 31% | 17% |
| 6. Others | 1 | 0 | 1 | 2% | 0% | 1% | 0 | 1 | 1 | 0% | 4% | 1% |
| Total | 65 | 25 | 90 | 100% | 100% | 100% | 63 | 26 | 89 | 100% | 100% | 100% |
| District | Junagadh | | | | | | All Districts | | | | | |
| | Female | Male | Total | Female | Male | Total | Female | Male | Total | Female | Male | Total |
| 1. Household | 28 | 7 | 35 | 47% | 20% | 37% | 89 | 10 | 99 | 48% | 12% | 36% |
| 2. Business | 6 | 5 | 11 | 10% | 14% | 12% | 14 | 11 | 25 | 7% | 13% | 9% |
| 3. Service | 5 | 5 | 10 | 8% | 14% | 11% | 9 | 8 | 17 | 5% | 9% | 6% |
| 4. Labour | 11 | 14 | 25 | 19% | 40% | 27% | 53 | 39 | 92 | 28% | 45% | 34% |
| 5. Agricultural workers | 8 | 4 | 12 | 14% | 11% | 13% | 20 | 17 | 37 | 11% | 20% | 14% |
| 6. Others | 1 | 0 | 1 | 2% | 0% | 1% | 2 | 1 | 3 | 1% | 1% | 1% |
| Total | 59 | 35 | 94 | 100% | 100% | 100% | 187 | 86 | 273 | 100% | 100% | 100% |

| District | Ahmedabad | | | | | | Bharuch | | | | | |
|--------------|-----------|-----------|-----------|-------------|-------------|-------------|---------------|-----------|------------|-------------|-------------|-------------|
| | Female | Male | Total | Female | Male | Total | Female | Male | Total | Female | Male | Total |
| | <3000 | 30 | 17 | 47 | 54% | 71% | 59% | 28 | 9 | 37 | 45% | 33% |
| 3000-6000 | 20 | 5 | 25 | 36% | 21% | 31% | 23 | 7 | 30 | 37% | 26% | 34% |
| 6000-10000 | 6 | 2 | 8 | 11% | 8% | 10% | 5 | 7 | 12 | 8% | 26% | 13% |
| 10000-20000 | 0 | 0 | 0 | 0% | 0% | 0% | 2 | 3 | 5 | 3% | 11% | 6% |
| >20000 | 0 | 0 | 0 | 0% | 0% | 0% | 4 | 1 | 5 | 6% | 4% | 6% |
| Total | 56 | 24 | 80 | 100% | 100% | 100% | 62 | 27 | 89 | 100% | 100% | 100% |
| District | Junagadh | | | | | | All Districts | | | | | |
| <3000 | 15 | 14 | 29 | 26% | 41% | 32% | 73 | 40 | 113 | 41% | 47% | 43% |
| 3000-6000 | 16 | 14 | 30 | 28% | 41% | 33% | 59 | 26 | 85 | 34% | 31% | 33% |
| 6000-10000 | 21 | 6 | 27 | 36% | 18% | 29% | 32 | 15 | 47 | 18% | 18% | 18% |
| 10000-20000 | 3 | 0 | 3 | 5% | 0% | 3% | 5 | 3 | 8 | 3% | 4% | 3% |
| >20000 | 3 | 0 | 3 | 5% | 0% | 3% | 7 | 1 | 8 | 4% | 1% | 3% |
| Total | 58 | 34 | 92 | 100% | 100% | 100% | 176 | 85 | 261 | 100% | 100% | 100% |

| District | Ahmedabad | | | | | | Bharuch | | | | | |
|--------------|-----------|-----------|-----------|-------------|-------------|-------------|---------------|-----------|------------|-------------|-------------|-------------|
| | Female | Male | Total | Female | Male | Total | Female | Male | Total | Female | Male | Total |
| | BPL | 54 | 15 | 69 | 89% | 71% | 84% | 22 | 14 | 36 | 37% | 54% |
| Non BPL | 7 | 6 | 13 | 11% | 29% | 16% | 38 | 12 | 50 | 63% | 46% | 58% |
| Total | 61 | 21 | 82 | 100% | 100% | 100% | 60 | 26 | 86 | 100% | 100% | 100% |
| District | Junagadh | | | | | | All Districts | | | | | |
| BPL | 18 | 15 | 33 | 32% | 44% | 36% | 94 | 44 | 138 | 53% | 54% | 53% |
| Non BPL | 39 | 19 | 58 | 68% | 56% | 64% | 84 | 37 | 121 | 47% | 46% | 47% |
| Total | 57 | 34 | 91 | 100% | 100% | 100% | 178 | 81 | 259 | 100% | 100% | 100% |

| Table 8.2.9 Literacy Level of Beneficiaries | | | | | | | | | | | | |
|---|-----------------|------|-------|--------|------|-------|----------------------|------|-------|--------|------|-------|
| District | Ahmedabad | | | | | | Bharuch | | | | | |
| | Female | Male | Total | Female | Male | Total | Female | Male | Total | Female | Male | Total |
| 1. Non-Literate | 38 | 3 | 41 | 59% | 13% | 47% | 11 | 1 | 12 | 17% | 4% | 13% |
| 2. Primary | 23 | 14 | 37 | 36% | 58% | 42% | 18 | 13 | 31 | 29% | 46% | 34% |
| 3. Secondary | 2 | 3 | 5 | 3% | 13% | 6% | 27 | 13 | 40 | 43% | 46% | 44% |
| 4. Graduate | 0 | 4 | 4 | 0% | 17% | 5% | 6 | 1 | 7 | 10% | 4% | 8% |
| 5. Post-Graduate | 1 | 0 | 1 | 2% | 0% | 1% | 1 | 0 | 1 | 2% | 0% | 1% |
| Total | 64 | 24 | 88 | 100% | 100% | 100% | 63 | 28 | 91 | 100% | 100% | 100% |
| District | Junagadh | | | | | | All Districts | | | | | |
| | Female | Male | Total | Female | Male | Total | Female | Male | Total | Female | Male | Total |
| 1. Non-Literate | 8 | 1 | 9 | 14% | 3% | 10% | 57 | 5 | 62 | 31% | 6% | 23% |
| 2. Primary | 20 | 15 | 35 | 34% | 44% | 38% | 61 | 42 | 103 | 33% | 49% | 38% |
| 3. Secondary | 22 | 13 | 35 | 37% | 38% | 38% | 51 | 29 | 80 | 27% | 34% | 29% |
| 4. Graduate | 8 | 4 | 12 | 14% | 12% | 13% | 14 | 9 | 23 | 8% | 10% | 8% |
| 5. Post-Graduate | 1 | 1 | 2 | 2% | 3% | 2% | 3 | 1 | 4 | 2% | 1% | 1% |
| Total | 59 | 34 | 93 | 100% | 100% | 100% | 186 | 86 | 272 | 100% | 100% | 100% |

| Caste Category of Respondents | | | | | | | | | | | | |
|-------------------------------|-----------|------|-------|--------|------|-------|---------------|------|-------|--------|------|-------|
| District | Ahmedabad | | | | | | Bharuch | | | | | |
| | Female | Male | Total | Female | Male | Total | Female | Male | Total | Female | Male | Total |
| 1. Scheduled Caste | 11 | 5 | 16 | 20% | 22% | 20% | 10 | 1 | 11 | 16% | 4% | 12% |
| 2. Scheduled Tribe | 4 | 0 | 4 | 7% | 0% | 5% | 13 | 11 | 24 | 21% | 39% | 27% |
| 3. SEBC | 32 | 13 | 45 | 57% | 57% | 57% | 14 | 4 | 18 | 23% | 14% | 20% |
| 4. Others | 9 | 5 | 14 | 16% | 22% | 18% | 24 | 12 | 36 | 39% | 43% | 40% |
| Total | 56 | 23 | 79 | 100% | 100% | 100% | 61 | 28 | 89 | 100% | 100% | 100% |
| District | Junagadh | | | | | | All Districts | | | | | |
| District | Female | Male | Total | Female | Male | Total | Female | Male | Total | Female | Male | Total |
| 1. Scheduled Caste | 12 | 8 | 20 | 21% | 24% | 22% | 33 | 14 | 47 | 19% | 17% | 18% |
| 2. Scheduled Tribe | 9 | 3 | 12 | 16% | 9% | 13% | 26 | 14 | 40 | 15% | 17% | 15% |
| 3. SEBC | 11 | 13 | 24 | 19% | 39% | 26% | 57 | 30 | 87 | 33% | 36% | 34% |
| 4. Others | 26 | 9 | 35 | 45% | 27% | 38% | 59 | 26 | 85 | 34% | 31% | 33% |
| Total | 58 | 33 | 91 | 100% | 100% | 100% | 175 | 84 | 259 | 100% | 100% | 100% |


2. Monthly Income


Majority of people (43%) have a monthly income of less than Rs. 3000 while 33% have Rs. 3000 to 6000 (Table 8.2.7). Only 6% have more than Rs 10000 as monthly income. In Ahmedabad, 90% of people have income below Rs. 6000 which means most of beneficiaries are from low income groups. In Bharuch and Junagadh, this is 76% and 65%, which shows that sizeable proportion of beneficiaries is from non-low income group. Particularly in Bharuch, 15% of male beneficiaries are from income above Rs 10000. Statistically significant difference is found in the monthly income of beneficiaries in the survey (Table 8.2.5). An analysis income distribution shows that female respondents have higher income than their male counterpart in Ahmedabad and Junagadh.

This could be due to various factors like urbanization, availability of private health care and awareness among low income group. This has implication for policy and management of health care delivery in terms of targeting of services, awareness promotion and availability of public health care in urban areas which require further study and analysis.

3. Poverty Level

In all, 53% of beneficiaries are from below poverty line category, 84% in Ahmedabad, 42% in Bharuch and 36% in Junagadh. This is consistent with observation in monthly income of respondents discussed before. More non-BPL people avail health care services in Bharuch and Junagadh compared to Ahmedabad. Similar to monthly income, this could be because people with paying capacity avail private health care since they are easily available in urban districts like Ahmedabad. Minor variation is observed across male and female in these districts (Table 8.2.8). Test of hypothesis shows that poverty level of beneficiaries is significantly different across districts (Table 8.2.5).






4. Literacy Level

Profile analysis of literacy level of beneficiaries shows that 23% were non-literate, 38% primary school educated, 29% secondary school educated, 8% graduates and 1% post-graduates. Across districts it can be seen that in Ahmedabad, 47% are non-literate and 42% are primary school educated whereas in Bharuch it is 13% and 34% and in Junagadh it is 10% and 38%. Analysis between genders shows that female are 31% non-literate compared to 6% among male (Table 8.2.9). Statistically significant difference is found in literacy level of beneficiaries in the survey (Table 8.2.5).

Thus like income and poverty, literacy level also indicates variation across districts requiring further study to understand the inter-relationships and mutuality which can help in improving delivery of public health care.

5. Caste Group

As districts selected for survey are from different geographical and demographic regions of Gujarat, analysis of caste groups of individual districts is undertaken (Table 8.2.10). Taken together they can provide an understanding of the State as a whole. It is seen that in all, 18% belong to Scheduled Castes, 15% to Scheduled Tribes, 34% to Socially and Economically Backward and 33% to other castes. The proportion in percentage in Ahmedabad is 20, 5, 57 and 18, Bharuch is 12, 27, 20 and 40 and Junagadh is 22, 13, 26 and 38. Statistically significant difference is found in the composition of castes of beneficiaries across the districts (Table 8.2.5).




8.2.4 Awareness Programs

1. Participation in Awareness Programs

Awareness of public health care issues is ascertained by assessing type and frequency of programs attended and its utility. It is seen that 85% of respondents have participated in awareness programs, 88% for female and 80% for male. Proportion of participation is 79% in Ahmedabad, 87% in Bharuch and 89% in Junagadh (Table 8.2.11). No statistically significant difference is found in participation of beneficiaries in awareness programs (Table 8.2.11).

Of those who participated in awareness programs, largest proportion of respondents, 31% participated in immunization programs, 20% in family planning, 17% in communicable disease, 15% in maternal health, 13% in nutrition and 4% in other programs. In every district, participation was highest in immunization followed by family planning programs in case of female. In case of male, largest proportion of respondents attended awareness programs on communicable diseases followed by immunization. Even among female, maternal health programs occupy 3rd or 4th slot in priority. No statistically significant difference is found in the type of awareness programs in which beneficiaries participated (Table 8.2.14).



| Participation in Awareness Programs | | | | | | | | | | | | |
|---|-----------|----|-----|------|------|------|---------------|-----|-----|------|------|------|
| Table 8.2.11 | Ahmedabad | | | | | | Bharuch | | | | | |
| District | F | M | Tot | F | M | Tot | F | M | Tot | F | M | Tot |
| Yes | 55 | 20 | 75 | 79% | 80% | 79% | 57 | 22 | 79 | 90% | 79% | 87% |
| No | 15 | 5 | 20 | 21% | 20% | 21% | 6 | 6 | 12 | 10% | 21% | 13% |
| Total | 70 | 25 | 95 | 100% | 100% | 100% | 63 | 28 | 91 | 100% | 100% | 100% |
| | Junagadh | | | | | | All Districts | | | | | |
| Yes | 56 | 28 | 84 | 95% | 80% | 89% | 168 | 70 | 238 | 88% | 80% | 85% |
| No | 3 | 7 | 10 | 5% | 20% | 11% | 24 | 18 | 42 | 13% | 20% | 15% |
| Total | 59 | 35 | 94 | 100% | 100% | 100% | 192 | 88 | 280 | 100% | 100% | 100% |
| If Yes, type and frequency of programs participated | | | | | | | | | | | | |
| | Ahmedabad | | | | | | Bharuch | | | | | |
| Program | F | M | Tot | F | M | Tot | F | M | Tot | F | M | Tot |
| Immuni zation | 46 | 7 | 53 | 41% | 22% | 37% | 46 | 10 | 56 | 36% | 22% | 33% |
| Family Planning | 23 | 6 | 29 | 21% | 19% | 20% | 24 | 11 | 35 | 19% | 24% | 20% |
| Communi diseases | 11 | 8 | 19 | 10% | 25% | 13% | 16 | 12 | 28 | 13% | 27% | 16% |
| Maternal Health | 20 | 4 | 24 | 18% | 13% | 17% | 14 | 4 | 18 | 11% | 9% | 10% |
| Nutrition | 9 | 1 | 10 | 8% | 3% | 7% | 23 | 6 | 29 | 18% | 13% | 17% |
| Others | 2 | 6 | 8 | 2% | 19% | 6% | 4 | 2 | 6 | 3% | 4% | 3% |
| Total | 111 | 32 | 143 | 100% | 100% | 100% | 127 | 45 | 172 | 100% | 100% | 100% |
| | Junagadh | | | | | | All Districts | | | | | |
| Immuni zation | 39 | 18 | 57 | 27% | 23% | 26% | 131 | 35 | 166 | 34% | 23% | 31% |
| Family Planning | 31 | 14 | 45 | 21% | 18% | 20% | 78 | 31 | 109 | 20% | 20% | 20% |
| Comm. diseases | 23 | 22 | 45 | 16% | 29% | 20% | 50 | 42 | 92 | 13% | 27% | 17% |
| Maternal Health | 23 | 14 | 37 | 16% | 18% | 17% | 57 | 22 | 79 | 15% | 14% | 15% |
| Nutrition | 24 | 5 | 29 | 17% | 6% | 13% | 56 | 12 | 68 | 15% | 8% | 13% |
| Others | 5 | 4 | 9 | 3% | 5% | 4% | 11 | 12 | 23 | 3% | 8% | 4% |
| Total | 145 | 77 | 222 | 100% | 100% | 100% | 383 | 154 | 537 | 100% | 100% | 100% |

| Table 8.2.12 | | Utility of Awareness Programs | | | | | | | | | | | |
|------------------|--|-------------------------------|----|-----|------|------|---------------|-----|----|-----|------|------|------|
| | | Ahmedabad | | | | | Bharuch | | | | | | |
| | | F | M | Tot | F | M | Tot | F | M | Tot | F | M | Tot |
| Bad | | 0 | 0 | 0 | 0% | 0% | 0% | 0 | 0 | 0 | 0% | 0% | 0% |
| Poor | | 1 | 2 | 3 | 2% | 10% | 4% | 0 | 0 | 0 | 0% | 0% | 0% |
| Normal | | 10 | 7 | 17 | 18% | 33% | 22% | 2 | 6 | 8 | 3% | 21% | 9% |
| Good | | 44 | 11 | 55 | 80% | 52% | 72% | 43 | 17 | 60 | 69% | 61% | 67% |
| Very Good | | 0 | 1 | 1 | 0% | 5% | 1% | 17 | 5 | 22 | 27% | 18% | 24% |
| Total | | 55 | 21 | 76 | 100% | 100% | 100% | 62 | 28 | 90 | 100% | 100% | 100% |
| | | Junagadh | | | | | All Districts | | | | | | |
| | | F | M | Tot | F | M | Tot | F | M | Tot | F | M | Tot |
| Bad | | 0 | 0 | 0 | 0% | 0% | 0% | 0 | 0 | 0 | 0% | 0% | 0% |
| Poor | | 2 | 2 | 4 | 3% | 6% | 4% | 3 | 4 | 7 | 2% | 5% | 3% |
| Normal | | 11 | 4 | 15 | 19% | 12% | 16% | 23 | 17 | 40 | 13% | 21% | 16% |
| Good | | 27 | 24 | 51 | 47% | 73% | 56% | 114 | 52 | 166 | 65% | 63% | 65% |
| Very Good | | 18 | 3 | 21 | 31% | 9% | 23% | 35 | 9 | 44 | 20% | 11% | 17% |
| Total | | 58 | 33 | 91 | 100% | 100% | 100% | 175 | 82 | 257 | 100% | 100% | 100% |

| Table 8.2.13 | | Visit of Health Personnel: Category | | | | | | | | | | | |
|-------------------|--|-------------------------------------|----|-----|------|------|---------------|-----|-----|-----|------|------|------|
| District | | Ahmedabad | | | | | Bharuch | | | | | | |
| Category | | F | M | Tot | F | M | Tot | F | M | Tot | F | M | Tot |
| FHW | | 53 | 21 | 74 | 24% | 26% | 24% | 44 | 13 | 57 | 25% | 18% | 23% |
| MPHW | | 35 | 8 | 43 | 16% | 10% | 14% | 28 | 18 | 46 | 16% | 25% | 19% |
| ASHA | | 61 | 16 | 77 | 28% | 20% | 25% | 50 | 22 | 72 | 29% | 31% | 29% |
| Angan wadi | | 20 | 11 | 31 | 9% | 13% | 10% | 41 | 8 | 49 | 24% | 11% | 20% |
| NGOs | | 50 | 20 | 70 | 23% | 24% | 23% | 4 | 1 | 5 | 2% | 1% | 2% |
| Doctors | | 2 | 4 | 6 | 1% | 5% | 2% | 5 | 9 | 14 | 3% | 13% | 6% |
| Others | | 0 | 2 | 2 | 0% | 2% | 1% | 2 | 0 | 2 | 1% | 0% | 1% |
| Total | | 221 | 82 | 303 | 100% | 100% | 100% | 174 | 71 | 245 | 100% | 100% | 100% |
| District | | Junagadh | | | | | All Districts | | | | | | |
| FHW | | 43 | 19 | 62 | 29% | 24% | 27% | 140 | 53 | 193 | 26% | 23% | 25% |
| MPHW | | 23 | 13 | 36 | 15% | 17% | 16% | 86 | 39 | 125 | 16% | 17% | 16% |
| ASHA | | 41 | 24 | 65 | 27% | 31% | 29% | 152 | 62 | 214 | 28% | 27% | 28% |
| Angan wadi | | 36 | 20 | 56 | 24% | 26% | 25% | 97 | 39 | 136 | 18% | 17% | 18% |
| NGOs | | 2 | 0 | 2 | 1% | 0% | 1% | 56 | 21 | 77 | 10% | 9% | 10% |
| Doctors | | 4 | 1 | 5 | 3% | 1% | 2% | 11 | 14 | 25 | 2% | 6% | 3% |
| Others | | 1 | 1 | 2 | 1% | 1% | 1% | 3 | 3 | 6 | 1% | 1% | 1% |
| Total | | 150 | 78 | 228 | 100% | 100% | 100% | 545 | 231 | 776 | 100% | 100% | 100% |

| Table 8.2.14 | Awareness Programs | | | | |
|--|--------------------|----------|---------|----------------|---------------------------|
| Null Hypothesis | Deg. of Freedom | χ^2 | p | Reject/ Accept | Remarks |
| Participation in awareness programs | 2 | 4.36 | 0.11 | Accept | No significant difference |
| Type of awareness program participated | 10 | 16.46 | 0.087 | Accept | |
| Utility of awareness programs | 4 | 10.3 | 0.035 | Reject | Significant Difference |
| Type of health personnel who visited | 12 | 112.9 | <0.0001 | Reject | |

2. Utility of Awareness Programs

Assessment of utility of programs shows that in all 82% find these programs good or very good, which is 73% in Ahmedabad, 91% in Bharuch and 89% in Junagadh. Utility is good or very good in case of 85% female and 74% for male respondents. Only 57% male in Ahmedabad found it good or very good (Table 8.2.12). Test of hypothesis shows statistically significant difference is found in the utility of awareness programs across districts (Table 8.2.14).

3. Visit of Health Personnel: Category

Visit of health care personnel to beneficiaries' residence is a key component of awareness creation activities. Analysis of data across districts shows that ASHA workers visited the respondents in 28% cases, FHW in 25%, Anganwadi workers in 18%, MPHW in 16%, NGOs in 10% and Doctors in 3% cases (Table 8.2.13). In Ahmedabad, NGO made visits in 23% cases as against only 2% and 1% in Bharuch and Junagadh. Thus the role of NGOs in awareness creation varies depending on profile of district. Statistically significant difference is found in the category of health personnel who visited the respondents across districts (Table 8.2.14). It is found that ASHA service which is a product of NRHM has made good penetration in providing health care services in rural areas.

8.2.5 Health Care Seeking Behaviour

Behavioural aspects of beneficiaries in seeking health care services have tremendous impact on health care delivery. This comprises of guidance seeking and decision making behaviour, selection of health care providers and purpose of visit to health centre.

1. Guidance Seeking Behaviour: Influencers

Assessment of guidance seeking behaviour of respondents across districts show that, 32% seek guidance from health workers, 20% from spouses, 20% from ASHA workers, 18% from parents and 6% from friends and relatives. However, in Ahmedabad highest of 31% seek guidance from spouse and 28% from parents whereas in Bharuch and Junagadh highest proportion approach health workers followed by ASHA workers. Interestingly, across the districts 25% female seek guidance of husband compared to 8% of male seeking guidance of wife (Table 8.2.16). Significant variation is observed in guidance seeking behaviour across districts (Table 8.2.15).

2. Decision Making Behaviour


Guidance seeking is followed by decision making in availing particular health care service. It is found that in 38% cases decision is taken by respondents themselves, 23% cases by spouse, 13% by parents, 13% by health workers, 8% by ASHA workers and 4% by friends and relatives (Table 8.2.17). Thus in contrast to guidance seeking, in actual decision making dependence is more on near and dear rather than health workers. Own self, spouse, parents or friends/relatives decide in 88% cases and health workers and ASHA in only 12% cases in Ahmedabad. The same is 75% and 25% in Bharuch and 64% and 36% in Junagadh. In case of 28% of female, decision is made by husband compared to 12% cases where wife make's decision for male. Test of hypothesis shows significant variation in decision making behaviour across districts (Table 8.2.15).

| Table 8.2.15 | | Health Care Seeking Behaviour | | | |
|---|-----------------|-------------------------------|--------|----------------|---------------------------|
| Null Hypothesis | Deg. of Freedom | χ^2 | p | Reject/ Accept | Remarks |
| Persons influencing health related issues | 10 | 99.23 | <0.001 | Reject | Significant Difference |
| Person who takes health related decision | 12 | 63.56 | <0.001 | Reject | |
| Previous visit to private hospital | 3 | 24.9 | <0.001 | Reject | |
| Type of health practitioner consulted | 10 | 36.4 | <0.001 | Reject | |
| Purpose of visit to health centre | 10 | 2.5 | 0.96 | Accept | No significant difference |

| Table 8.2.16 | Health Seeking Behaviour: Influencers | | | | | | | | | | | |
|---------------------|---------------------------------------|-----------|------------|-------------|-------------|-------------|---------------|------------|------------|-------------|-------------|-------------|
| | Ahmedabad | | | | | | Bharuch | | | | | |
| | F | M | Tot | F | M | Tot | F | M | Tot | F | M | Tot |
| Husband/ Wife | 57 | 4 | 61 | 35% | 12% | 31% | 10 | 6 | 16 | 11% | 15% | 12% |
| Parents | 47 | 8 | 55 | 28% | 24% | 28% | 10 | 3 | 13 | 11% | 8% | 10% |
| Friend/ Relative | 16 | 8 | 24 | 10% | 24% | 12% | 2 | 0 | 2 | 2% | 0% | 2% |
| Health Workers | 22 | 7 | 29 | 13% | 21% | 15% | 35 | 19 | 54 | 38% | 48% | 41% |
| ASHA | 18 | 4 | 22 | 11% | 12% | 11% | 29 | 9 | 38 | 32% | 23% | 29% |
| Others | 5 | 3 | 8 | 3% | 9% | 4% | 5 | 3 | 8 | 5% | 8% | 6% |
| Total | 165 | 34 | 199 | 100% | 100% | 100% | 91 | 40 | 131 | 100% | 100% | 100% |
| | Junagadh | | | | | | All Districts | | | | | |
| Husband/ Wife | 19 | 1 | 20 | 20% | 2% | 13% | 86 | 11 | 97 | 25% | 8% | 20% |
| Parents | 10 | 11 | 21 | 11% | 18% | 14% | 67 | 22 | 89 | 19% | 16% | 18% |
| Friend/ Relative | 1 | 3 | 4 | 1% | 5% | 3% | 19 | 11 | 30 | 5% | 8% | 6% |
| Health Workers | 42 | 28 | 70 | 44% | 47% | 45% | 99 | 54 | 153 | 28% | 40% | 32% |
| ASHA | 21 | 17 | 38 | 22% | 28% | 25% | 68 | 30 | 98 | 19% | 22% | 20% |
| Others | 2 | 0 | 2 | 2% | 0% | 1% | 12 | 6 | 18 | 3% | 4% | 4% |
| Total | 95 | 60 | 155 | 100% | 100% | 100% | 351 | 134 | 485 | 100% | 100% | 100% |

| Table 8.2.17 | Health Seeking Behaviour: Decision Makers | | | | | | | | | | | |
|---------------------|---|-----------|------------|-------------|-------------|-------------|---------------|------------|------------|-------------|-------------|-------------|
| | Ahmedabad | | | | | | Bharuch | | | | | |
| Cate gory | F | M | Tot | F | M | Tot | F | M | Tot | F | M | Tot |
| Husband/ wife | 52 | 3 | 55 | 36% | 9% | 31% | 15 | 9 | 24 | 18% | 24% | 20% |
| Parents | 35 | 4 | 39 | 24% | 12% | 22% | 7 | 1 | 8 | 8% | 3% | 7% |
| Friend/ Relative | 7 | 2 | 9 | 5% | 6% | 5% | 2 | 3 | 5 | 2% | 8% | 4% |
| Health Workers | 8 | 2 | 10 | 6% | 6% | 6% | 8 | 6 | 14 | 10% | 16% | 11% |
| ASHA | 3 | 2 | 5 | 2% | 6% | 3% | 14 | 3 | 17 | 17% | 8% | 14% |
| Others | 0 | 0 | 0 | 0% | 0% | 0% | 0 | 0 | 0 | 0% | 0% | 0% |
| Total | 143 | 33 | 176 | 100% | 100% | 100% | 84 | 38 | 122 | 100% | 100% | 100% |
| | Junagadh | | | | | | All Districts | | | | | |
| Own self | 35 | 23 | 58 | 37% | 46% | 40% | 111 | 59 | 170 | 35% | 49% | 38% |
| Husband/ wife | 22 | 2 | 24 | 23% | 4% | 17% | 89 | 14 | 103 | 28% | 12% | 23% |
| Parents | 3 | 7 | 10 | 3% | 14% | 7% | 45 | 12 | 57 | 14% | 10% | 13% |
| Friend/ Relative | 3 | 0 | 3 | 3% | 0% | 2% | 12 | 5 | 17 | 4% | 4% | 4% |
| Health Workers | 19 | 15 | 34 | 20% | 30% | 24% | 35 | 23 | 58 | 11% | 19% | 13% |
| ASHA | 12 | 3 | 15 | 13% | 6% | 10% | 29 | 8 | 37 | 9% | 7% | 8% |
| Others | 0 | 0 | 0 | 0% | 0% | 0% | 0 | 0 | 0 | 0% | 0% | 0% |
| Total | 94 | 50 | 144 | 100% | 100% | 100% | 321 | 121 | 442 | 100% | 100% | 100% |

Diagram 8.2 : Beneficiaries: Distance Chart of Influencers/ Decision Makers



| Health Seeking Behaviour: Services Providers | | | | | | | | | | | | |
|--|-----------|------|-------|--------|------|-------|---------|------|-------|--------|------|-------|
| Table 8.2.18 | Ahmedabad | | | | | | Bharuch | | | | | |
| | Female | Male | Total | Female | Male | Total | Female | Male | Total | Female | Male | Total |
| a. Visit to Health Centre | | | | | | | | | | | | |
| Yes | 63 | 20 | 83 | 90% | 80% | 87% | 60 | 28 | 88 | 95% | 100% | 97% |
| No | 7 | 5 | 12 | 10% | 20% | 13% | 3 | 0 | 3 | 5% | 0% | 3% |
| Total | 70 | 25 | 95 | 100% | 100% | 100% | 63 | 28 | 91 | 100% | 100% | 100% |
| b. Previous visit to private doctor | | | | | | | | | | | | |
| Yes | 56 | 23 | 79 | 81% | 92% | 84% | 32 | 14 | 46 | 51% | 50% | 51% |
| No | 13 | 2 | 15 | 19% | 8% | 16% | 31 | 14 | 45 | 49% | 50% | 49% |
| Total | 69 | 25 | 94 | 100% | 100% | 100% | 63 | 28 | 91 | 100% | 100% | 100% |
| If yes, type of health practitioner | | | | | | | | | | | | |
| Village Doctor | 1 | 1 | 2 | 2% | 4% | 2% | 16 | 5 | 21 | 33% | 29% | 32% |
| Ayurvedic Doctor | 8 | 4 | 12 | 14% | 17% | 15% | 2 | 2 | 4 | 4% | 12% | 6% |
| Qualified Allopath | 29 | 15 | 44 | 50% | 65% | 54% | 13 | 2 | 15 | 27% | 12% | 23% |
| Nurses | 20 | 3 | 23 | 34% | 13% | 28% | 15 | 8 | 23 | 31% | 47% | 35% |
| Traditional Healer | 0 | 0 | 0 | 0% | 0% | 0% | 1 | 0 | 1 | 2% | 0% | 2% |
| Others | 0 | 0 | 0 | 0% | 0% | 0% | 1 | 0 | 1 | 2% | 0% | 2% |
| Total | 58 | 23 | 81 | 100% | 100% | 100% | 48 | 17 | 65 | 100% | 100% | 100% |
| Junagadh | | | | | | | | | | | | |
| Yes | 52 | 31 | 83 | 88% | 89% | 88% | 175 | 79 | 254 | 91% | 90% | 91% |
| No | 7 | 4 | 11 | 12% | 11% | 12% | 17 | 9 | 26 | 9% | 10% | 9% |
| Total | 59 | 35 | 94 | 100% | 100% | 100% | 192 | 88 | 280 | 100% | 100% | 100% |
| b. Previous visit to private doctor | | | | | | | | | | | | |
| Yes | 37 | 18 | 55 | 63% | 51% | 59% | 125 | 55 | 180 | 65% | 63% | 65% |
| No | 22 | 17 | 39 | 37% | 49% | 41% | 66 | 33 | 99 | 35% | 38% | 35% |
| Total | 59 | 35 | 94 | 100% | 100% | 100% | 191 | 88 | 279 | 100% | 100% | 100% |
| If yes, type of health practitioner | | | | | | | | | | | | |
| Village Doctor | 12 | 7 | 19 | 29% | 37% | 32% | 29 | 13 | 42 | 20% | 22% | 20% |
| Ayurvedic Doctor | 3 | 0 | 3 | 7% | 0% | 5% | 13 | 6 | 19 | 9% | 10% | 9% |
| Qualified Allopath | 13 | 9 | 22 | 32% | 47% | 37% | 55 | 26 | 81 | 37% | 44% | 39% |
| Nurses | 11 | 2 | 13 | 27% | 11% | 22% | 46 | 13 | 59 | 31% | 22% | 29% |
| Traditional Healer | 2 | 1 | 3 | 5% | 5% | 5% | 3 | 1 | 4 | 2% | 2% | 2% |
| Others | 0 | 0 | 0 | 0% | 0% | 0% | 1 | 0 | 1 | 1% | 0% | 0% |
| Total | 41 | 19 | 60 | 100% | 100% | 100% | 147 | 59 | 206 | 100% | 100% | 100% |

| District | Health Seeking Behaviour: Purpose of visit to health centre | | | | | | | | | | | |
|-----------------------|---|-----------|------------|-------------|-------------|-------------|------------|------------|------------|-------------|-------------|-------------|
| | Ahmedabad | | | | | | Bharuch | | | | | |
| | Female | Male | Total | Female | Male | Total | Female | Male | Total | Female | Male | Total |
| Immunization | 29 | 8 | 37 | 32% | 24% | 30% | 32 | 12 | 44 | 30% | 27% | 29% |
| Family Planning | 16 | 9 | 25 | 17% | 27% | 20% | 21 | 9 | 30 | 19% | 20% | 20% |
| Communicable diseases | 27 | 7 | 34 | 29% | 21% | 27% | 31 | 9 | 40 | 29% | 20% | 26% |
| Maternal Health | 14 | 3 | 17 | 15% | 9% | 14% | 14 | 3 | 17 | 13% | 7% | 11% |
| Nutrition | 4 | 3 | 7 | 4% | 9% | 6% | 10 | 11 | 21 | 9% | 24% | 14% |
| Others | 2 | 3 | 5 | 2% | 9% | 4% | 0 | 1 | 1 | 0% | 2% | 1% |
| Total | 92 | 33 | 125 | 100% | 100% | 100% | 108 | 45 | 153 | 100% | 100% | 100% |
| | Junagadh | | | | | | | | | | | |
| Immunization | 26 | 13 | 39 | 26% | 25% | 26% | 87 | 33 | 120 | 29% | 26% | 28% |
| Family Planning | 24 | 10 | 34 | 24% | 20% | 23% | 61 | 28 | 89 | 20% | 22% | 21% |
| Communicable Diseases | 20 | 21 | 41 | 20% | 41% | 27% | 78 | 37 | 115 | 26% | 29% | 27% |
| Maternal Health | 12 | 5 | 17 | 12% | 10% | 11% | 40 | 11 | 51 | 13% | 9% | 12% |
| Nutrition | 16 | 2 | 18 | 16% | 4% | 12% | 30 | 16 | 46 | 10% | 12% | 11% |
| Others | 1 | 0 | 1 | 1% | 0% | 1% | 3 | 4 | 7 | 1% | 3% | 2% |
| Total | 99 | 51 | 150 | 100% | 100% | 100% | 299 | 129 | 428 | 100% | 100% | 100% |

3. Private Service Providers: Previous Visit and Type

Analysis of survey shows that 65% of beneficiaries who visited health centres in last two years had availed health care service from private service providers before approaching PHC. This was a high of 84% in Ahmedabad, 51% in Bharuch and 59% in Junagadh. The share was 65% in case of Female and 63% for Male (Table 8.2.18). Statistically significant difference is observed in respect of respondents having visited other service providers before visiting PHC across districts (Table 8.2.15).

Analysis of type of private service providers chosen shows that 39% respondents visited qualified allopath, 29% nurses, 20% village doctors, 9% Ayurvedic doctors and 2% traditional healers. In Ahmedabad, only 2% visited village doctors whereas 54% visited qualified allopath. Share of beneficiaries visiting village doctors is higher at 32% in Junagadh and Bharuch (Table 8.1.18). Statistically significant difference is observed across districts in the choosing the type of health practitioners.

4. Nature and Purpose of Visit to Health Centre

Assessment of purpose of visit to health centre shows that 28% visited for immunization, 27% for communicable diseases, 21% for family planning, 12% for maternal health and 11% for nutrition. Same pattern is observed in all the three districts in both the genders. What is significant is that maternal health falls in 4th and nutrition in 5th priority even among female for visiting health centres (Table 8.2.19). No statistically significant difference is found in the purpose of visit to health centre by beneficiaries (Table 8.2.15).

| Table 8.2.20 | | Infrastructure: Travel to health centre | | | | | | | | | | | | | | |
|----------------------|-----------|---|--------|------|-------|--------|------|-------|--------|------|-------|--------|------|-------|--------|------|
| | | Transport | | | | | | | Road | | | | | | | |
| | | Level | Female | Male | Total | Female | Male | Total | Female | Male | Total | Female | Male | Total | Female | Male |
| Ahmedabad | Bad | 5 | 0 | 5 | 7% | 0% | 5% | 15 | 6 | 21 | 21% | 24% | 22% | | | |
| | Poor | 2 | 3 | 5 | 3% | 12% | 5% | 12 | 3 | 15 | 17% | 12% | 16% | | | |
| | Normal | 31 | 9 | 40 | 44% | 36% | 42% | 13 | 1 | 14 | 19% | 4% | 15% | | | |
| | Good | 29 | 11 | 40 | 41% | 44% | 42% | 28 | 13 | 41 | 40% | 52% | 43% | | | |
| | Very Good | 3 | 2 | 5 | 4% | 8% | 5% | 2 | 2 | 4 | 3% | 8% | 4% | | | |
| | Total | 70 | 25 | 95 | 100% | 100% | 100% | 70 | 25 | 95 | 100% | 100% | 100% | 100% | | |
| Bharuch | Bad | 1 | 0 | 1 | 2% | 0% | 1% | 4 | 1 | 5 | 6% | 4% | 5% | | | |
| | Poor | 7 | 1 | 8 | 11% | 4% | 9% | 2 | 1 | 3 | 3% | 4% | 3% | | | |
| | Normal | 6 | 1 | 7 | 10% | 4% | 8% | 12 | 2 | 14 | 19% | 7% | 15% | | | |
| | Good | 43 | 13 | 56 | 69% | 46% | 62% | 42 | 11 | 53 | 67% | 39% | 58% | | | |
| | Very Good | 5 | 13 | 18 | 8% | 46% | 20% | 3 | 13 | 16 | 5% | 46% | 18% | | | |
| | Total | 62 | 28 | 90 | 100% | 100% | 100% | 63 | 28 | 91 | 100% | 100% | 100% | 100% | | |
| Junagadh | Bad | 0 | 0 | 0 | 0% | 0% | 0% | 7 | 2 | 9 | 12% | 6% | 10% | | | |
| | Poor | 8 | 8 | 16 | 14% | 23% | 17% | 10 | 8 | 18 | 17% | 23% | 19% | | | |
| | Normal | 17 | 10 | 27 | 29% | 29% | 29% | 10 | 13 | 23 | 17% | 37% | 24% | | | |
| | Good | 23 | 16 | 39 | 39% | 46% | 41% | 19 | 11 | 30 | 32% | 31% | 32% | | | |
| | Very Good | 11 | 1 | 12 | 19% | 3% | 13% | 13 | 1 | 14 | 22% | 3% | 15% | | | |
| | Total | 59 | 35 | 94 | 100% | 100% | 100% | 59 | 35 | 94 | 100% | 100% | 100% | 100% | | |
| All Districts | Bad | 6 | 0 | 6 | 3% | 0% | 2% | 26 | 9 | 35 | 14% | 10% | 13% | | | |
| | Poor | 17 | 12 | 29 | 9% | 14% | 10% | 24 | 12 | 36 | 13% | 14% | 13% | | | |
| | Normal | 54 | 20 | 74 | 28% | 23% | 27% | 35 | 16 | 51 | 18% | 18% | 18% | | | |
| | Good | 95 | 40 | 135 | 50% | 45% | 48% | 89 | 35 | 124 | 46% | 40% | 44% | | | |
| | Very Good | 19 | 16 | 35 | 10% | 18% | 13% | 18 | 16 | 34 | 9% | 18% | 12% | | | |
| | Total | 191 | 88 | 279 | 100% | 100% | 100% | 192 | 88 | 280 | 100% | 100% | 100% | 100% | | |

| Table 8.2.21 | | Facilities in Health Centre | | | | | | | | | | | | | | | | | |
|----------------------|--------------------|-----------------------------|------|----------------|------|------|----------------------|------|------|--------------------|---------|----------------|------|----------------------|------|------|------|------|--|
| District | Ahmedabad | | | | | | | | | | Bharuch | | | | | | | | |
| | a. Condition of HC | | | b. Cleanliness | | | c. Water, toilet etc | | | a. Condition of HC | | b. Cleanliness | | c. Water, toilet etc | | | | | |
| No | F | M | Tot | F | M | Tot | F | M | Tot | F | M | Tot | F | M | Tot | F | M | Tot | |
| Bad | 0 | 3 | 3 | 0 | 1 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | |
| Poor | 2 | 1 | 3 | 4 | 2 | 6 | 6 | 2 | 8 | 0 | 0 | 0 | 1 | 1 | 2 | 0 | 1 | 1 | |
| Normal | 29 | 12 | 41 | 28 | 10 | 38 | 40 | 15 | 55 | 3 | 1 | 4 | 4 | 0 | 4 | 14 | 1 | 15 | |
| Good | 36 | 9 | 45 | 37 | 12 | 49 | 20 | 7 | 27 | 52 | 9 | 61 | 44 | 11 | 55 | 43 | 12 | 55 | |
| Very Good | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 8 | 18 | 26 | 14 | 15 | 29 | 5 | 13 | 18 | |
| Total | 68 | 25 | 93 | 69 | 25 | 94 | 67 | 24 | 91 | 63 | 28 | 91 | 63 | 27 | 90 | 62 | 28 | 90 | |
| Bad | 0% | 12% | 3% | 0% | 4% | 1% | 1% | 0% | 1% | 1% | 0% | 0% | 0% | 0% | 0% | 0% | 4% | 1% | |
| Poor | 3% | 4% | 3% | 6% | 8% | 6% | 9% | 8% | 9% | 0% | 0% | 0% | 2% | 4% | 2% | 0% | 4% | 1% | |
| Normal | 43% | 48% | 44% | 41% | 40% | 40% | 60% | 63% | 60% | 5% | 4% | 4% | 6% | 0% | 4% | 23% | 4% | 17% | |
| Good | 53% | 36% | 48% | 54% | 48% | 52% | 30% | 29% | 30% | 83% | 32% | 67% | 70% | 41% | 61% | 69% | 43% | 61% | |
| Very Good | 1% | 0% | 1% | 0% | 0% | 0% | 0% | 0% | 0% | 13% | 64% | 29% | 22% | 56% | 32% | 8% | 46% | 20% | |
| Total | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | |
| All Districts | | | | | | | | | | | | | | | | | | | |
| Junagadh | | | | | | | | | | | | | | | | | | | |
| Bad | 0 | 0 | 0 | 0 | 1 | 1 | 2 | 1 | 3 | 0 | 3 | 3 | 0 | 2 | 2 | 3 | 2 | 5 | |
| Poor | 1 | 0 | 1 | 5 | 2 | 7 | 5 | 3 | 8 | 3 | 1 | 4 | 10 | 5 | 15 | 11 | 6 | 17 | |
| Normal | 16 | 16 | 32 | 16 | 17 | 33 | 16 | 21 | 37 | 48 | 29 | 77 | 48 | 27 | 75 | 70 | 37 | 107 | |
| Good | 25 | 17 | 42 | 19 | 15 | 34 | 20 | 9 | 29 | 113 | 35 | 148 | 100 | 38 | 138 | 83 | 28 | 111 | |
| Very Good | 17 | 2 | 19 | 18 | 0 | 18 | 16 | 1 | 17 | 26 | 20 | 46 | 32 | 15 | 47 | 21 | 14 | 35 | |
| Total | 59 | 35 | 94 | 58 | 35 | 93 | 59 | 35 | 94 | 190 | 88 | 278 | 190 | 87 | 277 | 188 | 87 | 275 | |
| Bad | 0% | 0% | 0% | 0% | 3% | 1% | 3% | 3% | 3% | 0% | 3% | 1% | 0% | 2% | 1% | 2% | 2% | 2% | |
| Poor | 2% | 0% | 1% | 9% | 6% | 8% | 8% | 9% | 9% | 2% | 1% | 1% | 5% | 6% | 5% | 6% | 7% | 6% | |
| Normal | 27% | 46% | 34% | 28% | 49% | 35% | 27% | 60% | 39% | 25% | 33% | 28% | 25% | 31% | 27% | 37% | 43% | 39% | |
| Good | 42% | 49% | 45% | 33% | 43% | 37% | 34% | 26% | 31% | 59% | 40% | 53% | 53% | 44% | 50% | 44% | 32% | 40% | |
| Very Good | 29% | 6% | 20% | 31% | 0% | 19% | 27% | 3% | 18% | 14% | 23% | 17% | 17% | 17% | 17% | 11% | 16% | 13% | |
| Total | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | |

8.2.6 Accessibility

1. Infrastructure

Physical infrastructure like roads and transport to health centre are important not only for health workers but for beneficiaries too and can be a decisive factor in making a choice. Quality of transport is ascertained by assessing beneficiary experience of vehicle availability and road condition. Survey results show that 61% find availability of transport to be good or very good. This is 82% in Bharuch, 54% in Junagadh and 47% in Ahmedabad. 10% in Bharuch and Ahmedabad and 17% in Junagadh find this bad or poor (Table 8.2.20). Significant difference is observed in the availability of transport to health centre in the districts (Table 8.2.22).

| Table 8.2.22 | | Infrastructure | | | |
|--|-----------------|----------------|---------|----------------|------------------------|
| Null Hypothesis | Deg. of Freedom | χ^2 | p | Reject/ Accept | Remarks |
| Availability of transport to health centre | 6 | 25.93 | <0.0001 | Reject | Significant Difference |
| Condition of road to health centre | 8 | 84.77 | <0.0001 | Reject | |

In all, road condition is considered good or very good in 56% cases and bad or poor in 26% cases. Across districts, condition is good or very good in 47% cases in Ahmedabad, 76% in Bharuch and 47% in Junagadh (Table 8.2.20). Test of hypothesis also show significant difference in road condition across the districts (Table 8.2.22).

2. Facilities

| Table 8.2.23 | | Facilities in Health centre | | | |
|---|-----------------|-----------------------------|---------|----------------|------------------------|
| Null Hypothesis | Deg. of Freedom | χ^2 | p | Reject/ Accept | Remarks |
| Condition of health centre | 4 | 64.8 | <0.0001 | Reject | Significant Difference |
| Cleanliness in health centre | 4 | 43.2 | <0.0001 | Reject | |
| Water, toilet etc facilities in health centre | 4 | 71.2 | <0.0001 | Reject | |

Facilities like drinking water, toilet, cleanliness and general condition of health centre were assessed in the survey (Table 8.2.21). General condition is found to be good or very good by 70% of beneficiaries. This is 49% in Ahmedabad, 96% in Bharuch and 65% in Junagadh.

Cleanliness is found to be good or very good in 67% cases, which was 93% in Bharuch, 56% in Junagadh and 52% in Ahmedabad. It was found to be bad or poor by 6% overall, 7% in Ahmedabad, 6% in Bharuch and 9% in Junagadh.

Availability of drinking water and toilet facilities is good or very good by 51% beneficiaries. This was 30% in Ahmedabad, 81% in Bharuch and 49% in Junagadh. In all 16% find it bad or poor, which is 10% in Ahmedabad, 12% in Junagadh and 2% in Bharuch. Thus variation is observed in the availability of basic facilities. Test of hypothesis shows that there is significant difference in all these facilities: condition of health centre, cleanliness and drinking water and toilet (Table 8.2.23).

8.2.7 Quality of Service

Quality of service is the most important factor in public health care delivery. Apart from overall assessment regarding service, factors like availability of doctors/health workers, waiting time and guidance in health centre were assessed during the survey.

1. Availability of Doctors/Health Workers

Regarding availability, in 93% cases doctors and in 87% cases health workers were present during the visit for health care. Availability of doctors was 98% in Ahmedabad, 95% in Bharuch and 85% in Junagadh. Statistically significant difference is found in the availability of doctors during visit of beneficiary to health centres (Table 8.2.25).

Availability of health workers was 87% in all which was 91% in Ahmedabad, 87% in Bharuch and 83% in Junagadh. Test of hypothesis show no significant difference in the presence of health workers Table (8.2.24).

2. Waiting Time

Waiting time is less than an hour in 82% cases. This is 74% in Ahmedabad, 92% in Bharuch and 84% in Junagadh. In Ahmedabad 26% wait for more than an hour which is 16% in Junagadh and 8% in Bharuch (Table 8.2.25). No statistically significant difference is found in the waiting time for the patients to get service.

3. Guidance and Counselling

The quality of guidance and counselling provided was good or very good in 73% cases. This was 53% in Ahmedabad, 94% in Bharuch and 78% in Junagadh. It was bad or poor in 3% cases in all, which was 7% in Ahmedabad, nil in Bharuch and 1% in Junagadh (Table 8.2.26) Significant difference was observed in guidance and counselling provided to patients or beneficiaries (Table 8.2.24).

4. Quality of Service

70% beneficiaries find quality of service to be good or very good. This is 52% in Ahmedabad, 94% in Bharuch and 66% in Junagadh. 74% female find it this way compared to 61% male. It was bad or poor in 3% cases in all, which was 7% in Ahmedabad, 1% in Bharuch and 2% in Junagadh Table (8.2.25). Statistically significant difference is found in the quality of service at the health centre across districts (Table 8.2.24). Quality is a composite indicator which depends on many other factors studied in the survey.

5. Availability of Lab/Drugs

Health centres are expected to provide drugs and lab facilities to patients. It is found in 88% cases these were made available to respondents. This was 82% in Ahmedabad, 87% in Bharuch and 96% in Junagadh. Statistically significant difference is observed across districts in the availability of drugs and laboratory services (Table 8.2.27). Quality of drugs/lab service is good or very good in 58% cases in all which was 54% in Ahmedabad, 84% in Bharuch and 40% in Junagadh. However, in quality of these services there is significant difference across districts (Table 8.2.24). Thus availability does not ensure quality as can be seen in Junagadh. As far as getting lab these services from outside, it was available 48% overall, and 43% in Ahmedabad, 51% in Bharuch and 51% in Junagadh. 59% male procured from outside compared to 43% female (Table 8.2.27). No statistically significant difference is observed drugs/lab services are obtained from outside (Table 8.2.24).

6. Referral Services

37% beneficiaries were sent for treatment to referral hospital. This was 24% in Ahmedabad, 43% in Bharuch and 45% in Junagadh. Significant difference is observed in the extent of referrals to next tier hospitals (Table 8.2.28). 52% of those referred are accompanied by health worker or doctor, which was 53% in Ahmedabad, 58% in Bharuch and 45% in Junagadh. No significant statistical difference is observed in the practice of accompanying referred patients.

In terms of quality of referral services, in all, 72% find referral services good or very good. This is 55% in Ahmedabad, 84% in Bharuch and 74% in Junagadh. 52% of male compared to 82% female find these services good or very good. No significant difference is found in the quality of referral services (Table 8.2.24).

7. Repeat Visit to Health Centre

Repeat visit in future is a key indicator of quality of services. It is found that 67% will certainly come back to health centre in future, 32% are uncertain and 1% will never return. The levels are 39%, 60% and 1% in Ahmedabad, 84%, 16% and nil in Bharuch and 80%, 19% and 1% in Junagadh. 61% male and 80% female are certain to return in future (Table 8.2.29). In this, statistically significant difference is observed across districts.

| Table 8.2.24 | Experience in Health Centre | | | | |
|--|------------------------------------|----------------------------|----------|-----------------------|---------------------------|
| Null Hypothesis (Ho) | Degrees of Freedom | χ^2 | P | Reject/ Accept | Remarks |
| Availability of Doctors | 2 | 10.78 | 0.005 | Reject | Significant difference |
| Availability of Health Workers | 2 | 1.9 | 0.387 | Accept | No significant difference |
| Waiting time to meet doctor/HW | 4 | 9.41 | 0.0516 | Accept | |
| Satisfaction with guidance and counselling | 4 | 42.1 | <0.0001 | Reject | Significant Difference |
| Quality of service | 4 | 54.1 | <0.0001 | Reject | |
| Whether drugs were available | 2 | 8.4 | 0.02 | Reject | |
| Quality of drugs | 4 | 103.2 | <0.0001 | Reject | No significant difference |
| Whether purchased drugs from outside | 2 | 1.7 | 0.43 | Accept | |
| Whether referral service was availed | 2 | 10.3 | 0.006 | Reject | Significant Difference |
| Whether accompanied by health personnel | 2 | 0.87 | 0.65 | Accept | No significant difference |
| Quality of referral service | 4 | 5.9 | 0.21 | Accept | |
| Possibility of repeat visit to health centre in the future | 4 | 52.9 | <0.0001 | Reject | Significant Difference |

| Table 8.2.25 | Health Care: Quality of service | | | | | | | | | | | |
|-----------------------|---------------------------------|-----|------|------|-------|------|---------------|-----|------|------|-------|------|
| | Ahmedabad | | | | | | Bharuch | | | | | |
| | Female | | Male | | Total | | Female | | Male | | Total | |
| Presence of Personnel | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No |
| Doctor | 62 | 1 | 20 | 1 | 82 | 2 | 55 | 3 | 26 | 1 | 81 | 4 |
| HW | 39 | 4 | 13 | 1 | 52 | 5 | 52 | 8 | 22 | 3 | 74 | 11 |
| Doctor | 98% | 2% | 95% | 5% | 98% | 2% | 95% | 5% | 96% | 4% | 95% | 5% |
| HW | 91% | 9% | 93% | 7% | 91% | 9% | 87% | 13% | 88% | 12% | 87% | 13% |
| District | Junagadh | | | | | | All Districts | | | | | |
| Doctor | 49 | 5 | 27 | 8 | 76 | 13 | 166 | 9 | 73 | 10 | 239 | 19 |
| HW | 46 | 11 | 29 | 4 | 75 | 15 | 137 | 23 | 64 | 8 | 201 | 31 |
| Doctor | 91% | 9% | 77% | 23% | 85% | 15% | 95% | 5% | 88% | 12% | 93% | 7% |
| HW | 81% | 19% | 88% | 12% | 83% | 17% | 86% | 14% | 89% | 11% | 87% | 13% |
| Waiting time | Ahmedabad | | | | | | Bharuch | | | | | |
| | F | M | Tot | F | M | Tot | F | M | Tot | F | M | Tot |
| < 1 hr | 52 | 16 | 68 | 76% | 67% | 74% | 56 | 0 | 56 | 95% | 0% | 92% |
| 1-2 hr | 14 | 6 | 20 | 21% | 25% | 22% | 2 | 1 | 3 | 3% | 50% | 5% |
| > 2 hrs | 2 | 2 | 4 | 3% | 8% | 4% | 1 | 1 | 2 | 2% | 50% | 3% |
| Total | 68 | 24 | 92 | 100% | 100% | 100% | 59 | 2 | 61 | 100% | 100% | 100% |
| District | Junagadh | | | | | | All Districts | | | | | |
| < 1 hr | 45 | 31 | 76 | 80% | 89% | 84% | 153 | 47 | 200 | 84% | 77% | 82% |
| 1-2 hr | 9 | 2 | 11 | 16% | 6% | 12% | 25 | 9 | 34 | 14% | 15% | 14% |
| > 2 hrs | 2 | 2 | 4 | 4% | 6% | 4% | 5 | 5 | 10 | 3% | 8% | 4% |
| Total | 56 | 35 | 91 | 100% | 100% | 100% | 183 | 61 | 244 | 100% | 100% | 100% |
| Quality | Ahmedabad | | | | | | Bharuch | | | | | |
| | F | M | Tot | F | M | Tot | F | M | Tot | F | M | Tot |
| Bad | 3 | 0 | 3 | 4% | 0% | 3% | 0 | 0 | 0 | 0% | 0% | 0% |
| Poor | 3 | 1 | 4 | 4% | 4% | 4% | 1 | 0 | 1 | 2% | 0% | 1% |
| Normal | 24 | 13 | 37 | 35% | 54% | 40% | 3 | 2 | 5 | 5% | 7% | 5% |
| Good | 37 | 9 | 46 | 54% | 38% | 50% | 50 | 9 | 59 | 79% | 32% | 65% |
| Very Good | 1 | 1 | 2 | 1% | 4% | 2% | 9 | 17 | 26 | 14% | 61% | 29% |
| Total | 68 | 24 | 92 | 100% | 100% | 100% | 63 | 28 | 91 | 100% | 100% | 100% |
| District | Junagadh | | | | | | All Districts | | | | | |
| Bad | 1 | 0 | 1 | 2% | 0% | 1% | 4 | 0 | 4 | 2% | 0% | 1% |
| Poor | 0 | 1 | 1 | 0% | 3% | 1% | 4 | 2 | 6 | 2% | 2% | 2% |
| Normal | 13 | 17 | 30 | 22% | 49% | 32% | 40 | 32 | 72 | 21% | 37% | 26% |
| Good | 24 | 16 | 40 | 41% | 46% | 43% | 111 | 34 | 145 | 58% | 39% | 52% |
| Very Good | 21 | 1 | 22 | 36% | 3% | 23% | 31 | 19 | 50 | 16% | 22% | 18% |
| Total | 59 | 35 | 94 | 100% | 100% | 100% | 190 | 87 | 277 | 100% | 100% | 100% |

| Table 8.2.26 | Health Care: Guidance and Counselling | | | | | |
|---------------------|--|-------------|--------------|----------------------|-------------|--------------|
| District | Ahmedabad | | | Bharuch | | |
| | Female | Male | Total | Female | Male | Total |
| Bad | 0 | 1 | 1 | 1 | 0 | 1 |
| Poor | 5 | 1 | 6 | 0 | 0 | 0 |
| Normal | 28 | 9 | 37 | 4 | 1 | 5 |
| Good | 35 | 9 | 44 | 48 | 13 | 61 |
| Very Good | 1 | 5 | 6 | 9 | 14 | 23 |
| Total | 69 | 25 | 94 | 62 | 28 | 90 |
| Bad | 0% | 4% | 1% | 2% | 0% | 1% |
| Poor | 7% | 4% | 6% | 0% | 0% | 0% |
| Normal | 41% | 36% | 39% | 6% | 4% | 6% |
| Good | 51% | 36% | 47% | 77% | 46% | 68% |
| Very Good | 1% | 20% | 6% | 15% | 50% | 26% |
| Total | 100% | 100% | 100% | 100% | 100% | 100% |
| | Junagadh | | | All Districts | | |
| Bad | 1 | 0 | 1 | 2 | 1 | 3 |
| Poor | 0 | 0 | 0 | 5 | 1 | 6 |
| Normal | 9 | 10 | 19 | 41 | 20 | 61 |
| Good | 32 | 22 | 54 | 115 | 44 | 159 |
| Very Good | 17 | 3 | 20 | 27 | 22 | 49 |
| Total | 59 | 35 | 94 | 190 | 88 | 278 |
| Bad | 2% | 0% | 1% | 1% | 1% | 1% |
| Poor | 0% | 0% | 0% | 3% | 1% | 2% |
| Normal | 15% | 29% | 20% | 22% | 23% | 22% |
| Good | 54% | 63% | 57% | 61% | 50% | 57% |
| Very Good | 29% | 9% | 21% | 14% | 25% | 18% |
| Total | 100% | 100% | 100% | 100% | 100% | 100% |

| Table 8.2.27 | Availability of Drugs and Laboratory Services | | | | | | | | | | | |
|--|---|----|-----|------|------|------|---------------|----|-----|------|------|------|
| | Ahmedabad | | | | | | Bharuch | | | | | |
| a. Availability of Lab services /Drugs at health centre | | | | | | | | | | | | |
| | F | M | Tot | F | M | Tot | F | M | Tot | F | M | Tot |
| Yes | 56 | 18 | 74 | 85% | 75% | 82% | 53 | 26 | 79 | 84% | 93% | 87% |
| No | 10 | 6 | 16 | 15% | 25% | 18% | 10 | 2 | 12 | 16% | 7% | 13% |
| Total | 66 | 24 | 90 | 100% | 100% | 100% | 63 | 28 | 91 | 100% | 100% | 100% |
| b. Quality of drugs / lab services | | | | | | | | | | | | |
| Bad | 0 | 0 | 0 | 0% | 0% | 0% | 0 | 0 | 0 | 0% | 0% | 0% |
| Poor | 0 | 1 | 1 | 0% | 6% | 2% | 1 | 0 | 1 | 2% | 0% | 1% |
| Normal | 20 | 10 | 30 | 42% | 56% | 45% | 8 | 3 | 11 | 16% | 12% | 14% |
| Good | 27 | 7 | 34 | 56% | 39% | 52% | 38 | 9 | 47 | 75% | 35% | 61% |
| Very Good | 1 | 0 | 1 | 2% | 0% | 2% | 4 | 14 | 18 | 8% | 54% | 23% |
| Total | 48 | 18 | 66 | 100% | 100% | 100% | 51 | 26 | 77 | 100% | 100% | 100% |
| c. Obtained Lab services/drugs from outside | | | | | | | | | | | | |
| Yes | 23 | 17 | 40 | 33% | 68% | 43% | 33 | 12 | 45 | 55% | 43% | 51% |
| No | 46 | 8 | 54 | 67% | 32% | 57% | 27 | 16 | 43 | 45% | 57% | 49% |
| Total | 69 | 25 | 94 | 100% | 100% | 100% | 60 | 28 | 88 | 100% | 100% | 100% |
| District | Junagadh | | | | | | All Districts | | | | | |
| a. Availability of Lab Services/ Drugs at health centre | | | | | | | | | | | | |
| Yes | 58 | 31 | 89 | 100% | 89% | 96% | 167 | 75 | 242 | 89% | 86% | 88% |
| No | 0 | 4 | 4 | 0% | 11% | 4% | 20 | 12 | 32 | 11% | 14% | 12% |
| Total | 58 | 35 | 93 | 100% | 100% | 100% | 187 | 87 | 274 | 100% | 100% | 100% |
| b. Quality of drugs / lab services | | | | | | | | | | | | |
| Bad | 28 | 7 | 35 | 48% | 20% | 38% | 28 | 7 | 35 | 18% | 9% | 15% |
| Poor | 6 | 5 | 11 | 10% | 14% | 12% | 7 | 6 | 13 | 4% | 8% | 6% |
| Normal | 5 | 5 | 10 | 9% | 14% | 11% | 33 | 18 | 51 | 21% | 23% | 22% |
| Good | 11 | 14 | 25 | 19% | 40% | 27% | 76 | 30 | 106 | 48% | 38% | 45% |
| Very Good | 8 | 4 | 12 | 14% | 11% | 13% | 13 | 18 | 31 | 8% | 23% | 13% |
| Total | 58 | 35 | 93 | 100% | 100% | 100% | 157 | 79 | 236 | 100% | 100% | 100% |
| c. Obtained Lab services/drugs from outside | | | | | | | | | | | | |
| Yes | 25 | 22 | 47 | 42% | 65% | 51% | 81 | 51 | 132 | 43% | 59% | 48% |
| No | 34 | 12 | 46 | 58% | 35% | 49% | 107 | 36 | 143 | 57% | 41% | 52% |
| Total | 59 | 34 | 93 | 100% | 100% | 100% | 188 | 87 | 275 | 100% | 100% | 100% |

| Table 8.2.28 | Health Care: Referral Services | | | | | | | | | | | |
|--|--------------------------------|----|-----|------|------|------|----------------------|----|-----|------|------|------|
| | Ahmedabad | | | | | | Bharuch | | | | | |
| | F | M | Tot | F | M | Tot | F | M | Tot | F | M | Tot |
| Whether referred? | | | | | | | | | | | | |
| Yes | 14 | 9 | 23 | 20% | 36% | 24% | 28 | 10 | 38 | 46% | 36% | 43% |
| No | 56 | 16 | 72 | 80% | 64% | 76% | 33 | 18 | 51 | 54% | 64% | 57% |
| Total | 70 | 25 | 95 | 100% | 100% | 100% | 61 | 28 | 89 | 100% | 100% | 100% |
| Whether accompanied by Doctor/ Health Worker? | | | | | | | | | | | | |
| Yes | 7 | 2 | 9 | 70% | 29% | 53% | 14 | 8 | 22 | 50% | 80% | 58% |
| No | 3 | 5 | 8 | 30% | 71% | 47% | 14 | 2 | 16 | 50% | 20% | 42% |
| Total | 10 | 7 | 17 | 100% | 100% | 100% | 28 | 10 | 38 | 100% | 100% | 100% |
| Quality of referral services | | | | | | | | | | | | |
| Bad | 0 | 0 | 0 | 0% | 0% | 0% | 0 | 0 | 0 | 0% | 0% | 0% |
| Poor | 0 | 2 | 2 | 0% | 22% | 9% | 1 | 0 | 1 | 4% | 0% | 3% |
| Normal | 3 | 5 | 8 | 23% | 56% | 36% | 3 | 2 | 5 | 11% | 22% | 14% |
| Good | 10 | 2 | 12 | 77% | 22% | 55% | 22 | 2 | 24 | 81% | 22% | 67% |
| Very Good | 0 | 0 | 0 | 0% | 0% | 0% | 1 | 5 | 6 | 4% | 56% | 17% |
| Total | 13 | 9 | 22 | 100% | 100% | 100% | 27 | 9 | 36 | 100% | 100% | 100% |
| District | Junagadh | | | | | | All Districts | | | | | |
| Whether referred? | | | | | | | | | | | | |
| Yes | 26 | 16 | 42 | 44% | 46% | 45% | 68 | 35 | 103 | 36% | 40% | 37% |
| No | 33 | 19 | 52 | 56% | 54% | 55% | 122 | 53 | 175 | 64% | 60% | 63% |
| Total | 59 | 35 | 94 | 100% | 100% | 100% | 190 | 88 | 278 | 100% | 100% | 100% |
| Whether accompanied by Doctor/ Health Worker? | | | | | | | | | | | | |
| Yes | 24 | 13 | 37 | 51% | 45% | 49% | 45 | 23 | 68 | 53% | 50% | 52% |
| No | 23 | 16 | 39 | 49% | 55% | 51% | 40 | 23 | 63 | 47% | 50% | 48% |
| Total | 47 | 29 | 76 | 100% | 100% | 100% | 85 | 46 | 131 | 100% | 100% | 100% |
| Quality of referral services | | | | | | | | | | | | |
| Bad | 1 | 0 | 1 | 3% | 0% | 2% | 1 | 0 | 1 | 1% | 0% | 1% |
| Poor | 2 | 1 | 3 | 6% | 5% | 6% | 3 | 3 | 6 | 4% | 8% | 5% |
| Normal | 3 | 8 | 11 | 9% | 42% | 21% | 9 | 15 | 24 | 12% | 41% | 22% |
| Good | 18 | 10 | 28 | 55% | 53% | 54% | 50 | 14 | 64 | 68% | 38% | 58% |
| Very Good | 9 | 0 | 9 | 27% | 0% | 17% | 10 | 5 | 15 | 14% | 14% | 14% |
| Total | 33 | 19 | 52 | 100% | 100% | 100% | 73 | 37 | 110 | 100% | 100% | 100% |

| Table 8.2.29 | Repeat Visit for Health Care | | | | | | | | | | | |
|--------------|------------------------------|-----------|-----------|-------------|-------------|-------------|---------------|-----------|------------|-------------|-------------|-------------|
| District | Ahmedabad | | | | | | Bharuch | | | | | |
| | F | M | Tot | F | M | Tot | F | M | Tot | F | M | Tot |
| Never | 0 | 1 | 1 | 0% | 4% | 1% | 0 | 0 | 0 | 0% | 0% | 0% |
| May be | 51 | 6 | 57 | 73% | 24% | 60% | 13 | 2 | 15 | 21% | 7% | 16% |
| Certainly | 19 | 18 | 37 | 27% | 72% | 39% | 50 | 26 | 76 | 79% | 93% | 84% |
| Total | 70 | 25 | 95 | 100% | 100% | 100% | 63 | 28 | 91 | 100% | 100% | 100% |
| District | Junagadh | | | | | | All Districts | | | | | |
| Never | 0 | 1 | 1 | 0% | 3% | 1% | 0 | 2 | 2 | 0% | 2% | 1% |
| May be | 10 | 8 | 18 | 17% | 23% | 19% | 74 | 16 | 90 | 39% | 18% | 32% |
| Certainly | 49 | 26 | 75 | 83% | 74% | 80% | 118 | 70 | 188 | 61% | 80% | 67% |
| Total | 59 | 35 | 94 | 100% | 100% | 100% | 192 | 88 | 280 | 100% | 100% | 100% |

| Table 8.2.30 | Documentation and Record keeping | | | | | | | | | | | |
|--|----------------------------------|-----------|-----------|-------------|-------------|-------------|---------------|-----------|------------|-------------|-------------|-------------|
| District | Ahmedabad | | | | | | Bharuch | | | | | |
| a. Any Record given from health centre? | | | | | | | | | | | | |
| | F | M | Tot | F | M | Tot | F | M | Tot | F | M | Tot |
| Yes | 27 | 12 | 39 | 39% | 50% | 42% | 44 | 18 | 62 | 73% | 64% | 70% |
| No | 42 | 12 | 54 | 61% | 50% | 58% | 16 | 10 | 26 | 27% | 36% | 30% |
| Total | 69 | 24 | 93 | 100% | 100% | 100% | 60 | 28 | 88 | 100% | 100% | 100% |
| b. Usefulness of documents | | | | | | | | | | | | |
| Yes | 21 | 9 | 30 | 100% | 100% | 100% | 42 | 17 | 59 | 98% | 94% | 97% |
| No | 0 | 0 | 0 | 0% | 0% | 0% | 1 | 1 | 2 | 2% | 6% | 3% |
| Total | 21 | 9 | 30 | 100% | 100% | 100% | 43 | 18 | 61 | 100% | 100% | 100% |
| District | Junagadh | | | | | | All Districts | | | | | |
| a. Any Record given from health centre? | | | | | | | | | | | | |
| Yes | 37 | 18 | 55 | 65% | 51% | 60% | 108 | 48 | 156 | 58% | 55% | 57% |
| No | 20 | 17 | 37 | 35% | 49% | 40% | 78 | 39 | 117 | 42% | 45% | 43% |
| Total | 57 | 35 | 92 | 100% | 100% | 100% | 186 | 87 | 273 | 100% | 100% | 100% |
| b. Usefulness of documents | | | | | | | | | | | | |
| Yes | 35 | 16 | 51 | 73% | 48% | 63% | 98 | 42 | 140 | 88% | 70% | 81% |
| No | 13 | 17 | 30 | 27% | 52% | 37% | 14 | 18 | 32 | 13% | 30% | 19% |
| Total | 48 | 33 | 81 | 100% | 100% | 100% | 112 | 60 | 172 | 100% | 100% | 100% |

| Table 8.2.31 | | Documentation and Record Keeping | | | |
|---------------------------------|-----------------|----------------------------------|--------|----------------|------------------------|
| Null Hypothesis | Deg. of Freedom | χ^2 | p | Reject/ Accept | Remarks |
| Record Given from health centre | 3 | 15.4 | 0.005 | Reject | Significant Difference |
| Usefulness of documents | 3 | 34.5 | <0.001 | Reject | |

8.2.8 Documentation

57% of respondents have reported to have been provided document or record from health centre. This is 42% in Ahmedabad, 70% in Bharuch and 60% in Junagadh. Of this, 81% find it useful. This level is 100% in Ahmedabad, 97% in Bharuch and 63% in Junagadh. 88% males find it useful compared to 71% female (Table 8.2.30). Significant difference is found across districts in providing health documents to patients as well as its usefulness (Table 8.2.31). Thus though large number of respondents found documentation useful, the availability is not uniform or standardised.

8.2.9 Financial Resources/ Burden

1. Health Expenditure: Affordability

58% of those surveyed visited private medical practitioners in the past 1 year. This level was 73% in Ahmedabad, 56% in Bharuch and 47% in Junagadh. The extent is similar for male and female at 60% and 55%. Among those visited, 58% spent less than Rs 1000, 30% spent Rs 1000 to 3000, 7% spent Rs 5000 to 10000 and 4% spent more than Rs 10000. Those who spent below Rs 1000 were highest in Junagadh at 74%, 49% in Ahmedabad and 56% in Bharuch (Table 8.2.33). It is found that significant difference exists in availing private health care and the extent of out-of-pocket health expenditure (Table 8.2.32).

2. Financial Assistance from Government

Of those who were surveyed, 47% had availed Government's financial assistance under some scheme or other. This was 40% in Ahmedabad, 58% in Bharuch and 45% in Junagadh. More female (52%) avail these benefits compared to male (39%). Of the total, 84% have found it easy to avail this assistance which was 60% in Ahmedabad, 98% in Bharuch and 87% in Junagadh. In Ahmedabad, only 29% male and 68% female find it easy to get the financial assistance compared to other districts where it was more than 80% in all the cases (Table 8.2.34).

Analysis of test of hypothesis shows that significant difference exists in proportion of persons availing some form of Government financial assistance and difficulty in availing the assistance (Table 8.2.32).

| Table 8.2.32 | Financial Resources/Burden | | | | |
|--|-----------------------------------|----------|----------|-----------------------|------------------------|
| Null Hypothesis | Deg. of Freedom | χ^2 | P | Reject/ Accept | Remarks |
| Whether availed financial assistance from Government | 2 | 6.7 | 0.034 | Reject | Significant Difference |
| Experience in getting financial assistance | 2 | 22.8 | <0.001 | Reject | |
| Instance of visit to private health care | 2 | 13.4 | 0.006 | Reject | |
| Out of pocket private expenditure | 4 | 13.2 | 0.01 | Reject | |
| Willingness to pay for better service | 3 | 10.9 | 0.004 | Reject | |

3. Willingness to Pay for Better Services

The survey also ascertained the willingness of beneficiaries to pay for better services. Of those surveyed, 77% have expressed willingness to pay for better services, which was 88% in Ahmedabad, 67% in Bharuch and 76% in Junagadh. 78% male and 76% female were willing to pay for better services in all districts (Table 8.2.35). Significant difference is found in the willingness of respondents to pay for better health services (Table 8.2.32).

| Table 8.2.33 | | Affordability: Out-of-Pocket Expenditure on Health Care | | | | | | | | | | |
|----------------------------|----|---|-----|------|------|------|---------------|----|-----|------|------|------|
| District | | Ahmedabad | | | | | Bharuch | | | | | |
| | F | M | Tot | F | M | Tot | F | M | Tot | F | M | Tot |
| Yes | 48 | 21 | 69 | 69% | 84% | 73% | 36 | 14 | 50 | 58% | 50% | 56% |
| No | 22 | 4 | 26 | 31% | 16% | 27% | 26 | 14 | 40 | 42% | 50% | 44% |
| Total | 70 | 25 | 95 | 100% | 100% | 100% | 62 | 28 | 90 | 100% | 100% | 100% |
| If Yes, expenditure | | | | | | | | | | | | |
| <1000 | 30 | 4 | 34 | 63% | 19% | 49% | 18 | 9 | 27 | 50% | 75% | 56% |
| 1000-3000 | 15 | 12 | 27 | 31% | 57% | 39% | 9 | 2 | 11 | 25% | 17% | 23% |
| 3000-5000 | 3 | 2 | 5 | 6% | 10% | 7% | 5 | 1 | 6 | 14% | 8% | 13% |
| 5000-10000 | 0 | 3 | 3 | 0% | 14% | 4% | 4 | 0 | 4 | 11% | 0% | 8% |
| Total | 48 | 21 | 69 | 100% | 100% | 100% | 36 | 12 | 48 | 100% | 100% | 100% |
| | | Junagadh | | | | | All Districts | | | | | |
| Yes | 31 | 13 | 44 | 53% | 37% | 47% | 115 | 48 | 163 | 60% | 55% | 58% |
| No | 28 | 22 | 50 | 47% | 63% | 53% | 76 | 40 | 116 | 40% | 45% | 42% |
| Total | 59 | 35 | 94 | 100% | 100% | 100% | 191 | 88 | 279 | 100% | 100% | 100% |
| If Yes, expenditure | | | | | | | | | | | | |
| <1000 | 23 | 11 | 34 | 74% | 73% | 74% | 71 | 24 | 95 | 62% | 50% | 58% |
| 1000-3000 | 7 | 4 | 11 | 23% | 27% | 24% | 31 | 18 | 49 | 27% | 38% | 30% |
| 3000-5000 | 1 | 0 | 1 | 3% | 0% | 2% | 9 | 3 | 12 | 8% | 6% | 7% |
| 5000-10000 | 0 | 0 | 0 | 0% | 0% | 0% | 4 | 3 | 7 | 3% | 6% | 4% |
| Total | 31 | 15 | 46 | 100% | 100% | 100% | 115 | 48 | 163 | 100% | 100% | 100% |

| Table 8.2.34 | Financial Assistance from Government | | | | | | | | | | | |
|---|--------------------------------------|----|-----|------|------|----------------------|---------|----|-----|------|------|------|
| | Ahmedabad | | | | | | Bharuch | | | | | |
| a. Financial Assistance under Government Schemes | | | | | | | | | | | | |
| | F | M | Tot | F | M | Tot | F | M | Tot | F | M | Tot |
| Yes | 29 | 8 | 37 | 43% | 32% | 40% | 39 | 14 | 53 | 62% | 50% | 58% |
| No | 39 | 17 | 56 | 57% | 68% | 60% | 24 | 14 | 38 | 38% | 50% | 42% |
| Total | 68 | 25 | 93 | 100% | 100% | 100% | 63 | 28 | 91 | 100% | 100% | 100% |
| b. If yes, whether it was easy? | | | | | | | | | | | | |
| Yes | 19 | 2 | 21 | 68% | 29% | 60% | 38 | 12 | 50 | 100% | 92% | 98% |
| No | 9 | 5 | 14 | 32% | 71% | 40% | 0 | 1 | 1 | 0% | 8% | 2% |
| Total | 28 | 7 | 35 | 100% | 100% | 100% | 38 | 13 | 51 | 100% | 100% | 100% |
| Junagadh | | | | | | All Districts | | | | | | |
| a. Financial Assistance under Government Schemes | | | | | | | | | | | | |
| Yes | 30 | 12 | 42 | 51% | 34% | 45% | 98 | 34 | 132 | 52% | 39% | 47% |
| No | 29 | 23 | 52 | 49% | 66% | 55% | 92 | 54 | 146 | 48% | 61% | 53% |
| Total | 59 | 35 | 94 | 100% | 100% | 100% | 190 | 88 | 278 | 100% | 100% | 100% |
| b. If yes, whether it was easy? | | | | | | | | | | | | |
| Yes | 24 | 10 | 34 | 83% | 100% | 87% | 81 | 24 | 105 | 85% | 80% | 84% |
| No | 5 | 0 | 5 | 17% | 0% | 13% | 14 | 6 | 20 | 15% | 20% | 16% |
| Total | 29 | 10 | 39 | 100% | 100% | 100% | 95 | 30 | 125 | 100% | 100% | 100% |

| Table 8.2.35 | Willingness to pay for better service in health centres | | | | | | | | | | | |
|-----------------|---|----|-----|------|------|----------------------|---------|----|-----|------|------|------|
| | Ahmedabad | | | | | | Bharuch | | | | | |
| | F | M | Tot | F | M | Tot | F | M | Tot | F | M | Tot |
| Yes | 59 | 22 | 81 | 87% | 92% | 88% | 40 | 18 | 58 | 67% | 69% | 67% |
| No | 9 | 2 | 11 | 13% | 8% | 12% | 20 | 8 | 28 | 33% | 31% | 33% |
| Total | 68 | 24 | 92 | 100% | 100% | 100% | 60 | 26 | 86 | 100% | 100% | 100% |
| Junagadh | | | | | | All Districts | | | | | | |
| Yes | 40 | 24 | 64 | 80% | 71% | 76% | 139 | 64 | 203 | 78% | 76% | 77% |
| No | 10 | 10 | 20 | 20% | 29% | 24% | 39 | 20 | 59 | 22% | 24% | 23% |
| Total | 50 | 34 | 84 | 100% | 100% | 100% | 178 | 84 | 262 | 100% | 100% | 100% |

8.3 Analysis of Socio-Economic Factors

In the beneficiary survey, the respondents were asked to provide information about their demographic, social and economic status. These were Age, Family Size, Monthly Income, Poverty Level, Occupation, Literacy and Caste. These key factors, individually and jointly, influence the health care status of the respondents. Therefore, it is necessary to understand the impact of these variables on health care behaviour. During the survey of respondents, some critical responses regarding health care were obtained in all the districts. For this purpose, responses in respect of attendance in health awareness programs, health care seeking behaviour in terms of guidance and decision making, purpose of visit to health centre, quality of service at the health centre, possibility of repeat visit to health centre, annual expenditure on health care and willingness to pay for better health service were ascertained and analyzed.

Data tables were generated from the information collected in the survey. Based on this, Chi-Square test of hypothesis was undertaken to ascertain the relationship between these variables.

8.3.1 Age of Respondents

In terms of attendance in awareness generation programs, 88%, 93%, 76% and 73% of respondents of age groups 18-25, 26-35, 36-45 and more than 45 attended such programs (Table 8.3.2 to 8.3.9).

Analysis of health care seeking behaviour reveals key influencer in different age groups. Health workers are the key influencers for all age groups. Parents are the second key influencers in the age group 18-25, ASHA workers in 26-35 and more than 45 and spouses in 36-45 age groups. However, in Ahmedabad, spouses and parents are the key influencers. Decisions regarding health care are made by respondents themselves in most cases. This is followed by spouses and parents. In Ahmedabad, spouses are the key decision makers in the groups 18-25 and 26-35.

Key purpose of visit to health centre is immunization followed by communicable diseases in all age groups. Family planning is the main purpose in age group 36-45 in Ahmedabad and Bharuch. Perception regarding quality of service remains the same across all age groups. As far as repeat visit is concerned, 58% of 18-25 age group respondents, 72% of 26-35, 67% of 36-45 and 73% of more than 45 are certain to repeat their visit.

Persons in age group 36-45 were most likely to go to private practitioner for health care (71%) which was in the 55-60% range for other groups. Similarly, 84% of 36-45 groups are willing to pay more for better service which is 70-80% for other groups.


Test of hypothesis shows that there is no significant difference among age groups in attending awareness program and availing private health care. In case of health care influencers, decision making, purpose of visit, quality of health service, repeat visit to health centre and willingness to pay for better services, there is significant difference between the age groups (Table 8.3.1)

| Table 8.3.1 | Age of Beneficiaries | | | | |
|---|-----------------------------|----------------------------|----------|-----------------------|---------------------------|
| Null Hypothesis | Deg. of Freedom | χ^2 | p | Reject/ Accept | Remarks |
| Attended Awareness Program | 6 | 10.7 | 0.098 | Accept | No significant difference |
| Health Seeking Behaviour - Influencer | 6 | 31.6 | <0.0001 | Reject | Significant Difference |
| Health Seeking Behaviour - Decision Maker | 6 | 26.12 | <0.0001 | Reject | |
| Purpose of visit to health centre | 6 | 31.95 | <0.0001 | Reject | |
| Quality of service | 6 | 14.06 | 0.029 | Reject | |
| Repeat visit to health centre | 6 | 13.65 | 0.034 | Reject | |
| Availed private health care | 6 | 6.56 | 0.363 | Accept | No significant difference |
| Willingness to pay for better services | 6 | 15.47 | 0.017 | Reject | Significant difference |

| Table 8.3.2 | | Attended Awareness Program | | | | | | | | | | |
|--------------|-----------|----------------------------|-------|-----|-----|---------------|---------|----|-------|-----|-----|-------|
| Age | Yes | No | Total | Yes | No | Total | Yes | No | Total | Yes | No | Total |
| | Ahmedabad | | | | | | Bharuch | | | | | |
| 18-25 | 25 | 6 | 31 | 81% | 19% | 100% | 23 | 1 | 24 | 96% | 4% | 100% |
| 26-35 | 24 | 4 | 28 | 86% | 14% | 100% | 41 | 6 | 47 | 87% | 13% | 100% |
| 36-45 | 15 | 6 | 21 | 71% | 29% | 100% | 10 | 3 | 13 | 77% | 23% | 100% |
| >45 | 9 | 3 | 12 | 75% | 25% | 100% | 5 | 2 | 7 | 71% | 29% | 100% |
| Total | 73 | 19 | 92 | 79% | 21% | 100% | 79 | 12 | 91 | 87% | 13% | 100% |
| Junagadh | | | | | | All Districts | | | | | | |
| 18-25 | 20 | 2 | 22 | 91% | 9% | 100% | 68 | 9 | 77 | 88% | 12% | 100% |
| 26-35 | 47 | 3 | 50 | 94% | 6% | 100% | 112 | 13 | 125 | 90% | 10% | 100% |
| 36-45 | 9 | 2 | 11 | 82% | 18% | 100% | 34 | 11 | 45 | 76% | 24% | 100% |
| >45 | 8 | 3 | 11 | 73% | 27% | 100% | 22 | 8 | 30 | 73% | 27% | 100% |
| Total | 84 | 10 | 94 | 89% | 11% | 100% | 236 | 41 | 277 | 85% | 15% | 100% |

Health Care Seeking Behaviour of Beneficiaries

Chart 8.3:



| Health Care Seeking Behaviour - Influencer | | | | | | | | | | | | | | |
|--|--------|---------|--------------|-----|------|-------|-------|--------|---------|--------------|-----|------|-------|-------|
| Age | Spouse | Parents | Frnd/ Rel | HW | ASHA | Othrs | Total | Spouse | Parents | Frnd/ Rel | HW | ASHA | Othrs | Total |
| Ahmedabad | | | | | | | | | | | | | | |
| 18-25 | 23 | 25 | 9 | 9 | 9 | 2 | 77 | 30% | 32% | 12% | 12% | 12% | 3% | 100% |
| 26-35 | 21 | 20 | 7 | 6 | 8 | 5 | 67 | 31% | 30% | 10% | 9% | 12% | 7% | 100% |
| 36-45 | 11 | 8 | 4 | 9 | 4 | 1 | 37 | 30% | 22% | 11% | 24% | 11% | 3% | 100% |
| >45 | 3 | 1 | 4 | 5 | 0 | 0 | 13 | 23% | 8% | 31% | 38% | 0% | 0% | 100% |
| Total | 58 | 54 | 24 | 29 | 21 | 8 | 194 | 30% | 28% | 12% | 15% | 11% | 4% | 100% |
| Bharuch | | | | | | | | | | | | | | |
| 18-25 | 4 | 4 | 1 | 14 | 11 | 1 | 35 | 11% | 11% | 3% | 40% | 31% | 3% | 100% |
| 26-35 | 8 | 6 | 1 | 24 | 22 | 4 | 65 | 12% | 9% | 2% | 37% | 34% | 6% | 100% |
| 36-45 | 4 | 3 | 0 | 10 | 2 | 2 | 21 | 19% | 14% | 0% | 48% | 10% | 10% | 100% |
| >45 | 0 | 0 | 0 | 6 | 3 | 1 | 10 | 0% | 0% | 0% | 60% | 30% | 10% | 100% |
| Total | 16 | 13 | 2 | 54 | 38 | 8 | 131 | 12% | 10% | 2% | 41% | 29% | 6% | 100% |
| Junagadh | | | | | | | | | | | | | | |
| 18-25 | 1 | 6 | 0 | 15 | 6 | 2 | 30 | 3% | 20% | 0% | 50% | 20% | 7% | 100% |
| 26-35 | 15 | 11 | 2 | 38 | 22 | 0 | 88 | 17% | 13% | 2% | 43% | 25% | 0% | 100% |
| 36-45 | 1 | 2 | 1 | 7 | 5 | 0 | 16 | 6% | 13% | 6% | 44% | 31% | 0% | 100% |
| >45 | 3 | 2 | 1 | 10 | 5 | 0 | 21 | 14% | 10% | 5% | 48% | 24% | 0% | 100% |
| Total | 20 | 21 | 4 | 70 | 38 | 2 | 155 | 13% | 14% | 3% | 45% | 25% | 1% | 100% |
| All Districts | | | | | | | | | | | | | | |
| 18-25 | 28 | 35 | 10 | 38 | 26 | 5 | 142 | 20% | 25% | 7% | 27% | 18% | 4% | 100% |
| 26-35 | 44 | 37 | 10 | 68 | 52 | 9 | 220 | 20% | 17% | 5% | 31% | 24% | 4% | 100% |
| 36-45 | 16 | 13 | 5 | 26 | 11 | 3 | 74 | 22% | 18% | 7% | 35% | 15% | 4% | 100% |
| >45 | 6 | 3 | 5 | 21 | 8 | 1 | 44 | 14% | 7% | 11% | 48% | 18% | 2% | 100% |
| Total | 94 | 88 | 30 | 153 | 97 | 18 | 480 | 20% | 18% | 6% | 32% | 20% | 4% | 100% |

| Health Care Seeking Behaviour - Decision Maker | | | | | | | | | | | | | | |
|--|------------|------------|-----------|---------------------|-----------|-----------|------------|------------|------------------|------------|---------------------|------------|------------|-------------|
| Age | Own self | Spouse | Parents | Friend/ Relative | HW | ASHA | Total | Own self | Husband/ wife | Parents | Friend/ Relative | HW | ASHA | Total |
| Ahmedabad | | | | | | | | | | | | | | |
| 18-25 | 18 | 23 | 17 | 2 | 3 | 3 | 66 | 27% | 35% | 26% | 3% | 5% | 5% | 100% |
| 26-35 | 17 | 17 | 13 | 3 | 2 | 2 | 54 | 31% | 31% | 24% | 6% | 4% | 4% | 100% |
| 36-45 | 14 | 10 | 5 | 2 | 1 | 0 | 32 | 44% | 31% | 16% | 6% | 3% | 0% | 100% |
| >45 | 8 | 2 | 3 | 2 | 4 | 0 | 19 | 42% | 11% | 16% | 11% | 21% | 0% | 100% |
| Total | 57 | 52 | 38 | 9 | 10 | 5 | 171 | 33% | 30% | 22% | 5% | 6% | 3% | 100% |
| Bharuch | | | | | | | | | | | | | | |
| 18-25 | 11 | 4 | 3 | 1 | 3 | 8 | 30 | 37% | 13% | 10% | 3% | 10% | 27% | 100% |
| 26-35 | 31 | 11 | 4 | 2 | 6 | 6 | 60 | 52% | 18% | 7% | 3% | 10% | 10% | 100% |
| 36-45 | 8 | 7 | 1 | 1 | 3 | 2 | 22 | 36% | 32% | 5% | 5% | 14% | 9% | 100% |
| >45 | 4 | 2 | 0 | 1 | 2 | 1 | 10 | 40% | 20% | 0% | 10% | 20% | 10% | 100% |
| Total | 54 | 24 | 8 | 5 | 14 | 17 | 122 | 44% | 20% | 7% | 4% | 11% | 14% | 100% |
| Junagadh | | | | | | | | | | | | | | |
| 18-25 | 11 | 6 | 2 | 3 | 7 | 5 | 34 | 32% | 18% | 6% | 9% | 21% | 15% | 100% |
| 26-35 | 33 | 13 | 6 | 0 | 19 | 9 | 80 | 41% | 16% | 8% | 0% | 24% | 11% | 100% |
| 36-45 | 5 | 1 | 1 | 0 | 5 | 0 | 12 | 42% | 8% | 8% | 0% | 42% | 0% | 100% |
| >45 | 9 | 4 | 1 | 0 | 3 | 1 | 18 | 50% | 22% | 6% | 0% | 17% | 6% | 100% |
| Total | 58 | 24 | 10 | 3 | 34 | 15 | 144 | 40% | 17% | 7% | 2% | 24% | 10% | 100% |
| All Districts | | | | | | | | | | | | | | |
| 18-25 | 40 | 33 | 22 | 6 | 13 | 16 | 130 | 31% | 25% | 17% | 5% | 10% | 12% | 100% |
| 26-35 | 81 | 41 | 23 | 5 | 27 | 17 | 194 | 42% | 21% | 12% | 3% | 14% | 9% | 100% |
| 36-45 | 27 | 18 | 7 | 3 | 9 | 2 | 66 | 41% | 27% | 11% | 5% | 14% | 3% | 100% |
| >45 | 21 | 8 | 4 | 3 | 9 | 2 | 47 | 45% | 17% | 9% | 6% | 19% | 4% | 100% |
| Total | 169 | 100 | 56 | 17 | 58 | 37 | 437 | 39% | 23% | 13% | 4% | 13% | 8% | 100% |

| Purpose of Visit to Health Centre | | | | | | | | | | | | | | |
|-----------------------------------|---------------|-----------------|------------------|-----------------|-----------|----------|------------|---------------|-----------------|------------------|-----------------|------------|-----------|-------------|
| Table 8.3.5 | | | | | | | | | | | | Total | | |
| Age | Immuni zation | Family Planning | Communi diseases | Maternal Health | Nutrition | Others | Total | Immuni zation | Family Planning | Communi diseases | Maternal Health | Nutrition | Others | Total |
| Ahmedabad | | | | | | | | | | | | | | |
| 18-25 | 13 | 2 | 10 | 6 | 2 | 0 | 33 | 39% | 6% | 30% | 18% | 6% | 0% | 100% |
| 26-35 | 13 | 10 | 10 | 6 | 3 | 2 | 44 | 30% | 23% | 23% | 14% | 7% | 5% | 100% |
| 36-45 | 10 | 9 | 7 | 2 | 2 | 1 | 31 | 32% | 29% | 23% | 6% | 6% | 3% | 100% |
| >45 | 8 | 2 | 3 | 2 | 4 | 0 | 19 | 42% | 11% | 16% | 11% | 21% | 0% | 100% |
| Total | 44 | 23 | 30 | 16 | 11 | 3 | 127 | 35% | 18% | 24% | 13% | 9% | 2% | 100% |
| Bharuch | | | | | | | | | | | | | | |
| 18-25 | 11 | 9 | 9 | 3 | 6 | 1 | 39 | 28% | 23% | 23% | 8% | 15% | 3% | 100% |
| 26-35 | 23 | 16 | 25 | 12 | 9 | 0 | 85 | 27% | 19% | 29% | 14% | 11% | 0% | 100% |
| 36-45 | 8 | 3 | 3 | 1 | 5 | 0 | 20 | 40% | 15% | 15% | 5% | 25% | 0% | 100% |
| >45 | 2 | 2 | 3 | 1 | 1 | 0 | 9 | 22% | 22% | 33% | 11% | 11% | 0% | 100% |
| Total | 44 | 30 | 40 | 17 | 21 | 1 | 153 | 29% | 20% | 26% | 11% | 14% | 1% | 100% |
| Junagadh | | | | | | | | | | | | | | |
| 18-25 | 7 | 8 | 5 | 6 | 7 | 1 | 34 | 21% | 24% | 15% | 18% | 21% | 3% | 100% |
| 26-35 | 31 | 21 | 20 | 8 | 10 | 0 | 90 | 34% | 23% | 22% | 9% | 11% | 0% | 100% |
| 36-45 | 0 | 3 | 7 | 0 | 0 | 0 | 10 | 0% | 30% | 70% | 0% | 0% | 0% | 100% |
| >45 | 1 | 2 | 9 | 3 | 1 | 0 | 16 | 6% | 13% | 56% | 19% | 6% | 0% | 100% |
| Total | 39 | 34 | 41 | 17 | 18 | 1 | 150 | 26% | 23% | 27% | 11% | 12% | 1% | 100% |
| All Districts | | | | | | | | | | | | | | |
| 18-25 | 31 | 19 | 24 | 15 | 15 | 2 | 106 | 29% | 18% | 23% | 14% | 14% | 2% | 100% |
| 26-35 | 67 | 47 | 55 | 26 | 22 | 2 | 219 | 31% | 21% | 25% | 12% | 10% | 1% | 100% |
| 36-45 | 18 | 15 | 17 | 3 | 7 | 1 | 61 | 30% | 25% | 28% | 5% | 11% | 2% | 100% |
| >45 | 11 | 6 | 15 | 6 | 6 | 0 | 44 | 25% | 14% | 34% | 14% | 14% | 0% | 100% |
| Total | 127 | 87 | 111 | 50 | 50 | 5 | 430 | 30% | 20% | 26% | 12% | 12% | 1% | 100% |

| Table 8.3.6 | | Quality of Service | | | | | | | | | | |
|----------------------|----------|--------------------|-----------|------------|-----------|------------|-----------|-----------|------------|------------|------------|-------------|
| | Bad | Poor | Normal | Good | Very Good | Total | Bad | Poor | Normal | Good | Very Good | Total |
| Ahmedabad | | | | | | | | | | | | |
| Age | | | | | | | | | | | | |
| 18-25 | 0 | 1 | 13 | 16 | 0 | 30 | 0% | 3% | 43% | 53% | 0% | 100% |
| 26-35 | 1 | 2 | 10 | 14 | 0 | 27 | 4% | 7% | 37% | 52% | 0% | 100% |
| 36-45 | 1 | 0 | 8 | 12 | 0 | 21 | 5% | 0% | 38% | 57% | 0% | 100% |
| >45 | 1 | 0 | 8 | 2 | 1 | 12 | 8% | 0% | 67% | 17% | 8% | 100% |
| Total | 3 | 3 | 39 | 44 | 1 | 90 | 3% | 3% | 43% | 49% | 1% | 100% |
| Bharuch | | | | | | | | | | | | |
| 18-25 | 0 | 0 | 0 | 18 | 6 | 24 | 0% | 0% | 0% | 75% | 25% | 100% |
| 26-35 | 0 | 0 | 2 | 35 | 10 | 47 | 0% | 0% | 4% | 74% | 21% | 100% |
| 36-45 | 0 | 0 | 1 | 5 | 7 | 13 | 0% | 0% | 8% | 38% | 54% | 100% |
| >45 | 0 | 0 | 1 | 3 | 3 | 7 | 0% | 0% | 14% | 43% | 43% | 100% |
| Total | 0 | 0 | 4 | 61 | 26 | 91 | 0% | 0% | 4% | 67% | 29% | 100% |
| Junagadh | | | | | | | | | | | | |
| 18-25 | 0 | 0 | 6 | 8 | 8 | 22 | 0% | 0% | 27% | 36% | 36% | 100% |
| 26-35 | 0 | 1 | 17 | 21 | 11 | 50 | 0% | 2% | 34% | 42% | 22% | 100% |
| 36-45 | 0 | 0 | 4 | 7 | 0 | 11 | 0% | 0% | 36% | 64% | 0% | 100% |
| >45 | 0 | 0 | 5 | 6 | 0 | 11 | 0% | 0% | 45% | 55% | 0% | 100% |
| Total | 0 | 1 | 32 | 42 | 19 | 94 | 0% | 1% | 34% | 45% | 20% | 100% |
| All Districts | | | | | | | | | | | | |
| 18-25 | 0 | 1 | 19 | 42 | 14 | 76 | 0% | 1% | 25% | 55% | 18% | 100% |
| 26-35 | 1 | 3 | 29 | 70 | 21 | 124 | 1% | 2% | 23% | 56% | 17% | 100% |
| 36-45 | 1 | 0 | 13 | 24 | 7 | 45 | 2% | 0% | 29% | 53% | 16% | 100% |
| >45 | 1 | 0 | 14 | 11 | 4 | 30 | 3% | 0% | 47% | 37% | 13% | 100% |
| Total | 3 | 4 | 75 | 147 | 46 | 275 | 1% | 1% | 27% | 53% | 17% | 100% |

| Repeat Visit to Health Centre | | | | | | | | | | | | | | | | |
|-------------------------------|----------------------|-----------|-----------|-----------|-----------|------------|------------|-------------|----------|-----------|------------|------------|-----------|------------|------------|-------------|
| Table 8.3.7 | | | | | | | | | | | | | | | | |
| Age | Never | May be | Certainly | Total | Never | May be | Certainly | Total | Never | May be | Certainly | Total | Never | May be | Certainly | Total |
| | Ahmedabad | | | | | | | | | | | | | | | |
| 18-25 | 0 | 24 | 7 | 31 | 0% | 77% | 23% | 100% | 0 | 6 | 18 | 24 | 0% | 25% | 75% | 100% |
| 26-35 | 0 | 18 | 10 | 28 | 0% | 64% | 36% | 100% | 0 | 7 | 40 | 47 | 0% | 15% | 85% | 100% |
| 36-45 | 1 | 9 | 11 | 21 | 5% | 43% | 52% | 100% | 0 | 1 | 12 | 13 | 0% | 8% | 92% | 100% |
| >45 | 0 | 4 | 8 | 12 | 0% | 33% | 67% | 100% | 0 | 1 | 6 | 7 | 0% | 14% | 86% | 100% |
| Total | 1 | 55 | 36 | 92 | 1% | 60% | 39% | 100% | 0 | 15 | 76 | 91 | 0% | 16% | 84% | 100% |
| | Junagadh | | | | | | | | | | | | | | | |
| 18-25 | 0 | 2 | 20 | 22 | 0% | 9% | 91% | 100% | 0 | 32 | 45 | 77 | 0% | 42% | 58% | 100% |
| 26-35 | 1 | 9 | 40 | 50 | 2% | 18% | 80% | 100% | 1 | 34 | 90 | 125 | 1% | 27% | 72% | 100% |
| 36-45 | 0 | 4 | 7 | 11 | 0% | 36% | 64% | 100% | 1 | 14 | 30 | 45 | 2% | 31% | 67% | 100% |
| >45 | 0 | 3 | 8 | 11 | 0% | 27% | 73% | 100% | 0 | 8 | 22 | 30 | 0% | 27% | 73% | 100% |
| Total | 1 | 18 | 75 | 94 | 1% | 19% | 80% | 100% | 2 | 88 | 187 | 277 | 1% | 32% | 68% | 100% |
| | All Districts | | | | | | | | | | | | | | | |
| 18-25 | 0 | 2 | 20 | 22 | 0% | 9% | 91% | 100% | 0 | 32 | 45 | 77 | 0% | 42% | 58% | 100% |
| 26-35 | 1 | 9 | 40 | 50 | 2% | 18% | 80% | 100% | 1 | 34 | 90 | 125 | 1% | 27% | 72% | 100% |
| 36-45 | 0 | 4 | 7 | 11 | 0% | 36% | 64% | 100% | 1 | 14 | 30 | 45 | 2% | 31% | 67% | 100% |
| >45 | 0 | 3 | 8 | 11 | 0% | 27% | 73% | 100% | 0 | 8 | 22 | 30 | 0% | 27% | 73% | 100% |
| Total | 1 | 18 | 75 | 94 | 1% | 19% | 80% | 100% | 2 | 88 | 187 | 277 | 1% | 32% | 68% | 100% |

| Table 8.3.8 Annual Out-of-Pocket Expenditure on Health | | | | | | | | | | | | | | | | |
|--|------------|------------|------------|---------------------|-----------|-----------|------------|------------|------------|------------|-------------|------------|------------|------------|------------|-------------|
| Age | Yes | No | Total | If Yes, Expenditure | | | | Total | Yes | No | Total | <1000 | 1000-3000 | 3000-5000 | 5000-10000 | Total |
| | | | | <1000 | 1000-3000 | 3000-5000 | 5000-10000 | | | | | | | | | |
| Ahmedabad | | | | | | | | | | | | | | | | |
| 18-25 | 19 | 12 | 31 | 13 | 5 | 0 | 1 | 19 | 61% | 39% | 100% | 68% | 26% | 0% | 5% | 100% |
| 26-35 | 22 | 6 | 28 | 10 | 9 | 2 | 1 | 22 | 79% | 21% | 100% | 45% | 41% | 9% | 5% | 100% |
| 36-45 | 16 | 5 | 21 | 7 | 7 | 1 | 1 | 16 | 76% | 24% | 100% | 44% | 44% | 6% | 6% | 100% |
| >45 | 10 | 2 | 12 | 4 | 4 | 2 | 0 | 10 | 83% | 17% | 100% | 40% | 40% | 20% | 0% | 100% |
| Total | 67 | 25 | 92 | 34 | 25 | 5 | 3 | 67 | 73% | 27% | 100% | 51% | 37% | 7% | 4% | 100% |
| Bharuch | | | | | | | | | | | | | | | | |
| 18-25 | 11 | 12 | 23 | 5 | 2 | 3 | 1 | 11 | 48% | 52% | 100% | 45% | 18% | 27% | 9% | 100% |
| 26-35 | 26 | 21 | 47 | 13 | 7 | 3 | 3 | 26 | 55% | 45% | 100% | 50% | 27% | 12% | 12% | 100% |
| 36-45 | 9 | 4 | 13 | 6 | 0 | 0 | 0 | 6 | 69% | 31% | 100% | 100% | 0% | 0% | 0% | 100% |
| >45 | 4 | 3 | 7 | 3 | 2 | 0 | 0 | 5 | 57% | 43% | 100% | 60% | 40% | 0% | 0% | 100% |
| Total | 50 | 40 | 90 | 27 | 11 | 6 | 4 | 48 | 56% | 44% | 100% | 56% | 23% | 13% | 8% | 100% |
| Junagadh | | | | | | | | | | | | | | | | |
| 18-25 | 12 | 10 | 22 | 6 | 4 | 0 | 0 | 10 | 55% | 45% | 100% | 60% | 40% | 0% | 0% | 100% |
| 26-35 | 22 | 28 | 50 | 17 | 3 | 1 | 0 | 21 | 44% | 56% | 100% | 81% | 14% | 5% | 0% | 100% |
| 36-45 | 7 | 4 | 11 | 5 | 2 | 0 | 0 | 7 | 64% | 36% | 100% | 71% | 29% | 0% | 0% | 100% |
| >45 | 3 | 8 | 11 | 3 | 0 | 0 | 0 | 3 | 27% | 73% | 100% | 100% | 0% | 0% | 0% | 100% |
| Total | 44 | 50 | 94 | 31 | 9 | 1 | 0 | 41 | 47% | 53% | 100% | 76% | 22% | 2% | 0% | 100% |
| All Districts | | | | | | | | | | | | | | | | |
| 18-25 | 42 | 34 | 76 | 24 | 11 | 3 | 2 | 40 | 55% | 45% | 100% | 60% | 28% | 8% | 5% | 100% |
| 26-35 | 70 | 55 | 125 | 40 | 19 | 6 | 4 | 69 | 56% | 44% | 100% | 58% | 28% | 9% | 6% | 100% |
| 36-45 | 32 | 13 | 45 | 18 | 9 | 1 | 1 | 29 | 71% | 29% | 100% | 62% | 31% | 3% | 3% | 100% |
| >45 | 17 | 13 | 30 | 10 | 6 | 2 | 0 | 18 | 57% | 43% | 100% | 56% | 33% | 11% | 0% | 100% |
| Total | 161 | 115 | 276 | 92 | 45 | 12 | 7 | 156 | 58% | 42% | 100% | 59% | 29% | 8% | 4% | 100% |

| Table 8.3.9 | | Willingness to Pay for Better Services | | | | | | | | | | | |
|-------------|-----------------|--|----|-------|-----|------|----------------------|---------|-----|-------|-----|------|-------|
| | | Ahmedabad | | | | | | Bharuch | | | | | |
| | | Yes | No | Total | Yes | No | Total | Yes | No | Total | Yes | No | Total |
| Age | 26 | 4 | 30 | 87% | 13% | 100% | 12 | 11 | 23 | 52% | 48% | 100% | |
| 18-25 | 23 | 4 | 27 | 85% | 15% | 100% | 33 | 11 | 44 | 75% | 25% | 100% | |
| 26-35 | 19 | 2 | 21 | 90% | 10% | 100% | 9 | 3 | 12 | 75% | 25% | 100% | |
| 36-45 | 10 | 1 | 11 | 91% | 9% | 100% | 4 | 3 | 7 | 57% | 43% | 100% | |
| >45 | 78 | 11 | 89 | 88% | 12% | 100% | 58 | 28 | 86 | 67% | 33% | 100% | |
| Total | Junagadh | | | | | | All Districts | | | | | | |
| 18-25 | 11 | 5 | 16 | 69% | 31% | 100% | 49 | 20 | 69 | 71% | 29% | 100% | |
| 26-35 | 36 | 11 | 47 | 77% | 23% | 100% | 92 | 26 | 118 | 78% | 22% | 100% | |
| 36-45 | 9 | 2 | 11 | 82% | 18% | 100% | 37 | 7 | 44 | 84% | 16% | 100% | |
| >45 | 8 | 2 | 10 | 80% | 20% | 100% | 22 | 6 | 28 | 79% | 21% | 100% | |
| Total | 64 | 20 | 84 | 76% | 24% | 100% | 200 | 59 | 259 | 77% | 23% | 100% | |

8.3.2 Family Size

Analysis of attendance in awareness generation programs shows that 90%, 85%, 88%, and 76% respondents with family size upto 2, 3-4, 5-6 and more than 6 attended such programs. Health workers are the key influencers for all age groups followed by ASHA and spouses. Decisions on health care are made by respondents themselves in most cases. This is followed by spouses and parents (Table 8.3.11 to 8.3.18)

Key purpose of visit to health centre is communicable diseases followed by immunization. Family planning is the main purpose in family size upto 2 & 5-6 in Bharuch and 3-4 & 5-6 in Junagadh. Regarding quality of service, 50% of upto 2, 65% of 3-4, 74% of 5-6 and 71% of more than 6 found it to be good or very good.

As far as repeat visit is concerned, 60% of upto 2, 68% of 3-4, 67% of 5-6 and 80% of more than 6 were certain to visit the health centre again. It was found that 60% with family size upto 2, 53% of 3-4, 61% of 5-6 and 60% had availed private health care recently. 90% of respondents with family size upto 2, 83% of 3-4, 77% of 5-6 and 67% with more than 6 were willing to pay for better services.

Test of hypothesis shows that there is no significant difference in terms of family size in health care influencers, decision making, quality of health service, repeat visit to health centre, centre and willingness to pay for better services. In case of attendance in awareness programs and purpose of visit to health centre, there is significant difference across family sizes (Table 8.3.10).

| Table 8.3.10 | Family Size | | | | |
|---|-----------------|-----------------|----------|--------|---------------------------|
| | Null Hypothesis | Deg. of Freedom | χ^2 | P | Reject/ Accept |
| Attended Awareness Program | 6 | 144.3 | <0.0001 | Reject | Significant difference |
| Health Seeking Behaviour - Influencer | 6 | 9.7 | 0.14 | Accept | No Significant difference |
| Health Seeking Behaviour - Decision Maker | 6 | 12 | 0.062 | Accept | |
| Purpose of visit to health centre | 6 | 13.25 | 0.039 | Reject | Significant difference |
| Quality of service | 6 | 0.15 | 0.166 | Accept | No significant difference |
| Repeat visit to health centre | 6 | 7.44 | 0.282 | Accept | |
| Availed private health care | 6 | 3.53 | 0.74 | Accept | |
| Willingness to pay for better services | 6 | 7.76 | 0.256 | Accept | |

| Family Size | | Attended awareness program | | | | | | | | | | |
|----------------------|-----------|----------------------------|-----------|------------|------------|-------------|------------|-----------|------------|------------|------------|-------------|
| | | Yes | No | Total | Yes | No | Total | Yes | No | Total | Yes | No |
| Ahmedabad | | | | | | | | | | | | |
| Upto 2 | 5 | 1 | 6 | 83% | 17% | 100% | 2 | 0 | 2 | 100% | 0% | 100% |
| 3-4 | 24 | 6 | 30 | 80% | 20% | 100% | 21 | 5 | 26 | 81% | 19% | 100% |
| 5-6 | 31 | 9 | 40 | 78% | 23% | 100% | 46 | 4 | 50 | 92% | 8% | 100% |
| >6 | 15 | 4 | 19 | 79% | 21% | 100% | 10 | 3 | 13 | 77% | 23% | 100% |
| Total | 75 | 20 | 95 | 79% | 21% | 100% | 79 | 12 | 91 | 87% | 13% | 100% |
| Junagadh | | | | | | | | | | | | |
| Upto 2 | 2 | 0 | 2 | 100% | 0% | 100% | 9 | 1 | 10 | 90% | 10% | 100% |
| 3-4 | 22 | 1 | 23 | 96% | 4% | 100% | 67 | 12 | 79 | 85% | 15% | 100% |
| 5-6 | 51 | 5 | 56 | 91% | 9% | 100% | 128 | 18 | 146 | 88% | 12% | 100% |
| >6 | 9 | 4 | 13 | 69% | 31% | 100% | 34 | 11 | 45 | 76% | 24% | 100% |
| Total | 84 | 10 | 94 | 89% | 11% | 100% | 238 | 42 | 280 | 85% | 15% | 100% |
| All Districts | | | | | | | | | | | | |

Table 8.3.12

| Health Seeking Behaviour - Influencer | | | | | | | | | | | | | | |
|---------------------------------------|-----------|-----------|--------------|------------|-----------|-----------|------------|------------|------------|--------------|------------|------------|-----------|-------------|
| Family Size | Spouse | Parents | Frnd/ Rel | HW | ASHA | Othrs | Total | Spouse | Parents | Frnd/ Rel | HW | ASHA | Othrs | Total |
| Ahmedabad | | | | | | | | | | | | | | |
| Up to 2 | 2 | 4 | 2 | 3 | 2 | 0 | 13 | 15% | 31% | 15% | 23% | 15% | 0% | 100% |
| 3-4 | 20 | 17 | 9 | 9 | 7 | 2 | 64 | 31% | 27% | 14% | 14% | 11% | 3% | 100% |
| 5-6 | 30 | 27 | 9 | 10 | 8 | 4 | 88 | 34% | 31% | 10% | 11% | 9% | 5% | 100% |
| >6 | 9 | 7 | 4 | 7 | 5 | 2 | 34 | 26% | 21% | 12% | 21% | 15% | 6% | 100% |
| Total | 61 | 55 | 24 | 29 | 22 | 8 | 199 | 31% | 28% | 12% | 15% | 11% | 4% | 100% |
| Bharuch | | | | | | | | | | | | | | |
| Up to 2 | 0 | 0 | 1 | 2 | 2 | 0 | 5 | 0% | 0% | 20% | 40% | 40% | 0% | 100% |
| 3-4 | 6 | 5 | 1 | 14 | 13 | 0 | 39 | 15% | 13% | 3% | 36% | 33% | 0% | 100% |
| 5-6 | 8 | 7 | 0 | 32 | 18 | 4 | 69 | 12% | 10% | 0% | 46% | 26% | 6% | 100% |
| >6 | 2 | 1 | 0 | 6 | 5 | 4 | 18 | 11% | 6% | 0% | 33% | 28% | 22% | 100% |
| Total | 16 | 13 | 2 | 54 | 38 | 8 | 131 | 12% | 10% | 2% | 41% | 29% | 6% | 100% |
| Junagadh | | | | | | | | | | | | | | |
| Up to 2 | 0 | 0 | 1 | 1 | 1 | 0 | 3 | 0% | 0% | 33% | 33% | 33% | 0% | 100% |
| 3-4 | 5 | 5 | 0 | 19 | 11 | 0 | 40 | 13% | 13% | 0% | 48% | 28% | 0% | 100% |
| 5-6 | 11 | 13 | 2 | 40 | 22 | 2 | 90 | 12% | 14% | 2% | 44% | 24% | 2% | 100% |
| >6 | 4 | 3 | 1 | 10 | 4 | 0 | 22 | 18% | 14% | 5% | 45% | 18% | 0% | 100% |
| Total | 20 | 21 | 4 | 70 | 38 | 2 | 155 | 13% | 14% | 3% | 45% | 25% | 1% | 100% |
| All Districts | | | | | | | | | | | | | | |
| Up to 2 | 2 | 4 | 4 | 6 | 5 | 0 | 21 | 10% | 19% | 19% | 29% | 24% | 0% | 100% |
| 3-4 | 31 | 27 | 10 | 42 | 31 | 2 | 143 | 22% | 19% | 7% | 29% | 22% | 1% | 100% |
| 5-6 | 49 | 47 | 11 | 82 | 48 | 10 | 247 | 20% | 19% | 4% | 33% | 19% | 4% | 100% |
| >6 | 15 | 11 | 5 | 23 | 14 | 6 | 74 | 20% | 15% | 7% | 31% | 19% | 8% | 100% |
| Total | 97 | 89 | 30 | 153 | 98 | 18 | 485 | 20% | 18% | 6% | 32% | 20% | 4% | 100% |

| Table 8.3.13 | | Health Seeking Behaviour - Decision Maker | | | | | | | | | | | | | |
|----------------------|------------|---|-----------|---------------------|-----------|-----------|------------|------------|------------------|------------|---------------------|------------|------------|-------------|--|
| Occupation | Own self | Spouse | Parents | Friend/ Relative | HW | ASHA | Total | Own self | Husband/ wife | Parents | Friend/ Relative | HW | ASHA | Total | |
| Ahmedabad | | | | | | | | | | | | | | | |
| Up to 2 | 5 | 2 | 2 | 0 | 0 | 0 | 9 | 56% | 22% | 22% | 0% | 0% | 0% | 100% | |
| 3-4 | 20 | 19 | 12 | 3 | 3 | 2 | 59 | 34% | 32% | 20% | 5% | 5% | 3% | 100% | |
| 5-6 | 21 | 26 | 17 | 4 | 1 | 3 | 72 | 29% | 36% | 24% | 6% | 1% | 4% | 100% | |
| >6 | 12 | 8 | 8 | 2 | 6 | 0 | 36 | 33% | 22% | 22% | 6% | 17% | 0% | 100% | |
| Total | 58 | 55 | 39 | 9 | 10 | 5 | 176 | 33% | 31% | 22% | 5% | 6% | 3% | 100% | |
| Bharuch | | | | | | | | | | | | | | | |
| Up to 2 | 2 | 0 | 0 | 0 | 0 | 0 | 2 | 100% | 0% | 0% | 0% | 0% | 0% | 100% | |
| 3-4 | 17 | 5 | 2 | 0 | 4 | 6 | 34 | 50% | 15% | 6% | 0% | 12% | 18% | 100% | |
| 5-6 | 27 | 15 | 6 | 5 | 7 | 9 | 69 | 39% | 22% | 9% | 7% | 10% | 13% | 100% | |
| >6 | 8 | 4 | 0 | 0 | 3 | 2 | 17 | 47% | 24% | 0% | 0% | 18% | 12% | 100% | |
| Total | 54 | 24 | 8 | 5 | 14 | 17 | 122 | 44% | 20% | 7% | 4% | 11% | 14% | 100% | |
| Junagadh | | | | | | | | | | | | | | | |
| Up to 2 | 1 | 0 | 0 | 0 | 1 | 1 | 3 | 33% | 0% | 0% | 0% | 33% | 33% | 100% | |
| 3-4 | 17 | 7 | 2 | 0 | 7 | 4 | 37 | 46% | 19% | 5% | 0% | 19% | 11% | 100% | |
| 5-6 | 34 | 12 | 6 | 3 | 18 | 7 | 80 | 43% | 15% | 8% | 4% | 23% | 9% | 100% | |
| >6 | 6 | 5 | 2 | 0 | 8 | 3 | 24 | 25% | 21% | 8% | 0% | 33% | 13% | 100% | |
| Total | 58 | 24 | 10 | 3 | 34 | 15 | 144 | 40% | 17% | 7% | 2% | 24% | 10% | 100% | |
| All Districts | | | | | | | | | | | | | | | |
| Up to 2 | 8 | 2 | 2 | 0 | 1 | 1 | 14 | 57% | 14% | 14% | 0% | 7% | 7% | 100% | |
| 3-4 | 54 | 31 | 16 | 3 | 14 | 12 | 130 | 42% | 24% | 12% | 2% | 11% | 9% | 100% | |
| 5-6 | 82 | 53 | 29 | 12 | 26 | 19 | 221 | 37% | 24% | 13% | 5% | 12% | 9% | 100% | |
| >6 | 26 | 17 | 10 | 2 | 17 | 5 | 77 | 34% | 22% | 13% | 3% | 22% | 6% | 100% | |
| Total | 170 | 103 | 57 | 17 | 58 | 37 | 442 | 38% | 23% | 13% | 4% | 13% | 8% | 100% | |

| Table 8.3.14 Purpose of Visit to Health Centre | | | | | | | | | | | | | | |
|--|---------------|-----------------|------------------|-----------------|-----------|--------|-------|---------------|-----------------|------------------|-----------------|-----------|--------|-------|
| Family Size | Immuni zation | Family Planning | Communi diseases | Maternal Health | Nutrition | Others | Total | Immuni zation | Family Planning | Communi diseases | Maternal Health | Nutrition | Others | Total |
| | | | | | | | | | | | | | | |
| Ahmedabad | | | | | | | | | | | | | | |
| Upto 2 | 3 | 1 | 3 | 0 | 0 | 0 | 7 | 43% | 14% | 43% | 0% | 0% | 0% | 100% |
| 3-4 | 8 | 6 | 8 | 5 | 1 | 0 | 28 | 29% | 21% | 29% | 18% | 4% | 0% | 100% |
| 5-6 | 22 | 13 | 12 | 8 | 4 | 3 | 62 | 35% | 21% | 19% | 13% | 6% | 5% | 100% |
| >6 | 4 | 5 | 11 | 4 | 2 | 2 | 28 | 14% | 18% | 39% | 14% | 7% | 7% | 100% |
| Total | 37 | 25 | 34 | 17 | 7 | 5 | 125 | 30% | 20% | 27% | 14% | 6% | 4% | 100% |
| Bharuch | | | | | | | | | | | | | | |
| Upto 2 | 0 | 1 | 2 | 0 | 0 | 0 | 3 | 0% | 33% | 67% | 0% | 0% | 0% | 100% |
| 3-4 | 14 | 5 | 14 | 4 | 7 | 1 | 45 | 31% | 11% | 31% | 9% | 16% | 2% | 100% |
| 5-6 | 25 | 22 | 18 | 9 | 12 | 0 | 86 | 29% | 26% | 21% | 10% | 14% | 0% | 100% |
| >6 | 5 | 2 | 6 | 4 | 2 | 0 | 19 | 26% | 11% | 32% | 21% | 11% | 0% | 100% |
| Total | 44 | 30 | 40 | 17 | 21 | 1 | 153 | 29% | 20% | 26% | 11% | 14% | 1% | 100% |
| Junagadh | | | | | | | | | | | | | | |
| Upto 2 | 1 | 0 | 1 | 0 | 0 | 0 | 2 | 50% | 0% | 50% | 0% | 0% | 0% | 100% |
| 3-4 | 10 | 8 | 10 | 6 | 5 | 0 | 39 | 26% | 21% | 26% | 15% | 13% | 0% | 100% |
| 5-6 | 26 | 24 | 22 | 7 | 10 | 1 | 90 | 29% | 27% | 24% | 8% | 11% | 1% | 100% |
| >6 | 2 | 2 | 8 | 4 | 3 | 0 | 19 | 11% | 11% | 42% | 21% | 16% | 0% | 100% |
| Total | 39 | 34 | 41 | 17 | 18 | 1 | 150 | 26% | 23% | 27% | 11% | 12% | 1% | 100% |
| All Districts | | | | | | | | | | | | | | |
| Upto 2 | 4 | 2 | 6 | 0 | 0 | 0 | 12 | 33% | 17% | 50% | 0% | 0% | 0% | 100% |
| 3-4 | 32 | 19 | 32 | 15 | 13 | 1 | 112 | 29% | 17% | 29% | 13% | 12% | 1% | 100% |
| 5-6 | 73 | 59 | 52 | 24 | 26 | 4 | 238 | 31% | 25% | 22% | 10% | 11% | 2% | 100% |
| >6 | 11 | 9 | 25 | 12 | 7 | 2 | 66 | 17% | 14% | 38% | 18% | 11% | 3% | 100% |
| Total | 120 | 89 | 115 | 51 | 46 | 7 | 428 | 28% | 21% | 27% | 12% | 11% | 2% | 100% |

| Table 8.3.15 | | Quality of Service | | | | | | | | | | |
|----------------------|----------|--------------------|-----------|------------|-----------|------------|-----------|-----------|------------|------------|------------|-------------|
| Family Size | Bad | Poor | Normal | Good | Very Good | Total | Bad | Poor | Normal | Good | Very Good | Total |
| Ahmedabad | | | | | | | | | | | | |
| Upto 2 | 0 | 0 | 3 | 3 | 0 | 6 | 0% | 0% | 50% | 50% | 0% | 100% |
| 3-4 | 0 | 3 | 18 | 9 | 0 | 30 | 0% | 10% | 60% | 30% | 0% | 100% |
| 5-6 | 2 | 0 | 13 | 23 | 0 | 38 | 5% | 0% | 34% | 61% | 0% | 100% |
| >6 | 1 | 0 | 7 | 10 | 1 | 19 | 5% | 0% | 37% | 53% | 5% | 100% |
| Total | 3 | 3 | 41 | 45 | 1 | 93 | 3% | 3% | 44% | 48% | 1% | 100% |
| Bharuch | | | | | | | | | | | | |
| Upto 2 | 0 | 0 | 0 | 2 | 0 | 2 | 0% | 0% | 0% | 100% | 0% | 100% |
| 3-4 | 0 | 0 | 0 | 20 | 6 | 26 | 0% | 0% | 0% | 77% | 23% | 100% |
| 5-6 | 0 | 0 | 3 | 31 | 16 | 50 | 0% | 0% | 6% | 62% | 32% | 100% |
| >6 | 0 | 0 | 1 | 8 | 4 | 13 | 0% | 0% | 8% | 62% | 31% | 100% |
| Total | 0 | 0 | 4 | 61 | 26 | 91 | 0% | 0% | 4% | 67% | 29% | 100% |
| Junagadh | | | | | | | | | | | | |
| Upto 2 | 0 | 1 | 1 | 0 | 0 | 2 | 0% | 50% | 50% | 0% | 0% | 100% |
| 3-4 | 0 | 0 | 7 | 11 | 5 | 23 | 0% | 0% | 30% | 48% | 22% | 100% |
| 5-6 | 0 | 0 | 20 | 22 | 14 | 56 | 0% | 0% | 36% | 39% | 25% | 100% |
| >6 | 0 | 0 | 4 | 9 | 0 | 13 | 0% | 0% | 31% | 69% | 0% | 100% |
| Total | 0 | 1 | 32 | 42 | 19 | 94 | 0% | 1% | 34% | 45% | 20% | 100% |
| All Districts | | | | | | | | | | | | |
| Upto 2 | 0 | 1 | 4 | 5 | 0 | 10 | 0% | 10% | 40% | 50% | 0% | 100% |
| 3-4 | 0 | 3 | 25 | 40 | 11 | 79 | 0% | 4% | 32% | 51% | 14% | 100% |
| 5-6 | 2 | 0 | 36 | 76 | 30 | 144 | 1% | 0% | 25% | 53% | 21% | 100% |
| >6 | 1 | 0 | 12 | 27 | 5 | 45 | 2% | 0% | 27% | 60% | 11% | 100% |
| Total | 3 | 4 | 77 | 148 | 46 | 278 | 1% | 1% | 28% | 53% | 17% | 100% |

| Repeat Visit to Health Centre | | | | | | | | | | | | | | | | |
|-------------------------------|-------|--------|-----------|-------|-------|---------|-----------|-------|-------|-----------|-------|--------|-------|-------|-----------|-------|
| Family Size | Never | May be | Ahmedabad | | | Bharuch | | | Total | Certainly | Total | May be | Never | Total | Certainly | Total |
| | | | Certainly | Total | Never | May be | Certainly | Total | | | | | | | | |
| upto 2 | 0 | 3 | 3 | 6 | 0% | 50% | 100% | 0 | 0 | 2 | 0% | 0% | 2 | 100% | 100% | 100% |
| 3-4 | 0 | 17 | 13 | 30 | 0% | 57% | 100% | 0 | 3 | 23 | 0% | 12% | 26 | 88% | 100% | 100% |
| 5-6 | 1 | 27 | 12 | 40 | 3% | 68% | 100% | 0 | 10 | 40 | 0% | 20% | 50 | 80% | 100% | 100% |
| >6 | 1 | 1 | 7 | 9 | 11% | 11% | 100% | 0 | 2 | 11 | 0% | 15% | 13 | 85% | 100% | 100% |
| Total | 2 | 48 | 35 | 85 | 2% | 56% | 100% | 0 | 15 | 76 | 0% | 16% | 91 | 84% | 100% | 100% |
| Junagadh | | | | | | | | | | | | | | | | |
| upto 2 | 0 | 1 | 1 | 2 | 0% | 50% | 100% | 0 | 4 | 6 | 0% | 40% | 10 | 60% | 100% | 100% |
| 3-4 | 1 | 4 | 18 | 23 | 4% | 17% | 100% | 1 | 24 | 54 | 1% | 30% | 79 | 68% | 100% | 100% |
| 5-6 | 0 | 10 | 46 | 56 | 0% | 18% | 100% | 1 | 47 | 98 | 1% | 32% | 146 | 67% | 100% | 100% |
| >6 | 0 | 3 | 10 | 13 | 0% | 23% | 100% | 1 | 6 | 28 | 3% | 17% | 35 | 80% | 100% | 100% |
| Total | 1 | 18 | 75 | 94 | 1% | 19% | 100% | 3 | 81 | 186 | 1% | 30% | 270 | 69% | 100% | 100% |
| All Districts | | | | | | | | | | | | | | | | |

| Table 8.3.17 Annual Out-of-Pocket Expenditure on Health | | | | | | | | | | | | | | | | |
|---|------------|------------|------------|---------------------|-----------|------------|----------|------------|------------|------------|-------------|------------|------------|------------|-----------|-------------|
| Family Size | Yes | No | Total | If Yes, Expenditure | | | | | Yes | No | Total | Total | | | | |
| | | | | <1000 | 1000-3000 | 3000-10000 | >10000 | Total | | | | | | | | |
| Ahmedabad | | | | | | | | | | | | | | | | |
| Upto 2 | 4 | 2 | 6 | 2 | 1 | 0 | 1 | 4 | 67% | 33% | 100% | 50% | 25% | 0% | 25% | 100% |
| 3-4 | 21 | 9 | 30 | 7 | 14 | 0 | 0 | 21 | 70% | 30% | 100% | 33% | 67% | 0% | 0% | 100% |
| 5-6 | 33 | 7 | 40 | 21 | 9 | 2 | 1 | 33 | 83% | 18% | 100% | 64% | 27% | 6% | 3% | 100% |
| >6 | 11 | 8 | 19 | 4 | 3 | 3 | 1 | 11 | 58% | 42% | 100% | 36% | 27% | 27% | 9% | 100% |
| Total | 69 | 26 | 95 | 34 | 27 | 5 | 3 | 69 | 73% | 27% | 100% | 49% | 39% | 7% | 4% | 100% |
| Bharuch | | | | | | | | | | | | | | | | |
| Upto 2 | 1 | 1 | 2 | 0 | 0 | 1 | 0 | 1 | 50% | 50% | 100% | 0% | 0% | 100% | 0% | 100% |
| 3-4 | 12 | 14 | 26 | 7 | 2 | 0 | 3 | 12 | 46% | 54% | 100% | 58% | 17% | 0% | 25% | 100% |
| 5-6 | 29 | 20 | 49 | 19 | 7 | 2 | 0 | 28 | 59% | 41% | 100% | 68% | 25% | 7% | 0% | 100% |
| >6 | 8 | 5 | 13 | 1 | 2 | 3 | 1 | 7 | 62% | 38% | 100% | 14% | 29% | 43% | 14% | 100% |
| Total | 50 | 40 | 90 | 27 | 11 | 6 | 4 | 48 | 56% | 44% | 100% | 56% | 23% | 13% | 8% | 100% |
| Junagadh | | | | | | | | | | | | | | | | |
| Upto 2 | 1 | 1 | 2 | 1 | 0 | 0 | 0 | 1 | 50% | 50% | 100% | 100% | 0% | 0% | 0% | 100% |
| 3-4 | 9 | 14 | 23 | 7 | 1 | 1 | 0 | 9 | 39% | 61% | 100% | 78% | 11% | 11% | 0% | 100% |
| 5-6 | 26 | 30 | 56 | 18 | 6 | 0 | 0 | 24 | 46% | 54% | 100% | 75% | 25% | 0% | 0% | 100% |
| >6 | 8 | 5 | 13 | 5 | 2 | 0 | 0 | 7 | 62% | 38% | 100% | 71% | 29% | 0% | 0% | 100% |
| Total | 44 | 50 | 94 | 31 | 9 | 1 | 0 | 41 | 47% | 53% | 100% | 76% | 22% | 2% | 0% | 100% |
| All Districts | | | | | | | | | | | | | | | | |
| Upto 2 | 6 | 4 | 10 | 3 | 1 | 1 | 1 | 6 | 60% | 40% | 100% | 50% | 17% | 17% | 17% | 100% |
| 3-4 | 42 | 37 | 79 | 21 | 17 | 1 | 3 | 42 | 53% | 47% | 100% | 50% | 40% | 2% | 7% | 100% |
| 5-6 | 88 | 57 | 145 | 58 | 22 | 4 | 1 | 85 | 61% | 39% | 100% | 68% | 26% | 5% | 1% | 100% |
| >6 | 27 | 18 | 45 | 10 | 7 | 6 | 2 | 25 | 60% | 40% | 100% | 40% | 28% | 24% | 8% | 100% |
| Total | 163 | 116 | 279 | 92 | 47 | 12 | 7 | 158 | 58% | 42% | 100% | 58% | 30% | 8% | 4% | 100% |

| Table 8.3.18 Willingness to Pay for Better Services | | | | | | | | | | | | |
|---|-----------|-----------|-----------|------------|------------|-------------|------------|-----------|------------|------------|------------|-------------|
| Family Size | Yes | No | Total | Yes | No | Total | Yes | No | Total | Yes | No | Total |
| | Ahmedabad | | | | | | Bharuch | | | | | |
| Up to 2 | 6 | 0 | 6 | 100% | 0% | 100% | 1 | 1 | 2 | 50% | 50% | 100% |
| 3-4 | 29 | 1 | 30 | 97% | 3% | 100% | 22 | 4 | 26 | 85% | 15% | 100% |
| 5-6 | 33 | 5 | 38 | 87% | 13% | 100% | 27 | 18 | 45 | 60% | 40% | 100% |
| >6 | 13 | 5 | 18 | 72% | 28% | 100% | 8 | 5 | 13 | 62% | 38% | 100% |
| Total | 81 | 11 | 92 | 88% | 12% | 100% | 58 | 28 | 86 | 67% | 33% | 100% |
| All Districts | | | | | | | | | | | | |
| Junagadh | | | | | | | | | | | | |
| Up to 2 | 2 | 0 | 2 | 100% | 0% | 100% | 9 | 1 | 10 | 90% | 10% | 100% |
| 3-4 | 13 | 8 | 21 | 62% | 38% | 100% | 64 | 13 | 77 | 83% | 17% | 100% |
| 5-6 | 42 | 8 | 50 | 84% | 16% | 100% | 102 | 31 | 133 | 77% | 23% | 100% |
| >6 | 7 | 4 | 11 | 64% | 36% | 100% | 28 | 14 | 42 | 67% | 33% | 100% |
| Total | 64 | 20 | 84 | 76% | 24% | 100% | 203 | 59 | 262 | 77% | 23% | 100% |

8.3.3 Monthly Income

Attendance in awareness generation programs is 81%, 88%, 96%, 88% and 88% for income groups less than Rs 3000, 3000-6000, 6000-10000, 10000-20000 and more than 20000. Attendance is marginally less at 77% among less than 3000 income group in Ahmedabad (Table 8.3.20 to 8.3.28).

Health workers are the key influencers among all groups. ASHA workers also have strong influence in the income groups less than 3000, 10000-20000 and more than 20000. In all income groups, key decision makers are respondents themselves followed by spouses. Health workers play strong role in less than 3000 and 3000-6000 group in Junagadh 10000-20000 in all districts.

Key purpose of visit to health centre is communicable diseases for less than 3000 group. For other income groups, immunization is the key purpose in all districts. In Junagadh, groups with less than 3000 and 3000-6000 income visit for family planning whereas higher income groups visit for immunization. However, maternal health is an important reason for visit in more than 20000 income group, may be because of better awareness. Perception regarding quality of service remains the same across age groups. However, a high 14% of less than 3000 group in Ahmedabad finds the service bad or poor. As far as repeat visit is concerned, 71% of less than 3000 income group, 67% of 3000-6000 groups, 68% of 6000-10000 group, 100% of 10000-20000 and nil of more than 20000 are certain to repeat visit to health centre.

In respect of visit to private health practitioners, 63% of income group less than 3000, 60% of 3000-6000 and around 50% of higher income groups had spent on private health care in one year. This is maximum in Ahmedabad and minimum in Junagadh. Similarly, 80% of less than 3000 income group, 76% of 3000-6000, 77% of 6000-10000 and 43% of 10000-20000 and more than 20000 groups were willing to pay for better services. Interestingly, lower income groups are willing to pay for better health services.

Income level of respondents is a key differentiator of various aspects of health care as can be ascertained from the test of hypothesis which shows that there is significant difference in all aspects of health care across income groups. (Table 8.3.19)


| Table 8.3.19 | Monthly Income | | | | |
|---|---------------------------|----------|----------|-----------------------|------------------------|
| Null Hypothesis | Degrees of Freedom | χ^2 | p | Reject/ Accept | Remarks |
| Attended Awareness Program | 4 | 18.26 | 0.001 | Reject | Significant Difference |
| Health Seeking Behaviour - Influencer | 4 | 41.31 | <0.0001 | Reject | |
| Health Seeking Behaviour - Decision Maker | 4 | 34.24 | <0.0001 | Reject | |
| Purpose of visit to health centre | 4 | 42.04 | <0.0001 | Reject | |
| Quality of service | 4 | 18.8 | 0.001 | Reject | |
| Repeat visit to health centre | 4 | 18.56 | 0.001 | Reject | |
| Availed private health care | 4 | 14.1 | 0.007 | Reject | |
| Willingness to pay for better services | 4 | 18.68 | 0.001 | Reject | |

| Monthly Income | Attended Awareness Program | | | | | | | | | | | |
|----------------|----------------------------|-----------|-----------|------------|------------|-------------|------------|-----------|------------|------------|------------|-------------|
| | Ahmedabad | | | | | | Bharuch | | | | | |
| | Yes | No | Total | Yes | No | Total | Yes | No | Total | Yes | No | Total |
| < 3000 | 37 | 11 | 48 | 77% | 23% | 100% | 30 | 7 | 37 | 81% | 19% | 100% |
| 3000-6000 | 21 | 4 | 25 | 84% | 16% | 100% | 29 | 1 | 30 | 97% | 3% | 100% |
| 6000-10000 | 7 | 1 | 8 | 88% | 13% | 100% | 11 | 1 | 12 | 92% | 8% | 100% |
| 10000-20000 | 0 | 0 | 0 | 0% | 0% | 0% | 4 | 1 | 5 | 80% | 20% | 100% |
| >20000 | 0 | 0 | 0 | 0% | 0% | 0% | 4 | 1 | 5 | 80% | 20% | 100% |
| Total | 65 | 16 | 81 | 80% | 20% | 100% | 78 | 11 | 89 | 88% | 12% | 100% |
| | All Districts | | | | | | | | | | | |
| | Junagadh | | | | | | | | | | | |
| < 3000 | 25 | 4 | 29 | 86% | 14% | 100% | 92 | 22 | 114 | 81% | 19% | 100% |
| 3000-6000 | 25 | 5 | 30 | 83% | 17% | 100% | 75 | 10 | 85 | 88% | 12% | 100% |
| 6000-10000 | 26 | 0 | 26 | 100% | 0% | 100% | 44 | 2 | 46 | 96% | 4% | 100% |
| 10000-20000 | 3 | 0 | 3 | 100% | 0% | 100% | 7 | 1 | 8 | 88% | 13% | 100% |
| >20000 | 3 | 0 | 3 | 100% | 0% | 100% | 7 | 1 | 8 | 88% | 13% | 100% |
| Total | 82 | 9 | 91 | 90% | 10% | 100% | 225 | 36 | 261 | 86% | 14% | 100% |

| Health Care Seeking Behaviour - Influencer | | | | | | | | | | | | | | |
|--|-----------|-----------|-----------|------------|-----------|-----------|------------|------------|------------|------------|------------|------------|-----------|-------------|
| Ahmedabad | | | | | | | | | | | | | | |
| Monthly Income | Spouse | Parents | Frnd/Rel | HW | ASHA | Othrs | Total | Spouse | Parents | Frnd/Rel | HW | ASHA | Othrs | Total |
| <3000 | 27 | 26 | 14 | 14 | 13 | 6 | 100 | 27% | 26% | 14% | 14% | 13% | 6% | 100% |
| 3000-6000 | 18 | 17 | 5 | 6 | 4 | 1 | 51 | 35% | 33% | 10% | 12% | 8% | 2% | 100% |
| 6000-10000 | 4 | 2 | 2 | 2 | 2 | 0 | 12 | 33% | 17% | 17% | 17% | 17% | 0% | 100% |
| 10000-20000 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| >20000 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Total | 49 | 45 | 21 | 22 | 19 | 7 | 163 | 30% | 28% | 13% | 13% | 12% | 4% | 100% |
| Bharuch | | | | | | | | | | | | | | |
| <3000 | | 5 | 2 | 23 | 19 | 5 | 57 | 0% | 9% | 4% | 40% | 33% | 9% | 100% |
| 3000-6000 | 7 | 5 | 0 | 17 | 11 | 2 | 42 | 17% | 12% | 0% | 40% | 26% | 5% | 100% |
| 6000-10000 | 3 | 2 | 0 | 8 | 2 | 0 | 15 | 20% | 13% | 0% | 53% | 13% | 0% | 100% |
| 10000-20000 | 1 | 0 | 0 | 3 | 4 | 1 | 9 | 11% | 0% | 0% | 33% | 44% | 11% | 100% |
| >20000 | 1 | 1 | 0 | 2 | 2 | 0 | 6 | 17% | 17% | 0% | 33% | 33% | 0% | 100% |
| Total | 15 | 13 | 2 | 53 | 38 | 8 | 129 | 12% | 10% | 2% | 41% | 29% | 6% | 100% |
| Junagadh | | | | | | | | | | | | | | |
| <3000 | 3 | 4 | 1 | 23 | 15 | 0 | 46 | 7% | 9% | 2% | 50% | 33% | 0% | 100% |
| 3000-6000 | 8 | 10 | 3 | 25 | 11 | 1 | 58 | 14% | 17% | 5% | 43% | 19% | 2% | 100% |
| 6000-10000 | 8 | 5 | 0 | 19 | 9 | 0 | 41 | 20% | 12% | 0% | 46% | 22% | 0% | 100% |
| 10000-20000 | 0 | 2 | 0 | 1 | 1 | 0 | 4 | 0% | 50% | 0% | 25% | 25% | 0% | 100% |
| >20000 | 1 | 0 | 0 | 1 | 1 | 1 | 4 | 25% | 0% | 0% | 25% | 25% | 25% | 100% |
| Total | 20 | 21 | 4 | 69 | 37 | 2 | 153 | 13% | 14% | 3% | 45% | 24% | 1% | 100% |
| All Districts | | | | | | | | | | | | | | |
| <3000 | 33 | 35 | 17 | 60 | 47 | 11 | 203 | 16% | 17% | 8% | 30% | 23% | 5% | 100% |
| 3000-6000 | 33 | 32 | 8 | 48 | 26 | 4 | 151 | 22% | 21% | 5% | 32% | 17% | 3% | 100% |
| 6000-10000 | 15 | 9 | 2 | 29 | 13 | 0 | 68 | 22% | 13% | 3% | 43% | 19% | 0% | 100% |
| 10000-20000 | 1 | 2 | 0 | 4 | 5 | 1 | 13 | 8% | 15% | 0% | 31% | 38% | 8% | 100% |
| >20000 | 2 | 1 | 0 | 3 | 3 | 1 | 10 | 20% | 10% | 0% | 30% | 30% | 10% | 100% |
| Total | 84 | 79 | 27 | 144 | 94 | 17 | 445 | 19% | 18% | 6% | 32% | 21% | 4% | 100% |

| Table 8.3.22 Health Seeking Behaviour - Decision Maker | | | | | | | | | | | | | | |
|--|------------|-----------|-----------|-----------------|-----------|-----------|------------|------------|--------------|------------|-----------------|------------|------------|-------------|
| Ahmedabad | | | | | | | | | | | | | | |
| Monthly Income | Own self | Spouse | Parents | Friend/Relative | HW | ASHA | Total | Own self | Husband/wife | Parents | Friend/Relative | HW | ASHA | Total |
| < 3000 | 29 | 24 | 16 | 5 | 4 | 3 | 81 | 36% | 30% | 20% | 6% | 5% | 4% | 100% |
| 3000-6000 | 17 | 16 | 10 | 2 | 2 | 0 | 47 | 36% | 34% | 21% | 4% | 4% | 0% | 100% |
| 6000-10000 | 5 | 3 | 4 | 0 | 2 | 1 | 15 | 33% | 20% | 27% | 0% | 13% | 7% | 100% |
| 10000-20000 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| >20000 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Total | 51 | 43 | 30 | 7 | 8 | 4 | 143 | 36% | 30% | 21% | 5% | 6% | 3% | 100% |
| Bharuch | | | | | | | | | | | | | | |
| < 3000 | 19 | 9 | 3 | 2 | 6 | 9 | 48 | 40% | 19% | 6% | 4% | 13% | 19% | 100% |
| 3000-6000 | 22 | 8 | 3 | 3 | 4 | 6 | 46 | 48% | 17% | 7% | 7% | 9% | 13% | 100% |
| 6000-10000 | 5 | 4 | 2 | 0 | 2 | 1 | 14 | 36% | 29% | 14% | 0% | 14% | 7% | 100% |
| 10000-20000 | 2 | 2 | 0 | 0 | 1 | 1 | 6 | 33% | 33% | 0% | 0% | 17% | 17% | 100% |
| >20000 | 4 | 1 | 0 | 0 | 0 | 0 | 5 | 80% | 20% | 0% | 0% | 0% | 0% | 100% |
| Total | 52 | 24 | 8 | 5 | 13 | 17 | 119 | 44% | 20% | 7% | 4% | 11% | 14% | 100% |
| Junagadh | | | | | | | | | | | | | | |
| < 3000 | 16 | 3 | 0 | 1 | 15 | 3 | 38 | 42% | 8% | 0% | 3% | 39% | 8% | 100% |
| 3000-6000 | 24 | 10 | 4 | 1 | 11 | 6 | 56 | 43% | 18% | 7% | 2% | 20% | 11% | 100% |
| 6000-10000 | 15 | 10 | 4 | 0 | 5 | 4 | 38 | 39% | 26% | 11% | 0% | 13% | 11% | 100% |
| 10000-20000 | 2 | 0 | 1 | 0 | 1 | 1 | 5 | 40% | 0% | 20% | 0% | 20% | 20% | 100% |
| >20000 | 1 | 1 | 0 | 1 | 1 | 1 | 5 | 20% | 20% | 0% | 20% | 20% | 20% | 100% |
| Total | 58 | 24 | 9 | 3 | 33 | 15 | 142 | 41% | 17% | 6% | 2% | 23% | 11% | 100% |
| All Districts | | | | | | | | | | | | | | |
| < 3000 | 64 | 36 | 19 | 8 | 25 | 15 | 167 | 38% | 22% | 11% | 5% | 15% | 9% | 100% |
| 3000-6000 | 63 | 34 | 17 | 6 | 17 | 12 | 149 | 42% | 23% | 11% | 4% | 11% | 8% | 100% |
| 6000-10000 | 25 | 17 | 10 | 0 | 9 | 6 | 67 | 37% | 25% | 15% | 0% | 13% | 9% | 100% |
| 10000-20000 | 4 | 2 | 1 | 0 | 2 | 2 | 11 | 36% | 18% | 9% | 0% | 18% | 18% | 100% |
| >20000 | 5 | 2 | 0 | 1 | 1 | 1 | 10 | 50% | 20% | 0% | 10% | 10% | 10% | 100% |
| Total | 161 | 91 | 47 | 15 | 54 | 36 | 404 | 40% | 23% | 12% | 4% | 13% | 9% | 100% |

| Purpose of Visit to Health Centre | | | | | | | | | | | | | | |
|-----------------------------------|---------------|-----------------|------------------|-----------------|-----------|--------|-------|---------------|-----------------|------------------|-----------------|-----------|--------|-------|
| Monthly Income | Ahmedabad | | | | | | | | | | | | | |
| | Immuni zation | Family Planning | Communi diseases | Maternal Health | Nutrition | Others | Total | Immuni zation | Family Planning | Communi diseases | Maternal Health | Nutrition | Others | Total |
| <3000 | 17 | 15 | 18 | 7 | 5 | 3 | 65 | 26% | 23% | 28% | 11% | 8% | 5% | 100% |
| 3000-6000 | 10 | 5 | 7 | 5 | 0 | 1 | 28 | 36% | 18% | 25% | 18% | 0% | 4% | 100% |
| 6000-10000 | 1 | 1 | 6 | 1 | 2 | 0 | 11 | 9% | 9% | 55% | 9% | 18% | 0% | 100% |
| 10000-20000 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| >20000 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Total | 28 | 21 | 31 | 13 | 7 | 4 | 104 | 27% | 20% | 30% | 13% | 7% | 4% | 100% |
| Bharuch | | | | | | | | | | | | | | |
| <3000 | 20 | 13 | 19 | 7 | 9 | 1 | 69 | 29% | 19% | 28% | 10% | 13% | 1% | 100% |
| 3000-6000 | 14 | 11 | 11 | 6 | 7 | 0 | 49 | 29% | 22% | 22% | 12% | 14% | 0% | 100% |
| 6000-10000 | 5 | 4 | 3 | 0 | 3 | 0 | 15 | 33% | 27% | 20% | 0% | 20% | 0% | 100% |
| 10000-20000 | 1 | 0 | 2 | 1 | 1 | 0 | 5 | 20% | 0% | 40% | 20% | 20% | 0% | 100% |
| >20000 | 3 | 2 | 3 | 2 | 1 | 0 | 11 | 27% | 18% | 27% | 18% | 9% | 0% | 100% |
| Total | 43 | 30 | 38 | 16 | 21 | 1 | 149 | 29% | 20% | 26% | 11% | 14% | 1% | 100% |
| Junagadh | | | | | | | | | | | | | | |
| <3000 | 6 | 12 | 15 | 2 | 2 | 0 | 37 | 16% | 32% | 41% | 5% | 5% | 0% | 100% |
| 3000-6000 | 14 | 13 | 15 | 6 | 8 | 0 | 56 | 25% | 23% | 27% | 11% | 14% | 0% | 100% |
| 6000-10000 | 15 | 7 | 8 | 8 | 6 | 1 | 45 | 33% | 16% | 18% | 18% | 13% | 2% | 100% |
| 10000-20000 | 2 | 1 | 1 | 0 | 1 | 0 | 5 | 40% | 20% | 20% | 0% | 20% | 0% | 100% |
| >20000 | 2 | 1 | 0 | 1 | 1 | 0 | 5 | 40% | 20% | 0% | 20% | 20% | 0% | 100% |
| Total | 39 | 34 | 39 | 17 | 18 | 1 | 148 | 26% | 23% | 26% | 11% | 12% | 1% | 100% |
| All Districts | | | | | | | | | | | | | | |
| <3000 | 43 | 40 | 52 | 16 | 16 | 4 | 171 | 25% | 23% | 30% | 9% | 9% | 2% | 100% |
| 3000-6000 | 38 | 29 | 33 | 17 | 15 | 1 | 133 | 29% | 22% | 25% | 13% | 11% | 1% | 100% |
| 6000-10000 | 21 | 12 | 17 | 9 | 11 | 1 | 71 | 30% | 17% | 24% | 13% | 15% | 1% | 100% |
| 10000-20000 | 3 | 1 | 3 | 1 | 2 | 0 | 10 | 30% | 10% | 30% | 10% | 20% | 0% | 100% |
| >20000 | 5 | 3 | 3 | 3 | 2 | 0 | 16 | 31% | 19% | 19% | 19% | 13% | 0% | 100% |
| Total | 110 | 85 | 108 | 46 | 46 | 6 | 401 | 27% | 21% | 27% | 11% | 11% | 1% | 100% |



| Table 8.3.24 | | Quality of Service | | | | | | | | | | |
|----------------------|----------|--------------------|-----------|------------|-----------|------------|-----------|-----------|------------|------------|------------|-------------|
| | | Ahmedabad | | | | | | | | | | |
| Monthly Income | Bad | Poor | Normal | Good | Very Good | Total | Bad | Poor | Normal | Good | Very Good | Total |
| < 3000 | 3 | 3 | 20 | 19 | 1 | 46 | 7% | 7% | 43% | 41% | 2% | 100% |
| 3000-6000 | 0 | 0 | 14 | 11 | 0 | 25 | 0% | 0% | 56% | 44% | 0% | 100% |
| 6000-10000 | 0 | 0 | 2 | 6 | 0 | 8 | 0% | 0% | 25% | 75% | 0% | 100% |
| 10000-20000 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0% | 0% | 0% | 0% | 0% |
| >20000 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0% | 0% | 0% | 0% | 0% |
| Total | 3 | 3 | 36 | 36 | 1 | 79 | 4% | 4% | 46% | 46% | 1% | 100% |
| Bharuch | | | | | | | | | | | | |
| < 3000 | 0 | 0 | 0 | 25 | 12 | 37 | 0% | 0% | 0% | 68% | 32% | 100% |
| 3000-6000 | 0 | 0 | 2 | 20 | 8 | 30 | 0% | 0% | 7% | 67% | 27% | 100% |
| 6000-10000 | 0 | 0 | 2 | 8 | 2 | 12 | 0% | 0% | 17% | 67% | 17% | 100% |
| 10000-20000 | 0 | 0 | 0 | 4 | 1 | 5 | 0% | 0% | 0% | 80% | 20% | 100% |
| >20000 | 0 | 0 | 0 | 3 | 2 | 5 | 0% | 0% | 0% | 60% | 40% | 100% |
| Total | 0 | 0 | 4 | 60 | 25 | 89 | 0% | 0% | 4% | 67% | 28% | 100% |
| Junagadh | | | | | | | | | | | | |
| < 3000 | 0 | 0 | 13 | 13 | 3 | 29 | 0% | 0% | 45% | 45% | 10% | 100% |
| 3000-6000 | 0 | 1 | 7 | 14 | 8 | 30 | 0% | 3% | 23% | 47% | 27% | 100% |
| 6000-10000 | 0 | 0 | 10 | 11 | 6 | 27 | 0% | 0% | 37% | 41% | 22% | 100% |
| 10000-20000 | 0 | 0 | 1 | 1 | 1 | 3 | 0% | 0% | 33% | 33% | 33% | 100% |
| >20000 | 0 | 0 | 1 | 1 | 1 | 3 | 0% | 0% | 33% | 33% | 33% | 100% |
| Total | 0 | 1 | 32 | 40 | 19 | 92 | 0% | 1% | 35% | 43% | 21% | 100% |
| All Districts | | | | | | | | | | | | |
| < 3000 | 3 | 3 | 33 | 57 | 16 | 112 | 3% | 3% | 29% | 51% | 14% | 100% |
| 3000-6000 | 0 | 1 | 23 | 45 | 16 | 85 | 0% | 1% | 27% | 53% | 19% | 100% |
| 6000-10000 | 0 | 0 | 14 | 25 | 8 | 47 | 0% | 0% | 30% | 53% | 17% | 100% |
| 10000-20000 | 0 | 0 | 1 | 5 | 2 | 8 | 0% | 0% | 13% | 63% | 25% | 100% |
| >20000 | 0 | 0 | 1 | 4 | 3 | 8 | 0% | 0% | 13% | 50% | 38% | 100% |
| Total | 3 | 4 | 72 | 136 | 45 | 260 | 1% | 2% | 28% | 52% | 17% | 100% |

| Monthly Income | | Repeat Visit to Health Centre | | | | | | | | | | | | | | |
|-----------------|--------|-------------------------------|-------|-------|--------|-----------|-------|---------|--------|-----------|-------|-------|--------|-----------|-------|--|
| | | Ahmedabad | | | | | | Bharuch | | | | | | | | |
| Never | May be | Certainly | Total | Never | May be | Certainly | Total | Never | May be | Certainly | Total | Never | May be | Certainly | Total | |
| 1 | 24 | 23 | 48 | 2% | 50% | 48% | 100% | 0 | 4 | 33 | 37 | 0% | 11% | 89% | 100% | |
| 0 | 18 | 7 | 25 | 0% | 72% | 28% | 100% | 0 | 5 | 25 | 30 | 0% | 17% | 83% | 100% | |
| 0 | 5 | 3 | 8 | 0% | 63% | 38% | 100% | 0 | 3 | 9 | 12 | 0% | 25% | 75% | 100% | |
| 0 | 0 | 0 | 0 | 0% | 0% | 0% | 0% | 0 | 0 | 5 | 5 | 0% | 0% | 100% | 100% | |
| 0 | 0 | 0 | 0 | 0% | 0% | 0% | 0% | 0 | 3 | 0 | 3 | 0% | 100% | 0% | 100% | |
| 1 | 47 | 33 | 81 | 1% | 58% | 41% | 100% | 0 | 15 | 72 | 87 | 0% | 17% | 83% | 100% | |
| Junagadh | | | | | | | | | | | | | | | | |
| 0 | 4 | 25 | 29 | 0% | 14% | 86% | 100% | 1 | 32 | 81 | 114 | 1% | 28% | 71% | 100% | |
| 0 | 5 | 25 | 30 | 0% | 17% | 83% | 100% | 0 | 28 | 57 | 85 | 0% | 33% | 67% | 100% | |
| 1 | 6 | 20 | 27 | 4% | 22% | 74% | 100% | 1 | 14 | 32 | 47 | 2% | 30% | 68% | 100% | |
| 0 | 0 | 3 | 3 | 0% | 0% | 100% | 100% | 0 | 0 | 8 | 8 | 0% | 0% | 100% | 100% | |
| 0 | 1 | 0 | 1 | 0% | 100% | 0% | 100% | 0 | 4 | 0 | 4 | 0% | 100% | 0% | 100% | |
| 1 | 16 | 73 | 90 | 1% | 18% | 81% | 100% | 2 | 78 | 178 | 258 | 1% | 30% | 69% | 100% | |

| Table 8.3.26 | | Annual Out-of-Pocket Expenditure on Health | | | | | | | | | | | | | | | | | | | |
|----------------------|------------|--|---------------------|-----------|-----------|-----------|------------|------------|------------|-------------|------------|------------|------------|-------------|------------|-------|------------|-----------|-----------|-------|--|
| | | Ahmedabad | | | | | | | | | | | | | | | | | | | |
| Monthly Income | Yes | No | If Yes, Expenditure | | | | | Total | Yes | No | Total | <1000 | 1000-3000 | 3000-5000 | 5000-10000 | Total | 5000-10000 | 3000-5000 | 1000-3000 | Total | |
| | | | Total | <1000 | 1000-3000 | 3000-5000 | 5000-10000 | | | | | | | | | | | | | | |
| <3000 | 36 | 12 | 48 | 17 | 15 | 2 | 36 | 75% | 25% | 100% | 47% | 42% | 6% | 100% | | | | | | | |
| 3000-6000 | 19 | 6 | 25 | 10 | 8 | 1 | 19 | 76% | 24% | 100% | 53% | 42% | 5% | 100% | | | | | | | |
| 6000-10000 | 5 | 3 | 8 | 1 | 2 | 1 | 5 | 63% | 38% | 100% | 20% | 40% | 20% | 100% | | | | | | | |
| 10000-20000 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0% | 0% | 0% | 0% | 0% | 0% | | | | | | | |
| >20000 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0% | 0% | 0% | 0% | 0% | 0% | | | | | | | |
| Total | 60 | 21 | 81 | 28 | 25 | 4 | 60 | 74% | 26% | 100% | 47% | 42% | 7% | 100% | | | | | | | |
| Bharuch | | | | | | | | | | | | | | | | | | | | | |
| <3000 | 22 | 14 | 36 | 10 | 5 | 3 | 22 | 61% | 39% | 100% | 45% | 23% | 14% | 100% | | | | | | | |
| 3000-6000 | 18 | 12 | 30 | 10 | 4 | 2 | 16 | 60% | 40% | 100% | 63% | 25% | 13% | 100% | | | | | | | |
| 6000-10000 | 6 | 6 | 12 | 5 | 1 | 0 | 6 | 50% | 50% | 100% | 83% | 17% | 0% | 100% | | | | | | | |
| 10000-20000 | 2 | 3 | 5 | 0 | 1 | 1 | 2 | 40% | 60% | 100% | 0% | 50% | 0% | 100% | | | | | | | |
| >20000 | 2 | 3 | 5 | 2 | 0 | 0 | 2 | 40% | 60% | 100% | 100% | 0% | 0% | 100% | | | | | | | |
| Total | 50 | 38 | 88 | 27 | 11 | 6 | 48 | 57% | 43% | 100% | 56% | 23% | 13% | 100% | | | | | | | |
| Junagadh | | | | | | | | | | | | | | | | | | | | | |
| <3000 | 13 | 16 | 29 | 13 | 0 | 0 | 13 | 45% | 55% | 100% | 100% | 0% | 0% | 100% | | | | | | | |
| 3000-6000 | 14 | 16 | 30 | 8 | 2 | 1 | 12 | 47% | 53% | 100% | 67% | 17% | 8% | 100% | | | | | | | |
| 6000-10000 | 11 | 16 | 27 | 6 | 5 | 0 | 11 | 41% | 59% | 100% | 55% | 45% | 0% | 100% | | | | | | | |
| 10000-20000 | 2 | 1 | 3 | 1 | 1 | 0 | 2 | 67% | 33% | 100% | 50% | 50% | 0% | 100% | | | | | | | |
| >20000 | 2 | 1 | 3 | 2 | 0 | 0 | 2 | 67% | 33% | 100% | 100% | 0% | 0% | 100% | | | | | | | |
| Total | 42 | 50 | 92 | 30 | 8 | 1 | 40 | 46% | 54% | 100% | 75% | 20% | 3% | 100% | | | | | | | |
| All Districts | | | | | | | | | | | | | | | | | | | | | |
| <3000 | 71 | 42 | 113 | 40 | 20 | 5 | 71 | 63% | 37% | 100% | 56% | 28% | 7% | 100% | | | | | | | |
| 3000-6000 | 51 | 34 | 85 | 28 | 14 | 4 | 47 | 60% | 40% | 100% | 60% | 30% | 9% | 100% | | | | | | | |
| 6000-10000 | 22 | 25 | 47 | 12 | 8 | 1 | 22 | 47% | 53% | 100% | 55% | 36% | 5% | 100% | | | | | | | |
| 10000-20000 | 4 | 4 | 8 | 1 | 2 | 1 | 4 | 50% | 50% | 100% | 25% | 50% | 25% | 100% | | | | | | | |
| >20000 | 4 | 4 | 8 | 4 | 0 | 0 | 4 | 50% | 50% | 100% | 100% | 0% | 0% | 100% | | | | | | | |
| Total | 152 | 109 | 261 | 85 | 44 | 11 | 148 | 58% | 42% | 100% | 57% | 30% | 7% | 100% | | | | | | | |

| Monthly Income | | Willingness to Pay for Better Services | | | | | | | | | | | |
|----------------------|-----------|--|-----------|------------|------------|-------------|------------|-----------|------------|------------|------------|-------------|--|
| | | Ahmedabad | | | | | | Bharuch | | | | | |
| | Yes | No | Total | Yes | No | Total | Yes | No | Total | Yes | No | Total | |
| <3000 | 42 | 4 | 46 | 91% | 9% | 100% | 24 | 11 | 35 | 69% | 31% | 100% | |
| 3000-6000 | 21 | 3 | 24 | 88% | 13% | 100% | 21 | 7 | 28 | 75% | 25% | 100% | |
| 6000-10000 | 6 | 2 | 8 | 75% | 25% | 100% | 7 | 4 | 11 | 64% | 36% | 100% | |
| 10000-20000 | 0 | 0 | 0 | 0% | 0% | 0% | 2 | 3 | 5 | 40% | 60% | 100% | |
| >20000 | 0 | 0 | 0 | 0% | 0% | 0% | 3 | 2 | 5 | 60% | 40% | 100% | |
| Total | 69 | 9 | 78 | 88% | 12% | 100% | 57 | 27 | 84 | 68% | 32% | 100% | |
| Junagadh | | | | | | | | | | | | | |
| <3000 | 20 | 6 | 26 | 77% | 23% | 100% | 86 | 21 | 107 | 80% | 20% | 100% | |
| 3000-6000 | 19 | 9 | 28 | 68% | 32% | 100% | 61 | 19 | 80 | 76% | 24% | 100% | |
| 6000-10000 | 20 | 4 | 24 | 83% | 17% | 100% | 33 | 10 | 43 | 77% | 23% | 100% | |
| 10000-20000 | 2 | 0 | 2 | 100% | 0% | 100% | 4 | 3 | 7 | 57% | 43% | 100% | |
| >20000 | 1 | 1 | 2 | 50% | 50% | 100% | 4 | 3 | 7 | 57% | 43% | 100% | |
| Total | 62 | 20 | 82 | 76% | 24% | 100% | 188 | 56 | 244 | 77% | 23% | 100% | |
| All Districts | | | | | | | | | | | | | |

8.3.4 Poverty

Attendance in awareness generation programs was 82% among the people below poverty line and 90% among others. Comparison of districts shows that attendance of BPL is 84% in Ahmedabad which is more than non-BPL at 64%. Key influencers in health care were Health workers, Spouse and parents among BPL and Health workers and ASHA among the non-BPL. However, there is inter-district variation in case of BPL. In Ahmedabad family has a significant influence compared to other districts. The trend in case of decision making shows that respondents themselves and spouses were key decision makers for both BPL and non-BPL. Health workers play a key role in decision making among BPL in Junagadh and parents play significant role in Ahmedabad. (Tables 8.2.30 to 37)

The main purpose of visit to health centre is communicable diseases among BPL and immunization among others. Districtwise analysis shows that immunization is the key activity in all cases except BPL in Junagadh. Quality of service is found to be good or very good by 64% of BPL and 81% of non-BPL groups.

Interestingly, only 54% of BPL respondents as compared to 84% non-BPL are certain to make repeat visit to health centre. In Ahmedabad, only 32% of BPL is certain to make repeat visit. 63% of BPL and 53% of non-BPL visited private hospitals recently wherein most of them spent less than Rs 1000. 82% of BPL and 74% of non-BPL are willing to pay for better services. The proportion for BPL was a high of 91% in Ahmedabad and 71% in Bharuch.

From the test of hypothesis it can be observed that in these selected variables there is a significant difference between BPL and non-BPL respondents (Table 8.2.29).

| Table 8.3.28 | Poverty | | | | |
|---|------------------------|----------|----------|-----------------------|------------------------|
| Null Hypothesis | Deg. of Freedom | χ^2 | p | Reject/ Accept | Remarks |
| Attended Awareness Program | 2 | 52.1 | <0.0001 | Reject | Significant Difference |
| Health Seeking Behaviour – Influencer | 2 | 103.6 | <0.0001 | Reject | |
| Health Seeking Behaviour - Decision Maker | 2 | 86.27 | <0.0001 | Reject | |
| Purpose of visit to health centre | 2 | 76.07 | <0.0001 | Reject | |
| Quality of service | 2 | 47.43 | <0.0001 | Reject | |
| Repeat visit to health centre | 2 | 46.47 | <0.0001 | Reject | |
| Availed private health care | 2 | 28.22 | <0.0001 | Reject | |
| Willingness to pay for better services | 2 | 35.93 | <0.0001 | Reject | |

| Table 8.3.29 | | Attended awareness program | | | | | | | | | | | |
|--------------|-----|----------------------------|-----------|-----|-----|---------------|-----|----|-------|-----|-----|-------|--|
| Poverty | Yes | No | Ahmedabad | | | Bharuch | | | Total | Yes | No | Total | |
| | | | Total | Yes | No | Total | Yes | No | | | | | |
| BPL | 58 | 11 | 69 | 84% | 16% | 100% | 29 | 7 | 36 | 81% | 19% | 100% | |
| Non BPL | 8 | 5 | 13 | 62% | 38% | 100% | 46 | 4 | 50 | 92% | 8% | 100% | |
| Total | 66 | 16 | 82 | 80% | 20% | 100% | 75 | 11 | 86 | 87% | 13% | 100% | |
| | | | Junagadh | | | All Districts | | | | | | | |
| BPL | 26 | 7 | 33 | 79% | 21% | 100% | 113 | 25 | 138 | 82% | 18% | 100% | |
| Non BPL | 55 | 3 | 58 | 95% | 5% | 100% | 109 | 12 | 121 | 90% | 10% | 100% | |
| Total | 81 | 10 | 91 | 89% | 11% | 100% | 222 | 37 | 259 | 86% | 14% | 100% | |

| Table 8.3.30 | | Health Seeking Behaviour - Influencer | | | | | | | | | | | | |
|----------------------|-----------|---------------------------------------|--------------|------------|-----------|-----------|------------|------------|------------|--------------|------------|------------|-----------|-------------|
| Poverty | Spouse | Parents | Frnd/ Rel | HW | ASHA | Othrs | Total | Spouse | Parents | Frnd/ Rel | HW | ASHA | Othrs | Total |
| Ahmedabad | | | | | | | | | | | | | | |
| BPL | 48 | 44 | 17 | 19 | 12 | 5 | 145 | 33% | 30% | 12% | 13% | 8% | 3% | 100% |
| Non BPL | 3 | 2 | 3 | 6 | 3 | 0 | 17 | 18% | 12% | 18% | 35% | 18% | 0% | 100% |
| Total | 51 | 46 | 20 | 25 | 15 | 5 | 162 | 31% | 28% | 12% | 15% | 9% | 3% | 100% |
| Bharuch | | | | | | | | | | | | | | |
| BPL | 11 | 6 | 0 | 30 | 18 | 3 | 68 | 16% | 9% | 0% | 44% | 26% | 4% | 100% |
| Non BPL | 4 | 6 | 1 | 21 | 18 | 5 | 55 | 7% | 11% | 2% | 38% | 33% | 9% | 100% |
| Total | 15 | 12 | 1 | 51 | 36 | 8 | 123 | 12% | 10% | 1% | 41% | 29% | 7% | 100% |
| Junagadh | | | | | | | | | | | | | | |
| BPL | 3 | 10 | 3 | 22 | 12 | 1 | 51 | 6% | 20% | 6% | 43% | 24% | 2% | 100% |
| Non BPL | 17 | 10 | 1 | 46 | 25 | 1 | 100 | 17% | 10% | 1% | 46% | 25% | 1% | 100% |
| Total | 20 | 20 | 4 | 68 | 37 | 2 | 151 | 13% | 13% | 3% | 45% | 25% | 1% | 100% |
| All Districts | | | | | | | | | | | | | | |
| BPL | 62 | 60 | 20 | 71 | 42 | 9 | 264 | 23% | 23% | 8% | 27% | 16% | 3% | 100% |
| Non BPL | 24 | 18 | 5 | 73 | 46 | 6 | 172 | 14% | 10% | 3% | 42% | 27% | 3% | 100% |
| Total | 86 | 78 | 25 | 144 | 88 | 15 | 436 | 20% | 18% | 6% | 33% | 20% | 3% | 100% |

| Health Seeking Behaviour - Decision Maker | | | | | | | | | | | | | | |
|---|------------|-----------|-----------|---------------------|-----------|-----------|------------|------------|------------------|------------|---------------------|------------|------------|-------------|
| Poverty | Own self | Spouse | Parents | Friend/ Relative | HW | ASHA | Total | Own self | Husband/ wife | Parents | Friend/ Relative | HW | ASHA | Total |
| Ahmedabad | | | | | | | | | | | | | | |
| BPL | 43 | 41 | 29 | 5 | 3 | 3 | 124 | 35% | 33% | 23% | 4% | 2% | 2% | 100% |
| Non BPL | 7 | 4 | 5 | 3 | 4 | 1 | 24 | 29% | 17% | 21% | 13% | 17% | 4% | 100% |
| Total | 50 | 45 | 34 | 8 | 7 | 4 | 148 | 34% | 30% | 23% | 5% | 5% | 3% | 100% |
| Bharuch | | | | | | | | | | | | | | |
| BPL | 19 | 7 | 2 | 3 | 7 | 7 | 45 | 42% | 16% | 4% | 7% | 16% | 16% | 100% |
| Non BPL | 32 | 16 | 5 | 2 | 6 | 9 | 70 | 46% | 23% | 7% | 3% | 9% | 13% | 100% |
| Total | 51 | 23 | 7 | 5 | 13 | 16 | 115 | 44% | 20% | 6% | 4% | 11% | 14% | 100% |
| Junagadh | | | | | | | | | | | | | | |
| BPL | 18 | 7 | 3 | 0 | 16 | 4 | 48 | 38% | 15% | 6% | 0% | 33% | 8% | 100% |
| Non BPL | 40 | 17 | 6 | 3 | 17 | 11 | 94 | 43% | 18% | 6% | 3% | 18% | 12% | 100% |
| Total | 58 | 24 | 9 | 3 | 33 | 15 | 142 | 41% | 17% | 6% | 2% | 23% | 11% | 100% |
| All Districts | | | | | | | | | | | | | | |
| BPL | 80 | 55 | 34 | 8 | 26 | 14 | 217 | 37% | 25% | 16% | 4% | 12% | 6% | 100% |
| Non BPL | 79 | 37 | 16 | 8 | 27 | 21 | 188 | 42% | 20% | 9% | 4% | 14% | 11% | 100% |
| Total | 159 | 92 | 50 | 16 | 53 | 35 | 405 | 39% | 23% | 12% | 4% | 13% | 9% | 100% |

| Poverty | | Purpose of Visit to Health Centre | | | | | | | | | | | | |
|----------------------|------------|-----------------------------------|--------------------|----------------------|--------------------|-----------|------------|------------|-------------------|--------------------|----------------------|--------------------|-----------|-------------|
| | | Immuni- zation | Family Planning | Communi- diseases | Maternal Health | Nutrition | Others | Total | Immuni- zation | Family Planning | Communi- diseases | Maternal Health | Nutrition | Others |
| Ahmedabad | | | | | | | | | | | | | | |
| BPL | 29 | 19 | 28 | 12 | 5 | 3 | 96 | 30% | 20% | 29% | 13% | 5% | 3% | 100% |
| Non BPL | 5 | 3 | 4 | 4 | 1 | 2 | 19 | 26% | 16% | 21% | 21% | 5% | 11% | 100% |
| Total | 34 | 22 | 32 | 16 | 6 | 5 | 115 | 30% | 19% | 28% | 14% | 5% | 4% | 100% |
| Bharuch | | | | | | | | | | | | | | |
| BPL | 20 | 12 | 12 | 8 | 10 | 1 | 63 | 32% | 19% | 19% | 13% | 16% | 2% | 100% |
| Non BPL | 22 | 16 | 24 | 8 | 9 | 0 | 79 | 28% | 20% | 30% | 10% | 11% | 0% | 100% |
| Total | 42 | 28 | 36 | 16 | 19 | 1 | 142 | 30% | 20% | 25% | 11% | 13% | 1% | 100% |
| Junagadh | | | | | | | | | | | | | | |
| BPL | 8 | 10 | 19 | 4 | 4 | 0 | 45 | 18% | 22% | 42% | 9% | 9% | 0% | 100% |
| Non BPL | 31 | 24 | 20 | 13 | 14 | 1 | 103 | 30% | 23% | 19% | 13% | 14% | 1% | 100% |
| Total | 39 | 34 | 39 | 17 | 18 | 1 | 148 | 26% | 23% | 26% | 11% | 12% | 1% | 100% |
| All Districts | | | | | | | | | | | | | | |
| BPL | 57 | 41 | 59 | 24 | 19 | 4 | 204 | 28% | 20% | 29% | 12% | 9% | 2% | 100% |
| Non BPL | 58 | 43 | 48 | 25 | 24 | 3 | 201 | 29% | 21% | 24% | 12% | 12% | 1% | 100% |
| Total | 115 | 84 | 107 | 49 | 43 | 7 | 405 | 28% | 21% | 26% | 12% | 11% | 2% | 100% |

| Table 8.3.33 | | Quality of Service | | | | | | | | | | |
|----------------------|----------|--------------------|-----------|------------|-----------|------------|-----------|-----------|------------|------------|------------|-------------|
| Poverty | Bad | Poor | Normal | Good | Very Good | Total | Bad | Poor | Normal | Good | Very Good | Total |
| Ahmedabad | | | | | | | | | | | | |
| BPL | 2 | 1 | 30 | 35 | 0 | 68 | 3% | 1% | 44% | 51% | 0% | 100% |
| Non BPL | 1 | 0 | 4 | 6 | 1 | 12 | 8% | 0% | 33% | 50% | 8% | 100% |
| Total | 3 | 1 | 34 | 41 | 1 | 80 | 4% | 1% | 43% | 51% | 1% | 100% |
| Bharuch | | | | | | | | | | | | |
| BPL | 0 | 0 | 0 | 21 | 15 | 36 | 0% | 0% | 0% | 58% | 42% | 100% |
| Non BPL | 0 | 0 | 3 | 38 | 9 | 50 | 0% | 0% | 6% | 76% | 18% | 100% |
| Total | 0 | 0 | 3 | 59 | 24 | 86 | 0% | 0% | 3% | 69% | 28% | 100% |
| Junagadh | | | | | | | | | | | | |
| BPL | 0 | 1 | 16 | 11 | 5 | 33 | 0% | 3% | 48% | 33% | 15% | 100% |
| Non BPL | 0 | 0 | 15 | 29 | 14 | 58 | 0% | 0% | 26% | 50% | 24% | 100% |
| Total | 0 | 1 | 31 | 40 | 19 | 91 | 0% | 1% | 34% | 44% | 21% | 100% |
| All Districts | | | | | | | | | | | | |
| BPL | 2 | 2 | 46 | 67 | 20 | 137 | 1% | 1% | 34% | 49% | 15% | 100% |
| Non BPL | 1 | 0 | 22 | 73 | 24 | 120 | 1% | 0% | 18% | 61% | 20% | 100% |
| Total | 3 | 2 | 68 | 140 | 44 | 257 | 1% | 1% | 26% | 54% | 17% | 100% |

| Table 8.3.34 | | Repeat Visit to Health Centre | | | | | | | | | | | | | |
|--------------|----------|-------------------------------|-----------|-----------|-----------|------------|------------|---------------|----------|-----------|------------|------------|------------|------------|-------------|
| Poverty | Never | May | Certainly | Total | Never | May | Certainly | Total | Never | May | Certainly | Total | | | |
| | | be | be | be | be | be | be | be | be | be | be | be | | | |
| | | Ahmedabad | | | | | | Bharuch | | | | | | | |
| BPL | 1 | 46 | 22 | 69 | 1% | 67% | 32% | 100% | 0 | 5 | 31 | 36 | 14% | 86% | 100% |
| Non BPL | 0 | 3 | 10 | 13 | 0% | 23% | 77% | 100% | 0 | 10 | 40 | 50 | 20% | 80% | 100% |
| Total | 1 | 49 | 32 | 82 | 1% | 60% | 39% | 100% | 0 | 15 | 71 | 86 | 17% | 83% | 100% |
| | | Junagadh | | | | | | All Districts | | | | | | | |
| BPL | 1 | 11 | 21 | 33 | 3% | 33% | 64% | 100% | 2 | 62 | 74 | 138 | 1% | 45% | 100% |
| Non BPL | 0 | 6 | 52 | 58 | 0% | 10% | 90% | 100% | 0 | 19 | 102 | 121 | 0% | 16% | 100% |
| Total | 1 | 17 | 73 | 91 | 1% | 19% | 80% | 100% | 2 | 81 | 176 | 259 | 1% | 31% | 100% |

| Family Size | | Annual Out-of-Pocket Expenditure on Health | | | | | | | | | | | | | | |
|----------------------|------------|--|------------|-----------|---------------------|-----------|------------|------------|------------|------------|-------------|------------|------------|------------|-----------|-------------|
| | | Yes | No | Total | If Yes, Expenditure | | | | Yes | No | Total | <1000 | 1000-3000 | 3000-10000 | >10000 | Total |
| | | | | | <1000 | 1000-3000 | 3000-10000 | >10000 | | | | | | | | |
| Ahmedabad | | | | | | | | | | | | | | | | |
| BPL | 50 | 19 | 69 | 27 | 16 | 5 | 2 | 50 | 72% | 28% | 100% | 54% | 32% | 10% | 4% | 100% |
| Non BPL | 10 | 3 | 13 | 3 | 7 | 0 | 0 | 10 | 77% | 23% | 100% | 30% | 70% | 0% | 0% | 100% |
| Total | 60 | 22 | 82 | 30 | 23 | 5 | 2 | 60 | 73% | 27% | 100% | 50% | 38% | 8% | 3% | 100% |
| Bharuch | | | | | | | | | | | | | | | | |
| BPL | 21 | 14 | 35 | 11 | 5 | 3 | 2 | 21 | 60% | 40% | 100% | 52% | 24% | 14% | 10% | 100% |
| Non BPL | 27 | 23 | 50 | 15 | 6 | 2 | 2 | 25 | 54% | 46% | 100% | 60% | 24% | 8% | 8% | 100% |
| Total | 48 | 37 | 85 | 26 | 11 | 5 | 4 | 46 | 56% | 44% | 100% | 57% | 24% | 11% | 9% | 100% |
| Junagadh | | | | | | | | | | | | | | | | |
| BPL | 15 | 18 | 33 | 11 | 3 | 0 | 0 | 14 | 45% | 55% | 100% | 79% | 21% | 0% | 0% | 100% |
| Non BPL | 27 | 31 | 58 | 18 | 6 | 1 | 0 | 25 | 47% | 53% | 100% | 72% | 24% | 4% | 0% | 100% |
| Total | 42 | 49 | 91 | 29 | 9 | 1 | 0 | 39 | 46% | 54% | 100% | 74% | 23% | 3% | 0% | 100% |
| All Districts | | | | | | | | | | | | | | | | |
| BPL | 86 | 51 | 137 | 49 | 24 | 8 | 4 | 85 | 63% | 37% | 100% | 58% | 28% | 9% | 5% | 100% |
| Non BPL | 64 | 57 | 121 | 36 | 19 | 3 | 2 | 60 | 53% | 47% | 100% | 60% | 32% | 5% | 3% | 100% |
| Total | 150 | 108 | 258 | 85 | 43 | 11 | 6 | 145 | 58% | 42% | 100% | 59% | 30% | 8% | 4% | 100% |

| Table 8.3.36 | | Willingness to Pay for Better Services | | | | | | | | | | |
|----------------------|-----------|--|-------|-----|-----|-------|---------|----|-------|-----|-----|-------|
| Poverty | Yes | No | Total | Yes | No | Total | Yes | No | Total | Yes | No | Total |
| | Ahmedabad | | | | | | Bharuch | | | | | |
| BPL | 60 | 6 | 66 | 91% | 9% | 100% | 24 | 10 | 34 | 71% | 29% | 100% |
| Non BPL | 11 | 2 | 13 | 85% | 15% | 100% | 31 | 16 | 47 | 66% | 34% | 100% |
| Total | 71 | 8 | 79 | 90% | 10% | 100% | 55 | 26 | 81 | 68% | 32% | 100% |
| Junagadh | | | | | | | | | | | | |
| Poverty | Yes | No | Total | Yes | No | Total | Yes | No | Total | Yes | No | Total |
| BPL | 23 | 8 | 31 | 74% | 26% | 100% | 107 | 24 | 131 | 82% | 18% | 100% |
| Non BPL | 39 | 11 | 50 | 78% | 22% | 100% | 81 | 29 | 110 | 74% | 26% | 100% |
| Total | 62 | 19 | 81 | 77% | 23% | 100% | 188 | 53 | 241 | 78% | 22% | 100% |
| All Districts | | | | | | | | | | | | |

8.3.5 Literacy Level

Analysis of attendance in awareness generation programs based on literacy shows that the trend is non-linear with 79%, 83%, 91%, 87% and 75% among non-literates, primary, secondary, graduate and post-graduate educated beneficiaries. However, in Bharuch attendance was highest among non-literates. Key influencers were spouses in case of non-literates whereas it was health workers for others. In Ahmedabad, key influencers were spouses in case of non-literates and primary school educated. However, in case of others it was health workers. Thus with higher literacy, respondents seek guidance from health personnel. Important decision makers were respondents themselves, spouses and parents among non-literates. Higher the literacy higher is the share of cases where respondents make decision themselves (Table 8.2.39 to 47)

Main purpose of visit to health centres was communicable diseases in case of non-literate and primary school educated. In case of secondary school educated and graduates, the main purpose was immunization. Quality of awareness programs was found to be good or very good by 61% non-literates, 65% primary school educated, 87% secondary school educated and 65% graduates. It is found that 45% non-literates, 65% primary school educated, 83% secondary school educated and 83% graduates were certain to visit health centres again.

It is seen that 63% non-literates, 60% primary school educated, 53% secondary school educated and 55% graduates had visited private health practitioners recently and in all 57% had spent less than Rs 1000. It is found that 84% non-literates, 74% primary school educated, 73% secondary school educated and 82% graduates were willing to pay for better services.

Test of hypothesis carried out in these variables shows that significant difference exists across literacy levels in all the districts (Table 8.3.38)

| Table 8.3.37 | Literacy | | | | |
|---|------------------------|----------|----------|-----------------------|------------------------|
| Null Hypothesis | Deg. of Freedom | χ^2 | p | Reject/ Accept | Remarks |
| Attended Awareness Program | 6 | 47.94 | <0.0001 | Reject | Significant Difference |
| Health Seeking Behaviour - Influencer | 6 | 115.01 | <0.0001 | Reject | |
| Health Seeking Behaviour - Decision Maker | 6 | 128.01 | <0.0001 | Reject | |
| Purpose of visit to health centre | 6 | 98.65 | <0.0001 | Reject | |
| Quality of service | 6 | 63.04 | <0.0001 | Reject | |
| Repeat visit to health centre | 6 | 63 | <0.0001 | Reject | |
| Availed private health care | 6 | 46.05 | <0.0001 | Reject | |
| Willingness to pay for better services | 6 | 47.99 | <0.0001 | Reject | |

| Table 8.3.38 Attended awareness program | | | | | | | | | | | | |
|---|-----------|----|----|------|-------|------|---------------|----|-----|------|-------|------|
| Literacy | Yes | | No | | Total | | Yes | | No | | Total | |
| | | | | | | | | | | | | |
| | Ahmedabad | | | | | | Bharuch | | | | | |
| Non-Literate | 30 | 11 | 41 | 73% | 27% | 100% | 11 | 1 | 12 | 92% | 8% | 100% |
| Primary | 30 | 7 | 37 | 81% | 19% | 100% | 26 | 5 | 31 | 84% | 16% | 100% |
| Secondary | 5 | 0 | 5 | 100% | 0% | 100% | 36 | 4 | 40 | 90% | 10% | 100% |
| Graduate | 4 | 0 | 4 | 100% | 0% | 100% | 5 | 2 | 7 | 71% | 29% | 100% |
| Post-Graduate | 0 | 1 | 1 | 0% | 100% | 100% | 1 | 0 | 1 | 100% | 0% | 100% |
| Total | 69 | 19 | 88 | 78% | 22% | 100% | 79 | 12 | 91 | 87% | 13% | 100% |
| | Junagadh | | | | | | All Districts | | | | | |
| Non-Literate | 8 | 1 | 9 | 89% | 11% | 100% | 49 | 13 | 62 | 79% | 21% | 100% |
| Primary | 30 | 5 | 35 | 86% | 14% | 100% | 86 | 17 | 103 | 83% | 17% | 100% |
| Secondary | 32 | 3 | 35 | 91% | 9% | 100% | 73 | 7 | 80 | 91% | 9% | 100% |
| Graduate | 11 | 1 | 12 | 92% | 8% | 100% | 20 | 3 | 23 | 87% | 13% | 100% |
| Post-Graduate | 2 | 0 | 2 | 100% | 0% | 100% | 3 | 1 | 4 | 75% | 25% | 100% |
| Total | 83 | 10 | 93 | 89% | 11% | 100% | 231 | 41 | 272 | 85% | 15% | 100% |

| Health Seeking Behaviour - Influencer | | | | | | | | | | | | | | |
|---------------------------------------|------------------|-----------|--------------|------------|-----------|-----------|------------|------------|-------------|--------------|------------|------------|-----------|-------------|
| Literacy | Spouse | Parents | Frnd/ Rel | HW | AS HA | Othrs | Total | Spouse | Parent s | Frnd/ Rel | HW | ASHA | Othrs | Total |
| | Ahmedabad | | | | | | | | | | | | | |
| Non-Literate | 31 | 27 | 12 | 13 | 3 | 2 | 88 | 35% | 31% | 14% | 15% | 3% | 2% | 100% |
| Primary | 22 | 22 | 9 | 8 | 14 | 6 | 81 | 27% | 27% | 11% | 10% | 17% | 7% | 100% |
| Secondary | 2 | 3 | 2 | 4 | 3 | 0 | 14 | 14% | 21% | 14% | 29% | 21% | 0% | 100% |
| Graduate | 0 | 1 | 0 | 2 | 1 | 0 | 4 | 0% | 25% | 0% | 50% | 25% | 0% | 100% |
| Post-Graduate | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 100% | 0% | 0% | 0% | 0% | 0% | 100% |
| Total | 56 | 53 | 23 | 27 | 21 | 8 | 188 | 30% | 28% | 12% | 14% | 11% | 4% | 100% |
| Bharuch | | | | | | | | | | | | | | |
| Non-Literate | 3 | 2 | 1 | 4 | 6 | 4 | 20 | 15% | 10% | 5% | 20% | 30% | 20% | 100% |
| Primary | 2 | 5 | 1 | 22 | 14 | 2 | 46 | 4% | 11% | 2% | 48% | 30% | 4% | 100% |
| Secondary | 10 | 3 | 0 | 25 | 15 | 2 | 55 | 18% | 5% | 0% | 45% | 27% | 4% | 100% |
| Graduate | 1 | 2 | 0 | 3 | 3 | 0 | 9 | 11% | 22% | 0% | 33% | 33% | 0% | 100% |
| Post-Graduate | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0% | 100% | 0% | 0% | 0% | 0% | 100% |
| Total | 16 | 13 | 2 | 54 | 38 | 8 | 131 | 12% | 10% | 2% | 41% | 29% | 6% | 100% |
| Junagadh | | | | | | | | | | | | | | |
| Non-Literate | 1 | 1 | 1 | 7 | 7 | 0 | 17 | 6% | 6% | 6% | 41% | 41% | 0% | 100% |
| Primary | 8 | 3 | 0 | 27 | 10 | 0 | 48 | 17% | 6% | 0% | 56% | 21% | 0% | 100% |
| Secondary | 9 | 12 | 1 | 29 | 18 | 2 | 71 | 13% | 17% | 1% | 41% | 25% | 3% | 100% |
| Graduate | 2 | 4 | 1 | 6 | 2 | 0 | 15 | 13% | 27% | 7% | 40% | 13% | 0% | 100% |
| Post-Graduate | 0 | 1 | 0 | 1 | 1 | 0 | 3 | 0% | 33% | 0% | 33% | 33% | 0% | 100% |
| Total | 20 | 21 | 3 | 70 | 38 | 2 | 154 | 13% | 14% | 2% | 45% | 25% | 1% | 100% |
| All Districts | | | | | | | | | | | | | | |
| Non-Literate | 35 | 30 | 14 | 24 | 16 | 6 | 125 | 28% | 24% | 11% | 19% | 13% | 5% | 100% |
| Primary | 32 | 30 | 10 | 57 | 38 | 8 | 175 | 18% | 17% | 6% | 33% | 22% | 5% | 100% |
| Secondary | 21 | 18 | 3 | 58 | 36 | 4 | 140 | 15% | 13% | 2% | 41% | 26% | 3% | 100% |
| Graduate | 3 | 7 | 1 | 11 | 6 | 0 | 28 | 11% | 25% | 4% | 39% | 21% | 0% | 100% |
| Post-Graduate | 1 | 2 | 0 | 1 | 1 | 0 | 5 | 20% | 40% | 0% | 20% | 20% | 0% | 100% |
| Total | 92 | 87 | 28 | 151 | 97 | 18 | 473 | 19% | 18% | 6% | 32% | 21% | 4% | 100% |

| Health Seeking Behaviour - Decision Maker | | | | | | | | | | | | | | |
|---|------------------|-----------|-----------|-----------------|-----------|-----------|------------|------------|--------------|------------|-----------------|------------|------------|-------------|
| Literacy | Own self | Spouse | Parents | Friend/Relative | HW | ASH A | Total | Own self | Husband/wife | Parents | Friend/Relative | HW | ASHA | Total |
| | Ahmedabad | | | | | | | | | | | | | |
| Non-Literate | 19 | 26 | 25 | 6 | 6 | 2 | 84 | 23% | 31% | 30% | 7% | 7% | 2% | 100% |
| Primary | 26 | 21 | 12 | 3 | 4 | 3 | 69 | 38% | 17% | 17% | 4% | 6% | 4% | 100% |
| Secondary | 5 | 1 | 0 | 0 | 0 | 0 | 6 | 83% | 30% | 0% | 0% | 0% | 0% | 100% |
| Graduate | 3 | 0 | 1 | 0 | 0 | 0 | 4 | 75% | 0% | 25% | 0% | 0% | 0% | 100% |
| Post-Graduate | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 100% | 0% | 0% | 0% | 0% | 0% | 100% |
| Total | 54 | 48 | 38 | 9 | 10 | 5 | 164 | 33% | 29% | 23% | 5% | 6% | 3% | 100% |
| Bharuch | | | | | | | | | | | | | | |
| Non-Literate | 7 | 4 | 2 | 1 | 4 | 3 | 21 | 33% | 19% | 10% | 5% | 19% | 14% | 100% |
| Primary | 15 | 7 | 3 | 1 | 5 | 6 | 37 | 41% | 19% | 8% | 3% | 14% | 16% | 100% |
| Secondary | 29 | 10 | 2 | 2 | 5 | 8 | 56 | 52% | 18% | 4% | 4% | 9% | 14% | 100% |
| Graduate | 3 | 3 | 0 | 1 | 0 | 0 | 7 | 43% | 43% | 0% | 14% | 0% | 0% | 100% |
| Post-Graduate | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0% | 0% | 100% | 0% | 0% | 0% | 100% |
| Total | 54 | 24 | 8 | 5 | 14 | 17 | 122 | 44% | 20% | 7% | 4% | 11% | 14% | 100% |
| Junagadh | | | | | | | | | | | | | | |
| Non-Literate | 6 | 2 | 1 | 0 | 3 | 1 | 13 | 46% | 15% | 8% | 0% | 23% | 8% | 100% |
| Primary | 18 | 9 | 2 | 1 | 14 | 5 | 49 | 37% | 18% | 4% | 2% | 29% | 10% | 100% |
| Secondary | 25 | 12 | 4 | 2 | 13 | 6 | 62 | 40% | 19% | 6% | 3% | 21% | 10% | 100% |
| Graduate | 8 | 1 | 3 | 0 | 2 | 2 | 16 | 50% | 6% | 19% | 0% | 13% | 13% | 100% |
| Post-Graduate | 1 | 0 | 0 | 0 | 1 | 1 | 3 | 33% | 0% | 0% | 0% | 33% | 33% | 100% |
| Total | 58 | 24 | 10 | 3 | 33 | 15 | 143 | 41% | 17% | 7% | 2% | 23% | 10% | 100% |
| All Districts | | | | | | | | | | | | | | |
| Non-Literate | 32 | 32 | 28 | 7 | 13 | 6 | 118 | 27% | 27% | 24% | 6% | 11% | 5% | 100% |
| Primary | 59 | 37 | 17 | 5 | 23 | 14 | 155 | 38% | 24% | 11% | 3% | 15% | 9% | 100% |
| Secondary | 59 | 23 | 6 | 4 | 18 | 14 | 124 | 48% | 19% | 5% | 3% | 15% | 11% | 100% |
| Graduate | 14 | 4 | 4 | 1 | 2 | 2 | 27 | 52% | 15% | 15% | 4% | 7% | 7% | 100% |
| Post-Graduate | 2 | 0 | 1 | 0 | 1 | 1 | 5 | 40% | 0% | 20% | 0% | 20% | 20% | 100% |
| Total | 166 | 96 | 56 | 17 | 57 | 37 | 429 | 39% | 22% | 13% | 4% | 13% | 9% | 100% |

| Table 8.3.41 | | Purpose of Visit to Health Centre | | | | | | | | | | | | |
|----------------------|---------------|-----------------------------------|----------------|-----------------|-----------|-----------------|------------|------------|------------|------------|------------|------------|-----------|-------------|
| Literacy | Immuni zation | Family Plan | | Commi diseases | | Maternal Health | | Nutrition | | Others | | Total | | |
| | | Family Plan | Commi diseases | Maternal Health | Nutrition | Others | Total | | | | | | | |
| Ahmedabad | | | | | | | | | | | | | | |
| Non-Literate | 13 | 8 | 18 | 10 | 2 | 1 | 52 | 25% | 15% | 35% | 19% | 4% | 2% | 100% |
| Primary | 16 | 12 | 13 | 6 | 4 | 3 | 54 | 30% | 22% | 24% | 11% | 7% | 6% | 100% |
| Secondary | 2 | 2 | 1 | 0 | 0 | 0 | 5 | 40% | 40% | 20% | 0% | 0% | 0% | 100% |
| Graduate | 1 | 0 | 0 | 0 | 1 | 0 | 2 | 50% | 0% | 0% | 0% | 50% | 0% | 100% |
| Post-Grad | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 100% | 0% | 0% | 0% | 0% | 0% | 100% |
| Total | 33 | 22 | 32 | 16 | 7 | 4 | 114 | 29% | 19% | 28% | 14% | 6% | 4% | 100% |
| Bharuch | | | | | | | | | | | | | | |
| Non-Literate | 8 | 3 | 9 | 3 | 3 | 0 | 26 | 31% | 12% | 35% | 12% | 12% | 0% | 100% |
| Primary | 14 | 10 | 12 | 4 | 8 | 1 | 49 | 29% | 20% | 24% | 8% | 16% | 2% | 100% |
| Secondary | 18 | 14 | 16 | 10 | 10 | 0 | 68 | 26% | 21% | 24% | 15% | 15% | 0% | 100% |
| Graduate | 4 | 3 | 2 | 0 | 0 | 0 | 9 | 44% | 33% | 22% | 0% | 0% | 0% | 100% |
| Post-Grad | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0% | 0% | 100% | 0% | 0% | 0% | 100% |
| Total | 44 | 30 | 40 | 17 | 21 | 1 | 153 | 29% | 20% | 26% | 11% | 14% | 1% | 100% |
| Junagadh | | | | | | | | | | | | | | |
| Non-Literate | 2 | 2 | 5 | 3 | 1 | 0 | 13 | 15% | 15% | 38% | 23% | 8% | 0% | 100% |
| Primary | 9 | 11 | 19 | 4 | 5 | 1 | 49 | 18% | 22% | 39% | 8% | 10% | 2% | 100% |
| Secondary | 21 | 18 | 12 | 7 | 8 | 0 | 66 | 32% | 27% | 18% | 11% | 12% | 0% | 100% |
| Graduate | 6 | 2 | 3 | 2 | 4 | 0 | 17 | 35% | 12% | 18% | 12% | 24% | 0% | 100% |
| Post-Grad | 1 | 1 | 1 | 1 | 0 | 0 | 4 | 25% | 25% | 25% | 25% | 0% | 0% | 100% |
| Total | 39 | 34 | 40 | 17 | 18 | 1 | 149 | 26% | 23% | 27% | 11% | 12% | 1% | 100% |
| All Districts | | | | | | | | | | | | | | |
| Non-Literate | 23 | 13 | 32 | 16 | 6 | 1 | 91 | 25% | 14% | 35% | 18% | 7% | 1% | 100% |
| Primary | 39 | 33 | 44 | 14 | 17 | 5 | 152 | 26% | 22% | 29% | 9% | 11% | 3% | 100% |
| Secondary | 41 | 34 | 29 | 17 | 18 | 0 | 139 | 29% | 24% | 21% | 12% | 13% | 0% | 100% |
| Graduate | 11 | 5 | 5 | 2 | 5 | 0 | 28 | 39% | 18% | 18% | 7% | 18% | 0% | 100% |
| Post-Grad | 2 | 1 | 2 | 1 | 0 | 0 | 6 | 33% | 17% | 33% | 17% | 0% | 0% | 100% |
| Total | 116 | 86 | 112 | 50 | 46 | 6 | 416 | 28% | 21% | 27% | 12% | 11% | 1% | 100% |

| Table 8.3.42 | | Quality of Service | | | | | | | | | | |
|----------------------|----------|--------------------|-----------|------------|-----------|------------|-----------|-----------|------------|------------|------------|-------------|
| Literacy | Bad | Poor | Normal | Good | Very Good | Total | Bad | Poor | Normal | Good | Very Good | Total |
| | | | | | | | | | | | | |
| Ahmedabad | | | | | | | | | | | | |
| Non-Literate | 0 | 1 | 20 | 18 | 1 | 40 | 0% | 3% | 50% | 45% | 3% | 100% |
| Primary | 3 | 2 | 16 | 16 | 0 | 37 | 8% | 5% | 43% | 43% | 0% | 100% |
| Secondary | 0 | 0 | 2 | 3 | 0 | 5 | 0% | 0% | 40% | 60% | 0% | 100% |
| Graduate | 0 | 0 | 0 | 4 | 0 | 4 | 0% | 0% | 0% | 100% | 0% | 100% |
| Post-Graduate | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0% | 0% | 0% | 0% | 0% |
| Total | 3 | 3 | 38 | 41 | 1 | 86 | 3% | 3% | 44% | 48% | 1% | 100% |
| Bharuch | | | | | | | | | | | | |
| Non-Literate | 0 | 0 | 0 | 10 | 2 | 12 | 0% | 0% | 0% | 83% | 17% | 100% |
| Primary | 0 | 0 | 2 | 15 | 14 | 31 | 0% | 0% | 6% | 48% | 45% | 100% |
| Secondary | 0 | 0 | 1 | 30 | 9 | 40 | 0% | 0% | 3% | 75% | 23% | 100% |
| Graduate | 0 | 0 | 0 | 6 | 1 | 7 | 0% | 0% | 0% | 86% | 14% | 100% |
| Post-Graduate | 0 | 0 | 1 | 0 | 0 | 1 | 0% | 0% | 100% | 0% | 0% | 100% |
| Total | 0 | 0 | 4 | 61 | 26 | 91 | 0% | 0% | 4% | 67% | 29% | 100% |
| Junagadh | | | | | | | | | | | | |
| Non-Literate | 0 | 0 | 3 | 6 | 0 | 9 | 0% | 0% | 33% | 67% | 0% | 100% |
| Primary | 0 | 0 | 13 | 16 | 6 | 35 | 0% | 0% | 37% | 46% | 17% | 100% |
| Secondary | 0 | 0 | 8 | 17 | 10 | 35 | 0% | 0% | 23% | 49% | 29% | 100% |
| Graduate | 0 | 1 | 7 | 1 | 3 | 12 | 0% | 8% | 58% | 8% | 25% | 100% |
| Post-Graduate | 0 | 0 | 0 | 2 | 0 | 2 | 0% | 0% | 0% | 100% | 0% | 100% |
| Total | 0 | 1 | 31 | 42 | 19 | 93 | 0% | 1% | 33% | 45% | 20% | 100% |
| All Districts | | | | | | | | | | | | |
| Non-Literate | 0 | 1 | 23 | 34 | 3 | 61 | 0% | 2% | 38% | 56% | 5% | 100% |
| Primary | 3 | 2 | 31 | 47 | 20 | 103 | 3% | 2% | 30% | 46% | 19% | 100% |
| Secondary | 0 | 0 | 11 | 50 | 19 | 80 | 0% | 0% | 14% | 63% | 24% | 100% |
| Graduate | 0 | 1 | 7 | 11 | 4 | 23 | 0% | 4% | 30% | 48% | 17% | 100% |
| Post-Graduate | 0 | 0 | 1 | 2 | 0 | 3 | 0% | 0% | 33% | 67% | 0% | 100% |
| Total | 3 | 4 | 73 | 144 | 46 | 270 | 1% | 1% | 27% | 53% | 17% | 100% |

| Literacy | | Repeat Visit to Health Centre | | | | | | | | | | | |
|----------------------|----------|-------------------------------|-----------|-----------|-------------|----------|-----------|------------|------------|-----------|------------|------------|-------------|
| | | Never | May be | Certainly | Total | Never | May be | Certainly | Total | Never | May be | Certainly | Total |
| Ahmedabad | | | | | | | | | | | | | |
| Non-Literate | 0 | 31 | 10 | 41 | 100% | 0 | 0 | 12 | 12 | 0% | 0% | 100% | 100% |
| Primary | 1 | 21 | 15 | 37 | 100% | 0 | 5 | 26 | 31 | 0% | 16% | 84% | 100% |
| Secondary | 0 | 1 | 4 | 5 | 100% | 0 | 8 | 32 | 40 | 0% | 20% | 80% | 100% |
| Graduate | 0 | 0 | 4 | 4 | 100% | 0 | 2 | 5 | 7 | 0% | 29% | 71% | 100% |
| Post-Grad | 0 | 0 | 1 | 1 | 100% | 0 | 0 | 1 | 1 | 0% | 0% | 100% | 100% |
| Total | 1 | 53 | 34 | 88 | 100% | 0 | 15 | 76 | 91 | 0% | 16% | 84% | 100% |
| Junagadh | | | | | | | | | | | | | |
| Non-Literate | 0 | 3 | 6 | 9 | 100% | 0 | 34 | 28 | 62 | 0% | 55% | 45% | 100% |
| Primary | 1 | 8 | 26 | 35 | 100% | 2 | 34 | 67 | 103 | 2% | 33% | 65% | 100% |
| Secondary | 0 | 5 | 30 | 35 | 100% | 0 | 14 | 66 | 80 | 0% | 18% | 83% | 100% |
| Graduate | 0 | 2 | 10 | 12 | 100% | 0 | 4 | 19 | 23 | 0% | 17% | 83% | 100% |
| Post-Grad | 0 | 0 | 2 | 2 | 100% | 0 | 0 | 4 | 4 | 0% | 0% | 100% | 100% |
| Total | 1 | 18 | 74 | 93 | 100% | 2 | 86 | 184 | 272 | 1% | 32% | 68% | 100% |
| All Districts | | | | | | | | | | | | | |

Table 8.3.44 Annual Out-of-Pocket Expenditure on Health

| Literacy | Yes | No | Total | If Yes, Expenditure | | | | | Total | Yes | No | Total | <1000 | 1000-3000 | 3000-5000 | 5000-10000 | Total |
|----------------------|-----|-----|-------|---------------------|-----------|-----------|------------|-------|-------|-----|------|-------|-------|-----------|-----------|------------|-------|
| | | | | <1000 | 1000-3000 | 3000-5000 | 5000-10000 | Total | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| Ahmedabad | | | | | | | | | | | | | | | | | |
| Non-Literate | 29 | 12 | 41 | 15 | 13 | 1 | 0 | 29 | 71% | 29% | 100% | 52% | 45% | 3% | 0% | 100% | |
| Primary | 29 | 8 | 37 | 13 | 9 | 4 | 3 | 29 | 78% | 22% | 100% | 45% | 31% | 14% | 0% | 100% | |
| Secondary | 2 | 3 | 5 | 0 | 2 | 0 | 0 | 2 | 40% | 60% | 100% | 0% | 100% | 0% | 0% | 100% | |
| Graduate | 3 | 1 | 4 | 1 | 2 | 0 | 0 | 3 | 75% | 25% | 100% | 33% | 67% | 0% | 0% | 100% | |
| Post-Grad | 1 | 0 | 1 | 1 | 0 | 0 | 0 | 1 | 100% | 0% | 100% | 100% | 0% | 0% | 0% | 100% | |
| Total | 64 | 24 | 88 | 30 | 26 | 5 | 3 | 64 | 73% | 27% | 100% | 47% | 41% | 8% | 5% | 100% | |
| Bharuch | | | | | | | | | | | | | | | | | |
| Non-Literate | 7 | 5 | 12 | 2 | 2 | 1 | 1 | 6 | 58% | 42% | 100% | 33% | 33% | 17% | 17% | 100% | |
| Primary | 15 | 16 | 31 | 10 | 3 | 2 | 0 | 15 | 48% | 52% | 100% | 67% | 20% | 13% | 0% | 100% | |
| Secondary | 24 | 16 | 40 | 11 | 6 | 3 | 3 | 23 | 60% | 40% | 100% | 48% | 26% | 13% | 13% | 100% | |
| Graduate | 3 | 3 | 6 | 3 | 0 | 0 | 0 | 3 | 50% | 50% | 100% | 100% | 0% | 0% | 0% | 100% | |
| Post-Grad | 1 | 0 | 1 | 1 | 2 | 0 | 0 | 3 | 100% | 0% | 100% | 33% | 67% | 0% | 0% | 100% | |
| Total | 50 | 40 | 90 | 27 | 13 | 6 | 4 | 50 | 56% | 44% | 100% | 54% | 26% | 12% | 8% | 100% | |
| Junagadh | | | | | | | | | | | | | | | | | |
| Non-Literate | 3 | 6 | 9 | 2 | 1 | 0 | 0 | 3 | 33% | 67% | 100% | 67% | 33% | 0% | 0% | 100% | |
| Primary | 18 | 17 | 35 | 15 | 2 | 0 | 0 | 17 | 51% | 49% | 100% | 88% | 12% | 0% | 0% | 100% | |
| Secondary | 16 | 19 | 35 | 10 | 3 | 1 | 0 | 14 | 46% | 54% | 100% | 71% | 21% | 7% | 0% | 100% | |
| Graduate | 6 | 6 | 12 | 3 | 3 | 0 | 0 | 6 | 50% | 50% | 100% | 50% | 50% | 0% | 0% | 100% | |
| Post-Grad | 1 | 1 | 2 | 1 | 0 | 0 | 0 | 1 | 50% | 50% | 100% | 100% | 0% | 0% | 0% | 100% | |
| Total | 44 | 49 | 93 | 31 | 9 | 1 | 0 | 41 | 47% | 53% | 100% | 76% | 22% | 2% | 0% | 100% | |
| All Districts | | | | | | | | | | | | | | | | | |
| Non-Literate | 39 | 23 | 62 | 19 | 16 | 2 | 1 | 38 | 63% | 37% | 100% | 50% | 42% | 5% | 3% | 100% | |
| Primary | 62 | 41 | 103 | 38 | 14 | 6 | 3 | 61 | 60% | 40% | 100% | 62% | 23% | 10% | 5% | 100% | |
| Secondary | 42 | 38 | 80 | 21 | 11 | 4 | 3 | 39 | 53% | 48% | 100% | 54% | 28% | 10% | 8% | 100% | |
| Graduate | 12 | 10 | 22 | 7 | 5 | 0 | 0 | 12 | 55% | 45% | 100% | 58% | 42% | 0% | 0% | 100% | |
| Post-Grad | 3 | 1 | 4 | 3 | 2 | 0 | 0 | 5 | 75% | 25% | 100% | 60% | 40% | 0% | 0% | 100% | |
| Total | 158 | 113 | 271 | 88 | 48 | 12 | 7 | 155 | 58% | 42% | 100% | 57% | 31% | 8% | 5% | 100% | |

| Literacy | | Willingness to Pay for Better Services | | | | | | | | | | | |
|---------------|-----------|--|-----------|------------|------------|-------------|---------------|-----------|------------|------------|------------|-------------|-------|
| | | Yes | No | Total | Yes | No | Total | Yes | No | Total | Yes | No | Total |
| | | Ahmedabad | | | | | Bharuch | | | | | | |
| Non-Literate | 36 | 4 | 40 | 90% | 10% | 100% | 8 | 4 | 12 | 67% | 33% | 100% | |
| Primary | 30 | 5 | 35 | 86% | 14% | 100% | 17 | 12 | 29 | 59% | 41% | 100% | |
| Secondary | 5 | 0 | 5 | 100% | 0% | 100% | 26 | 11 | 37 | 70% | 30% | 100% | |
| Graduate | 3 | 1 | 4 | 75% | 25% | 100% | 6 | 1 | 7 | 86% | 14% | 100% | |
| Post-Graduate | 1 | 0 | 1 | 100% | 0% | 100% | 1 | 0 | 1 | 100% | 0% | 100% | |
| Total | 75 | 10 | 85 | 88% | 12% | 100% | 58 | 28 | 86 | 67% | 33% | 100% | |
| | | Junagadh | | | | | All Districts | | | | | | |
| Non-Literate | 7 | 2 | 9 | 78% | 22% | 100% | 51 | 10 | 61 | 84% | 16% | 100% | |
| Primary | 23 | 7 | 30 | 77% | 23% | 100% | 70 | 24 | 94 | 74% | 26% | 100% | |
| Secondary | 22 | 9 | 31 | 71% | 29% | 100% | 53 | 20 | 73 | 73% | 27% | 100% | |
| Graduate | 9 | 2 | 11 | 82% | 18% | 100% | 18 | 4 | 22 | 82% | 18% | 100% | |
| Post-Graduate | 2 | 0 | 2 | 100% | 0% | 100% | 4 | 0 | 4 | 100% | 0% | 100% | |
| Total | 63 | 20 | 83 | 76% | 24% | 100% | 196 | 58 | 254 | 77% | 23% | 100% | |

8.3.6 Caste Profile

It can be seen that on an overall more than 80% respondents of attended awareness programs. Only in case of scheduled tribes in Ahmedabad it was 25%. This may be because they are mostly migrant workers. Health workers were the major influencers across all castes. However, in Ahmedabad spouse and parents have major influence. Among others category in Junagadh, spouse were the major influence (Tables 8.3.49 to 8.3.56). Among all castes, respondents themselves were key decision makers. Health workers also play a key role in case of Schedules tribes and spouses in case of SEBC and others.

Key purpose of visit to health centre is communicable diseases in case of SC, ST and SEBC respondents and immunization among the others. Quality of service was good or very good among 58% SC, 81% ST, 67% SEBC and 80% other respondents. It was found that 74% SC, 85% ST, 59% SEBC and 73% other respondents were certain to make repeat visit to health centre. This was a low of 25% among ST, 43% of SC and 36% other respondents in Ahmedabad.

It was ascertained that 66% SC, 60% ST, 60% SEBC and 52% other respondents visited private health practitioners recently out of whom 59% had spent less than Rs 1000. It was found that 65% SC, 76% ST, 81% SEBC and 74% other respondents were willing to pay for better services.

Test of hypothesis shows that there is significant difference in the selected variable across the caste group of respondents (Table 8.3.48)

| Table 8.3.46 | Caste | | | | |
|---|-----------------|-----------------|----------|--------|------------------------|
| | Null Hypothesis | Deg. of Freedom | χ^2 | p | Reject/ Accept |
| Attended Awareness Program | 6 | 36.9 | <0.0001 | Reject | Significant Difference |
| Health Seeking Behaviour – Influencer | 6 | 102.1 | <0.0001 | Reject | |
| Health Seeking Behaviour - Decision Maker | 6 | 81.03 | <0.0001 | Reject | |
| Purpose of visit to health centre | 6 | 90.46 | <0.0001 | Reject | |
| Quality of service | 6 | 41.94 | <0.0001 | Reject | |
| Repeat visit to health centre | 6 | 44.01 | <0.0001 | Reject | |
| Availed private health care | 6 | 37.5 | <0.0001 | Reject | |
| Willingness to pay for better services | 6 | 26.3 | <0.0001 | Reject | |

| Caste Group | | Attended awareness program | | | | | | | | | | |
|----------------------|-----------|----------------------------|-----------|------------|------------|-------------|------------|-----------|------------|------------|------------|-------------|
| | | Yes | No | Total | Yes | No | Total | Yes | No | Total | Yes | No |
| Ahmedabad | | | | | | | | | | | | |
| Sch. Caste | 12 | 4 | 16 | 75% | 25% | 100% | 10 | 1 | 11 | 91% | 9% | 100% |
| Sch. Tribe | 1 | 3 | 4 | 25% | 75% | 100% | 21 | 3 | 24 | 88% | 13% | 100% |
| SEBC | 36 | 10 | 46 | 78% | 22% | 100% | 17 | 1 | 18 | 94% | 6% | 100% |
| Others | 13 | 1 | 14 | 93% | 7% | 100% | 29 | 7 | 36 | 81% | 19% | 100% |
| Total | 62 | 18 | 80 | 78% | 23% | 100% | 77 | 12 | 89 | 87% | 13% | 100% |
| Junagadh | | | | | | | | | | | | |
| Sch. Caste | 19 | 1 | 20 | 95% | 5% | 100% | 41 | 6 | 47 | 87% | 13% | 100% |
| Sch. Tribe | 12 | 0 | 12 | 100% | 0% | 100% | 34 | 6 | 40 | 85% | 15% | 100% |
| SEBC | 20 | 4 | 24 | 83% | 17% | 100% | 73 | 15 | 88 | 83% | 17% | 100% |
| Others | 30 | 5 | 35 | 86% | 14% | 100% | 72 | 13 | 85 | 85% | 15% | 100% |
| Total | 81 | 10 | 91 | 89% | 11% | 100% | 220 | 40 | 260 | 85% | 15% | 100% |
| All Districts | | | | | | | | | | | | |

| Health Seeking Behaviour - Influencer | | | | | | | | | | | | | | |
|---------------------------------------|-----------|-----------|-----------|------------|-----------|-----------|------------|------------|------------|------------|------------|------------|-----------|-------------|
| Caste Group | Spouse | Parents | Frnd/Rel | HW | ASHA | Others | Total | Spouse | Parents | Frnd/Rel | Total | ASHA | Others | Total |
| | | | | | | | | | | | | | | |
| Ahmedabad | | | | | | | | | | | | | | |
| Sch. Caste | 10 | 10 | 4 | 6 | 5 | 2 | 37 | 27% | 27% | 11% | 16% | 14% | 5% | 100% |
| Sch. Tribe | 4 | 3 | 0 | 1 | 0 | 0 | 8 | 50% | 38% | 0% | 13% | 0% | 0% | 100% |
| SEBC | 26 | 25 | 11 | 13 | 12 | 4 | 91 | 29% | 27% | 12% | 14% | 13% | 4% | 100% |
| Others | 9 | 6 | 4 | 4 | 4 | 2 | 29 | 31% | 21% | 14% | 14% | 14% | 7% | 100% |
| Total | 49 | 44 | 19 | 24 | 21 | 8 | 165 | 30% | 27% | 12% | 15% | 13% | 5% | 100% |
| Bharuch | | | | | | | | | | | | | | |
| Sch. Caste | 1 | 2 | 1 | 8 | 7 | 1 | 20 | 5% | 10% | 5% | 40% | 35% | 5% | 100% |
| Sch. Tribe | 4 | 6 | 1 | 12 | 10 | 4 | 37 | 11% | 16% | 3% | 32% | 27% | 11% | 100% |
| SEBC | 3 | 1 | 0 | 9 | 8 | 2 | 23 | 13% | 4% | 0% | 39% | 35% | 9% | 100% |
| Others | 7 | 4 | 0 | 23 | 13 | 1 | 48 | 15% | 8% | 0% | 48% | 27% | 2% | 100% |
| Total | 15 | 13 | 2 | 52 | 38 | 8 | 128 | 12% | 10% | 2% | 41% | 30% | 6% | 100% |
| Junagadh | | | | | | | | | | | | | | |
| Sch. Caste | 2 | 4 | 1 | 23 | 15 | 0 | 45 | 4% | 9% | 2% | 51% | 33% | 0% | 100% |
| Sch. Tribe | 2 | 10 | 3 | 25 | 11 | 1 | 52 | 4% | 19% | 6% | 48% | 21% | 2% | 100% |
| SEBC | 3 | 5 | 0 | 19 | 9 | 0 | 36 | 8% | 14% | 0% | 53% | 25% | 0% | 100% |
| Others | 13 | 2 | 0 | 1 | 1 | 0 | 17 | 76% | 12% | 0% | 6% | 6% | 0% | 100% |
| Total | 20 | 21 | 4 | 68 | 36 | 1 | 150 | 13% | 14% | 3% | 45% | 24% | 1% | 100% |
| All Districts | | | | | | | | | | | | | | |
| Sch. Caste | 13 | 16 | 6 | 37 | 27 | 3 | 102 | 13% | 16% | 6% | 36% | 26% | 3% | 100% |
| Sch. Tribe | 10 | 19 | 4 | 38 | 21 | 5 | 97 | 10% | 20% | 4% | 39% | 22% | 5% | 100% |
| SEBC | 32 | 31 | 11 | 41 | 29 | 6 | 150 | 21% | 21% | 7% | 27% | 19% | 4% | 100% |
| Others | 29 | 12 | 4 | 28 | 18 | 3 | 94 | 31% | 13% | 4% | 30% | 19% | 3% | 100% |
| Total | 84 | 78 | 25 | 144 | 95 | 17 | 443 | 19% | 18% | 6% | 33% | 21% | 4% | 100% |

| Health Seeking Behaviour - Decision Maker | | | | | | | | | | | | | | |
|---|------------|-----------|-----------|-----------------|-----------|-----------|------------|------------|--------------|------------|-----------------|------------|------------|-------------|
| Caste | Own self | Spouse | Parents | Friend/Relative | HW | ASHA | Total | Own self | Husband/wife | Parents | Friend/Relative | HW | ASHA | Total |
| | | | | | | | | | | | | | | |
| Ahmedabad | | | | | | | | | | | | | | |
| Sch. Caste | 11 | 6 | 5 | 1 | 1 | 0 | 24 | 46% | 25% | 21% | 4% | 4% | 0% | 100% |
| Sch. Tribe | 1 | 2 | 1 | 2 | 1 | 0 | 7 | 14% | 29% | 14% | 29% | 14% | 0% | 100% |
| SEBC | 31 | 26 | 17 | 4 | 6 | 2 | 86 | 36% | 30% | 20% | 5% | 7% | 2% | 100% |
| Others | 9 | 8 | 6 | 2 | 2 | 3 | 30 | 30% | 27% | 20% | 7% | 7% | 10% | 100% |
| Total | 52 | 42 | 29 | 9 | 10 | 5 | 143 | 36% | 29% | 20% | 6% | 7% | 3% | 100% |
| Bharuch | | | | | | | | | | | | | | |
| Sch. Caste | 11 | 0 | 1 | 0 | 1 | 0 | 13 | 85% | 0% | 8% | 0% | 8% | 0% | 100% |
| Sch. Tribe | 12 | 5 | 2 | 2 | 8 | 9 | 38 | 32% | 13% | 5% | 5% | 21% | 24% | 100% |
| SEBC | 10 | 6 | 1 | 2 | 2 | 4 | 25 | 40% | 24% | 4% | 8% | 8% | 16% | 100% |
| Others | 19 | 12 | 4 | 1 | 3 | 4 | 43 | 44% | 28% | 9% | 2% | 7% | 9% | 100% |
| Total | 52 | 23 | 8 | 5 | 14 | 17 | 119 | 44% | 19% | 7% | 4% | 12% | 14% | 100% |
| Junagadh | | | | | | | | | | | | | | |
| Sch. Caste | 11 | 2 | 0 | 1 | 8 | 2 | 24 | 46% | 8% | 0% | 4% | 33% | 8% | 100% |
| Sch. Tribe | 5 | 3 | 2 | 0 | 6 | 2 | 18 | 28% | 17% | 11% | 0% | 33% | 11% | 100% |
| SEBC | 17 | 5 | 2 | 0 | 8 | 3 | 35 | 49% | 14% | 6% | 0% | 23% | 9% | 100% |
| Others | 24 | 14 | 6 | 2 | 10 | 8 | 64 | 38% | 22% | 9% | 3% | 16% | 13% | 100% |
| Total | 57 | 24 | 10 | 3 | 32 | 15 | 141 | 40% | 17% | 7% | 2% | 23% | 11% | 100% |
| All Districts | | | | | | | | | | | | | | |
| Sch. Caste | 33 | 8 | 6 | 2 | 10 | 2 | 61 | 54% | 13% | 10% | 3% | 16% | 3% | 100% |
| Sch. Tribe | 18 | 10 | 5 | 4 | 15 | 11 | 63 | 29% | 16% | 8% | 6% | 24% | 17% | 100% |
| SEBC | 58 | 37 | 20 | 6 | 16 | 9 | 146 | 40% | 25% | 14% | 4% | 11% | 6% | 100% |
| Others | 52 | 34 | 16 | 5 | 15 | 15 | 137 | 38% | 25% | 12% | 4% | 11% | 11% | 100% |
| Total | 161 | 89 | 47 | 17 | 56 | 37 | 407 | 40% | 22% | 12% | 4% | 14% | 9% | 100% |

| Table 8.3.50 | | Purpose of Visit to Health Centre | | | | | | | | | | | | |
|----------------------|---------------|-----------------------------------|------------------|-----------------|-----------|----------|------------|---------------|-----------------|------------------|-----------------|------------|-----------|-------------|
| Literacy | Immuni zation | Family Planning | Communi diseases | Maternal Health | Nutrition | Others | Total | Immuni zation | Family Planning | Communi diseases | Maternal Health | Nutrition | Others | Total |
| | | | | | | | | | | | | | | |
| Ahmedabad | | | | | | | | | | | | | | |
| Sch. Caste | 4 | 3 | 6 | 0 | 1 | 1 | 15 | 27% | 20% | 40% | 0% | 7% | 7% | 100% |
| Sch. Tribe | 0 | 2 | 1 | 0 | 2 | 0 | 5 | 0% | 40% | 20% | 0% | 40% | 0% | 100% |
| SEBC | 20 | 16 | 18 | 9 | 3 | 3 | 69 | 29% | 23% | 26% | 13% | 4% | 4% | 100% |
| Others | 4 | 4 | 4 | 3 | 1 | 1 | 17 | 24% | 24% | 24% | 18% | 6% | 6% | 100% |
| Total | 28 | 25 | 29 | 12 | 7 | 5 | 106 | 26% | 24% | 27% | 11% | 7% | 5% | 100% |
| Bharuch | | | | | | | | | | | | | | |
| Sch. Caste | 6 | 3 | 9 | 2 | 3 | 0 | 23 | 26% | 13% | 39% | 9% | 13% | 0% | 100% |
| Sch. Tribe | 13 | 7 | 12 | 6 | 8 | 1 | 47 | 28% | 15% | 26% | 13% | 17% | 2% | 100% |
| SEBC | 9 | 5 | 9 | 4 | 4 | 0 | 31 | 29% | 16% | 29% | 13% | 13% | 0% | 100% |
| Others | 15 | 15 | 9 | 5 | 6 | 0 | 50 | 30% | 30% | 18% | 10% | 12% | 0% | 100% |
| Total | 43 | 30 | 39 | 17 | 21 | 1 | 151 | 28% | 20% | 26% | 11% | 14% | 1% | 100% |
| Junagadh | | | | | | | | | | | | | | |
| Sch. Caste | 5 | 5 | 11 | 4 | 2 | 0 | 27 | 19% | 19% | 41% | 15% | 7% | 0% | 100% |
| Sch. Tribe | 5 | 6 | 7 | 0 | 0 | 0 | 18 | 28% | 33% | 39% | 0% | 0% | 0% | 100% |
| SEBC | 7 | 6 | 14 | 4 | 3 | 0 | 34 | 21% | 18% | 41% | 12% | 9% | 0% | 100% |
| Others | 21 | 17 | 8 | 9 | 12 | 1 | 68 | 31% | 25% | 12% | 13% | 18% | 1% | 100% |
| Total | 38 | 34 | 40 | 17 | 17 | 1 | 147 | 26% | 23% | 27% | 12% | 12% | 1% | 100% |
| All Districts | | | | | | | | | | | | | | |
| Sch. Caste | 15 | 11 | 26 | 6 | 6 | 1 | 65 | 23% | 17% | 40% | 9% | 9% | 2% | 100% |
| Sch. Tribe | 18 | 15 | 20 | 6 | 10 | 1 | 70 | 26% | 21% | 29% | 9% | 14% | 1% | 100% |
| SEBC | 36 | 27 | 41 | 17 | 10 | 3 | 134 | 27% | 20% | 31% | 13% | 7% | 2% | 100% |
| Others | 40 | 36 | 21 | 17 | 19 | 2 | 135 | 30% | 27% | 16% | 13% | 14% | 1% | 100% |
| Total | 109 | 89 | 108 | 46 | 45 | 7 | 404 | 27% | 22% | 27% | 11% | 11% | 2% | 100% |

| Table 8.3.51 | | Quality of Service | | | | | | | | | | |
|----------------------|----------|--------------------|-----------|------------|-----------|------------|-----------|-----------|------------|------------|------------|-------------|
| Caste Group | Bad | Poor | Normal | Good | Very Good | Total | Bad | Poor | Normal | Good | Very Good | Total |
| Ahmedabad | | | | | | | | | | | | |
| Sch. Caste | 0 | 1 | 10 | 5 | 0 | 16 | 0% | 6% | 63% | 31% | 0% | 100% |
| Sch. Tribe | 0 | 1 | 2 | 1 | 0 | 4 | 0% | 25% | 50% | 25% | 0% | 100% |
| SEBC | 1 | 0 | 13 | 30 | 0 | 44 | 2% | 0% | 30% | 68% | 0% | 100% |
| Others | 1 | 1 | 7 | 4 | 1 | 14 | 7% | 7% | 50% | 29% | 7% | 100% |
| Total | 2 | 3 | 32 | 40 | 1 | 78 | 3% | 4% | 41% | 51% | 1% | 100% |
| Bharuch | | | | | | | | | | | | |
| Sch. Caste | 0 | 0 | 0 | 9 | 2 | 11 | 0% | 0% | 0% | 82% | 18% | 100% |
| Sch. Tribe | 0 | 0 | 0 | 12 | 12 | 24 | 0% | 0% | 0% | 50% | 50% | 100% |
| SEBC | 0 | 0 | 2 | 10 | 6 | 18 | 0% | 0% | 11% | 56% | 33% | 100% |
| Others | 0 | 0 | 2 | 28 | 6 | 36 | 0% | 0% | 6% | 78% | 17% | 100% |
| Total | 0 | 0 | 4 | 59 | 26 | 89 | 0% | 0% | 4% | 66% | 29% | 100% |
| Junagadh | | | | | | | | | | | | |
| Sch. Caste | 0 | 0 | 9 | 9 | 2 | 20 | 0% | 0% | 45% | 45% | 10% | 100% |
| Sch. Tribe | 0 | 0 | 5 | 6 | 1 | 12 | 0% | 0% | 42% | 50% | 8% | 100% |
| SEBC | 0 | 1 | 11 | 9 | 3 | 24 | 0% | 4% | 46% | 38% | 13% | 100% |
| Others | 0 | 0 | 6 | 16 | 13 | 35 | 0% | 0% | 17% | 46% | 37% | 100% |
| Total | 0 | 1 | 31 | 40 | 19 | 91 | 0% | 1% | 34% | 44% | 21% | 100% |
| All Districts | | | | | | | | | | | | |
| Sch. Caste | 0 | 1 | 19 | 23 | 4 | 47 | 0% | 2% | 40% | 49% | 9% | 100% |
| Sch. Tribe | 0 | 1 | 7 | 19 | 13 | 40 | 0% | 3% | 18% | 48% | 33% | 100% |
| SEBC | 1 | 1 | 26 | 49 | 9 | 86 | 1% | 1% | 30% | 57% | 10% | 100% |
| Others | 1 | 1 | 15 | 48 | 20 | 85 | 1% | 1% | 18% | 56% | 24% | 100% |
| Total | 2 | 4 | 67 | 139 | 46 | 258 | 1% | 2% | 26% | 54% | 18% | 100% |

| Caste Group | | Repeat Visit to Health Centre | | | | | | | | | | | | | | |
|----------------------|----------|-------------------------------|-----------|-----------|-----------|------------|------------|-------------|----------|-----------|------------|------------|-----------|------------|------------|-------------|
| | | Never | May be | Certainly | Total | Never | May be | Certainly | Total | Never | May be | Certainly | Total | | | |
| Ahmedabad | | | | | | | | | | | | | | | | |
| Sch. Caste | 0 | 6 | 10 | 16 | 0% | 38% | 63% | 100% | 0 | 1 | 10 | 11 | 0% | 9% | 91% | 100% |
| Sch. Tribe | 0 | 3 | 1 | 4 | 0% | 75% | 25% | 100% | 0 | 0 | 24 | 24 | 0% | 0% | 100% | 100% |
| SEBC | 0 | 26 | 20 | 46 | 0% | 57% | 43% | 100% | 0 | 3 | 15 | 18 | 0% | 17% | 83% | 100% |
| Others | 0 | 9 | 5 | 14 | 0% | 64% | 36% | 100% | 0 | 11 | 25 | 36 | 0% | 31% | 69% | 100% |
| Total | 0 | 44 | 36 | 80 | 0% | 55% | 45% | 100% | 0 | 15 | 74 | 89 | 0% | 17% | 83% | 100% |
| Junagadh | | | | | | | | | | | | | | | | |
| Sch. Caste | 0 | 5 | 15 | 20 | 0% | 25% | 75% | 100% | 0 | 12 | 35 | 47 | 0% | 26% | 74% | 100% |
| Sch. Tribe | 0 | 3 | 9 | 12 | 0% | 25% | 75% | 100% | 0 | 6 | 34 | 40 | 0% | 15% | 85% | 100% |
| SEBC | 1 | 6 | 17 | 24 | 4% | 25% | 71% | 100% | 1 | 35 | 52 | 88 | 1% | 40% | 59% | 100% |
| Others | 0 | 3 | 32 | 35 | 0% | 9% | 91% | 100% | 0 | 23 | 62 | 85 | 0% | 27% | 73% | 100% |
| Total | 1 | 17 | 73 | 91 | 1% | 19% | 80% | 100% | 1 | 76 | 183 | 260 | 0% | 29% | 70% | 100% |
| All Districts | | | | | | | | | | | | | | | | |

| Caste Group | | Annual Out-of-Pocket Expenditure on Health | | | | | | | | | | | | | | |
|----------------------|------------|--|------------|-----------|---------------------|-----------|------------|------------|------------|------------|-------------|------------|------------|------------|-----------|-------------|
| | | Yes | No | Total | If Yes, Expenditure | | | | Yes | No | Total | <1000 | 1000-3000 | 3000-10000 | >10000 | Total |
| | | | | | <1000 | 1000-3000 | 3000-10000 | >10000 | | | | | | | | |
| Ahmedabad | | | | | | | | | | | | | | | | |
| Sch. Caste | 13 | 3 | 16 | 4 | 6 | 3 | 0 | 13 | 81% | 19% | 100% | 31% | 46% | 23% | 0% | 100% |
| Sch. Tribe | 2 | 2 | 4 | 0 | 0 | 0 | 0 | 0 | 50% | 50% | 100% | 0% | 0% | 0% | 0% | 0% |
| SEBC | 33 | 13 | 46 | 18 | 12 | 2 | 1 | 33 | 72% | 28% | 100% | 55% | 36% | 6% | 3% | 100% |
| Others | 10 | 4 | 14 | 5 | 4 | 0 | 1 | 10 | 71% | 29% | 100% | 50% | 40% | 0% | 10% | 100% |
| Total | 58 | 22 | 80 | 27 | 22 | 5 | 2 | 56 | 73% | 28% | 100% | 48% | 39% | 9% | 4% | 100% |
| Bharuch | | | | | | | | | | | | | | | | |
| Sch. Caste | 7 | 4 | 11 | 5 | 1 | 1 | 0 | 7 | 64% | 36% | 100% | 71% | 14% | 14% | 0% | 100% |
| Sch. Tribe | 16 | 8 | 24 | 5 | 3 | 3 | 2 | 13 | 67% | 33% | 100% | 38% | 23% | 23% | 15% | 100% |
| SEBC | 9 | 2 | 11 | 4 | 2 | 1 | 2 | 9 | 82% | 18% | 100% | 44% | 22% | 11% | 22% | 100% |
| Others | 17 | 18 | 35 | 12 | 5 | 1 | 0 | 18 | 49% | 51% | 100% | 67% | 28% | 6% | 0% | 100% |
| Total | 49 | 32 | 81 | 26 | 11 | 6 | 4 | 47 | 60% | 40% | 100% | 55% | 23% | 13% | 9% | 100% |
| Junagadh | | | | | | | | | | | | | | | | |
| Sch. Caste | 11 | 9 | 20 | 11 | 0 | 0 | 0 | 11 | 55% | 45% | 100% | 100% | 0% | 0% | 0% | 100% |
| Sch. Tribe | 6 | 6 | 12 | 6 | 0 | 0 | 0 | 6 | 50% | 50% | 100% | 100% | 0% | 0% | 0% | 100% |
| SEBC | 7 | 17 | 24 | 5 | 1 | 0 | 0 | 6 | 29% | 71% | 100% | 83% | 17% | 0% | 0% | 100% |
| Others | 17 | 18 | 35 | 8 | 6 | 1 | 0 | 15 | 49% | 51% | 100% | 53% | 40% | 7% | 0% | 100% |
| Total | 41 | 50 | 91 | 30 | 7 | 1 | 0 | 38 | 45% | 55% | 100% | 79% | 18% | 3% | 0% | 100% |
| All Districts | | | | | | | | | | | | | | | | |
| Sch. Caste | 31 | 16 | 47 | 20 | 7 | 4 | 0 | 31 | 66% | 34% | 100% | 65% | 23% | 13% | 0% | 100% |
| Sch. Tribe | 24 | 16 | 40 | 11 | 3 | 3 | 2 | 19 | 60% | 40% | 100% | 58% | 16% | 16% | 11% | 100% |
| SEBC | 49 | 32 | 81 | 27 | 15 | 3 | 3 | 48 | 60% | 40% | 100% | 56% | 31% | 6% | 6% | 100% |
| Others | 44 | 40 | 84 | 25 | 15 | 2 | 1 | 43 | 52% | 48% | 100% | 58% | 35% | 5% | 2% | 100% |
| Total | 148 | 104 | 252 | 83 | 40 | 12 | 6 | 141 | 59% | 41% | 100% | 59% | 28% | 9% | 4% | 100% |

| Table 8.3.54 | | Willingness to Pay for Better Services | | | | | | | | | | |
|----------------------|------------|--|----|-------|-----|------|-------|-----|-----|-------|-----|------|
| | | Yes | No | Total | Yes | No | Total | Yes | No | Total | Yes | No |
| Caste Category | Ahmedabad | | | | | | | | | | | |
| | Sch. Caste | 14 | 1 | 15 | 93% | 7% | 100% | 7 | 4 | 11 | 64% | 36% |
| Sch. Tribe | 3 | 1 | 4 | 75% | 25% | 100% | 17 | 5 | 22 | 77% | 23% | 100% |
| SEBC | 35 | 9 | 44 | 80% | 20% | 100% | 15 | 2 | 17 | 88% | 12% | 100% |
| Others | 14 | 0 | 14 | 100% | 0% | 100% | 18 | 18 | 36 | 50% | 50% | 100% |
| Total | 66 | 11 | 77 | 86% | 14% | 100% | 57 | 29 | 86 | 66% | 34% | 100% |
| Junagadh | | | | | | | | | | | | |
| Sch. Caste | 7 | 10 | 17 | 41% | 59% | 100% | 28 | 15 | 43 | 65% | 35% | 100% |
| Sch. Tribe | 9 | 3 | 12 | 75% | 25% | 100% | 29 | 9 | 38 | 76% | 24% | 100% |
| SEBC | 19 | 5 | 24 | 79% | 21% | 100% | 69 | 16 | 85 | 81% | 19% | 100% |
| Others | 26 | 2 | 28 | 93% | 7% | 100% | 58 | 20 | 78 | 74% | 26% | 100% |
| Total | 61 | 20 | 81 | 75% | 25% | 100% | 184 | 60 | 244 | 75% | 25% | 100% |
| All Districts | | | | | | | | | | | | |

8.3.7 Occupation of Beneficiaries

Attendance in awareness generation programs was more than 80% across all the 6 occupation groups. Key influencers were health workers among those with household occupation, business, service, labour and agricultural labour whereas it was spouse in case of others. Spouses were key decision makers across all occupation groups whereas parents also are important decision makers in Ahmedabad (Table 8.3.58 to 8.3.65).

Key purpose of visit to health centre was communicable diseases and immunization. Family planning was also a key reason among labourers and agricultural workers. Quality of service was found to be good or very good by 80% engaged in household occupation, 60% in business, 41% in service occupation, 65% labourers and 73% agricultural workers. It was found that 67% in household occupation, 60% business and 76% in service occupation, 68% labourers and 70% agricultural workers were certain to make repeat visit to health centre.

Analysis reveals that 56% in household occupation, 52% business, 47% in service occupation, 63% labourers and 62% agricultural workers made recent visit to private health practitioners and 88% of them spent upto Rs 3000. It was also found that 79% in household occupation, 79% business, 68% in service occupation, 83% labourers and 71% agricultural workers were willing pay for better services.

Test of hypothesis was estimated to ascertain the significance of association in selected parameters based on the occupation of respondents. There is no significant difference in case of attendance in awareness programs, repeat visit to health centre, quality of service, availing private health care and willingness to pay for better services. On the other hand, significant difference is observed in case of influence and decision making behaviour and purpose of visit to health centre (Table 8.3.57).

| Table 8.3.55 | Occupation | | | | |
|---|-----------------|----------|---------|----------------|---------------------------|
| Null Hypothesis | Deg. of Freedom | χ^2 | p | Reject/ Accept | Remarks |
| Attended Awareness Program | 8 | 11.37 | 0.193 | Accept | No significant difference |
| Health Seeking Behaviour - Influencer | 8 | 106.7 | <0.0001 | Reject | Significant difference |
| Health Seeking Behaviour - Decision Maker | 8 | 22.87 | 0.011 | Reject | |
| Purpose of visit to health centre | 8 | 26.89 | 0.003 | Reject | |
| Quality of service | 8 | 10.14 | 0.43 | Accept | No significant difference |
| Repeat visit to health centre | 8 | 11.87 | 0.29 | Accept | |
| Availed private health care | 8 | 11.32 | 0.33 | Accept | |
| Willingness to pay for better services | 8 | 7.84 | 0.65 | Accept | |

| Table 8.3.56 | Attended Awareness Program | | | | | | | | | | | |
|----------------------|----------------------------|-----------|-----------|------------|------------|-------------|---------------|-----------|------------|------------|------------|-------------|
| Occupation | Yes | No | Total | Yes | No | Total | Yes | No | Total | Yes | No | Total |
| | Ahmedabad | | | | | | Bharuch | | | | | |
| Household | 24 | 7 | 31 | 77% | 23% | 100% | 30 | 3 | 33 | 91% | 9% | 100% |
| Business | 5 | 1 | 6 | 83% | 17% | 100% | 7 | 1 | 8 | 88% | 13% | 100% |
| Service | 3 | 1 | 4 | 75% | 25% | 100% | 2 | 1 | 3 | 67% | 33% | 100% |
| Labour | 29 | 9 | 38 | 76% | 24% | 100% | 25 | 4 | 29 | 86% | 14% | 100% |
| Agricultural Workers | 8 | 2 | 10 | 80% | 20% | 100% | 14 | 1 | 15 | 93% | 7% | 100% |
| Others | 1 | 0 | 1 | 100% | 0% | 100% | 1 | 0 | 1 | 100% | 0% | 100% |
| Total | 70 | 20 | 90 | 78% | 22% | 100% | 79 | 10 | 89 | 89% | 11% | 100% |
| | Junagadh | | | | | | All Districts | | | | | |
| | Yes | No | Total | Yes | No | Total | Yes | No | Total | Yes | No | Total |
| Household | 32 | 3 | 35 | 91% | 9% | 100% | 86 | 13 | 99 | 87% | 13% | 100% |
| Business | 11 | 0 | 11 | 100% | 0% | 100% | 23 | 2 | 25 | 92% | 8% | 100% |
| Service | 9 | 1 | 10 | 90% | 10% | 100% | 14 | 3 | 17 | 82% | 18% | 100% |
| Labour | 23 | 2 | 25 | 92% | 8% | 100% | 77 | 15 | 92 | 84% | 16% | 100% |
| Agricultural Workers | 8 | 4 | 12 | 67% | 33% | 100% | 30 | 7 | 37 | 81% | 19% | 100% |
| Others | 1 | 0 | 1 | 100% | 0% | 100% | 3 | 0 | 3 | 100% | 0% | 100% |
| Total | 84 | 10 | 94 | 89% | 11% | 100% | 233 | 40 | 273 | 85% | 15% | 100% |

| Health Care Seeking Behaviour - Influencer | | | | | | | | | | | | | | |
|--|-----------|-----------|-----------|------------|-----------|-----------|------------|------------|------------|------------|------------|------------|-----------|-------------|
| Occupation | Spouse | Parents | Fr/Rel | HW | ASHA | Others | Total | Spouse | Parents | Fr/Rel | HW | ASHA | Othrs | Total |
| Ahmedabad | | | | | | | | | | | | | | |
| Household | 26 | 22 | 6 | 8 | 11 | 4 | 77 | 34% | 29% | 8% | 10% | 14% | 5% | 100% |
| Business | 4 | 6 | 1 | 1 | 1 | 1 | 14 | 29% | 43% | 7% | 7% | 7% | 7% | 100% |
| Service | 1 | 2 | 1 | 2 | 1 | 0 | 7 | 14% | 29% | 14% | 29% | 14% | 0% | 100% |
| Labour | 20 | 20 | 11 | 10 | 6 | 3 | 70 | 29% | 29% | 16% | 14% | 9% | 4% | 100% |
| Agri workers | 4 | 1 | 4 | 3 | 0 | 0 | 12 | 33% | 8% | 33% | 25% | 0% | 0% | 100% |
| Others | 26 | 22 | 6 | 8 | 11 | 4 | 77 | 34% | 29% | 8% | 10% | 14% | 5% | 100% |
| Total | 55 | 51 | 23 | 24 | 19 | 8 | 180 | 31% | 28% | 13% | 13% | 11% | 4% | 100% |
| Bharuch | | | | | | | | | | | | | | |
| Household | 7 | 4 | 2 | 17 | 15 | 1 | 46 | 15% | 9% | 4% | 37% | 33% | 2% | 100% |
| Business | 2 | 0 | 0 | 4 | 6 | 1 | 13 | 15% | 0% | 0% | 31% | 46% | 8% | 100% |
| Service | 1 | 1 | 0 | 1 | 1 | 0 | 4 | 25% | 25% | 0% | 25% | 25% | 0% | 100% |
| Labour | 4 | 6 | 0 | 18 | 10 | 5 | 43 | 9% | 14% | 0% | 42% | 23% | 12% | 100% |
| Agri workers | 2 | 1 | 0 | 12 | 5 | 1 | 21 | 10% | 5% | 0% | 57% | 24% | 5% | 100% |
| Others | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0% | 100% | 0% | 0% | 0% | 0% | 100% |
| Total | 16 | 12 | 2 | 52 | 37 | 8 | 127 | 13% | 9% | 2% | 41% | 29% | 6% | 100% |
| Junagadh | | | | | | | | | | | | | | |
| Household | 13 | 5 | 0 | 23 | 17 | 0 | 58 | 22% | 9% | 0% | 40% | 29% | 0% | 100% |
| Business | 2 | 1 | 0 | 8 | 2 | 0 | 13 | 15% | 8% | 0% | 62% | 15% | 0% | 100% |
| Service | 0 | 1 | 2 | 8 | 4 | 0 | 15 | 0% | 7% | 13% | 53% | 27% | 0% | 100% |
| Labour | 3 | 11 | 1 | 21 | 10 | 1 | 47 | 6% | 23% | 2% | 45% | 21% | 2% | 100% |
| Agri workers | 1 | 3 | 1 | 9 | 5 | 1 | 20 | 5% | 15% | 5% | 45% | 25% | 5% | 100% |
| Others | 1 | 0 | 0 | 1 | 0 | 0 | 2 | 50% | 0% | 0% | 50% | 0% | 0% | 100% |
| Total | 19 | 21 | 4 | 69 | 38 | 2 | 153 | 12% | 14% | 3% | 45% | 25% | 1% | 100% |
| All Districts | | | | | | | | | | | | | | |
| Household | 46 | 31 | 8 | 8 | 48 | 5 | 181 | 25% | 17% | 4% | 27% | 24% | 3% | 100% |
| Business | 8 | 7 | 1 | 13 | 9 | 2 | 40 | 20% | 18% | 3% | 33% | 23% | 5% | 100% |
| Service | 2 | 4 | 3 | 11 | 6 | 0 | 26 | 8% | 15% | 12% | 42% | 23% | 0% | 100% |
| Labour | 27 | 37 | 12 | 49 | 26 | 9 | 160 | 17% | 23% | 8% | 31% | 16% | 6% | 100% |
| Agri workers | 7 | 5 | 5 | 24 | 10 | 2 | 53 | 13% | 9% | 9% | 45% | 19% | 4% | 100% |
| Others | 27 | 23 | 6 | 9 | 11 | 4 | 80 | 34% | 29% | 8% | 11% | 14% | 5% | 100% |
| Total | 90 | 84 | 29 | 145 | 94 | 18 | 460 | 20% | 18% | 6% | 32% | 20% | 4% | 100% |

| Health Care Seeking Behaviour - Decision Maker | | | | | | | | | | | | | | |
|--|----------|--------|---------|-----------------|----|------|-------|----------|--------------|---------|-----------------|-----|------|-------|
| Occupation | Own self | Spouse | Parents | Friend/Relative | HW | ASHA | Total | Own self | Husband/wife | Parents | Friend/Relative | HW | ASHA | Total |
| Ahmedabad | | | | | | | | | | | | | | |
| Household | 22 | 22 | 14 | 3 | 3 | 3 | 67 | 33% | 33% | 21% | 4% | 4% | 4% | 100% |
| Business | 6 | 4 | 0 | 0 | 0 | 0 | 10 | 60% | 40% | 0% | 0% | 0% | 0% | 100% |
| Service | 3 | 2 | 1 | 0 | 0 | 0 | 6 | 50% | 33% | 17% | 0% | 0% | 0% | 100% |
| Labour | 17 | 20 | 18 | 3 | 4 | 1 | 63 | 27% | 32% | 29% | 5% | 6% | 2% | 100% |
| Agri workers | 7 | 2 | 3 | 3 | 3 | 1 | 19 | 37% | 11% | 16% | 16% | 16% | 5% | 100% |
| Others | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 100% | 0% | 0% | 0% | 0% | 0% | 100% |
| Total | 56 | 50 | 36 | 9 | 10 | 5 | 166 | 34% | 30% | 22% | 5% | 6% | 3% | 100% |
| Bharuch | | | | | | | | | | | | | | |
| Household | 22 | 7 | 2 | 1 | 4 | 8 | 44 | 50% | 16% | 5% | 2% | 9% | 18% | 100% |
| Business | 6 | 3 | 1 | 0 | 0 | 1 | 11 | 55% | 27% | 9% | 0% | 0% | 9% | 100% |
| Service | 2 | 0 | 1 | 0 | 0 | 0 | 3 | 67% | 0% | 33% | 0% | 0% | 0% | 100% |
| Labour | 16 | 7 | 3 | 1 | 6 | 5 | 38 | 42% | 18% | 8% | 3% | 16% | 13% | 100% |
| Agri workers | 6 | 7 | 1 | 3 | 3 | 3 | 23 | 26% | 30% | 4% | 13% | 13% | 13% | 100% |
| Others | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Total | 52 | 24 | 8 | 5 | 13 | 17 | 119 | 44% | 20% | 7% | 4% | 11% | 14% | 100% |
| Junagadh | | | | | | | | | | | | | | |
| Household | 21 | 13 | 2 | 1 | 13 | 7 | 57 | 37% | 23% | 4% | 2% | 23% | 12% | 100% |
| Business | 6 | 3 | 1 | 0 | 3 | 0 | 13 | 46% | 23% | 8% | 0% | 23% | 0% | 100% |
| Service | 5 | 2 | 2 | 0 | 6 | 3 | 18 | 28% | 11% | 11% | 0% | 33% | 17% | 100% |
| Labour | 19 | 3 | 5 | 1 | 6 | 2 | 36 | 53% | 8% | 14% | 3% | 17% | 6% | 100% |
| Agri workers | 7 | 2 | 0 | 1 | 6 | 3 | 19 | 37% | 11% | 0% | 5% | 32% | 16% | 100% |
| Others | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0% | 100% | 0% | 0% | 0% | 0% | 100% |
| Total | 58 | 24 | 10 | 3 | 34 | 15 | 144 | 40% | 17% | 7% | 2% | 24% | 10% | 100% |
| All Districts | | | | | | | | | | | | | | |
| Household | 65 | 42 | 18 | 5 | 20 | 18 | 168 | 39% | 25% | 11% | 3% | 12% | 11% | 100% |
| Business | 18 | 10 | 2 | 0 | 3 | 1 | 34 | 53% | 29% | 6% | 0% | 9% | 3% | 100% |
| Service | 10 | 4 | 4 | 0 | 6 | 3 | 27 | 37% | 15% | 15% | 0% | 22% | 11% | 100% |
| Labour | 52 | 30 | 26 | 5 | 16 | 8 | 137 | 38% | 22% | 19% | 4% | 12% | 6% | 100% |
| Agri workers | 20 | 11 | 4 | 7 | 12 | 7 | 61 | 33% | 18% | 7% | 11% | 20% | 11% | 100% |
| Others | 1 | 1 | 0 | 0 | 0 | 0 | 2 | 50% | 50% | 0% | 0% | 0% | 0% | 100% |
| Total | 166 | 98 | 54 | 17 | 57 | 37 | 429 | 39% | 23% | 13% | 4% | 13% | 9% | 100% |

| Purpose of Visit to Health Centre | | | | | | | | | | | | | | |
|-----------------------------------|---------------|-------------|------------------|-----------------|-----------|--------|-------|---------------|-------------|------------------|-----------------|-----------|--------|-------|
| Occupation | Ahmedabad | | | | | | | | | | | | | |
| | Immuni zation | Family Plan | Communi diseases | Maternal Health | Nutrition | Others | Total | Immuni zation | Family Plan | Communi diseases | Maternal Health | Nutrition | Others | Total |
| Household | 13 | 9 | 13 | 8 | 2 | 0 | 45 | 29% | 20% | 29% | 18% | 4% | 0% | 100% |
| Business | 4 | 3 | 1 | 0 | 0 | 0 | 8 | 50% | 38% | 13% | 0% | 0% | 0% | 100% |
| Service | 0 | 0 | 2 | 0 | 0 | 2 | 4 | 0% | 0% | 50% | 0% | 0% | 50% | 100% |
| Labour | 15 | 11 | 13 | 6 | 4 | 2 | 51 | 29% | 22% | 25% | 12% | 8% | 4% | 100% |
| Agri.workrs | 1 | 1 | 3 | 3 | 1 | 1 | 10 | 10% | 10% | 30% | 30% | 10% | 10% | 100% |
| Others | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0% | 0% | 100% | 0% | 0% | 0% | 100% |
| Total | 33 | 24 | 32 | 17 | 7 | 5 | 118 | 28% | 20% | 27% | 14% | 6% | 4% | 100% |
| Bharuch | | | | | | | | | | | | | | |
| Household | 19 | 8 | 19 | 9 | 7 | 0 | 62 | 31% | 13% | 31% | 15% | 11% | 0% | 100% |
| Business | 2 | 1 | 5 | 0 | 1 | 0 | 9 | 22% | 11% | 56% | 0% | 11% | 0% | 100% |
| Service | 3 | 0 | 0 | 0 | 2 | 0 | 5 | 60% | 0% | 0% | 0% | 40% | 0% | 100% |
| Labour | 12 | 15 | 10 | 6 | 8 | 1 | 52 | 23% | 29% | 19% | 12% | 15% | 2% | 100% |
| Agri.workrs | 8 | 6 | 4 | 2 | 3 | 0 | 23 | 35% | 26% | 17% | 9% | 13% | 0% | 100% |
| Others | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0% | 0% | 0% | 0% | 0% | 0% |
| Total | 44 | 30 | 38 | 17 | 21 | 1 | 151 | 29% | 20% | 25% | 11% | 14% | 1% | 100% |
| Junagadh | | | | | | | | | | | | | | |
| Household | 15 | 13 | 14 | 8 | 7 | 0 | 57 | 26% | 23% | 25% | 14% | 12% | 0% | 100% |
| Business | 5 | 3 | 5 | 1 | 3 | 0 | 17 | 29% | 18% | 29% | 6% | 18% | 0% | 100% |
| Service | 2 | 4 | 8 | 3 | 2 | 0 | 19 | 11% | 21% | 42% | 16% | 11% | 0% | 100% |
| Labour | 14 | 9 | 8 | 2 | 3 | 0 | 36 | 39% | 25% | 22% | 6% | 8% | 0% | 100% |
| Agri.workrs | 3 | 5 | 5 | 3 | 3 | 1 | 20 | 15% | 25% | 25% | 15% | 15% | 5% | 100% |
| Others | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0% | 0% | 100% | 0% | 0% | 0% | 100% |
| Total | 39 | 34 | 40 | 17 | 18 | 1 | 149 | 26% | 23% | 27% | 11% | 12% | 1% | 100% |
| All Districts | | | | | | | | | | | | | | |
| Household | 47 | 30 | 46 | 25 | 16 | 0 | 164 | 29% | 18% | 28% | 15% | 10% | 0% | 100% |
| Business | 11 | 7 | 11 | 1 | 4 | 0 | 34 | 32% | 21% | 32% | 3% | 12% | 0% | 100% |
| Service | 5 | 4 | 10 | 3 | 4 | 2 | 28 | 18% | 14% | 36% | 11% | 14% | 7% | 100% |
| Labour | 41 | 35 | 31 | 14 | 15 | 3 | 139 | 29% | 25% | 22% | 10% | 11% | 2% | 100% |
| Agri.workrs | 12 | 12 | 12 | 8 | 7 | 2 | 53 | 23% | 23% | 23% | 15% | 13% | 4% | 100% |
| Others | 0 | 0 | 2 | 0 | 0 | 0 | 2 | 0% | 0% | 100% | 0% | 0% | 0% | 100% |
| Total | 116 | 88 | 110 | 51 | 46 | 7 | 418 | 28% | 21% | 26% | 12% | 11% | 2% | 100% |

| Table 8.3.60 | | Quality of Service | | | | | | | | | | |
|----------------------|-----|--------------------|--------|------|-----------|-------|-----|------|--------|------|-----------|-------|
| Occupation | Bad | Poor | Normal | Good | Very Good | Total | Bad | Poor | Normal | Good | Very Good | Total |
| Ahmedabad | | | | | | | | | | | | |
| Household | 0 | 1 | 7 | 21 | 1 | 30 | 0% | 3% | 23% | 70% | 3% | 100% |
| Business | 0 | 1 | 3 | 2 | 0 | 6 | 0% | 17% | 50% | 33% | 0% | 100% |
| Service | 0 | 0 | 4 | 0 | 0 | 4 | 0% | 0% | 100% | 0% | 0% | 100% |
| Labour | 2 | 1 | 19 | 15 | 0 | 37 | 5% | 3% | 51% | 41% | 0% | 100% |
| Agri workers | 1 | 0 | 5 | 4 | 0 | 10 | 10% | 0% | 50% | 40% | 0% | 100% |
| Others | 0 | 0 | 0 | 1 | 0 | 1 | 0% | 0% | 0% | 100% | 0% | 100% |
| Total | 3 | 3 | 38 | 42 | 1 | 87 | 3% | 3% | 44% | 48% | 1% | 100% |
| Bharuch | | | | | | | | | | | | |
| Household | 0 | 0 | 1 | 26 | 6 | 33 | 0% | 0% | 3% | 79% | 18% | 100% |
| Business | 0 | 0 | 0 | 5 | 3 | 8 | 0% | 0% | 0% | 63% | 38% | 100% |
| Service | 0 | 0 | 1 | 1 | 1 | 3 | 0% | 0% | 33% | 33% | 33% | 100% |
| Labour | 0 | 0 | 1 | 17 | 11 | 29 | 0% | 0% | 3% | 59% | 38% | 100% |
| Agri workers | 0 | 0 | 1 | 10 | 4 | 15 | 0% | 0% | 7% | 67% | 27% | 100% |
| Others | 0 | 0 | 0 | 1 | 0 | 1 | 0% | 0% | 0% | 100% | 0% | 100% |
| Total | 0 | 0 | 4 | 59 | 25 | 88 | 0% | 0% | 5% | 67% | 28% | 100% |
| Junagadh | | | | | | | | | | | | |
| Household | 0 | 0 | 10 | 17 | 8 | 35 | 0% | 0% | 29% | 49% | 23% | 100% |
| Business | 0 | 0 | 6 | 3 | 2 | 11 | 0% | 0% | 55% | 27% | 18% | 100% |
| Service | 0 | 1 | 4 | 5 | 0 | 10 | 0% | 10% | 40% | 50% | 0% | 100% |
| Labour | 0 | 0 | 9 | 11 | 5 | 25 | 0% | 0% | 36% | 44% | 20% | 100% |
| Agri workers | 0 | 0 | 3 | 5 | 4 | 12 | 0% | 0% | 25% | 42% | 33% | 100% |
| Others | 0 | 0 | 0 | 1 | 0 | 1 | 0% | 0% | 0% | 100% | 0% | 100% |
| Total | 0 | 1 | 32 | 41 | 19 | 93 | 0% | 1% | 34% | 44% | 20% | 100% |
| All Districts | | | | | | | | | | | | |
| Household | 0 | 1 | 18 | 64 | 15 | 98 | 0% | 1% | 18% | 65% | 15% | 100% |
| Business | 0 | 1 | 9 | 10 | 5 | 25 | 0% | 4% | 36% | 40% | 20% | 100% |
| Service | 0 | 1 | 9 | 6 | 1 | 17 | 0% | 6% | 53% | 35% | 6% | 100% |
| Labour | 2 | 1 | 29 | 43 | 16 | 91 | 2% | 1% | 32% | 47% | 18% | 100% |
| Agri workers | 1 | 0 | 9 | 19 | 8 | 37 | 3% | 0% | 24% | 51% | 22% | 100% |
| Others | 0 | 0 | 0 | 3 | 0 | 3 | 0% | 0% | 0% | 100% | 0% | 100% |
| Total | 3 | 4 | 74 | 142 | 45 | 268 | 1% | 1% | 28% | 53% | 17% | 100% |

| Table 8.3.61 | | Repeat Visit to Health Centre | | | | | | | | | | | | | | |
|---------------|----------|-------------------------------|--------|-----------|-------|-------|--------|-----------|-------|-------|--------|-----------|-------|-----|------|------|
| | | Never | May be | Certainly | Total | Never | May be | Certainly | Total | Never | May be | Certainly | Total | | | |
| Occupation | | Ahmedabad | | | | | | | | | | | | | | |
| | | 0 | 21 | 10 | 31 | 0% | 68% | 32% | 100% | 0 | 6 | 27 | 33 | 0% | 18% | 82% |
| Household | 0 | 4 | 2 | 6 | 0% | 67% | 33% | 100% | 0 | 0 | 8 | 8 | 0% | 0% | 100% | 100% |
| Business | 0 | 2 | 2 | 4 | 0% | 50% | 50% | 100% | 0 | 1 | 2 | 3 | 0% | 33% | 67% | 100% |
| Service | 1 | 20 | 17 | 38 | 3% | 53% | 45% | 100% | 0 | 3 | 26 | 29 | 0% | 10% | 90% | 100% |
| Labour | 0 | 5 | 5 | 10 | 0% | 50% | 50% | 100% | 0 | 5 | 10 | 15 | 0% | 33% | 67% | 100% |
| Agri. workers | 0 | 0 | 1 | 1 | 0% | 0% | 100% | 100% | 0 | 0 | 1 | 1 | 0% | 0% | 100% | 100% |
| Others | 1 | 52 | 37 | 90 | 1% | 58% | 41% | 100% | 0 | 15 | 74 | 89 | 0% | 17% | 83% | 100% |
| Total | Junagadh | | | | | | | | | | | | | | | |
| Occupation | | All Districts | | | | | | | | | | | | | | |
| | | 0 | 6 | 29 | 35 | 0% | 17% | 83% | 100% | 0 | 33 | 66 | 99 | 0% | 33% | 67% |
| Household | 1 | 5 | 5 | 11 | 9% | 45% | 45% | 100% | 1 | 9 | 15 | 25 | 4% | 36% | 60% | 100% |
| Business | 0 | 1 | 9 | 10 | 0% | 10% | 90% | 100% | 0 | 4 | 13 | 17 | 0% | 24% | 76% | 100% |
| Service | 0 | 5 | 20 | 25 | 0% | 20% | 80% | 100% | 1 | 28 | 63 | 92 | 1% | 30% | 68% | 100% |
| Labour | 0 | 1 | 11 | 12 | 0% | 8% | 92% | 100% | 0 | 11 | 26 | 37 | 0% | 30% | 70% | 100% |
| Agri. workers | 0 | 0 | 1 | 1 | 0% | 0% | 100% | 100% | 0 | 0 | 3 | 3 | 0% | 0% | 100% | 100% |
| Others | 1 | 18 | 75 | 94 | 1% | 19% | 80% | 100% | 2 | 85 | 186 | 273 | 1% | 31% | 68% | 100% |
| Total | Bharuch | | | | | | | | | | | | | | | |

| Annual Out-of-Pocket Expenditure on Health | | | | | | | | | | | | | | | | |
|--|-----|-----|-------|---------------------|-----------|------------|--------|-------|-------|------|------|-------|-------|-----|------|------|
| Occupation | Yes | No | Total | If Yes, Expenditure | | | | | Total | No | Yes | Total | Total | | | |
| | | | | <1000 | 1000-3000 | 3000-10000 | >10000 | Total | | | | | | | | |
| Ahmedabad | | | | | | | | | | | | | | | | |
| Household | 19 | 12 | 31 | 12 | 6 | 1 | 0 | 19 | 61% | 39% | 100% | 63% | 32% | 5% | 0% | 100% |
| Business | 5 | 1 | 6 | 2 | 3 | 0 | 0 | 5 | 83% | 17% | 100% | 40% | 60% | 0% | 0% | 100% |
| Service | 2 | 2 | 4 | 0 | 0 | 1 | 1 | 2 | 50% | 50% | 100% | 0% | 0% | 50% | 50% | 100% |
| Labour | 31 | 7 | 38 | 15 | 12 | 2 | 2 | 31 | 82% | 18% | 100% | 48% | 39% | 6% | 6% | 100% |
| Agri workers | 8 | 2 | 10 | 2 | 5 | 1 | 0 | 8 | 80% | 20% | 100% | 25% | 63% | 13% | 0% | 100% |
| Others | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0% | 100% | 100% | 0% | 0% | 0% | 0% | 0% |
| Total | 65 | 25 | 90 | 31 | 26 | 5 | 3 | 65 | 72% | 28% | 100% | 48% | 40% | 8% | 5% | 100% |
| Bharuch | | | | | | | | | | | | | | | | |
| Household | 19 | 13 | 32 | 9 | 5 | 2 | 3 | 19 | 59% | 41% | 100% | 47% | 26% | 11% | 16% | 100% |
| Business | 3 | 5 | 8 | 3 | 0 | 0 | 0 | 3 | 38% | 63% | 100% | 100% | 0% | 0% | 0% | 100% |
| Service | 2 | 1 | 3 | 1 | 1 | 0 | 0 | 2 | 67% | 33% | 100% | 50% | 50% | 0% | 0% | 100% |
| Labour | 17 | 12 | 29 | 8 | 3 | 4 | 1 | 16 | 59% | 41% | 100% | 50% | 19% | 25% | 6% | 100% |
| Agri workers | 8 | 7 | 15 | 5 | 2 | 0 | 0 | 7 | 53% | 47% | 100% | 71% | 29% | 0% | 0% | 100% |
| Others | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0% | 100% | 100% | 0% | 0% | 0% | 0% | 0% |
| Total | 49 | 39 | 88 | 26 | 11 | 6 | 4 | 47 | 56% | 44% | 100% | 55% | 23% | 13% | 9% | 100% |
| Junagadh | | | | | | | | | | | | | | | | |
| Household | 17 | 18 | 35 | 11 | 3 | 1 | 0 | 15 | 49% | 51% | 100% | 73% | 20% | 7% | 0% | 100% |
| Business | 5 | 6 | 11 | 4 | 1 | 0 | 0 | 5 | 45% | 55% | 100% | 80% | 20% | 0% | 0% | 100% |
| Service | 4 | 6 | 10 | 4 | 0 | 0 | 0 | 4 | 40% | 60% | 100% | 100% | 0% | 0% | 0% | 100% |
| Labour | 10 | 15 | 25 | 7 | 2 | 0 | 0 | 9 | 40% | 60% | 100% | 78% | 22% | 0% | 0% | 100% |
| Agri workers | 7 | 5 | 12 | 4 | 3 | 0 | 0 | 7 | 58% | 42% | 100% | 57% | 43% | 0% | 0% | 100% |
| Others | 1 | 0 | 1 | 1 | 0 | 0 | 0 | 1 | 100% | 0% | 100% | 100% | 0% | 0% | 0% | 100% |
| Total | 44 | 50 | 94 | 31 | 9 | 1 | 0 | 41 | 47% | 53% | 100% | 76% | 22% | 2% | 0% | 100% |
| All Districts | | | | | | | | | | | | | | | | |
| Household | 55 | 43 | 98 | 32 | 14 | 4 | 3 | 53 | 56% | 44% | 100% | 60% | 26% | 8% | 6% | 100% |
| Business | 13 | 12 | 25 | 9 | 4 | 0 | 0 | 13 | 52% | 48% | 100% | 69% | 31% | 0% | 0% | 100% |
| Service | 8 | 9 | 17 | 5 | 1 | 1 | 1 | 8 | 47% | 53% | 100% | 63% | 13% | 13% | 100% | |
| Labour | 58 | 34 | 92 | 30 | 17 | 6 | 3 | 56 | 63% | 37% | 100% | 54% | 30% | 11% | 5% | 100% |
| Agri workers | 23 | 14 | 37 | 11 | 10 | 1 | 0 | 22 | 62% | 38% | 100% | 50% | 45% | 5% | 0% | 100% |
| Others | 1 | 2 | 3 | 1 | 0 | 0 | 0 | 1 | 33% | 67% | 100% | 100% | 0% | 0% | 0% | 100% |
| Total | 158 | 114 | 272 | 88 | 46 | 12 | 7 | 153 | 58% | 42% | 100% | 58% | 30% | 8% | 5% | 100% |

| Occupation | | Willingness to Pay for Better Services | | | | | | | | | | |
|----------------------|-----------|--|-----------|------------|------------|-------------|------------|-----------|------------|------------|------------|-------------|
| | | Yes | No | Total | Yes | No | Total | Yes | No | Total | Yes | No |
| Ahmedabad | | | | | | | | | | | | |
| Household | 25 | 6 | 31 | 81% | 19% | 100% | 24 | 8 | 32 | 75% | 25% | 100% |
| Business | 6 | 0 | 6 | 100% | 0% | 100% | 5 | 3 | 8 | 63% | 38% | 100% |
| Service | 4 | 0 | 4 | 100% | 0% | 100% | 5 | 3 | 8 | 63% | 38% | 100% |
| Labour | 31 | 4 | 35 | 89% | 11% | 100% | 5 | 3 | 8 | 63% | 38% | 100% |
| Agri. workers | 9 | 1 | 10 | 90% | 10% | 100% | 5 | 3 | 8 | 63% | 38% | 100% |
| Others | 1 | 0 | 1 | 100% | 0% | 100% | 5 | 3 | 8 | 63% | 38% | 100% |
| Total | 76 | 11 | 87 | 87% | 13% | 100% | 49 | 23 | 72 | 68% | 32% | 100% |
| Junagadh | | | | | | | | | | | | |
| Occupation | Yes | No | Total | Yes | No | Total | Yes | No | Total | Yes | No | Total |
| Household | 25 | 6 | 31 | 81% | 19% | 100% | 74 | 20 | 94 | 79% | 21% | 100% |
| Business | 8 | 2 | 10 | 80% | 20% | 100% | 19 | 5 | 24 | 79% | 21% | 100% |
| Service | 6 | 4 | 10 | 60% | 40% | 100% | 15 | 7 | 22 | 68% | 32% | 100% |
| Labour | 18 | 4 | 22 | 82% | 18% | 100% | 54 | 11 | 65 | 83% | 17% | 100% |
| Agri. workers | 6 | 4 | 10 | 60% | 40% | 100% | 20 | 8 | 28 | 71% | 29% | 100% |
| Others | 1 | 0 | 1 | 100% | 0% | 100% | 7 | 3 | 10 | 70% | 30% | 100% |
| Total | 64 | 20 | 84 | 76% | 24% | 100% | 189 | 54 | 243 | 78% | 22% | 100% |
| All Districts | | | | | | | | | | | | |

8.4 Multiple Linear Regression Analysis

Based on the data obtained from the survey, detailed statistical analysis was conducted to identify the key factors regarding the demand and supply of services. Multiple linear regression for key dependent and independent variables were performed on the Statistical Package for Social Sciences (SPSS) version 19.

8.4.1 Health Workers: Target Achievement and Motivation

In case of health workers, Target Achievement (TarAch) and Motivation (Mot) are the key output factors which are influenced by many other factors. From the survey, the independent variables indentified were involvement in decision making, pay and allowances, condition of health centre, facilities, performance evaluation, interpersonal relations, burden of work, clarity of work, financial powers, promotion, availability of drugs and equipments, adequacy and quality of training, time management, reporting and review. On performing multiple linear regression on all these variables, R^2 obtained is 0.368. Thus all these variables can explain 36.8% of performance of the health workers in terms of target achievement. From the analysis of regression parameters, it is observed that the factors which have significant (Sig \leq 0.05) impact on target achievement are involvement in decision making (IDecM), burden of work (BWrk), chances for promotion (CProm) and reporting(Rep). These factors explain 23.2% of performance ($R^2 = 0.232$). The β coefficients are 0.267, 0.290, 0.149 and -0.171. It can be observed that increase in the first three factors have positive impact on performance whereas reporting has adverse impact on target achievement. This could be due to too much of time spent on reporting which affect the performance of workers.

$$\text{TarAch} = 1.757 + 0.273 * \text{IdecM} + 0.583 * \text{Bwrk} + 0.149 * \text{Cprom} - 0.171 * \text{Rep}$$

Regression for motivation as dependent variable was performed on all the independent variables with an estimated R^2 of 0.525. Thus these factors explain 52.5% of level of motivation of health workers. Finer analysis reveal that key factors like involvement in decision making (IdecM), evaluation of work (EvaWrk) and review of work (RevWrk) significantly explain the level of motivation ($R^2 = 0.411$). The coefficients are 0.301, 0.315 and 0.230 respectively for these three factors. Thus any improvement in these factors would enhance the motivation level significantly.

$$\text{Motivation} = -0.282 + 0.301 * \text{IdecM} + 0.315 * \text{EvaWrk} + 0.230 * \text{RevWrk}$$

A comparison of common factors clearly show that involvement in decision making and monitoring emerge as key factors for target achievement whereas promotion and evaluation of work are important for motivation of health workers.

1. Target Achievement
1a. MLR with All Variables

| Table 8.4.1 Model | Variables Entered |
|----------------------|---|
| | TrgQuality, Burden, Rep&Maint, Clarity, TimetoWork, TrgAdequ, LocalTrans, Pay & Allow, Interpersonal, Promotion, RepNum, TimeMgmt, Evaluation, CondHC, EquipAvai, RevNum, Vehicle, DrugsAvai, EmergPur, RevUtil, Involvement, RepUtil, Facility |

Model Summary

| Table 8.4.2 Model 1 | R | R Square | Adjusted R Square | Std. Error of the Estimate |
|------------------------|-------------------|----------|-------------------|----------------------------|
| | .607 ^a | .368 | .241 | .954 |

Model Summary

| Table 8.4.3 Model 1 | Change Statistics | | | | |
|------------------------|-------------------|----------|-----|-----|---------------|
| | R Square Change | F Change | df1 | df2 | Sig. F Change |
| | .368 | 2.887 | 23 | 114 | .000 |

ANOVA^b

| Table 8.4.4 Model | Sum of Squares | df | Mean Square | F | Sig. |
|----------------------|----------------|-----|-------------|-------|-------------------|
| Regression | 60.377 | 23 | 2.625 | 2.887 | .000 ^a |
| Residual | 103.659 | 114 | .909 | | |
| Total | 164.036 | 137 | | | |

a. Predictors: (Constant), TrgQuality, Burden, Rep&Maint, Clarity, TimetoWork, TrgAdequ, LocalTrans, Pay&Allow, Interpersonal, Promotion, RepNum, TimeMgmt, Evaluation, CondHC, EquipAvai, RevNum, Vehicle, DrugsAvai, EmergPur, RevUtil, Involvement, RepUtil, Facility

b. Dependent Variable: Target Achievement

Coefficients a

| Table 8.4.5 Model | Unstandardized Coefficients | | Standardized Coefficients | t | Sig. | Correlations | | |
|----------------------|-----------------------------|------------|---------------------------|--------|------|--------------|---------|-------|
| | B | Std. Error | Beta | | | Zero-order | Partial | Part |
| (Constant) | 1.650 | 1.027 | 1.650 | 1.607 | .111 | | | |
| TimetoWork | -.193 | .213 | -.084 | -.905 | .367 | -.034 | -.084 | -.067 |
| Vehicle | .321 | .179 | .173 | 1.798 | .075 | -.018 | .166 | .134 |
| LocalTrans | -.180 | .157 | -.102 | -1.150 | .253 | -.090 | -.107 | -.086 |
| CondHC | .043 | .128 | .040 | .336 | .737 | .140 | .031 | .025 |
| Facility | -.019 | .131 | -.018 | -.147 | .884 | .113 | -.014 | -.011 |
| DrugsAvai | -.339 | .146 | -.235 | -2.322 | .022 | .057 | -.212 | -.173 |
| EquipAvai | -.007 | .135 | -.005 | -.051 | .959 | .028 | -.005 | -.004 |
| Interpersonal | -.031 | .025 | -.104 | -1.220 | .225 | -.124 | -.113 | -.091 |
| Involvement | .289 | .108 | .291 | 2.679 | .008 | .353 | .243 | .199 |
| Evaluation | .111 | .113 | .103 | .986 | .326 | .292 | .092 | .073 |
| RepNum | .230 | .122 | .196 | 1.890 | .061 | .000 | .174 | .141 |
| RepUtil | -.298 | .143 | -.232 | -2.080 | .040 | -.032 | -.191 | -.155 |
| RevNum | -.206 | .118 | -.167 | -1.741 | .084 | -.073 | -.161 | -.130 |
| RevUtil | .033 | .154 | .023 | .214 | .831 | .070 | .020 | .016 |
| TimeMgmt | .232 | .140 | .154 | 1.657 | .100 | .154 | .153 | .123 |
| Pay&Allow | .004 | .146 | .002 | .025 | .980 | .151 | .002 | .002 |
| Burden | .556 | .180 | .273 | 3.093 | .002 | .310 | .278 | .230 |
| Clarity | .055 | .105 | .049 | .523 | .602 | .091 | .049 | .039 |
| Promotion | .176 | .082 | .190 | 2.161 | .033 | .275 | .198 | .161 |
| Rep&Maint | .180 | .096 | .186 | 1.880 | .063 | .209 | .173 | .140 |
| EmergPur | -.008 | .107 | -.008 | -.078 | .938 | .083 | -.007 | -.006 |
| TrgAdequ | .038 | .173 | .019 | .222 | .825 | .023 | .021 | .016 |
| TrgQuality | -.063 | .103 | -.062 | -.610 | .543 | .030 | -.057 | -.045 |

1b. MLR with Significant Variables

| | |
|---|-------------------|
| Table 8.4.6 | Variables Entered |
| Model 2 | |
| Promotion, Burden, RepUtil, Involvement | |

Model Summary

| | | | | |
|--------------------|-------------------|----------|-------------------|----------------------------|
| Table 8.4.7 | R | R Square | Adjusted R Square | Std. Error of the Estimate |
| Model 2 | | | | |
| | .482 ^a | .232 | .213 | .970 |

Model Summary

| | | | | | |
|--------------------|-------------------|----------|-----|-----|---------------|
| Table 8.4.8 | Change Statistics | | | | |
| Model | R Square Change | F Change | df1 | df2 | Sig. F Change |
| 2 | .232 | 12.036 | 4 | 159 | .000 |

ANOVA^b

| | | | | | | |
|--------------------|------------|----------------|-----|-------------|--------|-------------------|
| Table 8.4.9 | | Sum of Squares | df | Mean Square | F | Sig. |
| Model | | | | | | |
| 2 | Regression | 45.309 | 4 | 11.327 | 12.036 | .000 ^a |
| | Residual | 149.642 | 159 | .941 | | |
| | Total | 194.951 | 163 | | | |

a. Predictors: (Constant), Promotion, Burden, RepUtil, Involvement

b. Dependent Variable: Target Achievement

Coefficients a

| | | | | | | | | | |
|---------------------|-------------|-----------------------------|------------|---------------------------|--------|------|--------------|---------|-------|
| Table 8.4.10 | Model | Unstandardized Coefficients | | Standardized Coefficients | t | Sig. | Correlations | | |
| | | B | Std. Error | Beta | | | Zero-order | Partial | Part |
| | (Constant) | 1.757 | .402 | 1.757 | 4.371 | .000 | | | |
| | Involvement | .273 | .076 | .267 | 3.579 | .000 | .331 | .273 | .249 |
| | RepUtil | -.216 | .089 | -.171 | -2.418 | .017 | -.080 | -.188 | -.168 |
| | Burden | .583 | .142 | .290 | 4.113 | .000 | .327 | .310 | .286 |
| | Promotion | .140 | .069 | .149 | 2.030 | .044 | .236 | .159 | .141 |

2. Motivation of Health Workers

2a. MLR with All Variables

| Table 8.4.11 Model 1 | Variables Entered |
|--------------------------------|---|
| | TrgQuality, Clarity, TimetoWork, Rep&Maint, Burden, TrgAdequ, LocalTrans, Interpersonal, Promotion, Pay&Allow, RepNum, TimeMgmt, Evaluation, EquipAvai, CondHC, RevNum, Vehicle, DrugsAvai, EmergPur, RevUtil, Involvement, RepUtil, Facility |

Model Summary

| Table 8.4.12 Model 1 | R | R Square | Adjusted R Square | Std. Error of the Estimate |
|--------------------------------|-------------------|----------|-------------------|----------------------------|
| | .725 ^a | .525 | .430 | .855 |

Model Summary

| Table 8.4.13 Model 1 | Change Statistics | | | | |
|--------------------------------|-------------------|----------|-----|-----|---------------|
| | R Square Change | F Change | df1 | df2 | Sig. F Change |
| | .525 | 5.489 | 23 | 114 | .000 |

ANOVA^b

| Table 8.4.14 Model 1 | Sum of Squares | df | Mean Square | F | Sig. |
|--------------------------------|----------------|-----|-------------|-------|-------------------|
| Regression | 92.336 | 23 | 4.015 | 5.489 | .000 ^a |
| Residual | 83.381 | 114 | .731 | | |
| Total | 175.717 | 137 | | | |

a. Predictors: (Constant), TrgQuality, Clarity, TimetoWork, Rep&Maint, Burden, TrgAdequ, LocalTrans, Interpersonal, Promotion, Pay&Allow, RepNum, TimeMgmt, Evaluation, EquipAvai, CondHC, RevNum, Vehicle, DrugsAvai, EmergPur, RevUtil, Involvement, RepUtil, Facility

b. Dependent Variable: Motivation

Coefficients

| Table 8.4.15 Model 1 | Unstandardized Coefficients | | Standardized Coefficients | t | Sig. | Correlations | | |
|-------------------------|-----------------------------|------------|---------------------------|--------|------|--------------|---------|-------|
| | B | Std. Error | Beta | | | Zero-order | Partial | Part |
| (Constant) | -.356 | .921 | -.356 | -.386 | .700 | | | |
| TimetoWork | .227 | .191 | .095 | 1.188 | .237 | .034 | .111 | .077 |
| Vehicle | -.217 | .161 | -.112 | -1.350 | .180 | -.153 | -.125 | -.087 |
| LocalTrans | -.004 | .141 | -.002 | -.028 | .978 | -.047 | -.003 | -.002 |
| CondHC | -.191 | .115 | -.171 | -1.662 | .099 | .174 | -.154 | -.107 |
| Facility | .191 | .115 | .172 | 1.657 | .100 | .238 | .153 | .107 |
| DrugsAvai | .011 | .127 | .007 | .084 | .933 | .280 | .008 | .005 |
| EquipAvai | -.080 | .121 | -.052 | -.665 | .507 | .136 | -.062 | -.043 |
| Interpersonal | -.003 | .023 | -.009 | -.125 | .900 | -.117 | -.012 | -.008 |
| Involvement | .323 | .097 | .314 | 3.322 | .001 | .555 | .297 | .214 |
| Evaluation | .444 | .101 | .399 | 4.392 | .000 | .588 | .380 | .283 |
| RepNum | .052 | .109 | .043 | .475 | .636 | .044 | .044 | .031 |
| RepUtil | -.092 | .129 | -.069 | -.720 | .473 | .265 | -.067 | -.046 |
| RevNum | -.014 | .106 | -.011 | -.133 | .895 | .089 | -.012 | -.009 |
| RevUtil | .291 | .137 | .199 | 2.113 | .037 | .382 | .194 | .136 |
| TimeMgmt | .133 | .126 | .085 | 1.058 | .292 | .238 | .099 | .068 |
| Pay&Allow | .157 | .132 | .095 | 1.188 | .237 | .235 | .111 | .077 |
| Burden | -.177 | .162 | -.084 | -1.087 | .279 | .182 | -.101 | -.070 |
| Clarity | -.166 | .096 | -.140 | -1.735 | .085 | -.073 | -.160 | -.112 |
| Promotion | -.026 | .074 | -.027 | -.358 | .721 | .226 | -.034 | -.023 |
| Rep&Maint | .080 | .086 | .080 | .935 | .352 | .213 | .087 | .060 |
| EmergPur | -.081 | .095 | -.073 | -.847 | .399 | .281 | -.079 | -.055 |
| TrgAdequ | .216 | .156 | .102 | 1.388 | .168 | .102 | .129 | .090 |
| TrgQuality | -.029 | .093 | -.027 | -.311 | .756 | .289 | -.029 | -.020 |

2b. MLR with Significant Variables

| | |
|---------------------|----------------------------------|
| Table 8.4.16 | Variables Entered |
| Model 2 | |
| | RevUtil, Evaluation, Involvement |

- a. All requested variables entered.
- b. Dependent Variable: Motivation

Model Summary

| | | | | |
|---------------------|-------------------|----------|-------------------|----------------------------|
| Table 8.4.17 | R | R Square | Adjusted R Square | Std. Error of the Estimate |
| Model 2 | | | | |
| | .641 ^a | .411 | .400 | .871 |


Model Summary

| | | | | | |
|---------------------|-------------------|----------|-----|-----|---------------|
| Table 8.4.18 | Change Statistics | | | | |
| | R Square Change | F Change | df1 | df2 | Sig. F Change |
| Model 2 | | | | | |
| | .411 | 36.332 | 3 | 156 | .000 |

| | | | | | |
|---------------------|----------------|-----|-------------|--------|-------------------|
| Table 8.4.19 | Sum of Squares | df | Mean Square | F | Sig. |
| Model | | | | | |
| Regression | 82.671 | 3 | 27.557 | 36.332 | .000 ^a |
| Residual | 118.323 | 156 | .758 | | |
| Total | 200.994 | 159 | | | |

Coefficients a

| | | | | | | | | |
|---------------------|-----------------------------|------------|---------------------------|-------|------|--------------|---------|------|
| Table 8.4.20 | Unstandardized Coefficients | | Standardized Coefficients | t | Sig. | Correlations | | |
| | B | Std. Error | Beta | | | Zero-order | Partial | Part |
| Model | | | | | | | | |
| (Constant) | -.282 | .373 | -.282 | -.756 | .451 | | | |
| Involvement | .309 | .078 | .301 | 3.989 | .000 | .532 | .304 | .245 |
| Evaluation | .345 | .082 | .315 | 4.202 | .000 | .533 | .319 | .258 |
| RevUtil | .331 | .091 | .230 | 3.632 | .000 | .363 | .279 | .223 |



8.4.2 Beneficiaries: Quality of Service & Repeat Visit

In case of beneficiaries, the dependent factors identified were quality of service availed (QualServ) and repeat visit to the health centre (RepVist). Linear multiple regressions were performed on socio-economic variables: gender, age, income, poverty, occupation, family size, caste and education and health delivery variables: vehicle availability and road connectivity to health centre, utility of awareness programs, waiting time in health centre, counselling, cleanliness and amenities in health centre which were obtained in the survey.

Regression performed for quality of services with all socio-economic factors as independent variables generated an estimated R^2 of 0.066 which indicate that socio-economic factors do not explain the quality of service availed by beneficiaries. None of the factors have significant impact on the quality of services.

The R^2 for regression performed on service delivery factors is 0.57, which indicates that a substantial 57% of quality of services is explained by these factors. Among the factors, utility of awareness programs (UtilAwar), vehicle availability (VehAval), cleanliness (Clean) and counselling (Couns) emerge as statistically significant factors affecting the dependent variable. MLR performed on these four factors has an estimated R^2 of 0.499, which indicates that 50% of quality of services is explained by these factors. The β coefficients of these variables are 0.148, 0.142, 0.275 and 0.374 which shows that any positive change in these factors would have positive impact on quality of service.

$$\text{QualServ} = 0.178 + 0.148 * \text{UtilAwar} + 0.142 * \text{VehAval} + 0.275 * \text{Clean} + 0.374 * \text{Couns}$$

In case of repeat visit to health centre, the regression results show an R^2 of 0.151, similar to the findings in case of quality of services. Among the factors, income, poverty and education were found to have significant impact on the dependent variable with $\text{sig} \leq 0.05$. MLR on these three factors gives an estimated R^2 of 0.145 with β coefficients of -0.156, 0.293 and 0.196. Thus with increase in income, it can be observed that the quality tends to decline. But with poverty and education the perception of quality increases.

Regression performed on Health delivery factors generates an R^2 of 0.247. Only quality of service (QualServ) is found to have statistically significant impact on repeat

service to health centre. Simple linear regression performed on this factor generated an R² of 0.208 and β coefficient of 0.456.

$$\text{RepVisit} = 0.279 + 0.456 * \text{QualServ}$$

Thus among beneficiaries utility of awareness programs, vehicle availability, cleanliness and counselling are the key and significant factors in improving the quality of services as well as repeat visit of beneficiaries.

3. Quality of Services

3a. MLR with All Socio-Economic Variables

| | |
|--------------------------------|---|
| Table 8.4.21 Model 1 | Variables Entered |
| | Caste, Male/ Female, Monthly Income, Family, BPL , Occupation, Educn, Age |

- a. All requested variables entered.
- b. Dependent Variable: Quality of Service

Model Summary

| | | | | |
|--------------------------------|-------------------|----------|-------------------|----------------------------|
| Table 8.4.22 Model 1 | R | R Square | Adjusted R Square | Std. Error of the Estimate |
| | .257 ^a | .066 | .030 | .759 |

Model Summary

| | | | | | |
|--------------------------------|-------------------|----------|-----|-----|---------------|
| Table 8.4.23 Model 1 | Change Statistics | | | | |
| | R Square Change | F Change | df1 | df2 | Sig. F Change |
| | .066 | 1.856 | 8 | 210 | .068 |

ANOVA^b

| Table 8.4.24 Model 1 | Sum of Squares | df | Mean Square | F | Sig. |
|-------------------------|----------------|-----|-------------|-------|-------------------|
| Regression | 8.564 | 8 | 1.071 | 1.856 | .068 ^a |
| Residual | 121.116 | 210 | .577 | | |
| Total | 129.680 | 218 | | | |

a. Predictors: (Constant), Caste, Male/ Female, Monthly Income, Family, BPL , Occupation, Educn, Age

b. Dependent Variable: Quality of Service

Coefficients

| Table 8.4.25 Model 1 | Unstandardized Coefficients | | Standardized Coefficients | t | Sig. | Correlations | | |
|-------------------------|-----------------------------|------------|---------------------------|-------|------|--------------|---------|-------|
| | B | Std. Error | Beta | | | Zero-order | Partial | Part |
| (Constant) | 3.114 | .448 | 3.114 | 6.955 | .000 | | | |
| Male/ Female | .118 | .125 | .072 | .947 | .345 | .080 | .065 | .063 |
| Age | -.003 | .006 | -.038 | -.492 | .624 | -.114 | -.034 | -.033 |
| Family | -.002 | .030 | -.004 | -.055 | .956 | -.031 | -.004 | -.004 |
| Occupation | -.001 | .035 | -.002 | -.034 | .973 | -.038 | -.002 | -.002 |
| Monthly Income | .051 | .052 | .070 | .986 | .325 | .138 | .068 | .066 |
| BPL | .158 | .109 | .103 | 1.452 | .148 | .165 | .100 | .097 |
| Educn | .109 | .063 | .128 | 1.719 | .087 | .179 | .118 | .115 |
| Caste | .041 | .049 | .058 | .851 | .396 | .106 | .059 | .057 |

3b. MLR with All Health Delivery Variables

| Table 8.4.26 Model 2 | Variables Entered |
|-------------------------|---|
| | Amenity, Waiting Time, Aware Utility, Vehicle, Counselling, Road, Cleanliness |

a. All requested variables entered.

b. Dependent Variable: Quality of Service

Model Summary

| Table 8.4.27 Model 2 | R | R Square | Adjusted R Square | Std. Error of the Estimate |
|-------------------------|------|----------|-------------------|----------------------------|
| | .729 | .532 | .518 | .556 |

Model Summary

| Table 8.4.28 Model 2 | Change Statistics | | | | |
|-------------------------|-------------------|----------|-----|-----|---------------|
| | R Square Change | F Change | df1 | df2 | Sig. F Change |
| | .532 | 37.523 | 7 | 231 | .000 |

ANOVA^b

| Table 8.4.29 Model | Sum of Squares | df | Mean Square | F | Sig. |
|-----------------------|----------------|-----|-------------|--------|-------------------|
| Regression | 81.203 | 7 | 11.600 | 37.523 | .000 ^a |
| Residual | 71.416 | 231 | .309 | | |
| Total | 152.619 | 238 | | | |

a. Predictors: (Constant), Amenity, Waiting Time, Aware Utility, Vehicle, Counselling, Road, Cleanliness

b. Dependent Variable: Quality of Service

Coefficients a

| Table 8.4.30 Model | Unstandardized Coefficients | | Standardized Coefficients | t | Sig. | Correlations | | |
|-----------------------|-----------------------------|------------|---------------------------|--------|------|--------------|---------|-------|
| | B | Std. Error | Beta | | | Zero-order | Partial | Part |
| (Constant) | .015 | .312 | .015 | .048 | .962 | | | |
| Aware Utility | .156 | .058 | .129 | 2.708 | .007 | .331 | .175 | .122 |
| Vehicle | .123 | .051 | .144 | 2.406 | .017 | .401 | .156 | .108 |
| Road | -.053 | .042 | -.077 | -1.259 | .209 | .343 | -.083 | -.057 |
| Waiting Time | .024 | .079 | .014 | .299 | .765 | .179 | .020 | .013 |
| Cleanliness | .171 | .067 | .181 | 2.567 | .011 | .597 | .167 | .116 |
| Counselling | .468 | .066 | .425 | 7.056 | .000 | .664 | .421 | .318 |
| Amenity | .110 | .061 | .120 | 1.795 | .074 | .538 | .117 | .081 |

3c. MLR with Significant Health Delivery Variables

| | |
|--------------------------------|--|
| Table 8.4.31 Model 2 | Variables Entered |
| | Cleanliness, Aware Utility, Vehicle, Counselling |

Model Summary

| | | | | |
|------------------------------|-------------------|----------|-------------------|----------------------------|
| Table 8.4.32 Model | R | R Square | Adjusted R Square | Std. Error of the Estimate |
| | .706 ^a | .499 | .490 | .568 |

Model Summary

| | | | | | |
|--------------------------------|-------------------|----------|-----|-----|---------------|
| Table 8.4.33 Model 2 | Change Statistics | | | | |
| | R Square Change | F Change | df1 | df2 | Sig. F Change |
| | .499 | 61.133 | 4 | 246 | .000 |

ANOVA^b

| | | | | | |
|--------------------------------|----------------|-----|-------------|--------|-------------------|
| Table 8.4.34 Model 2 | Sum of Squares | df | Mean Square | F | Sig. |
| Regression | 78.887 | 4 | 19.722 | 61.133 | .000 ^a |
| Residual | 79.360 | 246 | .323 | | |
| Total | 158.247 | 250 | | | |

a. Predictors: (Constant), Cleanliness, Aware Utility, Vehicle, Counselling

b. Dependent Variable: Quality of Service

Coefficients a

| Table 8.4.35 Model | Unstandardized Coefficients | | Standardized Coefficients | t | Sig. | Correlations | | |
|-----------------------|-----------------------------|------------|---------------------------|-------|------|--------------|---------|------|
| | B | Std. Error | Beta | | | Zero-order | Partial | Part |
| (Constant) | .178 | .267 | .178 | .667 | .505 | | | |
| Aware Utility | .177 | .057 | .148 | 3.127 | .002 | .335 | .196 | .141 |
| Vehicle | .123 | .043 | .142 | 2.842 | .005 | .405 | .178 | .128 |
| Counselling | .393 | .059 | .374 | 6.690 | .000 | .610 | .392 | .302 |
| Cleanliness | .264 | .057 | .275 | 4.653 | .000 | .594 | .284 | .210 |

4. Repeat Visit to Health Centre
4a. MLR with all Socio-Economic Variables

| Table 8.4.36 Model | Variables Entered |
|-----------------------|---|
| | Caste, Male/ Female, Monthly Income, Family, BPL , Occupation, Educn, Age |

Model Summary

| Table 8.4.37 Model 1 | R | R Square | Adjusted R Square | Std. Error of the Estimate |
|-------------------------|-------------------|----------|-------------------|----------------------------|
| | .388 ^a | .151 | .120 | .435 |

Model Summary

| Table 8.4.38 Model 1 | Change Statistics | | | | |
|-------------------------|-------------------|----------|-----|-----|---------------|
| | R Square Change | F Change | df1 | df2 | Sig. F Change |
| | .151 | 4.392 | 8 | 211 | .000 |

ANOVA^b

| Table 8.4.39 Model 1 | Sum of Squares | df | Mean Square | F | Sig. |
|--------------------------------|----------------|-----|-------------|-------|-------------------|
| Regression | 6.642 | 8 | .830 | 4.392 | .000 ^a |
| Residual | 39.886 | 211 | .189 | | |
| Total | 46.527 | 219 | | | |

a. Predictors: (Constant), Caste, Male/ Female, Monthly Income, Family, BPL , Occupation, Educn, Age

b. Dependent Variable: Repeat Visit

Coefficients a

| Table 8.4.40 Model 1 | Unstandardized Coefficients | | Standardized Coefficients | t | Sig. | Correlations | | |
|--------------------------------|-----------------------------|------------|---------------------------|--------|------|--------------|---------|-------|
| | B | Std. Error | Beta | | | Zero-order | Partial | Part |
| (Constant) | 2.396 | .256 | | 9.349 | .000 | | | |
| Male/ Female | -.058 | .071 | -.060 | -.814 | .417 | -.102 | -.056 | -.052 |
| Age | .002 | .003 | .042 | .570 | .569 | .018 | .039 | .036 |
| Family | -.007 | .017 | -.029 | -.429 | .668 | -.083 | -.030 | -.027 |
| Occupation | .012 | .020 | .041 | .595 | .553 | .038 | .041 | .038 |
| Monthly Income | -.067 | .030 | -.153 | -2.258 | .025 | -.062 | -.154 | -.144 |
| BPL | .278 | .062 | .302 | 4.465 | .000 | .279 | .294 | .285 |
| Educn | .088 | .036 | .173 | 2.420 | .016 | .187 | .164 | .154 |
| Caste | -.048 | .028 | -.113 | -1.717 | .087 | -.051 | -.117 | -.109 |

4b. MLR with Significant Socio-Economic Variables

| | |
|--------------------------------|-------------------|
| Table 8.4.41 Model 2 | Variables Entered |
| Educn, Monthly Income, BPL | |

- a. All requested variables entered.
b. Dependent Variable: Repeat Visit

Model Summary

| | | | | |
|--------------------------------|-------------------|----------|-------------------|----------------------------|
| Table 8.4.42 Model 2 | R | R Square | Adjusted R Square | Std. Error of the Estimate |
| | .381 ^a | .145 | .134 | .446 |

Model Summary

| Table 8.4.43 Model 2 | Change Statistics | | | | |
|--------------------------------|-------------------|----------|-----|-----|---------------|
| | R Square Change | F Change | df1 | df2 | Sig. F Change |
| | .145 | 13.284 | 3 | 235 | .000 |

ANOVA^b

| Table 8.4.44 Model 2 | Sum of Squares | df | Mean Square | F | Sig. |
|--------------------------------|----------------|-----|-------------|--------|-------------------|
| Regression | 7.931 | 3 | 2.644 | 13.284 | .000 ^a |
| Residual | 46.771 | 235 | .199 | | |
| Total | 54.703 | 238 | | | |

- a. Predictors: (Constant), Educn, Monthly Income, BPL
b. Dependent Variable: Repeat Visit

Coefficients a

| Table 8.4.45 Model 2 | Unstandardized Coefficients | | Standardized Coefficients | t | Sig. | Correlations | | |
|-------------------------|-----------------------------|------------|---------------------------|--------|------|--------------|---------|-------|
| | B | Std. Error | Beta | | | Zero-order | Partial | Part |
| (Constant) | 2.185 | .108 | | 20.284 | .000 | | | |
| Monthly Income | -.074 | .030 | -.156 | -2.475 | .014 | -.043 | -.159 | -.149 |
| BPL | .281 | .061 | .293 | 4.592 | .000 | .310 | .287 | .277 |
| Educn | .101 | .033 | .196 | 3.079 | .002 | .241 | .197 | .186 |

4c. MLR with all Health Delivery Variables

| Table 8.4.46 Model 2 | Variables Entered |
|-------------------------|---|
| | Amenity, Waiting Time, Aware Utility, Vehicle, Counselling, Road, Quality of Service, Cleanliness |

- a. All requested variables entered.
- b. Dependent Variable: Repeat Visit

Model Summary

| Table 8.4.47 Model 2 | R | R Square | Adjusted R Square | Std. Error of the Estimate |
|-------------------------|-------------------|----------|-------------------|----------------------------|
| 2 | .496 ^a | .246 | .219 | .433 |

Model Summary

| Table 8.4.48 Model 2 | Change Statistics | | | | |
|-------------------------|-------------------|----------|-----|-----|---------------|
| | R Square Change | F Change | df1 | df2 | Sig. F Change |
| | .246 | 9.356 | 8 | 230 | .000 |

ANOVA^b

| Table 8.4.49 Model 3 | Sum of Squares | df | Mean Square | F | Sig. |
|--------------------------------|----------------|-----|-------------|-------|-------------------|
| Regression | 14.050 | 8 | 1.756 | 9.356 | .000 ^a |
| Residual | 43.172 | 230 | .188 | | |
| Total | 57.222 | 238 | | | |

a. Predictors: (Constant), Amenity, Waiting Time, Aware Utility, Vehicle, Counselling, Road, Quality of Service, Cleanliness

b. Dependent Variable: Repeat Visit

Coefficients a

| Table 8.4.50 Model 2 | Unstandardized Coefficients | | Standardized Coefficients | t | Sig. | Correlations | | |
|--------------------------------|-----------------------------|------------|---------------------------|--------|------|--------------|---------|-------|
| | B | Std. Error | Beta | | | Zero-order | Partial | Part |
| (Constant) | 1.477 | .243 | | 6.074 | .000 | | .285 | .258 |
| Quality of Service | .231 | .051 | .377 | 4.506 | .000 | .470 | -.098 | -.085 |
| Aware Utility | -.068 | .046 | -.092 | -1.492 | .137 | .086 | -.016 | -.014 |
| Vehicle | -.010 | .040 | -.019 | -.241 | .810 | .218 | .030 | .026 |
| Road | .015 | .033 | .036 | .459 | .647 | .217 | .052 | .046 |
| Waiting Time | .049 | .061 | .047 | .794 | .428 | .131 | .008 | .007 |
| Cleanliness | .006 | .053 | .010 | .114 | .909 | .340 | .066 | .058 |
| Counselling | .058 | .057 | .085 | 1.009 | .314 | .384 | .067 | .058 |
| Amenity | .049 | .048 | .088 | 1.020 | .309 | .340 | .285 | .258 |

4d. MLR with Significant Health Delivery Variable

| | |
|--------------------------------|---|
| Table 8.4.51 Model 3 | Variables Entered Quality of Service |
|--------------------------------|---|

- a. All requested variables entered.
b. Dependent Variable: Repeat Visit

Model Summary

| | | | | |
|--------------------------------|-------------------|----------|-------------------|----------------------------|
| Table 8.4.52 Model 3 | R | R Square | Adjusted R Square | Std. Error of the Estimate |
| | .456 ^a | .208 | .205 | .434 |

Model Summary

| | | | | | |
|--------------------------------|-------------------|----------|-----|-----|---------------|
| Table 8.4.53 Model 3 | Change Statistics | | | | |
| | R Square Change | F Change | df1 | df2 | Sig. F Change |
| | .208 | 72.236 | 1 | 275 | .000 |


ANOVA^b

| | | | | | | |
|--------------------------------|----------------|-----|-------------|--------|--|-------------------|
| Table 8.4.54 Model 4 | Sum of Squares | df | Mean Square | F | | Sig. |
| Regression | 13.614 | 1 | 13.614 | 72.236 | | .000 ^a |
| Residual | 51.830 | 275 | .188 | | | |
| Total | 65.444 | 276 | | | | |

- a. Predictors: (Constant), Quality of Service
b. Dependent Variable: Repeat Visit

Coefficients a

| | | | | | | | | |
|--------------------------------|-----------------------------|------------|---------------------------|--------|------|--------------|---------|-------|
| Table 8.4.55 Model 3 | Unstandardized Coefficients | | Standardized Coefficients | t | Sig. | Correlations | | |
| | B | Std. Error | Beta | | | Zero-order | Partial | Part |
| (Constant) | 1.597 | .129 | | 12.403 | .000 | | | |
| Quality of Service | .279 | .033 | .456 | 8.499 | .000 | .456 | 0.456 | 0.456 |



CHAPTER – IX

SUGGESTIONS, RECOMMENDATIONS AND FUTURE SCOPE

Chapter IX



9. Suggestions & Recommendations

Findings from the analysis of survey of health workers and beneficiaries provide insight into practices in public health management from the supplier and beneficiary side. These findings also reveal the extent to which the intentions defined in health policy and NRHM are translated into action in the field. Utility of these methods and practices in improving health care impact could be ascertained from the health workers and beneficiaries. Thus these findings help to identify initiatives which have high impact on outcome, make enormous difference across the districts in achieving desired objectives and have large scope for improvement in the field. Such key findings are the basis of formulating the suggestions and recommendations for improvement in the health care delivery in Gujarat and Country. Suggestions and recommendations are grouped in to appropriate categories based on both the surveys and findings.

9.1 Supply of Health Care: Health Workers

Health Planning: It is found that the involvement of local bodies like Gram Panchayat in preparation of health plan needs improvement. Even when there is involvement, the quality is below desired level. Though there is institutional mechanism for participation, it requires proper implementation. There has to be a mechanism for approval of health plan at the gram panchayat with an incentive mechanism to encourage qualitative participation in the preparation of well thought-out plans.

Infrastructure: Though health centres have been built, connectivity by road and transport infrastructure has to be improved in one-third of cases, especially in remote villages. These centres can be given priority in District Planning funds.

Facilities: In many instances, FHW find the condition of health centres not upto the mark. Facilities and amenities like toilet require to be more women-friendly as they constitute larger share of service providers as well as beneficiaries. In order to improve mobility of health workers, subsidised loan for purchase of 2-wheelers can be provided.

Activities:

Targets: Though target based planning and execution is prevalent in maternal health activities like family planning and ANC visit, it is nearly absent in key child health activities like immunization and nutrition. Given the need to improve child health status in the State, this activity needs intense planning and monitoring.

Target Determination: It is observed that there is significant variation in difficulty in achieving the target. The process of target determination should be done on a scientific basis with some level of standardization and uniformity with flexibility to incorporate local requirements.

Demand for Health Care: An important objective is to improve the demand for health care among the people. However, it is revealed that more than 1/3rd rarely approach for services. Thus the latent demand for these services needs to be converted to real demand which will improve the health care outcome. Socio-economic and demographic characteristic of those people can be identified for focussed targeting of awareness programs.

Drug Availability: In some cases, health workers have reported stock-out of drugs. Supply chain management and storage of drugs has to be addressed depending on the consumption pattern, distance from main storage centre and other emergency supplies available. A proper real time inventory management system can help to overcome the problem to a large extent.

Vacancy of Health Personnel: The vacancy level in health workers is 27%. There is an urgent need to recruit personnel to fill these vacancies and have larger share of female as health workers. ASHA workers have made strong penetration in the health care system and need to be encouraged to focus on weak areas.

Clarity of Work: Absence of clarity of work among the health workers in their day-to-day work has to be addressed at the district level by preparing and updating job chart, prioritising tasks of each health workers and reviewing the performance on that basis. Though health organization must be capable of responding to emergency and unforeseen situations, all the regular activities must be planned and organized properly. Absence of clarity can be significant reason for high burden of work.

Target Achievement: MLR performed on a range of independent variables indicate that increase in involvement in decision making, burden of work and chances of promotion improve target achievement. On the contrary, increase in reporting tends to adversely affect the target achievement.

Motivation: In this case, MLR has identified involvement in decision making, performance evaluation and review of work of health workers as key factors responsible for higher levels of motivation.

Involvement in Decision Making: Health workers are the main interface in public health delivery system. Their knowledge and feedback are important for success of health care

initiatives. An institutional mechanism for their involvement in decision making would enhance the effectiveness of delivery system.

Opportunity for Promotion/Career Growth: Though there is limited scope for improvement in this respect, health workers can be considered for posting as staff nurse in addition to public health nurse after providing relevant short/medium duration training.

Burden of Work: Interestingly, MLR reveals that increase in burden of work results in better performance. However, this linear relationship may change if the burden of work keeps increasing and this phenomenon requires further study.

Monitoring & Review: Reports and reviews of performance are integral part of management of health care delivery. The number of such reports and review must ensure effectiveness without become a burden on day-to-day work. In reporting, there is significant variation across districts. MLR show that increase in work load due to number of reports and time spent on this adversely affects the target achievement. This can be addressed to some extent by standardizing the reports, using information technology in management information system and can be designed based on the experience in the districts to ensure optimality and effectiveness.

Review of work brings the health workers and superiors in direct contact and provides opportunity for guidance and appreciation of work and has a positive impact on motivation.

Performance Evaluation: High degree of variation is found across the districts which require reasonable level of standardization, uniformity and timely submission. Moreover, this may have detrimental effect on the morale and motivation of employees if it is not seen to be just and fair.

Pay & Allowances: Sizeable proportion of health workers is not fully satisfied with the pay & allowances. Since pay and allowances in Government are based on periodic pay commission recommendations, it is difficult to make any major changes. However, Health Department may devise monetary and non-monetary rewards to recognize outstanding achievements and contribution to health care personnel at different levels.

Training: Though the quality of training was found to be good in all districts, it was found to be inadequate in some cases. Training and workshops have to be conducted to meet minimum level of requirements for all health workers. In addition, need based training programs can be designed after assessing the feedback of health workers and doctors.

Time Management: Nearly half of the health workers think they are not able to use their time very effectively. This is an issue which depends on many factors like planning, local issues, burden of work and personal issues. Information technology can be an important tool for effective time management. However, it requires a detailed study to understand this issue properly as this is linked to many other factors like local priorities and emergencies.

Financial Powers: NRHM and RCH II provide for sizeable financial powers to the health workers to undertake minor repairs and emergency purchases. In practice, this is not easy to exercise these powers and hence requires simplification of procedures and training of health workers in procurement.

9.2 Demand for Health Care: Beneficiaries/Patients

Age of Beneficiaries: Most of the male beneficiaries avail health care only after the age of 25. Thus, they do not have proper guidance and counselling before the marriageable age. In general, RCH activities tend to be women and child centric and rightfully so. However, men being key decision makers in most of the households, they have to be targeted for adolescent, pre-marriage and peri-conceptual counselling and awareness programs.

With increase in age, the type of health service required undergoes a change: from maternal health to immunization to family planning. Maternal health and nutrition have moderate demand in all age groups. Thus, right services have to be made available to the right age groups by the health care system

Income: In Ahmedabad which is an urbanized district most of the beneficiaries were from low income groups whereas in Bharuch and Junagadh, which are largely rural, sizeable proportion of non-low income groups avail health centre services. This provides two or more interpretations: First one is that, in rural areas less proportion of poor people approach health centre for services; but the second more plausible reason could be that in urban areas less proportion of high income people avail these services since private health care is widely available. However, this relationship has to be explored with further detailed study to understand the implication of income in totality.

Income level of respondents is a key differentiator of various aspects of health care and right and relevant health care can be designed based on the income level of families within a given social milieu.

Literacy: Similar to income, in Ahmedabad more proportion of beneficiaries are non-literate compared to other districts. Multiple interpretations similar to the above can be made in this case also and hence requires further study.

Level of literacy also has significant impact on health care choices of people and hence an important parameter along with income in formulating the health care policy and designing delivery system.

Caste: It is observed that Scheduled Tribe population in Ahmedabad have low participation in awareness programs. People of tribal community migrate to urban centre for seasonal and short term work with families. But they may not have access to public health services during the stay which is the reason for low percentage participation. This needs to be addressed by strengthening monitoring and field visits to their location.

Awareness Programs: The level of participation in maternal health programs is relatively less in the State. Since this requires sustained counselling over a longer period, it can be linked to some other activities or incentives so that there is meaningful participation by beneficiaries.

NGO: They play an important role in public health care wherein they visit beneficiaries for awareness generation. However, it was found that they were active in Ahmedabad which is an urban centre but nearly absent in other two districts which are largely rural. Funds provided to NGO under NRHM should have incentive structure to provide services in remote and rural areas of the State.

Guidance seeking / Decision Making Behaviour: While the source of guidance could be family or health workers, decision making is a personal choice or a family decision. Family members, especially spouses and parents must be engaged in awareness programs.

Purpose of Visit to Health Centre: Maternal health and nutrition do not constitute key reasons for visit to health centre even among female. This situation needs rectification so that the beneficiaries are well targeted and demand for these services improves.

Infrastructure: Similar to findings from health workers surveys, sizeable share of beneficiaries indicate the need to improve availability of transport and road connectivity. Hence priority has to be given to provide funds to improve road connectivity in weak areas.

Facilities: Condition of health centre, cleanliness and availability of water, toilet etc., varies across districts. During this survey, the need for improvement was found in Ahmedabad, followed by Junagadh and Bharuch.

Service at Health Centre: There is significant variation in the counselling and quality of service across the districts. This is particularly low in Ahmedabad on both the counts. Even repeat visit is low in Ahmedabad. Socio-economic and other characteristics require detailed study to examine and understand the problem.

Quality of Service: This is significantly affected by counselling provided by health workers/doctors, cleanliness, availability of vehicles to go to the health centre and utility of awareness program. Thus improving quality of services to the beneficiaries requires improvement in diverse parameters and hence is a challenging task. Micro-planning is required at the district level to make available vehicles and cleanliness in health centres.

Impact of awareness programs has to be studied with focus on effectiveness in terms of response.

Drug/Lab Services: In nearly 50% cases, beneficiaries had to get drugs or laboratory services from outside. This may have adverse impact on the perception of beneficiaries and need to be addressed with proper supply chain and inventory management as discussed earlier. Similarly lab services must be available and reliable. This can even be outsourced by providing space for laboratory at the health centre premises.

Documentation & Records: This was found to be extremely useful by beneficiaries. However, the availability is not extensive and uniform. Effective use of information technology tools can ensure a reliable and useful database for this purpose.

Finance: Nearly 3/4th of beneficiaries are willing to pay for better services. Strangely, this share is high among the low income group, less literate and labour groups. It is important to evaluate this phenomenon, ascertain the factors driving this and deduce meaningful conclusions.

Repeat Visit to Health Centre: Analysis of repeat visit shows that beneficiaries with higher literacy are likely to visit again compared to those with low literacy. Similarly BPL beneficiaries are less likely to return compared to non-BPL. Thus, the low literacy and low income beneficiaries require extra focus so that they return to health centre for health care.

9.3 Future Scope

Multi-Agency Approach for Immunization: Target based planning and execution is nearly absent in key child health activities like immunization. Given the need to improve immunization level in the State, a multi-agency model involving qualified private health practitioners at reasonable service charges can be evaluated.

Time Management: Nearly half of the health workers think they are not able to use their time very effectively. This is an issue which depends on many factors like planning, local issues, burden of work and personal issues. Information technology can be an important tool for effective time management. However, it requires a detailed study to understand this issue properly as this is linked to many other factors like local priorities and emergencies.

Health Worker Cadre: It was found that most of the key function of the FHW and MPHWS are common though in terms of job chart there is some difference. Further study is required to ascertain the need to continue them as separate cadres or merge them into single cadre.

Income: In Ahmedabad which is an urbanized district most of the beneficiaries were from low income groups whereas in Bharuch and Junagadh, which are largely rural, sizeable proportion of non-low income groups avail health centre services. This relationship has to be explored with further detailed study to understand the implication of income in totality.

Literacy: Similar to income, in Ahmedabad more proportion of beneficiaries are non-literate compared to other districts. Multiple interpretations similar to the above can be made in this case also and hence requires further study.

Migration: People of tribal community migrate to urban centre for seasonal and short term work with families. But they may not have access to public health services during the stay which is the reason for low percentage of seeking health care. This issue also requires thorough study and assessment to make proper policy initiatives.

Purpose of Visit: It was observed that the purpose of visit of poor, low income, low literate and backward caste beneficiaries is mainly to treat communicable diseases. In contrast, other groups visited for immunization and family planning services. This shows that the vulnerable sections approach for curative rather than preventive health care. Detailed further study is required to understand this phenomenon to make suitable policy initiatives.

Finance: Nearly 3/4th of beneficiaries are willing to pay for better services. Strangely, this share is high among the low income group, less literate, backward caste and labour groups. It is important to evaluate this phenomenon, ascertain the factors driving this opinion and address the issue.

Visit to other health practitioners: Majority of the beneficiaries had visited other health practitioners before coming to health centre. This initial resistance to visit health centres as first choice is a phenomenon which requires thorough study and examination.



CHAPTER – X


CONCLUSION


X. Conclusion

Health is a vital social sector which needs Government intervention especially in public health arena. A broad and balanced growth of the society can occur only if we can attain desirable level of the health status for the whole population. The country has an ambitious vision to transform the health status of our people. The goals are challenging yet achievable with proper system and strategy.

While the vision is enunciated through many policies, action on ground needs to match them. NRHM provides an enabling mechanism to march towards these goals. The study reveals that Gujarat has a socio-economic environment which is conducive to achieve these goals. Significant gains have been made in improving the health care indicators in the State by increasing financial support, a planned approach to improve the health care system and involvement of all stakeholders to attain the desired goals. But, the country and state have a long way to go before completing the unfinished task of achieving these goals.

To do all these, the management of public health delivery at the field level requires multi-pronged strategy of reform in health delivery system. At one level this includes, improving the process of preparation of health action plan, reducing gaps in the availability of health personnel, meaningful involvement of stakeholders at the local level, improving the motivation, eliminating factors which hamper productivity, reorganize health workers and simplification of procedures to facilitate exercise of financial powers. At another level, a customer-centric approach needs to be inculcated in the health care service to enhance demand for these services. This is the recurring theme in the work as assessed from the surveys. This requires an approach in which the socio-economic and demographic factors of the target population must be understood and incorporated in formulating policy and devising the action plan.





BIBLIOGRAPHY

Bibliography



1. Annual Report, Integrated Disease Surveillance Project, Ministry of Health and Family Welfare, Govt. of India, 2008.
2. A Leadership agenda for Action: The Coalition for Sustainable Nutritional Security in India, September 19, 2008.
3. Annual Report on implementation of Pre-Conception and Pre-Natal Diagnostic Techniques (Prohibition of sex selection) Act, 1994, PNDT Division, Ministry of Health and Family Welfare, Govt. of India, 2005.
4. Annual Report 2009-10, Medical Council of India, New Delhi, 2010.
5. Berman, Peter and Ravi Ahuja: Government Health Spending in India, Economic & Political Weekly, June 28, 2008
6. Birth Rate, Death Rate, IMR and TFR: India & States, National Commission on Population, Government of India, 2010.
7. Bradley H Elizabeth, Sarah Pallas, Chhitj Bashyal, Leslie Curry, and Peter Berman: Developing Strategies for Improving Health Care Delivery: A User's Guide to Concepts, Determinants, Measurement, and Intervention Design by World Bank, June 2010.
8. Butler, John: Reaching the MDG in India, Oxfam India, Centre for Legislative Research and Advocacy, 2009
9. Concepts and Definitions used in National Sample Survey: Golden Jubilee Publication- National Sample Survey Organization, Ministry of Statistics and Programme Implementation, Government of India, May 2001.
10. DiMaria, Rose Ann- Understanding and Interpreting the Chi-square Statistic (χ^2): WVU School of Nursing, Charleston Division.
11. District Statistical Handbook, Ahmedabad, 2009-10, District Panchayat, Ahmedabad.
12. District Statistical Handbook, Bharuch, 2009-10 - District Panchayat, Bharuch.
13. District Statistical Handbook, Junagadh, 2009-10- District Panchayat, Junagadh.

14. Dr. Clar, Chrisitine, Dr. Bilal Iqbal Avan: Evolution of the concept of quality of care with respect to clean delivery in health system in high, middle and low income countries.- Public Health Foundation of India, 2010.
15. Fleming Fallon, L Jr., and Eric J Zgodzinski: Essentials of Public Health Management Jones and Bartlett Learning, - ISBN-13: 978 1-4496-1896-4.
16. Field, A: Discovering Statistics Using SPSS (Introducing Statistical Methods Second Edition), Sage Publications, 2005.
17. Gerth H.H, and C.W. Mills, Max Weber: Essays in Sociology. Fair Lawn, New Oxford University Press, 1958
18. Goel, S.L: Primary/Rural Health Care System and Hospital Administration, Deep & Deep Publications Private Ltd, New Delhi, 2010.
19. Gill, Kaveri: A Primary Evaluation of Service Delivery under the National Rural Health Mission: Findings from a study in Andhra Pradesh, Uttar Pradesh, Bihar and Rajasthan – Planning Commission of India, Working Paper 1/2009 – PEO, May 2009.
20. Haines, Andy and Andrew Cassels. 2004. Can The Millennium Development Goals Be Attained? BMJ: British Medical Journal, Vol. 329, No. 7462, Aug. 14, 2004.
21. Health Care in India: Emerging Market Report – PricewaterhouseCoopers, 2007.
22. Health- Morbidity, Healthcare and Condition of the Aged, National Sample Survey 60th Round Report, Ministry of Statistics and Program Implementation, Government of India, 2004.
23. Health Promotion Glossary: Division of Health Promotion, Education and Communications (HPR) Health Education and Health Promotion Unit (HEP), World Health Organization, Geneva, 1998.
24. Health and Survey (Bhore) Committee Report, Government of India, Volume 1, Delhi Publications Division, 1946.
25. Health Statistics, Gujarat, 2009-10: Vital Statistics Division, Commissioner of Health, Medical Services, Medical Education and Research, Gujarat State, January, 2011.
26. Hirway, Indira and Darshini Mahadevia: Gujarat Human Development Report, 2004 – Mahatma Gandhi Labour Institute, Ahmedabad.

27. Human Development Reports: 2005, 2006, 2007-08, 2010 & 2011, United Nations Development Program.
28. La Forgia, Gerard and Krishna D. Rao: India Health Beat – Policy Notes- Public Health Foundation of India, New, 2006-12.
29. Khaleghian and Monics Das Gupta - Public Management and Essential Public Health Functions, World Bank, 2005.
30. Khanna, Renu: Women’s Perspective on Population Policies- Feminist Critique of Population Policies: Population Policy of Gujarat – Medico Friend, July-Oct 2001.
31. Kumar, Virendra – Government of India: Committees and Commissions in India Vol. 7: 1966.
32. Mahal, Ajay, J.Singh, F. Afridi, V. Lamba, A.Lumber and V. Selvaraju: Who Benefits from Public Sector Spending in India? National Council of Applied Economic Research, New Delhi, 2002
33. Mahapatra, Prasanta - An Overview of the Sample Registration System in India: Institute of Health Systems, Hyderabad, India- Prince Mahidol Award Conference & Global Health Information Forum, 2010.
34. Maternal and Child Health, Chapter 9, National Family Health Survey, 1992-93, Government of India.
35. Meeting People’s Health Needs in Rural Areas, National Rural Health Mission-Framework for implementation-2005-2012: Ministry of Health and Family Welfare, Government of India.
36. McCreery, Charles: The Chi-Square Test- A test of association between categorical variables, Oxford Forum, Psychological Paper No. 2007-1.
37. McGregor D- The professional Manager, New York: Mc Graw Hills, 1967.
38. Millennium Development Goals in India: Country Report 2011- Central Statistical Organization, Ministry of Statistics and Programme Implementation, Government of India.
39. National Health Policy, 2002: Government of India New Delhi, Ministry of Health and Family Welfare, 2002.

40. National Family Health Survey – 2005-06, India – Gujarat – International Institute of Population Sciences and Macro International, Mumbai, 2008.
41. Navaneetham, K and A-Dharmalinga: Utilization of maternal health care services in Southern India – Asia Metacentre of Population and Sustainable Development Analysis, Institute of Asian Research, Singapore.
42. Ouchi, W.G: Theory Z: How American Business can meet Japanese challenge, 1981
43. Population Growth Trends, Projections, Challenges and Opportunities - Working Papers on Health, Planning Commission of India, 2001.
44. Primary Health: India Scenario: Section 11- Origin and evolution of primary health care in India, WHO India.
45. Radhakrishnan, Prathima: Referral for Abortion, Indian Journal of Medical Ethics: 2009, Oct-Dec: 6(4)
46. Ramani, K.V, Mavalankar, Dileep and Govil, Dipti; Strategic Issues and Challenges in Health Management, SAGE Publications India Private Ltd, New Delhi, 2008.
47. Registrar General, Census of India, Ministry of Home, Govt. of India, Sample Registration System Reports- April, 2006 and June 2011.
48. Report of the National Commission on Macroeconomics and Health: National Commission of Macroeconomics and Health, Ministry of Health & Family Welfare, Government of India, New Delhi, September, 2005.
49. Reproductive and Child Health Program (RCH II) Annual Plan 2007-08, State Program Implementation Plan, Gujarat: Commissioner of Health & Family Welfare, Department of Health and Family Welfare, Government of Gujarat, March 2007.
50. Report of Sub-Committee on National Health (Stokhey) Committee Report, Government of India, National Planning Committee, Vora, Mumbai, 1948.
51. Rural Health Statistics in India: Ministry of Health and Family Welfare, Government of India 2006 to 2011.
52. Sachs, D Jeffrey: The Healthier Poor – Economic Times, 3rd September, 2007.
53. Sample Registration System Bulletins, Vital Statistics Division, Registrar General, Government of India.

54. Saving the mothers and children the Gujarat way - Department of Health & Family Welfare, Gujarat, October 2008
55. Select Health Indicators: A comparative analysis across the National Sample Survey Organization, Ministry of Health and Family Welfare, Government of India in collaboration with WHO country office of India, 2007.
56. Sethi, R C – Sample Registration System in India, Additional Registrar General, Office of the Registrar General of India, Ministry of Home Affairs, New Delhi, 2007.
57. Siniscalco, Maria Teresa and Nadia Auriat: Questionnaire Design, UNESCO International Institute for Educational Planning, September, 2005
58. Socio-Economic Review, Gujarat State: 2005-06 & 2010-11- Directorate of Economic and Statistics, Government of Gujarat, February, 2006.
59. Strategies to meet the unmet needs for maternal and child health, Report of the working groups, National Commission of Population- March, 2001.
60. Stockburger, David W- Introductory Statistics - Concepts, Models and Applications, Missouri State University, Revised Version, 1998.
61. The Census Act, 1948 (Act No. 37 of 1948), as amended in 1994- Ministry of Home Affairs, Government of India.
62. Trammer, Mark and Mark Eliot: Multiple Linear Regression, Cathie Marsh Centre of Census and Survey Research.
63. United Nations Millennium Declaration: Resolution 55/2 adopted by the General Assembly - 55th session, 18/09/2000.
64. Venkata Raman, A - Private Sector Health Care Delivery in India – Faculty of Management Studies, Delhi University, 2005.
65. World Population Prospects – United Nations, Department of Socio-Economic Affairs, Population Division, Population Estimates and Projections Section, 2010.
66. Yoong, Joanne- Does Decentralization Hurt Childhood Immunization? - Department of Economics, Stanford University, October 20, 2007.



ANNEXURE



Annexure

Survey of Health Workers

| | |
|-----------------|-----------------------|
| Date: _____ | Designation: FHW/MPHW |
| PHC Name: _____ | District: _____ |

I. Areas of Work (Tick the appropriate boxes)

Family Planning
 Communicable diseases
 Non-Communicable diseases
 Immunization
 Antenatal care
 Postpartum care
 Nutrition

a Main Focus functions from the above: (mention any 3 from the above)

1. _____

2. _____

3. _____

II. Health Planning

Is there an annual health plan for your area?: *Yes/No*

a Who prepared the plan? (tick one box)

District level
 Talukas level
 PHC level
 Self
 others

b Who of the following were involved in preparing the plan? (tick the relevant boxes)

Village panchayat members
 Women groups
 NGOs/Social groups
 Religious groups
 Community leaders
 Teachers
 Anganwadi workers
 Gram sabha

c Targets are given in case of (tick relevant boxes)

Family planning
 Institutional delivery
 Immunization
 Infant mortality rate
 Maternal mortality rate
 Couple protection rate

d What was the level of contribution in preparing the plan:

| | <i>Very Low</i> | <i>Low</i> | <i>Average</i> | <i>High</i> | <i>Very High</i> |
|----------------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| <i>Village panchayat members</i> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| <i>Women groups</i> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| <i>NGOs/Social groups</i> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| <i>Religious groups</i> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| <i>Community leaders</i> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| <i>Teachers</i> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| <i>Anganwadi workers</i> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| <i>Gram sabha</i> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

III. Travel

- a How long it takes to reach health centre from residence
 Long (> 2 hours) Normal (1-2 hours) Short time (< 1 hour)
- b Availability to the health centre?
 Always Sometimes Rarely
- c How good is the transport facility to travel to villages/ settlements?
 Always Sometimes Rarely

IV. Work

- a Contact of Beneficiary (tick one)
 Visit to home at Sub Centre at Anganwadi
 through friends/relatives through community groups others _____
- b Awareness Generation methods (tick one)
 Visits to beneficiaries Women Group meetings Community leaders meetings
 Mamta Day Gram Sabha Others _____
- c How do you visit the beneficiaries?
 By walk By 2-wheeler Local transport
- d How much difficult it is to achieve targets?
 Very easy Easy Normal Difficult Very difficult
- e Do beneficiaries approach you for health services?
 Never Rarely Sometimes Mostly Always

V. Facilities at Work

- a How much comfortable is you work place
 Bad Poor Average Good Excellent
- b How good are facilities like seating/ toilet etc?
 Bad Poor Average Good Excellent
- c How is the availability of medical equipments?
 Bad Poor Average Good Excellent
- d Were the equipments in working condition during the year?
 Never Rarely Sometimes Mostly Always

VI Interpersonal Relationship and Motivation

- a How do you think is the interpersonal relationship between colleagues?
 Bad Poor Average Good Excellent
- Do you get appreciation for your performance and good work?
 Never Sometimes Mostly Always

- c Are you involved in decision making ?(For example – fixing targets)
 Never *Sometimes* *Mostly* *Always*
- d Do you think appraisal of your performance is proper and fair?
 Never *Sometimes* *Mostly* *Always*

VII. Management Information System

- a Reporting
Number *Very High* *High* *Normal* *Less* *Very Less*
Utility *Excellent* *Good* *Normal* *Less* *Very Less*
- b Review Meeting
Number *Very High* *High* *Normal* *Less* *Very Less*
Utility *Excellent* *Good* *Normal* *Less* *Very Less*

VIII. Time management

- a Do you think it is possible to use your time more effectively
 Not possible *Very little* *Somewhat* *Very Well*
- b How many days are spent on the following in a year

| All Activities | No. of days/year |
|---|------------------|
| <i>Tours/field activities</i> | |
| <i>At Headquarter</i> | |
| <i>Training /Workshops</i> | |
| <i>Attend Meetings</i> | |
| <i>Preparation of reports/documentation</i> | |
| <i>Emergency services (Epidemic etc)</i> | |
| <i>Others (pl. mention)</i> | |

IX. Financial and other Issues

- 1 What is the level of satisfaction with your pay and perks?
 Not at all *Somewhat* *Fully*
- 2 How much is the burden of work?
 Heavy *Norma* *Less*
- 3 Do you feel lack of clarity in your job chart and tasks?
 Never *Rarely* *Mostly* *Always*
- 4 How is the chance for career growth/promotional opportunities?
 No Chance *Poor* *Ordinary* *Good*

- 5 Is it possible to get minor repairs and maintenance done at the health centre level?
 Very easy *Easy* *Normal* *Difficult* *Very difficult*

Is it possible to purchase emergency supplies at your level?

- Always* *Mostly* *Sometimes* *Rarely*

X. Capacity Building

- 1 Adequacy of training programs during the year

- Less* *Sufficient* *High*

- 2 How is the quality of the training programs?

- Poor* *Normal* *Good* *Very Good* *Excellent*

XI. Monitoring and Review

- 1 Do you think the review of performance is useful to you?

- Never* *Sometimes* *Mostly* *Always*

- 2 Frequency of visits / inspection by Superiors

- Never* *Sometimes* *Mostly* *Always*

આરોગ્ય કાર્યકર સર્વેક્ષણ પ્રશ્નાવલી

તારીખ : _____

હોદ્દો: FHW/MPHW/SUPERVISOR

પ્રા.આ. કેન્દ્ર: _____

જિલ્લો: _____

ઉત્તરદાતાઓ માટે ઉપયોગી માહિતી

(1) આ પ્રશ્નાવલીમાં આપે કોઈ પણ જગ્યાએ આપનું નામ લખવાનું નથી. (2) આપના દ્વારા આપવામાં આવેલ તમામ જવાબ / માહિતી ગુપ્ત રાખવામાં આવશે જેની અચૂક નોંધ લેશે. (3) આપના જવાબો સંશોધનની સચોટતા માટે અત્યંત ઉપયોગી નીવડનાર હોઈ તમામ પ્રશ્નોના સંવેદનશીલ જવાબો આપવા વિનંતી. (4) કોઈ પ્રશ્ન ન સમજાય તો કોઈ પણ જવાબદાર વ્યક્તિ / અધિકારીને પૂછી સ્પષ્ટતા કર્યા બાદ જ જવાબ નોંધવા વિનંતી.

I. કાર્યક્ષેત્ર

નીચેના માંથી કે આરોગ્યલક્ષી કામગીરી કરો છો? ટીક કરો

- કુટુંબ કલ્યાણ રોગચાળા નિયંત્રણ આરોગ્ય શિક્ષણ
 રસીકરણ માતૃબાળ સંભાળ ન્યુટ્રીશન અન્ય _____

a ઉપરના માંથી સૌથી વધારે ભાર કઈ કામગીરી પર આપો છો? કોઈ પણ 3 નામ આપો

1. _____ 2. _____ 3. _____

II. આયોજન

a તમારા આરોગ્યકેન્દ્રની વાર્ષિક કામગીરીના આયોજન માટે કોઈ એક્શન પ્લાન (યોજન) તૈયાર કરો છો? **હા / ના**, જો હા હોય તો આ પ્લાન કઈ રીતે તૈયાર કરવામાં આવે છે?

- જિલ્લા કક્ષાએ બ્લોક કક્ષાએ પ્રાથમિક આરોગ્ય કેન્દ્ર કક્ષાએ
 તમે પોતે અન્ય _____

b આ પ્લાન તૈયાર કરવામાં નીચેના માંથી કોણ કોણ સામેલ થાય છે?

- ગ્રામ પંચાયતના સભ્યો મહિલા જૂથો એનજીઓ
 આંગણવાડી કાર્યકરો ગ્રામ સભાના સભ્યો અન્ય _____

c નીચેના માંથી કઈ કામગીરીમાં તમોને લક્ષ્યાંકો આપવામાં આવે છે?

- કુટુંબ કલ્યાણ સંસ્થાકીય પ્રસુતિ એન્ટીનેન્ટલ વિઝીટ અન્ય _____

d આ પ્લાન તૈયાર કરવામાં નીચેનાઓનો ફાળો કેવો હતો?

| | ન હતો | ઓછો | સામાન્ય | સારો | ઘણો સારો |
|----------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| ગ્રામ પંચાયતના સભ્યો | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| મહિલા જૂથો | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| એનજીઓ | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| આંગણવાડી કાર્યકરો | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| આશા કાર્યકરો | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

III. મુસાફરી

- a તમારા નિવાસસ્થાનેથી આરોગ્યકેન્દ્ર ખાતે પહોંચવા માટે આશરે કેટલો સમય લાગે છે?
 ખૂબ વધારે (2 કલાકથી વધુ) સામાન્ય (1 થી 2 કલાક) થોડો (1 કલાકથી ઓછો)
- b આરોગ્યકેન્દ્ર ખાતે પહોંચવા માટે વાહનોની યોગ્ય સગવડ મળી રહે છે?
 હંમેશા ક્યારેક ક્યારેય નહીં
- c આપના કાર્યક્ષેત્રના ગામડાઓમાં 6 જવા માટે વાહનોની યોગ્ય સગવડ મળી રહે છે?
 હંમેશા ક્યારેક ક્યારેય નહીં

IV. રોજબરોજની કામગીરી

- a સામાન્ય રીતે આપના વિસ્તારના લાભાર્થીઓનો સંપર્ક કઈ કઈ રીતે કરો છે? ટીક કરો
 ઘરની મુલાકાત દ્વારા પેટાકેન્દ્ર ખાતે આવે ત્યારે આંગણવાડી ખાતે
 મિત્રો/સંબંધીઓ દ્વારા અન્ય _____
- b આરોગ્ય કાર્યક્રમોનો પ્રચાર પ્રસાર કઈ રીતે કરી શકો છો?
 લાભાર્થીઓના ઘરે મુલાકાત મહિલા ગૃપ મીટીંગ કોમ્યુનિટી શિબિર
 મમતા દિવસે ગ્રામ સભામાં અન્ય _____
- c લાભાર્થીઓની મુલાકાત માટે કઈ રીતે મુસાફરી કરો છો?
 ચાલતા જઈને ટુ વ્હીલર
 સ્થાનિક પરિવહન (છકડો / રીક્ષા વિગેરે) અન્ય _____
- d વાર્ષિક લક્ષ્યાંકો પૂરા કરવાની કામગીરી કેવે લાગે છે?
 બહુ સરળ સરળ સામાન્ય મુશ્કેલ અશક્ય
- e શું લાભાર્થીઓ પોતની મેળે / સ્વેચ્છાએ સ્વાસ્થ્ય સેવાઓ માટે તમારો સંપર્ક કરે છે?
 ક્યારેય નહીં ક્યારેક ભાગ્યે જ મોટા ભાગે હંમેશા

V. આરોગ્યકેન્દ્ર પરની સુવિધાઓ

- a તમારા કેન્દ્રની હાલની હાલત કેવી છે?
 ખરાબ નબળી સામાન્ય સારી શ્રેષ્ઠ
- b કેન્દ્ર ખાતે પાણી, બેઠક વ્યવસ્થા, ટોઇલેટ, બાથરૂમ વગેરેની વ્યવસ્થા કેવી છે?
 ખરાબ નબળી સામાન્ય સારી શ્રેષ્ઠ
- c સામાન્ય રીતે આરોગ્યકેન્દ્ર ખાતે આરોગ્ય સેવા પૂરી પાડવા માટે જરૂરી એવી તમામ દવાઓ, સાધન સામગ્રીઓ વગેરેની ઉપલબ્ધતા કેવી હોય છે?
 ખરાબ નબળી સામાન્ય સારી શ્રેષ્ઠ
- d વર્ષ દરમિયાન તમામ સાધનો ચાલુ હાલતમાં હોય છે?
 ક્યારેય નહીં ક્યારેક ભાગ્યે જ મોટા ભાગે હંમેશા

VI. સહકર્મચારીઓ સાથેના સંબંધો તથા ઉપલી કક્ષાએથી મળતું મોટીવેશન / પ્રોત્સાહન

- a સહકર્મચારીઓ વચ્ચે પરસ્પરના સંબંધો કેવા છે?
 ખરાબ નબળા સામાન્ય સારા શ્રેષ્ઠ
- b તમને તમારી સારી કામગીરી માટે યોગ્ય પ્રોત્સાહન મળી રહે છે?
 ક્યારેય નહીં ક્યારેક મોટા ભાગે હંમેશા
- c ઉપલી કક્ષાએથી તમોને પ્લાનીંગ કરવામાં કે નિર્ણયો લેવામાં સામેલ કરવામાં આવે છે?
 ક્યારેય નહીં ક્યારેક મોટા ભાગે હંમેશા

d શું તમને લાગે છે કે તમારી કામગીરીનું મૂલ્યાંકન યોગ્ય રીતે થાય છે?

ક્યારેય નહીં ક્યારેક મોટા ભાગે હંમેશા

VII.

તમારા દ્વારા કરવામાં આવતા રિપોર્ટિંગ અને મીટીંગ અંગેની માહિતી (યોગ્ય વિકલ્પમાં ટીક કરો)

a રિપોર્ટિંગ

સંખ્યા ઘણી વધારે વધારે માપસર ઓછી ઘણી ઓછી

ઉપયોગિતા શ્રેષ્ઠ સારી સામાન્ય ઓછી ઘણી ઓછી

b રીવ્યુ મીટીંગ

સંખ્યા ઘણી વધારે વધારે માપસર ઓછી ઘણી ઓછી

ઉપયોગિતા શ્રેષ્ઠ સારી સામાન્ય ઓછી ઘણી ઓછી

VIII. ટાઇમ મેનેજમેન્ટ

a તમને લાગે છે કે તમને મળેલ સમયનો અસરકારક રીતે ઉપયોગ કરે શકો છે?

શક્ય નથી ખૂબ જ ઓછો સામાન્ય શ્રેષ્ઠ રીતે

b વર્ષના કુલ દિવસો માંથી કેટલા દિવસો નીચેની કામગીરી માટે વપરાય છે?

| પ્રવૃત્તિઓ | આશરે દિવસોની સંખ્યા |
|---|---------------------|
| ક્ષેત્રીય પ્રવૃત્તિઓ (ફીલ્ડ વિઝીટ) | |
| હેડ ક્વાટર ખાતે કામગીરી | |
| તાલીમ / વર્કશોપમાં હાજરી | |
| મીટીંગોમાં હાજરી | |
| રીપોર્ટિંગ / ડેટા એન્ટ્રી / રજીસ્ટર બનાવવા વિગેરે કામગીરી | |
| રોગચાળા અટકાયત કામગીરી | |
| અન્ય _____ | |

IX.

નાણાંકીય તથા અન્ય બાબતો

1 તમને મળતા પગાર અને ભથ્થાથી તમને સંતોષ છે?

બિલકુલ નથી થોડો સંતોષ છે પૂર્ણ સંતોષ છે

2 તમને ફાળવવામાં આવેલ કામગીરી પ્રત્યે શું માનો છે?

વધુ પડતી છે પ્રમાણમાં છે ઓછી છે

3 તમને લાગે છે કે તમને સોંપવામાં આવતી કામગીરી બાબતે તમને સ્પષ્ટ રીતે સમજાવવામાં આવતા નથી?

ક્યારેય લાગતું નથી ક્યારેક લાગે છે મોટે ભાગે લાગે છે હંમેશા લાગે છે

4 તમને પ્રમોશન માટેની કેવી તકો રહેલી છે?

તક નથી નબળી છે સામાન્ય સારી છે

5 આપના કેન્દ્રના રીપોર્ટિંગ તથા જાળવણી આપને કક્ષાએથી કરવાનું કેવું લાગે છે?

બહુ સરળ સરળ સામાન્ય મુશ્કેલ અશક્ય

6 ઇમર્જન્સી / કટોકટી પરિસ્થિતિમાં કોઈ પણ વસ્તુઓ, દવાઓ કે સાધનો ખરીદ કરી શકો છો

હંમેશા મોટા ભાગે ક્યારેક ક્યારેય નહીં

X. તાલીમ

1 વર્ષ દરમિયાન અપાતી તાલીમ પૂરતી હોય છે?

ઓછી હોય છે

યોગ્ય હોય છે

વધુ પડતી હોય છે

2 આ તાલીમોની ગુણવત્તા કેવી હોય છે?

નબળી

સામાન્ય

સારી

ઘણી સારી

શ્રેષ્ઠ

XI. રિવ્યુ તથા મોનીટરીંગ

1 તમને લાગે છે કે માસિક મીટીંગ દરમિયાન કરવામાં આવતી તમારી સમીક્ષા તમારા માટે ઉપયોગી છે?

ક્યારેય નહીં

ક્યારેક

મોટે ભાગે

હંમેશા

2 ઉપલી કક્ષાએથી કેટલા સમયાંતરે તમારી મુલાકાત કરવામાં આવે છે?

ક્યારેય નહીં

ક્યારેક

મોટે ભાગે

હંમેશા

Survey of Beneficiaries/ Patients

Date: _____ Name : _____ (Optional) _____ Gender : *Male/Female* Age : _____

No. of family members: _____ No. of Children: _____ of which, Girls: _____ Boys: _____

Work : _____ Are you BPL: *Yes/No*

Monthly family Income:

<3000 3000 to 6000 6000 to 10000 10000 to 20000 >20000

Education:

No Schooling *Primary* *Highschool* *Graduate* *Post-Graduate*

Caste group: *SC* *ST* *SEBC* *Others*

I. Awareness of Health Issues:

a Have you attended any health awareness programs: *Yes/N*

b What were the issues covered (Tick the appropriate)

Immunization *Family Planning* *Diseases- Malaria, TB etc*
 Antenatal care *Nutrition* *Others* _____

c What was the usefulness of the program:

Bad *Poor* *Normal* *Good* *Excellent*

d Has any of the following visited your home (Please tick the appropriate)

Female health worker *Multipurpose health worker* *Anganwadi worker*
 ASHA Worker *NGO/ Volunteer* *Doctor* *Others* _____

e Whose guidance you take for your or children health problems

Spouse *Parents* *Friends/relatives* *Health worker*
 ASHA Worker *Anganwadi worker* *Others* _____

II. Health Care Services Aailed

a Have you been to government health centres? *Yes/ No*

b Did you go to any other hospital or health practitioner before going there? *Yes? No*

If Yes, which of the following

Local General Practitioner *Ayurvedic Doctor* *Private qualified doctor*
 Private Nurse *Others* _____

c Were you satisfied with the service there?

Bad *Poor* *Normal* *Good* *Excellent*

d What was the purpose of visiting health centre:

Immunization *Family Planning* *Diseases- Malaria, TB etc*
 Antenatal care *Postpartum care* *Nutrition* *Others* _____

- e Who took the decision to go to the health centre (tick only one)
 Own decision *Spouse* *Parents* *Friends/Relatives*
 Health worker *ASHA worker* *Others*_____
- f How is the connectivity (bus/jeep etc) to health centre
 Bad *Poor* *Normal* *Good* *Excellent*
- g How is the road condition to health centre?
 Bad *Poor* *Normal* *Good* *Excellent*

III. Quality of Service

- a Availability during visit: Doctor: *Yes/ No*; H W: *Yes/No*
How was the quality of care?
 Bad *Poor* *Normal* *Good* *Excellent*
- b How long you had to wait to meet the doctor/ health worker:
 < 1 hr Up to 2 hr > 2 hr
- c Guidance in the health centre:
 Bad *Poor* *Normal* *Good* *Excellent*
- d How was the cleanliness?
 Bad *Poor* *Normal* *Good* *Excellent*
- e How was the explanation of treatment/procedure by doctor/worker
 Bad *Poor* *Normal* *Good* *Excellent*
- f How were facilities like drinking water, waiting room, toilet etc?
 Poor *Average* *Good* *Very Good* *Excellent*
- g Availability of drugs, laboratory services: *Yes/No*,
If yes, how was the service?
 Poor *Average* *Good* *Very Good* *Excellent*
- h Was there any need to go to private for drugs or lab services? *Yes/No*
- i Was there any need to spend in health centre? *Yes/No*
If yes, for what service?
 Lab *Drugs* *Others*_____
- j Did you get financial assistance from government: *Yes/No*
If yes, was it easy to get the assistance? *Easy/ Not Easy*
- k Did you visit and spend on private health practitioner in last one year? *Yes/No*
If yes, how much did you spend?
 <1000 1000 to 3000 3000 to 10000 >10000
- l Are you willing to pay some fee to get better service in the health centre? *Yes/No*

IV. Referral Services

- a Were you referred to taluka/district hospital for higher treatment? *Yes/No*
- b If yes, did health worker or doctor accompany you? *Yes/No*
- c How was the quality of service there?
 Poor *Average* *Good* *Very Good* *Excellent*

V. Records and Documentation

- a Were you given any health document in the centre: *Yes/ No*
- b Do you think it is useful to you : *Yes/No*

VI. Relationship

In future, what is the possibility that you will go to health centre for your health problem?

- Never May be Certainly

લાભાર્થી સર્વેક્ષણ પ્રશ્નાવલી

તારીખ _____ નામ : _____ (વૈકલ્પિક) _____ પુરુષ સ્ત્રી ઉંમર : _____

કુટુંબના કુલ સભ્યો: _____ બાળકોની સંખ્યા : _____ જે પૈકી દિકરા _____ દિકરી: _____

લાભાર્થીનો વ્યવસાય

ઘરકામ ધંધો નોકરી મજૂરીકામ ખેતીકામ અન્ય _____

માસિક કૌટુંબિક આવક

૩૦૦૦ કરતાં ઓછી ૩૦૦૦ થી ૬૦૦૦ ૬૦૦૦ થી ૧૦૦૦૦

૧૦૦૦૦ થી ૨૦૦૦૦ ૨૦૦૦૦ થી વધુ

તમે બી.પી.એલ. લાભાર્થી છો? હા/ના

શિક્ષણ

નિરક્ષર પ્રાથમિક માધ્યમિક સ્નાતક અનુસ્નાતક

સામાજિક દરજ્જો SC ST SEBC અન્ય _____

I. આરોગ્ય પ્રત્યેની સભાનતા

a તમે કોઈ આરોગ્ય જાગૃતિને લગતા કાર્યક્રમમાં હાજરી આપેલ છે? હા/ના

b જો હા, તો કયા વિષયને લગતા કાર્યક્રમોમાં હાજરી આપી છે?

રસીકરણ કુટુંબ કલ્યાણ રોગો, મેલરીયા, ટીબી વગેરે
 પ્રસુતાની સારસંભાળ પોષણ અન્ય _____

c આ કાર્યક્રમની ઉપયોગિતા કેવી હતી?

ખરાબ નબળી સામાન્ય સારી શ્રેષ્ઠ

d નીચેના માંથી કોઈ તમારા ઘરે મુલાકાત લે છે? ટીક કરો

સ્ત્રી આરોગ્ય કાર્યકર પુરુષ આરોગ્ય કાર્યકર આંગણવાડી કાર્યકર
 આશા કાર્યકર સામાજિક સંસ્થાના કાર્યકર ડૉક્ટર અન્ય _____

e તમે તમારી અથવા બાળકોની આરોગ્ય સમસ્યાઓ માટે કોનું માર્ગદર્શન લો છો?

પતિ માતા-પિતા મિત્રો/સબંધિઓ આરોગ્ય કાર્યકર
 આશા કાર્યકર આંગણવાડી કાર્યકર અન્ય _____

II. મેળવેલ આરોગ્ય સેવાઓની વિગત

a છેલ્લા બે વર્ષમાં તમે ક્યારેય આરોગ્યકેન્દ્ર પર સેવા લેવા ગયા છો? હા /ના

શું તમે ત્યાં જતા પહેલા અન્ય કોઈ હોસ્પિટલ કે જનરલ પ્રેક્ટીશનર પાસે ગયા હતા? હા/ના

b જો હા, તો નીચેના માંથી કોની પાસે ગયા હતા?

ગામના જનરલ પ્રેક્ટીશનર આયુર્વેદીક વૈદ્ય ખાનગી ક્વોલીટી ડૉક્ટર
 નર્સ બહેન અન્ય _____

c તમને સરકારી આરોગ્યકેન્દ્ર ખાતે કેવી સેવાઓ મળેલ હતી?

ખરાબ નબળી સામાન્ય સારી શ્રેષ્ઠ

- d આરોગ્યકેન્દ્રની મુલાકાત કયા હેતુ માટે લીધેલ?
- રસીકરણ કુટુંબ કલ્યાણ (પરિવાર નિયોજન) માંદગીની સારવાર
- પ્રસુતાની સારસંભાળ સંબંધ પોષણ Others _____
- e આરોગ્યકેન્દ્ર પર જવાનો નિર્ણય કોણ કરે છે?
- તમે પોતે પતિ માત-પિતા મિત્રો/સંબંધિઓ
- આરોગ્ય કાર્યકર આશા કાર્યકર અન્ય _____
- f આરોગ્યકેન્દ્ર પર જવા માટે વાહન વ્યવહારની સગવડતા કેવી છે?
- ખરાબ નબળી સામાન્ય સારી શ્રેષ્ઠ
- g આરોગ્યકેન્દ્ર પર પહોંચવા માટેના રસ્તાઓ કેવા છે?
- ખરાબ નબળા સામાન્ય સારા શ્રેષ્ઠ

III. સેવાની ગુણવત્તા

- 1) જ્યારે તમે ગયા ત્યારે ડોક્ટર હાજર હતા ? હા/ના
- a 2) આરોગ્ય કાર્યકર હાજર હતા ? હા/ના
- b સેવા કેવા પ્રકારની મળી
- ખરાબ નબળી સામાન્ય સારી શ્રેષ્ઠ
- c આરોગ્ય કાર્યકર કે ડોક્ટરને મળવા માટે કેટલી રાહ જોવી પડી?
- 1 કલાક થી ઓછી 1 થી 2 કલાક 2 કલાકથી વધારે
- d દવાખાનામાં વ્યવહાર કેવો હતો?
- ખરાબ નબળો સામાન્ય સારો શ્રેષ્ઠ
- e દવાખાનામાં સ્વચ્છતા કેવી હતી?
- ખરાબ નબળી સામાન્ય સારી શ્રેષ્ઠ
- f ડોક્ટર /કાર્યકર દ્વારા આપવામાં આવેલ દવા-સારવારની સમગ્રણ કેવી લાગી?
- ખરાબ નબળી સામાન્ય સારી શ્રેષ્ઠ
- g પીવાના પાણી, શૌચાલય, વોર્ડ વગેરે જેવી સુવિધાઓ કેવી હતી?
- ખરાબ નબળી સામાન્ય સારી શ્રેષ્ઠ
- કેન્દ્રમાં દવાઓ, લેબોરેટરી જેવી સુવિધાઓ મળી ગયેલ? હા/ના
- h જો હા, તો કેવી હતી?
- ખરાબ નબળી સામાન્ય સારી શ્રેષ્ઠ
- દવાઓ, લેબોરેટરી જેવી તમામ સેવાઓ માટે સરકારી કેન્દ્ર સિવાય બીજે જવું પડે છે? હા/ના
- સરકારી આરોગ્યકેન્દ્ર ખાતે સારવાર માટે નાણાં ખર્ચવા પડેલ ? હા/ના
- j જો હા, તો શેના માટે?
- દવાઓ લેબોરેટરી અન્ય _____

k જો તમને સરકાર પાસેથી કોઈ યોજના અંતર્ગત નાણાકીય સહાય મળેલ છે? હા/ના
જો હા, તો તે સહાય સરળતાથી મળી રહેલ કે કોઈ પ્રકારની મુશ્કેલી પડેલ?

સરળતાથી મુશ્કેલી પડેલ

L તમે છેલ્લા એક વર્ષમાં કોઈ ખાનગી ડોક્ટર / દવાખાનાની મુલાકાત લીધેલ હતી? હા/ના
જો હા, તો આશરે કેટલા રૂપીયાનો ખર્ચ થયેલ

1 હજારથી ઓછો 1 થી 3 હજાર 3 થી 10 હજાર 10 હજારથી વધુ

m જો તમને આરોગ્યકેન્દ્રના વપરાશ બદલ થોડા પૈસા ચૂકવવા માટે કહેવામાં આવે અને આ પૈસા સેવની ગુણવત્તા વધારવા માટે વાપરવામાં આવે તો તમે તૈયાર છો? હા/ના

IV. સંદર્ભ સેવાઓ

તમને ક્યારેય તાલુકા/જિલ્લાની હોસ્પિટલમાં વધુ સારવાર માટે મોકલવામાં આવેલ હતા?

a હા/ના

b જો હા, તમારી સાથે કોઈ આરોગ્ય કાર્યકર/ડોક્ટર આવેલ? હા/ના

c તે હોસ્પિટલમાં કેવી સારવાર મળેલ?

ખરાબ નબળી સામાન્ય સારી શ્રેષ્ઠ

V. રેકર્ડ કીર્પીંગ

a તમને કેન્દ્ર પાસેથી કોઈ પણ આરોગ્ય કાર્ડ (કેસ પેપર) આપવામાં આવેલ છે? હા/ના

b તમને લાગે છે કે આ કાર્ડ તમને ઉપયોગી છે? હા/ના

VI. અન્ય

a ભવિષ્યમાં જરૂર ઉભી થશે ત્યારે તમે સરકારી આરોગ્યકેન્દ્ર પર જશો?

ક્યારેય નહીં ક્યારેક હંમેશા

આભાર