



2016-12-01

# Selecting Cloud Platform Services Based On Application Requirements

Bridger Ronald Larson  
*Brigham Young University*

Follow this and additional works at: <https://scholarsarchive.byu.edu/etd>

 Part of the [Systems Engineering Commons](#)

---

## BYU ScholarsArchive Citation

Larson, Bridger Ronald, "Selecting Cloud Platform Services Based On Application Requirements" (2016). *All Theses and Dissertations*. 6129.

<https://scholarsarchive.byu.edu/etd/6129>

This Thesis is brought to you for free and open access by BYU ScholarsArchive. It has been accepted for inclusion in All Theses and Dissertations by an authorized administrator of BYU ScholarsArchive. For more information, please contact [scholarsarchive@byu.edu](mailto:scholarsarchive@byu.edu), [ellen\\_amatangelo@byu.edu](mailto:ellen_amatangelo@byu.edu).

# Selecting Cloud Platform Services Based on Application Requirements

Bridger Ronald Larson

A thesis submitted to the faculty of  
Brigham Young University  
in partial fulfillment of the requirements for the degree of  
Master of Science

Joseph J. Ekstrom, Chair  
Barry M. Lunt  
Kevin B. Tew

School of Technology  
Brigham Young University

Copyright © 2016 Bridger Ronald Larson

All Rights Reserved

## ABSTRACT

### Selecting Cloud Platform Services Based on Application Requirements

Bridger Ronald Larson  
School of Technology, BYU  
Master of Science

As virtualization platforms or cloud computing have become more of a commodity, many more organizations have been utilizing them. Many organizations and technologies have emerged to fulfill those cloud needs. Cloud vendors provide similar services, but the differences can have significant impact on specific applications. Selecting the right provider is difficult and confusing because of the number of options. It can be difficult to determine which application characteristics will impact the choice of implementation. There has not been a concise process to select which cloud vendor and characteristics are best suited for the application requirements and organization requirements. This thesis provides a model that identifies crucial application characteristics, organization requirements and also characteristics of a cloud. The model is used to analyze the interaction of the application with multiple cloud platforms and select the best option based on a suitability score. Case studies utilize this model to test three applications against three cloud implementations to identify the best fit cloud implementation. The model is further validated by a small group of peers through a survey. The studies show that the model is useful in identifying and comparing cloud implementations with regard to application requirements.

Keywords: cloud analysis, cloud platform, cloud implementation, cloud computing, application analysis, IaaS, PaaS, SaaS

## ACKNOWLEDGEMENTS

I would like to thank my wife Stacy who has supported me through the process of completing this thesis. Her love, sacrifice and encouragement has been critical to finishing this thesis. My thanks goes out to the rest of my family and friends for all of their support and encouragement.

I would like to thank Dr. Ekstrom for his encouragement, guidance and perseverance throughout the duration of this thesis. His efforts have also been a vital part in finishing this thesis. I would like to thank my committee members for their feedback which has improved the quality of this thesis. Lastly, I would like to thank SirsiDynix for allowing me to use their applications and experiences to validate this research.

## TABLE OF CONTENTS

LIST OF TABLES .....	vi
LIST OF FIGURES .....	vii
1 Introduction .....	1
1.1 Research Objectives .....	2
1.2 Requirements/Assumptions.....	3
2 Literature Review .....	4
2.1 What is a Cloud? .....	4
2.2 Types of Clouds .....	6
2.2.1 Public Clouds .....	6
2.2.2 Private Clouds.....	9
2.2.3 Hybrid Clouds.....	11
2.2.4 Community Clouds .....	13
2.2.5 Software as a Service (SaaS) .....	14
2.2.6 Platform as a Service (PaaS).....	14
2.2.7 Infrastructure as a Service (IaaS).....	15
2.3 Application Analysis .....	15
2.4 Virtualization.....	16
2.5 Selecting a Cloud .....	19
3 Methodology.....	21
3.1 Application Analysis .....	22
3.2 Analyzing Cloud Features.....	26
3.3 Mapping Application Requirements to Cloud Features.....	30
3.4 Cloud Suitability Scoring.....	31
3.5 Selecting a Cloud .....	33
4 Test Cases .....	35
4.1 SirsiDynix BLUEcloud .....	35
4.1.1 Application Analysis.....	35
4.1.2 Analyzing Cloud Features.....	39
4.1.3 Map Application Requirements to Cloud Features.....	40
4.1.4 Cloud Suitability Scoring.....	41
4.1.5 BLUEcloud Implementation Results .....	43
4.2 SirsiDynix Analytics Analysis .....	45

4.2.1	Application Analysis.....	45
4.2.2	Analyzing Cloud Features.....	48
4.2.3	Map Application Requirements to Cloud Features.....	48
4.2.4	Cloud Suitability Scoring.....	49
4.2.5	SirsiDynix Analytics Implementation Results.....	50
4.3	Recipe Site.....	52
4.3.1	Application Analysis.....	52
4.3.2	Analyzing Cloud Features.....	54
4.3.3	Map Application Requirements to Cloud Features.....	54
4.3.4	Cloud Suitability Scoring.....	55
4.3.5	Recipe Site Implementation Results.....	57
4.4	Survey Results.....	58
4.5	Results.....	61
5	Conclusions and Recommendations.....	63
5.1	Conclusions.....	63
5.2	Hypotheses Conclusions.....	65
5.3	SirsiDynix Experience.....	66
5.4	Recommendations.....	68
5.5	Future Work.....	68
	References.....	70
	Appendices.....	74
	Appendix A: BLUEcloud Requirements List.....	75
	Appendix B: AWS Evaluation.....	77
	Appendix C: Rackspace Evaluation.....	81
	Appendix D: VMware vCloud Evaluation.....	83
	Appendix E: SirsiDynix BLUEcloud Mapping.....	86
	Appendix F: SirsiDynix BLUEcloud Score Sheet.....	88
	Appendix G: SirsiDynix Analytics Analysis and Cloud Mapping.....	91
	Appendix H: SirsiDynix Analytics Cloud Scoring.....	93
	Appendix I: Recipe Site Analysis and Cloud Mapping.....	96
	Appendix J: Recipe Site Cloud Score Sheet.....	97
	Appendix K: Survey.....	99
	Appendix L: Survey Results.....	108

## LIST OF TABLES

Table 3.4.1 Sample Cloud Mapping and Scoring Table.....	31
Table 3.5.1 Completed Cloud Score Sheet.....	34
Table 4.1.1 SirsiDynix BLUEcloud Base Requirements.....	36
Table 4.1.2 Additional Requirements for BLUEcloud.....	38
Table 4.1.3 BLUEcloud Environment Requirements.....	39
Table 4.1.4 BLUEcloud Cloud Mapping.....	41
Table 4.1.5 SirsiDynix BLUEcloud Scoring.....	42
Table 4.2.1 Analytics Base Requirements.....	46
Table 4.2.2 Analytics Environment Requirements.....	47
Table 4.2.3 Application Requirements and Cloud Mapping.....	49
Table 4.2.4 SirsiDynix Analytics Cloud Scoring.....	50
Table 4.3.1 Recipe Site Application Requirements.....	53
Table 4.3.2 Recipe Site Server Requirements.....	54
Table 4.3.3 Recipe Site Cloud Mapping.....	55
Table 4.3.4 Recipe Site Analysis.....	56
Table 4.4.1 Survey Results for Questions 1-7.....	59

## LIST OF FIGURES

Figure 2.2.1 Predicting Growth and Capacity .....	7
Figure 2.2.2 Wasted Data Center Capacity.....	8
Figure 2.2.3 Unexpected Spikes .....	8
Figure 2.2.4 Public Cloud Capacity.....	9
Figure 2.2.5 Amazon EC2 Instances VS Private Cloud .....	11
Figure 2.2.6 Unexpected Load.....	13
Figure 2.4.1 Comparing Virtual Machines and Containers .....	18
Figure 3.1.1 Example Interface Diagram.....	24
Figure 4.1.1 SirsiDyinx BLUEcloud Block Diagram.....	36
Figure 4.2.1 Analytics Block Diagram .....	46
Figure 4.3.1 Recipe Site Block Diagram .....	52



## 1 INTRODUCTION

Platform as a Service (PaaS) and Infrastructure as a Service (IaaS) vendors (collectively referred to as cloud vendors) are not all equal. Cloud vendors all provide similar services, but the differences can have a significant impact on specific applications. Private implementations provide similar services with different characteristics. One difficulty for an organization in selecting the appropriate cloud implementation is that there are so many options. It can be difficult to determine which application characteristics will impact the choice of implementation, especially when trying to move a currently running application to another hosting environment.

The purpose of this research is to analyze cloud platform characteristics and application system requirements to create a model for scoring a deployment platform against the requirements. This research provides a model that identifies crucial application characteristics and characteristics of cloud implementations. The model is used to map the crucial application characteristics with the service provided by a particular cloud implementation. The model is then used to analyze the interaction of the application with the platform and select the best option based on a suitability score. The utility of the model is tested against three different cloud implementations relevant to the application. The model describes best practice for the process of selecting which cloud implementations are best suited for the specific application and organization needs.

Virtualization platforms, whether public or private, add a layer of abstraction over the physical hardware. Public implementations of these platforms provide customers access to an effectively unlimited resource pool subject to the constrictions of the specific implementation. These virtualized environments are often referred to as “clouds”. Why are clouds being chosen? What benefits do they provide? The National Institute of Standards and Technology (NIST) defines cloud computing as: “a model for enabling ubiquitous, convenient, on-demand network access to a shared pool of configurable computing resources (e.g., networks, servers, storage, applications, and services) that can be rapidly provisioned and released with minimal management effort or service provider interaction.” (Mell & Grance, 2011) This means that an organization or individual can have ready access to quick and seemingly unlimited computing resources. There is automation around cloud platforms that make it easier for consumers using the cloud to provision virtualized resources without intervention from an administrator.

## **1.1 Research Objectives**

The primary objective of this research is to define and test a process that facilitates matching application and organization requirements to platform implementation features. A scoresheet is used for evaluating how well a particular platform implementation fits the application requirements.

Hypothesis:

It is practical to parameterize and document the characteristics of specific applications in terms of their execution and deployment requirements.

It is practical to parameterize and document the characteristics of cloud platform implementations.

A mapping can be defined between platform and application such that the application characteristics can be matched against cloud provider characteristics to verify the suitability of the specific cloud implementation to support the execution and management of the application.

The mapping can be applied to score the suitability of a cloud implementation to support a specific application.

## **1.2 Requirements/Assumptions**

This thesis assumes that an application to be deployed has been designed, even though the application can be in any stage of development, from the design phase to running in production. The decision of whether to virtualize, use physical hardware, or both, needs to have been decided. If physical hardware is the best answer, then the method can be used to select a vendor with bare metal provisioning. This thesis provides guidance to a practitioner to decide if a cloud provider fulfills the requirement for the application. This thesis does not promote any particular cloud vendor over another. This thesis does not address migrating to a new cloud vendor.

## 2 LITERATURE REVIEW

As virtualization platforms or cloud computing have become more of a commodity, many more organizations have been utilizing them. According to the RightScale 2016 State of the Cloud Survey, 95% of respondents are using cloud computing and 71% are using a Hybrid cloud. On average, companies using cloud computing are using 3 public and 3 private clouds for production or experimental use. (Weins, 2016) This is a significant increase from 2013 where 54% of organizations were using public or private clouds. (Cohen, 2013) With more organizations using cloud implementations there are more organizations and technologies that have emerged to fulfill these cloud needs. There is not a “one size fits all” solution that will support every application. Selecting the right provider is difficult and confusing because of the number of choices. Unfortunately, making the wrong choice can be costly in both time and money.

### 2.1 What is a Cloud?

An important thing to remember when discussing cloud computing is that a cloud is not tied to a data center. Data centers are in a physical location, either a building or a room and consist of servers, network equipment, storage, HVAC, power, backup power, virtualization, and other critical equipment. Clouds are a virtual environment that makes the services of one or more data centers available through a single interface and billing structure. A cloud requires at

least one data center (or data centers) to run but a data center may or may not implement a cloud. Virtualization in itself is not a cloud. Clouds add a layer of abstraction between a user and data centers.

When deploying a new server in a data center an administrator will either select a physical server or create a new server in their virtualization environment. The OS is installed, IP addresses are assigned and additional software is installed. The logical server is then typically bound to a specific set of physical servers. When a new server is deployed in a cloud environment, the process is similar but the administrator will use cloud management tools to specify the new server and the cloud infrastructure will take care of the rest, even if the server is deployed on bare metal (a physical server). The actual physical location of the server will often be unknown. Randy Bias wrote a haiku about deploying servers in a cloud environment:

“Where are you servers? Out there. Somewhere. In the clouds. You don’t know. You don’t care.”

When deploying into a cloud, there is less emphasis on where the server is deployed but rather that it is deployed and running (Bias, 2008). The virtual or physical server could be on any physical hardware within any rack or server room row, or it could also be in a completely different Data center. In a cloud environment, the physical location really does not matter except for network connectivity considerations. Latency can be a significant issue for some applications.

Picking an environment that matches the needs of the application and organization is crucial in maintaining a well running application. Understanding if the load on the application will stay consistent or fluctuate will help determine the environment characteristics. If the load is going to stay constant, then the application can be deployed in the data center on a handful of

servers. However, the application may need to be more robust and have the ability to handle any amount of traffic whenever it is needed. The application would need to be able to scale by adding resources to the application as the demand for the application increases. Under these conditions a cloud environment is probably going to be the best choice.

## **2.2 Types of Clouds**

There are several types of cloud environments: public clouds, community clouds, private clouds and hybrid clouds with distinct service models, Software as a Service (SaaS), Platform as a Service (PaaS) and Infrastructure as a Service (IaaS). Each implementation provides a different paradigm of control and access.

### **2.2.1 Public Clouds**

A public cloud is intended for use by the general public and provides the infrastructure, including AC power, and physical systems administration. Public clouds provide servers that are immediately available as the need arises, which reduces an organization's requirement to provide idle or unutilized servers to manage load and provide redundancy. The disadvantage to public clouds is that there is less control for the organization. The cloud provider makes all of the decisions on how the cloud infrastructure can be used. There is also a perception of weaker security because it is out in the web instead of safely behind on-premise firewalls (Networks, 2013). However, since the cloud provider may invest more into security in both hardware and personnel, a cloud may actually be more secure than a server deployed privately.




Figure 2.2.1 Predicting Growth and Capacity

A primary motivation for using public cloud services is that an organization can quickly provision an environment to host a web application with very little investment, while a data center requires a large upfront cost to get up and running. David Gewirtz, a cyber-security expert and author, relates an experience: “Investment in infrastructure was a huge barrier of entry to our competitors. We invested not only in hardware, but in specialized content management software.” (Gewirtz, n.d.) To get up and running in a data center, an organization needs to invest in space, power, IT equipment, data connections, HVAC and more. These services require significant upfront costs. A data center also needs to predict the capacity needed and how much it can grow, as seen in Figure 2.2.1. A data center makes a large upfront investment to accommodate the capacity.

The most common situation is that the system does not have a constant load. The load fluctuates, which means the capacity necessary for the service fluctuates and capacity is wasted as seen in Figure 2.2.2. The servers are not delivering at full capacity and will mostly sit idle waiting for data to process.




Figure 2.2.2 Wasted Data Center Capacity

Another common situation with data centers is with unexpected loads on the system. While the load can be estimated, it is unpredictable and can fluctuate frequently. If there is an unexpected spike in load that is beyond the capacity of what the infrastructure can handle as shown in Figure 2.2.3, the overhead can either shutdown the site or fail to service potential customers which results in loss of revenue.




Figure 2.2.3 Unexpected Spikes



The loss of traffic can be very dangerous for an organization; especially a startup company where revenue and customer perception is critical. Public clouds provide almost unlimited resources that can be used on demand. An organization does not need to be concerned about having sufficient processing power to handle the work load because public clouds provide the ability to scale up to match the load on the service, as shown in Figure 2.2.4.




Figure 2.2.4 Public Cloud Capacity

## 2.2.2 Private Clouds

Private clouds are provisioned for a single organization and allow an organization to have control over all aspects of their environment (Mell & Grance, 2011). They allow an implementation to conform specifically to organization needs and allow an organization to use exactly what it needs from the cloud environment without purchasing features that are not needed. Private clouds provide a greater control over security and privacy because the infrastructure is in a controlled environment. Private clouds, however, are costly. “To build a private cloud service, an organization needs to invest in hardware or use already existing systems

whereas a public cloud service is all handled off site. Private clouds also require system administrators which leads to higher administration costs.” (Networks, 2013)

However, running a cloud in-house provides many advantages. The most significant of these is that the organization has complete control over the environment. They have the ability to pick the equipment, technologies and ensure that the data has complete isolation from other organizations. There are many applications and organizations that have restrictions on their data. If an organization has to classify their data as “secret” or “confidential”, the data may not be able to be stored outside of the organization’s infrastructure. Some countries have regulations on where organization data can be stored. Some countries have restrictions on what data can cross their borders. Hosting a private cloud allows an organization to ensure that they are in compliance with these regulations.

Some applications require specialized equipment or services to function. Others have restrictive licensing that prevent them from being run in a public cloud environment. One example is legacy software that requires a physical piece of hardware, such as a dongle, required for the software to function. There are some organizations that use specialized equipment that cloud vendors just do not support. These types of applications and hardware need to be hosted in an environment suited to their needs.

Depending on application load, running a private cloud may be cheaper than a public cloud. A case study from Network World in 2014 says “if an organization is spending more than \$7,644 in Amazon’s cloud each month, then it can be less expensive to operate a private cloud.” (Butler, 2014) See Figure 2.2.5. The opportunity cost is constantly shifting as public cloud services, private cloud software and physical hardware prices change. Since these costs are volatile, they need to be considered and monitored. Butler continues to say that there are just too

many factors to consider when trying to put an overall cost a public cloud compared to running a private cloud. Some of these costs are monetary costs such as servers, IT equipment, HVAC, electrical, data, etc., while some costs are more difficult to determine such as latency.




Figure 2.2.5 Amazon EC2 Instances VS Private Cloud

An International Data Corporation (IDC) analyst, Melanie Posey, says that even though public cloud vendors have incentives for volume discount pricing, “If the infrastructure for the workload needs to run 24/7/365, then there’s not much point in paying for it on a pay-as-you-go basis.” (Butler, 2014)

### 2.2.3 Hybrid Clouds

Hybrid clouds are a combination of two or more distinct cloud infrastructures (private, public or community). Hybrids can consist of any combination of cloud services; two different private clouds, a private cloud and a public cloud or a public cloud and a community cloud (Mell & Grance, 2011). “The hybrid approach allows an organization to take advantage of the

scalability and cost-effectiveness that a public cloud computing environment offers without exposing mission-critical applications and data to third-party vulnerabilities.” (Rouse, 2013)

There are many ways that hybrid clouds can be implemented to make sure the application is running as efficiently as possible. An approach is when some of the application lives in a private cloud or data center and some of the application lives in a public cloud. Another approach is to use cloud storage for backing up an application and the application data. Another way is to use cloud compute capacity to handle unexpected spikes, such as special sales or events or to handle holiday traffic. When load is consistent it is easy to provide the necessary capacity that a less expensive private cloud can handle while a public cloud is available for when the application experiences unexpected spikes in load.

Figure 2.2.6 shows an example of unexpected or unknown traffic and is specifically the traffic load of Amazon.com for the month of November. The figure has been modified for this example. The black line represents the overall server capacity that a data center can handle and the orange line represents the actual load of the system. Under normal load the Amazon servers can handle the traffic with little wasted capacity, but when load spikes for Black Friday and Cyber Monday, the load increases beyond the capacity of the data center. There are two options, provide more infrastructure or lose the traffic. There are costs associated with both options. If there were sufficient servers purchased to handle peak load there would be significant unused capacity for the majority of the year. However, if the data center were able to automatically burst into a public cloud to offset the extra load there would be minimal additional cost while allowing the website to perform as expected and handle the spike in load. When load returns to normal, there isn't excess capacity being wasted by idle servers. Adding support for hybrid

clouds adds complexity to the management of the system but it allows the system to perform efficiently and provide the performance required.




Figure 2.2.6 Unexpected Load

#### 2.2.4 Community Clouds

Community clouds are provisioned for a specific group of users with a common goal. In a community cloud the physical hardware is owned by one or more of the consumers and the resources are shared between all of them. These users all share a common goal or have a common concern such as mission, or security requirements (Mell & Grance, 2011). One example of a community cloud is Space Monkey. Space Monkey is a cloud storage provider like Dropbox, but when data is stored to the local Space Monkey devices, data chunks are securely replicated across multiple peer Space Monkey devices. There isn't one organization that hosts all of the data used by customers, the hardware is hosted and shared across multiple consumers' networks. The hardware and bandwidth costs are spread across the consumers, reducing the costs for each consumer (Needleman, 2012). Space Monkey is considered a community cloud because it is exclusive to the members of the community, data is owned and hosted by the

consumers and the consumers have a common goal, which is to have secure and redundant cloud storage.

### **2.2.5 Software as a Service (SaaS)**

SaaS provides an application or service to a consumer. The provider provides all of the infrastructure and maintenance for the application. The consumer is able to access the application or service through various client interfaces such as a thin client (like a web browser) or through a program interface. The consumer has no control over the underlying infrastructure such as networks, servers, operating systems, etc. (Mell & Grance, 2011). Some SaaS services include online search engines (such as Google or Bing), many social media websites, and online email applications.

### **2.2.6 Platform as a Service (PaaS)**

PaaS provides a consumer with the ability to deploy consumer created or acquired applications onto cloud infrastructure managed by a provider. The consumer utilizes programming languages, libraries, services tools and other services supported by the provider. The consumer does not have any control over the underlying infrastructure, they just have control over the deployed applications and possibly some configuration settings (Mell & Grance, 2011). Some examples of PaaS systems are Engine Yard, AWS Elastic Beanstalk, and Heroku (Apprenda, n.d.). With these services an application is submitted and the provider will deploy the application and take care of the hardware, security, failover and many other services required by the application. The consumer will have little to no insight on how the application is managed, just what goes into the application.

### **2.2.7 Infrastructure as a Service (IaaS)**

IaaS provides the capability for a consumer to provision processing, storage, networks and other fundamental computing resources in a cloud environment. The consumer is able to run and manipulate those resources to varying degrees. The consumer has some control over the operating systems, network components (such as firewalls), storage, etc., but do not have access to the underlying cloud infrastructure. Consumers can create virtual servers and resources quickly and as needed (Mell & Grance, 2011). There are cloud providers that provide bare metal servers as part of their service. Some example IaaS providers include AWS EC2, Microsoft Azure, VMWare vCloud, and Rackspace Open Cloud (TechTarget, 2015). The consumer can install and deploy software as required while the provider maintains the hardware and the infrastructure.

### **2.3 Application Analysis**

*Enterprise Architecture Analysis with XML* (de Boer, Bonsangue, Jacob, Stam, & van der Torre, 2005) discusses how to begin with a high level representation of the application, then how to dig down into the complexities of the application. With application analysis, the user starts with the concrete components in their most basic form. Performing a static analysis then focuses on the symbolic representation of the application elements and their relationships. Abstracting them from other architectural aspects will create a better understanding of a complex architecture. Then a dynamic analysis of the architecture can be performed to develop the more complex and detailed breakdown of the system as a whole. The analysis allows a better understanding of the individual concepts and relationships to validate the correctness of the architecture. This reduces the possibility of misinterpretations and enrich architectural descriptions with relevant information (de Boer et al., 2005). The analysis is preferred to reveal

the complexities of a system. The user starts on the basic function of the application and then moves to components such as load balancers, high availability etc. After the basics of the application are understood and agreed upon, discussions are held on why the more complex features need to be added and what purpose they fulfil. This gets into both the application requirements and organization requirements and how they relate to each other.

It is important to gain an understanding of who the stakeholders are in selecting a cloud when gathering organizational requirements and what they are trying to accomplish.

Stakeholders can be individuals or organizations who have vested interest in the project. The stakeholders help determine when the project is complete and if it was completed successfully. (Dardenne, van Lamsweerde, & Fickas, 1993; Nuseibeh & Easterbrook, 2000; Sharp, Finkelstein, & Galal, 1999)

One must clearly define and identify the requirements. They need to be unaffected by phenomena that are unrelated to decisions outside of the system of interest. (Johnson, Lagerström, Närman, & Simonsson, 2007) For example, profitability would not be a valid organization requirement. There are many factors that affect the profits of an organization, some of which are not within the scope of the system. There are some requirements of the system that affect profitability. Profitability can be broken down into components that can be controlled by the choices of the organization. One component is the cost of running the cloud. Lower operating costs increase profits. Profitability can't be directly controlled by selecting the system, but attributes of the system can have a direct impact on profits.

## **2.4 Virtualization**

Another part of application analysis is to determine the server requirements of the application. Physical servers, virtualized servers and virtualized applications all provide



different features. Some applications may need physical and dedicated servers and hardware while other applications can use virtualization.

Some would argue that there are reasons not to virtualize a system and to keep it running on physical hardware. In “10 Things You Shouldn’t Virtualize.” (Matteson, 2013) Scott Matteson discusses a few points on what not to virtualize. Services that the virtual environment or physical environment are dependent on, such as a domain controller that is required to log in to the systems, should not be virtualized. If the virtual environment goes down, when it is time to restore the system, the domain controller will not be available for logging in to get it working again.

There are some software licenses that do not permit virtualization and some systems that do not perform as well on virtualized servers. Both Matteson and Rubens discuss when applications require physical hardware and when the system requires extreme performance because virtualization adds some overhead. In regards to choosing to virtualize, Paul Rubens says not to virtualize if the budget is not available to do it right, by purchasing the tools, management systems and redundancy required (Rubens, 2012).

Some cloud vendors, such as Rackspace, offer dedicated bare metal servers (Rackspace, n.d.-a), which can be helpful for non-virtualized deployments. But, in a chat conversation with a Rackspace support person in December, 2015, it was learned that customers are not allowed to connect any sort of physical device to the hardware due to security reasons. It can also take a day to provision their Rapid Deployment Dedicated servers and around 10 days to have a Customizable Dedicated server provisioned and ready for customer access. AWS does not offer bare metal servers, but they do provide dedicated virtualization. AWS’s goal is to deliver performance that is indistinguishable from bare metal (Butler, 2015). This offering serves two

purposes, to allow customers to have dedicated hardware that only has their VMs running on it and allows customers to control more features of some of the hardware (AWS, n.d.-a). Be aware that metal or dedicated instances may come with a price premium and cost more than the other cloud virtual servers offered. Now that virtualization has had more time to mature, many reasons not to virtualize have evaporated.

There are different types of hypervisor virtualization, including: bare-metal hypervisors, hosted hypervisors, container OS and more. The hypervisor is responsible for ensuring that the resources of the physical machine are appropriately shared and protected. Bare-metal hypervisors are a very small OS and most of the hardware components are shared with the VMs. A hosted hypervisor runs on an existing OS and has access to the same physical hardware that the host OS has access to. The hosted hypervisor can act like a bare-metal hypervisor, but it is restricted by the host OS (Barham et al., 2003; LeBlanc, 2014). Container OSs, such as Docker and Rocket, share the kernel of the underlying OS and only contain the necessary software to run the application which allows for a very small container footprint. See Figure 2.4.1 Comparing Virtual Machines and Containers.




Figure 2.4.1 Comparing Virtual Machines and Containers

Virtualization adds a layer of abstraction between the OS and physical hardware. It optimizes the utilization of the physical server by allowing multiple OSs to run on one physical server, reducing the number of physical servers required.

## 2.5 Selecting a Cloud

After identifying the specific application requirements, interactions required with cloud implementations become clearer. In *Selecting the Right Cloud*, David Linthicum mentions 4 steps to selecting a cloud (David, 2009).

The core steps are:

1. List the candidate platforms
2. Analyze and test the candidate platforms
3. Select the target platforms
4. Deploy to the target platforms.

First, gather the candidate platforms that potentially support the application architecture and that have the capability to run the application. There are no hard fast rules around what constitutes a cloud so there are many different solutions that could work for the application with three service models, SaaS, PaaS, and IaaS. The SaaS model provides applications to customers accessible through a client interface such as a web browser. PaaS provides a space where customers can deploy and run their applications while the underlying infrastructure is maintained by the cloud provider. IaaS provides the consumer the capability to manage the computing resources and have limited control over the underlying infrastructure (Mell & Grance, 2011). Cloud providers range from the AWS IaaS which provides command line root access to virtual servers to Google App Engine (PaaS) which limits which files can be written to directories. It is important to explore many different types of clouds ranging from public clouds, private clouds,

or hybrid clouds. This step includes sifting through application architecture and organization requirements from a cloud.

After selecting the cloud that best fits the application requirements and organization requirements, test the cloud solutions to verify that the selected solution performs as expected. After a thorough testing there should be a good understanding of the platform's capabilities and how well it fits the application and organizational needs. If it is still unclear as to which platform to select, the cloud service itself should be analyzed for: hidden costs, customer support, policies, ease of switching vendors, disaster recovery, and many more factors. After finalizing on a cloud solution, formulate a strategy to switching to the new service, whether it is a gradual change or jumping right in.

CloudCmp is a tool that can be used to compare cloud providers. The tool can be used to measure the performance of different cloud vendors without needing to move the whole application to the new cloud (Li, Yang, Kandula, & Zhang, 2010). This tool would be very helpful for narrowing down choices for a cloud implementation. However, the tool does not provide a direct method of matching application requirements to a cloud implementation.

It is difficult to compare two cloud implementations. In a comparison of VMWare and OpenStack, two private cloud implementations, OpenStack claims that "Comparing the two is like comparing apples to oranges." (OpenStack & VMware, n.d.) While the two have different philosophies on the organization side, the technology side provides similar cloud functionality. The implementation may be different but it still provides the necessary components to run applications in a cloud.

### 3 METHODOLOGY

The methodology described is broken down into 5 sections:

1. Analyzing the application
2. Analyzing cloud features
3. Mapping application requirements to cloud features
4. Scoring the suitability of a cloud to an application
5. Selecting a cloud

The application being analyzed must exist or needs to be well defined. The model expedites the process of identifying attributes required by the application. The attributes are arranged in a checklist to be matched to cloud characteristics. Cloud platform candidates for the application are selected. A list of cloud features is created for each cloud platform. A score sheet is generated to identify the interface points between the application and cloud features. The score sheet will identify cloud components that will not be used for the application so unnecessary features will be excluded from the analysis.

Each application requirement is given a weight according to how critical it is to the application. The cloud features are given a suitability score based on how well they fulfill the application and organization requirements. The suitability scores are added together to generate an overall cloud score. The score sheet will identify when a cloud will not be able to accommodate the requirements of the application. The overall cloud score is a good indicator for

which cloud best fits the application. High scores in non-critical areas inflate the cloud score. This inflation raises the cloud score even if scores in critical areas are low.

The methodology is validated by selecting 3 applications for cloud analysis. Application and organization requirements check lists are generated for the three applications. Cloud feature lists are created from 3 cloud platforms. The cloud platforms are then mapped and scored against the applications. The cloud score is generated to identify the best cloud platform for each of the applications. The applications are implemented on the cloud platforms. The methodology is tested and evaluated by peers. A questionnaire is used to gauge the effectiveness of the methodology.

### **3.1 Application Analysis**

The characteristics of the application are parameterized and documented in terms of execution and deployment requirements. The documentation expedites the process of identifying attributes required by the application. The attributes are arranged in a checklist to be matched to cloud characteristics. The checklist focuses the investigation on the application requirements. The checklist is used to match the application requirements to the cloud features. A basic checklist for common application attributes has been created as a starting point for the application analysis. The basic checklist contains the following attributes:

1. CPU
2. RAM
3. IOPS
4. Other system resources
5. Operating systems

6. Specialized hardware
7. Database solution
8. Other 3<sup>rd</sup> party applications

The basic checklist is only a starting point for evaluation. As the application is analyzed the requirements list will expand. There are many attributes that comprise an application. A full checklist needs to be generated for the application being analyzed. If there is not a justifiable reason for a requirement it should not be added to the list. Analyzing an application to determine the requirements does not have to be complicated, but it can be time consuming.

An important decision that needs to be made is whether to virtualize or use physical hardware. It is outside the scope of this research to determine when to virtualize and when not to virtualize. If the application has a requirement to virtualize, the type of virtualization needs to be identified. If bare metal is an application requirement, it is important to identify cloud providers that can fulfill those needs. For example, Rackspace provides bare metal provisioning and AWS provides dedicated servers. Some cloud vendors charge more for dedicated servers.

**Step 1:** The minimal application components are identified. The personnel that understand the application, such as architects, developers, operations, management and build engineers are gathered. The purpose of the application and what it does is determined. A high level block diagram is created of the application components to be deployed. Deployable components include applications, databases, cache or other requirements which will be installed or configured. These components do not include lower level requirements of the application such as specific programming language libraries or modules because they are already included in the application packages. The relationship between each of the components is identified (de Boer et al., 2005). Only essential components for the application to function are included in the first

diagram. For example, a basic web application, with a web interface, a backend API server and a MySQL server could be diagrammed as shown in Figure 3.1.1. The diagram identifies all of the deployable components that make up the application. Components such as load balancers and a MySQL replication cluster will be diagrammed in a later step.




Figure 3.1.1 Example Interface Diagram

**Step 2:** Application requirements are enumerated. Additional application requirements are gathered through organizational requirements for the application. Organizational requirements are not required to run the application but fulfil the needs of the organization. Goals, expectations and reasons for moving to a cloud platform are included in organizational requirements. This model identifies key points that are required from the organization. For example:

1. Cache solution
2. Cost of the solution (implementing, operating, maintaining)
3. SLA requirements
4. Availability
5. Redundancy
6. Backups
7. Disaster Recovery



8. Deployment requirements (continuous integration, dev ops, etc.)
9. Security

The organizational requirements are added to the list of application requirements.

Stakeholders of the project should be included when determining organizational requirements.

Stakeholders will help define the goals and success criteria of the project.

User stories and use cases describe how stakeholders will interact with the system. User stories and use cases assist in defining how the application is expected to react in specific situations. These expected reactions will be matched to cloud features that meet these needs.

This is an example in the case of the basic web application. The application in the old environment was running under a load with an estimated 200 concurrent users. The new environment is expected to have fluctuating traffic between 200 and 1,000 concurrent users throughout the day. The application requirement of being performant entails many components such as scaling servers, application cache, database optimization, data indexing and much more.

The following is a list of questions that can be asked about scaling:

1. Will the servers scale vertically or horizontally?
2. What triggers a scaling action?
3. Is scaling based on number of users, network traffic, system resources, application response times or other metrics?
4. Can scaling be anticipated based on a schedule?
5. What processes need to happen after scaling such as connecting with load balancers or other services?
6. Are there other pertinent questions?

Answers need to take many factors into consideration such as application capabilities, cloud vendor capabilities, etc. It may not be an option to scale vertically if it causes downtime. Scaling horizontally only works if the application is designed for it.

Taking the time to design and document the application and organization requirements is an important task. It can be a time consuming process to get a full list of application requirements. Clear design documentation is needed to properly scope out the project. Use cases can drive the infrastructure and why decisions were made. The requirements are gathered in the check list of application requirements. The application requirements will be assigned a weight on how critical the requirement is to the application during the cloud suitability score steps.

Parameterizing and documenting the characteristics of the application and organization requirements is required to select the best cloud vendor. This clear vision will simplify how to identify which cloud characteristics best fit the application.

### **3.2 Analyzing Cloud Features**

Not all cloud vendors are the same. They implement similar features in different ways. Analyzing a cloud platform is critical to understand the features being offered.

**Step 1:** Some cloud vendors that are candidates for hosting the application are selected. The characteristics of the cloud platform implementations are parameterized and documented. Feature lists for vendor offerings are prepared, emphasizing where they relate to the application. Clouds have many features, but not all the features are needed for the application. There may be some clouds that offer so many features that it is not reasonable to list everything the cloud

provides. In this case, only the features that require further analysis guided by the application requirements are listed.

Cloud vendors use different terminology to describe similar features. This can make it difficult to find how the cloud vendors relate. However, one can match similar features even if it is done manually. For example, AWS and Rackspace both have a cloud storage solution. AWS calls their solution Simple Storage Solution or S3 while Rackspace calls their solution Cloud Files. They both store files in reliable, secure and accessible storage.

**Step 2:** Service level attributes the cloud offers are investigated. Additional attributes to investigate include:

1. What is the pricing structure?
2. What is the customer rating of customer support?
3. What kind of support response time can be expected?
4. What tiers of support do they have and what are their SLA?
5. How often are security updates or patches applied?
6. How long does it take for a new server to be provisioned and booted?
7. Does the platform support the virtualization required?
8. Does the platform support bare metal required for the application? (If required)
9. How much unexpected downtime has the platform has experienced?
10. How much down time can be expected?
11. What security standards are implemented?

The pricing structure in public or community clouds can affect how applications operate. Capacity may be reduced in off peak hours and increased during peak hours. If the cloud platform charges by the hour then servers may need to be shut down. If the cloud platform

charges for a set amount of capacity, then servers may not have to be turned off. Services which are not supplied by the cloud vendor are listed. These services will require custom solutions.

**Step 3:** Deeper cloud feature investigation. If it seems that a cloud vendor does not fulfil a requirement of the application, more research may be needed. Looking deeper into documentation of the cloud features or asking support personnel may be required. For example, the initial list of cloud features in AWS did not mention a solution for configuration management. Further investigation discovered OpsWorks, which is the AWS implementation of Chef. The process of looking deeper is useful in determining how helpful and accessible the documentation and support staff are. Rackspace provides an online chat client where help desk personnel are available to answer questions about their services. AWS and VMWare do not have this feature.

Support is a cloud attribute that should be evaluated. However, support may be an important requirement for some organizations but not others. Customer reviews and feedback can be influential in selecting a cloud. User reviews of the cloud platform, what they say about the cloud, what is liked and disliked should be considered. Customer reviews can provide insight about cloud features. This feedback may provide clearer understanding if a cloud feature will actually work for the application. With support there are often different levels of support. Different service levels need to be considered for how much involvement the organization will want from the cloud provider. Both Rackspace and AWS offer services to help set up an application as part of maintenance. Rackspace has a feature for an additional fee where they will manage the application running in the cloud.

There may be times where the initial list of cloud vendors do not fulfill the needs of the application. Cloud vendors that will not meet the application requirements need to be eliminated as soon as possible. Other cloud vendors may need to be analyzed.

**Step 4:** Private cloud vs. public cloud. Choosing to run a private cloud is not a decision that should be taken lightly. Private clouds can be hosted in private or public datacenters. A lot of time and management is required to maintain a private cloud. In a public cloud, these tasks are managed by the cloud provider. Even with the extra maintenance, a private cloud can be a better option for the application. There are many challenges with running a private cloud which goes beyond the scope of this thesis. Here are a few considerations when running a private cloud:

1. Calculate the necessary capacity required for the application.
2. Consider hardware an organization may already have.
3. Determine if current hardware and infrastructure is sufficient to support the cloud.
4. Determine if sufficient space is available to host the new hardware.

If there is not sufficient space for the new hardware, additional space needs to be planned. Internet service provider connections may need to be updated to accommodate application traffic. Cloud platform licensing and support requirements needs to be determined.

Private clouds require more maintenance for the organization than public clouds. Some maintenance may not be directly related to the application. These tasks include maintenance on cloud software, hardware (CPU, RAM, HDD, Power Supplies, etc.), networks, backups and many more. Maintenance tasks must be taken into consideration when investigating private cloud platforms. These details can impact selecting the cloud platform.

Monetary costs are an important but difficult requirement to estimate. Comparing costs between hosted clouds and on-premise private clouds is especially difficult. It is more straightforward to estimate costs for public clouds than for private clouds. Public clouds pricing models can vary but have defined pricing models. Common pricing models are “pay as you go”, subscription, “pay for resources” and many others. “Pay as you go” sets a fixed price for resources consumed. Subscription is based on a set price for a period of time. “Pay for resources” is when a customer pays for the amount of bandwidth or storage utilized (Al-Roomi, Al-Ebrahim, Buqrais, & Ahmad, 2013). Predicting costs for services that charge based on usage is just an estimate. Prices often differ at runtime.

There are many factors that are involved with determining costs of an on-premise private cloud solution. This paper does not go into all of those factors, but some of the factors include equipment costs, licensing costs, facility costs and many others.

An important aspect with all clouds, public and private, is the cost to set up, maintain and run a service in a cloud. Most cloud vendors have a calculator to help estimate costs. The amount of network traffic to and from the application can be difficult to estimate. Some cloud vendors offer discounts when customers agree to longer term contracts. AWS offers reserved instance, Rackspace offers dedicated servers and vSphere offers longer licensing periods. Longer term licensing almost always cost less compared to shorter terms. Some vendors offer additional discounts when they know their services will be used long term.

### **3.3 Mapping Application Requirements to Cloud Features**

After the list of cloud features have been gathered, a cloud mapping and scoring table is created. The scoring table is used to identify the interface points between the application and

cloud. The mapping will determine how the cloud features match the application requirements. An example of a cloud mapping and scoring table is shown in Table 3.4.1.

### 3.4 Cloud Suitability Scoring

Multiple cloud implementations can be analyzed using the score sheet. The score sheet is a numerical ranking system on how well each of the cloud characteristics meets the needs of the application requirement. The score sheet also helps identify when a cloud will not be able to accommodate the requirements of the application.

Table 3.4.1 Sample Cloud Mapping and Scoring Table

Application Requirements	Weight (1-2)	Cloud 1	Score (0-5)	Total	Cloud2	Score (0-5)	Total	...	Cloud X
Application Requirement 1	1	Cloud 1 Feature A and F			Cloud 2 Feature A				
Application Requirement 2	1.5	Cloud 1 Feature B			Cloud 2 Feature B				
Application Requirement 3	2	Cloud 1 Feature C			Cloud 2 Feature C and E				
Application Requirement 4	1.6	Cloud 1 Feature D			Cloud 2 Feature D				
...									
<b>Totals</b>									

A table is created with the list of application requirements in the first column. The second column will weigh how critical the requirement is to the application and to the organization. A small range is selected for the weight, such as 0 to 1 or 1 to 2. Each application feature is assigned a score based on the importance of the requirement. While all requirements are important, some are more critical than others. A low weight means that is a nice to have feature.

A higher weight means the application or organization cannot be without it. For example, if an application is running on Apache, the operating system may not be a critical requirement. Apache can run on many operating systems such as Windows, Linux and Unix. In this case, the operating system may be weighted low. If the application communicates with a MySQL database, MySQL would be assigned a higher weight. Each application and organization is unique. Each requirement is weighed according to the organization's needs. Weights will vary between organizations and applications.

The cloud features that fulfil the application requirement are listed in the third column. One or more cloud features can fulfil an application requirement. One cloud feature can fulfil one or more application requirements.

A scale to rank each cloud feature is entered into the fourth column. This scale is used to determine how well each cloud feature meets the needs of the application requirement. The scale can be from 0 to 10, 0 to 5, or any other scale selected. This ranking will be specific for the organization performing the analysis. The ranking needs to be determined and consistent for all of the application features. The lowest number would mean that the cloud cannot provide what is needed for the application and a workaround cannot be implemented. The highest rank would be that the cloud provides the exact solution for what is needed. The middle ranges from "there is a way to implement a feature that would work" to "the cloud provides a solution that is close enough to what is needed".

As an example for a range 0 through 5: A score of 0 would mean that there isn't a way to implement something that would work. A score of 1 could be mean a work around can be created or that it is close to what is needed. A score of 3 could mean that a solution can be implemented. The solution may not be provided by the cloud vendor or the cloud vendor may



provide something that is not ideal, but could work. A score of 4 would be that the cloud provides a solution that is close to what is needed. A score of 5 would be that it provides the exact solution for the application. Similar scales will work for solutions that do not tie directly to a feature of the cloud, but how well it meets an organization requirement. Operating cost can be ranked on a scale of 0 to 5. If an organizational requirement is that the solution be open source, a score of 0 could mean that it falls outside budget limits. A score of 3 could mean that it falls within an acceptable cost range. A score of 5 may be that it is a free and an open source solution. The meaning of the scores will vary between organizations, but they need to be consistent.

In the cloud mapping and scoring table, other cloud features are included that are important features of the cloud, such as support, up time, recovery time, etc. Each cloud feature is assigned a score. The fifth column is used to calculate the cloud feature score which is described below. The process is repeated for each cloud platform being analyzed as shown in Figure 3.1.1.

### **3.5 Selecting a Cloud**

There may be multiple cloud implementations that fulfil the application requirements. The overall score of a cloud is used to narrow down the results.

In the fifth column, the cloud feature score is multiplied by the weight. The scores are added at the bottom of the column; this is the cloud score. Table 3.5.1 is an example of a completed cloud score sheet. The cloud with the highest score is most likely the best cloud for the application. The scores of each cloud should be reviewed. It needs to be determined if there is a cloud platform that scores low in one or more critical areas. There is potential that a cloud scored high in many less critical areas but low in critical areas. Clouds that score low in critical areas may need to be removed from the list of potential cloud platforms, even if they have the

highest cloud score. If a cloud scores high for many less critical features, it may be beneficial to create a custom solution for critical requirements. If a cloud feature receives a score of 0, the cloud should be disqualified or a hybrid cloud solution would need to be selected. If there are two or more clouds that are very similar in score, see if one cloud scores higher in more critical areas. This can be done through an analysis of each of the scores. One analysis technique would be to double the weight of each application requirement and see how it affects the cloud totals. If one cloud is affected more than another, it means it scores higher in more critical areas. There are times where it is best to run a hybrid cloud and select the best features from multiple cloud platforms. There are times where it is more beneficial to run one geographical area in a public cloud and another area in a private cloud.

Table 3.5.1 Completed Cloud Score Sheet

Application Requirements	Weight	AWS	Score (0-5)	Total	Rackspace	Score (0-5)	Total
Shared Cache	1.2	Elasticache	5	5	No Provided solution	1	2
Database Failover	1.7	RDS Multi/AZ, Read Replicas	5	5	Cloud Databases	4	4
Database Backups	1.8	RDS Snapshots	5	5	Cloud Databases	4	4
Load Balancer	1.6	ELB	4	4.8	Cloud Load Balancers	5	6
<b>Cloud Score</b>				19.8			16

## 4 TEST CASES

### 4.1 SirsiDynix BLUEcloud

The first application to be analyzed is SirsiDynix's BLUEcloud. BLUEcloud is a multi-tenant, SaaS solution for SirsiDynix customers. It extends library services and streamlines processes for all SirsiDynix library platforms (SirsiDynix, n.d.).

#### 4.1.1 Application Analysis

BLUEcloud is a Java application running on Tomcat. Even though there are many components of BLUEcloud, only a small subset of the application will be analyzed. The components to be analyzed are:

- Single sign on (CAS) server
- Centralized service containing configuration and customer data, (CuRe)
- BLUEcloud search service (BCSS)
- Elasticsearch indexing service
- BLUEcloud central management service and interface (BCCentral)

The services communicate with each other through web API's. Only CAS, CuRe and BCSS communicate with the MySQL database directly. The breakdown of the BLUEcloud services being analyzed are shown in Figure 4.1.1. CuRe, CAS, BCCentral, and BCSS run on Tomcat. Tomcat will run on most OSs, but the operations and development teams have decided

to run BLUEcloud on a Linux platform. This is due to familiarity and experience with Linux.

These additional requirements can be found in Table 4.1.1.




Figure 4.1.1 SirsiDynix BLUEcloud Block Diagram

Table 4.1.1 SirsiDynix BLUEcloud Base Requirements

Requirement	Role	Why it is needed
Java	Programming language	Development familiarity
Tomcat	Web server	Required to deploy Java applications
Linux	Operating System	Support staff familiarity
Compute nodes	Virtual Resources	Run OS and applications
Local storage	Data Storage	Store persistent data
MySQL Database	Database	Store persistent data and configuration
ElasticSearch nodes	Indexing software	Index data for responsive results
Network	Infrastructure	Allow customers to interact with software

The organizational requirements are identified next. Existing user stories and use cases help drive the system requirements. Here are some examples of how user stories and use cases drive system requirements.

The applications are accessed by customers and store customer data. This data needs to remain secure. Information security is a necessary requirement of the system. Part of security is to limit the access to the servers and ports through firewalls. The application and infrastructure must meet strict security standards.

The application is multi-tenant with many customers and processes running for each customer. The organizational requirement is for the application to be responsive and handle the load of multiple customers at a time. To maintain application responsiveness the following will be implemented:

1. Horizontal scaling to manage fluctuating load.
2. Vertical scaling during maintenance periods as required
3. Load balancers to distribute the traffic across nodes
4. Shared cache server

Horizontal scaling and vertical scaling requires application response times and system resources to be monitored. As response times and system resources reach certain thresholds, a horizontal scaling action will be triggered. The load balancer will add the application to the pool of available servers. After the load on the system has decreased, the added services will be removed. Turning off servers saves on compute power and prevents idle servers. This process saves on costs if using a public cloud that charges by the hour or CPU cycles consumed. Vertical scaling will be used during maintenance periods for services that cannot utilize horizontal scaling.

Horizontal scaling requires a VM template when provisioning new servers. Pre-loading and maintaining a VM template with the necessary components for the application will shorten the provisioning process. The template needs to be flexible enough so it can be used by multiple services. The image will have essential software packages pre-installed to decrease provisioning time. Bootstrapping scripts are created to install the necessary services.

The shared cache server will cache temporary data for the application. This data includes cached query results and session data. The cache allows traffic to easily be switched between servers while maintaining session data. This data is temporary data and will not be stored in the database.

Table 4.1.2 Additional Requirements for BLUEcloud

Dependency	Role	Why it is needed
Java	Programming platform	Development familiarity
Tomcat	Web server	Required to deploy Java applications
Linux	Operating System	Support staff familiarity
Compute nodes	Virtual Resources	Run OS and applications
Local storage	Data Storage	Store persistent data
MySQL Database	Database	Store persistent data and configuration
ElasticSearch nodes	Search indexing	Index data for responsive results
Redundancy/High Availability	Fault tolerance	Eliminate single points of failure
Load Balancer	Load Balancer	Distribute traffic across backend servers
Shared storage	Shared file system	Store objects
Horizontal Scaling	High Availability	Ensure application has sufficient capacity for load
Security Requirements	Data integrity and security	Ensure data is safe
Availability/Capacity to sustain load	High Availability	Ensure the service has the necessary resources to sustain the load.

MySQL will need to be highly available and fault tolerant. MySQL replication will be used to eliminate a single point of failure. These examples are a starting point for the

conversations required to identify all of the features required for BLUEcloud. Additional conversations identified additional features for BLUEcloud. A full list of the application can be found in Appendix A: BLUEcloud Requirements List. During the cloud suitability score steps these requirements will be assigned a weight on how critical the requirement is to the application. A small section of the additional requirements can be found in Table 4.1.2. The hardware requirements are detailed in Table 4.1.3.

Table 4.1.3 BLUEcloud Environment Requirements

Servers	CPU Cores	RAM (GB)	HDD (GB)	Quantity
Applications	1	4	8	24
Applications	16	30	350	24
Applications	8	30	60	16
Database:	8	61	100	4
Cache:	1	3	8	16
<b>Total</b>	584	1588	10080	
Shared Storage (GB)				8192

#### 4.1.2 Analyzing Cloud Features

Three clouds have been selected for analysis as potential candidates for SirsiDynix BLUEcloud: Amazon Web Services (AWS), Rackspace and vCloud. The Amazon AWS products page was used to gather the features of AWS (AWS, 2015). The page has a very concise summary of products offered by AWS with links to more details of each feature. The products page has most of the AWS features in a convenient location. The list can be found in Appendix B: AWS Evaluation. Some details and cloud features were not included in the products page. Additional searching found features such as security features and additional tools. AWS provides many features, some of which weren't required for the application.

Additional research discovered more details about the features that are needed for the application.

A similar process was followed with Rackspace and VMWare vCloud. These feature lists can be found in Appendix C: Rackspace Evaluation and Appendix D: VMware vCloud Evaluation. Rackspace has a feature page which listed most of the features of the Rackspace cloud with a brief description of the application.

VMWare was the most difficult to find the offered features. The vCloud Suite site (VMware, n.d.-a) shows a limited number of features. The data sheets were used to find information about the features offered.

#### **4.1.3 Map Application Requirements to Cloud Features**

A mapping was created to determine how each application requirement was fulfilled by a cloud feature. Initially the deployment field did not have a matching cloud feature for AWS. After further investigation OpsWorks and Beanstalk were discovered. These features meet the application requirement for deployment.

The SirsiDynix BLUEcloud mapping is found in Appendix E: SirsiDynix BLUEcloud Mapping, with a subsection of the table in Table 4.1.4. Side by side comparison is used to compare the application and the cloud. The table is used to see how each cloud compares to the application.

The estimated costs to run the application in the cloud are included in the table. Cloud vendors often provide a tool to help estimate costs to run in the cloud. SirsiDynix BLUEcloud requires two production deployments, one beta testing deployment and a development testing deployment. Server requirements are based from Table 4.1.3. The tools used to calculate the



costs are AWS simple monthly calculator (AWS, n.d.-b), Rackspace cloud pricing calculator (Rackspace, n.d.-b) and the VMware ROI TOC Calculator for Server and Desktop Virtualization (VMware, n.d.-b). The cost results are included in Table 4.1.4.

Table 4.1.4 BLUEcloud Cloud Mapping

Application Requirements	AWS	Rackspace	vCloud
Compute nodes	EC2	Cloud Servers/On Metal	VMs
MySQL Database	RDS	Cloud Databases	No Provided Solution
Load Balancer	ELB	Cloud Load Balancers	NSX (Logical routing, logical load balancer)
Availability/Capacity to sustain load	Auto Scaling Groups	Auto Scale	vRealize Operations(capacity metering)
Shared storage	S3	Cloud Files	Virtual SAN
Horizontal Scaling	Auto Scaling Groups	Auto Scale	vSphere, vRealize Operations, SiteManager
Server Firewall restrictions	Security Groups	Security Groups	NSX (Logical Firewall, NSX Gateway)
VM Template	AMI	Cloud Images	vRealize Automation (Service Catalog), vSphere Templates
ElasticSearch nodes	AWS Elasticsearch	No Provided solution	No Provided Solution
3 yr. Monetary costs (Estimated)	1,188,000 (On-demand)	\$1,695,600 (Cloud servers)	\$1,234,000 Licensing(Assuming sufficient hardware)

#### 4.1.4 Cloud Suitability Scoring

Each application requirement was assigned a weight based on how critical the requirement is to the application and to the organization. The scale used for BLUEcloud is from 1 to 2. Each application requirement is assigned a weight within the scale. The scale for the cloud feature score is 1 through 5. Each cloud feature was assigned a score according to suitability of the feature for the application requirement. Each cloud score was multiplied by the weight of the application to get the cloud feature total. The sum of the cloud feature for each cloud produces

the cloud score. The full table is in Appendix F: SirsiDynix BLUEcloud Score Sheet. An example can be found in Table 4.1.5. The table shows cloud features with significant score differences between cloud platforms.

Table 4.1.5 SirsiDynix BLUEcloud Scoring

Application Requirements	Weight	AWS	Score 1-5	Total	Rackspace	Score 1-5	Total	vCloud	Score 1-5	Total
Shared Cache	1.2	Elasticache	5	6	No Provided solution	1	1.2	No Provided Solution	1	1.2
Database Failover	1.7	RDS Multi/AZ, Read Replicas	5	8.5	Cloud Databases	4	6.8	No Provided Solution	1	1.7
Database Backups	1.8	RDS Snapshots	5	9	Cloud Databases	4	7.2	VM Snapshots, vSphere Data Protection, Custom Automation	2	3.6
Load Balancer	1.6	ELB	4	6.4	Cloud Load Balancers	5	8	NSX (Logical routing, logical load balancer)	5	8
3 yr. Monetary costs (Estimated)	1.2	1,188,000 (On-demand)	5	6	\$1,695,600 (Cloud servers)	3	3.6	\$1,234,000 Licensing (Assuming sufficient hardware)	4	4.8
Totals				185.7			161			149.4

With the shared cache score, AWS provides the exact solution needed through Elasticache. Elasticache provides a performant and reliable caching solution. Rackspace and vCloud do not provide a caching solution. They require a self-managed implementation of cache services.

Database failover is a critical component of BLUEcloud. AWS provides multi-AZ databases. Multi-AZ databases provision a standby replica that can take load and read/write commands if the primary database is not available. This failover has a few seconds delay to

complete. Rackspace provides a MySQL solution that can create read replicas of the database. The failover solution is not as complete as the AWS solution. VSphere requires a custom implementation which is why it received a score of 2. AWS also has a more complete solution for database backups. AWS RDS received a higher score than the other clouds because it provides a method that creates database backups automatically. Rackspace requires the customer to set up a command line cron job to create MySQL dumps of the database.

Rackspace and vSphere scored higher for their load balancing solution. These clouds have a load balancing solution that can route traffic based on the URL. The load balancing solution provided by AWS does not have the capability to perform URL based routing. It only performs port forwarding which requires more load balancing instances.

Based on the cloud score, AWS had the highest score. There are many AWS cloud characteristics that closely fulfil the application requirements. The mapping was used to score the suitability of a cloud implementation to support the application. This cloud score was based on application requirements and organizational requirements. The application can run on any of these clouds, however AWS provides a more complete feature set that is best for SirsiDynix BLUEcloud.

#### **4.1.5 BLUEcloud Implementation Results**

AWS had the highest cloud score for SirsiDynix BLUEcloud. SirsiDynix has been running BLUEcloud in AWS since the summer of 2013 (Barney, 2013). Most of the AWS features identified in the cloud mapping were implemented for BLUEcloud. The features not used by SirsiDynix BLUEcloud are AWS Elasticsearch, OpsWorks and Elastic Beanstalk. AWS

Elasticsearch and OpsWords were either in beta or had not been available when BLUEcloud was first implemented.

Elastic Beanstalk is not being used by BLUEcloud because it did not meet the deployment requirements of the application. Custom deployment scripts were written using AWS APIs instead of Elastic Beanstalk. The deployment scripts allow the application to dynamically link to services such as RDS and ElastiCache. The scripts allow for automated deployments with limited manual intervention.

Route 53 was not implemented with BLUEcloud. The domains required by BLUEcloud were already established with SirsiDyinx DNS servers.

Cloud Watch has many capabilities but does not have checks for all of the application requirements. One difficulty with Cloud Watch is it checks at minimum intervals of 5 min or 1 min for an additional cost. This timing can work for some metrics such as average CPU usage. Custom Cloud Watch metrics were created for monitoring other resources such as disk usage. Cloud Watch integrates and drives Auto Scaling to trigger scaling actions. When system resources such as CPU, RAM or disk usage reach a threshold for a defined amount of time, a scaling action is triggered. Depending on the level, servers scale up or down.

An organizational standard is to use Nagios for system monitoring. Nagios was configured to pull data from Cloud Watch and monitor the applications directly. Standardizing on monitoring tools provides one location to monitor all SirsiDyinx servers, not just BLUEcloud. Cloud Watch was not used to monitor application logs, even though application logs can be monitored with the service. Other application log monitoring software was implemented to meet organization standards.

Since the beginning of this thesis research, there have been changes with BLUEcloud architecture, application processes and organization requirements. The changes have been significant enough that SirsiDynix is re-evaluating AWS as a cloud provider and will investigate which cloud will be the best fit for BLUEcloud.

## **4.2 SirsiDynix Analytics Analysis**

SirsiDynix Analytics provides customers with analytical reports for customer data.

### **4.2.1 Application Analysis**

Customers install an agent on their system which periodically pulls specific data from the customer's system. Jobs are scheduled through Analytics to have a Hadoop cluster transform the data into a format that can be consumed by MicroStrategy. Customers use MicroStrategy to create reports on the data gathered about the usage of their software and their services.

Analytics application components are identified and mapped in Figure 4.2.1. Analytics communicates with BLUEcloud CuRe and a MySQL database. The customer agent communicates with Analytics through a messaging queue system. The customer agent uploads the configured customer data to a file storage system. Analytics communicates with a Hadoop cluster to manage Hadoop jobs. The Hadoop jobs transforms the data for MicroStrategy. Customers use MicroStrategy to customize reports. Details about these components can be found in Table 4.2.1.




Figure 4.2.1 Analytics Block Diagram

Table 4.2.1 Analytics Base Requirements

Requirement	Role	Why it is needed
MySQL Database	Database	Store persistent data and configuration
Customer Agent	Interface with customer systems	Upload customer data to Analytics
Messaging Queue	Messaging Broker	Communicate between services and orchestrate tasks
Hadoop	Process and store large data sets	Run and store customer transforms
MicroStrategy	Analytical Reporting	Deploy sophisticated analytical and security reports to meet the business intelligence demands of an organization
File Storage	File storage	Allow customers to upload data to be transformed into a common format
Analytics	Process manager	Manage the processes for uploading, transforming and presenting analytical data

Customers range all over the globe including, but not limited to: USA, Central America, Australia, New Zealand, Europe, Canada, China and more. Customer contracts and international data laws add constraints of where and how customer data can be stored. Customer data needs to be located within specific country borders to comply with these laws. For example, data from

some European customers need to be hosted in Europe. Data from customers in Canada and China need to stay within the Canadian and Chinese borders. Data is required to be controlled and localized in specific geographical areas. Complying with international data laws is a priority requirement.

Analytics application itself shouldn't experience much fluctuating load. The load is experienced within the Hadoop cluster, MicroStrategy servers and in-data storage. The load on the system is consistent and the load will increase in a predictable manner. As more customers subscribe to the analytics service and as customer data is added, the load will increase gradually. Automatically scaling is not a requirement of the system; load can be planned for in advance. Scaling not only pertains to CPU and RAM requirements, but to storage space as well. The server requirements are listed in Table 4.2.2.

Table 4.2.2 Analytics Environment Requirements

<b>Servers</b>	<b>CPU Cores</b>	<b>RAM(GB)</b>	<b>HDD(GB)</b>	<b>Quantity</b>
Impala	4	32	300	18
Spark	8	32	300	15
Manager	4	16	90	6
MicroStrategy	4	32	200	18
Cache, Application, and Queue	1	4	10	36
MySQL	2	4	50	6
MicroStrategy Web Server	2	8	50	12
<b>Total:</b>	360	128	1000	111
<b>Shared storage</b>				20TB

## 4.2.2 Analyzing Cloud Features

The clouds that will be analyzed for this application will be the same as BLUEcloud: AWS, Rackspace and VMWare vCloud. These cloud feature lists have been created and will be used for SirsiDynix Analytics. The application analysis and cloud mappings can all be found in Appendix G: SirsiDynix Analytics Analysis and Cloud Mapping.

## 4.2.3 Map Application Requirements to Cloud Features

In determining costs for vCloud, it is assumed that there is already sufficient hardware and manpower to operate the facility and the only additional costs will be the cost to upgrade from vSphere Enterprise to vCloud Enterprise. The vendor cost calculating tools from each vendor were used to estimate costs: AWS Simple Monthly Calculator (AWS, n.d.-b), Rackspace Cloud Pricing Calculator (Rackspace, n.d.-b) and VMware ROI TCO Calculator for Server and Desktop Virtualization (VMware, n.d.-b). The servers required to run all of the necessary environments are shown in Table 4.2.2. The data was used to estimate the costs for each vendor. VMWare vCloud was estimated based off of licensing alone. If no solution is provided by the cloud vendor, there may be additional licensing costs associated with 3<sup>rd</sup> party tools selected. The full cloud mapping table is in Appendix G: SirsiDynix Analytics Analysis and Cloud Mapping with a subset in Table 4.2.3.



Table 4.2.3 Application Requirements and Cloud Mapping

<b>Application Requirements</b>	<b>AWS</b>	<b>Rackspace</b>	<b>vCloud</b>
shared storage (store transformed files)	S3	Cloud Files	No Provided Solution
client service access	ELB	Cloud Load Balancers	NSX(Logical Load balancer)
Monetary costs	\$1,188,000/3 years On-demand	\$1,695,600/3 years Cloud servers	\$1,234,000 /3 yrs. Licensing(Assuming sufficient hardware)
International Requirements	AWS Regions	Global infrastructure	Multiple sites
Control of the data	Minimal	Minimal	complete control
International restrictions (Canada, European, china, us, Australia)	regions, North America, Ireland, Sydney, China (Request required), Not available - Only Partners in Canada	Regions, Hong Kong, Not in Canada	wherever a datacenter is located

#### 4.2.4 Cloud Suitability Scoring

The most important requirements for Analytics are international data requirements and data control. These areas will have a higher weight in the cloud scoring. The next most important features are large data storage and the Hadoop Cluster. The full cloud scoring table is found in Appendix H: SirsiDynix Analytics Cloud Scoring and a small section is listed in Table 4.2.4.

Even though vCloud scored the lowest, it scored the highest in the critical areas of data location and control. Both AWS and Rackspace scored high in many medium to low ranking requirements. However, both AWS and Rackspace scored low in the most critical areas. AWS does not have a region in Canada. Rackspace does not have a region in Canada or China. The low scores in international restrictions and control over the data are reasons to disqualify AWS and Rackspace as choices. They do not provide the required control over the data required for

the application requirements. The vCloud is selected as the best fit cloud for Analytics. The scores in critical areas are a bigger factor than having the lowest cloud score.

Table 4.2.4 SirsiDynix Analytics Cloud Scoring

Application Requirements	Weight	AWS	Score 0-5	Total	Rackspace	Score 0-5	Total	vCloud	Score 0-5	Total
Hadoop cluster	1.6	AWS MapReduce	4	6.4	Cloud Bid Data	4	6.4	No Provided Solution	1	1.6
Large data storage	1.8	S3	5	9	Cloud Files	5	9	No Provided Solution	1	1.8
3 yr. Monetary costs (Estimated)	1.5	\$1,195,200 (On-Demand)	4	6	\$1,724,400 (Cloud Servers)	3	4.5	\$689,000 Licensing (assuming sufficient hardware)	4	6
International Requirements	2	AWS Regions	4	8	Global infrastructure	4	8	Multiple sites	5	10
Control of the data	2	Minimal	2	4	Minimal	2	4	complete control	5	10
International restrictions (US, Canada, European, China, Australia)	2	regions, North America, Ireland, Sydney, China (Request required), Not available in Canada	1	2	Regions, Hong Kong, Not in Canada	1	2	wherever a datacenter is located	4	8
		<b>Totals:</b>		97			91.8			81.8

#### 4.2.5 SirsiDynix Analytics Implementation Results

SirsiDynix Analytics started in AWS. Customer contractual obligations and additional organizational requirements made it apparent that Analytics required a private cloud. It has been determined by SirsiDynix that Analytics would be migrated to a private VMWare vCloud. The methodology was not yet complete at the time of analyzing Analytics. There were many components of the methodology that were used in determining the best cloud for Analytics. Local cloud vendors could have been evaluated for the application. Customer contractual,

international and organizational requirements required the implementation of a private cloud. The migration is currently in progress and has been successful in the North America region with the rest of the world wide deployments to follow. While the initial migration is complete, there is still functionality and VMware specific features that will be continued to be added to the Analytics environment.

SirsiDynix wanted to manage the environment with cloud features. A hosted private cloud was implemented using VMware vCloud. Implementing a private cloud allows for consistent environments across regions. SirsiDynix has faced some challenges switching from a public cloud to a private cloud. It is outside of the scope of the thesis to go into all of the challenges of running a private cloud. The primary challenges are the initial configuration of the hardware and software, and keeping up with the hardware requirements. Expanding hardware in a private cloud requires planning and anticipation. In a hosted cloud, additional hardware is acquired with the click of a button while hosting in a private cloud requires planning. Time is required for ordering and installing additional hardware before it can be used.

Migrating to VMware vCloud has allowed SirsiDynix to optimize computing resources for the application to increase performance. There have been many points in performance improvements because of the migration. One of these comes from the ability to tune the VM resources to what the application needs instead of being restricted to fixed hardware increments. The ability to manage and monitor the network traffic and resources has helped to understand resource usage and how to increase performance.

### 4.3 Recipe Site

The third application is a cooking recipe search engine. It has just finished the design phase and is about to start development.

#### 4.3.1 Application Analysis

The basic application requirements are found in Figure 4.3.1. The site consists of a website front end which interfaces with a search service backend. The application will run on Ruby on Rails and utilize a MySQL and NoSQL database. As appropriate, legal and with permission, the site will partner with other recipe sites and blogs. The partnership will allow recipes to be pulled from these sites and convert them to be formatted for the recipe site. This service is being labeled as the discovery and transform service. This service will not be accessible by customers. It will load recipe data and prepare it to be searchable. Additional requirements are listed in Table 4.3.1. During the cloud suitability score steps these requirements will be assigned a weight on how critical the requirement is to the application.




Figure 4.3.1 Recipe Site Block Diagram

Table 4.3.1 Recipe Site Application Requirements

Requirement	Role	Why it is needed
Ruby on Rails	Web server	Required to deploy Ruby applications
MySQL	Database	Store persistent data and configuration
NoSQL	Database	Store persistent data and configuration
Message Queue system	Messaging Broker	Communicate between services and orchestrate tasks
Container virtualization	Application Deployment	Deployment consistency
Continuous integration	Application Deployment	Deliver features and fixes for customers
Load balancing	Load Balancer	Distribute traffic across backend servers
DB backups	Disaster recovery	Disaster recovery
DB replication/redundancy	High Availability	Ensure availability of database
High Availability	High Availability	Ensure availability for customers.
Firewall	Security	Restrict access to servers
Server Monitoring	Server Monitoring	Monitor and report on the status of the servers
Application Logging	Application logging	Monitor and report on the status of the application
Configuration Management System	Deployment methods	Deployment consistency

High availability will prevent most unplanned outages. High availability will allow the system to utilize automation to recover failed services. Availability is ensured through redundancy and load balancing for the web front, search service and databases. The discovery and transform service does not need to be highly available. The service will not be accessed by end users and will run on a nightly schedule as needed.

The organization requires the application to be updated regularly with features and patches. Application logging is required to identify issues as they occur. Continuous integration and container virtualization will allow for quick updates and patches.

It is unclear what the overall system requirements and load will be because the site has not been developed yet, but the system will need to be able to scale to handle a fluctuating load. The anticipated server requirements are listed in Table 4.3.2.

Table 4.3.2 Recipe Site Server Requirements

Servers	CPU Cores	RAM (GB)	HDD (GB)	Quantity
Applications	4	4	8	12
MySQL Database	4	4	20	2
NoSQL Database	2	2	20	3
<b>Total</b>	62	62	196	17
<b>Shared Storage (GB)</b>				100

#### 4.3.2 Analyzing Cloud Features

The clouds that will be analyzed for this application will be the same as BLUEcloud: AWS, Rackspace and VMWare vCloud. These cloud feature lists have been created and will be used for SirsiDynix Analytics. The application analysis and cloud mappings can all be found in Appendix G: SirsiDynix Analytics Analysis and Cloud Mapping.

#### 4.3.3 Map Application Requirements to Cloud Features

Ruby on Rails is an application requirement which will be maintained through container virtualization. The cloud will only need to support running containers and does not need to support Ruby on Rails directly. The requirement is managed through the container.

The cloud mapping for the recipe site can be found in Appendix I: Recipe Site Analysis and Cloud Mapping. A subset of features can be found in Table 4.3.3. AWS and Rackspace have similar features. Rackspace's DevOps Services fulfils many of the application

requirements. For an additional fee Rackspace will manage processes relating to continuous integration, DevOps, application logging and server monitoring. Rackspace offers three levels of support. The levels range from an advisory role to a managed and cooperative role. The organization does not have to invest as much on internal staff to learn these roles. AWS provides tools to assist in the DevOps and Continuous integration process. VMware offers vRealize Automation and vRealize Operations to manage DevOps and Continuous integration processes. These features require additional personnel or training to manage this process.

Table 4.3.3 Recipe Site Cloud Mapping

Application requirements	AWS	Rackspace	vCloud
NoSQL	Dynamo DB	Object Rocket NoSQL	No Provided Solution
Container virtualization	EC2 Containers	No Provided Solution	No Provided Solution
Continuous integration	AWS CodeDeploy, OpsWorks	DevOps Services	vRealize Operations
Server Monitoring	Cloud Watch	DevOps Services	vRealize operations(Capacity metering)
Application Logging	Cloud Watch	DevOps Services	vRealize Operations
Configuration Management System	OpsWorks	DevOps Services	vRealize Operations
3 yr. Monetary costs (Estimated)	\$34,095	\$62,650	\$106,000
Support	Business level (Enterprise is not within budget)	DevOps Services	Included Support

#### 4.3.4 Cloud Suitability Scoring

An advantage of starting development of an application in a cloud is the application and organizational processes can be built around the cloud. Some organizations integrate the applications and processes around the cloud features. Other organizations prefer to keep the

application and organizational processes separate from the cloud. This allows the application to be cloud independent. The cloud scoring can be found in Appendix J: Recipe Site Cloud Score Sheet and section of the scoring can be found in Table 4.3.4.

Table 4.3.4 Recipe Site Analysis

Application requirements	Weight	AWS	Score	Total	Rackspace	Score	Total	vCloud	Score	Total	
Container virtualization	2	EC2 Containers	5	10	No Provided Solution	1	2	No Provided Solution	1	2	
Continuous integration	1.4	AWS CodeDeploy, OpsWorks	4	5.6	DevOps Services	5	7	vRealize Operations	5	1.4	
Server Monitoring	1.6	Cloud Watch	4	6.4	DevOps Services	5	8	vRealize Operations	5	1.6	
Application Logging	1.7	Cloud Watch	3	5.1	DevOps Services	5	8.5	vRealize Operations	5	1.7	
Configuration Management System	1.6	OpsWorks	4	6.4	DevOps Services	5	8	vRealize Operations	5	1.6	
Support	2	Business Level	4	8	DevOps Services	5	10	Included Support	4	8	
3 yr. Monetary costs	1.5	\$34,095	5	7.5	\$62,650	4	6	\$106,000 (Licensing only)	2	3	
				106.7					108.5		

Rackspace and AWS offer features to simplify workflows. Rackspace offers DevOps Professional Services to assist with the DevOps process. Service levels range from Advisory which assists in optimizing the processes, to Maintenance which manages infrastructure automation and more. AWS Developer Tools such as AWS CodeCommit, CodeDeploy and CodePipeline are tools managed by AWS for continuous integration. Both fit the requirements of the application. Rackspace DevOps Services received a higher score because it is a solution that Rackspace can manage. VMware has powerful features but the organization requires less upfront maintenance. VMware will be re-evaluated as organization requirements change.



AWS EC2 container services fulfils the needs for container virtualization. The other platforms do not offer container services.

The server requirements are found in Table 4.3.2. When calculating costs, Support for AWS was calculated for Business level because Enterprise support did not fit in the budget. AWS 3 year estimated costs with Business level support is \$34,095. AWS 3 year estimated costs with Enterprise level support is over \$500,000. The costs estimated for vCloud are for licensing only.

AWS and Rackspace received high cloud scores. Rackspace was chosen as the best fit cloud. DevOps services fulfills many application and organization requirements. It allows the organization to focus on features and not the process.

#### **4.3.5 Recipe Site Implementation Results**

The application is still in the design phase and the requirements are not yet solid enough or developed enough to deploy at this time. If the application were ready for deployment Rackspace would be the best fit.

The methodology for analyzing applications and mapping them to cloud identifies how Rackspace services can be implemented for the recipe site. The most significant feature is DevOps Services. These services will alleviate the complexities of running a continuous integration system. This focus allows the organization to focus on deploying features to customers in a timely and less error prone process. The manpower to implement a system is no longer required and that time and effort can be focused on improving the application.

#### 4.4 Survey Results

A survey was sent out to a group of peers to validate the usefulness of the methodology. The survey sent included a summary of the methodology defined in the thesis and instructions on how to use the methodology. Sample application requirements, mapping and scoring were taken from SirsiDynix BLUEcloud evaluation. The cloud feature tables for AWS, Rackspace, and VMWare vCloud were also included. The recipients were asked to answer ten questions to measure the effectiveness of the methodology.

For questions 1 – 7, please rate each question from 1 to 10, 1 being low, such as very difficult or strongly dislike and 10 being high as in very easy or strongly liked.

1. Do the steps make sense?
2. Do the steps flow logically?
3. Are the steps easy to follow?
4. How easy is it to perform these steps?
5. Is this methodology helpful in picking a cloud vendor?
6. Is it helpful to have a list of cloud vendor features?
7. How accurate is the provided analysis of the cloud vendors?

For questions 8 – 10, please respond with any feedback you may have.

8. What do you like about this process?
9. What would you change about this process?
10. Any additional comments:

The full survey can be found in Appendix K: Survey. The survey was completed by peers ranging from developers to directors. The results of the survey were compiled and are in Appendix L: Survey Results. The feedback from the survey was generally positive. The feedback was incorporated to improve the methodology. These changes are documented with the survey results.

Table 4.4.1 Survey Results for Questions 1-7

Survey Results							Average
1. Do the steps make sense?	8	8	9	7	8	9	8.167
2. Do the steps flow logically?	8	8	8	8	8	8	8
3. Are the steps easy to follow?	9	8	8	8	8	10	8.5
4. How easy is it to perform these steps?	5	8	4	7	7	8	6.5
5. Is this methodology helpful in picking a cloud vendor?	7	10	9	9	8	9	8.67
6. Is it helpful to have a list of cloud vendor features?	8	10	10	10	9	10	9.5
7. How accurate is the provided analysis of the cloud vendors?	7	10	9	8	6	8	8

The results to questions 1 – 7 are shown in Table 4.4.1. The respondents included a developer, development architect and development director from two different organizations. Responses to questions 8 – 10 provided additional feedback and are found in Appendix L: Survey Results.

The responses were generally similar for the questions, especially questions 1 – 3 and question 6. Questions 1 – 3 indicate that respondents thought the steps made sense and were fairly easy to follow. Question 4 indicates that even though the method is easy to understand, performing the steps is more difficult. Selecting a cloud vendor is not a trivial task and this response was expected. The process of identifying each component of an application requires many people from many levels of the organization.

The results from question 6 through 10 indicate that providing a list of cloud vendor features is beneficial to start with if it is accurate. The lists provided were not descriptive of what the feature actually does. The cloud feature lists have been updated in the methodology to include a description of the features. The results show the process of discovering the features of a cloud vendor is very important. Cloud vendors improve their platform by providing new features. These changes require research to maintain a current list of features. Cloud features can look good in the documentation, but the feature may not perform as expected upon implementation. The methodology was updated with this feedback.

It is important to be detailed with the application requirements list. For example, the application requirement of MySQL server can be broken down to: MySQL server, backups, restores, High-Availability (HA), etc. Each of these features of MySQL can be mapped to a cloud feature and scored individually.

The results to question 5 confirm that this methodology is helpful in selecting a cloud vendor. Concerns from the feedback indicate it can be tricky to compare many cloud vendors. Cloud platforms are complex systems and are difficult to compare as a whole. The methodology simplifies the process by comparing how the cloud vendors fulfil the needs of application requirements. The methodology does not determine which cloud is best overall. This distinction is essential for a successful outcome. Comments mentioned that ease of implementation should be considered when selecting a cloud vendor.

Questions 8 – 10 provided useful feedback. Many comments mentioned the need for some details with the application requirements and cloud features lists. Researching and defining the application requirements and cloud features is an important step to selecting a cloud vendor. This has been incorporated into the methodology by adding columns for additional

details for the requirements and features. Other feedback is to group the application requirements into categories such as system resources, security requirements, monitoring, etc.

Feedback indicates that the survey needs to clarify what “weight” means for application requirements. The weight of the application requirement is how important or critical the requirement is to the application. This weight is subjective according to the organization. Clarification was suggested on terminology for how to score cloud features. Those sections have been updated to reflect these suggestions.

Feedback about the methodology summary was missing information or discussion points. This information was already in the original methodology. This missing information is because the survey was a simplified version of the methodology.

#### **4.5 Results**

The methodology was successful in matching application and organization requirements to cloud platform implementation features. The methodology is flexible enough to work for any application because it is not tied to any specific application or vendor. Organization requirements are unique and have an impact on selecting a cloud. Listing application requirements and cloud features makes it possible to create the cloud mapping. The cloud mapping makes it possible to compare cloud vendors. Most cloud vendors have similar features. Each cloud also has unique features. These unique features complicate comparing cloud vendors directly to each other. Comparing cloud vendors is possible when in the context of an application. The cloud map is used to select the cloud vendor that best fits the application.

A concern for some organizations is vendor lock-in. Vendor lock-in is when the application is integrated with features specific to the vendor. To move vendors or technologies

would take significant effort and redesign. The methodology can be implemented to avoid vendor lock-in. The organization needs to determine if avoiding vendor lock-in is a requirement.

Survey feedback helped to improve the methodology. The application requirements checklist required more details for the requirement. Feature lists need more details for each of the features. The more detailed list provides better insight into each feature. These details increase the accuracy of mapping features to requirements. The survey identified that cloud features may not work as expected during implementation. If this happens a custom implementation is needed.

The cloud vendor selection process takes some time, but selecting a cloud vendor or vendors is an important task. Time and research are required to select the right cloud vendor. Thoroughly researching cloud vendors is required. Moving from cloud to cloud can be very costly. The methodology pointed out new things every time it is applied. It is a driving force to learn more about application analysis and cloud analysis by those applying the methodology. This methodology was helpful in analyzing applications and clouds. The methodology is also a driving force for learning, a teaching guide and a tool for dealing with the unique challenges of each application.

## 5 CONCLUSIONS AND RECOMMENDATIONS

### 5.1 Conclusions

A methodology was defined, tested and analyzed to match an application to a cloud platform. This is done through 5 steps:

1. Analyzing the application
2. Analyzing cloud features
3. Mapping application requirements to cloud features
4. Scoring the suitability of a cloud to an application
5. Measuring the success of the methodology

Application and organizational requirements are gathered into a checklist. Cloud platforms are analyzed to list cloud features. The requirements and features are mapped together on a scoresheet. The application requirements are given a weight according to how critical they are to the application. The cloud features are scored according to how well the feature meets the application needs. The weight of the requirement is multiplied by the rank of the feature. The scores are added together to get the overall cloud score. The scoresheet is used for evaluating how well a cloud implementation fits the application requirements. Multiple cloud platforms are analyzed to select the best cloud fit. The methodology was then used with two production applications, SirsiDynix BLUEcloud and SirsiDynix Analytics, and one application still in the design phase called the Recipe Site. The methodology was evaluated by a group of peers in the

form of a survey. Both SirsiDynix BLUEcloud and SirsiDynix Analytics have been successfully implemented and are running in production in the chosen cloud.

The steps outlined in the methodology to match an application with a cloud platform were very successful. Each step helped to better understand the application and organization requirements. The steps identified how application requirements fit with a cloud provider. Multiple clouds vendors can be compared to find the best fit cloud for the application.

The survey results provided insights on how to improve the methodology. One of the major contributions of this thesis is generating initial lists of cloud features. Comments in the survey results confirm that having a pre-made list of cloud features was helpful in understanding the methodology and accelerates the process. The initial cloud feature list did not provide enough details to understand individual cloud features. A pre-created list of cloud features with a brief description of the features would be more beneficial. This type of list has potential to be a detriment because it may not include enough details about the cloud feature. The research shows that going through the process of analyzing a cloud is a very important part of the decision making process. Having a list of the cloud features with a description will only be helpful as an initial starting point or as a summary of the completed research. The list can be used in reports or in disseminating information to others within the organization. The list should not be the only source of information when selecting cloud features.

This methodology is an organizing framework for learning. It is not just helpful in analyzing applications and clouds. It is a teaching guide and a tool for dealing with the unique challenges of each application. The process does not describe in detail the additional research and learning that is required to successfully match an application with a cloud. The basic list is a start to asking the right questions and expanding requirements and features. It is easier to modify



an existing list than start the process with nothing. The methodology described is not necessarily a step by step method. It is an evolving process that is able to adapt to each unique situation that is being analyzed. The requirements unique to the application are identified as the methodology is used. Discussions about requirements and features during the process guides the organization to discover all of the requirements.

The checklists created also help manage change. They are a starting point on where to manage changes as these changes occur. Technology is continuously evolving and as change happens, organizations need to be flexible enough to change with it. This methodology can be used as an iterative process as technology, organization requirements, application requirements and contractual requirements change to continuously ensure the best fit cloud for an application and organization. In the process of writing the methodology, the cloud vendors analyzed have released features that may change the results of the best fit cloud. As an example, VMware has released vSphere Integrated Containers (VIC) and Photon OS as solutions for container virtualization (Hogan, 2016).

## **5.2 Hypotheses Conclusions**

The conclusions of this research from validating the methodology and undergoing a peer review of the methodology have confirmed and accepted the four hypotheses as stated as the goals of the research:

1. It is practical to parameterize and document the characteristics of specific applications in terms of their execution and deployment requirements.

Creating a list of application requirements and survey results confirms this research goal.

Understanding application attributes is crucial to running an application successfully.

2. It is practical to parameterize and document the characteristics of cloud platform implementations.

Analyzing cloud vendors generating lists of cloud features and survey results confirms this research goal. The research indicates that the cloud feature lists with details is very helpful in mapping an application to a cloud.

3. A mapping can be defined between platform and application such that the application characteristics can be matched against cloud provider characteristics to verify the suitability of the specific cloud implementation to support the execution and management of the application.

Implementation and survey results confirm this research goal. Mapping the application requirements to cloud provider features is the most important step in selecting a cloud provider.

4. The mapping can be applied to score the suitability of a cloud implementation to support a specific application.

Implementation and survey results confirm this research goal. Independent evaluation of applications using the methodology match real world examples of selecting cloud vendors. The mapping is used to select the best fit cloud, even if the highest scoring cloud may not be the best fit cloud. The weighting and scoring methodology defined identifies the best fit cloud.

### **5.3 SirsiDyNix Experience**

The examples used from SirsiDyNix were conducted independently from the method used by SirsiDyNix. Experience from the process brought about an awareness of the need for a methodology in how to select a cloud vendor. Some of the steps and methods used by

SirsiDynix were included and formalized in this methodology. SirsiDynix created the list of the application features and how each of those features were fulfilled by a cloud feature. Alternative solutions were listed if the cloud did not have a feature that specifically fulfilled the requirement. The results of the method used by SirsiDynix and the methods implemented in this thesis to select a cloud came to the same conclusions. SirsiDynix has been running both BLUEcloud and Analytics successfully in production in the selected cloud. Requirements for BLUEcloud have evolved and SirsiDynix is in the process of migrating BLUEcloud to a VMWare vCloud environment.

This methodology would be helpful in deciding, understanding and documenting the reasons why decisions were made to move BLUEcloud to a VMWare vCloud environment. There are features that were provided by AWS that do not have an equivalent in VMWare. This methodology can be used to compare and select the features needed and how well they fit each application requirement.

The methodology for selecting a cloud vendor emphasizes how important organizational requirements are for selecting a cloud vendor. Customer contractual obligations were not previously considered as a primary driving force for selecting a cloud. SirsiDynix recognized the need to become its own cloud provider. With the addition of BLUEcloud and Analytics, SirsiDynix has evolved their SaaS solution (SirsiDynix, 2016) to better fit the application and organizational requirements. There have been large coordination efforts between departments to expand the existing SaaS solution for BLUEcloud and Analytics.

## 5.4 Recommendations

The primary recommendation is that an organization deciding to implement or move an application to a cloud platform should start with this methodology. Every application and organization has different requirements to ensure that their application is a success. The best way to ensure success is to have representation from across the organization. The knowledge and understanding will make the application the most successful. This method will help those individuals understand the requirements of the application and how those requirements are fulfilled by cloud implementations.

The next recommendation is for cloud vendors to make sure they maintain easy access to a summary of their features. This summary should then link to more details of their features. Both AWS and Rackspace have good summaries with links to more details about their features. VMWare took more research and was more complicated to find a list of all of the features they offer. These details were spread across multiple pdf documents for the different products offered.

## 5.5 Future Work

There are parts of the methodology that could be improved. The goal of this methodology was to formalize a method to select a cloud vendor or vendors that will best fit the application and organization requirements.

The following are examples of future work in reference to this methodology:

1. Further testing from more organizations and applications.
2. Further evaluating across a broader range of cloud vendors.
3. Further validation from professionals related to this filed.

4. Further research of when it is more cost effective to implement on a private cloud compared to a public cloud.
5. Creation of a tool to make the process of analysis and scoring easier.
6. Investigation of vendor lock-in, determine to what degree organizations are dependent on cloud vendors, and when it is better to use a cloud vendor feature instead of deploying a custom solution.
7. Investigation into how to determine if a cloud feature will work as intended during implementation.
8. Further research into managing a private cloud and what it entails.

## REFERENCES

- Al-Roomi, M., Al-Ebrahim, S., Buqrais, S., & Ahmad, I. (2013). Cloud Computing Pricing Models: A Survey. *International Journal of Grid and Distributed Computing*, 6(5), 93–106. Retrieved from [http://www.sersc.org/journals/IJGDC/vol6\\_no5/9.pdf](http://www.sersc.org/journals/IJGDC/vol6_no5/9.pdf)
- Apprenda. (n.d.). PaaS Examples: Platform as a Service Providers | Apprenda. Retrieved from <https://apprenda.com/library/paas/paas-examples-platformasaservice-options-to-consider/>
- AWS, A. (n.d.-a). Amazon EC2 Dedicated Hosts. Retrieved December 10, 2015, from <https://aws.amazon.com/ec2/dedicated-hosts/>
- AWS, A. (n.d.-b). Amazon Web Services Simple Monthly Calculator. Retrieved January 13, 2016, from <http://calculator.s3.amazonaws.com/index.html>
- AWS, A. (2015). Cloud Products & Services - Amazon Web Services (AWS). Retrieved November 26, 2015, from <https://aws.amazon.com/products/>
- Barham, P., Dragovic, B., Fraser, K., Hand, S., Harris, T., Ho, A., ... Warfield, A. (2003). Xen and the art of virtualization. *ACM SIGOPS Operating Systems Review*, 37(5), 164. <http://doi.org/10.1145/1165389.945462>
- Barney, A. (2013). SirsiDynix Announces BLUEcloud Suite at COSUGI 2013 | SirsiDynix.com. Retrieved December 1, 2016, from <http://www.sirsidynix.com/press/announces-bluecloud-suite-at-cosugi-2013>
- Bias, R. (2008). Clouds are not Datacenters | Cloudscaling. Retrieved from <http://www.cloudscaling.com/blog/cloud-computing/clouds-are-not-datacenters/>
- Butler, B. (2014). Is there a point where a private cloud is cheaper than the public cloud? | Network World. Retrieved from <http://www.networkworld.com/article/2825994/cloud-computing/is-there-a-point-where-a-private-cloud-is-cheaper-than-the-public-cloud.html>
- Butler, B. (2015). Would Amazon ever offer a bare metal public cloud? | Network World. Retrieved December 10, 2015, from [http://www.networkworld.com/article/3011453/public-cloud/would-amazon-ever-offer-a-bare-metal-public-cloud.html?phint=newt=networkworld\\_daily\\_news\\_alert&phint=idg\\_eid=20d3ccc7a87f49c0544c3d4a4e006b#tk.NWWNLE\\_nlt\\_daily\\_pm\\_2015-12-02&siteid=&phint=tpc](http://www.networkworld.com/article/3011453/public-cloud/would-amazon-ever-offer-a-bare-metal-public-cloud.html?phint=newt=networkworld_daily_news_alert&phint=idg_eid=20d3ccc7a87f49c0544c3d4a4e006b#tk.NWWNLE_nlt_daily_pm_2015-12-02&siteid=&phint=tpc)

- Cohen, R. (2013). The Cloud Hits the Mainstream: More than Half of U.S. Businesses Now Use Cloud Computing - Forbes. Retrieved from <http://www.forbes.com/sites/reuvencohen/2013/04/16/the-cloud-hits-the-mainstream-more-than-half-of-u-s-businesses-now-use-cloud-computing/>
- Dardenne, A., van Lamsweerde, A., & Fickas, S. (1993). Goal-directed requirements acquisition. *Science of Computer Programming*, 20(1-2), 3–50. [http://doi.org/10.1016/0167-6423\(93\)90021-G](http://doi.org/10.1016/0167-6423(93)90021-G)
- David, L. (2009). Selecting the Right Cloud. *Info World Cloud Computing Deep Dive*, 2–9. Retrieved from [http://idge.staticworld.net/idge/insider/infoworld\\_cloudcomputing\\_premium.pdf](http://idge.staticworld.net/idge/insider/infoworld_cloudcomputing_premium.pdf)
- de Boer, F. S., Bonsangue, M. M., Jacob, J., Stam, A., & van der Torre, L. (2005). Enterprise Architecture Analysis with XML. In *Proceedings of the 38th Annual Hawaii International Conference on System Sciences* (p. 222b–222b). IEEE. <http://doi.org/10.1109/HICSS.2005.242>
- Docker. (2016). What is Docker? Retrieved October 22, 2016, from <https://www.docker.com/what-docker>
- Fleischmann, C., & Liddle, M. (2014). Day 2 - Amazon EC2 Masterclass - Getting the most from Amazon EC2. Retrieved April 14, 2015, from <http://www.slideshare.net/AmazonWebServices/awsapww-day2amazonec2masterclass>
- Ganesan, H. (2013). Cloud, Big Data and Mobile: April 2013. Retrieved from [http://harish11g.blogspot.com/2013\\_04\\_01\\_archive.html](http://harish11g.blogspot.com/2013_04_01_archive.html)
- Gewirtz, D. (n.d.). Rethinking CAPEX and OPEX in a cloud-centric world. Retrieved from <http://www.zdnet.com/article/rethinking-capex-and-opex-in-a-cloud-centric-world/>
- Hogan, C. (2016). Compare and Contrast: Photon Controller vs VIC (vSphere Integrated Containers) - Cloud-Native AppsCloud-Native Apps - VMware Blogs. Retrieved October 22, 2016, from <http://blogs.vmware.com/cloudnative/compare-contrast-photon-controller-vs-vic-vsphere-integrated-containers/>
- Johnson, P., Lagerström, R., Närman, P., & Simonsson, M. (2007). Enterprise architecture analysis with extended influence diagrams. *Information Systems Frontiers*, 9(2-3), 163–180. <http://doi.org/10.1007/s10796-007-9030-y>
- LeBlanc, R.-L. (2014). *Analysis of Data Center Network Convergence Technologies. All Theses and Dissertations*. Brigham Young University. Retrieved from <http://scholarsarchive.byu.edu/etd/4150>

- Li, A., Yang, X., Kandula, S., & Zhang, M. (2010). CloudCmp: Comparing Public Cloud Providers. Retrieved August 10, 2015, from [http://delivery.acm.org/10.1145/1880000/1879143/p1-li.pdf?ip=128.187.103.98&id=1879143&acc=ACTIVE\\_SERVICE&key=B63ACEF81C6334F5.E4A70A1B77145BCF.4D4702B0C3E38B35.4D4702B0C3E38B35&CFID=544244588&CFTOKEN=69995939&\\_\\_acm\\_\\_=1441781966\\_af1c4a52b2ecff89480b](http://delivery.acm.org/10.1145/1880000/1879143/p1-li.pdf?ip=128.187.103.98&id=1879143&acc=ACTIVE_SERVICE&key=B63ACEF81C6334F5.E4A70A1B77145BCF.4D4702B0C3E38B35.4D4702B0C3E38B35&CFID=544244588&CFTOKEN=69995939&__acm__=1441781966_af1c4a52b2ecff89480b)
- Matteson, S. (2013). 10 things you shouldn't virtualize - TechRepublic. Retrieved December 2, 2015, from <http://www.techrepublic.com/blog/10-things/10-things-you-shouldnt-virtualize/>
- Mell, P., & Grance, T. (2011). *NIST SP 800-145, The NIST Definition of Cloud Computing - SP800-145.pdf*. Retrieved from <http://csrc.nist.gov/publications/nistpubs/800-145/SP800-145.pdf>
- Needleman, R. (2012). Dropbox rival Space Monkey puts “cloud” in your house. Retrieved from <http://www.cnet.com/news/dropbox-rival-space-monkey-puts-cloud-in-your-house/>
- Networks, A. (2013). Public or Private Cloud: The Choice is Yours. Retrieved from <http://www.aerohive.com/pdfs/Aerohive-Whitepaper-Public-or-Private-Cloud.pdf>
- Nuseibeh, B., & Easterbrook, S. (2000). Requirements engineering. In *Proceedings of the conference on The future of Software engineering - ICSE '00* (pp. 35–46). New York, New York, USA: ACM Press. <http://doi.org/10.1145/336512.336523>
- OpenStack, & VMware. (n.d.). VMWare and OpenStack - Pure Play OpenStack. Retrieved September 10, 2015, from <https://www.mirantis.com/why-mirantis/openstack-technology/comparing-vmware-and-openstack/>
- Rackspace. (n.d.-a). Dedicated Server Hosting & Management | Rackspace. Retrieved December 9, 2015, from <http://www.rackspace.com/dedicated-servers>
- Rackspace. (n.d.-b). Rackspace Cloud Pricing Calculator - Estimate Your Cost Quickly. Retrieved January 13, 2016, from <https://www.rackspace.com/calculator>
- Rouse, M. (2013). Hybrid Cloud. Retrieved from <http://searchcloudcomputing.techtarget.com/definition/hybrid-cloud>
- Rubens, P. (2012). Top 10 Reasons Not to Virtualize. Retrieved December 3, 2015, from <http://www.serverwatch.com/server-trends/top-10-reasons-not-to-virtualize.html>
- Sharp, H., Finkelstein, A., & Galal, G. (1999). Stakeholder identification in the requirements engineering process. In *Proceedings. Tenth International Workshop on Database and Expert Systems Applications. DEXA 99* (pp. 387–391). IEEE. <http://doi.org/10.1109/DEXA.1999.795198>
- SirsiDynix. (n.d.). BLUEcloud LSP. Retrieved April 14, 2016, from <http://www.sirsidynix.com/lsp>



SirsiDynix. (2016). SaaS | SirsiDynix.com. Retrieved from <http://www.sirsidynix.com/services/saas>

TechTarget. (2015). What is Infrastructure as a Service (IaaS)? - Definition from WhatIs.com. Retrieved from <http://searchcloudcomputing.techtarget.com/definition/Infrastructure-as-a-Service-IaaS>

VMware. (n.d.-a). vCloud Suite, vSphere-Based Private Cloud: VMware. Retrieved from <http://www.vmware.com/products/vcloud-suite.html>

VMware. (n.d.-b). VMware ROI TCO Calculator for Server and Desktop Virtualization. Retrieved January 13, 2016, from <http://roitco.vmware.com/vmw/CP/CP?tbx=0>

Weins, K. (2016). Cloud Computing Trends: 2016 State of the Cloud Survey. Retrieved October 22, 2016, from <http://www.rightscale.com/blog/cloud-industry-insights/cloud-computing-trends-2016-state-cloud-survey>

## APPENDICES

## APPENDIX A: BLUECLOUD REQUIREMENTS LIST

Requirement	What it is (Role?)	Why it is needed/picked
Java	Programming platform	Development familiarity
Tomcat	Web server	Required to deploy Java applications
Linux	Operating System	Support staff familiarity
Cache	Performance optimization	
Compute nodes	Virtual Resources	Run OS and applications
Local storage	Data Storage	Store persistent data
Network	Infrastructure	Allow customers to interact with software
MySQL Database	Database	Store persistent data and configuration
Database Failover	High Availability	Ensure availability of database
Database Backups	Disaster recovery	Disaster recovery
Redundancy/HA	High Availability	Ensure availability for customers.
Load Balancer	Load Balancer	Distribute traffic across backend servers
Application Health Checks	Application monitoring	Verify the application is healthy and can receive traffic
Availability/Capacity to sustain load	High Availability	Ensure the service has the necessary resources to sustain the load.
Shared storage	Shared file system	Store objects
DNS	Server name resolution	Server name resolution
Vertical Scaling	Performance optimization	Ensure servers are optimized for application performance
Horizontal Scaling	High Availability	Ensure application has sufficient capacity for load
Server Firewall restrictions	Security	Restrict access to servers
Auto Recovery	High availability	If there are issues with an application replace or fix the server the application is running on

VM Template	Base image with shared components	Speed up provisioning of new servers
Monitoring	Application and server Monitoring	Monitor and report on the status of the application
Logging	Application and server logging	Record errors
ElasticSearch nodes	Search indexing	Index data for responsive results
ElasticSearch Clustering	Performance optimization	Distributes indexing across nodes
Regional Installs	Performance optimization, contractual agreements	Reduces latency for customers and international requirements
International Requirements	Performance optimization, contractual agreements	Reduces latency for customers and international requirements
Non-Production Environments	Development and Testing	Development and Testing
Deployment Methods	Deployment and provisioning	Consistency for customers
Security Requirements	Data security and integrity	Data security and integrity
Monetary costs	Manage operating costs	Manage operating costs

## APPENDIX B: AWS EVALUATION

Feature	Description
<b>Compute</b>	
Elastic Compute Cloud (EC2)	Resizable compute capacity in the cloud.
EC2 Containers	Highly scalable, high performance container management service that supports Docker containers
Elastic Beanstalk	Service for deploying and scaling web applications and services
Auto Scaling	Maintain application availability and allows Amazon EC2 to scale capacity up or down automatically according to conditions you define.
Load Balancing	Automatically distributes incoming application traffic across multiple Amazon EC2 instances.
Amazon Machine Images (AMI)	A template for the root volume for the instance.
<b>Storage &amp; Content Delivery</b>	
S3	Secure, durable, highly-scalable cloud storage
CloudFront	Global content delivery network (CDN) service that accelerates delivery of your websites, APIs, video content or other web assets.
Elastic Block Storage (EBS)	Persistent block level storage volumes for use with Amazon EC2 instances
File System Storage	Simple, scalable file storage for use with Amazon EC2 instances
Glacier	Secure, durable, and extremely low-cost cloud storage service for data archiving and long-term backup
Data Transport	Data transport solution that uses secure appliances to transfer large amounts of data into and out of the AWS cloud.
Integrated Storage	Service connecting an on-premises software appliance with cloud-based storage to provide seamless and secure integration between an organization's on-premises IT environment and AWS's storage infrastructure.
<b>Database</b>	
Relational Database Service (RDS)	Set up, operate, and scale a relational database in the cloud.
Database Migration	Migrate databases to AWS easily and securely.
Dynamo DB	Fast and flexible NoSQL database service for all applications that need consistent, single-digit millisecond latency at any scale.

ElastiCache	Deploy, operate, and scale an in-memory data store or cache in the cloud.
Redshift	Fast, fully managed, petabyte-scale data warehouse that makes it simple and cost-effective to analyze data using existing business intelligence tools.
<b>Networking</b>	
Virtual Private Cloud	Logically isolated section of the Amazon Web Services (AWS) cloud where AWS resources are launched in a definable virtual network.
Direct Connections	Dedicated network connection from your premises to AWS.
Load Balancing	Automatically distributes incoming application traffic across multiple Amazon EC2 instances.
DNS - Route 53	Highly available and scalable cloud Domain Name System (DNS) web service.
<b>Analytics</b>	
Elastic Map Reduce (EMR)	Quickly and cost-effectively process vast amounts of data.
Data Pipelines	Reliably process and move data between different AWS compute and storage services, as well as on-premise data sources, at specified intervals.
Elasticsearch	Deploy, operate, and scale Elasticsearch in the AWS Cloud.
Streaming Data	Platform for streaming data on AWS, offering powerful services to make it easy to load and analyze streaming data, and also providing the ability for you to build custom streaming data applications for specialized needs.
Machine Learning	Makes it easy for developers of all skill levels to use machine learning technology.
Business Intelligence	Very fast, cloud-powered business intelligence (BI) service that makes it easy for all employees to build visualizations, perform ad-hoc analysis, and quickly get business insights from their data.
Data Warehouse	Fast, fully managed, petabyte-scale data warehouse that makes it simple and cost-effective to analyze all your data using your existing business intelligence tools.
<b>Enterprise Applications</b>	
Desktop Virtualization	Fully managed, secure desktop computing service which runs on the AWS cloud.
Email & Calendaring	Secure, managed business email and calendar service with support for existing desktop and mobile email clients.
Document Sharing & Feedback	Fully managed, secure enterprise storage and sharing service with strong administrative controls and feedback capabilities that improve user productivity.
<b>Mobile Services</b>	
Mobile Hub	Add and configure features for your mobile apps, including user authentication, data storage, backend logic, push notifications, content delivery, and analytics.
API Gateway	Create, publish, maintain, monitor, and secure APIs at any scale.
Cognito	Add user sign-up and sign-in to your mobile and web apps.

Device Farm	App testing service that lets you test and interact with your Android, iOS, and web apps on many devices at once, or reproduce issues on a device in real time.
Mobile Analytics	Measure app usage and app revenue.
Mobile SDK	Helps build high quality mobile apps quickly and easily.
Simple Notification Service (SNS)	Fast, flexible, fully managed push notification service that lets you send individual messages or to fan-out messages to large numbers of recipients
<b>Internet of Things</b>	
IoT	Managed cloud platform that lets connected devices easily and securely interact with cloud applications and other devices.
<b>Developer Tools</b>	
Source Code Management	Fully-managed source control service that makes it easy for companies to host secure and highly scalable private Git repositories.
CodeDeploy	Automates code deployments to any instance, including Amazon EC2 instances and instances running on-premises.
CodePipeline	Continuous delivery service for fast and reliable application updates.
<b>Management Tools</b>	
CloudWatch	Monitoring service for AWS cloud resources and the applications run on AWS.
CloudFormation	Easy way to create and manage a collection of related AWS resources, provisioning and updating them in an orderly and predictable fashion.
CloudTrail	Web service that records AWS API calls for your account and delivers log files to you.
AWS Config	An AWS resource inventory, configuration history, and configuration change notifications to enable security and governance.
OpsWorks	Configuration management service that helps you configure and operate applications of all shapes and sizes using Chef.
Service Catalog	Allows organizations to create and manage catalogs of IT services that are approved for use on AWS.
Trusted Advisor	An online resource to help you reduce cost, increase performance, and improve security by optimizing your AWS environment, Trusted Advisor provides real time guidance to help you provision your resources following AWS best practices.
<b>Security &amp; Identity</b>	
Access Control	Securely control access to AWS services and resources for your users.
Identity Management	Microsoft Active Directory (AD) in the AWS cloud, or connect your AWS resources with an existing on-premises Microsoft Active Directory.
Security Assessment	Automated security assessment service that helps improve the security and compliance of applications deployed on AWS.
Key Storage & Management	Dedicated Hardware Security Module (HSM) appliances within the AWS cloud.

Web Application Firewall	Web application firewall that helps protect your web applications from common web exploits that could affect application availability, compromise security, or consume excessive resources.
<b>Application Services</b>	
API Management	Create, publish, maintain, monitor, and secure APIs at any scale.
App Streaming	Deliver Windows applications to any device.
Search	Simple and cost-effective to set up, manage, and scale a search solution for your website or application.
Transcoding	Media transcoding in the cloud.
Email	Cost-effective email service
Notifications	Fast, flexible, fully managed push notification service that lets you send individual messages or to fan-out messages to large numbers of recipients.
Queueing (SQS)	Fast, reliable, scalable, fully managed message queuing service.
Workflow	Build, run, and scale background jobs that have parallel or sequential steps.
<b>Regional Network</b>	
Regions	Independent global locations to reduce data latency
Availability zones	Each region has multiple, isolated locations with highly-available data centers.
<b>Support</b>	
Basic	24x7 access to customer service, documentation, whitepapers, and support forums
Developer	Business hours access to Cloud Support Associates via email
Business	24x7 access to Cloud Support Engineers via email, chat & phone
Enterprise	24x7 access to Sr. Cloud Support Engineers via email, chat & phone



## APPENDIX C: RACKSPACE EVALUATION

Feature	Description
<b>Compute</b>	
Cloud Servers	Rackspace Virtual Cloud Servers are high-performance, reliable servers designed to help grow and scale your business quickly and easily.
OnMetal	OnMetal Cloud Servers give bare-metal speeds, consistent performance and the scalability of the cloud in a single-tenant environment.
Cloud Images	Wide range of Linux, Windows, networking and custom images.
<b>Network</b>	
Cloud Networks	Fully isolated, single-tenant, SDN Cloud Networks to connect your web site or application to a database.
Cloud DNS	Using our Cloud Control Panel and API to list, add, modify, and remove domains, subdomains, and records, as well as import and export domains and records
Cloud Load Balancers	Cloud Load Balancers manage online traffic by distributing workloads across multiple servers and resources—automatically or on demand.
RackConnect	Dedicated hosting and the scalability of the cloud, connect your dedicated servers to the fully managed cloud
<b>Storage</b>	
Cloud Block Storage	Cloud Load Balancers manage online traffic by distributing workloads across multiple servers and resources
Cloud Backup	Cloud Backup safeguards your business by helping to protect the important files your website or application needs. Quickly get back to normal operations by rapidly restoring files after a system failure or file loss.
Cloud Files	Improve web experience and reduce server load by automatically moving content closer to your users around the globe. Store as many files as you want—even very large files.
Cloud CDN	Improve web experience and reduce server load by automatically moving content closer to your users around the globe.
<b>Infrastructure &amp; Developer Tools</b>	
Cloud Orchestration	Powered by OpenStack Heat, build your own custom templates or quickly deploy one of our production-ready templates from our Application Catalog.

Auto Scale	Automatically grow or shrink your environment to handle changes in your site's traffic.
Rackspace Monitoring	Know how your systems are performing at all times with customizable enterprise-grade monitoring.
Cloud Queues	Easily connect your distributed applications without installing complex software. Create queues and then start posting and claiming unlimited messages
<b>Data Services</b>	
Object Rocket NoSQL	We offer fast, scalable, reliable, and automated instances of the most popular NoSQL databases so you can focus on your cutting-edge application, not your database.
Cloud Databases	Performance-optimized database for your application. deploy MySQL, Percona Server, or MariaDB
Cloud Big Data	A robust environment powered by Apache™ Hadoop® and Spark that's sized to fit your high-volume data processing needs and your budget.
<b>General</b>	
Global infrastructure	Enterprise-grade global data centers located in Chicago, Dallas, Northern Virginia, London, Hong Kong and Sydney.
<b>Support</b>	
Managed Infrastructure	Our team will provide on-call guidance and best practice recommendations and help you improve the availability, scalability and security of your OpenStack cloud.
SysOps	Enjoy all the features of Managed Infrastructure, plus we'll handle the System Administrator tasks, routine maintenance and troubleshooting of your OpenStack cloud.
<b>DevOps Automation</b>	
Advisory Workshop	Collaborative workshop sessions to assess your business objectives, pain points, application architectures and organizational culture. We provide recommendations and strategic roadmaps to help you reach your aspirational states.
On Demand	A platform and tools-agnostic offering with services available on a host of platforms using a host of technologies.
Maintenance	Collaboration with you on changes to your environment, providing expert advice and handling infrastructure automation and CI/CD configuration change implementations.

## APPENDIX D: VMWARE VCLLOUD EVALUATION

Feature	Description
<b>VMWare vCloud</b>	
<b>vSphere</b>	Get the best performance, availability, and efficiency from your infrastructure and applications
vSphere Hypervisor	Hypervisor
vSphere vMotion	Live migrate workloads between VMware based clouds
Virtual Symmetric Multiprocessing	Enables a single virtual machine to use multiple physical processors simultaneously
Virtual Machine File System (VMFS)	Repositories for virtual machines
vSphere High Availability	High availability capability that utilizes server health information and migrates VMs from degraded hosts before problem occurs
vSphere Fault tolerance	Continuous availability by having identical virtual machines run on separate hosts.
vSphere Data Protection (backup and replication)	Backup and restore a virtual machines
vShield Endpoint (antivirus and antimalware solutions)	Antivirus and antimalware solutions
vSphere Content Library (templates etc.)	Library items are VM templates, vApp templates, or other VMware objects
<b>SiteManager</b>	Industry-leading disaster recovery software to enable application availability and mobility across sites
Non-disruptive recovery testing	Perform automated failover testing as frequently as needed in an isolated network to avoid impact to production applications and ensure regulatory compliance through detailed reports.
Automated orchestration workflows (DR failover or migration)	Perform a DR failover or a planned migration, and failback recovered virtual machines to the original site
<b>vRealize Operations</b>	Intelligent operations management from applications to infrastructure across physical, virtual and cloud
smart alerts	Right-sizing, capacity metering, trending, resource optimization, etc.

monitoring of OS resources (advanced/enterprise)	Provides information about securing your vSphere® environment for VMware® vCenter® Server and VMware ESXi
Capacity metering	Right-sizing, capacity metering, trending, resource optimization, etc.
vSphere hardening	Enable pre-defined and custom compliance alerts
<b>vRealize Automation</b>	Deploy across a multi-vendor hybrid cloud infrastructure,
Service catalog	Personalized service catalog for infrastructure, application and custom services.
Multi-vendor, hybrid cloud infrastructure	Release automation and continuous delivery to enable frequent, reliable software releases while reducing operational risks.
Blueprint model and design	Streamline the design process by assembling applications from pre-built components using a visual canvas with a drag and drop interface
Code Stream (application release automation)	Automatically and continuously track the cost of on-premises vSphere virtual infrastructure, as well as easily assess how much the business is spending across multiple public cloud providers and accounts.
<b>vRealize Business</b>	Automates cloud costing, consumption analysis and comparison, delivering the insight needed to efficiently deploy and manage cloud environments.
Service costing	Automating cost comparisons on current and planned workloads helps IT organizations quickly evaluate cloud options and improve decision making.
planning and budgeting	VRealize Log Insight delivers heterogeneous and highly scalable log management with intuitive, actionable dashboards, sophisticated analytics and broad third-party extensibility, providing deep operational visibility and faster troubleshooting
scenario planning and forecasting	Secure, dedicated hybrid cloud platform built on VMware vSphere
<b>vRealize Log Insight</b>	Heterogeneous and highly scalable log management with intuitive, actionable dashboards, sophisticated analytics and broad third-party extensibility, providing deep operational visibility and faster troubleshooting
<b>vCloud Air</b>	Secure, dedicated hybrid cloud platform built on VMware vSphere.
<b>Virtual SAN</b>	Enable logical layer 2 overlay extensions across a routed (L3) fabric within and across data center boundaries
<b>NSX</b>	Support for VXLAN to VLAN bridging for seamless connection to physical workload
logical switching	Dynamic routing between virtual networks performed in a distributed manner in the hypervisor kernel, scale-out routing with active-active failover with physical router
NSX Gateway	Distributed stateful firewalling, embedded in the hypervisor kernel

logical routing	L4–L7 load balancer with SSL offload and pass-through, server health checks, and App Rules for programmability and traffic manipulation
logical firewall	Site-to-site and remote-access VPN capabilities, unmanaged VPN for cloud gateway services
logical load balancer	RESTful API for integration into any cloud management platform or custom automation
logical VPN	Site-to-site and remote-access VPN capabilities, unmanaged VPN for cloud gateway services.
NSX Api	RESTful API for integration into any cloud management platform or custom automation

## APPENDIX E: SIRSIDYNIX BLUECLOUD MAPPING

Application Requirements	AWS	Rackspace	vCloud
Java	AMI	Cloud Images	VMs
Tomcat	AMI	Cloud Images	VMs
OS	AWS Linux, RHEL, Solaris, Windows	CentOS, Debian, RHEL, Ubuntu, Windows	RHEL, CentOS, Debian, Ubuntu, Windows, Solaris
Cache	Elasticaache	No Provided solution	No Provided Solution
Compute nodes	EC2	Cloud Servers/On Metal	VMs
Local storage	EBS	Cloud Block Storage	VMs
MySQL Database	RDS	Cloud Databases	No Provided Solution
Database Failover	RDS Multi/AZ, Read Replicas	Cloud Databases	No Provided Solution
Database Backups	RDS Snapshots	Cloud Databases	VM Snapshots, vSphere Data Protection, Custom Automation
Redundancy/HA	ELB, Multiple AZ, regions	Global infrastructure	vCloud Air, Site Manager(Automated Orchestration Workflows, DR failover or migration)
Load Balancer	ELB	Cloud Load Balancers	NSX (Logical routing, logical load balancer)
Health Checks (verifying that application can receive traffic)	ELB Health checks	Cloud Load Balancers Health checks	NSX(logical load balancer)
Availability/Capacity to sustain load	Auto Scaling Groups	Auto Scale	vRealize Operations(capacity metering)
Shared storage	S3	Cloud Files	Virtual SAN
DNS	Route 53	Cloud DNS	NSX

Vertical Scaling	Launch Configuration, resize from web console	Cloud Servers (resize from console)	vSphere, vRealize Operations, SiteManager
Horizontal Scaling	Auto Scaling Groups	Auto Scale	vSphere, vRealize Operations, SiteManager
Server Firewall restrictions	Security Groups	Security Groups	NSX (Logical Firewall, NSX Gateway)
Auto Recovery	Auto Scaling Groups	Auto Scale	SiteManager, vRealize Operations,
VM Template	AMI	Cloud Images	vRealize Automation (Service Catalog), vSphere Templates
Monitoring	Cloud Watch	Cloud Monitoring	vRealize operations(Capacity metering)
Application Logging	Cloud Watch	No Provided solution	vRealize Log Insight
ElasticSearch nodes	AWS Elasticsearch	No Provided solution	No Provided Solution
ElasticSearch Clustering	AWS Elasticsearch	No Provided solution	No Provided Solution
Regional Installs	AWS Regions	Global infrastructure	Multiple sites
International Requirements	AWS Regions	Global infrastructure	Multiple sites
Deployment Methods	AWS OpsWorks, Beanstalk,	Rackspace Devops	Blueprint model and design, Code Stream
Security Requirements	Security Groups,	Security Groups	NSX
3 yr. Monetary costs (Estimated)	1,188,000 (On-demand)	\$1,695,600 (Cloud servers)	\$1,234,000 Licensing(Assuming sufficient hardware)
hardware maintenance	Cloud controlled	Cloud controlled	Locally controlled

## APPENDIX F: SIRSIDYNIX BLUECLOUD SCORE SHEET

Completed score sheet for SirsiDynix BLUEcloud



Application Requirements	weight	AWS	Score 0-5	Total	Rackspace	Score 0-5	Total	vCloud	Score 0-5	Total
Java	1	AMI	5	5	Cloud Images	5	5	VMs	5	5
Tomcat	1	AMI	5	5	Cloud Images	5	5	VMs	5	5
OS	1	AWS Linux, RHEL, Solaris, Windows	5	5	CentOS, Debian, RHEL, Ubuntu, Windows	5	5	RHEL, CentOS, Debian, Ubuntu, Windows, Solaris	5	5
Shared Cache	1.2	Elasticache	5	6	No Provided solution	1	1.2	No Provided Solution	1	1.2
Compute nodes	1	EC2	5	5	Cloud Servers/OnMetal	5	5	VMs	5	5
Local storage	1	EBS	5	5	Cloud Block Storage	5	5	VMs	5	5
MySQL Database	1.9	RDS	5	9.5	Cloud Databases	5	9.5	No Provided Solution	1	1.9
Database Failover	1.7	RDS Multi/AZ, Read Replicas	5	8.5	Cloud Databases	4	6.8	No Provided Solution	1	1.7
Database Backups	1.8	RDS Snapshots	5	9	Cloud Databases	4	7.2	VM Snapshots, vSphere Data Protection, Custom Automation	2	3.6
Redundancy/HA	1.8	ELB, Multiple AZ, regions	5	9	Global infrastructure	5	9	vCloud Air, Site Manager(Automated Orchestration Workflows, DR failover or migration)	5	9
Load Balancer	1.6	ELB	4	6.4	Cloud Load Balancers	5	8	NSX (Logical routing, logical load balancer)	5	8
Health Checks (verifying that application can receive traffic)	1	ELB Health checks	5	5	Cloud Load Balancers Health checks	5	5	NSX(logical load balancer)	5	5
Availability/Capacity to sustain load	1.8	Auto Scaling Groups	5	9	Auto Scale	5	9	vRealize Operations(capacity metering)	5	9
Shared storage	1	S3	5	5	Cloud Files	5	5	Virtual SAN	5	5
DNS	1	Route 53	5	5	Cloud DNS	5	5	NSX	5	5
Vertical Scaling	1	Launch Configuration, resize from web console	4	4	Cloud Servers (resize from console)	4	4	vSphere, vRealize Operations, SiteManager	4	4

Horizontal Scaling	1.6	Auto Scaling Groups	5	8	Auto Scale	5	8	vSphere, vRealize Operations, SiteManager	5	8
Server Firewall restrictions	1.9	Security Groups	5	9.5	Security Groups	5	9.5	NSX (Logical Firewall, NSX Gateway)	5	9.5
Auto Recovery	1.5	Auto Scaling Groups	5	7.5	Auto Scale	5	7.5	SiteManager, vRealize Operations,	5	7.5
VM Template	1.1	AMI	5	5.5	Cloud Images	5	5.5	vRealize Automation (Service Catalog), vSphere Templates	5	5.5
Monitoring	1.7	Cloud Watch	5	8.5	Cloud Monitoring	5	8.5	vRealize operations(Capacity metering)	5	8.5
Application Logging	1	Cloud Watch	3	3	No Provided solution	1	1	vRealize Log Insight	5	5
ElasticSearch nodes	1.9	AWS Elasticsearch	5	9.5	No Provided solution	1	1.9	No Provided Solution	1	1.9
ElasticSearch Clustering	1.5	AWS Elasticsearch	5	7.5	No Provided solution	1	1.5	No Provided Solution	1	1.5
Regional Installs	1.4	AWS Regions	4	5.6	Global infrastructure	4	5.6	Multiple sites	3	4.2
International Requirements	1.4	AWS Regions	3	4.2	Global infrastructure	3	4.2	Multiple sites	5	7
3 yr. Monetary costs (Estimated)	1.2	1,188,000 (On-demand)	5	6	\$1,695,600 (Cloud servers)	3	3.6	\$1,234,000 Licensing(Assuming sufficient hardware)	4	4.8
totals:				185.7			161			149.4

## APPENDIX G: SIRSIDYNIX ANALYTICS ANALYSIS AND CLOUD MAPPING

<b>Application Requirements</b>	<b>AWS</b>	<b>Rackspace</b>	<b>vCloud</b>
Queue system	AWS SQS	Cloud Queues	No Provided Solution
Hadoop cluster	AWS MapReduce	Cloud Bid Data	No Provided Solution
shared storage (store transformed files)	S3	Cloud	No Provided Solution
Java	AMI	Cloud Images	VMs
Tomcat	AMI	Cloud Images	VMs
client service access	ELB	Cloud Load Balancers	NSX(Logical Load balancer)
MicroStrategy	No Provided Solution	No Provided Solution	No Provided Solution
Monetary costs	1,188,000/3 years On-demand	\$1,695,600/3 years Cloud servers	\$1,234,000 /3 yrs. Licensing(Assuming sufficient hardware and existing vSphere Enterprise license)
Load Balancer	ELB	Cloud Load Balancers	NSX(Logical Load balancer)
Health Checks (verifying that application can receive traffic)	ELB Health checks	Cloud Load Balancers Health checks	NSX(logical load balancer)
Monitoring	Cloud Watch	Cloud Monitoring	vRealize operations(Capacity metering)
Application Logging	Cloud Watch	No Provided solution	No Provided Solution
MySQL Database	RDS	Cloud Databases	No Provided Solution
Database Failover	RDS Multi/AZ, Read Replicas	Cloud Databases	No Provided Solution
Database Backups	RDS Snapshots	Cloud Databases	VM Snapshots, vSphere Data Protection, Custom Automation
DNS	Route 53	Cloud DNS	NSX
Load Balancer	Elastic Load Balancer	Cloud Load Balancers	NSX (Logical routing, logical load balancer)

International Requirements	AWS Regions	Global infrastructure	Multiple sites
Java	AMI	Cloud Images	VMs
Tomcat	AMI	Cloud Images	VMs
OS	AWS Linux, RHEL, Solaris, Windows	CentOS, Debian, RHEL, Ubuntu, Windows	RHEL, CentOS, Debian, Ubuntu, Windows, Solaris
Redundancy/HA	ELB, Multiple AZ, regions	Global infrastructure	vCloud Air, Site Manager(Automated Orchestration Workflows, DR failover or migration)
Load Balancer	ELB	Cloud Load Balancers	NSX (Logical routing, logical load balancer)
Control of the data	Minimal	Minimal	complete control
Country restrictions (Canada, Europe, China, US, Australia)	regions, North America, Ireland, Sydney, China (Request required), Not available - Only Partners in Canada	Regions, Hong Kong, Not in Canada	Wherever a datacenter is located

## APPENDIX H: SIRSIDYNIX ANALYTICS CLOUD SCORING

Completed score sheet for SirsiDynix Analytics

Application Requirements	Weight	AWS	Score 0-5	Total	Rackspace	Score 0-5	Total	vCloud	Score 0-5	Total
Queue system	1.3	AWS SQS	4	5.2	Cloud Queues	4	5.2	No Provided Solution	1	1.3
Hadoop cluster	1.6	AWS MapReduce	4	6.4	Cloud Bid Data	4	6.4	No Provided Solution	1	1.6
Large data storage	1.8	S3	5	9	Cloud Files	5	9	No Provided Solution	1	1.8
VM Template	1	AMI	5	5	Cloud Images	5	5	VMs	5	5
client service access	1.7	ELB	5	8.5	Cloud Load Balancers	5	8.5	NSX(Logical Load balancer)	5	8.5
MicroStrategy	1.6	No Provided Solution	1	1.6	No Provided Solution	1	1.6	No Provided Solution	1	1.6
Monetary costs	1.5	1,188,000/3 years On-demand	4	6	\$1,695,600/3 years Cloud servers	3	4.5	\$1,234,000 /3 yrs. Licensing(Assuming sufficient hardware and existing vSphere Enterprise license)	4	6
Load Balancer	1	ELB	4	4	Cloud Load Balancers	5	5	NSX(logical load balancer)	5	5
Monitoring	1.4	Cloud Watch	5	7	Cloud Monitoring	5	7	vRealize operations(Capacity metering)	5	7
Application Logging	1.4	Cloud Watch	3	4.2	No Provided solution	1	1.4	No Provided Solution	1	1.4
MySQL Database	1	RDS	5	5	Cloud Databases	5	5	No Provided Solution	1	1
Database Failover	1	RDS Multi/AZ, Read Replicas	5	5	Cloud Databases	4	4	No Provided Solution	1	1
Database Backups	1.3	RDS Snapshots	5	6.5	Cloud Databases	4	5.2	VM Snapshots, vSphere Data Protection, Custom Automation	2	2.6
DNS	1	Route 53	5	5	Cloud DNS	5	5	NSX	5	5
International Requirements	2	AWS Regions	4	8	Global infrastructure	4	8	Multiple sites	5	10
OS	1	AWS Linux, RHEL, Solaris, Windows	5	5	CentOS, Debian, RHEL, Ubuntu, Windows	5	5	RHEL, CentOS, Debian, Ubuntu, Windows, Solaris	5	5
Control of the data	2	Minimal	2	4	Minimal	2	4	Complete control	5	10

International restrictions (Canada, Europe, china, us, Australia)	2	regions, North America, Ireland, Sydney, China (Request required), Not available - Only Partners in Canada	1	2	Regions, Hong Kong, Not in Canada	1	2	Wherever a datacenter is located	4	8
3 yr. Monetary costs (Estimated)	1.5	\$1,195,200 (On-Demand)	4	6	\$1,724,400 (Cloud Servers)	3	4.5	\$689,000 Licensing (assuming sufficient hardware)	5	6
		<b>Totals:</b>		97			91.8			81.8

## APPENDIX I: RECIPE SITE ANALYSIS AND CLOUD MAPPING

Application requirements	AWS	Rackspace	vCloud
Ruby on Rails	NA	NA	NA
MySQL	RDS	Cloud Databases	No Provided Solution
NoSQL	Dynamo DB	Object Rocket NoSQL	No Provided Solution
Message Queue system	SQS	Cloud Queues	No Provided Solution
Container virtualization	EC2 Containers	No Provided Solution	No Provided Solution
Continuous integration	AWS CodeDeploy, OpsWorks	DevOps Services	No Provided Solution
Load balancing	Elastic Load Balancing	Cloud Load Balancers	NSX (Logical routing, logical load balancer)
DB backups	RDS/Dynamo DB	Cloud Databases/Rocket NoSQL	No Provided Solution
DB replication/redundancy	RDS/Dynamo DB	Cloud Databases/Rocket NoSQL	No Provided Solution
High Availability	AutoScale/ELB	Auto Scale/Cloud Load Balancers	SiteManager, vRealize Operations
Firewall	Security Groups	Cloud Networks	NSX
Server Monitoring	Cloud Watch	DevOps Services	vRealize operations(Capacity metering)
Application Logging	Cloud Watch	DevOps Services	No Provided Solution
Configuration Management System	OpsWorks	DevOps Services	No Provided Solution
3 yr. Monetary costs (Estimated)	\$34,095 (Enterprise support would be \$570,000+)	\$62,650	\$106,000
Support	Business level (Enterprise is not within the budget)	DevOps Services	Included Support



## APPENDIX J: RECIPE SITE CLOUD SCORE SHEET

Completed scoresheet for Recipe Site

Application requirements	Weight	AWS	Score	Total	Rackspace	Score	Total	vCloud	Score	Total
Ruby on Rails	2	NA	-	-	NA	-	-	NA	-	-
MySQL	1.9	RDS	5	9.5	Cloud Databases	5	9.5	No Provided Solution	1	1.9
NoSQL	1.9	Dynamo DB	5	9.5	Object Rocket NoSQL	5	9.5	No Provided Solution	1	1.9
Message Queue system	1	SQS	5	5	Cloud Queues	5	5	No Provided Solution	1	1
Container virtualization	2	EC2 Containers	5	10	No Provided Solution	1	2	No Provided Solution	1	2
Continuous integration	1.4	AWS CodeDeploy, OpsWorks	4	5.6	DevOps Services	5	7	vRealize Operations	4	1.4
Load balancing	1.3	Elastic Load Balancing	4	5.2	Cloud Load Balancers	5	6.5	NSX (Logical routing, logical load balancer)	5	6.5
DB backups	1.6	RDS/Dynamo DB	5	8	Cloud Databases/Rocket NoSQL	5	8	No Provided Solution	1	1.6
DB replication /redundancy	1.4	RDS/Dynamo DB	5	7	Cloud Databases/Rocket NoSQL	5	7	No Provided Solution	1	1.4
Availability	1.2	AutoScale/ELB	5	6	Auto Scale/Cloud Load Balancers	5	6	SiteManager, vRealize Operations,	5	6
Firewall	1.5	Security Groups	5	7.5	Cloud Networks	5	7.5	NSX	5	7.5
Server Monitoring	1.6	Cloud Watch	4	6.4	DevOps Services	5	8	vRealize Operations	4	1.6
Application Logging	1.7	Cloud Watch	3	5.1	DevOps Services	5	8.5	vRealize Log Insight	5	1.7
Configuration Management System	1.6	OpsWorks	4	6.4	DevOps Services	5	8	vRealize Operations	4	1.6
Support	2	Business Level	4	8	DevOps Services	5	10	Included Support	4	8
3 yr. Monetary costs	1.5	\$34,095	5	7.5	\$62,650	4	6	\$106,000 (Licensing only)	2	3
				106.7			108.5			47.1

## APPENDIX K: SURVEY

### Introduction

The purpose of my research is to analyze cloud implementation characteristics and application system requirements to create a model for scoring a platform against these requirements. This model can then be used to match the crucial application characteristics with the interface provided by a particular cloud implementation. This will then make it possible to formalize the process of selecting which cloud implementations are best suited for the specific application and organizational needs. This method will evaluate which cloud vendor, from a selection of cloud vendors, best matches an application. To validate this research I would like some peers to review and test my methodology then fill out a short survey about my methodology. What I need from you is to evaluate my method of matching an application to a cloud environment. If you are familiar with SirsiDynix BLUEcloud, it has been used in part for examples and can be used in the evaluation. If you aren't familiar with BLUEcloud, then select another cloud application that you are familiar with.

First, create a table or a list of requirements to run the cloud environment in a production environment and what an organization expects from the application. Features may include but aren't limited to:

1. CPU
2. RAM
3. IOPS
4. Operating Systems

5. Database
6. Web server
7. Cache solution
8. Other 3<sup>rd</sup> party apps
9. Etc.

An example for some of the SirsiDynix BLUEcloud application can be found in **BLUEcloud Application Requirements Example**

### **BLUEcloud.**

Second, identify most or all of the features of two or more cloud vendors. This is again just a list or table of cloud features. Three examples have been provided, AWS, Rackspace and VMWare. This would be features such as database solutions provided, or files storage solutions, and more. Sample lists can be found in sections **AWS Cloud Features List**, **Rackspace Cloud Features List**, and

### **VMWare Cloud Features List.**

Third, match which of the cloud features, if any, fulfil the requirement of the application. Create a table with columns for the application requirements identified in step 1, then a column for each cloud vendor. In the cloud vendor column, identify which cloud feature best fulfils the application requirement. For example, if the application requires a MySQL database, then AWS RDS and Rackspace Cloud Databases both fulfil this requirement, while VMWare doesn't provide a solution, but a solution can be implemented in VMWare by running your own MySQL database. A small subset of the application requirements to the cloud features of the BLUEcloud application can be found in **BLUEcloud Mapping**.

Fourth, then put a weight on each application feature on how important it is for the application. Add a column next to the application requirements to identify the weight. This would be a number range of your choosing, in my examples I use the range from 1 to 2. For example, the BLUEcloud application mostly runs on Tomcat, which means the specific operating

system may not be that critical and so it would only get a score of one. But the application requires a relational database such as MySQL, so it may receive a higher weight around 1.8. Next to each cloud feature create two columns for the feature score and the total. In the score column, rate each cloud feature on how well it fulfills the application requirement and multiply it by the weight to get the feature score. I used a weight range from 1 to 5 in my examples. Because AWS and Rackspace provide a MySQL solution, RDS and Cloud Databases. They may both score a 5 in this category because it could be a complete solution needed. Then in the total column, multiply the feature score by the weight. So the RDS feature score of 5 multiplied by the weight of 1.8 means that the cloud feature total would be 9. However, VMWare doesn't provide a relational database solution, so it would score a 1 because a solution could be implemented. Next add up all of the cloud feature totals to get the cloud vendor score. An example of the BLUEcloud scoring can be found in table **BLUEcloud Scoring Example**.

Using this score, the highest cloud score is most likely the best cloud for the application. Cases where the highest total may not be the best cloud is if there are one or more critical features that the cloud doesn't provide, but does well in other areas. For example, if AWS scored higher than Rackspace, but you want to be able to hand off your DevOps support to the cloud vendor, you will want to pick Rackspace over AWS.

### **AWS Cloud Features List**

<b>Compute</b>
Virtual Servers
Containers
1-Click Web App Deployment
Event-driven Compute Functions
Auto Scaling
Load Balancing
<b>Storage &amp; Content Delivery</b>

Object Storage
CDN
Block Storage
File System Storage
Archive Storage
Data Transport
Integrated Storage
<b>Database</b>
Relational
Database Migration
NoSQL
Caching
Data Warehouse
<b>Networking</b>
Virtual Private Cloud
Direct Connections
Load Balancing
DNS - Route 53
<b>Analytics</b>
Hadoop
Data Pipelines
Elasticsearch
Streaming Data
Machine Learning
Business Intelligence
Data Warehouse
<b>Enterprise Applications</b>
Desktop Virtualization
Email & Calendaring
Document Sharing & Feedback
<b>Mobile Services</b>
Mobile Development
API Management
Identity
App Testing
Mobile Analytics
Notifications
Development
<b>Internet of Things</b>
IoT
<b>Developer Tools</b>
Source Code Management
Code Deployment
Continuous Delivery
<b>Management Tools</b>
Monitoring & Logs
Resource Templates
Usage & Resource Auditing
Dev/Ops Resource Management

Service Catalog
Performance Optimization
<b>Security &amp; Identity</b>
Access Control
Identity Management
Security Assessment
Key Storage & Management
Web Application Firewall
<b>Application Services</b>
API Management
App Streaming
Search
Transcoding
Email
Notifications
Queueing (SQS)
Workflow
<b>Regional Network</b>
Regions
Availability zones

### Rackspace Cloud Features List

<b>Compute</b>
Cloud Servers
OnMetal
<b>Network</b>
Cloud Networks
Cloud DNS
Cloud Load Balancers
RackConnect
<b>Storage</b>
Cloud Block Storage
Cloud Backup
Cloud Files
Cloud CDN
<b>Infrastructure &amp; Developer Tools</b>
Cloud Orchestration
Auto Scale
Rackspace Monitoring
Cloud Queues
<b>Data Services</b>
Object Rocket NoSQL
Cloud Databases
Cloud Big Data
<b>General</b>
Global infrastructure

## VMWare Cloud Features List

<b>VMWare vCloud</b>
<b>vSphere</b>
vSphere Hypervisor
vSphere vMotion
Virtual Symmetric Multiprocessing
Virtual Machine File System (VMFS)
vSphere High Availability
vSphere Fault tolerance
vSphere Data Protection (backup and replication)
vShield Endpoint (antivirus and antimalware solutions)
vSphere Content Library (templates etc.)
<b>SiteManager</b>
Non-disruptive recovery testing
Automated orchestration workflows (DR failover or migration)
Automated recovery of network and security settings
Custom automation
<b>vRealize Operations</b>
smart alerts
monitoring of OS resources (advanced/enterprise)
Capacity metering (right-sizing, capacity metering, trending, resource optimization, etc.)
vSphere hardening
<b>vRealize Automation</b>
Service catalog
Multi-vendor, hybrid cloud infrastructure
Blueprint model and design
Code Stream (application release automation)
<b>NSX</b>
logical switching
NSX Gateway
logical routing
logical firewall
logical load balancer
logical VPN
NSX API
<b>vRealize Business</b>
Service costing
planning and budgeting
scenario planning and forecasting
<b>vRealize Log Insight</b>
<b>vCloud Air</b>
<b>Virtual SAN</b>



## BLUEcloud Application Requirements Example

Base Server images
Java
Tomcat
OS
Cache
Compute nodes
Local storage
MySQL Database
Database Failover
Database Backups
Redundancy/HA
Load Balancer
Availability/Capacity to sustain load
Shared storage
DNS
Changing Disk size
Vertical Scaling
Horizontal Scaling
Server Firewall restrictions
Auto Recovery
Monitoring
Logging
ElasticSearch nodes
ElasticSearch Clustering
Regional Installs
International Requirements
Non-Production Environments
Deployment Methods
Security Requirements

## BLUEcloud Mapping Example

Application Requirements	AWS	Rackspace	vCloud
Tomcat	AMI	Cloud Images	VMs
Cache	Elastichache	No Provided solution	No Provided Solution
MySQL Database	RDS	Cloud Databases	No Provided Solution
Load Balancer	ELB	Cloud Load Balancers	NSX (Logical routing, logical load balancer)
Availability/Capacity to sustain load	Auto Scaling Groups	Auto Scale	vRealize Operations(capacity metering)
Shared storage	S3	Cloud Files	Virtual SAN
DNS	Route 53	Cloud DNS	NSX

Horizontal Scaling	Auto Scaling Groups	Auto Scale	vSphere, vRealize Operations, SiteManager
Base Server images	AMI	Cloud Images	vRealize Automation (Service Catalog), vSphere Templates

### BLUEcloud Scoring Example

Application Requirements	Weight	AWS	Score 1-5	Total	Rackspace	Score 1-5	Total	vCloud	Score 1-5	Total
Tomcat	1	AMI	5	5	Cloud Images	5	5	VMs	5	5
Cache	1.2	Elasti cache	5	6	No Provided solution	2	2.4	No Provided Solution	2	2.4
MySQL Database	1.9	RDS	5	9.5	Cloud Databases	5	9.5	No Provided Solution	2	3.8
Load Balancer	1.6	ELB	4	6.4	Cloud Load Balancers	5	8	NSX (Logical routing, logical load balancer)	5	8
Base Server images	1.1	AMI	5	5.5	Cloud Images	5	5.5	vRealize Automation (Service Catalog), vSphere Templates	5	5.5
		Totals :		32.4			30.4			24.7

## Survey:

For questions 1 – 7, please rate each question from 1 to 10, 1 being low, such as very difficult or strongly dislike and 10 being high as in very easy or strongly liked.

1. Do the steps make sense?
2. Do the steps flow logically?
3. Are the steps easy to follow?
4. How easy is it to perform these steps?
5. Is this methodology helpful in picking a cloud vendor?
6. Is it helpful to have a list of cloud vendor features?
7. How accurate is the provided analysis of the cloud vendors?

For questions 8 – 10, please respond with any feedback you may have.

8. What do you like about this process?
9. What would you change about this process?
10. Any additional comments:

## APPENDIX L: SURVEY RESULTS

For questions 1 – 7, please rate each question from 1 to 10, 1 being low, such as very difficult or strongly dislike and 10 being high as in very easy or strongly liked.

Survey Results						Average
1. Do the steps make sense?	9	8	8	7	8	8
2. Do the steps flow logically?	8	8	8	8	8	8
3. Are the steps easy to follow?	8	9	8	8	8	8.2
4. How easy is it to perform these steps?	4	5	8	7	7	6.2
5. Is this methodology helpful in picking a cloud vendor?	9	7	10	9	8	8.6
6. Is it helpful to have a list of cloud vendor features?	10	8	10	10	9	9.4
7. How accurate is the provided analysis of the cloud vendors?	9	7	10	8	6	8

For questions 8 – 10, please respond with any feedback you may have.

8. What do you like about this process?

The process seems intuitive and helpful. It seems kind of tricky to compare tons of systems. I'm thinking that the complexity of what is offered by each system is going to be hard to compare. Specifically AWS. It is such a huge ecosystem it's tricky to know what it does and doesn't offer; and sometimes there are hidden pitfalls that aren't discovered until late in the process of implementing that solution.

Understanding the differences along with knowing what is wanted/needed is essential in picking a solution, the hardest of these being the determination of what is needed. Having listings of what features are provided by vendors and understanding their differences are essential to having a successful outcome.

The process requires that the application requirements be fully enumerated before a platform is chosen. The weights and scores provide a definite and internally agreed upon measure of the importance of a requirement and a particular platforms ability to meet that requirement. Captures most of the core technical components.

9. What would you change about this process?

Perhaps more instruction on how to gather requirements and how to weight the application. I think the weights are going to make things tricky. What does the weight mean? Importance? Required? If its importance then that makes sense, but I wonder if having another value of "Required" would be helpful.

- a. Split the initial Features Requirement list into several elements:
  - i. Low level environment (CPI, RAM, IOPS, OS, min service guarantees (e.g. 4 9's uptime), etc.)
  - ii. App Support Services (caching, db, scaling, redundancy / fail-over, provisioning, shared storage, etc.)
  - iii. Security aspects – isolation of components in case of breach, segregation of access based on need to know, etc.
  - iv. Monitoring Services – usage, peak analysis, notifications – i.e. the needs of the staff who will be responsible for keeping the thing up and running in the field.
  - v. Service Costs
  - vi. 'Other' (international reach, support offerings)
- b. Clarification on the "Fourth..." paragraph on page 2. 'weight' gets used confusingly – both for the importance of a feature (1-2) and the feature score column (1-5) which is also called a weight. (May be a single sentence change, of "I used a weight range from 1 to 5 in my examples" to "I used a feature score from 1 to 5 in my examples".
- c. Feature Score might need a '0' value – i.e. not supported at all by the potential cloud environment provider). Related might be adding some specific mechanism that would immediately rule out a potential provider if some feature wasn't available at all.
- d. Considerations around the above (c.) might also simplify / modify the discussion in the paragraph on p 3 where "For example, if AWS scored higher than...". I might also submit that if you choose to not go with the highest scored potential, then you haven't set up your requirements and their weights correctly – go back and modify and re-calculate. e.g. if two solutions both support MySQL, but one includes more automatic maintenance than the other, a straight ranking may not highlight that – unless you make the automatic maintenance part of the original app requirements with some weight associated. i.e. this may become an iterative evaluation as varying vendor capabilities come to light.
- e. I'm not sure what all the entries in the 1.2 AWS table refer to. For example, you include that Database includes 'Relational', but you don't specifically indicate which (MySQL, etc.). I.E. not enough info in that list of features to actually do an evaluation against your requirements. Just supporting an 'RDBMS' isn't necessarily sufficient – it may need to be an explicit type of RDBMS.

Knowing that a vendor provides some form of a feature in their solution is often times not enough. Knowing how a feature operates and how easy it is to use and implement should have weight as well. Some features might have limitations other vendors do not have. Also cost should be part of the weighting since two vendors may have the same “feature” but one might be an add-on where the other is included in the overall licensing. Some may have different use costs.

Allow for a single platform to be evaluated in different configurations with the associated costs recorded as a separate score.

Although it's harder to quantify but having cost estimates would be extremely valuable not only the cost to implement but to maintain and support. I also think more information around the weighting aspects would be helpful as this could sway the outcome. I also think a section on supported regions would help in determining the best option.

10. Any additional comments:

A discussion on cost seems an important aspect that's missing.

I think having a larger selection of potential application requirement examples would be helpful. You might also indicate that someone who is familiar with the architecture of the software MUST be involved – it can't be a purely management decision. Often decisions get made at a high level, without deep enough investigation. Some discussion about this might be appropriate.)

I was a bit confused when first looking at this summary since some of these vendors provide different offerings. I did not know that VMware offered leasing in their cloud space. So initially I was looking at their features as ones used to create a cloud.

The process accounts for application requirements but that may cause beneficial but non-essential platform specific features, such as vMotion or access to additional services provided by a platform, to be overlooked.

I would envision that this process could be implemented as a web site with descriptions and forms or wizards in helping to drive the final outcome that could be continually used to justify cloud implementation. For example, let's say we are currently using vCloud but over time using the web site / process we determine that a different option could be justified in switching solutions.