DOCUMENT RESUME

ED 060 631

EM 009 637

AUTHOR TITLE	Bork, Alfred M.; Sherman, Noah A Computer-Based Dialogue for Deriving Energy Conservation for Motion in One-Dimension.
INSTITUTION	California Univ., Irvine. Physics Computer Development Project.
SPONS AGENCY	National Science Foundation, Washington, D.C.
PUB DATE	17 Jul 70
NOTE	8p.
EDRS PRICE	MF-\$0.65 HC-\$3.29
DESCRIPTORS	*Computer Assisted Instruction; Educational Research;
	Feedback; Mathematics Instruction; *Physics
	Instruction; *Programed Instruction; Programed
	Materials

# ABSTRACT

A student-computer dialog for teaching a mathematical proof proved effective when tested in two university physics courses. The objective was to make the beginning or intermediate physics student an active participant in the development of the proof, which concerned the conservation of mechanical energy for a mass moving in one dimension and subject to a force that depends only on position. A suitable computer flow chart was written, then the program was tested in two university settings and feedback was sought from students. The few problems encountered concerned computer terminology and student choice patterns. Thus the student-computer dialog seems useful in teaching mathematical derivations, the staple of many science courses. (RB) A COMPUTER-BASED DIALOGUE FOR DERIVING ENERGY CONSERVATION

06063

Alfred M. Bork Department of Physics University of California, Irvine

FOR MOTION IN ONE-DIMENSION

Noah Sherman Department of Physics University of Michigan, Ann Arbor

July 17, 1970

U.S. DEPARTMENT OF HEALTH, EDUCATION & WELFARE OFFICE OF EDUCATION THIS DOCUMENT HAS BEEN REPRO-DUCED EXACTLY AS RECEIVED FROM THE PERSON OR ORGANIZATION ORIG-INATING IT. POINTS OF VIEW OR OPIN-IONS STATED DO NOT NECESSARILY REPRESENT OFFICIAL OFFICE OF EDU-CATION POSITION OR POLICY.

#### ABSTRACT

This paper describes a student-computer dialogue for beginning or intermediate physics classes. The dialogue enables the student to take some initiative in showing that energy conservation in one-dimension is a consequence of the laws of motion.

\*This project is supported by the National Science Foundation.

Physics, mathem derivation or pr physical princi intermediate, an the main portion they may consti

A derivation can is needed, often work. Secondly classical physic and that austern and perhaps moris that we hope results. A com We want to help Teaching the te of physics cour (George Polya's

Many teachers h plicated proof he could <u>follow</u> derivation hims on first encoun facilely as he everyone gropes cannot generate

76-40

M 0096

(11

#### ERIVING ENERGY CONSERVATION

and Klimmon

br

#### U.S. DEPARTMENT OF HEALTH, EDUCATION & WELFARE OFFICE OF EDUCATION THIS DOCUMENT HAS BEEN REPRO-DUCED EXACTLY AS RECEIVED FROM THE PERSON OR ORGANIZATION ORIG-INATING IT. POINTS OF VIEW OR OPIN-IONS STATED DO NOT NECESSARILY REPRESENT OFFICIAL OFFICE OF EDU-CATION POSITION OR POLICY.

computer dialogue for beginning

The dialogue enables the

in showing that energy conserva-

quence of the laws of motion.

he National Science Foundation.

Physics, mathematics, and other science courses, use the mathematical derivation or proof of a result, starting from some other theorem or physical principle, as a staple of such courses at the beginning, intermediate, and advanced levels. Such derivations often constitute the main portions of lectures and textbooks; in a mathematics course they may constitute the entire course.

A derivation can serve several purposes. First, a particular result is needed, often an important result useful to the student in future work. Secondly, as teachers, some of us are eager to show that classical physics can be developed as a well-constructed logical net, and that austere beginnings can yield powerful results. A third and perhaps more important reason for derivations in physics courses is that we hope to teach students the "art" of deriving physical results. A complicated derivation often involves much trial and error. We want to help students become sophisticated at deriving results. Teaching the techniques of proof is one of the most important goals of physics courses, and it is one of the hardest goals to accomplish. (George Polya's <u>How to Solve It</u> is one attempt to teach this art.)

Many teachers have heard the archetypal student's comment on a complicated proof presented in lecture. The student announces that he could <u>follow</u> the proof, but he does not feel he could find the derivation himself! This hardly surprises the teacher, who may not, on first encountering the problem, have produced the derivation as facilely as he duplicated it in lecture. But not realizing that everyone gropes initially, the student feels insecure because he cannot generate quickly such a smooth and elegant proof. (It could

be argued that the less polished lecturer might provide better insight as to how proofs are developed than the person who carefully prepares and rehearses an elegant derivation.)

# The Energy Conservation Dialogue

The computer dialogue described here is designed to make the student an active participant in the development of the proof, to let them take at least some of the steps along the way on their own. Some of these steps can be large, while others will be relatively small. At worst, the dialogue corresponds to something like the lecture situation, where the student is told the proof; however, he probably receives more detail than in lecture, through the remedial sequences in the dialogue.


The dialogue develops a proof of the conservation of mechanical energy for a mass moving in one-dimension and subject to a force that uspends only on the position. The proof starts with the law of motion; we multiply by the velocity and write the resulting equation In the form

# $\frac{d}{dt}$ (something) = 0.

In the process of the proof we introduce the concept of potential energy as the quantity whose negative spatial derivative is the force, and the student is asked to enter the potential energy and total energy for several different forces.

The first flow chart shows the general form of the dialogue, the second shows greater detail in one section, and the third is a page from the full flow chart.

Overview of the Tuto



## Overview of the Tutorial Program on Energy Conservation

turer might provide better insight the person who carefully prepares


2

is designed to make the student ment of the proof, to let them y the way on their own. Some of as will be relatively small. At emething like the lecture situation, however, he probably receives the remedial sequences in the

conservation of mechanical hsion and subject to a force that coof starts with the law of and write the resulting equation


duce the concept of potential e spatial derivative is the force, e potential energy and total energy

al form of the dialogue, the ection, and the third is a page



3

= 0.



TRY AGAIN TO EAT TRY AGAIN TO EAT ON MOTION TO FAIL THE EQUATION OF CONTAIN THE MAX OT IF I CANT IDENTIA AS AN EQUATION FAIL CONTAIN THE MAX OT IF I CANT IDENTIA AS AN EQUATION FAIL CONTAIN THE MAX


4


# Blow-up of One Section - not full detail

>

٠

ERIC Full Ext Provided by ERIC





Full Text Provided by ERIC

# Development

The development of computer dialogues as a self-instructional resource is still relatively new, so a description of the process we followed may be of some interest. First we discussed which areas and approaches in physics might lend themselves to an effective computer-student conversation. Then we decided to pursue two dialogues, the one discussed here and another involving simulation in the study of plane electromagnetic radiation (a dialogue still under development).

The energy conservation proof was developed first as a flow chart showing what is typed to students, the expected responses, and the actions in each case. The two of us spent approximately three days working together on the flow chart, with occasional assistance from a student and a secretary. We did <u>not</u> use standard flow chart conventions.

The flow chart approach was appealing for a number of reasons. We were working at the University of California, Irvine, where a change was under way in computer facilities and no local computer was available. We were very concerned with the question of <u>spreadability</u> of such material. Computer dialogues have often existed only as computer programs in specialized languages, not usable outside the environment in which they were developed! The simplified flow chart seems a reasonable approach to developing computer conversations in a language-independent form. Furthermore we felt that pedagogical details should come first: we decided <u>what</u> we wanted to do, knowing something about the potentialities of the computer, before putting ourselves into the straight-jacket of a particular set of computer languages and in education software deta dialogue to a

6

We sent the f Particularly University of University of suggested imp

Implementatio After a brief to our respec the dialogue

At the Univer existing FORT developed by Michigan Time since been su FOIL version

The developme University of in computer f directly appl two parallel s a self-instructional resource on of the process we followed ussed which areas and approaches effective computer-student e two dialogues, the one mulation in the study of ogue still under development).

6

oped first as a flow chart expected responses, and the ent approximately three days th occasional assistance from use standard flow chart con-

For a number of reasons. We Fornia, Irvine, where a change nd no local computer was h the question of <u>spreadability</u> have often existed only as coms, not usable outside the environe simplified flow chart seems mputer conversations in a 'e we felt that pedagogical <u>what</u> we wanted to do, knowing the computer, before putting a particular set of computer

ERIC

languages and facilities. We feel that successful use of the computer in education demands that learning details have priority over computer software details. In addition the flow chart furnishes a view of the dialogue to a teacher who is considering its use in his classroom.

We sent the flow chart to friends for comments and suggestions. Particularly useful criticisms came from Edward Lambe, of the State University of New York at Stony Brook, and Kenneth Ford, of the University of California, Irvine. Students within the project also suggested improvement<sup>a</sup>

#### Implementation

After a brief time together working on the dialogue we returned to our respective institutions and proceeded to implement and use the dialogue on local timesharing facilities.

At the University of Michigan the dialogue was implemented in an existing FORTRAN-based conversational computer language, FOIL, developed by Karl Zinn and others at Michigan and running under the Michigan Timesharing System for the IBM 360/67. This language has since been superceded and the program will be rewritten. The original FOIL version is still in use.

The development of the dialogue as a computer program at the University of California, Irvine proceeded differently. The charge in computer facilities at Irvine provided an XDS SIGMA 7, with little directly applicable software. Hence, development had to proceed in two parallel directions, generating facilities for student dialogues and developing the dialogue itself. The language facilities were developed as quickly as possible for the energy conservation program so as to allow easy extension to the electromagnetic simulation dialogue mentioned above. The dialogue facilities were developed as SIGMA 7 assembly language macro: "procedures," making it easy to extend and modify the language for new uses. The macros were oriented toward professors and secretaries who are not experienced programmers. A current description of this system, with examples of usage, is available; it has proved to be flexible to changing needs, and is now being used by others also.

The secretary helped greatly in preparing the dialogue. Those acquainted with computer dialogues will realize that even an elemen-'tary dialogue entails a vast amount of typing. Experionced typists should do this typing. Hence we taught the secretary to type at the terminal, <u>directly</u> from the flow chart, the macros which constitute the final program. Only a short amount of instruction was necessary. The secretary cannot handle all details, and she was instructed to enter a row of asterisks when she was uncertain about what to type. Several secretaries at Irvine have been successfully trained in this procedure! The students who worked on the program after could easily recrjnize points marked by the secretary for further editing. The secretary worked at the terminal typing directly into a disk file; no cards were punched. The normal editing facilities of the computer were used to modify the program, by both the secretary and the student programmer. The first running This program was in the physics de incorporate. It at University of quarter introduct of California, Be Richard Ballard, facilities. A se the question mark

8

CT

the second contract the second s

nguage facilities were ergy conservation program omagnetic simulation dialogue ere developed as SIGMA 7 ing it easy to extend and os were oriented toward rienced programmers. A camples of usage, is changing needs, and is now

8

the dialogue. Those lize that even an elemening. Experienced typists secretary to type at the macros which constitute instruction was necessary. Ind she was instructed to rtain about what to type. ccessfully trained in this prog m after could easily or further editing. The rectly into a disk file; no cilities of the computer were cretary and the student The first running version of the dialogue was available in January. This program was informally tested within the project and by colleagues in the physics department, whose useful suggestions we were able to incorporate. It was used with 150 science and engineering students at University of California, Irvine, in the first quarter of a five quarter introductory course. It was also used by a group of University of California, Berkeley students in a similar class taught by Richard Ballard, through the University of California tie-line facilities. A section of student use follows; student inputs follow the question marks at the start of the line.

Feedback

Two types

and select naire show

about 15 of

students c

a restart

students c

numeric CR

simultaneo

use of the

received u the questi

justifiabl

OF MOTION FOR THE OSCILLATOR

YOUR RESULTS SEEN RIGHT & USUAL FORM FOR HARMONIC OSCILLATOR EQUATION

NOW CONSIDER ANY ONE-DIMENSIONAL SYSTEM,

LET'S SEE IF WE CAN FIND A CONSERVED QUANTITY BY "FLAYING" WITH THE EQUATIONS OF MOTION. IF WE MANIPULATE THE EQUATION, M\*DU/DT = F. UNTIL WE HAVE

PLETS MODIFY THE ECONTIONS OF MOTION

WHAT OPERATIONS DO YOU WISH TO PERFORM? MULTIPLY BOTH SIDES BY THE SAME QUANTITY? ADD THE SAME QUANTITY TO BOTH SIDES?

INTEGRATE? SOMETHING ELSE? IT MIGHT BE FUN TO EXPLORE THESE POSSIBILITIES WITH PENCIL AND PAPER. YOU MIGHT EVEN BE ABLE TO ANTICIPATE WHERE WE ARE GOING....

THEN "SOMETHING" IS THE CONSERVED QUANTITY

WE ARE SEEKING....! DO YOU WANT TO BEGIN BY MODIFYING THE ECUNTION OF MOTION, OF BEGIN WITH SOME OTHER

THE EQUATION OF MOTION SHOULD CONTAIN THE MASS M TEY AGAIN TO ENTER THE EQUATION

WATCH THE SIGN ON THE FORCE

NOT NECESSARILY AN OSCILLATOR.

TERREPORMED IT INTO THE FORM

D/DT (SOMETHING) = 0,

OF MOTION IS MAR--NAX.

?F=−KX

CIMH=EX

TEY AGAIN.

7mm=-1/2

QUENTITY?

?

FLEASE ENTER THE EQUATION WITH THE FORCE FOR THE HARMONIC OSCILLATOR:

TF=MR

.

• \*

-

.

.

TO ID SUFFE THAT WE MEAN THE WARE ANDING BY "LAWS OF MOTION" ENTER THE EQUATION OF MOTION OF A ONE-DINENSIONAL SIMPLE HARMONIC OSCILLATOR. (USE M FOR MASS) & FOR FORITION, A FOR ACCELERATION, AND & FOR SEPING CONSTANT.)

10

. . . . . . . . . .

### Feedback

Two types of feedback were obtained at Irvine, using questionnaires and selective storage of student responses on the disk. The questionnaire showed that the average time at the terminal was 58 minutes; about 15 or 20 minutes is required by a knowledgeab\_e student. Most students completed the material in one section (the dialogue offered a restart facility if the student did not complete the program). The students could use either Model 33 teletypes or Datapoint 3300 alphanumeric CRT. Students preferred the Model 33 over the Datapoint, because the previous responses were often useful to them, and they were only available in the hardcopy printing of the Model 33. (Neither terminal is ideal for student use.) We also queried students on a stylistic aspect of the program. We chose the grammatical first person in addressing for the computer to use students. Some of our consultants objectsd, but student response was overwhelmingly favorable toward the first person style. Perhaps it alleviates the feeling that computers are at best impersonal; such a style may tend to humanize the computer. In spite of the problems to be mentioned next, two-thirds of the students who used the program claimed to enjoy it.

Some difficulties quickly developed with our new programming system, and it was not surprising that they showed up in the student survey. Our testing had proceeded with only one user; when many students were simultaneously using the system, conflicts not provided for arose in use of the files. Some users were bounced out of the program, or received unintelligible error messages. Some students complained that the questions were vague or hard, and some also complained, sometimes justifiably, that the computer did not accept correct answers. The

TEM,

HL NY

E Filto

IONS

ANTITY

E ME OTHER

FM? TITY? FE ITH HELE

ERĬ

**N** 

fast speed on some Datapoints (run at 1200 baud) which presented information faster than the student could read caused another problem.

Another very useful form of feedback was obtained internally in the program. When the student types in a reply, the program attempts to analyze the answer, looking for both right and identifiable wrong responses. In some cases it can find none of these expected responses. In about 40 places we inserted instructions for saving the student response in a special disk file, if we failed to analyze the response. Several thousand such responses were saved and we examined them daily. They indicated where we were missing cormect responses, wrong responses we should have responded to, the weak places in the program, and ways of using the system that we had not contemplated.

### Student Response Information

Even in this first Irvine version we did a respectable job in matching student responses; the number of places where we failed to analyze a reasonable student input--either a correct or incorrect response--is smaller than we would have predicted. Certainly there were such places, but for many questions we anticipated most of the responses.

It was comforting to note some "convergence" in the unanalyzed responses stored on the disk. As the week progressed we found fewer and fewer new corrections needed. The difference was sufficient as the week progressed to suggest that the program will soon reach the stage where we will be able to analyze almost any reasonable <u>student</u> response from students at this level, although our relatively crude matching techniques cannot analyze all possible responses. However, additional experiences are needed with students of diverse background.

12

Student responses ind Some of these were si place, for example, w the number 0 (zero) h 0. We received vast new version we always would be difficult to

Probably the weakest potential energy. Ma

Nor did we give stude energy for particular point not knowing how was still a new tool

Calculus notation was problem at Irvine, bu course uses two notat in physics: They ind "D," avoiding the "(d Although the "d/dt" n people used the alter differentiate F x G.

The responses show th dialogue at all, but same way that student

run at 1200 baud) which presented ent could read caused another problem.

back was obtained internally in the s in a reply, the program attempts for both right and identifiable wrong n find none of these expected resinserted instructions for saving the isk file, if we failed to analyze the n responses were saved and we examined re we were missing corect responses, responded to, the weak places in the system that We had not contemplated.

on we did a respectable job in matching f places where we failed to analyze her a correct or incorrect response--is leted. Certainly there were such places, lpated most of the responses.

"convergence" in the unanalyzed resthe week progressed we found fewer 4. The difference was sufficient as that the program will soon reach the analyze almost any reasonable <u>student</u> level, although our relatively crude vz possible responses. However, ed to be background. Student responses indicated a number of weak points in the program. Some of these were simply programming errors on our part. In one place, for example, we look for a "no" response but unfortunately the number 0 (zero) had been typed in our program instead of the letter 0. We received vast numbers of no's listed as unanalyzed! (In the new version we always look for both.) This is a trivial error that would be difficult to spot without student feedback.

Probably the weakest section was where we introduced and used potential energy. Many students noted that we went too rapidly there.

Nor did we give students enough assistance in calculating potential energy for particular forces. A number of people arrived at this point not knowing how to make the calculation, perhaps because calculus was still a new tool for them.

Calculus notation was another problem. This may be a particular problem at Irvine, but it may be more widespread. The calculus course uses two notations for derivatives which we almost never use in physics! They indicate derivatives by a prime, or by writing a big "D," avoiding the "(d/dt)" and the dot notation common in physics. Although the "d/dt" notation was employed in the course, a number of people used the alternate notations, particularly when asked to differentiate P x G.

The responses show that a few students do not use the program as a dialogue at all, but simply use it as an information source, much the same way that students would use a book. These students, 5% of the

users, either enter no response at all for question after question, or enter garbage. <u>Should</u> we worry about such a student? He is not using the program to maximum educational advantage, but he is probably no worse off and perhaps better off than if he were reading the same material in a text; at least he is sent into various remedial branches which he would not have seen in a standard text, and he is "paced" through the proof.

Using the feedback mentioned above, particularly the selective disk storage of responses, we have prepared a second version of the conservation dialogue for the SIGMA 7. The dialogue is available in flow chart and program form for those who wish to implement it elsewhere. While we would not claim any degree of perfection in its present form, the program was considerably improved by the sizable student feedback.

Potential users should recognize the limitations in the present program. Only one proof is possible, a proof which starts with the laws of motion, multiplies both sides-by v, and writes everything as d/dt (something) = 0. A flexible program should follow the students' whims, at least to some extent. We have not followed all the branches we can contemplate in the program; some we hope to add in later versions. No computer program could allow <u>all</u> the possibilities, with present day technologies and know-how. But we hope that the conversation would encourage most students to take some steps themselves, and thus to develop the analytical abilities necessary for future physics progress.

Another limitation in a computer dialogue is our inability to recognize all correct responses. Recognition is particularly difficult 14

if, as here, we restrict to possible input. Most typing; even with formul the various notations th all correct responses, m we have not recognized t ment to tell the student emphasize our limitation he has not put in what w implementation, in a dif its capabilities, and ev responses. Thus althoud were very similar, since student would not necess inputs, because of diffe critical components of

We are eager to talk with on other systems or use we have worked with. T

estion after question, or student? He is not using but he is probably no ere reading the same various remedial branches xt, and he is "paced"

rly the selective disk nd version of the conogue is available in flow implement it elsewhere. tion in its present form, sizable student feedback.

ons in the present program. rts with the laws of motion, hing as d/dt (something) = 0. ' whims, at least to some s we can contemplate in sions. No computer program int day technologies and would encourage most hus to develop the analyprogress.

our inability to recogparticularly difficult ERIC

if, as here, we restrict the student as little as possible with regard to possible input. Most inputs are free-form, with no directions about typing; even with formulas, we adapt the program internally to accept the various notations the students may use. Since we cannot recognize all correct responses, modest comments to students are in order when we have not recognized the response; it is dangerous in this environment to tell the student he is wrong. Hence we use comments which emphasize our limitations within the program as well as the fact that he has not put in what we expected. It should be emphasized that every implementation, in a different language facility, is bound to differ in its capabilities, and even possibly tactics, for recognizing student responses. Thus although the initial versions at Ann Arbor and Irvine were very similar, since they were both based on the flow chart, the student would not necessarily receive identical responses for identical inputs, because of different tactics of string matching to identify the critical components of the input.

We are eager to talk with people who want to implement this dialogue on other systems or use it with other groups of students besides those we have worked with. The detailed flow-chart is available on request.