#### DOCUMENT RESUME

ED 066 495 TM 001 979

AUTHOR Lieberman, Marcus; And Others

TITLE Intermediate Mathematics: Behavioral Objectives and

Test Items.

INSTITUTION Institute for Educational Research, Downers Grove,

Ill.

PUB DATE 72 NOTE 587p.

AVAILABLE FROM Institute for Educational Research, 1400 West Maple

Avenue, Downers Grove, Illinois 60515 (\$13.00)

EDRS PRICE MF-\$0.65 HC-\$19.74

DESCRIPTORS \*Behavioral Objectives; Curriculum Development;

\*Elementary Grades; \*Individualized Instruction;

\*Item Banks; \*Mathematics; Program Evaluation

IDENTIFIERS ESEA Title III; \*Evaluation for Individualized

Instruction Project

#### ABSTRACT

The Objective-Item Bank presented covers 16 sections of four subject areas in each of four grade levels. The four areas are: Language Arts, Math, Social Studies, and Science. The four grade levels are: Primary, Intermediate, Junior High, and High School. The Objective-Item Bank provides school administrators with an initial starting point for curriculum development and with the instrumentation for program evaluation, and offers a mechanism to assist teachers in stating more specifically the goals of their instructional program. In addition, it provides the means to determine the extent to which the objectives are accomplished. This document presents the Objective Item Bank for intermediate mathematics. (CK)


# INTERMEDIATE MATHEMATICS BEHAVIORAL OBJECTIVES AND TEST ITEMS

### **EVALUATION FOR INDIVIDUALIZED INSTRUCTION**

A Title III ESEA project U.S. DEPARTMENT OF HEALTH.
EDUCATION & WELFARE
OFFICE OF EDUCATION
THIS DOCUMENT HAS BEEN REPRODUCED EXACTLY AS RECEIVED FROM
THE PERSON OR ORGANIZATION ORIGINATING IT. POINTS OF VIEW OR OPINIONS STATED DO NOT NECESSARILY
REPRESENT OFFICIAL OFFICE OF EDUCATION POSITION OR POLICY. administered by Downers Grove, Illinois School District 99



1400 West Maple Avenue Downers Grove, Ittinois 60515 Phone: 312-971-2040





## INTERMEDIATE MATHEMATICS

## BEHAVIORAL OBJECTIVES AND TEST ITEMS



by Or. Marcus Lieberman, Director Dr. Les Brown, Project Associate Mr. William Neidlinger, Project Associate Mrs. Linda Swanson, Project Associate

Evaluation for Individualized Instruction Project
AN ESEA TITLE III PROJECT

Administered

.Downers Grove Public School District 99



#### BEHAVIORAL OBJECTIVE - TEST ITEM BANK

#### BACKGROUND

The Evaluation for Individualized Instruction Project, an ESEA Title III project administered by the Downers Grove, Illinois, School District 99, has developed an Objective-Item Bank covering sixteen sectors of four subject areas in each of four grade levels.

#### Subject Area

	LA	MA	SS	sc
1	11	12	13	14
2	21	22	23	24
3	31	32	33	34
4	41	42	43	44

LA = Language Arts

MA = Math

SS = Social Studies

SC = Science

1 = Primary

2 = Intermediate

3 = Junior High

4 = High School

Nearly 5000 behavioral objectives and over 27,000 test items based on these objectives were recently published as the culmination of this three-year project. The complete output of seventeen volumes totals over 4500 pages. These publications have been reproduced by the Institute for Educational Research to make them available at cost to teachers and administrators.

The objectives and items were written by over 300 elementary and secondary teachers, representing forty Chicago suburban school districts, who participated in workshops of three to nine weeks duration throughout the project. In these workshops they learned to write effective behavioral objectives and test items based on the objectives. The results of their work were edited for content and measurement quality to compile the largest pool of objectives and test items ever assembled.

#### PRINCIPLES AND MERITS

Unfortunately, the Objective-Item Bank is often viewed mainly as a source of test items. Although this is an important function, its greatest potential impact lies not in the availability of a multitude of test items, but rather in the ability of these items to measure carefully selected educational goals.

The almost frenetic search for test items on the part of some educators has been spurred by the current emphasis on measurement. Some educators have become so enamored with measurement that they seem more interested in obtaining a numerical index than examining what they are really trying to measure. Further, it is



not unusual for teachers to speak about a child obtaining a score of 95% on a particular test. Frequently, they encounter considerable difficulty in interpreting the real meaning of a score and are content to just accept its numeral value. A much more important question would seem to be: What are our goals of measurement? Unless we can answer this question precisely, the only real purpose that testing serves is to gather data concerning pupils to facilitate the marking of report cards. This is not to say that this function is not legitimate — it is rather to say that such a view of measurement is much too constricting. The goal of measurement should be to provide feedback both to the teacher and the child regarding the success or failure of the learning experiences in realizing specifically stated objectives.

One of the main strengths of the EII Objective and Item Bank is that all the items are directly tied to specifically stated objectives. Each group of items is designed to measure a specific objective and therefore provides the means whereby the teacher can obtain feedback on the success of the educational program.

It is disheartening to observe so many districts attacking the complex problem of curriculum development independently. One cannot help reflecting on the mammoth duplication of efforts involved. The Objective-Item Bank offers a possible alternative to this duplication. Utilizing its resources, the curriculum committee is provided with some point of departure. The efforts of three hundred teachers participating in the Evaluation Project's workshops and the thoughts of forty districts can be evaluated and utilized. This is not to suggest that any set of objectives should be viewed as the "answer" to an individual district's curricular problem but rather the efforts of others offer a convenient point of departure and may serve to stimulate diverse opinions about the direction of curricular thrust within the individual district. The words of Sir Isaac Newton seem appropriate; "If I have seen further, it is by standing upon the shoulder of giants." The efforts of others, whether we consider them giant-like or pygmyish, do offer a threshold to view the immense, complicated problem of curricular development in better perspective.

The title of an article in a recent educational journal, "If You're Not Sure Where You're Going, You're Liable to End up Someplace Else," succinctly describes a continuing dilemma in our educational system. The vagueness of our goals often promotes the idea that "anything goes." Without a guiding beacon many classrooms become activity-centered rather than goal-oriented. One educator recently compared the all-too-typical classroom with Henry Ford's observation concerning history. He defined history as, "One damned thing after another." Is this true of the succession of activities within our classrooms? Does the teacher really know the educational purpose of each activity? Perhaps, even more importantly, do the children know the purpose?

The Objective-Item Bank offers a mechanism to assist teachers in stating more specifically the goals of their instructional program and further provides the means to determine the extent to which the objectives are accomplished. The specification of goals assists the teacher in discovering whether favored activities advance learning, or are merely time fillers; whether they get the "materials" across, or are merely perfunctory exercises.



ii

Much discussion has been devoted to the topic of "why individualized instruction?" and occasionally some dialogue has even centered on the "how." But an even more basic question is one that is often ignored: "Individualize what?"

Many school districts mention their individualized programs in reading or mathematics. What is individualized within these programs? Are certain skills definitely identified? Is the practice of pretesting to determine the child's level of proficiency when he enters the program a guideline?

The Objective-Item Bank has two potential contributions to make to all school districts embarking on or presently engaged in individualized instruction programs. These contributions are: 1. A group of well-specified objectives which could form the "what" of the program. 2. A set of items designed to provide information on the degree of mastery of the objective.

#### APPLICATIONS AND TECHNIQUES

The versatility of the Objective-Item Bank is evident in the value and usability by both teachers and administrators.

To the Administration the Objective-Item Bank:

- 1. Provides an initial starting point for curriculum development. The existence of many objectives avoids the necessity of each district duplicating the efforts of another. The task of the curriculum committee becomes one of selecting and/or rejecting objectives from the Objective Item Bank and then supplementing them with objectives developed at the local level. Past-participants of the Evaluation Project workshops would be valuable resource people in this endeavor.
- 2. Provides the instrumentation for program evaluation. The selection of items from those objectives representative of the main emphases of the local district provides the framework for the evaluation of the stated goals.

To the Teacher the Objective-Item Bank:

- 1. Provides the pooling of talent and imagination of teachers of varied experience and interests, thus avoiding the present duplication of effort.
- 2. Provides resources for more highly sensitized program evaluation instead of a battery of standardized tests. Since the objectives are tailored to the program, the associated test items can be used to determine precisely the efficacy of the instructional materials.
- 3. Provides the means whereby the teacher can become more acutely aware of that which he is seeking to have occur in his classroom and that which he will accept as evidence of its occurrence. Hopefully, as teachers become more aware of their goals, they will share these



iii

objectives with children and let the pupils become acutely aware of that which is expected of them, ergo allowing them to seek their own modality of instruction for the realization of the stated goals.

- 4. Provides the nucleus of an individualized instruction program.
  - a. It provides for more precise curriculum planning by differentiating those goals specific to each grade and even to each student. With the bank at their disposal, teachers are encouraged to become aware of their responsibilities in developing a set of basic objectives which every child must attain and a further set which can be pursued according to the students' abilities and interests.
  - b. It provides several items per objective, some of which may be used as a pre-test to discover whether a student should under-take that objective while the remainder may be employed to measure the mastery of those students who do tackle the objective.

#### NOTES

Several of the volumes have been reproduced from punched cards by the IBM 407, a machine which does not print all characters exactly as they appear on a type-writer. Thus:

% is actually (
n is actually )
O is actually ? or !

Apostrophes cannot be printed.

The number immediately after the statement of each objective represents the number of items measuring attainment of that objective.

Information on the EII publications or purchase requests can be directed to:

INSTITUTE FOR EDUCATIONAL RESEARCH
1400 West Maple Avenue
Downers Grove, Illinois 60515



INTERMEDIATE MATHEMATICS

NUMBERS & NUMERATION



## NAMES

1.

1 %

i

.

the state of the s

 $\frac{N_{\rm cold}}{N_{\rm cold}} = \frac{N_{\rm cold}}{N_{\rm cold}} =$ 

1.0

THE STUDENT WILL DEMONSTRATE HIS KNOWLEDGE OF THE DIFFERENT WAYS OF NAMING NUMBERS BY IDENTIFYING A NUMBER IN ANOTHER EXPRESSED FORM FROM A GIVEN LIST.	}	0260
Directions: Put an (X) in front of the correct answer.		
Three thousand, six hundred		0001
a. 306 b. 30006 *c. 3600		٠
Two million, ninety-two		0002
a. 292 *b. 2000092 c. 200902		·
Ten thousand, three hundred, twelve	•	0003
a. 1030012 b. 130012 *c. 10312		
		:
Eighty hundred, forty-six		0004
a. 800046 *b. 8046 c. 80046		•
		0000
Forty-three thousand, five hundred, seventy		0005
a. 43500070 b. 4350070 *c. 43570		:



Eight t	housand, forty-six		0000
a.	80046		
*b.	8046		
' C•	846		
	·	•	
	·		
Thirty-	four thousand, six hundred, eighty		0007
*a.	34680	•	
. p.			
C.			
	Jo4500		
	•		
	•		
Three h	undred twenty thousand two hundred		8000
a.		•	
b.	· ·		
*c.			
	)20200		
	•		
Eleven	million six hundred	. •	0009
	11600	•	
· a.			
*b.			,
c.	1100600		
Four hu	ndred fifty-three thousand		0010
<b>a.</b>		• .	
b.			
*C.	453000		
	· · · · · · · · · · · · · · · · · · ·		
•			
1,00000			0011
100027		•	0011
	one million twenty-gaven		
a. *b.			
C.			
و نام	oon anordana emercal—seven		



60606		0012
	Six hundred six thousand six Six thousand six hundred six Sixty thousand six hundred six	
	Sixty thousand six hundred six	
1029		0013
*a. b. c.	Ten hundred twenty-nine Ten thousand twenty-nine One thousand two hundred nine	
•		
70237		0014
a.	Seven hundred thousand two hundred thirty-seven	
b. #c.	Seven thousand two hundred thirty-seven	
2000092		0015
*a. b. c.	Two million ninety-two Two million nine hundred two Two million two hundred ninety-two	
3600		0018
a. #b. c.	Thirty six thousand Thirty six hundred Three hundred sixty	
· ·.		
7777077		0017
<b>a.</b> *b.	Seven million seventy hundred seventy-seven Seven million seven hundred seventy-seven thousand seventy-seven	·
c.	Seven million seven hundred thousand seventy-seven	<b>5.</b>

4040044

0018

a. Four million forty-four thousand

b. Four hundred forty thousand forty-four

\*c. Four million forty thousand forty-four

26620

0019

a. Twenty thousand six hundred twenty

\*b. Twenty-six thousand six hundred twenty

c. [wenty six thousand twenty

Source: Houghton Mifflin, pp. 9-11.

PLACE HOLDERS AND VALUE



THE STUDENT CAN DEMONSTRATE KNOWLEDGE OF PLACEHOLDERS BY COUNTING THE PLACE HOLDERS IN THE FIRST NUMBER OF THE EXPANSION OF A CIVEN NUMBER.

0002

In the expansion of 1234, the number 1000 is first in the list. 1000 has

0020

- a. 1 place holderb. 2 place holders
- \*c. 3 place holders

Source: Elementary School Mathematics #4, 2nd Ed., Addison-Wesley, "Peas and Particles" Elementary Science Study, Webster, McGraw-Hill.

0003 THE STUDENT CAN DEMONSTRATE UNDERSTANDING OF PLACE HOLDERS BY TRANS-LATING THE NUMBER OF PLACE HOLDERS IN A GIVEN NUMBER INTO POWERS OF TEN.

The number 1000 may be written, in powers of ten, as

0021

- a. 1 x 10
- \*b.  $1 \times 10^3$
- c.  $1 \times 10^{1}$

Source: Elementary School Mathematics #4, 2nd Ed., Addison-Wesley 11.4.... "Peas and Particles" Elementary Science Study, Webster, McGraw-Hill

THE STUDENT CAN DEMONSTRATE A KNOWLEDGE OF PLACE BY COUNTING THE NUMBER OF PLACES AFTER THE FIRST DIGIT IN ANY NUMBER.

0007

The number 1.234 has

0022

- \*a. three places after the decimal
- b. two places after the decimal
- c. one place after the decimal

Source: Elementary School Mathematics #4, 2nd Ed., Addison-Wesley, Ch. 5

"Peas and Particles" Elementary Science Study, Webster, McGraw-Hill

THE STUDENT CAN DEMONSTRATE A KNOWLEDGE OF PLACE BY COUNTING THE NUMBER OF PLACES FOLLOWING THE FIRST DIGIT ON ANY NUMBER.

8000

Look at the number 1234. The number of places after the digit (1) 0023 is

- a. 1
- b. 2
- \*c. 3

Source: Elementary School Mathematics #4, 2nd Ed., Addison-Wesley, Ch. 5

"Peas and Particles" Elementary Science Study, Webster, McGraw-Hill

THE STUDENT DEMONSTRATES KNOWLEDGE OF PLACE VALUE NAMES BY CHOOSING 0030 THE CORRECT POSITIONS FOR GIVEN NUMERALS.

The number 42 can be expressed by

0024

- a. 4+2
- b. ....
- \*c. 6 6 11
- $d. 40 \times 2$

Three hundreds, seven tens, three ones are:

0025

a. 3071

b. 300 + 7 + 3

\*c. 373

d. 5703

In the number 56031, the zero represents

0026

a. tens

\*b. hundreds

c. thousands

d. ten thousands

The compact or standard numeral for 30,000 + 4000 - 70 + 6 is:

0027

\*a. 34076

b. 34706

c. 30476

d. 34760

The compact or standard numeral for fifty-four thousand nine hundred 0028 eighty can be stated as:

a. 5980

b. 54908

\*c. 54980

d. 50498

e• 54098

The expanded notation for 41605 is:

0029

a. 4000 + 16 + 5

b. 4000 + 1000 + 600 + 50

\*e. 40000 + 1000 + 600 + 5

d. 41000 + 1000 + 600 + 5

e. 40000 + 1000 + 600 + 50



	lation of Paris in 1962 was Which digits name this po		nundred	0030
	2008000 2,800,000 2,080,000 280,000	·		
	ent shows knowledge of placi Place value for a given numi		) The	0133
Direction	ns: Given the number 41,8 ing is true about place		the follow-	
The digi	t 2 is in which place:			0031
*c.	hundreds tens thousands ten-thousands			
	in the second of			
	t in the millions place is:		:	0032
a. *b.	5			
c. d.	3		· ·	
The digi	t three is in which place:	.* .		0033
*a.	ones			
c.	ten-thousands millions			
d.	ten millions			

The largest place value used is:

\*a. ten millions
b. ten billions
c. ten thousands
d. ten trillions

Three consecutive places from smallest to largest are:

a. tens, thousands, hundreds
b. ones, hundreds, thousands
c. hundreds, ten thousands, hundred thousands
\*d. hundreds, thousands, ten thousands
\*d. hundreds, thousands, ten thousands

The three places in the thousands period are

0036

- a. ones, tens, hundreds
- b. tens, hundreds, thousands
- \*c. thousands, ten thousands, hundred thousands
- d. ten thousands, hundred thousands, millions

GIVEN A VARIETY OF NUMERALS THE STUDENT WILL SHOW AN UNDERSTANDING OF THE PLACE VALUES OF NUMBERS GREATER THAN ONE THOUSAND BY SELECTING THE CORRECT PLACE VALUE FOR THOSE NUMBERS.

Given a numeral circle a if the 6 is in ten thousands place; b if the 6 is in one hundred thousands place; and c if the 6 is in one millions place.

a \*b c 1,683,234 6,384,432 \*a b c 9,263,321

restance of the second



In the numeral 999,999 the nine in the ten thousands place is ten times as big as

0038

- a. the nine in ones place
- b. the nine in hundreds place
- \*c. the nine in one thousands place
- d. the nine in tens place

In the addition of numeral with face value each greater than nine thousand the sum will be

- a. less than ten thousand
- b. equal to ten thousand
- \*c. greater than ten thousand

In the numeral 123,456 the digit which has the greatest value is in the

0040

0039

- Land HAME \*a. hundred thousands place

- b. hundreds place
  c. thousands place
  d. ten thousands place

The numeral 685,497 equals

0041

0265

 $(6 \times 100,000) + (8 \times 1,000) + (5 \times 10,000) + 497$  $(5 \times 1,000) + (8 \times 10,000) + (6 \times 100,000) + 497$ 

c.  $(6 \times 10,000) + (8 \times 100,000) + (5 \times 1,000) + 497$ 

THE STUDENT WILL APPLY HIS KNOWLEDGE OF FACE VALUE, PLACE VALUE AND TOTAL VALUE BY IDENTIFYING THE MEANING OF EACH VALUE IN GIVEN EXAMPLE.

Directions: Choose the correct answer by circling the letter in front of it.

In 465 the 6 has

0012

- a. a face value of 65, a place value of 60, a total value of 60.
- \*b. a face value of 6, a place value of 10, a total value of 60.
- c. a face value of 6, a place value of 60, a total value of 65.

In 3069 the 9 has

0043

- a. a face value of 69, a place value of 6, a total value of 60.
- b. a face value of 60, a place value of 10, a total value of 9.
- \*c. a face value of 9, a place value of 1, a total value of 9.

In 987 the 9 has

0044

- \*a. a face value of 9, a place value of 100, a total value of 900.
- b. a face value of 900, a place value of 90, a total value of
- c. a face value of 9, a place value of 900, a total value of 987.

In 1967 the 1 has

0045

- a. a face value of 1, a place value of 100, a total value of 1900.
- \*b. a face value of 1, a place value of 1000, a total value of 1000.
- c. a face value of 1, a place value of 1000, a total value of 1900.

In 39,765 the 3 has

0046

- a. the face value of 39, the place value of 10000, the total value of 39,000.
- \*b. the face value of 3, the place value of 10000, the total value of 30,000.
- c. the face value of 3, the place value of 30,000, the total value of 33,000.

11.10

over metatic

In 89 the 8 has

0047

- \*a. a face value of 8, a place value of 10, a total value of
- b. a face value of 80, a place value of 8, a total value of 10.

#### In 7693 the 9 has

0048

- a. a face value of 90, a place value of 9, a total value of 99.
- b. a face value of 10, a place value of 9, a total value of 90.
- \*c. a face value of 9, a place value of 10, a total value of 90.

#### In 437 the 4 has

0049

- a. a face value of 40, a place value of 100, a total value of 100.
- b. a face value of 400, a place value of 4, a total value of
- \*c. a face value of 4, a place value of 100, a total value of 400.

#### In 2367 the 2 has

0050

- \*a. a face value of 2, a place value of 1000, a total value of 2000.
- b. a face value of 2000, a place value of 2, a total value of 4000.
- c. a face value of 2, a place value of 2000, a total value of 2000.

#### In 54693 the 6 has

0051

- a. a face value of 10, a place value of 6, a total value of 6000.
- b. a face value of 100, a place value of 6, a total value of 600.
- \*c. a face value of 6, a place value of 100, a total value of 6000.

Source: Houghton Mifflin, Pg. 12.





EXPANDED NOTATION

THE STUDENT CAN DEMONSTRATE UNDERSTANDING OF NUMBERS BY WRITING A COOL GIVEN NUMBER IN EXPANDED NOTATION.

The number 1234 may be written in expanded notation as

0052

- a. 100 2000 30 4
- b. 1000 2000 3000 4000
- \*c. 1000 200 30

Source: Elementary School Mathematics #4, 2nd Ed., Addison-Wesley, Ch. 5.
"Peas and Particles" Elementary Science Study, Webster, McGraw-Hill.

THE STUDENT WILL APPLY HIS KNOWLEDGE OF COMPACT NUMERALS BY CHOOSING 0264 THE CORRECT EXPANDED NUMERAL FROM A GIVEN LIST.

Directions: Place an X on the line before the correct answer.

3000 + 200 + 40 + 5 is the expanded numeral for 0053

- a. 32045
- ь. 30245
- \*c. 3245

9000 + 900 + 90 + 9 is the expanded numeral for

- \*a. 9999
- b. 99099
- c. 9009



500 + 70 + 2 is the expanded numeral for \*b. c. 8000 + 400 + 9 is the expanded numeral for c. 849 6000 + 10 + 3 is the expanded numeral for c. 60103 9000 + 500 + 40 is the expanded numeral for 700 + 2 is the expanded numeral for b. C. 4000 + 100 + 3 is the expanded numeral for 

 $V(\zeta)$ 

8000 + 200 + 40 + 3 is the expanded numeral for 0061 a. 80243 b. 820403 \*c. 8243 1000 + 400 + 20 + 5 is the expanded numeral for 0062 a. 10425 \*b. 1425 c. 14025 di. 100 + 60 + 1 is the expanded numeral for 0063 **\*a.** 161 b. 1061 c. 1601 1000 + 20 + 9 is the expanded numeral for 0064 a. 10029 b. 1209 \*c. 1029 600 + 2 is the expanded numeral for 0065 a. 6002 **\*b.** 602 c. 62 80 + 6 is the expanded numeral for 0066 **\*a.** 86 806

860

c.

7000 + 60 + 6 is the expanded numeral for

0067

766

7606 7066

\*c.

90 + 3 is the expanded numeral of

0068

903

93

930 C.

2000 + 500 + 50 + 5 is the expanded numeral for

0069

the state of the second

The Park of the Park

25005

c. 205055

WOO

\*\*

3000 + 3 is the expanded numeral of

0070

303

b. 33

\*c. 3003

7000 + 70 + 1

0071

7071

7701

c. 70701

900 + 60 + 6

0072

9066

966

9606

Source: Houghton Mifflin, Pg. 49.



THE STUDENT WILL DEMONSTRATE HIS UNDERSTANDING OF A COMPACT NUMERAL O267 BY CHOOSING THE CORRECT NUMERAL FROM A GIVEN LIST.

Directions: Match column I with column II by placing the letter from column I on the line before the correct answer in column II.

	Column I					Col	umn II	
	Thousands	Hundreds	Tens	0nes		e	5306	<b>0</b> 073
a	3	0	12	6		i	2616	0074
b	0	24	3 .	.s. 6	: ">	. <u>f</u>	9636	0075
С	. 0	91	0	26		<u>b</u>	2436	0076
đ	4	0	34	6		<u>h</u>	4326	0077
e	0	53	O	6		<u>a</u>	3126	0078
f	9	0	. 63	6		<u>d</u>	4346	0079
g	5	6	0	16	:		5616	080
h	0	43	2	6		•		
i	. 0	26	0	16				
j	· 3	2	. 0	16				•

Source: Houghton Mifflin, Pg. 14.

James Branch

ROUNDING

.

1.1

. . . .

e versionale Verwise Notes to the contract

n vista i ali

1 3000

PORT CONTRACTOR OF THE CONTRAC



THE STUDENT CAN DEMONSTRATE UNDERSTANDING OF ROUNDING BY ESTIMATING PRODUCTS USING THE RULES OF ROUNDING TWO DIGIT FACTORS TO THE NEAR-EST TEN, AND THREE DIGIT FACTORS TO THE NEAREST ONE HUNDRED.

0057

The answer to 63 x 523 by estimation is closest to

0081

- \*a. 30000
  - **b.** 3500
  - c. 3000
  - **d.** 36000

If you estimate the product of 49 and 723 your closest answer would be

- a. 28000
- b. 3750
- c. 2800
- \*d. 35000

The closest estimation to the product of 56 and 495 is

0083

- a. 25000
- b. 2000
- c. 3000
- \*d. 30000

Estimate the answer to  $38 \times 921 =$ 

0084

is approximately

- a. 40000
- b. 2700
- \*c. 36000
- d. 27500

GIVEN A SPECIFIC NUMBER THE STUDENT WILL APPLY HIS KNOWLEDGE OF ROUNDING NUMBERS TO SELECT AN APPROXIMATE ROUNDED NUMBER FOR EACH.

0167

Directions: Select the correct answer. 0085 6,845,478 rounded to the nearest ten. a. 6,845,470 \*b. 6,845,480 c. 6,845,500 d. 6,845,400 0086 5,979,345 rounded to the nearest thousand. \*a. 5,979,000 b. 5,980,500 c. 5,980,000 d. 5,979,500 0087 8,623,892 rounded to the nearest hundred. a. 8,623,800 b. 8,623,000 \*c. 8,623,900 d. 8,620,000 8800 3,986,421 rounded to the nearest million. a. 3,000,000 \*b. 4,000,000 3,900,0003,800,000 0089 2,918,433 rounded to the nearest ten thousand. a. 2,908,000 b. 2,900,000 c. 2,915,000

\*d. 2,920,000

4,718,629 rounded to the nearest hundred thousand.

.0090

, fr

- 4,720,000 4,800,000 4,700,000 4,710,000

7800

26

. .710



NUMBER LINE

gricer Miscontinuis

otal region

×.\*

",

٠,,٠

1. XX

ş\* -

•

134

4 544 t

Albert Market Control of Mark

. ....

1985

1\*\ \* 0#

• • • •

23



THE STUDENT CAN DEMONSTRATE KNOWLEDGE OF THE NUMBER LINE BY LOCATING NUMBERS ON THE GIVEN NUMBER LINE.

0022

Select the graph which represents the whole numbers from 1 to 6, inclusive.

0091

a. 0 1 2 3 4 5 6 7 8

c. \_\_\_\_\_

0092

Select the graph which represents the numbers between 3 and 6, including 6.

a. 0 1 2 3 4 5 6 7 8

b. 0 1 2 3 4 5 6 7 8

\*c. 0 1 2 3 4 5 6 7 8

d. \_\_\_\_\_\_

THE STUDENT RECALLS NUMBER LINES AND REGIONS BY USING THEM TO EX-PRESS FRACTIONS.

0066

0093



Using the figure on the left, the fraction that compares the shaded area to the total region is

 $\frac{1}{5}$  d.

b. 1/6

\*c. 5

28

The shaded area is \_\_\_\_\_ of the total region.

0094




a.  $\frac{1}{2}$  b.  $\frac{4}{7}$ 

c. 3

\*d. 3

Point B would be labeled \_\_\_\_\_\_

0095



a.... 2

b.  $\frac{3}{5}$ 

c. 1

\*d. 2


Point C would be labeled \_\_\_\_\_

0096

 $b_{\bullet} = \frac{2}{L}$ 

c.  $\frac{1}{3}$ 

\*d.




Point B would be labeled

0097

b.  $\frac{1}{3}$ 

\*c.  $\frac{2}{7}$ 

d. 2




THE STUDENT WILL DEMONSTRATE HIS UNDERSTANDING OF THE CORRELATION BETWEEN FRACTIONS AND RATIONAL NUMBERS BY LABELING POINTS ON THE NUMBER LINE.

0107


Directions: Choose the fraction that is indicated by the point on the number line.

0098

a. 45 b. 25 \*c. 24 d. 25



0099



0100

b. 6746 d. 27



Directions: Choose and circle the letter of the point on the number line that names the set of equivalent fractions.

A B C 
$$\frac{3}{5}$$
,  $\frac{6}{10}$ ,  $\frac{9}{15}$ ,  $\frac{12}{20}$ , ...

A B 
$$\emptyset$$
  $\frac{5}{6}$ ,  $\frac{10}{12}$ ,  $\frac{15}{18}$ ,  $\frac{20}{24}$ , ...  $0104$ 


$$A \not \in C$$
  $\frac{2}{5}$ ,  $\frac{4}{10}$ ,  $\frac{6}{15}$ ,  $\frac{8}{20}$ , ... 0105

A 
$$\not = 0$$
 C  $\frac{3}{8}$ ,  $\frac{6}{16}$ ,  $\frac{9}{24}$ ,  $\frac{12}{32}$ , ... 0106

Source: Addison-Wesley, Bk. 5, pp. 220-221.

THE STUDENT WILL APPLY HIS KNOWLEDGE OF RATIONAL NUMBERS TO DETERMINE THE RELATIONSHIP BETWEEN TWO POINTS ON TWO NUMBER LINES.

Directions: By looking at the number lines choose the relationship between the given points. If the first point represents a rational number larger than the second point cross out the L.; if the first point represents a rational number smaller than the second cross out the S.; if the two points represent the same rational number, cross out the E.



B, G 0107

\*a. L b. S c. e

B, H 0108

a. L \*b. S c. E

C, J:

\*b. S
c. E

C, I 0110

a. L b. S \*c. E



0111 D, J

L S E b. c.

0112 D, K

L S E a. \*b.

0113 E, K

\*a. L b. S c. E

0114 A, G

a. L \*b. S c. E


0115 E, L

L S E a. b. \*c.

0116 E, K

L S E \*a. b. c.





N, U 0117

\*a. L
b. S
c. E

0, V 0118

a. L \*b. S c. E

P, W 0119

a. L b. S \*c. E

Q, X 0120

\*a. L
b. S
c. E

Q, Y 0121

a. L \*b. S c. E

Y, R 0122

a. L \*b. S c. E

; ; ·


z, s 0123 a. L b. S \*c. U, M 0124 L S C. T, M 0125 S, Y 0126 b. S E C. THE STUDENT WILL DEMONSTRATE HIS UNDERSTANDING OF ADDITION AND 0113 SUBTRACTION OF FRACTIONS ON NUMBER LINES BY CHOOSING THE EQUATION REPRESENTED BY A NUMBER LINE.

Directions: Choose the answer that correctly identifies the equation suggested by the number line.

0 3 1 2 <u>6</u>2


0127

- $\frac{0}{2} + \frac{3}{2}$ - <u>5</u>
- + 2 =
- $+\frac{5}{2} = \frac{8}{4}$



0128

- <u>2</u>




0129


 $\{\frac{i}{2},\frac{i^n}{4i}\}$ 

- $\frac{4}{3} = \frac{8}{3}$
- <u>8</u>3 b.





- a.  $\frac{1}{4} + \frac{5}{4} = \frac{6}{4}$
- $b_{\bullet} \quad \frac{6}{4} \frac{1}{4} = \frac{5}{4}$
- \*c.  $\frac{6}{4} \frac{5}{4} = \frac{1}{4}$
- $d. \quad \frac{5}{4} + \frac{1}{4} = \frac{6}{4}$



0131

0130


- a.  $\frac{4}{2} + \frac{1}{2} = \frac{5}{2}$
- b.  $\frac{1}{2} + \frac{4}{2} = \frac{5}{2}$
- c.  $\frac{5}{2} \frac{4}{2} = \frac{1}{2}$
- \*d.  $\frac{5}{2} \frac{1}{2} = \frac{4}{2}$


Source: Addison-Wesley, Bk. 5, p. 238


THE STUDENT WILL DEMONSTRATE HIS UNDERSTANDING THAT A NUMBER LINE CAN PORTRAY THE ADDITION OF POSITIVE AND NEGATIVE INTEGERS BY SELECTING AN EQUATION DEMONSTRATED ON A GIVEN NUMBER LINE.


0183

Directions: Analyze the following illustrations and select the equation described.










0135

of the great of the first of

0136



a. 5 + 8 = 13 \*b. -5 + 13 = 8 TARTE ME. 

c. 
$$8 + -5 = 13$$

$$d_{\bullet} \cdot -5 + -8 = 8$$

Company of the State of the Company




THE STUDENT WILL ANALYZE A NUMBER LINE SHOWING REPEATED SUBTRACTION IN RELATIONSHIP TO DIVISION BY CORRECTLY IDENTIFYING THE FORMULATED DIVISION EQUATION.

0200


Which number sentence below correctly illustrates the number line?

0137




Which number sentence below correctly illustrates the number line?

0138



Which number sentence below correctly illustrates the number line?


0139



Which number sentence below correctly illustrates the number line?


Which number sentence below correctly illustrates the number line?

0141




Which number sentence below correctly illustrates the number line?

0142




Which number sentence below correctly illustrates the number line?

0143




Which number sentence below correctly illustrates the number line?



Which number sentence below correctly illustrates the number line?

01.45




b. 
$$20 - 2 = 10$$

c. 
$$2 \times 10 = 20$$

Which number sentence below correctly illustrates the number line?

0146



\*b. 
$$14 \div 7 = 2$$

c. 
$$14 - 2 = 7$$


Source: Harcourt, Brace. Elementary Math, 5, p. 61.

THE STUDENT WILL ANALYZE A NUMBER LINE SHOWING THE MULTIPLICATION OF FRACTIONS, BY IDENTIFYING THE CORRECT EQUATION.

0238

Circle the equation that correctly describes the number line below.


0147



\*b. 
$$3 \times 1/5 = 3/5$$

c. 
$$3 \times 1 = 3/5$$

Circle the equation that correctly describes the number line below.



\*a. 
$$3 \times 1/4 = 3/4$$

b. 
$$3 \times 3/4 = 3/4$$

c. 
$$3 \times 1 = 3/4$$

Circle the equation that correctly describes the number line below.

0149

0150



 $6 \times 1 = 6/2$ 

 $6 \times 1/2 = 6/2$  $6 \times 6/2 = 6/2$ 


Circle the equation that correctly describes the number line below.



a.  $1 \times 7/5 = 7/5$ 


b. 1/5 x 7 = 9/5 \*c. 7 x 1/5 = 7/5

Circle the equation that correctly describes the number line below. 0151



\*a. 1/3 x 1/2 = 1/6 b. 3 x 1/6 = 3/6 c. 1/6 x 1/2 = 3/6


Circle the equation that correctly describes the number line below.



a.  $1/3 \times 1/4 = 4/12$ 

b.  $1/4 \times 1/3 = 1/3$ \*c.  $1/4 \times 1/3 = 1/12$ 

3.57 0153 Circle the equation that correctly describes the number line below.




a.  $1 \times 1/2 = 1/4$ 

\*b.  $1/2 \times 1/2 = 1/4$ 

 $1/2 \times 1/2 = 2/4$ 

Circle the equation that correctly describes the number line below.


0154



- $1/2 \times 1/L = L/8$   $1/L \times 1/2 = 1/2$   $1/L \times 1/2 = 1/8$
- b.

Circle the equation that correctly describes the number line below.

01.55



- \*a.  $1/3 \times 1/5 = 1/15$ b.  $3 \times 1/15 = 1/5$ c.  $3 \times 1/15 = 3/15$

Circle the equation that correctly describes the number line below.

01.56




- \*a.  $8 \times 1/3 = 8/3$ b.  $1 \times 1/3 = 2 \cdot 2/3$ c.  $2 \times 1/3 = 8/3$


Source: Addison-Wesley, Elementary School Math 5, pp. 288, 289.

THE STUDENT WILL ANALYZE A NUMBER LINE SHOWING THE MULTIPLICATION OF A MIXED NUMBER TIMES A FRACTION BY CORRECTLY IDENTIFYING THE PRODUCT FROM A LIST.


0245



The number line above shows the equation  $\frac{1}{2} \times 3\frac{1}{2} = N$ . What is the Ol57 product expressed as a mixed number?




The number line above shows the equation  $2 \frac{1}{2} \times \frac{3}{4} = N$ . What is 0158 the product expressed as a mixed number?



The number line above shows the equation  $5/6 \times 1 \frac{1}{3} = N_{\bullet}$  What is O159 the product expressed as a mixed number?



The number line above shows the equation  $5/13 \times 1/4 = N_0$ . What is 0160 the product expressed as a mixed number?




The number line above shows the equation  $2/3 \times 2 \cdot 1/2 = N_{\bullet}$ What is the product expressed as a mixed number?

0161


0164

- 1. 10/6
- $1 \ 2/3$ 1 4/6




The number line above shows the equation  $2 \frac{2}{3} \times \frac{4}{5} = N_{\bullet}$ What 0162 is the product expressed as a mixed number?

- 2 2/15 \*a.
- b. 1 9/15
- 2 32/15



0163 is the product expressed as a mixed number?


- 1 11/6
- 1 5/6 \*b.
- 1 11/6



The number line above shows the equation  $2 \frac{1}{3} \times \frac{1}{4} = N$ . What is the product expressed as a mixed number?

- 2 3/12 1 9/12
- \*c. 1 3/4






The number line above shows the equation  $3 \frac{1}{4} \times \frac{1}{3} = N$ . What is the product expressed as a mixed number?

0165

0166

\*a. 1 1/12 b. 1 13/12

c. 3 13/12



The number line above shows the equation  $2/5 \times 2 3/4 = N_{\bullet}$  What is the product expressed as a mixed number?

a. 2 6/20

b. 3 2/20

\*c. 1 1/10

Source: Merrill, Discovering Math 5, p. 314

THE STUDENT WILL APPLY HIS KNOWLEDGE OF THE NUMBER LINE BY IDEN-TIFYING THE RELATIONSHIP BETWEEN TWO GIVEN NUMBERS.

0261

Directions: Circle the correct alternative.

20 is to the right of 17 on the number line:

0167

\*a. 20 > 17

b. 20 < 17

c. 20 = 17

10 is to the left of 15 on the number line:

0168

a. 10 > 15

\*b. 15 > 10

c. 10 = 15



0169 X is to the right of y on the number line: x = y8. \*b. x > y $x \le y$ C. 0170 25 > 12 \*a. 12 is to the left of 25 on the number line b. 12 is at the same point as 25 on the number line c. 25 is to the left of 12 on the number line 0171 30 < 50 50 is to the right of 30 on the number line b. 30 is to the right of 30 on the number line c. 50 is to the left of 30 on the number line 1100 يان ت 500 600 800 900 1000 101. 1100 0172 The number that is 500 greater than 100 · a. 400 500 b. \*c: 600 0173 The number between 600 and 800 is 500 a. 700 \*b. C. 900 0174 The number that is 200 less than 300 is \*a. 100 400 b.

The number that is 200 less than 800 is

- 600

The number that is 400 greater than 100 is

Source: Houghton Mifflin, p. 40-41.



 $\dots \sqrt{2}\,i/i$ 

INEQUALITIES



THE STUDENT WILL APPLY HIS KNOWLEDGE OF INEQUALITIES BY SOLVING 0132 PROBLEMS AND SELECTING THE ANSWER FROM A LIST OF POSSIBILITIES. Directions: Answer the problems using inequalities, circle the correct answer. 100 greater than 36 is 0177 360 a. 3600 b. \*c. 136 d. 163 The number 100,000 greater than 837,645,246 is 0178 837,646,264 \*b. 837,745,264 c. 838,645,264 d. 837,655,264 Which of the following is true 0179 653,804 < 653,084 \*b. 653,804 > 653,084 c. 653,804 = 653,084The number 1,000,000 less 348,637,486 is 0180 348,627,486 b. 338,637,486c. 349,637,486



\*d. 347,637,486

THE STUDENT WILL RECALL THE MEANING OF THE SIGNS GREATER THAN. LESS THAN, EQUAL TO BY IDENTIFYING THE CORRECTLY EXPRESSED NUM-BER SENTENCE.

Directions: Place an x in front of the correct alternative.

$$2/4 + 1/4 = 3/4$$

\*c. 
$$1/4 < 3/4$$

$$5/8 + 2/8 = 7/8$$

$$3/9 + 2/9 = 5/9$$

c. 
$$3/9 = 2/9$$

$$3/7 + 2/7 + 5/7$$

c. 
$$5/7 < 3/7$$

$$3/5 + 1/5 = 4/5$$

c. 
$$3/5 = 1/5$$

$$1/7 + 1/7 = 2/7$$

\*a. 
$$1/7 = 1/7$$
  
b.  $2/7 < 1/7$   
c.  $2/7 = 1/7$ 

c. 
$$2/7 = 1/7$$

$$3/8 + 4/8 = 7/8$$

a. 
$$7/8 = 8/8$$

b. 
$$3/8 > 4/8$$

\*b. 
$$1/9 < 4/9$$

c. 
$$1/9 > 4/9$$

$$1/12 + 2/12 = 3/12$$

c. 
$$1/12 > 2/12$$

$$3/10 + 2/10 = 5/10$$

c. 
$$5/10 < 3/10$$

Source: Houghton Mifflin, p. 300.

EXPONENTIAL NOTATION



THE STUDENT CAN DEMONSTRATE UNDERSTANDING OF EXPONENTIAL NOTATION BY WRITING THE MULTIPLES OF TEN IN EXPONENTIAL NOTATION.

0004

The following series of numbers may be expressed in exponential notation. Select the lettered row below which gives the correct scientific notation for the given series. In the particular order as given. (Hint: Write scientific notations of the numbers given first).

0191

a. 
$$10^6$$
,  $10^{-1}$ ,  $10^3$ ,  $10^{-2}$ ,  $10^2$ ,  $10^0$ ,  $10^1$ ,  $10^{-3}$   
b.  $10^6$ ,  $10^1$ ,  $10^3$ ,  $10^2$ ,  $10^0$ ,  $10^{-1}$ ,  $10^{-2}$ ,  $10^{-3}$   
\*c.  $10^6$ ,  $10^3$ ,  $10^{-1}$ ,  $10^2$ ,  $10^{-2}$ ,  $10^1$ ,  $10^0$ ,  $10^{-3}$   
d.  $10^6$ ,  $10^2$ ,  $10^3$ ,  $10^1$ ,  $10^0$ ,  $10^{-1}$ ,  $10^{-2}$ ,  $10^{-3}$ 

0192

The following series of numbers may be expressed in exponential notation. Select the lettered row below which gives the correct scientific notation for the given series, in the particular order given.

a. 
$$10^{-5}$$
,  $10^{-4}$ ,  $10^{4}$ ,  $10^{5}$   
\*b.  $10^{5}$ ,  $10^{-4}$ ,  $10^{4}$ ,  $10^{-5}$   
c.  $10^{5}$ ,  $10^{4}$ ,  $10^{-4}$ ,  $10^{-5}$   
d.  $10^{6}$ ,  $10^{-5}$ ,  $10^{-4}$ ,  $10^{4}$ 

Source: Terms, Tables, Skills, Ch. 2.

THE STUDENT CAN DEMONSTRATE UNDERSTANDING OF THE POWERS OF TEN BY TRANSLATING THE NUMBER OF DIGITS AFTER THE DECIMAL POINT INTO POWERS OF TEN.

0009

The number 1234 may be written as

0193

- a.  $12.34 \times 10^3$
- b.  $123.4 \times 10^3$
- \*c.  $1.234 \times 10^3$

Source: Elementary School Mathematics #4, 2nd Ed., Addison-Wesley, Ch. 5.
"Peas and Particles" Elementary Science Study, Webster,
McGraw-Hill

THE STUDENT CAN DEMONSTRATE UNDERSTANDING OF THE PROCESS OF INTER-POLATION BY INTERPOLATING THE RELATIVE VALUE OF THE EXPONENT OF A GIVEN NUMBER BETWEEN ANY TWO POWERS OF TEN. 0013

If a number between 100 and 1000 is to be written in exponential notation, the exponent for the powers of ten would be

0194

- a. greater than 2 and greater than 3
- b. less than 2 and less than 3

McGraw-Hill

\*c. greater than 2 and less than 3

Source: Elementary School Mathematics #4, 2nd Ed., Addison-Wesley, Ch. 5
Holt, Rinehart, and Winston, Elementary Math Series,
4th-8th
Elementary School Mathematics #6, 2nd Ed., Addison-Wesley
"Peas and Particles" Elementary Science Study, Webster,

ERIC Full Text Provided by ERIC

THE STUDENT CAN DEMONSTRATE UNDERSTANDING OF EXPONENTS BY SOLVING PROBLEMS INVOLVING EXPONENTS, RE-STATING NUMBERS INTO A FORM WITH EXPONENTS AND TRANSLATING NUMBERS INTO SCIENTIFIC NOTATION.

0061

 $1 \times 1 = 1$ 

 $1 + 3 = 2 \times 2 = 4$ 

0195 How many more 1 unit squares must be added to again have a square?

8.

4 b.

\*c.

56 d.

0196 A square with 5 units on each side will have how many units in all?

10 8.

15 b.

20 c.

\*d. 25

10 is one unit of 10 or we can write 101 (ten to the first power). 0197 10<sup>2</sup> means ten to the second power or 10 x 10 or 100. 10<sup>3</sup> means

a. 10 + 10 + 10

10 x 10 x 10 \*b.

100 + 10 c.

d. 1 x 0 x 0 x 0

0198 A number times itself gives us the square of that number. We use the exponent 2 to tell us to square a number.  $3^2 = 3 \times 3$  or 9. Which of these statements is not true?

42 = 16

 $15^2 = 15 \times 15$ 

112 = 121

= 14 #d.

An exponent helps us to give an abbreviated form of a large

0199

 $4 \times 10 \times 10 \times 10 = 4 \times 10^3$ 

The number 6,000,000 is shortened to  $6 \times 10^{?}$ 

- a.
- b. 5
- d.

 $73 \times 10^4$  is equal to

0200

- 7300 8.
- 73000 p.
- \*c. 730000
  - 7300000

 $61 \times 10^2$  is equal to

0201

- 61
- 610
- 6100
- 61000 d.

 $53 \times 10^7$  is equal to

0202

- 5300000 a.
- b. 53000000
- \*c. 530000000
  - 5300000000

Expanded notation tells us how many in each place. The shortened form or the standard numeral for  $7 \times 10^4 + 6 \times 10^3 \times 0 \times 10^2 + 9 \times 10$ 0203

- \*a. 76090
- b. 76190
- 76009 C.
- 76109



The standard numeral for  $8 \times 10^5 + 7 \times 10^3 + 9 \times 10^2 + 0 \times 10 + 7$  is 0204

- 87907 a.
- 807907 \*b.
- 87097 C.
- 807097

$$6 \times 10^4 + 3 \times 10^3 + 0 \times 10^2 + 4 \times 10 + 3$$
 is an expanded numeral for 0205

- 603043 63003 63413
- C.
- \*d. 63043

$$2 \times 2 \times 2 \times 2 \times 2 = 2^{n}$$

0206

- n =

- 5432

$$2^3 + 3^2 = n$$

0207

- 10
- 1.2
- c. 13
- 17

$$2^2 \times 10^4 = n$$

- n =
- 400 a.
- 44 þ.
- 4040
- 40000

The fourth power of 2 is

$$6^3 = 6^1 \times 6^2 = 6 \times$$

$$4^4 = 4^2 \times 4^2 =$$
\_\_\_\_\_x

d. 
$$40 \times 40$$

$$3 \times 10^3 \times 4 \times 10^2 =$$

a. 
$$12 \times 10^{\circ}$$

a. 
$$12 \times 10^6$$
  
\*b.  $12 \times 10^5$   
c.  $12^6 \times 10^1$   
d.  $8 \times 10^1$ 

c. 
$$12^{\circ} \times 10^{1}$$

d. 
$$8 \times 10^{1}$$

$$2 \times 10^4 \times 4 \times 10^3 =$$

\*a. 
$$8 \times 10^{7}$$

c. 
$$8 \times 10^9$$
  
d.  $8 \times 10^1$ 

 $3^2 \times 3^5 = 3^n$ 5 6 7 10 \*c.

0214

 $3^1 \times 3^3 =$ 9 27 81 243 а. \*c.

0215

 $-2^1 \times 3^1 \times 5^1 =$ 11 30 60 100 c. d.

0216

·291 x 21 = **a.** b.

0217

0218

43<sup>1</sup> x 2<sup>1</sup> x 4 86 a. þ.

49 344 46 \*c. .d.

0219

 $10^4 \times 8^2$ 

a. 16000

b. 16,000,000 c. 64,000,000 \*d. 640,000



$$2^3 \times 7^1 =$$

$$4^2 \times 1^3 \times 2^3 =$$

$$20 = 2^2 \times 5$$

$$40 = 2^n \times 5$$

\*a. 
$$5 \times 3^2$$
b.  $5 \times 3^3$ 
c.  $5 \times 3^1$ 
d.  $5 \times 3^4$ 

. ....

d. 
$$5 \times 3^4$$

The product 64 is equal to 2 to which power?

100 is equal to  $10^2$  or

0225

a. 
$$5^2 \times 10$$

b. 
$$5^2 \times 2^1$$

$$*c. 5^2 \times 2^2$$

$$d_{\bullet} = 5^2 \times 10^2$$

144 is the product of 12 x 12 or

0226

a. 
$$3^2 \times 4^2$$

b. 
$$6^2 \times 2^2$$

c. 
$$2^4 \times 3$$

c. 
$$2^4 \times 3$$
  
\*d.  $2^4 \times 3^2$ 

THE STUDENT CAN DEMONSTRATE UNDERSTANDING OF SCIENTIFIC NOTATION BY TRANSLATING A GIVEN NUMBER INTO A NUMBER WRITTEN AS A NUMBER BETWEEN ONE AND TEN, TIMES A POWER OF TEN.

0010

Number Number Between Power of 1 and 10 10 102 672 4378 4.378

If the accompanying table is correctly completed, the blanks will be filled in with

0227

0011

- 6.72 and 10<sup>4</sup>
- $67.2 \text{ and } 10^3$
- $6.72 \text{ and } 10^3$

Elementary School Mathematics #4, 2nd Ed., Addison-Wesley, Ch. 5 10 1000 "Peas and Particles" Elementary Science Study, Webster, McGraw-Hill

THE STUDENT CAN DEMONSTRATE UNDERSTANDING OF SCIENTIFIC NOTATION BY TRANSLATING ANY GIVEN NUMBER (BASE 10) TO THE CORRECT SCIENTIFIC OR EXPONENTIAL NOTATION.

The correct scientific notations for the numbers (in the base 10) 0228 1560 and 788 are

\*a. 
$$1.560 \times 10^3$$
 and  $7.88 \times 10^2$ 

b. 
$$15.60 \times 10^{1}$$
 and  $7.88 \times 10^{1}$   
c.  $0.1560 \times 10^{2}$  and  $78.8 \times 10^{0}$ 

c. 
$$0.1560 \times 10^2$$
 and  $78.8 \times 10^0$ 

d. 
$$156.0 \times 10^3$$
 and  $7.88 \times 10^2$ 

The correct scientific notations for the numbers (the base 10) 0229 0.104 and 0.00398 are

a. 
$$1.04 \times 10^{-1}$$
 and  $3.98 \times 10^{3}$ 

b. 
$$1.04 \times 10^{+1}$$
 and  $3.98 \times 10^{-3}$   
c.  $1.04 \times 10^{-2}$  and  $3.98 \times 10^{3}$ 

c. 
$$1.04 \times 10^{-2}$$
 and  $3.98 \times 10^{3}$ 

\*d. 
$$1.04 \times 10^{-1}$$
 and  $3.98 \times 10^{-3}$ 

Terms, Tables, and Skills, Woodruff-Silver Burdett, Ch. 2.

FRACTIONS



THE STUDENT KNOWS THE MEANING OF FRACTIONAL NUMBERS BY CONVEYING THAT MEANING THROUGH THE USE OF SETS.

0064

Numerals for fractional numbers are

0230

- a. whole numbers
- \*b. fractions
- c. counting numbers
- d. cardinal numbers

When we compare a subset of a set with that set we can use

0231

- a. whole numbers
- b. counting numbers
- \*c. fractional numbers
- d. cardinal numbers

0232

The cardinal numbers for the set and its subset show the relationship of

\*a. 
$$\frac{2}{4}$$

- b.  $\frac{4}{2}$
- c.  $\frac{3}{4}$
- d.  $\frac{2}{3}$

0233

The relationship shown is

a. 
$$\frac{4}{1}$$

- b.  $\frac{1}{5}$
- c. 4 1
- \*d.  $\frac{1}{4}$

{00000}	0234
Which choice describes the colored circle in the set?	
<ul> <li>a. the middle circle</li> <li>b. one is colored</li> <li>*c. one-fifth is colored</li> <li>d. four aren't colored</li> </ul>	
	0235
The best description of the colored blocks in the set is	
a. every other one b. half of the set *c. three-sixths d. three of them	
THE STUDENT CAN DEMONSTRATE UNDERSTANDING OF FRACTIONS BY COMPARING THE FRACTION NAMED TO THE TOTAL REGION TO STATE TWO FRACTIONS AND STATING THE MEANING OF THE TERMS NUMERATOR AND DENOMINATOR.	0067
	.•
Denominators are always  *a. counting numbers b. whole numbers	0236
c. fractional numbers	

The denominator names the

śubset 8.

\*b. set

c. cardinal number

d. fraction

The numerator is a

0238

0237

a. fraction

\*b. whole number
c. counting number

d. set



0239

the numerator for the colored part of the set is

- \*a∙ 1 4 b.
- 5 C.

0240

The denominator for the colored part of the set is

- 1 a. b.
- 34 \*c.

0241

of the region is colored, the rest of the region is \_

- a.

0242

are colored. are not colored.

- 8.

- d.
- e.

GIVEN A LIST OF EQUATIONS THE STUDENT WILL ANALYZE THEM TO SELECT THE ASSUMPTION THAT A NUMBER MULTIPLIED BY A PROPER FRACTION EQUALS A PRODUCT LESS THAN THE ORIGINAL NUMBER.

0186

Directions: Analyze the following equations and then select the assumption which would apply.

4 x 8 = 32	4 x 9 = 36	4 x 6 = 24	0243
1 x 8 = 8	2 x 9 = 18	2 x 6 = 12	
\frac{1}{12} x 8 = 4	1/3 x 9 = 3	1/6 x 6 = 1	
6 x 12 = 72	5 x 20 = 100	8 x 18 = 144	
2 x 12 = 24	2 x 20 = 40	2 x 18 = 36	
\frac{1}{4} x 12 = 3	1/5 x 20 = 4	1/6 x 18 = 3	

- a. If you multiply a number by a proper fraction the product will be less than one.
- b. If you multiply a number by a proper fraction the product will be greater than the original number.
- c. If the product is greater than one you have multiplied a number by a proper fraction.
- \*d. If the product is less than the original number you have multiplied by a proper fraction.

THE CHILD WILL DEMONSTRATE HIS UNDERSTANDING OF FRACTIONAL PARTS BY IDENTIFYING DIFFERENT FRACTIONAL PARTS.

0092

Directions: Match the picture with the fraction that identifies the shaded part.

a. 
$$\frac{3}{9}$$

b.  $\frac{1}{4}$ 

c.  $\frac{1}{3}$ 

d.  $\frac{3}{4}$ 

c.  $\frac{2}{3}$ 

d.  $\frac{3}{4}$ 

c.  $\frac{2}{3}$ 

f.  $\frac{3}{6}$ g.  $\frac{2}{5}$ h.  $\frac{6}{9}$   $\frac{1}{9}$   $\frac{1}{9}$ 

Source: Addison-Wesley, Bk. 5, pp. 186-187.

THE STUDENT WILL DEMONSTRATE HIS KNOWLEDGE OF THE DIFFERENCE BE— 0096
TWEEN NUMERATORS AND DENOMINATORS BY IDENTIFYING THEM.

Directions: Using the given fractions; if the number given is a numerator cross out the N, if the number given is a denominator cross out the D.

1/2, 7/9, 3/5, 6/8, 4/12, 10/11

a.	N	ø	8		0250
b.	N	ø	9		0251
c.	×	Ď	3		0252
d.	M	D	6		0253
e.	M	D	7		0254
f.	N	ø	5		0255
g.	N	ø	11		0256
h.	N	ø	12		0257
i.	×	Ď	10		0258
j.	N	D	1	•	0259

9/13

14/25

a. N p 25 b. N D 14 69 0262 23/11

1

11

0264 0265

5/4

N M b.

0266 0267

6 2/3

N D 2 3 0268 0269

THE STUDENT WILL DEMONSTRATE HIS UNDERSTANDING OF THE RELATIONSHIP BETWEEN NUMERATORS AND DENOMINATORS BY DESCRIBING THIS RELATIONSHIP.

0097

Directions: Look at the figures then select the correct response..



How many parts is the post divided into?

0270

- 1 a. 2 b.
- c.
- \*d.

The number of the fraction which tells how many parts the post is divided into will be

- 1 a.
- 2 b.
- C.
- 34 \*d.

The denominator of the fraction describing the part of the post not painted is

- a. 1
- b. 2
- c. 3
- \*d. 1

How many parts of the post are painted?

0273

- a. 1
- b. 2
- \*c. 3
- d. 4

The number of the fraction telling how many of the parts of the post are painted is

0274

- a. 1
- b. 2
- \*c. 3
- d. 4

The numerator of the fraction telling how many parts of the post are painted is

- 8.
- b. 2
- \*c. 3
- d. 4

The numerator of the fraction telling how much of the post <u>isn't</u> 0276 painted is

- \*a. ]
- b. 2
- c. 3
- d. 1

Which fraction identifies the whole post?

0277

- 1/4
- b. 2/4

Which fraction identifies the painted part of the post?

0278

- 1/4 a.
- 2/4 b.
- \*c. 3/4

Which fraction identifies the non-painted part of the post?

0279


- \*a. 1/4
- b. 2/4
- c. 3/4 d. 4/4

Source: Addison-Wesley, Bk. 5, p. 191.

GIVEN A DIAGRAM OF FRACTIONS, THE STUDENT WILL APPLY HIS KNOW-LEDGE OF FRACTIONS BY CORRECTLY SELECTING THE FRACTION WHICH CORRESPONDS TO EACH DIAGRAM.

0147

Directions: Select the fraction that is shown in each diagram.



What fraction of the area is shaded?

0280

- a. 4/6 b. 2/8 \*c. 2/6 d. 2/5

What fraction of the area is not shaded?

0281

- a. 2/6 \*b. 4/6 c. 1/3 d. 3/4











What fraction of the figures are circles?

0282

What fraction of the figures are geometric shapes?

0283


The numerator tells how many parts

- \*a. are shaded
- in all
- not shaded

The denominator tells how many parts

0285

- a. are not shaded
- \*b. in all
  - c. are shaded



What fraction of the area is shaded?

0285

- a. 6/6
- b. 1/2
- c. 0/5
- \*d. 0/6

Source: Addison Wesley

0149

THE STUDENT WILL DEMONSTRATE UNDERSTANDING OF THE RELATIONSHIP BETWEEN WHOLE NUMBERS AND FRACTIONS EITHER BY EXPRESSING WHOLE NUMBERS AS FRACTIONS OR FRACTIONS AS WHOLE NUMBERS.

Directions: Express the following fractions as whole numbers.

15/5

0286

- a. :
- b. 1
- \*c. 3
- d. 4

12/4

0287

- \*a.
  - D• 4
- c. 6
- d. 2

74

20/5

0288

0289

a. 5 \*b. 4 c. 10 d. 2

9/1

a. 1 b. 18 \*c. 9 d. 3

. 4/4 0290

a. 4 b. 2 c. 0 \*d. 1

635/5

a. 300 b. 35 \*c. 127 d. 101


0292

\*a. 103
b. 104
c. 43
d. 164

Directions: Express the following whole numbers as fractions.

0293 12/4 20/5 100/20 a. c. 32/2 3. 0294 \*a. 27/9 b. 24/6 c. 30/15 d. 42/3 6 0295 36/4 42/2 6/1 12/3 b. \*c. d. 15 0296 45/9 60/4 30/3 \*b∙ c. 100/4 12 0297 36/4 24/1 b. 12/2 ·C. 24/2 \*d.

THE STUDENT KNOWS FOR EVERY FRACTIONAL NUMBER THERE IS A SET OF EQUIVALENT FRACTIONS BY SELECTING EQUIVALENT FRACTIONS FOR A GIVEN FRACTION.



 $\frac{1}{4}$  is one fraction for a subset of the whole. equivalent to  $\frac{1}{4}$  is Another subset

0298


- \*c.
- d.



 $\frac{4}{6}$  is colored. An equivalent fraction of it is

0299

- a.
- b.
- C.
- \*d.




The equivalent for C and  $C_{(1)}$  are

- 23 24 5 8 7 8 10 12



The set of equivalent fractions for point B is

0301



$$a = \frac{1}{3}, \frac{2}{6}, \frac{3}{9}, \frac{4}{12}$$

b. 
$$\frac{2}{3}$$
,  $\frac{4}{6}$ ,  $\frac{8}{12}$ ,  $\frac{12}{2h}$ 

a. 
$$\frac{1}{3}$$
,  $\frac{2}{6}$ ,  $\frac{3}{9}$ ,  $\frac{4}{12}$   
b.  $\frac{2}{3}$ ,  $\frac{4}{6}$ ,  $\frac{8}{12}$ ,  $\frac{12}{24}$   
\*c.  $\frac{3}{6}$ ,  $\frac{6}{12}$ ,  $\frac{9}{18}$ ,  $\frac{12}{24}$   
d.  $\frac{1}{2}$ ,  $\frac{2}{4}$ ,  $\frac{4}{8}$ ,  $\frac{8}{10}$ 

d. 
$$\frac{1}{2}$$
,  $\frac{2}{4}$ ,  $\frac{4}{8}$ ,  $\frac{8}{10}$ 

Directions:

Match the equivalent fraction in Column II with the right fraction in Column I.

Column I

a. 
$$\left\{\frac{3}{6}, \frac{4}{8}, \frac{5}{10}\right\}$$
  
b.  $\left\{6, \frac{9}{2}, \frac{32}{12}\right\}$ 

b. 
$$\begin{cases} 6 & 8 & 10 \\ \frac{6}{8} & \frac{9}{12} & \frac{2}{16} \end{cases}$$

c. 
$$\left\{\frac{4}{6}, \frac{6}{9}, \frac{8}{18}\right\}$$

d. 
$$\left\{ \frac{6}{4}, \frac{6}{9}, \frac{8}{12} \right\}$$
  
e.  $\left\{ \frac{10}{6}, \frac{15}{9}, \frac{20}{12} \right\}$ 

0304

0302

0303

A set of equivalent fractions can be developed by multiplying by fractions in which the numerator and denominator are

- a. opposite to each other.
- b. unequal to each other.
- \*c. equal to each other.
- d. equivalent to each other.

The smallest fraction in a set of equivalent fractions is easily found by dividing by fractions that are

a. the same as the fraction

\*b. equivalent to one

c. smallest you know

d. opposite of the fraction

Directions: Match the lowest fraction of a set of equivalent fractions to one of its equivalents.

Column I	Column II	
<u>b</u> 1/4	<b>a.</b> 12 30	0308
<u>f</u> 45	a. 12 30 b. 12 48 c. 15 20 d. 8 12	0309
<u>c</u> 3/4	e 14 f 32 40	0310
d 2		0311
THE CHILD WILL USE FRACTIONS THAT ARE	HIS KNOWLEDGE OF FRACTIONS SETS IN SELECTING EQUIVALENT.	0093

Directions: Select the alternate that is equivalent to the lead.

$$\frac{1}{2}$$
 = 0312 

8.  $\frac{2}{3}$  
\*b.  $\frac{2}{4}$  
c.  $\frac{2}{5}$  
d.  $\frac{4}{7}$ 

<u>2</u> =

3 a. 
$$\frac{L}{7}$$
b.  $\frac{8}{11}$ 
c.  $\frac{17}{2L}$ 
\*d.  $\frac{10}{15}$ 

<u>5</u> =

0314

0315

 $\frac{8}{10} =$ 

 $\frac{14}{21}$  =

0316

a. 3

b. 7/15

5 \*d. 2

<u>5</u> =

0317

\*a. 20

b. ½

c. 10 25

d. <u>54</u>

 $\frac{4}{9} =$ 

0318

a. 7

b. <u>9</u> 19

18 d. 8

THE STUDENT WILL DEMONSTRATE HIS KNOWLEDGE OF BUILDING SETS OF EQUIVALENT FRACTIONS BY SELECTING FRACTIONS TO CONTINUE EQUIVALENT SETS.

ഹര

Directions: Choose the alternative that continues the equivalent

[2/3, 4/6, 6/9, ...]

a. 12/18, 24/36, 48/72
b. 8/12, 14/20, 20/28
c. 12/15, 18/24, 24/30
\*d. 8/12, 10/15, 12/18

[1/4, 2/8, 3/12, ...]

a. 4/15, 5/20, 6/25 \*b. 4/16, 5/20, 6/24 c. 6/15, 7/23, 8/28 d. 4/16, 6/24, 7/28

[4/5, 8/10, 12/15, ...]

\*a. 16/20, 20/25, 24/30 b. 18/20, 24/25, 32/30 c. 24/30, 30/35, 35/40 d. 16/25, 20/30, 24/35

Directions: Choose the set that builds the given fraction.

e 3/10 a. 10/80, 15/120, 20/160, 25/200 0322 b. 6/10, 9/15, 12/20, 15/25

c. 6/48, 7/56, 8/64, 9/72 c 5/40

d. 8/24, 9/27, 10/30, 11/33 e. 6/20, 9/30, 12/40, 15/50

d 7/21 f. 28/40, 35/50, 42/60, 49/70 0324

g. 6/20, 12/30, 18/40, 24/50

0319

0320

<u>f</u> 21/30 0325

<u>b</u> 3/5

0 0/1	N/6 20/0 25/20 20/25 0207
	8/6, 12/9, 15/12, 18/15 0327 1/2, 6/3, 8/4, 10/5
	0/2, 0/3, 0/4, 0/5
b 2/1	0328
	1/0, 2/0, 3/0, 4/0
<u>d</u> 1/2	5/8, 9/12, 12/15, 15/18 0329
g.	3/1, 4/1, 5/1, 6/1
<u>r</u> 3/4	<b>03</b> 30
<u>a</u> 4/3	0331
Source: Addison-Wesley, Bk. 5, pp. 199,	201 a
THE STUDENT WILL ANALYZE STATEMENTS RELAT LENCY TO INDICATE WHETHER THE GIVEN STATE ASSUMED.	
	uation choose the correct n be assumed from the given the statement is unassumed
8/10 > 5/10	
6/10 > 5/10 \$ U .	0332
7/8 > 5/10 s V	0333
5/10 < 7/10 \$ U	0334

9/10 > 5/10 0335 \$ U 4/5 > 1/2 0336 3/12 < 4/12 3/12 < 7/12 \$ U 0337 3/12 < 1/3 ន ប 0338 1/4 < 4/12 0339 \$ U 3/12 < 1/8 0340 1/2 < 4/12 0341 9/18 > 8/18 9/18 > 4/5 0342 1/2 > 8/18 0343 5/6 > 8/1.8 034



U

9/18 > 7/18

1/2 > 4/9 \$ U

0346

3/5 = 15/25

3/5 > 14/25 \$ U

0347

. 2/5 < 15/25 \$ U

0348

3/5 < 27/38 S V

0349

3/5 = 6/10 \$ U

0350

15/25 = 6/10 \$ 0

0351

4/7 < 2/3

4/7 = 2/3 S  $\sqrt{}$ 

52ر0

8/14 < 2/3 \$

0353

2/3 > 4/7 \$ U

0354

1/3 > 4/7 s

0355

3/3 > 4/7 \$ U

0356

Source: Addison-Wesley, Bk. 5, pp. 226-227

THE STUDENT WILL DEMONSTRATE HIS UNDERSTANDING OF EQUIVALENT FRACTIONS BY SELECTING THE SET OF FRACTIONS WHICH IS EQUIVALENT TO A GIVEN FRACTION.

Directions: Given a fraction, circle the set of fractions which is equivalent.

a. 
$$\left\{\frac{1}{4}, \frac{2}{4}, \frac{3}{4}, \frac{4}{4}, \frac{1}{4}, \dots\right\}$$
  
\*b.  $\left\{\frac{1}{4}, \frac{2}{8}, \frac{3}{12}, \frac{4}{16}, \dots\right\}$   
c.  $\left\{\frac{1}{4}, \frac{1}{5}, \frac{1}{6}, \frac{1}{7}, \dots\right\}$   
d.  $\left\{\frac{1}{4}, \frac{1}{8}, \frac{1}{12}, \frac{1}{16}, \dots\right\}$ 

a. 
$$\begin{cases} 2 & 2 & 2 & 2 \\ 3 & 6 & 9 & 12 \end{cases}$$
b.  $\begin{cases} 2 & 4 & 6 & 8 \\ 3 & 3 & 3 \end{cases}$ 
c.  $\begin{cases} 2 & 4 & 6 & 8 \\ 3 & 6 & 9 & 12 \end{cases}$ 
d.  $\begin{cases} 2 & 6 & 8 \\ 3 & 12 & 15 \end{cases}$ 

\*a. 
$$\left\{\frac{5}{6}, \frac{10}{12}, \frac{15}{18}, \frac{20}{24}...\right\}$$
b.  $\left\{\frac{5}{6}, \frac{10}{14}, \frac{15}{18}, \frac{20}{22}...\right\}$ 
c.  $\left\{\frac{5}{6}, \frac{5}{12}, \frac{5}{18}, \frac{5}{22}...\right\}$ 
d.  $\left\{\frac{5}{6}, \frac{12}{6}, \frac{13}{6}, \frac{24}{6}...\right\}$ 

a. 
$$(\frac{3}{5}, \frac{3}{9}, \frac{3}{12}, \frac{3}{16}, \frac{3}{12})$$
b.  $(\frac{3}{5}, \frac{6}{10}, \frac{9}{15}, \frac{12}{20}, \frac{12}{15}, \frac{6}{10})$ 
c.  $(\frac{3}{5}, \frac{6}{10}, \frac{9}{12}, \frac{12}{15}, \frac{3}{12})$ 
d.  $(\frac{3}{5}, \frac{3}{10}, \frac{6}{12}, \frac{6}{15}, \frac{6}{15}, \frac{3}{15}, \frac{6}{15}, \frac{6}$ 

GIVEN AN INCOMPLETE PAIR OF EQUIVALENT FRACTIONS, THE STUDENT WILL APPLY METHODS USED TO COMPUTE EQUIVALENT FRACTIONS BY FINDING THE MISSING NUMERATOR OR DENOMINATOR.

Directions: Find the missing numerator or denominator which makes the fractions equivalent.

$$\frac{2}{3} = \frac{n}{9}$$

$$\frac{4}{5} = \frac{12}{5}$$

$$\frac{6}{10} = \frac{30}{n}$$

a. 20 b. 40 \*c. 80

d.

60

0364

 $\frac{n}{56} = \frac{7}{8}$ 

0365

a. 7b. 42c. 28\*d. 49

100 = 20

0366

a. 120 \*b. 150 c. 100 d. 30

0367

 $\frac{150}{n} = \frac{3}{5}$ 

a. 100

b. 150 c. 200

c. 200 \*d. 250

THE CHILD WILL SHOW HIS UNDERSTANDING OF RELATIVE SIZE OF FRACTIONS BY COMPARING GIVEN FRACTIONS AND SELECTING THE CORRECT STATEMENT THAT DEMONSTRATES THE COMPARISON.

0094

Directions:

If the first fraction is larger than the second, cross out the A; if the second fraction is larger than the first cross out the B; if the two fractions are equivalent cross out the C.

0368

# B C

 $\frac{4}{9}$ ,  $\frac{1}{3}$ 

0369

∦ B C

 $\frac{5}{6}$ ,  $\frac{7}{8}$ 

0370

A B Ø

 $\frac{2}{3}$ ,  $\frac{10}{15}$ 

0371

A PS C

 $\frac{1}{6} \cdot \frac{1}{4}$ 

0372

A B C

 $\frac{1}{8}$  ,  $\frac{3}{16}$ 

0373

A B

 $\frac{9}{18} \cdot \frac{2}{4}$ 

0374

A B C

 $\frac{5}{7} \cdot \frac{4}{5}$ 

0375

∦ B 0

 $\frac{7}{16} \cdot \frac{3}{8}$ 

0376

K B C

 $\frac{1}{5}$ ,  $\frac{1}{6}$ 

THE STUDENT WILL DEMONSTRATE KNOWLEDGE OF THE RELATIONSHIP BETWEEN TWEEN FRACTIONS BY SELECTING THE TRUE RELATIONSHIP BETWEEN TWO FRACTIONS.

0098

Directions:


After looking at the figures select from the list below the relationship involved. Circle the letter corresponding to the answer.


- A. The fraction represented by the first figure is larger than the fraction represented by the second figure.
- B. The fraction represented by the first figure is smaller than the fraction represented by the second figure.
- C. The fractions represented by both figures are equivalent.

Diagram:

M

J





A R C

the whole

0378

A B ¢

the shaded part

0379

A R d

the non-shaded part

0380


A TOT C

two parts of each

0381

Diagram:





S



B C the shaded parts 0382 k c the non-shaded parts 0383 B \$\mathcal{g}\$ 4 parts of R and 9 parts of S 0384 B C 4 parts of R and 4 parts of S 0385 B C one part of each 0386 Diagram: U A B Ø the shaded parts 0387 B & the non-shaded parts 0388 3 parts of each 0389 C 3 parts of T and 7 parts of U 0390 B C 1 part of each 0391

Diagram: D

A	Ħ	С	the shaded parts	0392
ķ	В	С	the non-shaded parts	0393
A	В	¢	3 parts of each	0394
A	В	¢	1 part of each	0395
ķ	В	С	2 parts of D and 1 part of E	0396
TH	AT T	HE MULI	TION THE STUDENT WILL DEMONSTRATE AN UNDERSTANDING TIPLICATION OF RECIPROCALS EQUALS ONE BY SELECTING A LIST WHICH MAKES THE EQUATION TRUE.	0176

The following equations are written with unknown symbols for numbers. Use what you know about recepticals to select a symbol that will make a true Directions: equation.

OID OID DIO OID

c.

d.

प्रावः । प्रवाद b.

C. d.

TIP SIT PIT PIS b.

\*d.

d.

0398

0399

0400

+ x? = C

0402

a. + 8 \*b. 8 + c. 0

THE STUDENT WILL DEMONSTRATE HIS COMPREHENSION OF RECIPROCALS BY IDENTIFYING THE CORRECT PRODUCT OF A PAIR OF FRACTIONAL NUMBERS.

0239

What is the product of  $3/5 \times 5/3$ ?

0403

a. 3/5 \*b. 1 c. 5/3

What is the product of  $5/12 \times 12/5$ ?

0404

a. 5/12 b. 5/60 \*c. 1

What is the product of  $4/7 \times 7/4$ ?

0405

\*a. 1 b. 4/28 c. 7/28

What is the product of  $2/3 \times 3/2$ ?

0406

b. 6/3 c. 3/6 What is the product of  $7/8 \times 8/7$ ?

0407

8/56

7/56

What is the product of  $10/19 \times 19/10$ ?

0408

a. 19/190

b. 219/190

What is the product of  $6/5 \times 5/6$ ?

0409

\*a. 1

b. 6/30 c. 30/6

What is the product of  $7/16 \times 16/7$ ?

What is the product of  $11/9 \times 9/11$ ?

0410

a. 7/16

\*b. 1

c. 16/7

0411

a. 9/11

c. 11/9

What is the product of  $23/96 \times 96/23$ ?

0412

23/96 2/3

Harcourt, Brace, Elementary Math 5, p. 314. Source:

GIVEN A RATIONAL NUMBER, THE STUDENT WILL DEMONSTRATE HIS UNDERSTANDING OF THE RELATIONSHIP BETWEEN MIXED NUMERAL OR IMPROPER FRACTION BY SELECTING AN EQUIVALENT ALTERNATIVE FORM.

0160

Directions: Find an equivalent of the given number.

1 2/3

0413

a. 2/3 b. 12/3 c. 6/3

8/5

0414

a. 1 4/5 \*b. 1 3/5 c. 2 d. 2 2/5

2 4/6

0415

a. 12/6 b. 24/2 \*c. 16/6 d. 8/6

15/4

0416

a. 3 \*b. 3 3/4 c. 4 d. 4 3/4

4 5/12

0417

\*a. 53/12 b. 48/12 c. 20/12 d. 5/12 3/8

0418

a. 4 b. 3 7/8 \*c. 4 1/8 d. 8 1/8

16 2/3

0419

a. 32/3 b. 48/3 c. 162/3 \*d. 50/3

79/4

0420

a. 40 1/4 b. 20 3/4 \*c. 10 3/4 d. 14 3/4

GIVEN A LIST OF IMPROPER FRACTIONS, OR A LIST OF MIXED NUMERALS, THE STUDENT WILL DEMONSTRATE HIS UNDERSTANDING OF THE PROCESS OF CHANGING ONE TO THE OTHER BY SELECTING THE EQUIVALENT OF THE NUMBER GIVEN.

0173

Directions: Select the fraction which is equal to the mixed numeral.

1 7/8

0421

**5** . . .

\*a. 15/8 b. 16/8 c. 14/8 d. 17/8 5 3/9

0422

a. 17/9 b. 32/9 \*c. 45/9 d. 24/9

6 1/4

0423

a. 11/4 b. 24/4 c. 10/4 \*d. 25/4

3 4/5

0424

a. 23/5 b. 12/5 \*c. 19/5 d. 17/5

7.2/3

0425

a. 17/3 \*b. 23/3 c. 13/3 d. 12/3

Directions:

Select the mixed numeral which is equal to the fraction.

31/8

0426

a. 41/8 \*b. 37/8 c. 35/8 d. 4



11/2

6 1/2 4 1/2 3 3/2 5 1/2 b. c. \*d.

0427

0428 19/7

\*a. b. c. d. 2 5/7 1 2/7 3 2/7 2 3/7

0429 25/6

a. 33/6 b. 35/6 c. 4/46 \*d. 41/6 ij.

0430 43/10

a. 37/10 \*b. 43/10 c. 34/10 d. 41/10

DECIMALS

THE STUDENT CAN DEMONSTRATE A KNOWLEDGE OF NUMBER POSITION BY PLACING A DECIMAL POINT AFTER THE FIRST DIGIT IN ANY NUMBER.

0005

Your teacher asks you to place the decimal point after the first digit in the number 1234. After you have done this your number will look like

0431

- a. 123.4
- b. 12.34
- \*c. 1.234

Source:

Elementary School Mathematics #4, 2nd Ed., Addison-Wesley,

Ch. 5.

"Peas and Particles" Elementary Science Study, Webster,

McGraw-Hill.

THE STUDENT CAN DEMONSTRATE UNDER STANDING OF DECIMAL POINTS BY LOCATING A DECIMAL POINT AFTER THE FIRST DIGIT IN ANY WHOLE NUMBER TO THE BASE 10.

0006

0432

Which one of the following numbers has a decimal point after the first digit?

- a. 123.4
- b. 12.34
- \*c. 1.234

The number 1.234 has a decimal point after the

0433

- \*a. first digit
- b. second digit
- c. third digit

Source:

Elementary School Mathematics #4, 2nd. Ed., Addison-Wesley,

Ch. 5.

"Peas and Particles" Elementary Science Study, Webster,

McGraw-Hill.



THE STUDENT WILL DEMONSTRATE HIS ABILITY TO ANALYZE GIVEN DECIMAL NOTATIONS BY APPLYING HIS CONCLUSIONS TO NEW NOTATIONS.

0125

Directions:

Given the following notations: 3.672 = 3 + 6/10 + 7/10 +2/1000, choose the answers to questions about similar notations.

In 5.04 - the 4 means

0434

4/10

4/100 \*b.

4/1000

In 2.605 - the 6 means

0435

6/10 \*a.

b. 6/100

c. 6/1000

In 76.354 - the 5 means

0436

5/10

5/100 \*b.

5/1000 c.

In 26.008, the 8 means

0437

63.447

8/10

8/100

\*c. 8/1000

0438

\*a. 7/10

In 64.7, the 7 means

b. 7/100 c. 7/1000

10 700 1000



In .367 the 7 means

0439

7/10 \*b. 7/100

c. 7/1000

In 6.079 the O means

0440

\*a. 0/10 b. 0/100 c. 0/1000

Source: Addison-Wesley, Bk. 5, pg. 271.

THE STUDENT WILL DEMONSTRATE HIS ABILITY TO RECALL DECIMAL PLACE VALUE BY CORRECTLY SELECTING THE ANSWER FROM A LIST OF ALTERNATIVES. 0156

Directions:

Given the number 17.890325 which of the following is

true about place value?

The digit 9 is in which place

0441

tens

b. tenths

c. hundreds

\*d. hundredths

The digit in the thousandths place is

0442

**\*b.** 0

The digit in the tens place is 0443 b. 8 c. 9 d. 0 The digit 3 is in which place 0444 a. thousands \*b. ten thousandths c. hundred thousandths d. hundredths The largest decimal place used 0445 The second was to be designed. a. ten thousandthsb. hundred thousandths \*c. millionths d. ten millionths 0446 The decimal point is placed between a. tens, tenths b. ones, oneths
c. tenths, oneths
d. ones, tenths 0178 THE STUDENT WILL SHOW UNDERSTANDING OF THE PLACE VALUE OF THE RIGHT OF A LECIMAL POINT BY SELECTING THE VALUE NAMED FROM A LIST

Directions: Circle the letter in front of the answer.

of ALTERNATIVES.

In the numeral .6834				
The 3 is in the				0447
<ul> <li>a. tenths place</li> <li>b. hundredths place</li> <li>*c. thousandths place</li> <li>d. ten thousandths pl</li> </ul>	ace			
The 4 is in the				O#148
<ul> <li>tenths place</li> <li>hundredths place</li> <li>thousandths place</li> <li>ten thousandths pl</li> </ul>	Lace			
The 6 is in the				0449
*a. tenths place b. hundredths place c. thousandths place d. ten thousandths pl	Lace	1130 1130 1130		
In the numeral 2.3146				
The 3 is in the				0450
*a. tenths place b. hundredths place c. thousandths place d. ten thousandths pl	l'ace			
The 4 is in the			Ap. 12 - 12 - 1	<b>O</b> 451
<ul> <li>a. tenths place</li> <li>b. hundredths place</li> <li>*c. thousandths place</li> <li>d. ten thousandths p</li> </ul>			÷ ·	

0452 The 6 is in the tenths b. hundredths place thousandths place ten thousandths place In the numeral 27.634 0453 The three is in the tenths place a. \*b. hundredths place thousandths place ten thousandths place The 4 is in the 0454 a. tenths place hundredths place b. \*c. thousandths place ten thousandths place 0455 The 6 is in the \*a. tenths place hundredths place b. C. thousandths place ten thousandths place d. 0179 GIVEN A NUMBER OF EQUATIONS THE STUDENT WILL SHOW KNOWLEDGE OF PLACE VALUE OF THE DECIMAL POINT IN THE QUOTIENT BY SELECTING THE PLACE VALUE WHICH WOULD SHOW THIS. In the following equations circle the letter which would Directions: best complete the sentence. The quotient will begin

with a

a. Whole number
\*b. Number in tenths place
c. Number in hundredths place
d. Number in thousandths place

\*a. Whole number
b. Number in tenths place
c. Number in hundredths place
d. Number in thousandths place

\*x / xx

a. Whole number

\*b. Number in tenths place
c. Number in hundredths place
d. Number in tenths place
number in hundredths place
d. Number in hundredths place

xxx /•xxx 0459

a. Whole number
b. Number in tenths place

o. Number in hundredths place

\*d. Number in thousandths place

xx.x / .xxx O460

a. Whole number

b. Number in tenths place

d. Number in thousandths place

THE STUDENT WILL EVALUATE GIVEN STATEMENTS BY SELECTING THE BEST CONCLUSION.

0185

0456

0457

Four statements are given. From the numbered state-Directions: ments below these, circle the best answer. True of decimals but not whole numbers True of whole numbers but not decimals True of both whole numbers and decimals True of neither whole numbers nor decimals 0461 In regrouping numbers to subtract you have ten times the value of the column to the right. a. b. \*c. d. 130 0462 Adding zeros to the left of the numeral changes the value of the number 138 --- 1 \*a. b. C. d. Adding zeros to the right of the numeral changes the value of the 0463 numeral a. \*b. C. d.  $\{(i,k,t')\}$ 

In vertical multiplication one shoud keep the place value of each factor in a straight line.

490

22

.33

0464

\*b.

d.

0465 In division the quotient is less than the dividend. **∗**Ъ. c. d. 0466 In multiplication the product may be less than one factor. ¥a. b. c. 0467 Add or subtract zero the answer equals zero b. c. \*d. Multiply or divide a numeral by zero and the answer equals zero. 0468 8. b. ... GIVEN A RATIONAL NUMBER, THE STUDENT WILL DEMONSTRATE HIS UNDER-0155 STANDING OF THE RELATIONSHIP BETWEEN DECIMALS AND FRACTIONS BY SELECTING EITHER AN EQUIVALENT FRACTION OR DECIMAL OF THAT NUM-BER.

Given a number, find its equivalent.

4.3

d. 43

 .021

6 <u>93</u> 

ERIC

.00803

10,000 803 1,000 8 3 10,000 83 1,000 c.

10

.72 .072 7.2 72

.03842



BASES

21, te

THE STUDENT WILL SHOW KNOWLEDGE OF THE RELATIONSHIP OF BASE TEN TO BASE FIVE BY SELECTING THE ALTERNATIVE BASE REPRESENTATION.

0164

In whole numbers the right hand column in both base ten and base five is called

0476

- a. base
- \*b. ones
- c. fives
- d. tens

In whole numbers a way of finding the value of a given column is to

0477

- \*a. multiply the base times the value of the preceding column.
- b. add base to the value of the preceding column.
- c. multiply the digit in the preceding column by ten.
- d. add ten to the digit in the preceding column.

The numeral equivalent to the base ten numeral 46 is

0478

- a. 121<sub>(5)</sub>
- b. 412(5)
- \*c. 141(5)
- d. 231(5)

The numeral equivalent to the base five numeral  $12h_{(5)}$  is

0479

- a. 19
- \*b. 39
- c. 34
- d. 54

The largest digit in either base is always

- a. equal to the base.
- b. one more than the base.
- \*c. one less than the base.

THE PUPIL WILL DEMONSTRATE HIS KNOWLEDGE OF BASES BY ANALYZING A GIVEN 0166 NUMBER IN BASE TEN AND BASE FIVE AND SELECTING AN EQUIVALENT NUMBER IN A DIFFERENT BASE.

Directions:

Given an equivalent number in grid form in base ten and base five select the equivalent in the other base.

0481

0482

a.	Base Ten						
	10x10x10x	1.0 10	x10x10	10x10	Tens	Ones	
b.	Base Five	Ì			2	5	
	5 <b>x5</b> x5x5	5x5x5	5x5	Fives	Ones		
-			1	0	0		
C.	Base Two 1. 10001 2. 23221 *3. 11001	·			1 )		

Base Ten 10x10x10x10 10x10x10 Tens Ones Fives Ones

Base Eight

- **\*1.** 525
- 2.
- 791 1432 3.
- 2174

Base Ten 10x10 10x10x10x10 10x10x10 Tens Ones

0483

Base Five

5x5x5x5 Fives Ones 5x5x5

Base Six

3210 a.

4031 b.

259 C.

#d. 404

THE STUDENT WILL DEMONSTRATE HIS KNOWLEDGE OF THE CONVERSION OF BASELO TO 8 BY CORRECTLY IDENTIFYING THE BASE 8 NUMERAL FROM A GIVEN BASE 10 NUMERAL.

0269

0484

0485

0512

Directions: Match Column I with Column II.

> Column II Column I Base 10

89 h. 12 i. j. 69 38

k. 88 29 m.

93 n. 66 0. 34 p.

48 q. 59 r. 64 8.

t. 72 81 u.

24 ٧. 39 W. 33 x.

45 y.

Source: Houghton Mifflin, p. 216.

n 135 u 121

**b** 137

THE STUDENT WILL DETECT THE PATTERN INVOLVED IN CONVERTING BASE TEN TO BASE EIGHT AND CORRECTLY IDENTIFY THE NUMERAL FOR A UNIQUE BASE SIX OPERATION. Circle the correct base 6 numeral. Directions: If base 10 numeral is 24, base 8 is 30, base 6 is If base 10 numeral is 60, base 8 is 74, base 6 is 4a. 140 C. If base 10 numeral is 100, base 8 is 144, base 6 is If base 10 number is 95, base 8 is 140, base 6 is 

If base 10 numeral is 53, base 8 is 65, base 6 is

c. 52

If base 10 numeral is 13, base 8 is 15, base 6 is c. If base 10 numeral is 86, base 8 is 126, base 6 is If base 10 numeral is 66, base 8 is 102, base 6 is If base 10 numeral is 33, base 8 is 41, base 6 is. 3 If base 10 numeral is 700, base 8 is 1274, base 6 is If base 10 numeral is 338, base 8 is 622, base 6 is 

If base 10 numeral is 207, base 8 is 317, base 6 is	0525
a. 427 *b. 543 c. 322	ı
If base 10 numeral is 16, base 8 is 20, base 6 is  *a. 24 b. 28 c. 30	0526
If base 10 numeral is 44, base 8 is 54, base 6 is  a. 64 b. 32 *c. 112	0527
If base 10 numeral is 76, base 8 is 114, base 6 is  a. 188  *b. 204 c. 168	0528
If base 10 numeral is 9, base 8 is 11, base 6 is  *a. 13 b. 17 c. 19	0529
If base 10 numeral is 99, base 8 is 143, base 6 is  a. 184 b. 303 **c. 243	0530

If base 10 numeral is 59, base 8 is 73, base 6 is

0531

- a. 87
- b. 123
- \*c. 135

If base 10 numeral is 80, base 8 is 120, base 6 is

0532

- ~a. 212
  - b. 132
  - c. 160

If base 10 numeral is 48, base 8 is 60, base 6 is

0533

- a. 72
- \*b. 120
- c. 54

Source: Houghton Mifflin, p. 341.

THE STUDENT WILL SHOW KNOWLEDGE OF ADDITION AND SUBTRACTION OF BASE FIVE NUMERALS AND THE TRANSFERENCE TO BASE TEN BY SELECTING THE EQUIVALENT EQUATION.

0165

- a. 51(10)
- b. 35(10)
- c. 76<sub>(10)</sub>
- \*d. 41(10)

<sup>34</sup>(5) + <sup>40</sup>(5) =

41(5) - 23(5) =

44(5) - 32(5) =

44(5) + 22(5) =

ERIC

0535

0536

0537

0538

rangia

ROMAN NUMERALS



 $\tau_{A^{(i)}}$ 

THE STUDENT WILL RECALL HIS KNOWLEDGE OF ROMAN NUMERALS BY MATCHING THE ROMAN NUMERAL WITH THE CORRESPONDING ARABIC NUMERAL.

0266

Directions:

Match column I with column II by placing the letter from column I on the line before the correct answer in column II

Column I	Column I	<u>I</u> .
a. XIV b. XXII c. CXX d. MLXIV e. XVI f. CDLXIX g. DLII h. XCIX i. XIX j. LXXXIV k. MDX J. LXVI m. CCLXXVIII n. MCXLIV o. XLIV p. XXXIII q. DCII r. CII s. XXVII t. MXC	402   d   106   0   602   e   16   m   278   r   102   o   44   n   114   89   1   66   E   552   b   22   p   33   109   f   469   c   120   13   s   27   8   14   1   19   1   109   k   151   h   99	O539 O540 O541 O542 O543 O544 O545 O546 O547 O548 O550 O551 O552 O553 O554 O555 O556 O557 O558 O559

Source: Houghton Mifflin, pp. 22-23.

## PRIMES AND FACTORS

THE STUDENT WILL DEMONSTRATE HIS KNOWLEDGE OF FACTORS BY SELECTING 0079 THOSE WHICH ARE FACTORS FROM THOSE WHICH ARE NOT.

If the numbers given are factors of 48 cross out the F; if the numbers given are <u>not</u> factors of 48 cross out the N.

<b>y</b> .	N.	8,6	0563
<b>y</b> *	. <b>N</b>	2,3,8	0564
<b>p</b> t :	N	12,4	0565
F	¥	3,4,5	0566
*	N	6,4,2	0567
F	ħ	6,3,3	0568
<b>y</b>	·N	4,2,3,2	0569

314

If the numbers given are factors of 72 cross out the F; if the numbers given are <u>not</u> factors of 72 cross out the N.

¥	N	6,2,6			0570
F	pf	5,3,6	·,		0571
<b>p</b> *	N	3,2,2,6			0572
F.	ħ	3,4,5	,		0573
7	N	4,3,6			0574
p <sup>r</sup>	N	2,4,9			0575
<b>p</b> *	N	2,2,18			0576

Source: Addison-Wesley, B. 5, pp. 168-169.

THE STUDENT WILL DISTINGUISH BETWEEN FACTORS AND PRODUCTS BY SELECT - 0080 ING THOSE WHICH ARE FACTORS FROM THOSE WHICH ARE PRODUCTS.

If the number for A is a factor cross out the Y; if the number for A is a product cross out the P.

¥	P	$A \times 3 = 24$	0577
¥	P	28 🕹 4 = A	O578
Y	p	32 x 3 = A	O579
Y	f	A : 5 = 7	O580
¥	P	13 x A = 52	O581
¥	P	26 <b>:</b> A = 13	O582
¥	P	$4 \times A \times 3 = 48$	O583
Y	f	72 = A + 6	0584
Y	F	A = 16 x 3	O585
¥	P	A = 56 \$.8	O586

Source: Addison Wesley, Bk. 5, p. 169.

THE STUDENT WILL APPLY HIS KNOWLEDGE OF FACTORING BY SELECTING THE CORRECT ANSWERS TO WORD PROBLEMS.

Directions: Read the problems and circle the letter of the correct answer.

Miss Bradley has 25 pupils in her class. She wants to seat them of the order of the

a. 6 b. 4 \*c. 5 d. 7

 $\sigma = -5 \sqrt{1}$ 

A 36 member boys club is going on a camping trip. At their last 0588 meeting they raised some questions. How many tents will be needed if 4 boys sleep in each? #a. 9 b. 1.2 c. 11 d. 8 If 12 boys share cooking utensils how many sets of utensils must 0589 be brought along? 8. b. c. 5 \*d. 3 If they bring along 72 cans of food how many cans should be allotted to each boy? b. 1 \*c. 2 d. 4 0591 -

Jack and Jill carried the same number of buckets of water up the hill. Jack carried 3 buckets each trip and made 4 trips. Jill made 6 trips. How many buckets did she carry each time?

\*b. 2 c. 3

d. 4

CIVEN A WHOLE NUMBER, THE STUDENT WILL DEMONSTRATE KNOWLEDGE OF PRIME FACTORS BY CORRECTLY SELECTING THE PRIME FACTORS FOR A CIVEN NUMBER FROM A LIST.

Directions: Given a whole number, circle the alternative that shows its prime factors.

0592 8 8:1 a. 4:12 b. 2x4x12x2x2\*d. 0593 12 3x4 1x12 b. 2x3x2 \*c. 4x2x2 d. 0594 17 2x3x3 17x1 4x2x2 C. 2x8 d.  $\{\{i\}\}$ 0595 24 . . . . 2x3x2x3 2x2x2x3 3x3x2 6x2x2 C. · d. 0596 36

3x2x2x2 3x3x3x2 3x3x2

d.

42

0597

a. 4x2x3 b. 4x2x7 c. 2x2x2x3 \*d. 7x2x3

100

0598

a. 5x2x3 \*b. 5x2x5x2 c. 5x2x5 d. 5x2x2x3

73

0599

a. 2x3x2x3x2\*b. 73x1c. 3x3x8d. 3x3x2x2x2x2

GIVEN A WHOLE NUMBER, THE STUDENT WILL APPLY HIS KNOWLEDGE OF COMMON FACTORS, BY SELECTING THE FRACTIONS THAT DO HAVE THAT NUMBER AS A COMMON FACTOR.

0150

Directions: Given a whole number, if it is a common factor of a fraction circle the letter F. If the whole number is not a common factor, circle the letter N.

Give	en:	2 .		
<b>y</b>	N	6/8	•	0600
F	¥	3/4	•	0601
F	ħ	12/15		0602
<b>y</b> t	N	10/14		0603
F	¥	5/8		0604
\$	N	24/24	·	0605

```
Given:
          5
                                                                           0606
     N
         10/13
                                                                           0607
         8/15
F
    · M
                                                                           060명
          5/20
                                                                           0609
          20/30
     N
                                                                           0610
     ×
          55/62
                                                                           0611
          32/100
Given:
                                                                           0612
          6/9
      Ŋ
                                                                           0613
ď
          27/36
      N
                                                                           0614
          27/28
F
      N .
          63/90
                                                                           0615
y
                                                                           0616
          108/126
      N
          232/270
                                                                           0617
                                                                            0188
THE STUDENT WILL DEMONSTRATE HIS UNDERSTANDING OF THE TERM "FACTOR"
BY IDENTIFYING FACTORS IN ARRAYS.
                                                                            0618
What are the factors in the following array?
                                                     0
     *a. 6 and 3
      b. 18 and 1
                                                      0
                                                 0
       c. 12 and 6
                                                    Ö.
                                                       ..0
                                                                            0619
 Which equation correctly describes the following array?
                                                     0 0
           18 x 1 = 18
            3 \times 6 = 18
            6 \times 3 = 18
```

In the equation  $5 \times 4 = 20$ , which numbers are factors? 0620 4 and 20 5 and 4 5 and 20 Name the factors in the following array. 0621 0 0 0 3 and 5 \*a. 0 0 0 0 0 b. 15 and 1 c. 9 and 6 Name the factors in the following array. 0622 3 x 3 6 x 1 1 x 6 Which equation correctly describes the following array? 0623  $7 \times 4 = 28$ b.  $28 \times 1 = 28$ 0 \*c. 4 x 7 = 28٥ 0 0 0 0 0 Name the factors in the following array. 0624 0 16 x 1 4 x 4 1 x 16 Name the factors in the following array. 0625 2 and 5 b. 5 and 5

c. 10 and 1

Which equation correctly describes the following array? o o o 0626

a.  $3 \times 4 = 12$ 0 0 0

\*b.  $4 \times 3 = 12$  0 0 0 0 0 0 0 12  $\times 1 = 12$ 

Study the following array. Which number is NOT a factor? 0627

 \*a. 30
 0 0 0 0 0

 b. 5
 0 0 0 0 0

 c. 6
 0 0 0 0 0

0 0 0 0 0

Source: Merrill, Discovering Math 5. p. 28.

the transfer of the transfer of

THE STUDENT WILL ANALYZE A COMPOSITE NUMBER FOR THE NUMBER OF ARRAYS THAT CAN BE ARRANGED BY CORRECTLY IDENTIFYING THE NUMBER OF ARRAYS POSSIBLE FOR THAT NUMBER.

Analyze the composite number 60 and identify the correct number of arrays possible. (SRA)

a. 6

\*b. 12

c. 10

d. 8

Analyze the composite number 56 and identify the correct number 0629 of arrays possible. (SRA)

a. 4

b. 9

c. 5

\*d. 8

Analyze the composite number 87 and identify the correct number of arrays possible. 0630 4 6 C. 2 Analyze the composite number 84 and identify the correct number of arrays possible. 0631 12 10 8 c. 14 Analyze the composite number 99 and identify the correct number of arrays possible. 0632 b. 8 \*d. Analyze the composite number 36 and identify the correct number of arrays possible. 0633 10 9 Analyze the composite number 72 and identify the correct number of arrays possible. 0634 (SRA) 12 **\***Ь. 10 c. d. 11

Analyze the composite number 64 and identify the correct number of arrays possible. (SRA)

0635

- a.
- \*b. 7
- 9 c.
- d.

THE PUPIL WILL APPLY HIS KNOWLEDGE OF USING ARRAYS FOR DETERMINING THE NUMBER OF FACTORS FOR A NUMBER BY IDENTIFYING ALL THE FACTORS OF A GIVEN WHOLE NUMBER.

0281

From the drawing of all the possible arrays for the whole number 32, identify the complete set of factors. (SRA)

0636

- a. 1, 32, 9, 14 \*b. 1, 4, 8, 2, 16, 32 c. 1, 16, 32, 4 d. 2, 16, 8,

0637

- From the drawing of all the possible arrays for the whole number 36, identify the complete set of factors. (SRA)
  - 36, 2, 16
  - b. 16, 2, 4, 6
  - 8, 12, 9, c.
  - 12, 4, 3, 36, 1, 2, 6, 9,

From the drawing of all the possible arrays of the whole number 48, idon' by the complete set of factors. (SRA)

- a. 48, 1, 4, 9, 6, 3, 11, 21 \*b. 48, 2, 12, 4, 8, 24, 12, 1, 36, 16 c. 2, 48, 7, 1, 9, 5, 22 d. 1, 3, 8, 12, 16

From the drawing of all the possible arrays for the whole number 25. identify the complete set of factors. (SRA)

0639

- a. 1, 5
- b. 1, 0, 5 c. 1, 5, 5, 25 \*d. 1, 5, 25

From the drawing of all the possible arrays for the whole number 67, identify the complete set of factors.

0640

- a. 1, 3, 2, 67 b. 67, 2, 3, 1 \*c. 67, 1 d. 1, 3, 21, 67

From the drawing of all possible arrays for the whole number 58, identify the complete set of factors. (SRA)

0641

- a. 9, 3, 1, 53 b. 2, 58 c. 29, 1, 2, 58 \*c.
- d. 1, 4, 16, 58

From the drawing of all possible arrays for the whole number 86 identify the complete set of factors. (SRA)

114 1

0642

- \*a. 86, 2, 1, 43
- b. 1, 2, 3, 6, 12, 86
- c. 3, 32, 43, 2 d. 1, 4, 21, 86

THE STUDENT WILL RECALL THAT COMPOSITE NUMBERS ARE PRODUCTS OF PRIMES BY CORRECTLY MATCHING THE PRODUCT WITH IT'S PRIME FACTORS.



Directions:

Match a given product with it's prime factors by placing the product in the blank beside it's prime factors.

Pro	iuct		Factors	
8.	4		60 5x3x2 <b>x2</b>	0643
b.	75		2 x 7 x 3	0644
C.	10		84 2 x 2 x 3 x 7	0645
d.	48		<u>72</u> 2 x 2 x 2 x 3 x 3	0646
e.	8		100 2 x 5 x 2 x 5	0647
f.	84		2 x 2 x 1	0648
g•	56		91 7 x 13	0649
h.	9		85 5 x 17	0650
i.	64		2 x 0 x 3	0651
j.	52		4 x 13	0652
k.	49		62 31 x 2	0653
1.	72		<u>8</u> 2 x 2 x 2	0654
m.	6	<i>;</i> <b>÷</b>	_38_2 x 19	0655
n.	100	1.55	<u>75</u> 5 x 5 x 3	0656
0.	60		10 5 x 2	0657
p.	111		111 3 x 37	0658
<b>q.</b> 0	62	4.	<u>48</u> 2 x 2 x 3 x 2 x 2	0659
r.	85		64 2 x 2 x 2 x 2 x 2 x 2	0660
5*	38	;	<u>9</u> 3×3	0661
t.	91		<u>4</u> 2 x 2	0662
			<u>56</u> 2 x 2 x 7 x 2	0663
			3 x 1 x 3	0664
			_6 2 x 3	0665
			<u>49</u> 7 x 7	0666
		135	2 x 13 x 2	0667

THE STUDENT WILL DETECT NEW SITUATIONS IN PROBLEM SOLVING TO WHICH HE CAN RELATE A PATTERN OF PRIME FACTORS.

0285

In planning a garden, two kinds of bulbs are to be planted in alternating rows all of the same length. Tulip bulbs are to be planted 7 inches apart. Daffodils are to be planted 5 inches apart. How many bulbs will be planted in each row?

0668

Mary says: 8 daffodils and 6 tulips
John says: 15 daffodils and 11 tulips
Bill says: 22 daffodils and 16 tulips
Who is correct? Draw a picture.

a. Mary

b. John

c. Bill

e. None of the above

55

 $\frac{1}{2}$ 

Mary works in a candy store. She wants to stack boxes of candy that are 4 inches long on each side next to boxes of candy that are 6 inches long on each side so that the two stacks are the same height. How can she do it?

0669

0286

- a. It is not possible.
- b. 3 of the 4 inch boxes for every 2 of the 6 inch boxes.
- c. 6 of the 4 inch boxes for every four of the 6 inch boxes.
- d. 9 of the 4 inch boxes for every 6 of the 6 inch boxes.
- \* e. b, c, and d are correct.

THE STUDENT WILL APPLY HIS KNOWLEDGE OF FACTORING BY IDENTIFYING THE RULES BEING USED TO A GIVEN LIST OF PRODUCTS.

Directions: From the list of examples below, select one to match each of the following statements.

ERIC

	Statements	Examples	
e	If two numbers have 5 as a factor, their product has 5 as a factor	<ul><li>a. 45 and 53</li><li>b. 63 and 49</li><li>c. 49 and 72</li></ul>	0670
b	If two numbers have 7 as a factor, their difference has 7 as a factor	d. 24 and 210 e. 60 and 40 f. 27 and 18	0671
Ţ	If two numbers have 3 as a factor, their sum has 3 as a factor	g. 45 and 58 h. 30 and 90 i. 120 and 60	0672
i	A number that has 12 and 15 as factors also has 60 as a factor	<ul><li>j. 90 and 80</li><li>k. 26 and 79</li></ul>	0673
<u>h</u>	A number that has 2, 3, and 5 as factors also has 15 as a frator	1. 120 and 72	0674
<u>d</u>	A product of 3 consecutive whole numbers has 6 as a factor		0675
Dire	ctions: From the given list of products product that has the following		
h	A factor of 3 and a factor of 5	a. 720 b. 40	0676
<u> </u>	A factor of 4 and a factor of 5	c. 20 d. 120	0677
_B_	A factor of $k$ and a factor of $S$	e. 24	<b>067</b> 8
i	A factor of 6 and a factor of 3	g• 12	0679
<u> </u>	A factor of 10 and a factor of 4	h. 15 i. 6	<b>068</b> 0
<u>a</u>	A factor of 30 and a factor of 24		0681
	STUDENT USING HIS KNOWLEDGE OF FACTOR TRE		0084
THOS	E WHICH ARE COMPLETED CORRECTLY FROM THOS	A MUTCH WITH MAIL	

Directions: If the factor tree is completed correctly circle the C; if it is not correct circle the I.

Ø I 3 x 3 x 3
9 x 3

0682



COMPLETED CORRECTLY.

c 1 4 x 3 x 3

0683

0684

C 1 4 x 3 x 3 x 2

0685

¢ I 3 x 2 x 3 x 2 6 x 6

0686

6 x 2 x 2

0687

C # 10 x 10

0688

. Ø I 7 x 7

C 1 4 x 2 x 8 x 7

¢ I 5 x 5 x 3
25 x 3

0690

c # 9 x 7

0691

Ø I 7 x 2 x 2
7 x 4
28

0692

C # 3 x 2 x 4 x 2
6 x 8
48

0693

THE STUDENT CAN DEMONSTRATE KNOWLEDGE OF FACTORS AND MULTIPLES BY INDICATING GIVEN NUMBERS AS PRIMES, COMMON FACTORS OR MULTIPLES.

0073

A prime number is a number whose factors

- a. are itself
- b. include zero
- c. are multiples
- \*d. are one and itself



0695 Every set of multiples of a number \*a. includes zero b. has a prime number c. starts at one d. are always even numbers 0696 One is a factor of all numbers therefore \_\_\_\_\_ is not a prime number. \*a. zero b. seven c. one hundred one d. thirteen 0697 If 10 is a factor of a number \_\_\_\_\_ will also be a factor. a. 0 b. 20 \*c. 2 d. 4 If 17 is a factor of a number \_\_\_\_\_ will also be a factor. 0698 10 (1878) (1874) a. b. 7 09 \*c. 1 d. 0 -0699 Common factors can be called the intersection of 2 sets of factors. 2 - -Set A fall factors of 15 Set B [all factors of 30] Right Garage The common factors of A and B are a. {5, 10, 15}
b. {1, 3, 5, 15, 30}
c. {1, 3, 5, 15}
d. {1, 2, 3, 5, 15}

A = {factors of 32} B = {factors of 72} 0700 A A B = a. {0, 2, 4, 8} \*b. {1, 2, 4, 8} c. {2, 4, 8, 16} d. {0, 2, 4, 8, 16} The greatest common factor, or the GCF, is 0701 a listing of all factors \*b. the largest factor in the intersection always one the number common to both sets 0702 The GCF of 10 and 15 is \_ a. 2 b. \*c. 5 d. 30 . The GCF of 90 and 60 is 0703 8. 15 \*c. 30 60 d. Multiples of a number are a set of numbers formed by multiplying 0704 a number times the set of

a. counting numbers

\*b. whole numbers

c. cardinal numbers

d. prime numbers

is a multiple of 6 0705 15 a. b. 46 c. 56 Common multiples are found in the intersection of 2 sets of 0706 multiples Set A = {multiples of 5} Set B = {multiples of 7} common multiples less than 5 of A and B are a. {5, 7, 35, 70}
b. {0, 35, 70}
c. {35, 70, 85}
d. {1, 35, 70} There are common multiples of 3 and 8 less than 50. 0707 0 #c. d. The least common multiples or the LCM of 2 sets of multiples is 0708 the largest multiple b. one C. zero first multiple alike

The LCM of 3 and 4 is

0 12

24

36

c.

d.

The LCM of 5 and 7 is

0710

0711

a. 105

b. 70

≉c. 35

d. 0

Find the product of 2 factors. It'can always be called \_\_\_\_\_ of the numbers.

a. the LCM

\*b. a common multiple

c. a union

d. an intersection

The prime factors of a number can be found by continually dividing by the smallest primes until only a prime number remains. For example, to find the prime factorization of 12:

The prime factors of 12 are 2, 2, 3, or  $2^2 \times 3$ .

Using this method match the prime factorizations in Column II to the numbers in Column I.

	Column I	Column II		
b	224	<b>a.</b> $2^3 \times 67$	0712	
d	432	b. 2 <sup>5</sup> x 7	0713	
<u>a</u>	536	c. 2 <sup>7</sup> x 7	0714	
<u>c</u>	896	d. $2^4 \times 3^3$	0715	
		e. 2 x 5 v 67		



The GCF and the LCM of 2 numbers can be found by using the prime factorization of each number. GCF is the product of all the factors each has in common, the LCM is the product of the factors used as many times as they appear in either factorization. Match the LCM or GCF in Column II with the numbers in Column I.

	Column I	Column II	
<u>.d</u>	36, 48	a. $2^5 \times 11 = 10^{11}$	0716
<u>a</u>	22, 32	b. $2^3 \times 5 = LCM$	0717
c	14, 54	c. $2 \times 3^3 \times 7 = LCM$	0718
		$d.  2^2 \times 3 = GCF$	

0082 THE STUDENT WILL DEMONSTRATE HIS KNOWLEDGE OF PRIME NUMBERS BY SELECTING NUMBERS WHICH ARE PRIME.

0719 Choose and circle the letter that correctly lists the prime numbers from 2 to 10.

Choose and circle the letter of the list that contains only prime numbers between 10 and 20.

Source: Addison Wesley, Bk. 5.

THE STUDENT WILL DEMONSTRATE KNOWLEDGE OF PRIME NUMBERS BY CORRECTLY COMPLETING FACTS ABOUT PRIME NUMBERS.

Directions: Read the problem and circle the letter of the correct answer.

What number is both an even number and a prime number? 0721

a. 0 \*b. 2 c. 3 d. 4

What two prime numbers have a difference of 1? 0722

a. 3,4 b. 1,2 c. 0,1

What two prime numbers have a difference of 3? O723

a. 4,7 b. 6,9 \*c. 2,5 d. 8,11

Source: Addison Wesley, p. 172.

THE STUDENT WILL RECALL THE CHARACTERISTICS OF PRIME NUMBERS BY 10275 IDENTIFYING THE STATEMENTS PERTAINING TO PRIMES.

From the statements below select the one that does NOT apply to 0724 all prime numbers. \*a. Prime numbers are always odd numbers. b. Prime numbers have exactly two factors. c. Prime numbers always have one as a factor. Same the transfer of the epo de SRA Source: 0276 THE STUDENT WILL DEMONSTRATE KNOWLEDGE OF PRIME NUMBERS BY CORRECTLY IDENTIFYING FROM GIVEN ARRAYS THOSE THAT ARE PRIME NUMBERS.  $\kappa w$ 0725 Select from the arrays listed below the array that indicates a prime number. 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0000000000000000 (75.15%) 0726 Select from the arrays listed below, the array that indicates a prime number. 0 0 0 0 a. b. 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

Select from the arrays listed below, the array that indicates a O727 prime.

0728 Select from the arrays listed below, the array that indicates a prime.

Select from the arrays listed below, the array that indicates a 0729

- a. 00000000000000000
- \*b. 00000000000000000
- c. 000000000000000

green and the way of the

d. 000000000000000000

Source: SRA

THE STUDENT WILL APPLY HIS KNOWLEDGE OF ARRAYS BY CORRECTLY 0.27 IDENTIFYING A PRIME ARRAY FROM A LIST.

Select from the whole numbers listed below, the one for which only one array can be made.

- a.
- \*b. 47
- 39 C.

Select from the whole numbers listed below, the one for which only 0731 one array can be made.

- \*a. 41
- b. 45
- c. 48
- d. 49



Select from the whole numbers listed below, the one for which only one array can be made.

a. 75
b. 56
c. 87
\*d. 61

Select from the whole numbers listed below, the one for which only one array can be made.

a. 63 b. 54 c. 72 \*d. 83

Select from the whole numbers listed below the one for which only one array can be made.

a. 55b. 98\*c. 83d. 57

Select from the whole numbers listed below, the one for which only one array can be made.

a. 0 \*b. 2 c. 1

Select from the whole numbers listed below, the one for which only one array can be made.

b. 9 c. 0 d. 1

Source: SILA



THE STUDENT WILL RECALL THE CHARACTERISTICS OF NOT PRIMES (COMPOSITE NUMBERS) BY IDENTIFYING THE STATEMENTS PERTAINING TO NOT PRIMES.

From the statements below select the one that does NOT apply to not prime numbers.

0737

0278

- a. Numbers that are not primes have more than two factors.
- b. Numbers that are not primes are products of primes.
- c. Numbers that are not primes always have 1 as a factor.
- \*d. Numbers that are not primes have only two factors.

Source: SRA

THE STUDENT WILL RECALL THAT WHOLE NUMBERS HAVING MORE THAN TWO FACTORS (ZERO EXCEPTED) ARE NOT PRIMES (COMPOSITE NUMBERS) BY IDENTIFYING THEM FROM A GIVEN LIST.

0279

Select from the arrays listed below the array that indicates a not prime number.

0738

- a. 000
- b. 00
- \*c. 000000
- d. 00000

Select from the arrays listed below the array that indicates a NOT prime number.

- a. 0000000
- **\*b.** 000000000
- c. 00000000000
- d. O O O O O O O O O O

Select from the arrays listed below the array that indicates a NOT prime number.

0740

- \*a. 000000000000000000
- b. 00000000000000000

Select from the arrays listed below the array that indicates a NOT prime number.

0741

- a. 000000000000
- \*c. 00000000000000000000000000

Select from the whole numbers listed below, the one for which more than one array may be made.

0742

- a.
- 73 b.
- 64 \*c.
- d.

Select from the whole numbers listed below the one for which more than one array may be made.

0743

- a.
- ₩b. 81
- C. 37
- d. 53

Select from the whole numbers listed below the one for which more than one array may be made.

- \*a.
- 89 b.
- 57 C.
- d.

Select from the whole numbers listed below the one for which more than one array may be made.

0745

- 43 a.
- \*b. 40
- 31 C.
- 37

0746 Select from the whole numbers listed below the one for which more than one array may be made.

- a. 19
- b. 23
- 17 C.
- \*d. 27

0747 Select from the whole numbers listed below the one for which more than one array may be made.

- a. 11
- 19 b.
- \*c. 25
  - 29 d.

0748 Select from the whole numbers listed below the one for which more than one array may be made.

- 8 \*a.
- b. 13
- 19 c.
- d. 11

Select from the whole numbers listed below the one for which more 0749 than one array may be made.

- \*b. 78
- c. 53 d. 41

Select from the whole number listed below the one for which more than one array may be made.

0750

- 29 8.
- 39 \*b.
- 59 C.
- 79 d.

Source: SRA

THE STUDENT WILL ANALYZE WHOLE NUMBERS TO CORRECTLY IDENTIFY PRODUCTS OF PRIMES.

0282

Analyze the groups of whole numbers and correctly select the group which identifies products of primes.

0751

- a. 4, 11, 8, 6
- b. 20, 15, 10, 5
- \*c. 8, 6, 4, 12
- d. 12, 14, 9, 17

Analyze the groups of whole numbers and correctly select the group which identifies products of primes.

0752

- a. 14, 22, 23, 25 \*b. 26, 27, 10, 12
- c. 15, 16, 29, 24
- d. 30, 40, 21, 31

Analyze the groups of whole numbers and correctly select the group which identifies products of primes.

- a. 42, 25, 37, 18
- b. 32, 47, 45, 54
- c. 63, 74, 41, 38
- \*d. 64, 22, 72, 75

Analyze the groups of whole numbers and correctly select the group 0754 which identifies products of primes.

- 84, 89, 70, 73 20, 59, 42, 19
- b.
- C. 28, 25, 39, 61
- \*d. 52, 100, 49, 36

Analyze the groups of whole numbers and correctly select the group 0755 which identifies products of primes.

- 53, 26, 18, 22 a.
- b. 81, 83, 79, 70
- \*c. 25, 26, 27, 28
- 65, 67, 49, 19

Analyze the groups of whole numbers and correctly select the group 0756 which identifies products of primes.

- 95, 96, 97, 98
- \*b. 62, 63, 64, 65
- 69, 70, 71, 72 c.
- 41, 43, 77, 79

Analyze the groups of whole numbers and correctly select the group 0757 which identifies products of primes.

- 22, 14, 53, 72 a.
- 10, 2, 8, 16 b.
- 34, 27, 56, 81 \*c.
  - 33, 29, 23, 32

From the group of whole numbers between 9 and 28, analyze the numbers 11, 13, 17, 19 and 23, and correctly select the phrase that identifies this group.

- all the odd numbers a.
- all the even numbers b.
- .\*c. all the prime numbers
  - all the composite numbers

If 4 has exactly 3 factors, and 9 has exactly 3 factors analyze the groups of whole numbers listed below and select the group having exactly 3 factors.

0759

- a. 10, 12, 14
- b. 15, 21, 27
- \*c. 25, 49, 121
- d. 25, 36, 49

If the first four products of primes are 4, 6, 8, and 9, analyze the O760 groups below and identify the group that identifies the next four products of primes.

- a. 11, 13, 17, 19
- \*b. 10, 12, 14, 15
  - c. 10, 11, 12, 13

Source: SRA

THE STUDENT WILL ANALYZE THE SIEVE OF ERATOSTHENES AND IDENTIFY ITS CHARACTERISTICS FROM A LIST.

If 11 and 13 are twin primes, and 17 and 19 are twin primes, analyze the Sieve of Erathsthenes and correctly identify the number of twin primes from the list. (SRA)

- a. two
- b. four
- \*c. six
- d. five

Using the Sieve of Erathsthenes identify the phrase that applies to the table.

- a. All numbers ending in 1,3,5,7, or 9 are primes.
- b. All numbers are odd.
- c. There are two groups of prime triplets.
- \*d. Twin primes are consecutive odd prime numbers.

THE STUDENT WILL DEMONSTRATE HIS KNOWLEDGE OF DIVISIBILITY FACTS 0207 BY SELECTING THE RULES FOR DIVISIBILITY. Using the rule for divisibility by 2, identify the whole number 0754 which does not belong in this group. 24 Ð., 36 b. \*c. 29 d. 40 Using the rule for divisibility by 2 identify the whole number 0765 which does not belong in this group. 336 ٥٥ b. 450 #c. 241 g. 993 Using the rule for divisibility by 2 identify the whole number 0766 which does not belong in this group. #200 1007 b. 2796 78/2 C. d. 5339

Scurce: SPA

## THE STUDENT WILL DEMONSTRATE HIS KNOWLEDGE OF THE DIVISIBILITY RULE FOR 3 BY IDENTIFYING THE NUMBERS DIVISIBLE BY 3 FROM A GIVEN LIST.

0/3,

0750

071.

C" /1

Directions: Select which one of the following numbers is divisible by 3.

8.	2459
b.	3075
C.	2584
#d.	1497

*a.	2505
b.	3847
C.	5864
d.	3472

<b>b.</b> c.	75,804 86,009 95,846 87,235	·	0773
C.	75,097 30,284 27,563 85,662		0774
b. c.	84,609 37,462 68,072 40,069		0775
b. *c.	50,684 30,758 77,787 67,666	S. A.	0776
Direction	s: Select which one of the followisible by 3.	wing numbers is NOT	
*a. b. c. d.	734 606 960 348	•	0777

 $\langle M \rangle$ 

a. b. *c. d.	8706 4932 6374 9567	·		<b>077</b> 9
a. b. c. *d.	9654 5766 2838 5042			<b>078</b> 0
a. *b. c.	97,608 84,725 76,374 60,852		·	0781
a. b. #c. d.	64,008 98,763 84,032 75,468			0782
a. b. c. #d.	30,009 58,395 70,608 96,541			0783
a. b. c. #d.	46,938 26,847 59,877 89,899			0784
a. *b. c. d.	60,597 44,444 55,089 70,698			0785

80,799 75,877 99,789 Source: SRA THE STUDENT WILL DEMONSTRATE HIS KNOWLEDGE OF THE DIVISIBILITY RULE 0289 FOR 6 BY IDENTIFYING THE NUMBERS DIVISIBLE BY 6 FROM A GIVEN LIST. Directions: Select which one of the following numbers is divisible by 6. 2775 0787 8. 2864 b. \*c. 3768 d. 5987 6074 0788 9286 5875 C. 6936 758 0789 403 297 c. 798 9984 0790 b. 4039 5468 C.

0786

34,269

d.

a. b. *c. d.	75,642		·			0791
a. *b. c. d.	37,496 29,850 85,623 75,807	e e e e e e e e e e e e e e e e e e e				0792
a. b. c. *d.	96,542 85,467 62,054 90,900					0793
a. *b. c. d.	90,004 80,406 30,700 67,509					0794
a. b. *c. d.	34,906 37,508 50,070 35,987				·	<b>07</b> 95
a. b. *c. d.	98,563 80,758 99,006 90,909			·		0796

Directions: Select which of the following numbers is <u>NOT</u> divisible by 6.

a. 648 b. 336 *c. 257 d. 976	<b>07</b> 97
a. 792 b. 950 c. 804 *d. 279	0798
a. 5,706  *b. 3,099  c. 9,900  d. 9,090	0799
*a. 6,778 b. 4,068 c. 6,408 d. 7,668	0800
a. 6,096 b. 9,786 c. 8,976 *d. 8,066	0801
a. 50,634 b. 42,756 *c. 80,564 d. 75,306	0802
a. 89,004 b. 85,800 *c. 90,008	0803

a. *b. c. d.	90,75 82,46 80,76 76,80	68 60	<b>0804</b>
C.	25,37 99, <b>0</b> 7 60,79 89,77	74 92	0805
*a. b. c. d.	84,65 64,38 56,99 76,78	36 94	<b>080</b> 6
THE STUDE RULE FOR LIST.	ont Wii 9 by 1	LL DEMONSTRATE HIS KNOWLEDGE OF THE DIVISIBILITY IDENTIFYING THE NUMBER DIVISIBLE BY 9 FROM A GIVEN	0290
Direction	18:	Select from a given list of numbers the one that is divisible by 9.	
a. b. *c. d.	278 465 333 979		0807
.a. b. . c. d.	462 306 555 330		0808

0809 898 a. 379 469 b. C. 900 #d. 0810 \*a. 171 b. 251 c. 340 258 0811 8466 9077 7409 6381 b. c. \*d. 0812 9777 9563 9075 8. C. 9054 \*d. 0813 1009 a. 7457 b. 8532 \*c. d. 3688 40,758 66,735 39,740 86,299 ₩b. C. d.

0815

79,455 85,742 38,799 94,853

\*c.

a. 90,897 b. 62,575 \*c. 89,667 d. 87,437

0816

Select from a given list of numbers the one that is  $\underline{\text{NOT}}$  divisible by 9.

\*a. 578 b. 459 c. 693 d. 702 0817

a. 153 b. 252 c. 936 \*d. 638 0818

a. 342 b. 225 \*c. 763 d. 333 0819

a. 9990 b. 4077 0820

\*c. 6546 d. 3564

0821

a. 6003 \*b. 6078 c. 6066

d. 3303

6822 0822 5904 b. 9036 3158 8. 53,478 0823 77,985 b. 90,099 60,758 72,081 0824 a. 77,778 b. 99,999 76,799 43,758 0825 8. b. 90,270 \*c. 58,855 d. 43,569 a. 39,663 0826 b. 57,042 80,145 C. \*d∙ 22,222

THE STUDENT WILL DEMONSTRATE HIS KNOWLEDGE OF THE DIVISIBILITY RULE OF WHOLE NUMBERS BY APPLYING THE RULE TO A GIVEN LIST OF NUMBERS.

Directions: Without computing, place a check mark in the blank beside the quotients which are whole numbers.

<u>387</u> \* 0827

467		· · · · · · · · · · · · · · · · · · ·	0828
<u>756</u>	State apartmentar		0829
<u>465</u> 5	## manuscripton		0830
<u>844</u> 2	# ************************************		0831
<u>849</u> 9			0832
<u>756</u> 9	**		0833
355 5	<b>₩</b>		0834
<u>846</u>	· **		0835
726 3	#		0836
<u>754</u> 5			0837
8016	## acceptablements		0838

·: .:

4680 \*

5004 \*

3470 <del>\*</del>

500 #

984 +

4098 \*

9570 <del>\*</del>

`0851

<u>7064</u>	This production		0852
<u>9594</u> 9	#		0853
<u>7866</u>	*		0854
<u>3508</u> 5		_	0855
<u>1720</u> 9			0856
<u>5076</u>	*		0857
<u>7230</u>	*		0858
6308 2	**		0859
7534 3	Materials		0860
<u>2742</u> 6	#		0861
<u>5698</u>	**************************************		0862



8045 \*\*
7083 \*\*
0865

THE STUDENT WILL DEMONSTRATE HIS KNOWLEDGE OF GREATEST COMMON FACTORS CO86 BY SELECTING THEM FROM A GIVEN LIST.

Directions: Circle the letter of the correct response.

The greatest common factor of 8 and 20 is: 0867

\*a. 4 b. 5

c. 8

The greatest common factor of 10 and 30 is: 0868

a. 1 b. 2

c. 5

\*d. 10

The greatest common factor of 16 and 24 is:

0869

a. 2

\*c. 8

d. 16



Given a fraction, find the greatest common factor and Directions: put it in lowest terms.

The greatest common factor of 12/16

0870

- #a.

12/16 in lowest terms is

0871

- a. 12/16 \*b. 3/4 c. 10/14 d. 6/8

Greatest common factor of 5/15

0872

5/15 in lowest terms is

0873

- The greatest common factor 18/24

  - 12

  - #d.

18/24 in lowest terms is 0875 ψD. 0876 The greatest common factor of 27/30 8. b. 27/30 in lowest terms is 0877 \*c₃ 27/30 The greatest common factor is found 0878

- by finding all the factors of the numerator and denomin-
- b. by multiplying numerator and denominator by 2/2.
- c. when the numerator and denominator are each less than 10.
- \*d. by finding the largest factor that both numerator and denominator contain.

A fraction is in lowest terms when

0879

the numerator and denominator are different numbers.

- the only multiple the numerator and denominator have in b. common is 1.
- the numerator is a prime number.
- \*d. the only factor the numerator and denominator have in common is one.



GIVEN A WHOLE NUMBER, THE STUDENT WILL SHOW ABILITY TO DISTINGUISH BETWEEN FACTORS AND MULTIPLES BY SELECTING THE FACTORS AND/OR MULTIPLES OF A GIVEN NUMBER.

07/18

Directions: Circle the answer from the list of alternatives.

The factors of 12 are

0880

- a. 0, 12, 24, 36, 48 b. 0, 1, 2, 3, 4, 6, 12 c. 1, 2, 4, 6, 12 \*d. 1,2,3,4,6,12

The multiples of 8 are

1030

- "a. 0,8,16,24
- b. 1,2,4,8 c. 8,16,24,
- d. 0,1,2,4,8

0882

- The multiples of 6 are
  - a. 6.12,18,24
  - b. 1,2,3,6

  - c. 0,1,2,3,6 \*d. 0,6,12,18,24

The factors of 4 are

- r. 0,1,2,4
- 1,4,8,12,16
- \*c. 1,2,4
- d. 1,2,3,4



The multiples of 5 are

0884

- 0,1,5,10,15,20
- 0,5,10,15,20 \*b.
- 1,5,10,15,20 C.
- 10,15,19,23,28

The factors of 2 are

0885

- 0,1,2 a.
- 1,2,4
- 1,2,3,4,6,8 C.
- \*d.

The number which all whole numbers have as a factor is

0886

- #a.
  - 0 b.
  - 2 C.
  - 10

The number which all whole numbers have as a multiple is

0887

- 0
- #b. 2 C's
- 10

$$S=8={1,2,4,8}$$
  
S  $\cap$  T =

- a. all the factors of S and T
- b. Common multiples of S and T
- c. All the multiples of S and T
- \*d. Common factors of S and T



 $S = 8 = \{0, 8.16, 24\}$ 

T = 6'= {0,6,12,18,24}

in the contract of the contract of

0889

- a. common factors of S and T
- b. all the factors of S and T
- \*c. all the multiples of S and T
- d. common multiples of S and T

THE STUDENT WILL DEMONSTRATE HIS KNOWLEDGE OF MULTIPLES BY SE-LECTING THE NUMBERS THAT CONTINUE THE GIVEN SET OF MULTIPLES.

0087

Directions: Circle the letter of the correct response.

Given 0,6,12,18,24,30..., select the multiples that continue the set to 60.

0890

- a. 36,40,46,54,60
- \*b. 36,42,48,54,60 c. 36,40,46,50,56,60 d. 36,46,56,60

- Given 0,3,6,9,12,15..., select the multiples that continue the set to 30.
- 0891

- a. 18,23,27,30 b. 18,20,25,30 c. 18,20,24,28,30
- \*d. 18,21,24,27,30

THE STUDENT WILL DEMONSTRATE HIS KNOWLEDGE OF MULTIPLES BY SE-LECTING THE MULTIPLES OF GIVEN NUMBERS.

0088

Directions:

Match the given number with its multiples by placing the correct number of the set in front of the letter.

_5_	7		1. 2.	0,6,12,24,36 0,4,8,12,16		0892
2	4		3。 4。 5。	0,12,24,36,48 0,3,6,12,18 0,7,14,21,18	÷ • • • • • • • • • • • • • • • • • • •	0893
<u>io</u>	3	·	6. 7. 8.	0,10,15,20,25 0,6,12,18,24 0,10,20,30,40		0894
9_	8		9. 10. 11.	0,8,16,24,32 0,3,6,9,12 0,5,10,15,20		0895
11	5		12.	0,8,12,20,24		0896
_3_	12			•		· 0897
8	10					0698
_7_	6					0899
						•

USING HIS KNOWLEDGE OF MULTIPLES, THE STUDENT CAN DETERMINE WHICH EQUATION GIVES THE BEST PROCEDURE FOR SOLVING WORD PROBLEMS.

Directions: Road the problems and select the letter of the equation appropriate for best solving the problem.

Mr. Moses donated \$10 to each of 6 charities. How much did he donate?

0900

0901

- a. \$10+\$10+\$10+\$10+\$10+\$10 = n
- $b_{\bullet}$  \$10 + 6 = n
- \*c. \$10 x 6 m n
- d. 6+6+6+6+6+6+6+6+6+6 = n

Mary has 4 packages of cardy. There are 14 pieces in each pack. How much candy does she have?

- 8. 14 + 4 m m
- \*b. 14 x 4 = m
- c. 14 + 14 + 14 + 14 = m
- $\mathbf{d}_{\bullet}$   $\mathbf{u}_{+}\mathbf$



THE STUDENT WILL DEMONSTRATE HIS ADILITY TO EMPLOY MULTIPLES BY SOLVING WORD PROBLEMS INVOLVING MULTIPLES.

0090

Directions: Read the problems and select the correct answer.

Each of 5 boys on a baseball team struck out three times during a game. Her many strike-outs did they make?

0902

- α.
- b. 10
- c.
- \*d. 15

Jack has 3 insect collections with 12 bugs on each frame. How many insects does Jack have?

0903

- 8.,
- \*b. 36
- c. 24

Jill wants to buy 5 books that cost \$1.00 each. How much must she save before she can buy them all?

090%

- \*a. \$5.00
- b. \$10.00
- c. \$1.00
- d. \$5.50

Joe has 9 quarters in his pocket. How much money does he have?

0905

0146

- a. \$2.00 ·
- **\*b.** \$2.25
- c. \$2.50
- d. \$2.75

GIVEN TWO WHOLE NUMBERS, THE STUDENT WILL DEMONSTRATE HIS ABILITY TO DISTINGUISH BETWEEN GREATEST COMMON FACTOR AND LEAST COMMON MULTI-PLE BY SELECTING THE GREATEST COMMON FACTOR OR LEAST COMMON MULTIPLE. OF THE TWO NUMBERS.

Directions: Using the information provided circle the letter that answers each question.

Given:  $8 = \{1,2,4,8,5\}$  6 =  $\{1,2,3,6\}$  0906 The greatest common factor is

Given:  $8 = \{0,8,16,24,32\}$   $6 = \{0,6,12,18,24,30\}$  0907 The least common multiple is

ADDITION AND SUBTRACTION



WHOLE NUMBER ADDITION



0043 THE STUDENT CAN DEMONSTRATE UNDERSTANDING OF MULTIPLE DIGIT ADDENDS AND SUMS BY SOLVING ADDITION PROBLEMS AND EQUATIONS INVOLVING MULTI-PLE DIGIT ADDENDS AND SUMS. 0910 In the equation n + n = 6, n is called 8. a sum an addend c. a factor d. a product In order to find the solution for n in the equation n-3=12, 0911 you would a. subtract b. multiply c. divide \*d. add 0912 Finding the sum does not mean to: a. have a union of sets \*b. find a missing addend c. solve for total members .d. join all addends into a new set The sum of the addends 800 + 190 + 18 will be \_\_\_\_\_ digits. 0913 a. two b. three \*c. four d. five 0914 The sum of the addends 191 is

\*a. 314 b. 334 c. 324 d. 304

The sum of the addends	943 s <u>383</u> is	0915
a. 1216 *b. 1326 c. 1226 d. 1316		
The sum of the addendards  a. 467 b. 468 c. 477	s 126 + 352 =	0916
*d. 478		
	and 2190. Their sum equals	0917
a. 7020 b. 7030 *c. 7120 d. 7130	·	
The sum is di	gits for addends 9647 and 8355.	. 0918
a. three b. four *c. five d. six	.5200 201 datomat 7047 (214 0777)	
830 26 Find the sum of 985 31		0919
*a. 1872 b. 1962 c. 1772 d. 1862		•
		· .
a. 6232		<b>0920</b>
b. 5242		

\$94.62 ÷ \$	53.08 ≃			•		0921
b. c.	\$147.60 \$14778 \$14760 \$147.70			·	·	
						,
\$70.95 + \$	94.63 =					0922
b. *c.	\$164.68 \$16558 \$165.58					
d.	\$16458	•				•
Find the s	\$2.50 3.60 3.60 .96 .75 5.80					0923
a. *b. c. d.	\$12.75 \$13.81 \$13.71 \$12.81					•
	<b>Y*</b> .				. •	
Find the	21.78 sum of: 3645 1866			• ·		0921
*a. b. c. d.	7689 7588 7679 7589		•		•	
Find the	23 979 3 <b>u</b> m: 57 <u>164</u>	·				0925
8. b. *c. d.	1023 1123 1223 1222				· .	

0926 27 + 8 + 65 + 97 =1.64 a. 197 **\*b.** 186 C. 177 d. **= 36 + 65 + 75 + 86** 0927 262 b. 252 242 C. 272 200 9080 0928 Find the sum: 9915 247 60 B. 19492 b. 19,512 c. 19,402 \*d. 19,502 5617 0929 Find the sum: 5908 7346 a. 17871b. 17872 \*c. 18871 d. 18771 765 + 36 + 75 + 800 = 0930 \*a. 1676 b. 1575 c. 1666

\_\_d. 1576

] = 700 + 800 + 600 + 900

0931

a. 300

b. 30,000 \*c. 3,000 d. 2900

1600 + 190 + 13 = [

0932

a. 1800

\*b. 1803

c. 1793

d. 1893

0933

7 = 58 + 900 + 150 + 43

\*a. 1151 ь. 1050

c. 1150 d. 1041

1 - 487 667 -

a. 180

#b. 1154 c. 280

d. 1054

e. 170

0934

- 468 = 342

0935

\*a. 810

b. 126

c. 26

d. 800

116 e.



0936 - 99 = 109 200 a. 100 b. 10 208 \*d. 90 e. 0937 6334 = - 1668 8002 \*a. 4666 · b. 8000 c. 4776 d. 5666 432 32450 0938 3400 17626 Find the sum: 500 54,408 43418 52408 \*a. b. C. 43408 d. 59620 37651 28642 0939 - Find the sum: 39746 29375 195024 194934 195034 b. \*c. d. 194034

```
19003
                 6754
28031
Find the sum:
                                                                                     0940
                    702
                  5975
           59566
       a.
           60465
           59466
       C.
       d.
           60365
                 4300
                  7500
Find the sum:
                  9060
                                                                                     0941
                 2735
                  4327
                 3800
            31722
       b,
            30712
            31622
       c.
           30722
                                                                                     0942
93752
16820
34919
58606
90408
            294495
       8.
            284505
       b.
            284495
       C.
      *d.
            294505
4265 + 38 + 700 + 85 =
                                                                                     0943
       8.
            4088
       \mathbf{b}_{\bullet}
            4987
      *c.
            5088
       d.
            5078
            = 9000 + 75 + 865 + 7646 + 86
                                                                                     0944
            17672
      *a.
            16672
       b.
            17572
       c.
```

ERIC

d.

3716 + 143 + 59 + 400 +

0945

- a. 3318
- b. 4308
- c. 3208
- \*d. 4318

5,327 + 86 + 300 ÷ 702 =

0946

- a. 6305
- \*b. 6415
- c. 5415
- d. 6405

900 + 7081 + 63 + 126 + 39 =

0947

- a. 7209
- b. 8199
- 4c. 8209
- d. 7109

= 5000 + 137 + 609 + 52 + 1414

0948

- a. 6232
- \*b. 7242
- c. 6342
- d. 7132

Given the sum 5292, possible addends rounded off to the nearest hundred could be:

- a. 2500 + 2000
- b. 2500 + 2500
- c. 2600 + 2600
- \*d. 2300 + 3000

The sum for 3 addends is 895. The addends rounded off to the nearest hundred could be:

0950

0951

b. 
$$600 + 300 + 100$$

600 + 100 + 200 = . These addends were rounded off to the nearest hundred. The possible sum could be

a. 951

≈b. 879

c. 849

d. 981

0952

100 8.

b. 40

#c. 112

d. 102

e. 50

0953

\*a. 1133

b. 759

c. 753d. 1033

e. 769

0954

a. 1362

b. 164

c. 154

\*d. 1372

e. 64

1037 = (859 + 36) a. 132

a. 132 \*b. 1932 c. 232 d. 142 e. 1832

385 = (109 + 97)

\*a. 591
b. 79
c. 189
d. 581
e. 89

(438 + 297) = 509

a. 226 \*b. 1244 c. 236 d. 1234 e. 206

-3 8 3 5 6 2

a. 180 \*b. 945 c. 280 d. 844 e. 220

 $\begin{array}{c|c}
 & -706 \\
 & 493
\end{array}$ 

a. 13 b. 313 c. 213 \*d. 1199 e. 1193 964 728

0960

904

0961

a. 2541 b. 733 c. 633 d. 2531 e. 2633 b. c.

8 9 5007

c. d.

\*e∙

0962

2853 1509 0963

8.

₩b.

c. d.

e.

THE CHILD WILL EVIDENCE HIS ABILITY TO DISTINGUISH BETHEEN THE BASIC PRINCIPLES OF ADDITION BY CORRECTLY CATEGORIZING A GIVEN SET OF EQUATIONS.

0121

Directions: Look at the equation and select the principle which the equation demonstrates.

$$7/8 + 8 = 8 + 7/8$$

0964

a. 0-principle

\*b. Commutative principle

c. Associative principle

$$2/3 + 0/6 = n$$

0965

\*a. O-principle

b. Commutative principle

c. Associative principle

$$3/4 + n = 6/10 + 3/4$$

0966

a. O principle

\*b. Commutative principle

c. Associative principle

$$(1/8 + 3/8) + 5/8 = 1/8 + (3/8 + n)$$

0967

a. O principle

b. Commutative principle

\*c. Associative principle

$$5/8 + n = 5/8$$

0968

\*a. O principle

b. Commutative principle

c. Associative principle

n + (3 + 1) = (2 + 3) + 1

0969

a. O principle

b. Commutative principle

\*c. Associative principle

(5/7 + 6/7) + n = 5/7 + (6/7 + 3/7)

0970

a. O principle

b. Commutative principle

\*c. Associative principle

n + 1/3 = 1/3 + 6/5

0971

a. O principle

\*b. Commutative principle

c. Associative principle

6/3 + 0 = n

0972

\*a. O principle

b. Commutative principle

c. Associative principle

1/10 + (6/10 + 3/10) = (n + 6/10) + 3/10

0973

a. O principle

b. Commutative principle

\*c. Associative principle

Source: Addison-Wesley, Book 5, pp. 258-259.

THE STUDENT WILL DEMONSTRATE HIS UNDERSTANDING OF THE ADDITION PROCESS BY ANALYZING AN INCOMPLETE PROBLEM AND SELECTING THE CORRECT DIGITS THAT MAKE THE PROBLEM TRUE.

Direction:

Below is part of an account from a check-book. Find the numerals that are missing.

\$ 48.3<u>a</u>
56.<u>09</u>
8<u>c</u>7.62
6.<u>d</u>1
53<u>e</u>.24

The missing numeral for a is

0974

a. 0 b. 1 \*c. 4 d. 8

The missing numeral for b is

0975

a. 2 b. 0 c. 9 d. 4 \*e. 3

The missing numeral for c is

0976

\*b. 9 c. 8 d. 2 e. 3

The missing numeral for d is

0977

\*a. 5 b. 6 c. 0 d. 3 e. 8 The missing numeral for e is

a. 9
\*b. 0
c. 1
d. 5
e. 3

The missing numeral for f is

a. 7

•

c. 0 \*d. 3 e. 4

b.

Source: Addison Wesley

THE STUDENT WILL APPLY HIS KNOWLEDGE OF THE ADDITION PROCESS TO DETERMINING THE CORRECTNESS OF COMPLETED GIVEN PROBLEMS.

Directions: Below is part of an account from a check book.

Determine whether or not it has been added correctly.

\$ 57.63 394.82 647.31 29.07 49.70 \$1028.33

The correct answer is:

0980

0978

0979

0143

a. \$1028.33b. \$1028.53c. \$1078.33

\*d. \$1178.53 e. \$1128.53

ERIC Full Text Provided by ERIC

\$ 35.82 610.93 49.06 753.79 8509.37 \$9958.97 0981

The correct answer is:

- \$8958.97
- \*b. \$9958.97
  - C. \$9847.87
  - d. \$8857.97
  - \$9948.97

THE STUDENT WILL DEMONSTRATE UNDERSTANDING THAT YOU CAN NOT CARRY A NUMERAL AS LARGE AS THE NUMBER OF ADDENDS BY SELECTING A STATE-MENT THAT REFLECTS THIS RULE.

01.82

Directions:

Circle the letter in front of the numeral which

correctly completes the sentence.

Given two addends the greatest number that could be carried to hundreds column is

0982

- Q 8.
- ₩b• 1
- 2 C.
- 3

Given four addends the greatest number that could be carried to tens column is

- a. 1
- b. 2
- \*c. 3

Given five addends the greatest number that could be carried to thousands column is

0984

- a. 2
- b. 3
- \*c. 4
- d. 5.

Given four addends the greatest number that could be carried to hundreds column is

0985

- a. :
- \*b. 3
- c. 4
- d. 5

Given three addends the greatest number that could be carried to millions column is

0986

- \*a. 2
- **b**<sub>4</sub> 3
- c. 4
- d. 5

Given five addends the greatest number that could be carried to tens column is

0987

- **8.** 2
- b. 3
- #c. 4
- d. 5

THE STUDENT WILL APPLY HIS KNOWLEDGE OF THE "PUT IN, TAKE OUT" GAME TO ADD NEGATIVE NUMBERS.

0161

Directions:

Given: A bag containing an unknown number of bottle caps and many more caps laying loose on a table next to the bag. Solve the following problems to find if you have more or less in the bag than when you started.

put in 5, take out 3

put in 3, take out 1

put in 4, take out 5

put in 3, take out 7: +3 + -7 =

Source: Dr. A. Hart. WHOLE NUMBER SUBTRACTION



	T CAN DEMONSTRATE UNDERSTANDING OF MULTIPLE DIGIT NUMBERS SUBTRACTION PROBLEMS AND EQUATIONS INVOLVING MULTIPLE DERS.	00111
	so solve for n in the equation n + 16 = 40, you	0999
*b.	subtract divide	
<b>d∙</b> '	multiply	
If you know addend.	ow the sum and one addend you to find the other	1000
8.	add	
	subtract	
c. d.	multiply divide	
<i>a</i> •	GTAIGE	
a. b.	subtraction problem does NOT involve multiple addends differences factors sums	1001
Solve for	710 the difference: -191	1002
ૃ 8∙	609	
<b>*</b> b.	519	
c. d.	629 509	
4.	)O <sub>1</sub>	
٠.	100	
Find the	128 difference: -72	1003
*a.	56 '	
b.	200	
c.	190	
d.	50	
e.	66	

619 1004 The difference for: - 342 is: 961 a. 375 951 C. \*d. 277 267 e. 813 - 242 is equal to: 1005 \*a, 571 1155 1265 b. C. d. 471 351 6113 The difference for -985 is 1006 a. 7098 5. 6998 c. 5238 \*d. 5128 1610 1007 Solve for the difference in -905a. 2515 \*b. 705 c. 1.605 d. 605 7614 - 836 equals: 1008 7440 b. 6878

\*c.

1006 The difference for - 497 is:	1009
a. 1493	200,
b. 1503	
c. 610	
*d. 509 e. 513	
9274 The anguer to - 392 in a	1010
The answer to - 392 is:	1010
*a. 8882	
b. 9666 c. 8982	
d. 8676	
	•
If 653-278 = , then =	1011
If 653-278 = , then =	1011
*a. 375	
b. 931 c. 385	
d. 821	
e. 485	: :
	1 1
	•
If = 967 - 78, then ==	1012
a. 1045	*
b. 999 *c. 889	
d. 879	
·	
If 823 - 59 = , then =	. 1013
\	1013
a. 882	
*b. 764 c. 774	
d. 762	
d. 762 e. 862	

If [ = 7013 - 967, then [ 1014 a. 7980 b. 6146 7970 6046 C. \*d. e. 6140 If \$12.93 - \$3.04 = [ , then 1015 ₩a. \$9.89 b. \$16.07 c. 1097 d. 987 e. \$987 Subtract \$14.69 irom \$94.25 1016 **\$**79**.**56 **\***a. b. \$108.94 C. 7954 10856 d. \$80,54 e. \$70.13 - 9.25 equals: 1017 **8**79.38 b. \$61.88 \$60.98 \$60.88 c. \*d. \$96.78 - 3.62 equals: 1018 \$93.00 #b. \$93.16 c. \$99.40 \$100.36 d.

9000 - 65 =

\*a. 9065

b.

**=** 6010 **-** 671

6681

5339

If

= 2589 - 198, then



\*a. 2391 b. 2787 c. 2491 d. 2397

If 5067 - 268 =

, then



4809 \*c.

d.

-<u>19266</u> is:

• 1.

27091

37622 - 393 equals:				1024
a. 38915 *b. 37229 c. 37339 d. 38015				
50091 -3487 equals: a. 46614 b. 47614 c. 53578 *d. 46604	,			1025
730064 - 5079 equals:		·		1026
a. 735143 *b. 724985 c. 734995 d. 735133 e. 725085				
900064 - 395 equals:		·	•	1027
*a. 899669 b. 900459 c. 900359 d. 890779 e. 899679		a (	1	
603942 -10864 equals:			1	1028
a. 613806 b. 592988 *c. 593078 d. 593178		·	e produce de la companya de la compa	

The difference for 105660 - 99052 is: 6608 1029 b. 16608 c. 6618 d. 204712 194712 5,975 from 160,033 is: a, 155058 b. 165168 1030 c. 166008 \*d. 154058 If 9673 - 7456 -[ , then 2227 b. 2239 1031 \*c. 2217 d. 2229 ] = 5629 - 3043, then 2566 **\***b• 1032 2586 c. 2686 d. 2666 If , ] = 6502 - 1795, then \*a. 4707 1033 b. 5817 c. 7297 d. 4817 If 3003 - 1905 = , then 2098 1034 4908 1108 1098 206

If 7049 - 1209 - \_\_\_\_\_, then 8258 a. 1035 b. 6830 \*c. 5840 d. 6840 e. 8248 II \_ ] = 8096 - 4307, then 12303 1036 3789 c. 4781 d. 12403 e. 3799 If ] = 4205 - 1092, then [ \*a. 3113 1037 b. 3293 c. 3213 d. 3193 If 7007 = 1070 = , then 6937 1038 b. 8077 \*c. 5937 d. 8137 If 396 + = 500, then 8. 896 1039 b. 296 \*c. 104 214 d.

If + 257 = 296, then [ 1040 553 61 a. b. \*c. 39 d. 43 e. 453 If 532 + [ ] = 703, then 1041 1235 8.  $b_{\bullet}$ 275 #c. 171 d. 231 e. 1231 If ] + 406 = 629, then 1042 1023 a. \*b. 223 c. 235 d. 1035 If \$5.28 + [ ]= \$13.45, then [ 1043 a. 817 b. 1873 \*c. \$8.17 d. \$18.73 If ] + \$17.15 = \$24.30, then \$7.15 1044 \*a. 715 \$715 b. c. d. \$7.25

208

· e.

1045 = 7099, then If 6321 + 778 1778 \*a. b. 678 C. 1378 d. 13420 1046 ] + 136 = 8105, then [ If 8241 8009 þ. 7979 c. 7969 \*d. 1047 ]+743 = 1069, then II 1712 8. 326 \*b. 1702 C. 1806 d. 306 1048 ]= 17602, then If 9826 + 7776 8826 7814 c. 8786 1049 ]+36=(571-403), thenII 168 a. 132 137 c.

156

d.



1050 = (178 - 64), then [ If 24 + 90 100 **\***a• b. 40 c. d.

1051 **300** (75 - 16) +[ 61 359 59 241 a. b. Ce #d.

1052 + (65 - 18) = 800 \*a. b. c. d.

753 847 883 747

1053 + 76 = (96 - 3) 110 8.• 17 100 27 7 \*b. C. d.

1054 = 295 (681 - 392) +

584 8. 16 b. 474 6 C. \*d. 289 e.

е.



+ (1043 - 867) = 475

\*a. 299
b. 651
c. 300
d. 176

5642 + (9550 - 3550) 8. 600

a. 600 b. 11642 \*c. 358 d. 908

1357 + \_\_\_\_\_ = (4620 - 974)

\*a. 2289
b. 3646
c. 5003
d. 1380

\*a. 159
b. 918
c. 1677
d. 269

1 7 6 equals:

a. 193 Wb. 149 c. 203 d. 159



3 8 7 equals:

1060

\*a. 268 b. 506 c. 496 d. 278

8 5 6

equals:

1061

a. 1211 b. 511 c. 1121 \*d. 491

7 0 3

equals:

1062

a. 746 b. 770 \*c. 636 d. 646

9 2 6

equals:

1063

a. 1595 \*b. 247 c. 1605 d. 357

5 0 7 0 1 9 7 1


equals:

1064

\*a. 3099 b. 7041 c. 4109 d. 3199 equals:

1065

- 8463
- 8459 c. 9663
- 8349



equals:

1066

- 10258
- 9148
- 9258
- d. 10858

THE STUDENT CAN DEMONSTRATE KNOWLEDGE OF GENERAL OPERATIONS IN SOLVING SUBTRACTION PROBLEMS.

0045

If you substitute 1 for the unknown, which of these equations is NOT true?

1067

n+n=2

b. 
$$n+1=2-n$$

$$c. 2-n=n$$

d. 
$$n = (1 + 1) - n$$

$$*e. n = n - 2$$

1068

does NOT equal:

a. 
$$[(10 \times 10) + (9 \times 9)]$$

b. 
$$9200 - 19$$

\*c. 
$$[9 \times (10 \times 10) + 1]$$
d.  $[(90 \times 2) + 1]$ 
e.  $(10^2 + 9^2)$ 

$$d_{\bullet} [(90 \times 2) + 1]$$



+ (782 - 93) = 946

1069

does not equal:

a. 
$$(10^2 \times 2) + (2 \times 5^2) + 7$$

b. 
$$(50 \times 40) + 50 + 7$$

c. 
$$300 - [(6 \times 7) + 1]$$

\*d. 
$$(10 \times 10 \times 2) + (5 \times 5 \times 2) - 7$$

e. 
$$(5 \times 50) + (2 \times 3) + 1$$

One addend on the cash register receipt is missing:

1070

\$ 3.25 16.08 100.57 ???.?? \$135.98

The addend is:

Find the missing addend on the sales receipt.



\$ 7.82 43.09 ????? 79.57 34.88 \$ 200.54

1072

The missing item is:

\*a. \$35.18 b. 34.88 c. \$43.08 d. 40.28

\$ 1.57 3.40 .23 1.09 26.80 ????? 108.98 1073

The sale missing is:

a. \$ 48.03 b. \$ 57.08 c. \$ 58.01 \*d. \$ 47.93

THE STUDENT WILL DEMONSTRATE HIS ABILITY TO CHANGE MIXED NUMERALS TO A DIFFERENT FORM IN ORDER TO COMPLETE SUBTRACTION BY SELECTING RHE MISSING NUMBER.

0122

Directions: Choose the number that makes the numerator correct.

 $9\frac{1}{2} = 9 \frac{5}{10} = 8 \frac{n}{10}$ 

1074

a. 6 \*b. 15 c. 13

$$3 \frac{1}{3} = 3 \frac{3}{9} = 2 \frac{n}{9}$$

1 = 1 O/10 = m/10

$$43/8 = 3 \text{ n/16}$$



 $2 \frac{1}{3} = 1 \frac{n}{12}$ 

1081

5=4n/6

1082

8.

 $3 \frac{3}{5} = 2 \frac{n}{15}$ 

1083

24

Source: Addison-Wesley Bk. 5 - p. 262.

THE STUDENT WILL DEMONSTRATE HIS ABILITY TO WORK RATIONAL NUMBER SUBTRACTION PROBLEMS WHICH REQUIRE BORROWING BY CHOOSING THE CORRECT ANSWER.

0123

Directions: Choose the correct answer.

8 1/3 - 2 5/6 = n, n =

1084

a. 6 4/3 \*b. 5½ c. 6 3/6

$$92/3 - 65/6 = n$$
,  $n =$ 

1085

\*a. 2 5/6 b. 3 1/6 c. 3 3/6

ن3001

$$85/6 - 77/8 = n, n=$$

$$19 2/3 - 5 11/12 = n, n=$$

$$36 \frac{1}{3} - 29 \frac{17}{18} = n, n =$$

$$83 - 42 7/8 = n, n =$$

a. 
$$22\frac{1}{2}$$
  
b.  $22\frac{1}{10}$ 

86 7/15 - 58 9/10 = n, n =

1092

27 17/30 28 2/15 28

93 - 39 9/10 = n, n =

1093

52 1/10 52 9/10 53 1/10

Addison-Wesley Bk. 5. p. 262.

WHOLE NUMBER ADDITION AND SUBTRACTION



THE STUDENT CAN APPLY THE PROPERTIES OF ADDITION AND SUBTRACTION BY SOLVING GIVEN PROBLEMS.

0041

There is one false statement. It is

1094

- \*a. 3-2 = 2-3
- 3 + (2+1) = (3+1) + 2 (4+5) + 2 = (4+5) + 2
- 14 + 3 = 3 + 14d.
- 15 7 = 8 + 0

Commutative pertains to order. Which of the following equations shows 1095 a true commutative statement?


- 6 3 = 3 6
- b.  $63 7 = 7 \times 9$ c. (3+6) + 2 = (2+6) + 3
- 6 + 3 = 3 + 6

The zero principle of addition is shown best when

1095

- the answer is zero a.
- one addend is unknown b.
- the sum equals other addend
- one addend is zero

The number line that proves the commutative property of addition is:



The associative property

1098

- a. commutes addends
- b. shows order of addends
- c. has several addends
- \*d. regroups addends

One equation shows the associative property of 9 + 9 = 8 + 10

\*a. 
$$(6+1) + 9 = 8 - (1+9)$$

b. 
$$9+3+6=8+9+1$$

- c.  $(3x3) + (3x3) = 9 + (3 \times 3)$ d. (3+6) + 9 = (3+5) + 10

Match the equations in Column I with the equation in Col. II that best show the associative properties of the first equations.

Column I

Column II

$$c = 6+5 = 7+4$$

a. 
$$7 + (3+1) = (7+3) + 1$$
  
b.  $7 + (4+1) = (7+4) + 1$ 

a. 
$$7 + (3+1) = (7+3) + 1$$
  
b.  $7 + (4+1) = (7+4) + 1$   
c.  $6 + (1+4) = (6+1) + 4$   
d.  $7 \div (1+3) = (7+1) + 3$ 

1102

1100

1101

THE STUDENT WILL DEMONSTRATE HIS COMPREHENSION OF EQUATIONS BY CHOOSING THE CORRECT EQUATION FOR SOLVING A GIVEN WORD PROBLEM.

0262

Directions:

Circle the letter of the correct equation needed to solve each word problem.

You gave away 9 apples and have 6 left. How many apples did you have at the start?

\*b. 
$$6 + 9 = 15$$

Jane and Sue each had 10 cents, Mary had 9 cents. How much money did the girls have all together?

1104

**\*a.** 
$$10 + 9 + 10 = 29$$

b. 
$$20 - 9 = 11$$

$$c. 9 + 10 = 19$$

John has 13 cents. He wants to buy a 25¢ toy. How much more money does he need?

1105

a. 
$$12 + 13 = 25$$

$$*c. 25 - 13 = 12$$

Karen has 20 crayons, Joan has 12 crayons, Mary has 10 crayons. How many more crayons have Karen and Mary than Joan?

1106

$$b. 20 + 12 - 10 = 22$$

c. 
$$10 + 12 - 20 = 2$$

Terry broke 6 of her 12 crayons, Jean broke 3 of her 9 crayons, Beth broke 4 of 8 crayons. How many crayons were broken?

1107

$$*c. 6 + 3 + 4 = 13$$

Sue has 19 pieces of candy if she gives a piece to each of her 4 girl friends and 5 boys. How many pieces will she have left?

a. 
$$19 - 10 = 9$$

\*b. 
$$19 - 5 - 4 = 10$$

c. 
$$19 + 5 + 4 = 28$$



Laurie has 30 cents if she buys a 5 cent eraser, a 10 cent pad of paper. How much change should she receive?

1109

$$b. 30 - 10 = 20 z$$

Jane bought 12 red apples, 6 oranges, 3 pears, 6 green apples and 4 plums. How many apples did Jane buy?

1110

b. 
$$6 + 3 + 4 = 13$$

c. 
$$12 + 6 \div 3 + 4 = 25$$

1111

John's dad drove 125 miles on Tuesday, 130 miles on Wednesday and 150 miles on Thursday. How many more miles did he drive on Thursday than he drove on Tuesday?

$$a. 125 + 130 - 150 = 105$$

\*b. 
$$150 - 125 = 25$$

$$c. 150 - 130 = 20$$

1112

Kathy went shopping and bought 2 skirts for 10 dollars, a pair of shoes for 15 dollars, 2 dozen eggs for 1 dollar 30 cents and a dozen oranges for 65 cents. How much did she spend on clothing?

$$a. $1.30 + 65 = $1.95$$

$$*c.$$
 \$10.00 + \$15.00 = \$25.00

Cindy went to the store and bought 2 dozen eggs at 60 cents a dozen, 1113 3 lbs. of coffee at 79 cents a pound. How much was her bill?

a. 
$$(2 \div 60) + (3 + 79) = $1.44$$
  
\*b.  $(2 \times 60) + (3 \times 79) = $3.57$ 

\*b. 
$$(2 \times 60) + (3 \times 79) = $3.57$$

Houghton Mifflin, pp. 42-43. Source:

SIMPLIFICATION OF FRACTIONS



THE STUDENT WILL DEMONSTRATE KNOWLEDGE OF LOWEST TERM FRACTIONS BY SELECTING THOSE FRACTIONS IN LOWEST TERMS.

0101

Directions: If the fraction is in lowest terms cross out the L; if the fraction is not in lowest terms cross out the

L	ħ	5/15		1114
1¢	Н	2/3		1115
Ľ	Н	17/23		1116
)Ľ	Н	4/7		1117
L	þĺ	14/7	·	1118
L	И	21/39		1119
义	H	3/2		1120
X.	. <b>H</b>	1/16		1121
L	ħ	7/49		1122
r.	ķ	2/2		1123

Addison-Wesley, Bk. 5, p. 207. Source:

0102 THE STUDENT WILL DEMONSTRATE HIS KNOWLEDGE OF REDUCING FRACTIONS TO LOWEST TERMS BY SELECTING THE GREATEST COMMON FACTOR OF THE NUMERATOR AND DENOMINATOR.

Directions: Choose the greatest common factor of the numerator and the denominator for each fraction.

12/18 1124 2 \*b. 6 c. d. 43

15/45 1125 15 3 5 9

50/100 1126 2 5 a. b. 25 50 c. \*d.

8/12 1127 2 48 \*c.

1/9 1128

0 1 3

d.

6/24 1129 2 3 46 c. 5/8 1130 2 58 ¢. d. Addison-Wesley, Bk. 5, p. 208. Source: THE STUDENT WILL DEMONSTRATE KNOWLEDGE OF FRACTIONS IN LOWEST TERMS 0103 BY SELECTING THE LOWEST TERM FRACTION FOR A GIVEN FRACTION. Directions: Select the lowest termed fraction for the fraction given. 6/21 1131 3/7 2/11 2/7 6/21 \*c. d.

16/40

4/10 8/20 2/5

16/40

1133 42/60 21/30 7/10 6/9 42/60 1134 28/45 4/9 7/11 14/22 28/45 1135 42/72 1136 90/120 9/12 3/4 45/60 90/120

36/54

1.137

a. 6/9 b. 3/4 \*c. 2/3 d. 36/54 280/105

a. 3/2
b. 280/105
c. 70/25
\*d. 8/3

Source: Addison-Wesley, Bk. 5, pp. 210, 212.

GIVEN A LIST OF FRACTIONS, THE STUDENT WILL DEMONSTRATE HIS KNOW-LEDGE OF LOWEST TERM FRACTIONS BY SELECTING THE ONE WHICH IS IN LOWEST TERMS.

Directions: Given a list of fractions, if a fraction is in lowest terms circle L; if it is not circle No.

<b>½</b>	И	4/9	1139
L	pf	2/4	1140
L	Ņ	4/6	1141
Ķ	Ŋ	5/7	1142
L	Ŋ.	6/1.2	1143
<b>y</b> .	N	11/13	1144
L	þ	12/18	1145
1/2	N	1/3	1146
L	þ	16/28	1147
Ľ	N	9/26	1148
ĭ,	. <b>N</b>	17/21	1149
L	Ħ	6/9	1150
1/.	N	2/3	1151
L	Ņ	24/33	1152
<b>%</b>	N	15/16	1153

<b>K</b>	N	21/26 16/13	1154
L	ħ	16/13	1155
<b>½</b>	N	27/32	1156
FORE	MULT	ENT WILL APPLY HIS KNOWLEDGE OF SIMPLIFYING A FRACTION BE- PIPLYING BY CORRECTLY IDENTIFYING THE NUMBER BY WHICH THE AND DENOMINATOR HAVE BEEN DIVIDED.	0243
Study	· the	following fractional equation: 1/4 x 5/6 - N. The numer-	1157
ator	and	denominator have been divided by	±271
	a. b. *c.	6	

1
4/7 x  $\frac{7}{9}$ . In this fraction the numerator and denominator have been 1158 divided by

**a.** 1 **\*b.** 7 **c.** 3

3/% x 12/13. In this fraction the numerator and denominator have 1159 been divided by

a. 3 b. 1 \*c. 4

1
2/# x 3/7. In this fraction the numerator and denominator have 1160
3
been divided by

\*a. 3
b. 1
c. 9

$\frac{4}{8}/11 \times 5/6$ . In this fraction the numerator and denominator have	1161
been divided by	
8. 4.	
a. 4 *b. 2 c. 3	
1 $\beta/1/2 \times \beta/\beta$ . In this fraction the numerator and denominator have	1162
been divided by	•
*a. 3 and 5 b. 4 and 1	
c. 3 and 1	
$3/9 \times 3/19$ . In this fraction the numerator and denominator have	1163
been divided by	
a. 3 and 2	i, ·
b. 5 and 2 *c. 5 and 3	
$3/(x)^{3}/7$ . In this fraction the numerator and denominator have	1164
been divided by	•
a. 6	
#b. 2 c. 4	
2 %/11 x 5/%. In this fraction the numerator and denominator have	1165
been divided by	·
*a. 3 b. 2 c. 6	

7/\$ x 19/15. In this fraction, the numerator and denominator have 1166
4 been divided by

a. 4 b. 5 \*c. 2

Source: Merrill, Discovering Math 5, p. 312

THE STUDENT WILL APPLY HIS KNOWLEDGE OF SIMPLIFYING A FRACTION BEFORE MULTIPLYING BY CORRECTLY IDENTIFYING THE PRODUCT OF TWO SIMPLIFIED FRACTIONS.

Study the simplification of the following fraction. Circle the 1167 correct product.

\*s. 1/2 b. 1/3 c. 2/4

Study the simplification of the following fraction. Circle the correct product.

a. 1/3 b. 15/18 \*c. 5/18

Study the simplification of the following fraction. Circle the correct product.

\*a. 6/13 b. 42/13 Study the simplification of the following fraction. Circle the 1170 correct product.

Study the simplification of the following fraction. Circle the 1171 correct product.

1172 Study the simplification of the following fraction. Circle the correct. product.

Study the simplification of the following fraction. Circle the correct product.

Study the simplification of the following fraction. Circle the correct product.

1174

Study the simplification of the following fraction. Circle the . 1175 correct product.

Study the simplification of the following fraction. Circle the correct product.

Source: Merrill. Discovering Math 5, p. 313.

GIVEN A CROUP OF UNLIKE DENOMINATORS THE STUDENT WILL DEMONSTRATE
HIS UNDERSTANDING OF THE LEAST COMMON DENOMINATOR BY SELECTING IT
FROM A LIST OF ALTERNATIVES.

Directions: Choose the least common denominator for each group of denominators.

$\frac{\mathbf{n}}{3}$ , $\frac{\mathbf{n}}{4}$ , $\frac{\mathbf{n}}{6}$	4	1177
a. 10 b. 24 c. 18 *d. 12		
va		
$\frac{n}{5}$ , $\frac{n}{2}$ , $\frac{n}{4}$		1178
a. 10 b. 8 *c. 20 d. 12		
$\frac{n}{2}$ , $\frac{n}{4}$ , $\frac{n}{6}$		1179
a. 48 *b. 12 c. 10 d. 24		
$\frac{n}{5}$ , $\frac{n}{2}$ , $\frac{n}{7}$		1180
a. 14 b. 35 *c. 70 d. 140		
n, n, n 18 12 9		1181
a. 24 b. 18 c. 72 *d. 36		

1183

 $\frac{n}{3}$ ,  $\frac{n}{6}$ ,  $\frac{n}{15}$ 

a. 20 b. 45 c. 60 \*d. 30

1184

 $\frac{n}{7}$ ,  $\frac{n}{9}$ ,  $\frac{n}{42}$ 

s. 378 \*b. 126 c. 294 d. 2,646

ADDITION OF FRACTIONS



THE STUDENT KNOWS THAT CERTAIN FRACTIONS ADDED TOGETHER FORM A WHOLE BY INDICATING WHICH SETS OF FRACTIONS FORM A WHOLE.

8000

9/4 1/4 1/4 1/4 1/4

1185

the equation for the number line would be

8. 
$$\frac{1}{4} + \frac{1}{4} = \frac{2}{4}$$
  
b.  $\frac{1}{2} + \frac{2}{4} = \frac{2}{6}$   
\*c.  $\frac{2}{4} + \frac{2}{4} = 1$ 

If  $\frac{3}{4} + \frac{1}{4} = \frac{4}{4} \times a$ , then a is

1186

If  $\frac{2}{3} + b = \frac{3}{3} = c$ , then b and c are

1187

\*a. 
$$b = \frac{1}{3}c = 1$$
b.  $b = \frac{2}{3}c = 1$ 
c.  $b = \frac{3}{3}c = 1$ 

1188

a. 
$$\frac{1}{2}$$
b.  $\frac{3}{2}$ 

The fraction that names a whole is

$$c \cdot \frac{4}{3}$$

THE STUDENT WILL APPLY HIS KNOWLEDGE OF COMMON DENOMINATORS BY ADDING FRACTIONS WITH UNLIKE DENOMINATORS.

0159

Directions: Find the sums of the following addition problems.

1189

a. 3/8 b. 3/12 \*c. 5/6 d. 3/6

1190

1191

a. 4/10 b. 4/20 c. 4/9 \*d. 18/20

$$4/7 + 3/4 =$$

7/18 + 2/9 =1193 a. 14/162 b. 9/36 c. 14/36 \*d. 11/18 4/8 + 5/24 = 1194 a. 20/24 b. 9/24 \*c. 17/24 d. 32/24 THE STUDENT WILL APPLY HIS KNOWLEDGE OF THE ADDITION AND SUB-0174 TRACTION OF MIXED NUMERALS BY COMPUTING GIVEN EQUATIONS WHICH USE THESE PROCESSES. Directions: Compute the following equations and select the answer from the given list. 34/9 + 11/6 + 32/3 =1195 a. 7 13/18 b. 7 17/18 \*c. 8 5/18 d. 8 3/18 15 1/4 - 8 2/3 = 1196 a. 7 7/12 b. 7 1/12 c. 6 5/12 \*d. 6 7/12

c. 
$$25/12$$

$$6 \frac{5}{7} - 1 \frac{2}{3} =$$

$$23/8 + 41/2 + 52/3 =$$



11 7/15 - 2 9/10

1202

a. 9 7/30 b. 8 7/30 \*c. 8 17/30 d. 9 17/30

21, 2/3 - 4 5/6 =

1203

\*a. 19 5/6 b. 19 1/6 c. 20 5/6 d. 20 1/6

9 2/11 + 2 1/2 + 5 3/4 =

1204

a. 16 17/44 b. 16 19/44 c. 17 17/44 \*d. 17 19/44

ADDITION AND SUBTRACTION OF FRACTIONS



THE STUDENT CAN DEMONSTRATE UNDERSTANDING OF FRACTIONS BY ADDING OR SUBTRACTING FRACTIONS WITH COMMON DENOMINATORS.

0074

Solve

1205

Directions:

Match the equation in Column II with the correct fraction in Column I.

## Column I

Column II

<u>e</u> 1 4/15	a. 2/15	+ 9/15 = n 1206
<u>a</u> 11/15	b. 5/15 c. 14/15	2/15 = n 1207
<u>d</u> 13/15	e• 9/15	+ $10/15 = n$ + $10/15 = n$ 1208
<u>b</u> 3/15	•	1209

Directions:

Choose the correct fraction in Column II to solve the equation in Column I.

1 5/6 +3 2/6 b. \*c. 1214

1. July

Subtract

3 6/11 -2 1/11

1215

5 7/11 1 7/11 5 5/11 1 5/11 b. c.

4 5/6 4 6/6 5 1/6 5 7/6

\*d.

Add

1216

16 2/3 + 5 1/3 21 3/6 21 1/3 22 3/3 22 8. b. c. \*d.

Subtract

43 1/7 -40 6/7

1217

2 2/7 3 2/7 3 7/7 43 7/7 **\*8**• b. c. d. 0.

(3/5 + 4/5) - 2/5 = n

1218

$$3/6 + 4/6 + 1/6 = n$$

1219

a. 7/6 b. 1 1/6 c. 1 2/3 \*d. 1 1/3

Directions:

An improper fraction in Column II is to be paired with its simplest form in Column I.

Column I

Column II

<u>c</u> 5 1/4

<u>e</u> 5 1/2

<u>a</u> 3 1/5

<u>b</u> 2.5/8

a. 16/5 b. 23/8 c. 42/8

d. 18/4

0075

1220

1221

1222

1223

THE STUDENT CAN DEMONSTRATE UNDERSTANDING OF FRACTIONS BY ADDING OR SUBTRACTING FRACTIONS WITH UNLIKE DENOMINATORS AND PUTTING THE ANSWERS INTO THE SIMPLEST FORM.

In order to add or subtract fractions the \_\_\_\_\_ must be

a. numerator, same

b. denominator, equivalent

c. numerator, equivalent

<sup>\*</sup>d. denominator, same

Directions: The fractions in Column I are the solutions for the equations in Column II. Select the correct letter and place it in front of the number of the solution.

b 0.1/2	27/2425/0	1005
<u>b</u> 9 1/2	b. 13 5/6 - 5 1/3	1225
<u>a</u> 6 23/24	c. $11 \frac{1}{2} - 3 \frac{5}{6}$	1226
<u>e</u> 4 3/8	a. 3 1/3 + 3 5/8 b. 13 5/6 - 5 1/3 c. 11 1/2 - 3 5/6 d. 6 7/8 - 3 1/2 e. 2 1/4 + 2 1/8	1227
c 7 2/3		1228

Solve

Solve the equation

THE STUDENT WILL DEMONSTRATE HIS UNDERSTANDING OF THE ADDITION AND SUBTRACTION OF FRACTIONS BY SOLVING EQUATIONS.

0114

Directions: Select the correct response.

$$2/3 + 3/3 = n, n =$$

1232

$$7/8 + 2/8 = n, n =$$

1233

14/8

b. 9/8 c. 9/16

d.

$$7/4 - 2/4 = n, n =$$

1234

5/0 9/4 5/8 5/4

b.

\*d•

$$9/10 + 1/10 = n, n =$$

1235

10/10 \*a.

b. 10/20

9/10 C.

9/20

7/16 + 11/16 = n, n =

$$8/4 - 3/4 = n, n =$$

. 1237

$$18/2 - 1/2 = n, n =$$

$$7 + 3/8 = n, n =$$

$$4.2/3 - 1/3 = n, n =$$

$$\frac{1}{3}$$

5/5 + 1/5 = n, n =

121.1

Addison-Wesley, Bk. 5,, pp. 240-241. Source:

THE STUDENT WILL DEMONSTRATE HIS ABILITY TO ADD AND SUBTRACT FRACTIONS BY ANALYZING A VARIETY OF GIVEN PROBLEMS WHICH CONTAIN ERRORS TO FIND THE STEP AT WHICH THE INITIAL ERROR WAS MADE.

0171

Each of the problems given below is incorrect. Directions: Analyze the problem to find the step at which the error first occurs.

Step 1 Step 2

Step 3 C.

Step 4

3/4 = 9/12+1/3 = 5/12

14/12 = 1 2/12

Step 2 b.

Step 3

Step 4

$$\frac{4/5 = 6/10}{1/10 = +2/10}$$
 $\frac{8/10 = }{}$ 

1243

1242

Step 2

Step 3 c.

\*d. Step 4

1244

Step 2 b.

\*c. Step 3

Step 4

#b. c. d.	Step 1 Step 2 Step 3 Step 4	5/9 = 20/36 $+3/4 = +9/36$ $29/36 = 29/36$		1246
a. b. c. *d.		4/5 = 12/15 $-2/3 = 10/15$ $2/15 = 1/5$	·	1247
a. b. *c. d.	Step 2 Step 3	$\frac{3/4 = 21/28}{-3/7 = -12/28}$ $\frac{10/28 = 5/14}{}$		1248
b.	Step 1 Step 2 Step 3 Step 4	7/10 = 20/30 -4/15 = 8/30 12/20 = 3/5		1249
*b.	Step 1 Step 2 Step 3 Step 4	8/9 = 16/18 -3/6 = 6/18 10/18 = 5/9		1250
a. b. c.	Step 1 Step 2 Step 3 Step 4	$\frac{14/16 = 42/48}{-9/12 = -36/48}$ $\frac{6/48}{2/19}$		1251

ADDITION AND SUBTRACTION OF DECIMALS



THE STUDENT WILL DEMONSTRATE HIS UNDERSTANDING OF THE ADDITION OF DECIMALS BY SELECTING THE CORRECT ANSWER TO GIVEN ADDITION PROBLEMS.

Directions: Choose the correct total.

\*c.

16.5

•6 + •5 = 1252

a. .11 b. 1.1 c. 11

•7 + •7 = 1253

\*a. 1.4 b. 14 c. .14

.2 + .8 = 1254

a. .10 \*b. 1.0 c. .010

3.7 + .8

a. 45 b. .45 \*c. 4.5

7.6 + 8.9 =

a. 1.65 b. .165

1257 .632 + .819 =\*a. 1.451 b. 14.51 145.1 7.28 + 6.95 =1258 \*8. 14.23 b. 1.423 c. 142.3 1259 98.4 + 48.9 14.73 ₩b. 147.3 1.473 C.

4.58 + 7.6 = 1260

a. 5.34

\*b. 12.18

c. 11.64

Source: Addison-Wesley Bk. 5, p. 275, 276.

THE STUDENT WILL DEMONSTRATE HIS UNDERSTANDING OF SUBTRACTION OF DECIMALS BY SELECTING THE CORRECT ANSWER TO GIVEN SUBTRACTION PROBLEMS.

Directions: Solve the problems and select the correct answer.

6.4 - 2.8 =

1261

a. 36 \*b. 3.6

c. .36

2.3 - .9 =

1262

a. .14 b. 14. \*c. 1.4

.92 - .65 =

1263

.a. 2.7 \*b. .27 c. 27

.76 - .09 =

1264

\*a. .67

b. 6.7

c. .067

1265

6.82 - .63 =

**a.** .52 **\*b.** 6.19

c. 619

6.95 - 2.9 a

1266

\*a. 4.05

b. 6.66 c. 4.5

.832 - .57

1267

a. .775 \*b. .262 c. 2.62

59 - .58

1268

8. .01 b. 58.58 \*c. 58.42

Source: Addison-Wesley, Bk. 5, p. 277.

MULTIPLICATION AND DIVISION



WHOLE NUMBER MULTIPLICATION



THE STUDENT WILL APPLY HIS KNOWLEDGE THAT MULTIPLICATION IS A SHORT CUT TO ADDITION WHEN ALL THE ADDENDS ARE ALIKE BY REPHRASING ADD-ITION PROBLEMS AS MULTIPLICATION EQUATIONS.

0191

Which number sentence correctly expresses this addition -4 + 4 + 4 + 4 = 16?

1269

$$8 \times 2 = 16$$

\*b. 
$$4 \times 4 = 16$$

c. 
$$16 \times 1 = 16$$

Examine the addition problem shown on the number line below. Which number sentence expresses the same problem?

1270



\*a. 
$$4 \times 6 = 24$$

b. 
$$24 \times 1 = 24$$

c. 
$$6 \times 4 = 24$$

Which number sentence below correctly rephrases the addition problem -8 + 8 + 8 = 24?

Which number sentence below correctly rephrases the addition

1.271

a. 
$$8 \times 3 = 24$$
  
b.  $(8 \times 2) + (8 \times 1) = 24$   
\*c.  $3 \times 8 = 24$ 

1272

$$*a. 6 \times 5 = 30$$

b. 
$$5 \times 6 = 30$$
  
c.  $(3 \times 5) + (3 \times 5) = 30$ 

problem 5 + 5 + 5 + 5 + 5 + 5 = 30?



Which number sentence below correctly rephrases the addition problem 3 + 3 + 3 = 9?

1273

a. 
$$3 \times 3 \times 1 = 9$$
  
b.  $(3 \times 2) + (3 \times 1) = 9$   
\*c.  $3 \times 3 = 9$ 


Which equation below is represented by the number line?

1274



Which equation below is represented by the number line?

1275



Which number sentence correctly rephrases the following addition problem: 7 + 7 + 7 + 7 + 7 = 35

1276

a. 
$$35 \times 1 = 35$$
  
\*b.  $5 \times 7 = 35$   
c.  $7 \times 5 = 35$ 

Which number sentence correctly rephrases the following addition problem? 50 + 50 + 50 = 150

\*a. 
$$3 \times 50 = 150$$
  
b.  $50 \times 3 = 150$   
c.  $(50 \times 2) + (50 \times 1) = 150$ 

Which number sentence correctly rephrases the following addition problem? 9 + 9 + 9 + 9 + 9 + 9 = 54

1271

a. 
$$9 \times 6 = 54$$

\*b. 
$$6 \times 9 = 54$$

$$\begin{array}{ll} \text{fb.} & 6 \times 9 = 54 \\ \text{c.} & (9 \times 3) + (9 \times 3) = 54 \end{array}$$

Source: Harcourt, Brace, Elementary Math 5, pp. 46, 61 (1).

THE STUDENT WILL DEMONSTRATE HIS UNDERSTANDING OF MULTIPLICATION AS REPEATED ADDITION BY RENAMING ONE FACTOR OF A MULTIPLICATION PROB-LEM AS TWO ADDENDS.

019.

Which equation below correctly renames the "9" of the number sentence  $7 \times 9 = 63$ ?

127

128

128

a. 
$$(7 \times 9) + (7 \times 1) = N$$

a. 
$$(7 \times 9) + (7 \times 1) = N$$
  
\*b.  $(7 \times 5) + (7 \times 4) = N$   
c.  $(7 \times 4) + (1 \times 5) = N$ 

c. 
$$(7 \times 4) + (1 \times 5) = N$$

Which equation does NOT correctly rename the "14" in the number sentence  $7 \times 14 = N$ ?

a. 
$$(7 \times 10) + (7 \times 4) = N$$

b. 
$$(7 \times 7) + (7 \times 7) = N$$

a. 
$$(7 \times 10) + (7 \times 4) = N$$
  
b.  $(7 \times 7) + (7 \times 7) = N$   
\*c.  $(7 \times 14) + (7 \times 1) = N$ 

Underline the equation which shows the correct renaming of the factor "13".

8. 
$$(4 \times 13) + (4 \times 1) = N$$

8. 
$$(4 \times 13) + (4 \times 1) = N$$
  
\*b.  $(4 \times 10) + (4 \times 3) = N$   
c.  $(4 \times 13) + (4 \times 0) = N$ 

c. 
$$(4 \times 13) + (4 \times 0) = N$$

Which equation correctly renames the "12" in the equation  $12 \times 9 = N$ ? 1282

\*a. 
$$(8 \times 9) + (4 \times 9) = N$$
  
b.  $(8 \times 9) + (1 \times 9) = N$   
c.  $(12 \times 9) + (1 \times 9) = N$ 

Which equation correctly renames the "9" in the equation 1283  $12 \times 9 = N$ ?

a. 
$$(6 \times 9) + (6 \times 1) = N$$
  
b.  $(12 \times 9) + (12 \times 1) = N$   
\*c.  $(12 \times 5) + (12 \times 4) = N$ 

Which equation correctly renames the "16" in the equation 1284 5 x 16 = N?

\*a. 
$$(10 \times 5) + (6 \times 5) = N$$
  
b.  $(16 \times 5) + (16 \times 5) = N$   
c.  $(16 \times 5) \div (1 \times 5) = N$ 

Which equation does NOT correctly rename the "15" in the equation  $7 \times 15 = N$ ?

\*a. 
$$(7 \times 9) + (7 \times 5) = N$$
  
b.  $(7 \times 10) + (7 \times 5) = N$   
c.  $(7 \times 7) + (7 \times 8) = N$ 

Which equation correctly renames the "19" in the equation  $11 \times 19 = N$ ?

a. 
$$(11 \times 19) + (11 \times 1) = N$$
  
b.  $(11 \times 8) + (11 \times 9) = N$   
\*c.  $(11 \times 10) + (11 \times 9) = N$ 

1285

Which equation correctly renames the "17" in the equation  $5 \times 17 = N$ ?

1287

a. 
$$(5 \times 17) \div (5 \times 1) = N$$
  
\*b.  $(5 \times 10) + (5 \times 7) = N$   
c.  $(3 \times 17) \div (2 \times 17) = N$ 

Which equation correctly renames the "5" in the equation  $9 \times 5 = N?$ 

1288

1289

$$a_{\bullet} (9 \times 5) + (9 \times 1) = 1$$

a. 
$$(9 \times 5) + (9 \times 1) = N$$
  
b.  $(5 \times 5) + (4 \times 5) = N$   
\*c.  $(9 \times 2) + (9 \times 3) = N$ 

Merrill, Discovering Math 5, pp. 55 and 56, (2-6). Source:

THE STUDENT WILL DEMONSTRATE HIS UNDERSTANDING OF THE MULTIPLICATION - 0193 ADDITION PRINCIPLE BY "BREAKING APART" ONE FACTOR OF AN EQUATION.

Which equation correctly illustrates the multiplication-addition principle?

a. 
$$6 \times 11 = (6 \times 11) + (6 \times 1)$$

\*a. 
$$6 \times 11 = (6 \times 11) + (6 \times 1)$$
  
\*b.  $6 \times 11 = (6 \times 10) + (6 \times 1)$   
c.  $6 \times 11 = (3 \times 10) + (3 \times 1)$ 

c. 
$$6 \times 11 = (3 \times 10) + (3 \times 1)$$

1290 Underline the equation below which correctly "breaks apart" one factor of the equation.

a. 
$$8 \times 17 = (8 \times 7) + (8 \times 1)$$
  
b.  $8 \times 17 = (4 \times 10) + (4 \times 7)$   
\*c.  $8 \times 17 = (8 \times 10) + (8 \times 7)$ 

b. 
$$8 \times 17 = (4 \times 10) + (4 \times 7)$$

\*c. 
$$8 \times 17 = (8 \times 10) + (8 \times 7)$$

Which equation does NOT illustrate the multiplication-addition principle?

1291

\*a. 
$$9 \times 7 = 7 \times 9$$

b. 
$$9 \times 7 = (6 \times 7) + (3 \times 7)$$

c. 
$$6 \times 35 = (6 \times 30) + (6 \times 5)$$

Which equation illustrates the multiplication-addition principle?

1292

\*a. 
$$6 \times 35 = (6 \times 30) + (6 \times 5)$$

b. 
$$6 \times 35 = 35 \times 6$$

c. 
$$6 \times 35 = 3 \times 2 \times 35$$

1293 Which equation correctly "breaks apart" one factor of the equation?

\*a. 
$$7 \times 7 = (5 \times 7) + (2 \times 7)$$
  
b.  $7 \times 7 = (4 \times 7) + (4 \times 7)$   
c.  $7 \times 7 = (5 \times 2) + (2 \times 5)$ 

b. 
$$7 \times 7 = (4 \times 7) + (4 \times 7)$$

$$c_n 7 \times 7 = (5 \times 2) + (2 \times 5)$$

Which equation correctly "breaks apart" one factor of the equation? 1294

a. 
$$4 \times 16 = (4 \times 16) + (4 \times 1)$$

a. 
$$4 \times 16 = (4 \times 16) + (4 \times 1)$$
  
\*b.  $4 \times 16 = (4 \times 10) + (4 \times 6)$   
c.  $4 \times 16 = (4 \times 16) + (4 \times 0)$ 

c. 
$$4 \times 16 = (4 \times 16) + (4 \times 0)$$

Which equation correctly "breaks apart" one factor of the equation? 1295

a. 
$$7 \times 23 = (7 \times 23) + (7 \times 1)$$

b. 
$$7 \times 23 = (7 \times 19) + (7 \times 5)$$

a. 
$$7 \times 23 = (7 \times 23) + (7 \times 1)$$
  
b.  $7 \times 23 = (7 \times 19) + (7 \times 5)$   
\*c.  $7 \times 23 = (7 \times 20) + (7 \times 3)$ 

1296 Which equation correctly "breaks apart" one factor of the equation?

\*a. 
$$6 \times 9 = (5 \times 9) + (1 \times 9)$$

\*a. 
$$6 \times 9 = (5 \times 9) + (1 \times 9)$$
  
b.  $6 \times 9 = (6 \times 9) + (1 \times 9)$ 

c. 
$$6 \times 9 = (3 \times 9) + (4 \times 9)$$

Which equation "breaks apart" two factors of the equation?

1297

a. 
$$5 \times 12 = (5 \times 10) + (5 \times 2)$$
  
b.  $5 \times 12 = (3 \times 12) + (2 \times 12)$   
\*c.  $5 \times 12 = (3 \times 10) + (2 \times 2)$ 

\*c. 
$$5 \times 12 = (3 \times 10) + (2 \times 2)$$

Which factor has been "broken apart" in the following equation?  $8 \times 17 = (8 \times 10) + (8 \times 7)$ 

1298

8 b.

10 C.


Addison-Wesley Elementary School Math 5, p. 27. Source:

THE STUDENT WILL DEMONSTRATE HIS COMPREHENSION THAT MULTIPLICATION IS REPEATED ADDITION BY CORRECTLY IDENTIFYING NUMBER SENTENCES SHOWN ON A NUMBER LINE.

0191

Which number sentence below is shown on the number line?

1299



a. 
$$5 \times 3 = 15$$

b. 
$$15 \times 1 = 15$$
  
\*c.  $3 \times 5 = 15$ 

$$*c. 3 \pi 5 = 15$$

Circle the number sentence below which is shown on the following number line.


$$.*a. 5 x 4 = 20$$

b. 
$$4 \times 5 = 20$$

c. 
$$20 \times 1 = 20$$

Circle the multiplication sentence shown on the following number line.

1301




\*b. 
$$8 \times 3 = 24$$
c.  $24 \times 1 = 24$ 

c. 
$$24 \times 1 = 24$$

Which number sentence below is shown on the number line?

1302



a. 
$$5 \times 4 = 20$$

\*b. 
$$4 \times 5 = 20$$

c. 
$$1 \times 20 = 20$$

Which number sentence below is shown on the number line?

1303




a. 
$$2 \times 7 = 14$$

b. 
$$14 \times 1 = 14$$
  
\*c.  $7 \times 2 = 14$ 

$$\#c_{-}$$
 7 x 2 = 31.

Which number sentence below is shown on the number line?

1304



\*a. 
$$6 \times 5 = 30$$

b. 
$$1 \times 30 = 30$$

c. 
$$5 \times 6 = 30$$

Which number sentence below is shown on the number line?


\*a. 
$$4 \times 3 = 12$$

b. 
$$3 \times 4 = 12$$

c. 
$$12 \times 1 = 12$$

Which number sentence below is shown on the number line?


130



$$a_{\bullet} = 1 \times 32 = 32$$

Which number sentence is shown correctly on the number line?

130




a. 
$$1 \times 12 = 12$$

a. 
$$1 \times 12 = 12$$
  
\*b.  $12 \times 1 = 12$ 

1 x 6 x 2 = 12

Which number sentence below is shown on the number line?

130



1 x 8 = 8

Harcourt, Brace, Elementary Math 5, p. 48. Merrill, Discovering Math 5, p. 30, (1-3). Source:

THE STUDENT CAN DEMONSTRATE UNDERSTANDING OF A TABLE TO INDICATE THE FUNCTION INVOLVED IN COMPUTING A PRODUCT BY NAPIER RODS.


005

This is an example of multiplication invented by Napier, called the 130 Lattice Method.

58 x 7 =


	5	S	
	3/5	5/6	<del>-</del> 7.
4	0	6	

Given this lattice, the answer will be



- 72142 8. ₩b. 9142
- 7304 C°
- d. 9106


Compute on this lattice. The product is



- 166645 **a** 13
- ∦b. 160745
- 155635 C .
- 1.56745

Complete the lattice and a, b, c. The solution will be

1311



\*a. 
$$a = 3$$
,  $b = 5$ ,  $c = 9$ ,  $24,633$ 

b. 
$$a = 4$$
,  $b = 6$ ,  $c = 7$ , 23,123

d. 
$$a = 3$$
,  $b = 5$ ,  $c = 9$ ,  $23,533$ 

THE STUDENT CAN APPLY THE CONCEPTS OF MULTIPLICATION TO INDICATE THE PROPERTIES INVOLVED IN GIVEN OPERATIONS.

0046

The operations of multiplication can be described. Which one of these does not describe multiplication?

1312

- a. operation of factors gives a product
- b. joining of equivalent sets
- c. addition of equal addends
- d. cross product of two sets
- \*e. joining of equal sets

Which one of the following is incorrect for multiplication?


1313


Multiplication:


- a. is commutative
- \*b. has zero as the identity element
- c. is associative
- d. is distributive
- e. has one as the identity element

Multiplication has an inverse (opposite) operation. It is to \_\_\_\_\_ 1314

- a. subtract
- b. add
- \*c. divide
- d. multiply







The joining of these sets is not described by:

- a. 3 x 3
- b. 3 + 3 + 3
- c. n(A) + n(B) + n(C)
- d. Av Bv C
- \*e. (A + B) x C

Four sets of six and three sets of six can be expressed as:

1316

- \*a. (4+3) x 6 b. (4+6) x (3+6) c. (3 x 6) x (4 x 6) d. 6+6+3+4

Five sets of three and 6 sets of three does NOT equal:

1317

0047

- a. 33 b. (5 + 6) x 3 c. (3 x 6) + (5 x 3) \*d. (5 + 3) x (6 + 3)

THE STUDENT DEMONSTRATES KNOWLEDGE OF MULTIPLICATION BY INDICATING THAT IT IS THE MATCHING OF ONE TO MANY OR USING THE CONCEPT OF RATE.

If there are always 16 strawberries per pint, how many strawberries 1318

72 8.

will there be in 6 pints?

- b. 86
- \*c. 96
  - d. 22

If there are 8 marbles per bag, 7 bags will have

1319

- a. 40 marbles
- b. 54 marbles
- c. 63 marbles
- \*d. 56 marbles e. 64 marbles

If there are 5 school days per week, in one nine week period there 1320 will be

- \*a. 45 school days
  - b. 5 school days
  - c. 95 school days
  - d. 9 school days

Last week the grocery store charged 15¢ per pound potatoes. 4 lbs. 1321 would cost: \$ .30 a. \$ .45 \*c. 60¢ If there are 26 books per each library shelf, 4 shelves will hold 1322 how many books? #a. 104 b. 84 c. 90 106 d. If plums cost 39¢ a pound, 3 pounds of plums cost 1323 97¢ a. ₩b. \$1.17 .72¢ Ce \$1.07 If there are 12 doughnuts per box, 6 boxes will contain how many 1324 doughnuts? ¥8. 72 60 b. c. 68 d. 78 The team usually made 7 hits per game. In 9 games we could expect 1325

b. 57 hits

c. 61 hits

<sup>\*</sup>d. 63 hits

THE STUDENT DEMONSTRATES KNOWLEDGE OF MULTIPLICATION BY MULTI-PLYING A 1, 2, OR 3-PLACE FACTOR TIMES A 2, 3, 4 OR 5-PLACE FACTOR. 6 sets of 52 are: \*a∙ C. 7 groups of 346 are: c. 9 times 309 is: b. C. \*d. (400 + 60 + 3) multiplied by 3 is: 6 • 6 • 6 is NOT equal to: ta. 3 x 6 b. 6<sup>2</sup> x 6 c. 36 x 6

d.

(5) (6 + 4) =34 \*c. 50 60 d. ] £ 16 = 4, then[ a. 60 b. \*c. 64 35 . 35, then 70 1325 c. 290 d. 425 Ir 17 . 52 = , then 119 a. %b. 884 c. 69 d. 894 If  $n = (3 \times 5)(100)$ , then n =1500 b. 800 c. 115 d. 15,000 If  $(8 \times 16) (4 \times 5) = n$ , then n =

a.

Multiply	•			
The product of 747 x 8	is			1337
*a. 5976 b. 6006 c. 5866 d. 5826	·		, .	
392 equals x 6			.1 <b>.</b> €	1338
a. 2352 b. 2242 c. 1842 *d. 2346		·		
564 x 7 equals: a. 3528 b. 3848 c. 4008 *d. 3948				1339
6091 <u>x 9</u> is: a. 54729 b. 54809 *c. 54819 d. 54189		· .		1340
4358 x 5 is: a. 20650 *b. 21790 c. 21580 d. 20690	·			1341



Sol	*a. b. c. d.	77103 75894 76963 77032				1342
Solv	a. b. *c. d.	116 720 2880 2406			•	1343
Muld	tiplic	ation				
70 <u>x28</u>	*a. b. c. d.	s 1960 98 700 1480				1344
1 <b>f</b> 6	*a. b. c. d.	9 =, then 2940 264 2840 294	en.	·		1345
50 <u>×77</u>	equa *b. c. d.	395 3850 375 3550				134 <u>6</u>

If  $43 \times 37 =$  , then 1347 a. 1571 b. 430 c. 80 \*d. 1591  $= 59 \times 41$ , then 1348 If 2009 \*b. 2419 c. 100 d. 619 , then If  $60 \times 28 =$ 1349 \*a. 1680 b. 88 c. 600 d. 1280 If  $= 24 \times 37$ , then 1350 a. 61 b. 292 \*c. 888 d. 768 If  $43 \times 28 =$ 1351. , then \*a. 1204 b. 430 c. 1184 d. 61 = 94 x 37, then 1352 If 940 8. 131 \*c. 3478

ERIC
Full Text Provided by ERIC

d. 3358

```
1353
If 53 • 45 = , then
                               is ·
    *a. 2385
     b. 2275
     c. 277d. 2015
                                                                1354
       = 36 . 42, then
Ιſ
     a. 1508
     b. 1212
     c. 78
     *d. 1512
                                                                 1355
If (37)(14) = , then
                                 is
     *a. 518
b. 51
c. 185
      d. 328
                                                                 1356
          = (24) (62), then
                                    is
 Ιſ
          372
      *b. 1488
      c. 128
      d. 86
 If 15 (48) =
                                                                 1357
                 , then
                                   is
      *a.
          720
       b. 288
     c. 440
       d. 700
                                                                 1358
       = 25 (46), then
                                  is
  lf
```

ERIC

**'**8

284

a. 950 b. 73.

1150

830

\*c.

d.

warribire.	ation		•			
Solve:	957 × <b>7</b> 3					1359
8. *b. c. d.	67,761 69,861 68,761 66,661					
826			•		•	20/0
<u>x 52</u> equ	STS					1360
a. b. c. #d.	40052 43952 42052 42952			٠.		
638 <u>x 49</u> ec	<sub>l</sub> uals				*. • • • • •	1361
a.	30242					
d* c. d.	31262 30152 31.162					
						٠
Solve:	781 x 64					1362
*8• b• c•	49,984 50,004 49,064			I		
d.	49,774		•			
Solve:	382 x 97	•				1363
a. b. c. *d.	72,954 73,044 72,944 73,054			·		



**Solve** 853 x .68 1364 57,904 58,004 58,904 c. 57,004 Solve: 457 x 83 1365 37,831 37,911 37,931 37,311 THE STUDENT CAN APPLY HIS ABILITY TO MULTIPLY BY 2 OR 3 PLACE 0049 NUMBERS TO SOLVE PROBLEMS EXPRESSED IN A LINEAR EQUATION. Directions: Solve for the unknown, in the following equations. = 25 x 1,09 1366 434 10125 2863 10225 304 x 65 = 1367 19760 3344 20760

 $= 40 \times 349$ 

1368

12960

12660

\*c. 13960 d. 13660

267 **x** 80 =

1369

\*a. 21360

b. 16860

c. 20260

d. 22160

=.435 x 90

1370

a. 40000

\*b. 39150 c. 36850 d. 38050 \*b.

782 x 50 ×

1371

a. 40160

b. 35000

\*d. 39100

d. 39000

 $416 \times 314 = \times$ 

1372

5824

6072

C. 129524

\*d. 130624



## FILMED FROM BEST AVAILABLE COPY

$x = 719 \times 613$	1373
*a. 440747 b. 429647 c. 439647 d. 430747	
246 x \$4.98 = n	1374
a. 122508 *b. \$1225.08 c. \$12.2508 d. \$122508	
$n = $6.89 \times 200$	1375
a. \$137800 b. \$13,7800 c. 137800 *d. \$1378.00	
THE STUDENT CAN DEMONSTRATE KNOWLEDGE OF MULTIPLICATION BY MULTI- PLYING WITH THREE PLACE NUMBERS.	0050
PLYING WITH THREE PLACE NUMBERS.	0050
PLYING WITH THREE PLACE NUMBERS.  Solve	0050 1376
Solve 634 x123	
PLYING WITH THREE PLACE NUMBERS.  Solve 634	
Solve  634 x123  a. 76,682 b. 62,682 c. 72,782	
Solve  634 x123  a. 76,682 b. 62,682 c. 72,782	
Solve  634 x123  a. 76,682 b. 62,682 c. 72,782 *d. 77,982	1376
Solve  634 x123  a. 76.682 b. 62.682 c. 72.782 *d. 77.982  Solve  496	1376



Solve

1378

823 x613

500,509

504,499 503,869 \*b.

c.

502,389

Solve

1379

417 x223

> 90,781 8e

b. 83,451

89,571 C.

92,991

THE STUDENT DEMONSTRATES UNDERSTANDING OF MULTIPLICATION BY STATING WHEN TO MULTIPLY TO SOLVE LINEAR EQUATIONS.

Directions:

In the following equations, solve for the unknown.

**45 = 726** 

1380

0051

16.1 8.

32,670 \*b.

16,09

31,600

÷ 58

1381

a.

14.5

48,546

47,546

27 = 92524,975 34.25 ₩a. b. 24,765 34.19 c. d. ÷ 39 628 = 16.2 16.103 b. 24,492 \*c. 24,472 d. 833 = 21,658 32,045 20,878 ₩a. b. C. d. 32.04 ... 54 = 62732,648 11.61 a. b. 11.72 33,858 C. #d. ÷ 563 781 -1.38 a. 439,704 1.403 #b. C. d. 438,704 329 = 468

290

284 .

143,972 1.42 153,972

1.319

1382

1383

1384

1385

1386

÷ 472

1388

- 1.80
- 402,616
- 400,606

÷ 518 = 962

1389

- 1.84 2.08
- b.
- c.
- 497,216 498,316

1390

- 41 1/2 41.5 16600 1660
- b.
- #c.
- d.

1391

- 18 2.3 16800'
- 18.666 c.
- ď. 1680

1392

- -104
- 9.6
- c.
- 2400 24000 #d.

1393

- 14400
  - 36
  - .027
  - 1440

1394

- 20
- \*b. 21780
- c. 22
- 2078


THE STUDENT CAN DEMONSTRATE KNOWLEDGE OF EQUATIONS BY EXPRESSING THE 0054 FOUR BASIC EQUATIONS INVOLVING TWO ONE-DIGIT FACTORS AND THEIR PRODUCT.

The factors 6 and 9 would not be expressed

1395

- 54 + 9 = 6
- b.  $9 \times 6 = 54$ \*c.  $6 \div 9 = 54$ d.  $6 \times 9 = 54$


The following number line expresses the equation



- 5 x 5 = n
- $15 \times 3 = n$
- $15 \div 5 = n$ 0 + 15 = n

For the equation 18 = 6 = n the number line would be

1397



The family of facts for 7 and 8 would not include

1398

b. 
$$56 - 7 = 8$$

\*d. 
$$8 \div 56 = 7/$$

THE STUDENT WILL APPLY KNOWLEDGE OF MULTIPLYING BY MULTIPLES OF 10 BY SELECTING THE CORRECT ANSWER TO GIVEN STORY PROBLEMS.

0134

Directions: Solve the following story problems.

At birth, a gorilla weighed 6 lbs. He now weighs 100 times as much. How much does he weigh?

- 106
- 60 b.
- 6100
- 600

A mother whale gave birth to a 25 foot baby that weighed 1,600 lbs. As an adult it weights 30 times more than birth. How much does the adult whale weigh?

1400

a. 16,000

\*b. 48,000

-c. 4.800

d. 38,000

If a farmer plants 350 corn seeds in each row, and he has 3,000 rows. How many seeds did he plant?

1401

a. 950,000

b. 350,000 \*c. 1,050,000

d. 3,350

0205

THE STUDENT WILL DEMONSTRATE HIS KNOWLEDGE OF THE BASIC MULTIPLI-CATION FACTS TO 81 BY RECALLING THE CORRECT PRODUCT FROM A GROUP OF POSSIBLE PRODUCTS.

Circle the correct product for the fact:  $6 \times 3 = N$ 

1402

a. 12

\*b. 18 c. 24

Circle the correct product for the fact:  $5 \times 9 = N$ The second of the second of the second

1403

#a. 45

b. 54

c. 40

Circle the correct product for the fact: 7 x 8 = N

1404

54 a.

56

LO

Circle the correct product for the fact: 3 x 9 = N 1405 \*a. 27 b. 24 c. 36 Circle the correct product for the fact:  $8 \times 4 = N$ 1406 a. 24 b. 12 \*c. 32 Circle the correct product for the fact:  $8 \times 5 = N$ 1407 a. 45 b. 32 \*c. 40 Circle the correct product for the fact:  $6 \times 7 = N$ 1408 \*a. 42 b. 45 c. 49 Circle the correct product for the fact:  $9 \times 5 = N$ 1409 8. 40 b. 36 #c. 45 Circle the correct product for the fact: 8 x 7 = N

\*a. 56 b. 45 54

Circle the correct product for the fact: 9 x B = N

1411

a. 81

\*b. 72 c. 56

Circle the correct product for the fact:  $6 \times 8 = N$ 

1412

a. 42 \*c. 48 c. 54

Circle the correct product for the fact:  $9 \times 4 = N$ 

1413

a. 42

b. 27 \*c. 36

Circle the correct product for the fact:  $9 \times 9 = N$ 

1414

\*a. 81

b. 64

c. 72

Circle the correct product for the fact:  $6 \times 9 = N$ 

1415

\*a. 54 b. 56 c. 64

Circle the correct product for the fact:  $8 \times 8 = N$ 

1416

a. 81

\*b. 64

THE STUDENT WILL ANALYZE A MULTIPLICATION PROBLEM SHOWING THE PLACE VALUE OF THE 2-DIGIT FACTOR BY IDENTIFYING THE CORRECT RENAMING OF A FACTOR.

0207

In the multiplication problem below, what 2 factors gave you "120"?

1417

In the multiplication problem below, what 2 factors gave you #35m?

1418

In the multiplication problem below, what 2 factors gave you "24"?

In the multiplication problem below, what 2 factors gave you "450"?

1420

9 × 5

In the multiplication problem below, what 2 factors gave you "20"?

1421

In the multiplication problem below, what 2 factors gave you "490"?

1422

In the multiplication problem below, what 2 factors gave you "320"?

In the multiplication problem below, what 2 factors gave you "24"? 1424

In the multiplication problem below, what 2 factors gave you "240"? 1425

In the multiplication problem below, what 2 factors gave you "180"? 1426

Source: Merrill, Discovering Math. 5., page 58.

THE STUDENT WILL APPLY HIS UNDERSTANDING OF THE PROCESS OF MULTI-PLYING A TWO-DIGIT FACTOR BY A ONE-DIGIT FACTOR BY IDENTIFYING THE CORRECT PRODUCT FROM A LIST OF PRODUCTS. 0208

Directions:

Work each of the following problems on scratch paper carefully. DO NOT guess. Then circle the correct product.

 $6 \times 58 = N$ 

1427

a. 3048

**\*b.** 348

c. 308

 $3 \times 17 = N$ 

1428

\*a. 51

b. 321

c. 41

 $7 \times 27 = .N$ 

1429

\*a. 189

·b. 149

2. 1449

5 x 45 = N

1430

B. 205

\*b. 225

.c. 305

9 x 43 = N

1431

B. 367

b. 388

\*c. 387

 $4 \times 57 = N$ 

228 

 $7 \times 68 = N$ 

426 476

 $8 \times 96 = N$ 

755 **72**8

 $4 \times 95 = N$ 

360

 $9 \times 49 - N$ 

Harcourt, Brace, Elementary Math. 5., p. 56. Source:

THE STUDENT WILL APPLY HIS UNDERSTANDING OF THE PROCESS OF MULTI-PLYING A TWO OR THREE DIGIT FACTOR BY A ONE-DIGIT FACTOR BY IDENT-IFYING THE CORRECT PRODUCT FROM A LIST OF PRODUCTS. 0209

Directions: Work each of the following problems on scratch

paper carefully. DO NOT guess. Then circle the

correct product.

 $5 \times 84 = N$ 

1437

a. 400

**\*b.** 420

c. 4020

8 x 76 m N

1438

a. 644

b. 568

\*c. 608

 $2 \times 58 = N$ 

1439

a. 161

**\*b.** 116

c. 106

 $6 \times 94 = N$ 

1440

\*a. 564

b. 582

c. 544

 $3 \times 952 = N$ 

1441

a. 2956

**\*b.** 2856

c. 2756

 $5 \times 795 = N$ 1442 3925 b. 4002 3975  $3 \times 708 = N$ 1443 #a. · 2124 b. 234 c. 2154  $7 \times 698 = N$ 1444 4895 4886 4286  $9 \times 319 = N$ 1445 2881 8. 2808 . . b. #C. 2871  $4 \times 346 = N$ 1446 #a. 1384 b. 1308 1264 C.

0210

THE STUDENT WILL ANALYZE EQUATIONS USING MULTIPLICATION BY TENS, HUNDREDS, AND THOUSANDS BY CORRECTLY IDENTIFYING COMPLETED EQUATIONS.

Elementary Math 5., Harchourt, Brace, p. 332.

Circle the number 430 = N x 10	that stands	for N in	the equation:		1447
8. 430 *b. 43 c. 4					
Circle the number	that otande	for N in	the equation.		1448
3800 = N x 100	ondo Sodnas	10. 14 111	one equations		T440
#e. 38 b. 3 <b>6</b> 0 c. 3800					
Circle the number	that stands	for N in	the equation:		1447
$67,000 = N \times 1000$					,
<b>*a.</b> 67 <b>b.</b> 670					
c. 6700		•	. •	•	
Circle the number 67,000 = N x 100	thet stands	for N in	the equation:		1450
a. 67 b. 6700				•	
*c. 670					
Circle the number 7584 = (758 x N)		for N in	the equation:		1451
a. 100 *b. 10			,	•	
c. 1000					
			<i>:</i> ,	•	
Circle the number 42,647 = (4264 x		for N in	17		1452

100

Circle the number that stands for N in the equation:  $67,000 = N \times 10$ 

1453

- a. 670
- b. 67
- **4c.** 6700

Circle the number that stands for N in the equation:  $7584 = (7 \times N) + 584$ 

1454

- a. 100
- **\*b.** 1000
  - c. 10

Circle the number that stands for N in the equation:  $42,647 = (42 \times N) + 647$ 

1455

- **\*a.** 1000
  - b. 10
  - c. 100

Circle the number that stands for N in the equation:  $7584 = (75 \times N) + 8h$ 

1456

- a. 10
- **\*b.** 100
  - c. 1000

Source: Elementary School Math. 5. Addison Wesley, p. 56.

THE STUDENT WILL STUDY A GIVEN MULTIPLICATION EQUATION AND FOR-MULATE A QUICKER WAY TO ARRIVE AT THE SAME ANSWER BY IDENTIFYING THE CORRECT METHOD FROM SEVERAL METHODS LISTED. 0211

Directions:

Read each equation carefully. Then circle the number below which would be the missing number in the second equation.

 $400 \times 3 \times 100 = 120,000$   $400 \times N = 120,000$ C.  $700 \times 6 \times 100 = 420,000$  N x 600 = 420,0008.  $500 \times 5 \times 100 = 250,000$   $500 \times N = 250,000$ 500 - $600 \times 8 \times 100 = 480,000$   $600 \times N = 480,000$ 8. 800 x 7 x 100 = 560,000 800 x N = 560,000 A.  $900 \times 5 \times 100 = 450,000$  $900 \times N = 450,000$ 

\*b. 80 x 600 C. Source: Flamentary School Math 5, Addison-Wesley, p. 59. THE STUDENT WILL ANALYZE MULTIPLICATION ALGORISMS BY IDENTIFYING THE "ERROR" FROM A LIST OF ERRORS. Which partial product is incorrect in the following algorism? 367 240 1.20 1.20 28 240

 $6 \times 10 \times 3 \times 100 = 24,000$   $C \times 300 = 24,000$ 1463 #a, 60 600 p" 30 C.  $9 \times 100 \times 6 \times 10 = 48,000$  N x 60 = 48,000 1464 600 4, 900 \*b. 90 C.  $3 \times 10 \times 6 \times 100 = 24,000$  $30 \times N = 24,000$ 1465 a. ₩b. 800 300 . 1466  $6 \times 100 \times 6 \times 10 = 18,000$  N x N = 18,000 60 x 800 8. 600 x 80

0213

```
Which partial product is incorrect in the following algorism?
                                                                           1468
      183
       24
      300
          300
      E.a
          9
      b.
     *CA
          24
Which partial product is incorrect in the Collowing algorism?
                                                                            1469
      839
      x 7.
       210
      560
           210
      b,
           63
           560
Which partial product is incorrect in the following algorism?
                                                                            1470
       709
       × 7
       490
       8.
           490
      *D.
           neither
 Which partial product is incorrect in the following algorism?
                                                                            1471
       576
       x 8
        1.6
        56
      4000
            56
       #a.
            48
       b.
            4000
```



```
Which partial product is incorrect in the following algorism?
                                                                         1472
      3276
      x 2
       140
       1,00
      600
         140
         400
     *c.
          600
          12
      d.
Which partial product is incorrect in the following algorism?
                                                                         1473
      5843
       120
       240
     15000
      *a. 240
      b.
          15000
          9
      C.
      d.
          120
                                                                          1474
Which partial product is incorrect in the following algorism?
      1765
      x: 6
         30
        360
        420
      6000
           6000
           360
       b.
           30
       C.
           420
```

```
Which partial product is incorrect in the following algorism?
                                                                          1475
      8439
       1.20
      1600
      3200
      8.
     *b.
          3200
         120
      Ce
      d. 1600
Which partial product is incorrect in the following algorisms?
                                                                          1476
      5976
       490
      6300
      3500
     ₩b"
          3500
          490
      C.
          6300
          Addison-Wesley, Elementary School Math 5, p. 97.
Source:
THE STUDENT WILL DEMONSTRATE HIS UNDERSTANDING OF THE MULTIPLICA-
                                                                          0213
TION ALGORISM BY IDENTIFYING THE MISSING PARTIAL PRODUCT FROM A
GROUP OF PRODUCTS.
Circle the number which is missing in the algorism below.
                                                                          1477
      375
      350
          150
          1500
```

Circle the number below which is missing in the algorism.

≉a• 

Circle the number below which is missing in the algorism.

x 7

Circle the number below which is missing in the algorism.

Circle the number below which is missing in the algorism.

Circle the number below which is missing in the algorism.

1482

2400

\*b. 20

c. 200

Circle the number below which is missing in the algorism.

1483

637 <u>x 8</u> 56

4800

a. 2400

b. 24

\*c. 240

Circle the number below which is missing in the algorism.

1484

51.8 • <u>x 8</u> 80

4000

\*a. 64

b. 4

c. 640

Circle the number below which is missing in the algorism.

1485

869

X 4

240

a. 320

b. 32

\*c. 3200

306

Circle the number below which is missing in the algorism.

1486

5400

a. 72

b. 7200

\*c. 720

Source: Merrill, Discovering Math, 5, p. 59.

THE STUDENT WILL ANALYZE THE SECOND STEP IN A MULTIPLICATION ALGORISM TO DETERMINE WHAT FACTORS ARE BEING MULTIPLIED, BY IDENTIFYING THE CORRECT FACTORS FROM A LIST.

0214

Study the following algorism. Circle the two factors for the partial product "2150".

1487

258 2150 2408

a. 56 x 43

b. 5 x 43

\*c. 50 x 43

Study the following algorism. Circle the two factors for the partial product "1040".

1488

\*a. 20 x 52

b. 2 x 52

c. 26 x 52

Study the following algorism. Circle the two factors for the partial product "3420".

1489

38

94 x 38

b. 9 x 38 c. 90 x 38

Study the following algorism. Circle the two factors for the partial product "2280".

1490

76

3 x 76

30 x 76 38 x 76

Study the following algorism. Circle the two factors for the partial product "4270".

1491

61

\*a. 70 x 61

75 x 61

7 x 61

Study the following algorism. Circle the two factors for the partial product "6640".

1492

80 x 83 \*c.

Study the following algorism. Circle the two factors for the partial product "5700".

1493

c. 67 x 95

Study the following algorism. Circle the two factors for the partial product "5130".

1494

98 x 57

Study the following algorism. Circle the two factors for the partial product "3900".

1495

> a. 52 x 78 \*b. 50 x 78 c. 5 x 78

Study the following algorism. Circle the two factors for the partial product "960".

1496

> a. 6 x 16 b. 69 x 16 \*c. 60 x 16

Source: Merrill, Discovering Math. 5, p. 63.

THE STUDENT WILL APPLY HIS KNOWLEDGE OF MULTIPLYING WITH A TWO-DIGIT MULTIPLIER BY IDENTIFYING THE CORRECT PRODUCT FROM A LIST OF PRODUCTS. 0215

Work this problem on paper. Then circle the answer below.

1497

. 26 **x**54

a. 234b. 1384

\*c. 1404

x23 \*a. 1794 b. 390c. 1774 Work this problem on paper. Then circle the correct product below. 1499 54 **x**37 1998 b. 540 c. 1978 Work this problem on paper. Circle the correct product below. 1500 76 **x**26 1876 1976 608 Work this problem on paper. Circle the correct product below. \*a. 2499 294 2099 Work this problem on paper. Circle the correct product below. 1502 x57 a. 10,914 b. 10,124 51,414

Work this problem on paper. Then circle the answer below.

78

Work this problem on paper. Circle the correct product below.

1503

792 x48

\*a. 38,016

9,204 b.

52,006 C.

Work this problem on paper. Circle the correct product below.

1504

256

<u>x25</u>

6400

1792 b.

6200

Work this problem on paper. Circle the correct product below.

1505

379

<u>x36</u>

a. 12,544 \*b. 13,644

3411

Work this problem on paper. Circle the correct product below.

1506

526

x34

3682

17,784

17,884

Source: Addison-Wesley, <u>Blementary School Math 5.</u> p. 98.

Andrews

THE STUDENT WILL ANALYZE THE PRINCIPLE OF MULTIPLYING WITH THREE-DIGIT MULTIPLIER BY IDENTIFYING THE CORRECT RENAMING OF THE FACTOR AS ADDENDS. 0216

In the equation  $435 \times 571 = N$ , the "435" can be renamed as

1507

$$8. \ 40 + 3 + 5$$

$$b_{\bullet} 4 + 30 + 5$$

$$*c.$$
 400 + 30 + 5

In the equation  $287 \times 146 = N$ , the "287" can be renamed as

1508

b. 
$$2 + 800 + 7$$

$$c. 20 + 87$$

In the equation  $479 \times 736 = N$ , the "479" can be renamed as

1509

b. 
$$40 + 700 + 9$$

$$*c. 400 + 70 + 9$$

In the equation  $597 \times 584 = N$ , the "597" can be renamed as

1510

a. 
$$5 + 900 + 7$$

**\*b.** 
$$500 + 90 + 7$$

c. 
$$50 + 9 + 7$$

In the equation 351 x 167 = N, the "351" can be renamed as

b. 
$$3 + 500 + 1$$

$$*c. 300 + 50 + 1$$

In the equation  $684 \times 278 = N$ , the "684" can be renamed as

1512

#e. 600 + 80 + 4

b. 60 + 8 + 4

c. 6 + 80 + 4

In the equation 575 x 329 = N, the "575" can be renamed as

1513

a. 50 + 7 + 5

b. 5 + 70 + 5

\*c. 500 + 70 + 5

In the equation 499 x 495 = N, the "499" can be renamed as

1514

a. 4+90+9

\*b.  $400 + 90 \div 9$ 

c. 40 + 9 + 9

In the equation  $463 \times 247 = N$ , the "463" can be renamed as

1515

\*a. 400 + 60 + 3

b. 40 + 6 + 3

c. 40 + 60 + 3

In the equation  $516 \times 643 = N$ , the "516" can be renamed as

1516

0217

 $a_{*} 50 + 1 + 6$ 

b. 5 + 10 + 6

#c. 500 + 10 + 6

Source: Merrill, Discovering Math. 5, p. 198

THE STUDENT WILL APPLY HIS KNOWLEDGE OF MULTIPLICATION WITH A THREE-DIGIT MULTIPLIER BY IDENTIFYING THE CORRECT PRODUCT FROM A LIST OF PRODUCTS. Work the problem on paper. Circle the correct product below. 1517 679 :1843 9,585 a. 77,517 b. 572,397 1518 Work the problem on paper. Circle the correct product below. 526 x126 66,276 \*a. 4,734 b. c. 18,936 Work the problem on paper. Circle the correct product below. 1519 509 x673 8144 a. \*b. 342,557 41,057 Work the problem on paper. Circle the correct product below. 1520 725 ×497 40,600 8. 360,325

\*b.

C.

370,295

b. 6,055 565,500 Work the problem on paper. Circle the correct product below. 1522 928 x248 a. 13,472 b. 228,684 \*c. 230,144 Work the problem on paper. Circle the correct product below. 1523 548 x257 a. 1.7,536 b. 1.37,186 \*c. 140,836 1524 Work the problem on paper. Circle the correct product below. 872 x436 a. 11,336 \*b. 380,192 c. 358,782 1525 Work the problem on paper. Circle the correct product below. 436 x217 a. 16,132 \*b. 94,612

Work the problem on paper. Circle the correct product below.

865 x700

\*a. 605,500

1521

ERIC

93,372

Work the problem on paper. Circle the correct product below.

1526

231 x322

\*a. 74,382

b. 1,617

c. 11,712

Source: Harcourt, Brace, Elementary Math 5, p. 59. Merrill, Discovering Math, 5, p. 199.

THE STUDENT WILL DEMONSTRATE HIS COMPREHENSION OF MULTIPLICATION AS APPLIED TO STORY PROBLEMS BY IDENTIFYING THE CORRECT ANSWER TO THE PROBLEM.

0218

1527

Don helped his father pack blueberries in crates. There were 18 crates with 24 pints of blueberries in each crate. How many pints of blueberries did they pack?

a. 332

\*b. 432

c. 42

A peach orchard on Jerry's farm has 18 rows of trees with 16 trees in each row. How many peach trees are in the orchard?

\*a. 288

b. 248

c. 126

The paper boy collects \$2.45 every month from each of his 87 customers. How much money does he collect in one month?

a. \$36.75

\*b. \$213.15

c. \$177.85



Mrs. Steele bought thirty-five cots for her day nursery. Each 1530 cot cost \$8.79. How much did the cots cost all together? a. \$70.32 b. \$295.65 \*c. \$307.65

Fifty new dictionaries were bought for Jean's school. Each 1531 dictionary cost \$2.75. What was the total cost of the dictionaries?

- **a.** \$135.50 **\*b.** 137.50.
- c. \$13.75

A newsstand receives 175 newspapers each day. How many newspapers 1532 are delivered to the newsstand in 310 days?

- \*a. 54,250
  - b. 7,000
  - c. 6,900

Nine hundred seven adult tickets were sold for the senior play. 1533 Each ticket cost \$1.25. How much money was received from the sale of the adult tickets?

- a. \$323.75
- b. \$121.25
- \*c. \$1133.75

The planes of one airline made 750 trips between two cities in one 1534 year. The cities were 930 air miles apart. How many miles did these planes fly between the two cities?

- .**\*a.** 697,500 b. 69,750

  - c. 90,000



The drugstore	in the	West Sid	e Plaza has	an average	of 537	cus-
tomers each da	y. La:	st year,	it was open	359 days.	About	how many
customers visi	ted the	e store 1	ast year?			

1535

- a. 47,793
- \*b. 192,783 c. 9,129

At one store, play tents sold for \$3.98 each. During one season, 236 tents were sold. What was the total amount of money collected from the sale of play tents?

1536

0157

- a. \$909.28
- b. \$202.88
- \*c. \$939.28

Source: Merrill, Discovering Math. 5, pp. 67, 202.

GIVEN A LIST OF MULTIPLICATION PROBLEMS, THE STUDENT WILL APPLY HIS KNOWLEDGE OF MULTIPLYING POSITIVE AND NEGATIVE NUMBERS BY EITHER SELECTING THOSE WHICH HAVE A POSITIVE PRODUCT OR THOSE WHICH HAVE A NEGATIVE PRODUCT.

Directions: If the equation has a positive product circle P, if a negative product circle N.

P.	Ņ	-3 x + 2		1537
7	N	<b>+4 x</b> +6		1538
P	pí	-7 x +6	•	1539
<b>p</b>	N	-8 x -9	·	1540
p	N	+3 x +4		1541

P	N	÷9 x +32		1543
p <sup>t</sup>	N	-43 x -13		1544
P	þ	+29 x -10		1545
P	Ņ	-15 x +8	•	1546
y <sup>i</sup>	N	+5 <b>x</b> +6	<b>%.</b> .	1547
P	þ	+4 x -25		1548
GIVEN A STORY PROBLEM, THE STUDENT WILL DEMONSTRATE UNDERSTANDING OF MULTIPLICATION OF POSITIVE AND NEGATIVE NUMBERS BY CORRECTLY SELECTING THE EQUATION USED.			0158	
,				

Directions: From your knowledge of the postman story, select the equation described below.

The postman brought 3 checks for \$3.00 each.

- \*a. +3 x +3 b. +3 x -3
- c. -3 x +3 d. -3 x -3

The postman brought 2 bills for \$8.00 each.

- a. +2 x +8
- b. -2 x +8 \*c. +2 x -8
- d. -2 x -8

The postman made an error yesterday, today he took away 4 checks 1551 for \$5.00 each.

8. +4 x -5

#b. -4 x +5

c. -4 x -5

d. +4 x -5

The postman brought 4 bills for \$6.00 each.

1552

a. -4 x +6

b. +4 x +6

\*c. +4 x -6

d. -4 x -6

The postman made an error yesterday, today he took away 2 bills 1553 for \$7.00 each.

a. +2 x -7

b.  $-2 \times +7$ 

 $c. +2 \times +7$ 

\*d. -2 x -7

The postman brought 3 checks for \$1.00 each.

1554

a. +3 x -1

\*b. +3 x +1

c.  $-3 \times -1$ 

 $d_{\bullet} = 3 \times +1$ 

Source: Dr. A. Hart.

WHOLE NUMBER DIVISION

THE STUDENT WILL DEMONSTRATE AN UNDERSTANDING OF THE RELATIONSHIP BETWEEN DIVISION AND REPEATED SUBTRACTION BY IDENTIFYING THE NUMBER OF TIMES A GIVEN DIVISOR CAN BE SUBTRACTED FROM A GIVEN DIVIDEND.

0198

How many times can 3 be subtracted from 42?

1555

a. 7 \*b. 14 c. 13

How many times can 6 be subtracted from 24?

1556

\*a. 4 b. 6 c. 8

How many times can 4 be subtracted from 28?

1557

\*a. 7 b. 6 c. 8

How many times can 9 be subtracted from 72?

155₽

a. 7 \*b. 9 c. 8

How many times can 7 be subtracted from 49?

1559

8. 8 b. 5 \*c. 7



How many times can 5 be subtracted from 75? 1560 15 10 C. How many times can 10 be subtracted from 90? 1561 How many times can 9 be subtracted from 63? 1562 How many times can 8 be subtracted from 40? 1563 How many times can 6 be subtracted from 54? 1564 Source: Harcourt, Brace, Elementary Math, 5., p. 61.

EQUATION.

THE STUDENT WILL VIEW THE OPERATION OF REPEATED SUBTRACTION IN RE-

LATIONSHIP TO DIVISION BY IDENTIFYING A CORRECTLY FORMULATED DIVISION

If you can subtract 4 from 32 eight times, this tells you that

1565

If you can subtract 8 from 56 seven times, this tells you that

1566

If you can subtract 5 from 30 six times, this tells you that

1567

If you can subtract 87 from 261 three times, this tells you that

1568

If you can subtract 45 from 135 three times, this tells you that

1569

If you can subtract 76 from 304 four times, this tells you that



If you can subtract 92 from 239 twice, with a number remaining. this tells you that

3.571

$$a \cdot 239 = (2 \times 92) + 55$$

b. 
$$239 - 55 = 92$$

$$c = 239 = 92 = 2$$

If you can subtract 87 from 522 six times, this tells you that

1572

$$c_{\bullet}$$
 87 x 6 = 522

If you can subtract 95 from 415 four times with a number remaining, 1573 tells you that

\*a. 
$$415 \div 95 = 4 \text{ r. } 35$$
b.  $415 = (4 \times 95) + 35$ 

If you can subtract 52 from 281 five times with a number remaining. 1574 this tells you that

$$a. 281 = (5 \times 52) + 21$$

Harcourt, Brace, Elementary Math, 5, p. 61. Source:

THE STUDENT CAN APPLY HIS KNOWLEDGE OF THE PROPERTIES OF DIVISION TO SOLVE PROBLEMS WITH MULTIPLE DIGITS IN THE DIVIDEND OR DIVISOR OR IN BOTH. . .

0058

The answer to a division problem is called

1575

- a. dividend
- b. divisor
- c. remainder
- \*d. quotient

Division problems can be expressed in different ways. Which of these is <u>not</u> division?

- a. 3)99
- b.  $99 \div 3 = n$
- c.  $n \times 3 = 99$
- d. 99 n
- \*e.  $\frac{n}{99} = 3$

If you know the number of elements in each set and the total number of elements, what must you do to find the number of equivalent sets?

- a. add
- b. subtract
- c. multiply
- \*d. divide

Find the quotient 7) 2842

1578

- \*a. 406
- b. 46
- c. 45 r 6
- d. 405 r 6

Solve for the unknown  $\frac{535}{5} = \boxed{}$ 

- a. 17
- \*b. 107
- c. 16
- d. 106

Solve by division 27 12 26 32 Solve for the quotient 68 56 76 66  $(24 \div 8) \div 1 = n$ Solve 3

436 - 4 =

Solve

$$(54 \div 6) \div 3 = n$$

$$54 + (6 + 3) = n$$

$$(48 - (6 - 2) = n$$

$$72 \div (9 \div 3) = n$$

$$n = a_{\bullet} \quad 8$$

	7 -					1592
٠	a. 84 r 4 b. 794 r 4 c. 790 r 2 *d. 804 r 4	•				
. •	·	÷				
•	THE STUDENT RECALLS PROPERTY IN A GIVEN		OF DIVISION	BY SELECTIN	G THE	0059
					. :	
	District to the	•				3.502
	Division has					1593
· .	b. commutati	element of one ve properties element of zero		t	71 x 2 7 49	
	d. associati	ve properties			t ver e	<i>;</i>
	•					
	Division is the inv	verse operation	of			1594
	a. addition b. subtracti	ian	·			
•	*c. multiplic d. mathemati	eation		÷		•
			,			
	When one factor and	i the product ar	e the same, t	the other fa	actor is	1595
• ,	a. same			•		٠.
	b. other #c. one			•		
	d. product				• • •	
	· .	• •			·	
	If zero is the pro-	duct we know one	of the fact			1596
٠.,	a. one					
	b. any numb	er				
	d. impossib	le to know				

If one is	a factor, the other factor and the product will be	1597
a.	the opposite	
b.	one	
c.	zero	
*d•	the same	
When we k	cnow the number of equivalent subsets in a given set we the	1598
**	elements in each subset	
	product of all subsets	
	number of subsets	
	cardinal number of the set	
Given the	e equation $(a + b) \div c = (a \div c) + (b \div c)$ tells us	1599
division	is usually	1)77
8.	associative	
	commutative	
*c•	distributive	
Which te	rm does not belong to the language of division?	1600
*a:	subtrahend	
b.	divisor	
C.		
d•	quotient	
Division	is not closed because often you have a	1601
#8.	remainder	
	quotient	
C.	divisor	
د	أمسم لم كرو و الم	

The number sentences a + b = q + r,  $(q \times b) + r$ , or  $a - (q \times b) = r$ 1602 tells us "a"

- a. is an even whole number
- b. is an odd whole number
- \*c. cannot be divided evenly
- d. is the remainder

If a x b = c is a true statement, then it can also be written

1603

- $a \cdot + b = c$
- b. c a = b
- \*c. c = a = b
- d. a = c = b

1604

- C. 1
- no answer

What operation can you use to find the number of equivalent disjoint subsets of 6 elements each formed from a set of 54 elements?

1605

- a. addition
- b. subtraction
- c. multiplication
- \* d. division

Using the distributive property of division over addition 360 4 8 would be

1606

- (320 + 40) = 8**\*a.**
- b. (360 40) \$ 8 c. (360 x 40) \$ 8 d. (360 \$ 8) + 40

THE CHILD WILL DEMONSTRATE HIS COMPREHENSION OF DIVISION OF MULTIPLES OF TEN BY IDENTIFYING THE CORRECT EQUATION FOR A GIVEN DIVIDEND AND DIVISOR. 332

Circle the equation which correctly completes the open sentence  $56 \div 8 = N$ 

1607

\*b. 
$$56 \div 8 = 7$$
c.  $56 \div 8 = 9$ 

Circle the equation which correctly completes the open sentence  $400 \div 5 = N$ 

1608

Circle the equation which correctly completes the open sentence 270 - 3 = N

1609

Circle the equation which correctly completes the open sentence 5400 - 9 = N

· 1610

$$a_{\bullet} = 5400 \stackrel{4}{\sim} 9 = 60$$

b. 
$$5400 - 9 = 6$$

Circle the equation which correctly completes the open sentence  $490 \div 7 = N$ 

\*b. 
$$490 - 7 = 70$$

$$c_{\bullet} = 1.90 = 7 = 7$$

Circle the equation which correctly completes the open sentence  $2400 \div 6 = N$ 

the second second section

1612

 $2400 \stackrel{?}{=} 6 = 400$ #a.

2400 - 6 = 40 b.

2400 + 6 = 4

Circle the equation which correctly completes the open sentence  $210 \div 7 = N$ 

1613

210 4 7 = 300

210 4 7 = 30

210 • 7 = 3

Circle the equation which correctly completes the open sentence  $240 \div 60 = N$ 

1614

240 ÷ 60 = 40 240 ÷ 60 = 400 240 ÷ 60 = 4

b.

\*c.

Circle the equation which correctly completes the open sentence 1800 - 20 = N

1615

1800 - 20 = 900

b. 1800 = 20 = 9 \*c. 1800 = 20 = 90

Circle the equation which correctly completes the open sentence  $2700 \div 30 = N$ 

1616

2700 **2** 30 **2** 90 2700 **3** 30 **2** 9 \*a.

b.

2700 \$ 30 = 100

Source:

Discovering Math, Merrill, p. 42.

THE STUDENT WILL DEMONSTRATE HIS KNOWLEDGE OF THE BASIC FACTS OF DIVISION BY RECALLING THE CORRECT QUOTIENT FROM A CROUP OF QUOTIENTS, WHEN CIVEN THE DIVIDEND AND DIVISOR.

0206

Circle the correct quotient for the fact: 63 & 7 = N

1617

a. 8

b. 7

¥.C.

Circle the correct quotient for the fact:  $72 \div 9 = N$ 

1618

\*a. 8

b. 9

c. 6

Circle the correct quotient for the fact:  $35 \div 7 = N$ 

1619

\*a.

b. '

c. 6

Circle the correct quotient for the fact: 49 \$ 7 = N

1620

a. 8

\*b<sub>e</sub> '

c. 9

Circle the correct quotient for the fact: 32 % 4 = N

1621

a. 7

#b. 8

c. 6



Circle the correct quotient for the fact: 24 = 6 = N

1622

Circle the correct quotient for the fact: 0 = 5 = N

1623

\*a. 0

b.

c. 1

Circle the correct quotient for the fact:  $27 \div 3 = N$ 

1624

Circle the correct quotient for the fact: 56 - 8 = N

1625

\*c. 7

Circle the correct quotient for the fact:  $25 \div 5 = N$ 

1626

Circle the correct quotient for the fact: 36 = 4 = N

1627

6. 9 c. 5

Circle the correct quotient for the fact: 32 \* 8 = N

1.628

**a.** 3 b. 9

\*c. 4

Circle the correct quotient for the fact:  $45 \div 9 = N$ 

1629

**\*a.** 5

b. 4 c. 6

Circle the correct quotient for the fact: 42 - 6 = N

1630

a. 6

b. 9

1631

. .

\*b. A

c. 6

Circle the correct quotient for the fact: 40 2 5 = N

Circle the correct quotient for the fact: 64 \* 8 = N

1632

a. 6

**D**• 9

\*c. 8

Circle the correct quotient for the fact:  $54 \div 9 = N$ 

1633

\*a. 6

**b.** 8

c. 7

Circle the correct quotient for the fact:  $45 \div 5 = N$ 

1634

\*a. 9

b. 6 c. 8

Circle the correct quotient for the fact:  $15 \div 5 = N$ 

1635

a. 1

b. 5

\*c. 3

Circle the correct quotient for the fact:  $20 \div 5 = N$ 

1636

a.

\*b.

3

Circle the correct quotient for the fact:  $28 \div 7 = N$ 

1637

a. 3

b. 9

\*c 1

Circle the correct quotient for the fact: 48 \* 8 = N

1638

\*a. 6

b. 8

c. 5

Circle the correct quotient for the fact:  $21 \div 7 = N$ 

1639

a.

\*b. 3

c. 2

Circle the correct quotient for the fact:  $5 \stackrel{?}{=} 0 = N$ 

1640

- ₩B.
  - Ó p.
  - c. 1

Circle the correct quotient for the fact: 30 4 5 = N

1641


- a.
- 7 b.
- \*c.

Source: Merrill, Discovering Math. 5, p. 39.

THE STUDENT WILL ANALYZE A NUMBER LINE PRESENTING DIVISION WITH A REMAINDER BY CORRECTLY IDENTIFYING A FORMULATED DIVISION EQUATION. 0220

Study the number line carefully. Circle the equation which is pictured on the number line.


1642



- a. 14 = 4 = 3
- \*b. 14 ÷ 4 = 3r2
  c. 14 ÷ 3 = 4r2

Study the number line carefully. Circle the equation which is pictured on the number line.

1643



- 9 = 2 = 4
- 9 ÷ 2 = 4rl 9 ÷ 4 = 2rl

Study the number line carefully. Circle the equation which is pictured on the number line.


1644



a. 
$$17 \div 6 = 5r2$$

Study the number line carefully. Circle the equation which is pictured on the number line.


1645



b. 
$$13 \div 5 = 2$$

Study the number line carefully. Circle the equation which is pictured on the number line.


1646



$$b_{-} 7 = 2 = 3$$


a. 
$$7 \div 3 = 2$$
  
b.  $7 \div 2 = 3$   
\*c.  $7 \div 2 = 3$ rl.

Study the number line carefully. Circle the equation which is pictured on the number line.



Study the number line carefully. Circle the courtion which is pictured on the number Line.

1648



b. 
$$15 \div 3 = 4r3$$

Study the number line carefully. Circle the equation which is pictured on the number line.

1649




Study the number line carefully. Circle the equation which is pictured on the number line.

1650


a. 
$$20 \div 3 = 6$$

b. 
$$20 \stackrel{1}{\sim} 6 = 3$$



Study the number line carefully. Circle the equation which is pictured on the number line.

1651



a. 
$$8 \div 1 = 5r3$$

\*b. 
$$8 \div 5 = 1r3$$

Discovering Meth 5, Merrill, p. 40. Source:

THE STUDENT WILL DEMONSTRATE HIS UNDERSTANDING OF THE RELATION SIGN AS A PREPARATION FOR DIVISION, BY IDENTIFYING A CORRECTLY FORMULATED EQUATION.

0221

Choose the largest whole number that makes the sentence true.

1652

N x 5 <u>\$</u> 48

6 8.

\*b. 9

c. 12

Choose the largest whole number that makes the sentence true.

1653

N x 9 <u>\$</u> 78

\*a. 8

b. 9

c. 7

Choose the largest whole number that makes the sentence true.

1654

Nx 6 & 45

b. 8

Choose the largest whole number that makes the sentence true.

1655

N x 8 ≤ 55

\*a.

Choose the largest whole mobile that makes the centence true.

1656

N x 6 <u>≤</u> 287

a. 30

b. 50

\*c. 40

Choose the largest whole number that makes the sentence true.

1657

N x 9 <u>≤</u> 55

\*a. 6

b. 8

c. 7

Choose the largest whole number that makes the sentence true.

1658

N x 3 <u>\$</u> 294

a. 80

b. 100

\*c. 90

Choose the <u>largest</u> whole number that makes the sentence true.

1659

N x 5 <u>≤</u> 444

a. 70

\*b. 80

c. 90

Choose the <u>largest</u> whole number that makes the sentence true.

1660

N x 7 <u> </u> 4307

\*a. 600

b. 800

c. 700

Choose the largest whole number that makes the sentence true.

1661

N x 8 ≤ 7732

a. 800

b. 700

\*c. 900

Source: Discovering Math. 5, Merrill, p. 78.

THE STUDENT WILL APPLY HIS KNOWLEDGE OF DIVISION WITH ONE-DIGIT DIVISORS WHERE THERE IS A REMAINDER IN THE QUOTIENT BY CORRECTLY IDENTIFYING QUOTIENTS.

0222

Compute the problem carefully on paper. Circle the correct quotient below.

1662

7)29

\*a. 4rl

b. 3r2

c. 4r2

Compute the problem carefully on paper. Circle the correct quotient below.

1663

9)68

a. 8rl

b. 7r3

\*c. 7r5

Compute the problem carefully on paper. Circle the correct quotient below.

1664

8)141.

a. 5r2

\*b. 5r4

c. 7r2

Compute the problem carefully on paper. Cloude the correct quotient below.

1665

4)299

a. 73r7

b. 74rl

\*c. 74r3

Compute the problem carefully on paper. Circle the correct quotient below.

1666

9)754

\*a. 83r7

b. 83r8

c. 93r2

Compute the problem carefully on paper. Circle the correct quotient below.

1667

8)487

a. 60r6

b. 30r7

\*c, 60r7

Compute the problem carefully on paper. Circle the correct quotient below.

1668

9)293

a. 43r5

\*b. 32r5

c. 32r5

Compute the problem carefully on paper. Circle the correct quotient below.

1669

8)5030

\*a. 628r6

b. 629r2

c. 628r4



Compute the problem carefully on paper. Circle the correct quotient below.

1670

5)3641

727r6 a.

728r3 b.

\*c. 728rl

Compute the problem carefully on paper. Circle the correct quotient below.

1671

8)31254

\*a. 3906r6

b. 396r6

c. 395r8

Source:

Discovering Math. 5, Merrill, p. 78.

Elementary School Math 5, Addison-Wesley, pp. 107, 109, 113.

THE STUDENT WILL ANALYZE THE RENAMING OF A DIVIDEND BY IDENTIFYING THE CORRECTLY RENAMED DIVIDEND.

In the problem 1296 - 3, the "1296" can be renamed

1672

0223

a. 1200 + 96

\*b. 1200 + 90 + 6

c. 12 + 9 + 6

In the problem 936  $\div$  3, the "936" can be renamed

1.673

\*a. 900 + 30 + 6

b. 93 + 6

c. 90 + 36

In the problem 1869 : 3, the "1869" can be renamed

1674

-18 + 69

\*b. 1800 + 60 + 9

c. 186 + 9

In the problem 216 2 3, the "216" can be renamed

1679

$$b. 200 + 16$$

In the problem 427 - 7, the number "427" can be renamed

1676

a. 
$$400 \div 20 + 7$$

$$b. 400 + 27$$

In the problem 328 + 4, the number "328" can be renamed

1677

$$b. 300 + 20 + 8$$

$$c. 300 + 28$$

In the problem 186 2, the number "186" can be renamed

1573

In the problem 6822 \$ 2, the number "6322" can be renamed

1579

In the problem 1569 2 5, the number "1569" can be renamed

The first production of the production and the 2000 with the restained

n. 280 + 6

In the problem 286  $\stackrel{4}{=}$  2, the number "286" can be renamed "c. 200  $\stackrel{4}{=}$  80  $\stackrel{4}{=}$  6

1681

a. 280 + 6

b. 200 + 86

Source: Merrill, Discovering Math. 5, 5, 82

THE STIDENT WILL DEMONSTRATE HIS UNDERSTANDING OF A TWO-PLACE DIVISOR BY IDENTIFYING A CORRECTLY FORMULATED EQUATION.

Choose the largest whole number that makes the sentence true.

1682

O224

N x 30 <u>≤</u> 265

il a

\*h. 8

c. 9

160

Choose the largest whole number that makes the sentence true.

165

N :: 40 \( \sigma 252

\*a. 6

b. 7

e. C

1684

Choose the <u>largest</u> whole number that makes the sentence true.  $N \approx 70 \le 420$ 

n.

b. 8

\*c. 6

Choose the largest whole number that makes the sentence true.

80 2

H).

Cu I

Choose the <u>largest</u> whole number that makes the centence true.

1686

N x 70 £ 654

\*a. 9

7

c. 8

Choose the <u>largest</u> whole number that makes the sentence true.

1687

N x 40 ≤ 314

a. 9 b. 8

b.

жc.

Choose the <u>largest</u> whole number that makes the sentence true.

1688

N x 90<u>≤</u>360

\*a. 4 b. 5 c. 3

1689

Choose the <u>largest</u> whole number that makes the sentence true.

a. 7 \*b. 9 c. 8

Choose the <u>largest</u> whole number that makes the sentence true.

1690

N x 90 <u>≤ 731</u>

N x 50 ≤ 487

\*a. 8

C.



Choose the <u>largest</u> whole number that makes the sentence true.

1691

N x 70 & 434

\*a. 6

b. 7

c. 9

Source: Merrill, Discovering Math. 5, p. 89, 88

THE STUDENT WILL APPLY HIS KNOWLEDGE OF DIVISION WITH A TWO-PLACE DIVISOR ENDING IN ZERO BY IDENTIFYING THE CORRECT QUOTIENT TO A GIVEN PROBLEM.

0225

Compute the problem on paper. Circle the correct quotient below.

1692

70)560

\*a. 8

b. 80

c. 7

Compute the problem on paper. Circle the correct quotient below.

70)570

a. 60

b. 70

\*c. 6

Compute the problem on paper. Circle the correct quotient below.

1694

1693

60)540

a. 7

b. 70

\*c. 9

Compute the problem on paper. Circle the correct quotient below. 1695 50)200

Compute the problem on paper. Circle the correct quotient below. 1696 60)480

8

70

c. 7

Compute the problem on paper. Circle the correct quotient below. 40)287

1697

77 7 r 7 70 r 7

Compute the problem on paper. Circle the correct quotient below. 1698 90)830

a. 90 r 2

b. 92 \*c. 9 r 20

Compute the problem on paper. Circle the correct quotient below. 1699 70)674

a. 90 r 44

\*b. 9 r 44

94 r 4

Compute the problem on paper. Circle the correct quotient below.

1700

80)517

a. 63 r 7

b. 60 r 37 \*c. 6 r 37

Compute the problem on paper. Circle the correct quotient below.

1701

60)400

\*a. 6 r 40

b. 64

c. 60 r 4

Source: Merrill, Discovering Math. 5, pp. 88 and 89.

THE STUDENT WILL APPLY HIS UNDERSTANDING OF DIVISION WITH A TWO-PLACE DIVISOR ENDING IN ZERO, WHEN PRESENTED IN A STORY PROBLEM BY IDENTIFYING THE CORRECT ANSWER TO THE PROBLEM. 0227

There are 257 washers in a box. If 30 washers are put in each pack— 1702 age, how many packages will there be? How many extra washers?

- a. 7 packages and 47 washers.
- b. 81 packages and 7 washers.
- \*c. 8 packages and 17 washers.

463 baseball cards were divided among 70 boys. Each boy received the same number of cards. How many cards did each receive?

\*a. 6

· b. 7

c. 60

There are 30 children in a class. The sum of all their spelling scores is 2610. Find the average score.

1704

1703

a. 78

h. 85

\*c. 87

A passenger coach on a train holds 70 people. In the year 1810 the population of the state of Michigan was 4760. How many passenger coaches would have been needed to hold all of the people in the state of Michigan?

1705

a. 26

**\*b.** 68

c. 93

If an auto averages 50 miles per hour, how long will it take to go 1850 miles?

1706

\*a. 37 hrs.

b. 370 hrs.

c. 39 hrs.

A bus holds 60 children. There are 645 children in a school. How many busses will be needed to take all the children to the zoo?

1707

a. 10 busses

\*b. 11 busses

c. 113 busses

There are 2780 books in the school library. If each shelf holds 50 1708 books, how many shelves will be needed?

a. 50

b. 45

\*c. 55

A man works 50 weeks in a year. If he earns \$8750 in a year, how 1709 much does he earn each week?

a. \$1.75

\*b. \$175.00

c. \$115.00

Twenty children are filling candy boxes for the school fair. If 1710 they fill 800 boxes, how many did each child average?

- \*a. 40 boxes
- b. 4 boxes
- c. 400 boxes

Some snails can go 50 yards per hour. How many hours will it take 1711 a snail to go 495 yards?

- a. 9 hrs.
- b. 10 hrs.
- \*c. almost 10 hrs.

Source: Addison-Wesley, Elementary School Math, 5, op. 117, 127.

THE STUDENT WILL DEMONSTRATE AN UNDERSTANDING OF ROUNDING OFF DIVISORS ORS AS AN AID TO DIVISION BY IDENTIFYING A CORRECTLY ROUNDED DIVISOR.

In the problem 365 ÷ 58, would you round 58 to

- a. 50
- **\***b. 60
- c. 55

In the problem 268 : 48, would you round 48 to

- \*a• 50
- b. 45
- c. 40

In the problem 201 # 29, would you round 29 to

1714

- \*a. 30
- b. 20
- c. 25

In the problem 434 2 67, would you round 67 to 1715 60 70 In the problem 643 - 79, would you round the 79 to 1716 80 75 In the problem 453  $\stackrel{\bullet}{\cdot}$  42, would you round the 42 to 1717 In the problem 990 ÷ 43, would you round the 43 to 1718 \*a. 50 C. 30 In the problem 506 - 97, would you round the 97 to 1719 \*a. 100 b. 90 95 C.

In the problem 214 2 49, would you round the 49 to

a.

\*c.

50

In the problem 253 = 53, would you round the 53 to 1721 60 55 c. Merrill, Discovery Math. 5, p. 91 Source: THE STUDENT WILL APPLY HIS KNOWLEDGE OF DIVIDING WITH A TWO-PLACE 0229 DIVISOR BY IDENTIFYING THE MISSING FACTOR IN AN EQUATION. In the open sentence 241 = (26x9) + N, the "N" is 1722 In the open sentence 187 = (Nx7) + 5, the "N" is 1723 a. 24 b. 30 #C. 26 In the open sentence 380 = (Nx31) + 8, the "N" is 1724 12 11. b. C. 8 In the open sentence  $262 = (43x6) + N_0$  the "N" is 1725

C.

In the open sentence 2,073 = (32x64) + N, the "N" is

1726

20

\*c. 25

In the open sentence 333 = (Nx4) + 1, the "N" is

1727

81  $\mathbf{b}_{\bullet}$ 

c. 84

In the open sentence 1,894 = (Nx54) + 4, the "N" is

1728

b. 25 \*c. 35

In the open sentence 294 = (5x58) + N, the "N" is

1729

4 \*b.

In the open sentence 3,222 = (76x42) + N, the "N" is

1730

20

35

In the open sentence 1,789:= (Nx81) + 7, the "N" is

1731

\*a. 22

b. 23

32

Harcourt, Brace, Elementary Math. 5, p. 144. Source:

THE STUDENT WILL APPLY HIS KNOWLEDGE OF DIVIDING WITH A TWO-PLACE 0230 DIVISOR BY CORRECTLY IDENTIFYING THE QUOTIENTS TO GIVEN PROBLEMS. Compute the problem on paper. Circle the correct quotient below. 1732 59)253 a. 41 r 7 b. 40 r 17 4 r 17 Compute the problem on paper. Circle the correct quotient below. 1733 88)723 \*a. 8 r 19 b. 81 r 9 c. 8 r 29 Compute the problem on paper. Circle the correct quotient below. 1734 49)214 4 r 18 b. 41 r 8 4 r 8 Compute the problem on paper. Circle the correct quotient below. 1735 79)643 81 r l 8. 8 r 11 \*b. 8 r 12

Compute the problem on paper. Circle the correct quotient below.

98)724

7 r 28 8 r 8 7 r 38

1737 Compute the problem on paper. Circle the correct quotient below.

73)4563

623 r 7

62 r 37 62 r 7

Compute the problem on paper. Circle the correct quotient below. 1738 53)4937

93 r 8

92 r 18

c. 93 r 18

Compute the problem on paper. Circle the correct quotient below. 1739 92)2147

23 r 31

231 r 1

23 r 3

1740 Compute the problem on paper. Circle the correct quotient below. 72)1498

20 r 59

b. 21 r 8

\*c. 20 r 58

Compute the problem on paper. Circle the correct quotient below. 1741 63)5740

91 r 17

\*b. 91 r 7 c. 9 r 17

Source: Merrill, Discovering Math. 5, p. 99. THE STUDENT WILL DEMONSTRATE HIS UNDERSTANDING OF AN EXACT QUOTIENT BY IDENTIFYING A CORRECT QUOTIENT WITH A FRACTIONAL REMAINDER.

0231

Seven cup cakes are to be shared equally by two boys. Each boy will 1742 receive

- 4 cupcakes
- \*b. 3 cupcakes
- c. 2 1/3 cupcakes

Seven small pies are to be shared equally by 3 girls. Each girl 1743 will receive

- 2 1/3 pies 3 1/2 pies
- c. 2 1/2 pies

8 candy bars are to be shared equally by 3 boys. Each boy will 1744 receive

- a. 2 1/3 barsb. 2 1/2 bars
- \*c. 2 2/3 bars

Five boys are to share 12 sheets of art paper. Each boy will 1745 receive

- \*a. 2 2/5
- b. 2 1/5

Fourteen cookies are to be equally divided among 3 girls. Each 1746 girl will receive

- a. 4 1/2 cookies
- b. 4 2/14 cookies
- \*c. 4 2/3 cookies

Five cupcakes are to be equally divided among 4 girls. Each girl 1747 will receive

1 1/5 cupcake

\*b. 1 1/h cupcake

c. 1 1/2 cupcake

Twenty-five strings of licorice are to be equally divided between 1748 2 boys. Each boy will receive

\*a. 12 1/2 strings

b. 12 1/12 strings

c. 12 1/4 strings

Ten bars of candy are to be divided equally between 3 girls. Each 1749 girl will receive

b. 3 1/2 \*c. 3 1/3

Twenty-four doughnuts are to be shared equally by 16 boys. Each boy 1750 will receive

a. 2 1/2 doughnuts

b. 1 1/4 doughnuts
\*c. 1 1/2 doughnuts

Twelve yards of material is to be shared by 8 girls equally. Each 1751 girl will receive

a.  $1 \frac{1}{8}$  yards

\*b.  $1 \frac{1}{2}$  yards

c.  $1 \frac{1}{12}$  yards

Harcourt, Brace, Elementary Math. 5, p. 308 Source:

THE STUDENT WILL ANALYZE SITUATIONS REGARDING A DIVISOR IN THE LIGHT OF THE PRACTICALITY OF DIVIDING THE REMAINDER INTO FRACTIONAL PARTS, BY IDENTIFYING A SITUATION WHERE THE REMAINDER SHOULD NOT BE DIVIDED.	0232
In which situation described below would it NOT make sense to divide the remainder?  a. 5 cupcakes shared by 2 boys  *b. 10 roses shared by 3 girls  c. 24 doughnuts shared by 16 boys	1752
In which situation described below would it NOT make sense to divide the remainder?  a. \$21.00 shared by 6 boys b. 10 cupcakes shared by 3 girls *c. 16 theater tickets shared by 5 girls	1753
In which situation described below would it NOT make sense to divide the remainder?  a. 12 yds. of material shared by 8 girls b. 4 bars of candy shared by 3 boys *c. 50¢ shared by 8 girls	1754
In which situation described below would it NOT make sense to divide the remainder?  *a. 25¢ shared by 3 boys b. 17 doughnuts shared by 4 boys c. 5 bars of candy shared by 3 girls	1755
In which situation described below would it NOT make sense to	1756



divide the remainder?

**\***b.

15 in. ribbon cut into 2 pieces 7 marbles divided among 3 boys

16 oz orange juice divided among 5 boys

In which situation described below would it NOT make sense to 1757 divide the remainder? a. 3 packs of gum divided among 3 girls b. 3 ice cream bars divided between 2 rirls \*c. 33 children divided into 2 groups 1758 In which situation described below would it NOT make sense to divide the remainder? \*a. 5 books divided among 4 boys b. 25 pieces of candy divided among 3 rirls c. 17 cookies divided among 4 boys 1759 In which situation described below would it NOT make sense to divide the remainder? \*a. 12 taseballs divided amon; 5 boys b. \$15.00 divided among 4 girls c. 7 candy bars divided among 3 mirls 1760 In which situation described below would it NOT make sense to divide the remainder? a. 21 doughnuts divided among 4 boys \*b. 17 boys divided into 3 teams c. \$17.00 divided among 4 girls 1761 In which situation described below would it NOT make sense to divide the remainder? a. 3 ice cream bars divided between 2 girls b. 10 yds. of ribbon divided among 4 girls



Source:

Harcourt, Brace, Elementary Math. 5, p. 310

\*c. 7 baseball bats divided between 2 teams

THE STUDENT WILL APPLY HIS KNOWLEDGE OF FRACTIONS USED AS REMAINDERS 0233 IN DIVISION BY CORRECTLY IDENTIFYING GIVEN QUOTIENTS.

Compute the following problem. Circle the correct quotient below. 1762 24)1236

51 3/4

51 1/2

51. 12/24

Compute the following problem. Circle the correct quotient below. 1763 40)1490

37 1/2

37 10/37 37 1/4

Compute the following problem. Circle the correct quotient below. 1764 16)1324

82 12/16

82 3/4

82 16/12

Compute the following problem. Circle the correct quotient below. 1765 45)1685

37 4/9 \*a.

37 20/45 b.

37 4/5

Compute the following problem. Circle the correct quotient below. 1766 54)3357

62 1/7

62 9/54

62 1/6

Compute the following problem. Circle the correct quotient below. 1767 27)1584

58 27/18

58 2/3 58 18/27

Compute the following program. Circle the correct quotient below. 1768 25)1220

48 4/5

b. 48 25/20

c. 48 20/25

Compute the following problem. Circle the correct quotient below. 1769 56)1296

23 1/9

23 8/23

23 1/7

Compute the following problem. Circle the correct quotient below. 1770 42)1785

42 21/42

42 1/2 42 1/3

Compute the following problem. Circle the correct quotient below. 1771 72)1332

\*a. 18 1/2

b. 18 36/72c. 18 1/3

Merrill, Discovery Math. 5, p. 222. Source:

THE STUDENT WILL DEMONSTRATE HIS COMPREHENSION OF THE PARTS OF A DIVISION PROBLEM BY IDENTIFYING SPECIFIC PARTS FROM A GIVEN EXAMPLE.

0270

Directions:

Circle the correct answer.

1772

The quotient for this example is

1773

The remainder for this example is

1774

$$\frac{32}{25}$$
  $\frac{1}{31}$ 

The dividend for this example is

1775

The divisor for this example is

1776

The remainder in this example is

33)826 660 20 166 165 5 1 25

The quotient in this example is

1778

The remainder in this example is

1779

The divisor in this example is

$$\begin{array}{ccc}
32)324 \\
320 & 10 \\
\hline
 & 0 & 0 \\
\hline
 & 10
\end{array}$$

1780

The quotient in this example is

1781

The remainder in this example is

WHOLE NUMBER MULTIPLICATION AND DIVISION



THE STUDENT WILL ANALYZE AREAS SHOWING DIVISION AS THE INVERSE OF MULTIPLICATION BY CORRECTLY IDENTIFYING NUMBER SENTENCES FROM A LIST.

0201

Study the following division array, and choose the number sentence that describes it.

1782

1783

Study the following division array, and choose the number sentence that describes it.

Study the following division array and choose the number sentence 1784 that describes it.

Study the following division array and choose the number sentence 1785 that describes it.

Study the following division array and choose the number sentence that describes it.

1786

b. 
$$3 \times 5 = 15$$

\*c. 
$$15 \div 3 = 5$$

Study the following division array and choose the number sentence that describes it.

1787

\*a. 
$$21 \div 7 = 3$$

b. 
$$21 \div 3 = 7$$

c. 
$$3 \times 7 \times 21$$

Study the following division array and choose the number sentence that describes it.

1788

Study the following division array and choose the number sentence that describes it.

a. 
$$2 \times 7 = 1.4$$
.

Study the following division array and choose the number sentence that describes it.

1790

a.	2 x 5 = 10	0 0
b.	10 * 5 n 2	0 0
₩C.	10 2 5 = 2 10 2 2 = 5	0 0
	•	0 0
	•	0.0

Circle the statement below which is NOT true.

1791

- a. Division is the inverse of multiplication.
- b. Division is repeated subtraction.
- \*c. Division is the opposite of addition.

Source: Merrill, Discovering Math. 5, pg. 37.

THE STUDENT WILL APPLY HIS KNOWLEDGE OF DIVISION AS THE INVERSE OF MULTIPLICATION BY IDENTIFYING SENTENCES RELATED TO A GIVEN DIVISION SENTENCE.

0202

Circle the number sentence below which is related to the following sentence:  $56 \stackrel{?}{=} 8 = 7$ .

a. 
$$56 \times 1 = 56$$

b. 
$$2 \times 28 \times 56$$
  
\*c.  $8 \times 7 = 56$ 

Circle the number sentence below which is related to the division sentence  $54 \pm 9 = 6$ .

1793 - ...

\*b. 
$$9 \times 6 \times 54$$

Circle the number sentence below which is related to the division sentence 63 4 9 = 7.

1794

8. 
$$3 \times 21 = 63$$

b. 
$$21 \times 3 = 63$$

Circle the number sentence below which is related to the division sentence 24 ÷ 6 = 4.

1795

\*a. 
$$6 \times 4 = 24$$

b. 
$$3 \times 8 = 24$$
  
c.  $2 \times 12 = 24$ 

Circle the number sentence below which is related to the division sentence 40 ÷ 5 = 8.

1796

$$b_{\bullet} 4 \times 10 = 40$$

Circle the number sentence below which is related to the division sentence 48 # 8 = 6.

1797

a. 
$$4 \times 12 = 48$$

$$*b = 6 \times 8 = 48$$

$$c. 2 \times 24 = 48$$

Circle the number sentence below which is related to the division sentence 32 4 4 = 8.

1798

\*a. 
$$8 \times 4 = 32$$

Circle the number sentence below which is related to the division sentence  $72 \div 9 = 8$ .

\*b. 
$$9 \times 8 = 72$$

Circle the number sentence below which is related to the division sentence 36 - 4 = 9.

1800

$$b_{\bullet} 6 \times 6 = 36$$

Circle the number sentence below which is related to the division sentence  $45 \div 5 = 9$ .

1801

a. 
$$3 \times 15 = 45$$

b. 
$$1 \times 45 = 45$$

Source: Merrill, Discovering Math. 5, pg. 76.

THE STUDENT WILL APPLY HIS KNOWLEDGE THAT MULTIPLICATION IS THE INVERSE OF DIVISION BY COMPUTING DIVISION PROBLEMS USING ZERO.

0136

Directions:

Solve the following division problems to find n. Apply your knowledge that multiplication is the inverse of division.

 $9 \stackrel{*}{\sim} 0 = n$ 

1802

a. any whole number

b. 1

\*c. 0

d. no solution

5 + 0 = n

1803

a. any whole number

b. !

c. 0

\*d. no solution

 $0 \div 5 = n$ 

1804

a. any whole number

\*b. (

c. 5

d. no solution

THE STUDENT WILL VIEW THE RELATIONSHIP BETWEEN MULTIPLICATION AND DIVISION BY IDENTIFYING THE CORRECTLY FORMULATED EQUATION.

0219

If  $4 \times 9 = 36$ , and 36 = 9 = 4, then 36 = 4 = 4

1805

a. /

c. 36

If  $6 \times 3 = 18$ , and 18 = 3 = 6, then 18 = 6 =

1806

\*a. 3

c. 18

If  $3 \times 5 = 15$ , and  $15 \div 3 = 5$ , then  $15 \div 5 =$ 

1807

a.

\*b\_ 3

c. 15

If  $6 \times l_4 = 2l_4$ , and  $2l_4 = 6 = l_4$ , then  $2l_4 = l_4 =$ 

1808

\*a. 6

b. 4

c. 24



If  $8 \times 6 = 48$ , and  $48 \div 6 = 8$ , then  $48 \div 8 =$ 

1809

-8 b.

48 \*c.

If  $5 \times h = 20$ , and  $20 \div h = 5$ , then  $20 \div 5 =$ 

1810

\*a. 4

b.

c. 20

If  $9 \times 7 = 63$ , and  $63 \div 7 = 9$ , then  $63 \div 9$  is

1811

a.

b. 63

If  $9 \times 6 = 54$ , and  $54 \div 9 = 6$ , then  $54 \div 6 =$ 

1812

c. 54

If  $7 \times 3 = 21$ , and  $21 \div 7 = 3$ , then  $21 \div 3 =$ 

1813

8.

b.

\*c.

If  $5 \times 8 = 40$ , and  $40 \div 5 = 8$ , then  $40 \div 8 =$ 

1814

\*n.

40 b.

c.

Source: Discovering Math. 5, Merrill, p. 76. THE STUDENT WILL VIEW THE RELATIONSHIP BETWEEN MULTIPLICATION AND DIVISION WITH TWO-PLACE FACTORS, BY IDENTIFYING THE CORRECTLY FORMULATED QUOTIENT.

0226

If  $40 \times 80 \approx 3200$ , then  $3200 \stackrel{•}{=} 80 =$ 

1815

a. 4

p. 1400

140

If  $80 \times 60 = 4800$ , then  $4800 \div 60 =$ 

1816

\*a. 80

b. 8

c. 800

If  $90 \times 90 = 8100$ , then 8100 = 90 =

1817

a. 9

\*b. 90

c. 900

If  $90 \times 50 = 4500$ , then  $45 \div 50 =$ 

1818

a. 500

\*b. 90

c. 9

If  $70 \times 70 = 4900$ , then 4900 - 70 =

1819

a. 700

b. 7

\*c. 70

If  $32 \times 81 = 2592$ , then  $2592 \div 81 =$ 

1820

a. 3200

b. 320

\*c. 32

If  $26 \times 53 = 1378$ , then 1378 + 26 =

1821

\*a. 53

b. 260

c. 26

If 82 x 63 = 5166, then  $5166 \div 82 =$ 

1822

\*a. 63

b. 820

c. 630

If  $54 \times 31 = 1674$ , then  $1674 \div 31 =$ 

1823

a. 450

\*b. 54

c. 310

If  $76 \times 41 = 3116$ , then  $3116 \div 76 =$ 

1824

a. 410

\*b. 41

c. 316

Source: Merrill, Discovering Math. 5, pp. 97 & 99.

THE STUDENT WILL DEMONSTRATE HIS UNDERSTANDING OF DIVISION AND MULTIPLICATION BY DETERMINING WHICH PROCESS TO USE IN THE SOLVING OF PROBLEMS.

Jerry paid 60g for a box of candy bers. There are 12 bars in the box. How can you find out how much each bar cost him?

1825

- a. multiply
- \*b. divide
- c. multiply and divide

Racing cars sell for 25¢ for 2 cars. How can you find out how much 6 racing cars will cost?

1826

ı

- a. add
- b. multiply
- \*c. divide and multiply

Oranges sell for 10g for 3 oranges. How can you find out how much 1827 1 1/2 doz. oranges will cost?

- \*a. divide and multiply
- b. multiply
- c. divide

Jean saves 40¢ a week. How can you find out how many weeks it will 1828 take her to save 2 dollars?

- a. multiply
- \*b. divide
- c. multiply and divide

George has 15 problems to solve for homework. It has taken him 8 minutes to do five of them. How can you find out how many more minutes it will take George to finish solving the problems?

- a. divide
- b. multiply
- \*c. divide and multiply

Whistles cost 96g a dozen. How can you find out how much the hiking 1830 club will have to pay for 21 whistles?

- \*a. divide and multiply
- b. divide
- c. multiply

Twenty-one girl acouts plan to sell 384 boxes of cookies. The scout leader wishes to give each girl the same number of boxes to sell. How can you find out how many boxes she should give each girl?

1831

- a. multiply
- \*b. divide
- c. multiply and divide

A candy bar costs 6g. How much will 5 candy bars cost?

1832

- \*a. multiply
- b, multiply and divide
- c. divide

On a jet plane there are 5 seats in each row. How can you find out 1833 how many passengers are on board if 9 rows are filled?

- a. divide
- b. divide and multiply
- "c. multiply

If John knows that there are 52 weeks in a year, how can he find out 1834 how many years 988 weeks make?

- a. multiply
- \*b. divide
  - c. multiply and divide

Source: Harcourt, Brace, Blementary Math. 5, pp. 145, 223.

THE STUDENT WILL APPLY HIS KNOWLEDGE OF MULTIPLICATION AND DIVISION O235 BY CORFECTLY IDENTIFYING THE ANSWER TO A GIVEN PROBLEM, USING ONE OF THE TWO PROCESSES.



Mr. Jones planted a new orchard. He planted 7 threes in each row. had 3 rows of peach trees and 4 rows of apricot trees. How many trees did he plant in all?

1835

a. 21

b. 28

\*c. 49

John had a collection of 336 coins. He put 6 coins in each row in 1836 his coin book. How many rows of coins did John have?

\*a. 56

b. 2016

c. 51

Mark works as a stock boy at the supermarket. One day, he unpacked boxes of cereal from a carton. It contained 3 layers of boxes, and each layer was 6 boxes wide and 3 boxes high. How many boxes were in the carton?

1837

a. 18

\*b. 54

c. 6

.

Mrs. Lane pays Ralph \$2.75 to mow her lawn. If he mows the lawn 15 1838 times during the summer, how much will he make from his job?

a. \$19.00

b. \$20.50

\*c. \$41.25

On her birthday, Judy took six guests bowling. Her mother paid \$5.95 1839 for the bowling party. What was the cost for each of the seven girls?

\*a. \$.85

b. \$.99

c. \$3.57

Paul delivers packages for the drugstore. Last month he worked 24 days 1840 and made an average of 18 celiveries each day. How many deliveries did he make in all?

- \*a. 432
- b. 1 1/3
- c. 108

The pupils in the 5th grade gave an operetta. The director said that 1841 the cest had rehearsed 405 minutes in all. If 9 rehearsals were held, what was the average time of each rehearsal?

- a. 81 minutes
- \*h. 45 minutes
- c. 48 minutes

The operatta was given 3 times. In all, 762 people saw the perform- 1842 ances. About how many people saw each performance?

- \*a. 254
- b. 330
- c. 231

Mr. Stevens had 864 bottles of soft drinks in cases on his truck.

1843
If each case held 24 bottles, how many cases were on the truck?

- a. 35
- b. 72
- \*c. 36

One month Bob sold 21 chickens. He received \$19.74 for them. On 1844 the average, how much was this for each chicken?

- \*8. \$.94
- b. \$.93
- c. \$1.94

Source: Merrill, Discovering Math. 5, pp. 86, 107, 223

THE STUDENT WILL ANALYZE A PROBLEM INVOLVING MULTIPLICATION OR DIVISION BY CORFECTLY IDENTIFYING INFORMATION UNNECESSARY TO. THE SOLVING OF THE PROBLEM.

0236

1845

An ocean liner 209 feet long averages about 34 miles per hour. About how many hours would it take this ship to travel 2924 miles? The unnecessary figure in this problem is

- \*a. 209
- b. 2924
- c. 34

1846 An express train weighing 340 tons averages about 73 miles per hour. About how long would a 1387 mile trip take? The unnecessary figure in this problem is

- 1387 miles 8.
- b. 73 miles
- \*c. 340 tons

If a 1970 Buick travels 705 miles at an average speed of 47 miles per 1847 hour, how long would this take? The unnecessary information in this problem is

- a. 47 miles
- 705 miles
- 705 maran 1970 Buick

A man drove 385 miles at a speed of 55 miles per hour and 300 miles at 1848 a speed of 60 miles per hour, on a 65 mile per hour highway. How far did the man drive? What figure is unnecessary?

- 60 mph
- #b. 65 mph
- C. 55 mph

If a jet plane carrying 98 passengers flies 2528 miles in 4 hours, 1849 how fast is it traveling? What is the unnecessary figure in this problem?

- ¥R. 98
- 4.

2528



If a jet plane carried 98 passengers on each flight how many flights 1850 would it take to transport 3430 passengers a distance of 2573 miles? What is the unnecessary figure it this problem?

- \*a. 2573
- ъ. 3430
- c. 98

Mr. Jones used 8 gallons of gasoline to go 216 miles at 60 miles per 1851 hour. How many miles did he travel on one gallon of gas? What is the unnecessary figure in this problem?

- a. 216
- \*b. 60
- c. 8

A classroom containing 33 desks measures 17 feet by 10 ft. by 9 ft. 1852 How many cubic feet of air does the room contain? What figure is unnecessary in this problem?

- a. 17
- \*b. 33
- c. 13
- d. 9

One week Peter worked 5 hours and 15 minutes in Mr. Ramon's garden, which measures 16 ft. by 20 ft. Mr. Ramon agreed to pay him 40¢ an hour. How much should be pay Peter for the week's work? What is the unnecessary Tigure in this problem?

- E. MOR
- b. 5 hrs. 15 min.
- c. 16 ft.
- \*d. 16 ft. by 20 ft.



Mrs. Bunch drove 14 miles in 15 min. at a rate of 60 miles per hour.

At that rate, how far could she drive in 1 1/2 hours? What is the unnecessary figure in this problem?

- \*a. 60 mph
- b. 15 min.
- c. 14 miles
- d. 1 1/2 hrs.

Source: Addison-Wesley, Elementary School Math. 5, pp. 132-133 Harcourt, Brace, Elementary Math. 5, p. 223.

THE STUDENT WILL DEMONSTRATE HIS COMPREHENSION THAT DIVISION IS
THE INVERSE OPERATION OF MULTIPLICATION BY IDENTIFYING THE CORRESPONDING MULTIPLICATION EQUATION WITH A GIVEN DIVISION EQUATION.

Directions: Match column I with column II.

	Column I	Column 1I	
a.	54 ÷ 9 = 6 56 ÷ 7 = 8	f 7 x 9 = 63	1855
b. c. d.	$49 \div 7 = 7$ $18_9 \div 6 = 3$	$s = 9 \times 2 = 18$	1856
e.	9)81	h 4 x 8 = 32	1857
f.	7)63	t 6 x 8 = 48	1858
	9)72	$o 9 \times 3 = 27$	1859
h.	8)32	1 h x 7 = 28	1860
	42 * 6 = 7	$e 9 \times 9 = 81$	1861
	$20 \div l_{+} = 5$	<u>m</u> 3 x 5 = 15	1862
	64 ÷ 8 = 8	<u>k</u> 8 x 8 = 64	1863
1.	28 ÷ 7 = 4	Management of the Control of the Con	2
m.	3)15	<u>c</u> 7 x 7 = 49	1864
n.	5)40	p 3 x 4 = 12	1865
0.	3 <del>)27</del>	$a + 3 \times 8 = 24$	1866

p. 
$$4)\overline{12}$$

p.  $4)\overline{12}$ 

p.  $40$ 

p.

Source: Houghton Mifflin, p. 108.

MULTIPLICATION OF FRACTIONS



GIVEN A LIST OF INCOMPTETE STATEMEN'S THE STUDENT WILL DEMON-0175 STRATE, HIS UNDERSTANDING OF THE MULTIPLICATION OF FRACTIONS TO CHOOSE THE TERMS WHICH WOULD CORRECTLY FILL IN THE BLANKS. Directions: Circle the letter in front of the terms which fill in the blanks. 1874 In multiplying fractions multiply the numerator times and the denominator times the \_\_\_\_\_. a. numerator, product b. denominator, numerator \*c. numerator, denominator d. product, numerator To reduce fractions \_\_\_\_ the numerator and the denominator 1875 by \_\_\_\_ \*a. divide, a number equal to one b. multiply, a number equal to onec. divide, a number smaller than one d. multiply, a number smaller than one 1876 If the product of an equation is an improper fraction the may be divided by the \_\_\_\_. a. denominator, numerator. b. denominator, denominator \*c. numerator, denominator d. numerator, numerator 1877 An easier way to multiply fractions with large number is to \_\_\_\_\_ in the equation and then \_\_\_\_\_\_. a. divide, multiply b. multiply, reduce c. multiply, divide \*d. reduce, multiply

If the pr	oduct has a numerator greater than the denominator we	1878
	can be disided by an even number is scenter than one in less than one can be dilided by an odd number	
have used a. b.	nge the order of the factors to multiply firactions we the  ones principle zero principle commutative principle	1879
d.	associative principle  Oltiplication of two factions if the first factor is less	1880
	the product will be	1000
р. с.	less than the second factor greater than the second factor less than one greater than one	
The produ	ect of an equation is said to be in its best form when	1881
	the numerator is smaller than the denominator. the denominator is smaller than the numerator. it has been changed to a mixed number. it has been reduced to lowest terms.	
To change number by the fract	e a mixed number to an improper fraction, the whole the of the fraction and the coftion.	1882
a. *b. c. d.	<pre>add; denominator; multiply; numerator multiply; denominator; add; numerator add; numerator; multiply; denominator multiply; numerator; add; denominator</pre>	

If we multiply a fraction by a fraction which is equal to one wo 1330 have changed the \_\_\_\_ but not the \_\_\_\_ of the fraction. \*a. form; value b. value; form c. order; value d. order; form 0187 THE STUDENT WILL APPLY HIS UNDERSTANDING OF THE PRINCIPLES OF MULTIPLICATION OF FRACTIONS BY SELECTING A FACTOR THAT WOULD MAKE AN FQUATION APPLICABLE TO A GIVEN ASSUMPTION. Select the fraction that would apply to the given Directions: assumption. 1884 The product is greater than the first factor. 3/4 x \_\_\_\_ = a. 6/8\*b. 4/3 c. 4/4 d. 6/7 1885 The product is equal to the first factor. 8/9 x = a. 3/4 h. 6/8 \*c. 7/7 d. 9/8 1886 The product is less than the second factor. \_\_\_\_ x 11/12 = a. 9/8 b. 7/6 c. 5/5 \*d. 3/4

The product is equal to the second factor.

\_\_\_\_ x 7/8 =

- a. 3/2 b. 8/9
- 3/4 6/6

The product is less than the first factor.

- \*a. 4/5 b. 3/2 c. 8/7 d. 2/2

The product is greater than the second factor.

x 6/7 ≈

- a. 2/3 b. 4/4 \*c. 12/6 d. 3/4

THE STUDENT WILL ANALYZE REGIONS DEMONSTRATING THE MULTIPLICATION OF FRACTIONS BY IDENTIFYING THE CORRECT EQUATION.

0237


1887

1888

1889

Study this region carefully.

1890



The region above shows

- a. 1/3 of 1/4 = 1/2\*b. 1/4 of 1/3 = 1/12c.  $3/4 \times 1/3 = 1/12$


Study this region carefully. It shows

\*a. 
$$1/2$$
 of  $2/3 = 2/6$   
b.  $2/3$  of  $1/2 = 2/6$   
c.  $2/6$  of  $6 = 1$ 



Study this region carefully. It shows

1892




a. 
$$1/2$$
 of  $3/8 = 1/8$   
b.  $3/4$  of  $1/2 = 1/8$   
\*c.  $3/4$  x  $1/2 = 3/8$ 

b. 
$$3/4$$
 of  $1/2 = 1/8$ 

\*c. 
$$3/4 \times 1/2 = 3/8$$


1893



Study this region carefully. It shows

\*a. 2/3 x 2/4 = 4/12 b. 2/4 x 2/3 = 2/12 c. 2/3 x 2/4 = 2/12

Study this region carefully. It shows




a. 
$$4/5 \times 1/3 = 2/15$$
  
b.  $1/3 \times 4/5 = 2/15$   
\*c.  $1/3 \times 4/5 = 4/15$ 

b. 
$$1/3 \times 4/5 = 2/15$$

Study this region carefully. It shows


1895



\*e. 
$$2/4 \times 1/3 = 2/12$$
  
b.  $1/3 \times 2/4 = 4/12$   
c.  $2/4 \times 1/3 = 12/12$ 

Study this region carefully. It shows


1896



a. 
$$3/4 \times 4/5 = 1/20$$
  
\*b.  $3/4 \times 4/5 = 12/20$   
c.  $4/5 \times 3/4 = 1/20$ 

Study this region carefully. It shows

1897




\*a. 1/3 x 1/6 = 10/18 b. 1/6 x 1/3 = 10/18 c. 1/6 x 1/3 = 1/18



Study this region carefully. It shows

1898




a.  $1/4 \times 1/2 = 3/8$ \*b.  $1/2 \times 1/4 = 1/8$ c.  $1/2 \times 1/4 = 3/8$ 

Study this region carefully. It shows

1899

a. 
$$1/3 \times 1/5 = 7/15$$
  
b.  $1/5 \times 1/3 = 8/15$   
\*c.  $1/3 \times 1/5 = 1/15$ 



Source:

Merrill, Discovering Math. 5, pp. 308-309 Addison-Wesley, Elementary Math. 5, pp. 286-287.

THE STUDENT WILL ANALYZE THE MULTIPLICATION OF A MIXED NUMBER BY A WHOLE NUMBER OPERATION BY IDENTIFYING THE ERROR IN COMPUTATION. 0246

Carefully examine the equation below. Circle the ERROR you find. 1900 5x (2 + 3/4) = N (5 x 2) + (2 x 3/4) = N

Parefully examine the problem below. Circle the ERROR you find.

1901

Carefully examine the equation below. Circle the ERROR you find.

1902

$$7 \times 3 \frac{1}{2} = N$$
  
 $(7 \times 3) + (7 \times 1/2) = N$   
 $21 + 7/2 = N$ 

c. 
$$7 \times 1/2$$

Carefully examine the equation below. Circle the MIROR you find.

1903

$$2 \frac{2}{3} \times 5 = N$$
  
 $(2 \times 5) + (2/3 \times 5) = N$   
 $7 + 3 \frac{1}{3} = N$ 

a. 
$$3\frac{1}{3}$$
 b.  $2/3 \times 5$ 

Carefully examine the problem below. Circle the ETROR you find. 8 3/4

Carefully examine the problem below. Circle the ERROR you find. 1905 3 4/7

a. 21 \*b. 49 c. 70

Carefully examine the equation below. Circle the ERROR you find. 1906

 $2 \times 5 \frac{3}{4} = N$   $(2 \times 5) + (2 \times 3/4) = N$   $10 + 2 \frac{1}{2} = N$  $12 \frac{1}{2} = N$ 

\*a. 2 1/2 b. 10 c. 2 x 5

Carefully examine the equation below. Circle the ERROR you find. 1907

 $4 \times 2 \cdot 3/5 = N$   $(4 \times 2) + (4 \times 3/5) = N$  $8 + 2 \cdot 2/5 = 16 \cdot 2/5$ 

a. 2 2/5 \*b. 16 2/5 c. 4 x 3/5

Carefully examine the problem below. Circle the ERROR you find. 1908

2 1/4 x9 18 2 1/2 20 1/2

.a. 18 \*b. 2 1/2 c. 20 1/2 Carefully examine the problem below. Circle the ERROR you find.

1909

- 55
- 45 b.
- 20

Merrill, Discovering Math. 5, p. 315. Source:

THE STUDENT WILL APPLY HIS KNOWLEDGE OF MULTIPLYING A MIXED NUMBER BY A MIXED NUMBER BY IDENTIFYING THE CORRECT PRODUCT.

0247

Compute the problem on paper. Circle the correct product.  $2 \frac{1}{2} \times 3 \frac{2}{3} = N$ 

1910

- 11
- c. 7

Compute the problem on paper. Circle the correct product.  $2 \frac{1}{4} \times 2 \frac{1}{3} = N$ 

1911

- 8 1/2 b.
- \*c. 5 1/4

Compute the problem on paper. Circle the correct product.  $3 \frac{1}{2} \times 1 \frac{1}{7} = N$ 

- \*a.
- 9 7 5/7

Compute the problem on paper. Circle the correct product. 1913  $52/3 \times 33/5 = N$ 39 1/220 2/5 38 1/4 Compute the problem on paper. Circle the correct product. 1914  $83/4 \times 31/5 = N$ a. 28 1/10 b. 24 3/10 \*c. 28 Compute the problem on paper. Circle the correct product. 1.915 3 3/7 x 4 2/3 = N \*a. 16 b. 28 c. 33 3/5 Compute the problem on paper. Circle the correct product. 1916  $2 \frac{4}{7} \times 4 \frac{2}{3} = N$ 9 a. \*b. 12 c. 4 2/7 Compute the problem on paper. Circle the correct product. 1917  $4 \frac{1}{6} \times 4 \frac{4}{5} = N$ a. 4 1/15 b. 16 2/3

\*c.

Compute the problem on paper. Circle the correct product.  $33/8 \times 35/9 = N$ 

1918

Compute the problem on paper. Circle the correct product. 5 1/6 x 2 2/5

1919

Source: Merrill, Discovering Math. 5, p. 316.

THE STUDENT WILL DEMONSTRATE HIS UNDERSTANDING OF THE MULTIPLICATION OF FRACTIONAL NUMBERS BY CORRECTLY IDENTIFYING THE PRODUCT IN GIVEN

0252

$$3x \frac{5}{4} = \frac{3 \times 5}{4 \times 7} = N$$
. "N" is

1920

$$a, \frac{8}{36}$$

EQUATIONS.

$$\frac{5}{6} \times \frac{3}{4} = \frac{5}{6} \times \frac{3}{4} = \text{N.}$$
 "N" is

b. 
$$\frac{8}{27}$$

$$\frac{2}{3} \times \frac{3}{5} = \frac{2 \times 3}{3 \times 5} = \text{N.}$$
 "N" is

$$5 \times 3 \times 5 \times 3 = N$$
, "N" is  $9 \times 10 \times 10$ 

$$\frac{3 \times 1}{8 \times 6} = \frac{3 \times 1}{8 \times 6} = N.$$
 "N" is

$$\frac{1}{9} \times \frac{6}{7} = \frac{1 \times 6}{9 \times 7} = N.$$
 "N" is

4.00

$$\frac{7}{10} \times \frac{3}{5} = \frac{7 \times 3}{10 \times 6} = N.$$
 "N" is

\*a. 
$$\frac{21}{50}$$
b.  $\frac{10}{15}$ 
c.  $\frac{10}{50}$ 

b. 
$$\frac{10}{15}$$

$$\frac{3}{2} \times \frac{1}{6} = \frac{3}{8} \times \frac{1}{8} = 3.$$
 "3" is

\*c. 
$$\frac{12}{3}$$

$$\frac{5}{8} \times \frac{2}{3} = \frac{5}{8} \times \frac{2}{3} = \text{N.}$$
 "N" is

$$c. \frac{7}{11}$$

$$\frac{5}{3} \times \frac{4}{5} = \frac{5 \times 4}{3 \times 5} = N.$$
 "N" is

Source: Harcourt, Brace, Elementary Math. 5, p. 298.

THE STUDENT WILL APPLY HIS KNOWLEDGE OF THE MULTIPLICATION OF FRACTIONS BY IDENTIFYING THE CORRECT PRODUCT OF TWO RATIONAL FACTORS.

0253

In the fraction  $\frac{2}{3} \times \frac{1}{4} = N$ , "N" is NOT

1930

a. 
$$\frac{2}{12}$$

\*b.

In the fraction  $5 \times 3 = N$ , "N" is NOT

1931

b.

In the fraction  $\frac{2}{5} \times \frac{3}{4} = N$ , "N" is NOT

1932

In the fraction  $\frac{5}{9} \times \frac{6}{7} = N$ , "N" is NOT

1933

\*c.

In the fraction  $\frac{3}{4} \times \frac{2}{3} = N$ , "N" is NOT

1934

$$b_{\bullet} = \frac{1}{2}$$

In the fraction  $\frac{3}{4} \times \frac{2}{5} = N$ , "N" is NOT

1935

a. 
$$\frac{3}{10}$$

In the fraction  $\frac{4}{5} \times \frac{1}{4} = N$ , "N" is NOT

1936

In the fraction  $\frac{1}{8} \times \frac{2}{3} = N$ , "N" is NOT

In the fraction  $\frac{5}{9} \times \frac{3}{10} = N$ , "N" is NOT

1938

8. 1/5 \*b. 8/90 c. 15

In the fraction  $\frac{3}{6} \times \frac{1}{6} = N$ , "N" is NOT

1939

Source: Merrill, Discovering Math. 5. p. 309

FULTIPLICATION AND DIVISION OF FRACTIONS



THE STUDENT WILL VIEW THE RELATIONSHIP BETWEEN MULTIPLICATION OF FRACTIONS AND DIVISION OF FRACTIONS BY IDENTIFYING THE CORRECTLY FORMULATED EQUATION.

0249

If  $1/2 \times 1/4 = 1/8$ , then  $1/8 \stackrel{?}{=} 1/4 = N$ 

1940

a. 1/8 b. 1/4 \*c. 1/2

If  $1/2 \times 1/4 = 1/8$ , then 1/8 = 1/2 =

1941

If  $3/8 \times 2/3 = 6/24$ , then  $6/24 \div 2/3 =$ 

1942

If  $1/8 \times 5/6 = 5/48$ , then  $5/48 \div 1/8 =$ 

1943

If  $7/10 \times 1/2 = 7/20$ , then 7/20 = 1/2 =

1944

7/10

If  $1/10 \times 3/4 = 3/40$ , then  $3/40 \div 1/10 =$ 

1945

a. 1/10

b. 1/40 \*c. 3/4

If  $7/12 \times 1/3 = 7/36$ , then  $7/36 \div 1/3 =$ 

1946

If  $5/8 \times 4/7 = 20/56$ , then  $20/56 \div 5/8 =$ 

1947

a. 10/5 b. 1/8 \*c. 4/7

If  $3/4 \times 2/3 = 6/12$ , then  $6/12 \div 2/3 =$ 

1948

a. 1/2 \*b. 3/4 c. 2/3

If  $3/5 \times 1/2 = 3/10$ , then  $3/10 \div 1/2 =$ 

1949

Source:

Addison-Wesley, Elementary School Math. 5, p. 294

THE STUDENT WILL APPLY HIS KNOWLEDGE OF DIVISION AS THE INVERSE OF MULTIPLICATION TO AID HIM IN DIVIDING A FRACTION BY A FRACTION, BY IDENTIFYING THE CORRECT QUOTIENT.

Remember that  $9/16 + 3/4 = \frac{2}{3} \times 3/4 = 9/16$ . Keeping this in mind, identify the correct quotient for the Directions: following division problems.

$$4/12 \div 2/3 = N.$$
 "N" is

$$9/18 \div 3/9 = N.$$
 "N" is

$$54/100 + 6/10 = N.$$
 "N" is

$$72/4 \div 12/2 = N.$$
 "N" is

$$60/33 \div 6/3 = N.$$
 "N" is

$$15/54 \div 5/6 = N.$$
 "N" is



 $100/46 \div 10/2 = N_*$  "N" is

1956

a. 90/46 b. 90/23 \*c. 10/23

 $56/60 \div 28/15 = N.$  "N" is

1957

a. 3/4 \*b. 2/4 c. 2/6

 $49/35 \div 7/7 = N.$  "N" is

1958

\*a. 7/5 b. 7/35 c. 49/7

 $45/15 \div 9/3 = N.$  "N" is

1959

a. 4/3 b. 9/1: \*c. 5/5

Source: SRA Greater Cleveland Math. Program 5. p. 67.

PERCENT

GIVEN A CHART THE STUDENT WILL APPLY HIS KNOWLEDGE OF FINDING PERCENT BY SOLVING SUCH PROBLEMS.

01.84

Directions:

Use the information on the chart to compute the percentage. Circle the correct answer.

	Salary	Food	Saves	Miscellaneous
Jane	\$50	\$10	\$20	<b>\$</b> 20
Sally	<b>\$</b> 45	<b>\$</b> 10	\$20	<b>\$</b> 15
Mark	<b>\$</b> 55	<b>\$1</b> 5	<b>\$</b> 30	\$10
Tom	<b>\$40</b>	<b>\$</b> 8	\$20	<b>\$</b> 12

What percent does Jane save?

1960

- a. 50
- 30 b.
- 25
- \*d. 40

What percent does Tom save?

1961

- 50 **\***a.
- 30 b.
- c. 25

What percent does Mark spend on food?

- 17 2/3
- \*b. 27 3/11 c. 25 17/55 d. 30 11/12

What percent does Sally spend on miscellaneous?

1963

33 1/3 16 2/3

b.

C. 45 50

What percent does Jane spend on food?

1964

30

25 b.

20 #c.

45

What percent does Mark save?

1965

54 6/11

17 2/3 30 3/13 18 2/11 C.

What percent does Sally spend on food?

1966

33 1/3 44 3/4 16 1/2 22 2/9 a.

.p.

C. \*d.

What percent does Tom save?

1967

12 1/2 a.

40  $\cdot b_{\bullet}$ 

\*c.

50 16 2/3 · d.

Sally's salary is what percent of Jane's?

1968

- 60% a.
- 95% b.
- 80% c.
- 90% \*d.

Tom's salary is what percent of Mark's?

1.969

- 66.2/3a.
- 87 1/2 b•
- 74 8/11 C.
- 72 8/11 \*d.

GIVEN SEVERAL WORD PROBLEMS THE STUDENT WILL DEMONSTRATE HIS KNOWLEDIE OF WRITING AN EQUATION TO SOLVE PERCENT PROBLEMS BY CHOOSING AN APPLICABLE EQUATION FROM A LIST.

0180

Choose an equation that would apply to the word Directions: problem.

25% of what number is 8.

1970

- a.  $N \times 8 = 25\%$
- b. 8 = 25% + N c. 8 = N + 25%
- \*d. 25 x N = 8

What percent of 25 is 5?

1.971

- a.  $N \times 5 = 25$
- \*b.  $5 = 25 \times N$
- c. n = 25 + 5
- d.  $N \times 5 = 25$



10% of what number is 15?

1972

\*a. 
$$10\% \times N = 15$$

b. 
$$N \times 15 = 10\%$$

c. 
$$10\% \times 15 = N$$

d. 
$$15 \div N = 10\%$$

7 1/2 is 50% of what number?

1973

a. 
$$N = 50\% + 7 \frac{1}{2}$$
  
\*b.  $7 \frac{1}{2} = 50\% \times N$ 

\*b. 
$$7 \frac{1}{2} = 50\% \times N$$

c. 
$$50\% \times 7 1/2 = N$$

6 is what percent of 16?

1974

a. 
$$N + 6 = 16$$

b. 
$$16 = N \times 6$$

\*c. 
$$6 = N \times 16$$

d. 
$$16 + 6 = N$$

Kay had \$20. She spent \$2.50. What percent of her money did she spend?

1975

1976

a. 
$$$20 + $2.50 = N$$

b. 
$$N + $2.50 = $20.00$$

c. 
$$$2.50 \times $20.00 = N$$

\*d. \$20.00 
$$\times$$
 N = \$2.50

Jane bought a mini skirt. It was on sale for \$9. She received a 25% discount. What was the original price?

a. 
$$N = 9 \times 25\%$$

b. 
$$25\% = 9 \times N$$

\*c. 
$$25\% \times N = $9$$

d. 
$$9 \times 25\% = N$$

John lost 5 marbles. He now has 80% of his original number. How 1977 many did he have before he lost any?

 $*a. 5 = 80% \times N$ 

b. N = 80% x 5 c. 80% = 5 x N d. 80% = N + 5

Source: Addison-Wesley. ARITHMETIC APPLICATIONS

APPLICATIONS OF WHOLE NUMBERS



THE STUDENT WILL ANALYZE NUMERICAL EQUATIONS BY SELECTING THE SIGN THAT WILL NOT WORK IN A GIVEN EQUATION.

0124

Directions: Given an incomplete equation choose the sign that would not make it true.

X = 5 = 15, if X is larger than 5:

1980

a.

b. -\*c. X

d. ÷

y = 1 = 6, if y is 6 or larger:

1981.

\*a. +

b. -

c. x

d. -

27 = 3 = 2, if Z is less than 27:

1982

\*a.

b. -

C. X

d. 🍳

150 \_\_\_\_ 10 = S, if S is more than a two digit number:

1983

: ~

a. .

b. -

C. X

\*d. 💠

49 t = 7, if t is a positive number.

\*a. +

b. -

c. x

1000 \_\_\_\_ 10 =  $r_*$  if r uses only the digits 0 and 1 1985

1984

8. +

\*b. -

c. x d. :

1986 n--n = r, if r is not a place holder.

8.

\*b.

C. X

d. ÷

0024 THE STUDENT CAN DEMONSTRATE UNDERSTANDING OF PUNCTUATION MARKS BY USING THEM CORRECTLY IN MATHEMATICS.

Simplify  $(6 \times 8) - (3 \times 2)$ 1987

\*a. 42 b. 60

c. 90 d. 12

Simplify  $(80 \div 8) - (4 \div 2)$ 1988

a. 3 \*b. 8

c. 20 d. 40

THE STUDENT KNOWS THE DIFFERENCE BETWEEN THE TYPES OF NUMBER SENTENCES - OPEN, CLOSED, TRUE OR FALSE CLOSED SENTENCES AND THE FUNCTIONS OF THESE SENTENCES BY INDICATING THE TYPE A GIVEN SENTENCE REPRESENTS.

0042

6 = n = 9 is an open sentence because n:

1989

- s. has no value
- b. has different values
- c. tells you nothing
- \*d. is a placeholder for a number solution

We cannot tell if n = 15 + 4 is true or false because:

1990

- the solution of 15 + 4 is unknown
- ₩b. it is an open sentence
- it is a closed sentence
- the number for n is the solution

The symbol > would be correct for:

1991

- a, 3 4 6
- 9 bo 5 + 4
- #c. 9 4+4

1992

- There are more objects in set A than in Set B: This is shown by:
  - b. N(A) = N(B)b.  $N(A) \leq N(B)$ c.  $N(A) \approx N(B)$

  - #d. N (A) > N (B)

The set of positive integers for n < 4 are:

1993

- #a. {0, 1, 2, 3}
- b. \$5, 6, 7, 8 .... 3
- c. {0, 1, 2, 3, 43
- d. {4, 5, 6, 75
- e. 10, 1, 2, 3, 4 ... }

The set of integers for n > 4 and n < 11 are:

1994

Directions: The universal set for each inequality is 0, 1, 2, 3,...

Match each pair of number sentences with its solution

b	n > 8 and $n < 12$	a. {12}	1995
e	n > 5 and n < 9	b. {9, 10, 11 } c. {5, 6, 7, 8 } d. {6, 7 }	1996
_a_	n < 13 and $n > 11$	e. \(\frac{7}{6}\), \(7\), \(8\),	1997
d	$\dot{n} > 5$ and $\dot{n} < 8$		1998

The one statement that is true is

1999

c. 
$$63 \div 9 = 3 \times 3$$

$$d_{\bullet} = 6 \times 8 < 9 \times 5$$

$$e \cdot 13 - 8 = 3 + 1$$

The false statement is

2000

2001

a. 
$$16 - 7 \neq 3 + 5$$

b. 
$$9 > 2 + 5$$

$$*c. 5x4 = 3x6$$

$$d \cdot 14 = 4 + 10$$

The inequality is 6 + n = 14. The solution of n could <u>not</u> be any numbers

- a. less than eight
- b. more than eight
- \*c. equal to eight
- t

Given these digits and signs 2,3,8,9,12,+,-,=, the proper equation would be

2002

$$a. 2 + 3 + 8 - 9 = 12$$

\*b. 
$$9 + 8 - 3 - 2 = 12$$

c. 
$$2+9-3+12=8$$

d. 
$$9+3-8-2=12$$

e. 
$$9+8+2-12=3$$

THE STUDENT CAN DEMONSTRATE UNDERSTANDING OF NUMBER SENTENCES BY CHOOSING A NUMBER SENTENCE WHICH BEST EXPRESSES A RELATIONSHIP EXPRESSED VERBALLY.

0055

Jim had 3 bags with 3 rolls in each. Sue had 4 bags with 6 rolls in each. Which number sentence expresses the number of rolls (n) they had altogether?

2003

\*a. 
$$(3 \times 3) + (4 \times 6) = n$$

b. 
$$6 + 10 = n$$
  
c.  $6 \times 10 = n$ 

c. 
$$6 \times 10 = n$$

d. 
$$(3+3)+(4+6)=n$$

2004

2005

The brown hen laid 3 dozen eggs last month. The white hen laid 4 dozen eggs in the same period. Which number sentence best expresses the number of eggs both hens laid?

\*b. 
$$(3 \times 12) + (4 \times 12)$$

Mary like the crayons with 16 colors per box. She bought 6 boxes for party favors. Her mother bought 2 boxes with 64 crayons for prizes. The number of crayons they bought is expressed as a number sentence in which of the following?

\*a. 
$$(6 \times 16) + (2 \times 64) = n$$

b. 
$$n = 8 \times (16 + 64)$$

c. 
$$(16 \times 6) \times (64 \times 2) = n$$

d. 
$$(64 + 64) + (16 + 6) = n$$

Solve for the unknown

2010

$$(3 \cdot 15) + (28 - 13) \times 2 = n$$

a. 6

b. 12

c. 10

20 \*d.

The answer to

2011

$$\frac{(6 \cdot 120)(3 \times 0)}{(43 - 23)} \quad 4 = n$$

\*a. ()

b. 62 c. 66 d. 216

GIVEN A PROBLEM SITUATION THE CHILD WILL IDENTIFY THE CENTRAL PROBLEM FROM A LIST OF ALTERNATIVES.

0091

Read the information supplied and choose the sentence Directions: that best states the problem to be solved.

10 children, 8 are girls.

2012

a. How many children in all?

b. How many girls?

\*c. How many boys?

Hiked 6 miles this morning, 5 miles this afternoon.

2013

a. Will hike how far tomorrow?
\*b. How many miles hiked today?

c. How many hours spent hiking?

THE STUDENT CAN APPLY HIS ABILITY TO COMPUTE IN THE 4 BASIC PRO-CESSES TO SOLVE PROBLEMS THAT INVOLVE COMBINATIONS OF THESE PROCESSES.

0072

Compute and solve for n (8 x 7) - (9 x 4) = n

2006

- \*a. 20 b. 24

  - c. 82
  - d. 92

Find the value of x  $x = 9 \times 8 \times 4$ 

2007

- a. 12
- 72
- 144
  - 288

2008

Work carefully to solve for n

$$(5 + 7(6 \times 3) = r$$

- a. 9
- b. 30
- \*c. 36
- d. 216

The "General Sherman" tree contains enough wood to build 35 small 5 room houses. Lumber company has 24 such trees.

2014

- a. How many rooms can be built?
- \*b. How many houses can be built?
- c. How many more houses than trees?

Dan bought a baseball glove for \$14.95 and a football for \$5.00. He received 5¢ in change.

2015

- a. How much did he spend?
- b. How much more did he pay for the glove than the football?
- \*c. How much money did he start with?

Jan is 3834 days old. Fran is 4015 days old. Nan is 3923 days old.

2016

0131

- a. Who is the oldest of the three?
- b. How much older than Jan and Nan is Fran?
- \*c. What is the average age of Jan, Fran and Nan?

Source: Addison-Wesley, Bk. 5, pp. 46, 79, 93, 111, 213

THE STUDENT WILL DEMONSTRATE HIS KNOWLEDGE OF THE BASIC MATH TERMS BY MATCHING THE TERM WITH ITS DEFINITION

Directions: Circle the alternative that answers each question.

In which of the following equations is the numeral 6 an addend? 2017

- a.  $5 \times 6 = 30$
- b.  $72 \div 6 = 12$ c. 98 6 = 92
- \*d. 85 + 6 = 91



In which of the following equations is the numeral 6 a factor?

2018

\*a. 
$$5 \times 6 = 30$$

b. 
$$72 \div 6 = 12$$

c. 
$$98 - 6 = 92$$

d. 
$$85 + 6 = 91$$

In which of the following equations is the numeral 36 a sum?

2019

a. 
$$36 \div 1 = 36$$

b. 
$$46 - 10 = 36$$

$$c. 6 \times 6 = 36$$

\*d. 
$$14 + 12 = 36$$

In which of the following equations is the numeral 36 a product?

2020

b. 
$$46 - 10 = 36$$

$$*c. 6 \times 6 = 36$$

$$d. 14 + 12 = 36$$

In which of the following equations is the numeral 36 a difference?

a. 
$$36 \div 1 = 36$$

\*b. 
$$46 - 10 = 36$$

$$c. 6 \times 6 = 36$$

d. 
$$14 + 12 = 36$$

GIVEN A VARIETY OF WORD PROBLEMS THE STUDENT WILL DEMONSTRATE HIS ABILITY TO EMPLOY THE CORRECT PROCESS BY SELECTING FROM A LIST THE PROCESS NECESSARY TO SOLVE THE PROBLEM.

0169

2021

Directions: Choose the process necessary to compute the problems.

spent dollars. How much did each boy spend?	2022
<pre>a. add b. subtract c. multiply *d. divide</pre>	
Jack spent at one store. He went to another store and spent more. How much did Jack spend in all?	2023
*a. add b. subtract c. multiply d. divide	
Mary wanted a new sweater. She had dollars but the sweater was How much more money did she need?	2024
a. add *b. subtract c. multiply d. divide	
Jack, Tim, and Larry each had They wanted to buy a ball and bat which was more; than they had all together. How much did the bat and ball cost?	2025
*a. add b. subtract c. multiply d. divide	
If the length is and the width is, what is the area?	2026
a. add b. subtract *c. multiply d. divide	

Susan and Mary were playing a game in which red sticks were worth points. Mary won by points. How many more red sticks did Mary have?	2027
s. add b. subtract	
c. multiply *d. divide	
Twenty boys went to a baseball game. Each boy gave the leader an average of, for expenses. How much money was the leader holding?	2028
a. add	
b. subtract	
*c. multiply d. divide	
	2000
The length of the rectangle is The width is What is the perimeter?	2029
*a. edd	
b. subtract	
c. multiply d. divide	
•	
Jane ran the 50 yd. dash in Sharon ran it in How much faster did Sharon run?	2030
8. add	
*b. subtract	
c. multiply d. divide	
A of pencils cost How much does one pencil cost?	2031
a. add	
b. subtract	
c. multiply *d. divide	

APPLICATIONS OF FRACTIONS

GIVEN A LIST OF FRACTION PAIRS, THE STUDENT WILL APPLY HIS KNOW-LEDGE OF THE CROSS MULTIPLICATION METHOD TO SELECT THE PAIR WHICH IS EQUIVALENT.

0152

Directions: Use the cross multiplication method to find the pair of equivalent fractions.

2032

$$6/8 = 10/12$$

c. 
$$2/3 = 4/5$$

d. 
$$1/3 = 2/3$$

2033

a. 
$$5/6 = 6/5$$

2034

a. 
$$1/4 = 3/8$$

b. 
$$2/5 = 6/16$$

2035

b. 
$$1/2 = 2/2$$

$$d \cdot 1/4 = 6/16$$

$$a. 5/9 = 10/20$$

2036

a. 
$$1/3 = 6/9$$

a. 
$$1/3 = 6/9$$
  
b.  $1/2 = 14/18$ 

THE STUDENT WILL DEMONSTRATE HIS COMPREHENSION OF EQUIVALENT FRACTIONS, DETERMINED BY CROSS MULTIPLICATION, BY IDENTIFYING MISSING FACTORS IN GIVEN RATIOS. 0251

Directions:

Using a cross multiplication equation, determine which number below each ratio is equal to the unknown factor. (N).

5/8 = N/32"N" is 2038

\*a. 20

15 b.

4

3/4 = 9/N"N" is

2039

27 36 12

2040

2/3 = N/18"N" is

> 9 a.

6 b.

\*c. 12

3/5 = N/25

"N" is

"N" is

2041

15 \*b. C.

1/3 = N/27

2042

b.

3 c.

7/8 = N/64 "N" is

a. 8
b. 54
\*c. 56

8/9 = 56/N "N" is 2044 a. 7 \*b. 63 c. 54

5/6 = 45/N "N" is . 2045

a. 9

\*b. 54

c. 56

2/7 = 18/N "N" is 2046

a. 36
b. 14
\*c. 63

6/7 = 36/N "N" is 2047

\*a. 42
b. 36
c. 45

Source: Merrill, Discovering Math. 5, p. 300.

THE STUDENT WILL APPLY HIS KNOWLEDGE OF THE MULTIPLICATION OF FRACTIONS IN EVERY DAY PROBLEMS BY IDENTIFYING THE CORRECT ANSWER TO A GIVEN PROBLEM.

Harvey needs 1 2/3 yds. of wire screening to cover each window in his clubhouse. If the clubhouse has 4 windows, how many yards of screening does he need?

2048

- a. 6 1/3 yds.
- b. 10 yds.
- \*c. 6 2/3 yds.

If frozen dog food costs 40g a pound, how much will 6 3/8 pounds cost?

2049

- #a. \$2.55
- b. \$2.30
- c. \$6.80

A jet airliner is traveling at an average speed of 480 miles per 2050 hr. At this rate, how far will the airliner travel in 4 4/5 hours?

- 576 mi. a.
- b. 2284 mi.
- \*c. 2304 mi.

How far will an airliner travel in 4.4/5 hours if its average speed 2051 is 520 miles per hour?

- \*a. 2496 mi.
- n. 624 mi.
- c. 3120 mi.

There was 3/4 of a chocolate pie in the refrigerator. Bill ate 2/3 2052 of what was there. How much of the whole pie did Bill eat?

A recipe calls for 3/4 cup of butter. If you make only 1/2 of the recipe, how much butter do you need?

2053

- a. 1/2 cup b. 1/3 cup \*c. 3/8 cup

John lives 5/8 of a mile from school. One morning his dog followed 2054 him 2/3 of the way to school before John sent him home. How far did John's dog follow him?

- a. 5/6 b. 7/24 \*c. 5/12 of a mile

For a meat loaf, Mrs. Hunt bought 2 3/4 pounds of ground meat at 2055 64 cents a pound. How much did the meat cost?

- \*a. \$1.76
- b. \$1,26
- **\$**5.03

It took Tom 1 3/4 hours to mow the grass. His father paid him 2056 40 cents an hour. How much money did Tom earn?

- \$.80 g.
- \*b. \$.70
- \$ . 23

Sally bought a piece of cheese that weighed 2 1/2 pounds. At 72 2057 cents a pound, how much did Sally pay for the cheese?

- \$1.75 aß.
- b. \$1.44
- #c. \$1,60

Discovering Meth. 5. Merrill, p. 317. Elementary Math. 5. Harcourt -Brace, p. 304. Source: Greater Clevel and Math. Program 5, SRA, pp. 50,51,52. THE STUDENT WILL DEMONSTRATE HIS KNOWLEDGE OF PROCESS INVOLVED IN COMPUTING FRACTIONS BY ANALYZING EQUATIONS AND SELECTING THE PROCESS WHICH WOULD MAKE IT A TRUE EQUATION.

0177

Directions: Select the process which would be necessary to make a true equation.

$$\frac{4}{5} \quad \boxed{\qquad} \quad \frac{2}{3} = \frac{2}{15}$$

2058

a. add

\*b. subtract

c. multiply

d. di.vide

$$\frac{3}{4}$$
  $\frac{1}{6}$  =  $\frac{11}{12}$ 

2059

\*a. add

b. subtract

c. multiply

d. divide

2060

a. add

b. subtract

\*c. multiply

d. divide

$$4 \frac{2}{3} = 5 \frac{3}{5}$$

2061

a. add

b. subtract

c. multiply

\*d. divide

2062

\*a. add

b. subtract

c. multiply

d. divide

2063

$$\frac{2}{3} \left[ \frac{3}{2} \right]^{\frac{3}{2}} = 1$$

add a.

subtract b.

multiply ₩C.

divide d.

2064

adû

subtrect b.

multiply C.

divide \*d.

add 8.

subtract #b.

multiply C.

divide d.

2065

bba 80

subtract od.

multiply #C.

divide đ.

436

142

 $1 \frac{5}{7} = \frac{2}{4} = \frac{2}{2} \frac{7}{7}$ 

2057

- add
- subtract
- multiply
- divide

THE STUDENT WILL DEMONSTRATE HIS KNOWLEDGE OF FRACTIONS BY SOLV-ING WORD PROBLEMS.

0104

Directions: Read the problems and select the correct answer.

Red Sox 7, White Sox 5. What fraction of the runs did the White Sox score?

2068

What fraction of the runs did the Red Sox score?

2069

20 children. 15 are boys. What fraction are boys?

2070

What fraction are girls?

2073.

- a. 1/5
- b. 1/6
- \*c. 1/4 d. 1/3

Climb up 9/10 of the way. How far? 2073 \*B\* 9 feet b. 6 feet c. 10 feet d. 1 foot Climb up f of the way. How far? 2074 a. 1 foot b. 2 feet \*c. 5 feet d. 7 feet 2075 Climb up 2/5 of the way. How far? a. 2 feet b. 5 feet \*c. 4 feet d. 7 feet Source: Addison-Wesley, Bk. 5, p. 213. 0105 THE STUDENT WILL DISPLAY HIS ABILITY TO DISTINGUISH BETWEEN FACTS THAT ARE RELEVANT AND FACTS THAT ARE NOT RELEVANT IN THE SOLVING OF FRACTION WORD PROBLEMS. below each problem several phrases are presented. If Directions: the information given in the phrase is relevant to the

problem solving cross out the R; if the information given in the phrase is non-relevant to the problem

438 144

solving cross out the N.

10-foot rope. Climb up 6 feet. How far?

8.

ò.

3/6

Jack and Ann left at 9:00 a.m. on an 8 hour bicycle ride. They averaged 10 miles per hour. For every 60 minutes they rode they rested for 5 minutes.

## What fraction of each hour is rest time?

R	M	time they left	2076						
R	M	rate per hour							
R	×	number of hours ridden							
Ĭţ.	N	minutes per hour							
pl	N	rested for 5 minutes							
		What fraction of an hour is the total rest time?	•						
R	M	time they left	2081						
R	×	rate per hour	2082						
玖	N	number of hours ridden							
Þζ	N	minutes per hour							
Þ/.	N	rested for 5 minutes	2085						
		7 year old camel weighs 1000 lbs. A 10 year old moose ighs 900 lbs.  What fraction of a ton does the camel weigh?							
R	Ŋ	age of camel	2086						
βζ	n N	weight of camel	2087						
y. R	Þ		2088						
		age of moose							
R	İĄ	weight of moose	2089						

## What fraction of the two animals weight does the camel weigh?

R	Ŋ	age of camel	2090
	•	weight of camel	2091
ħ.	N	MetRur or camer	2092
R	'n	age of moose	
p/	N	weight of moose	2093
		••••	
		What fraction of their total age is the age of the moose?	
pt	N	age of camel	2094
<i>,</i> ,.			2095
R	M	weight of camel	2096
p/	N	age of moose	
R.	Ŋ	weight of moose	2097

Source: Addison-Wesley, Bk.5, p. 213, 230.

MFA SUREMENT



LENGTH, AREA AND VOLUME



THE STUDENT WILL DEMONSTRATE HIS UNDERSTANDING OF BASIC GEOMETRIC MEASUREMENT FORMULAS BY ANALYZING GIVEN DATA AND SELECTING THE ALTERNATIVE THAT PROVIDES ENOUGH INFORMATION TO SOLVE THE PROBLEM.

0141

Directions: Given the data below, select the one which provides enough information to solve the problem.

Find: Volume of a swimming pool

2098

- a. The maximum number of people the pool holds is 15.
- b. The pool is 20 feet long and 8 feet wide.
- c. Every two hours 30 gallons of water is filtered.
- \*d. The pool is 10 feet deep and has an area of 120 square feet.

Find: The perimeter of a parking lot

2099

- a. 12 gallons of white paint were used to paint on the parking guide lines.
- b. The area of the parking lot is 800 square feet.
- \*c. The parking lot is square in shape with each side 20 feet long.
- d. The parking lot is rectangular in shape; it is 20 feet long.

Find the area of the stage on which Simon and Garfunkle perform.

2100

- a. The stage is 5 feet high and canhold 1600 pounds.
- \* b. The stage is 45 feet long and 20 feet wide.
  - c. The perimeter of the stage is 1.70 feet.
  - d. The volume is 560 cubic feet.

THE STUDENT WILL SHOW ABILITY TO FIND AREA, PERIMETER, AND VOLUME BY COMPUTING SEVERAL OF THESE MEASURES.

0181

Directions: Compute the following equations and select the answer.

Find the area of a rectangle whose dimensions are L = 64 and 2101 W = 12.

- 252 8.
- 91 b.
- 3940
- 768 \*d.

Find the perimeter of a square whose length is 18.

2102

- 304 a.
- 36 b.
- 72 \*c.
- d. 27

Find the volume if the length is 12, the width is 8 and the height is 4.

2103

- 384 #a.
- 24 b.
- 144 C.
- 100

Find the volume if the length, width and height is 100.

2104

- 100,000 8.
- 10,000 b.
- 1,000,000 \*c.
- 1,000 d.

Find the area of a square whose length is 33.

- 1089
- 1099 C.
- 132 d.

Find the area of a triangle with a base of 48 and a height of 9. 2106

a. 114
\*b. 216
c. 214

Find the perimeter of a desk whose length is 42 and whose width is 36.

a. 1512b. 756

108

d.

c. 422

\*d. 156

Find the volume of an object whose dimensions are 6 by 8 by 2. 2108

a. 32

b. 48

\*c. 96

d. 106

Find the perimeter of an object whose dimensions are 10 x 24. 2109

\*a. 68

b. 86

c. 240

d. 480



MAPS




GIVEN A GRAPH RESEMBLING CITY BLOCKS WITH ALL ONE-WAY STREETS, THE STUDENT WILL ANALYZE THE GRAPH TO FIND THE LEAST NUMBER OF BLOCKS IT WOULD TAKE TO GO FROM ONE POINT TO ANOTHER.

0154

Directions:

Given a graph of city blocks with all one way streets, find the least number of blocks (1 block is moving from intersection to intersection) it would take to move from one point to another.



(-2,-2) to (0,1)

2110

a. 9 \*b. 7

c. 5

d. 12

(-3,2) to (2,-1)

2111

a. 12

h.

\*c. 10

d. 15

(-1,0) to (2,2)

2112

2113

- 7 8
- b.
- 6 C.
- d. 10

The least amount of moves from (-4,-3) to (1,2) is 10. How many different ways could achieve the same number of moves.

- b.
- \*c.
- 3 5 6 d.

BILLS AND COINS



THE STUDENT DEMONSTRATES KNOWLEDGE OF THE VALUES OF BILLS AND COINS IN DAILY USE TODAY BY MATCHING COIN VALUES AND SOLVING ADDITION OR SUBTRACTION PROBLEMS INVOLVING MONEY.

0060

2120

When you pay for an item in a store you have several ways of putting the proper coins together. Match the total price in column 1 with the proper coins in column II.

	Colu	mn I						Col	umn II	
d b a c	33¢ 47¢ 17¢ 27¢							a. c. d. e.	2 dimes, 2 nickels, 3 pennies	2114 s 2115 2116 2117
The	a. b.	value 56g 1.06g 69g 64g	of	4 pent	nies,	1 1	nickel	., 1	dime, 2 quarters is	2118
The	8. b.	value \$1.03 \$1.53 \$1.33 \$1.83	of	3 peni	nies,	3 (	dimes,	, 3	half dollars is	2119
The	total	value	in	cents	for	2 p	enni <b>e</b> :	9, 3	3 nickels, 3 dimes, 1	03.00

\*a. 147¢

dollar is

b. 135¢

c. \$1.42

d. \$1.37

e. \$1.47



2121 The total value of 3 pennies, 8 dimes, 3 ene-dollar bills, 1 five dollar bill is \$4.83 8. \$5.38 b. c. \$8.3E ۴d. \$8.83 Express the sum of 87%, 16% and 3% in dollars and cents 2122 a. 106 cents b. One dollar sixteen cents \*c. \$1.03 d. one hundred three cents Express the sum of 17¢, 243¢, 28¢ in dollars and cents 2123 288¢ 8. b. 2.88¢ c. 2 hundred 88 cents d. \$2.88 \$3.21. 2124 #Q. The sum of \$1.43 2.23 •16 b, 3.01. .35 Ca .22 2.01 2125 The cash register records those sales, \$ .16 The sum is •09 1.52 \$6.66 4.29 #b. 86.74 .39 \$6.68 C. .29 36.64

Solve 84.21 2126 - 2.17 **§21**4 . 8. \$204 b. \$2.04 \*Cc \$2.14 Solvo \$17.16 2127 - 5.98 #8. 211.13 \$12.28 b \$23.14 C. \$22.04 2128 Mary was going to buy searthing at the toy store. Mary had 55.10 What is the most number of different items she could buy at these prices? ţ; Beach balls 296 Balloons 25g per package Dolla \$3.95 Stuffed toys \$3.00 Doll Clothes 793 Jump rope 19s SAND RADIOSO Games \$1.95 ÷ Coloring Books 17¢ Crayons 10¢ 삯 # ₩ ¥ 4

> t. 3 b. 5 c. 7 d. 9

ERIC

法法律的证证的数据的数据数据数据数据

STATISTICS

THE STUDEN'T DEMONSTRATES KNOWLEDGE OF THE CONCEPT AVERAGE BY CAL-0062 CULATING AVERAGES OR CARDINAL NUMBERS FROM GIVEN INFORMATION. Set  $A = \{2,4,6,8,10\}$ The average of the numbers in Set A is 2129 30 a. 15 b. 12 C. \*d. 6 Set B =  $\{364, 487, 563, 718\}$ The average of the numbers in Set B is 2130 2132 500 b. 1066 · C. \*d∙ 533 {2, 4, 6, 7, 6, 9}
The average of the set of numbers is 2131 36 12 b. 18 C. \*d. 6 From ste 6 cookies. Mary ste 5 cookies and Sue ate 7 cookies. 2132 The average number eaten was

a. ⇔b.

C.

6

The baseball team kept this record of its hits.

2137

Game	Hits
1.	4
2	10
3	6
4	3
5	0
6	1

The average number of hits for the games recorded is

- a,
- \*b. 4
  - c. 6
  - d. 12
  - e. 24

2134 Mr. Brown drove 1027 miles in a week. The average number of miles driven each day was

- 3. 309
- 261 ₩b.
- 26 C.
- d. 903

Incre are 6 girls in the Dlue Patrol. They sell an average of 12 2135 , boxes each during the candy sale. How many boxes were sold?

- 2
- b. 18
- 36 Cu
- 72 #d.

The Thomas family drove an average of 225 miles each day of their 2106 15 day vacation. How many miles did they drive?

- 3375 75 \*a.
- b.
- 3500 С.
- d, 15

THE STUDENT DEMONSTRATES KNOWLEDGE OF THE MEDIAN OF A SET OF NUMBERS BY INDICATING THE MEDIAN FOR A GIVEN SET.	0063
Median can best be described as  a. number in set b. average of numbers in set *c. middle number in set d. sum of numbers in set	2137
{45, 60, 95, 105, 150} The median of the set is  a. 91 *b. 95 c. 100 d. 97	2138
{11, 16, 17, 19, 24, 29} The median for the set is  *a. 18 b. 17 c. 19 d. 19 r 2	21.39
{ 205, 222, 226, 230, 243 } The median for the set is  8. 222 b. 225 r l  *c. 226 d. 230	2140



{ 19, 26, 13, 17, 17, 33, 29} The median for the cet is

2141

17 a. \*b. 19 c. 20

d. 22

Find n n = (20 + h) + (8 + 4) 2142

g, b.

457 TC. d. E

Solve 63 % (6 % 3) = n

2143

J. ٤.3 rb.

7 Ò

C<sub>c</sub>

12

 $214I_{t}$ 

Solve for  $r_{1} = 140 \div (10 \div 2)$ 

a. 20

b. 3.4

#c. 7 / d. 2

Roll = 8. We recrow this equation could be of time statement is

21/45

Pas adontity element of L

b. multiplication is the inverse operation
c. identity element of O
d. division is commutative



Given the equation 5541  $\frac{5}{4}$   $7 = \frac{11}{5}$  we think of the dividend as 58 2146 hundreds and ble. The best estimate for the quotient would be n. 7 m 7 hundrods < 50 hundrods \*b. 7 m 8 hundrods < 58 hundrods c. 7 x 9 hundreds < 53 hundreds d. 7 m 10 handrodo < 56 hundredo In the equation, 8162 0 0 = n, the dividend can be thought of as 2147 84 hundreds and 62. Estimating the quotient we would choose a. 9 x 7 hundreds < 8h hundreds b. 9 m 3 hundreds < 84 hundreds 40, 9 % 9 hundrods < 64 hundrods d. 9 % 10 hundrods < 64 hundrods 534 & 21 = n. The dividend is 53 tone and 4. For an estimate of 2140 the questions as would shoose a, 21 :: 1 ten < 53 tens The 21 m 2 tong < 93 tens 6. 21 n 3 tern < 53 kend d. 21 n 4 kens < 53 kend 2175 3/3 2.19 o m. Two dividend in 3/, tens and 3. The best choice for an estimate of the contient to a. 19 x C tons < 34 tons</li>
b. 19 x 1 ton < 34 tons</li>
c. 19 x 2 tons < 35 tons</li>
d. 17 x 3 tons < 35 tons</li> 7100 2 73 = n. Two dividend is 71 hundreds on estimate of the 2150 grotient would be n. 70 m 10 handrods < 71 hundrods
Th. 73 m 9 handrods < 71 hundrods
The 73 m 8 hundrods < 71 hundrods
The 73 m 7 hundrods < 71 hundrods

 $9653 \div 56 = n$ . The dividend is 96 hundreds and 53. An estimate of the quotient would be

2151

\*a. 56 x 1 hundred < 96 hundreds

b. 56 x 2 hundreds < 96 hundreds

c. 56 x 3 hundreds < 96 hundreds

d. 56 x 4 hundreds < 96 hundreds

2152

#b. 172

c. 180 r 6

171 r 26

21.53

c. 132 r 34

d. 1.43 r 6

2154

a. 25 r 31 b. 250 r 10

#c. 252 r 40

d. 253 r 10

$$=\frac{965}{25}$$

2155

b. 35 \*c. 38 d. 41

7438 & 60 = n

2156

4C. 92 r 78

ď" 91

= 3502 ÷ 20

2157

\*a. 175 r 2 b. 174 r 2

c. 170

d. 125 r 2

2..58

E. 40 r 13

\*b. 41 r 43

c. 41 r 33 d. 416 r 1

= <u>3628</u> 40

2159

a. 91 r 8 \*b. 90 r 28 c. 81 r 8

d. 90 r 18

30)4562

2160

a. 118 r 22 b. 1/1 r 2

\*c. 152 r 2 d. 153 r 2

44)3596

2161

20 m 2 D.

b. 80 r 42 c. 81 r 42 \*d. 81 r 32

2963 : 28 - []

2162

a. 15 r 23 b. 151 r 5 c. 102 r 7

\*d. 105 r 23

☐ = 5850 ÷ 5½

2163

a. 18 r 18

b. 106 r 16 \*c. 103 r 18

d. 160 r 3

2164

101. 8.

%b. 117 r 16 c. 118 r 7 d. 120 r 9

15 x | 1 650

2165

40  $\alpha_{\rm e}$ 

\*5. 43 r 5

C. 9750

d. 3950

x 25 = 900

2163

n. 10500 b. 22500 \*c. 36 d. 35

22 x = 896

2167

19712

18502 b.

41 c.

ad. 40 r 16

2158

42 r 12 a.

\*b. 41 r 13

c. 68354

d. 69454

2169

3.0 a.

\*b• 12

23100 C.

24300

x 39 = 723

2170

æ. 28197

27197 ·b.

c. 23 r 26 \*d. 18 r 11

2171

20 r 26

\*b. 23 r 24

c. 27304,

d. 27404

2172

17631

16531

20 r 13 Ce

24 r 5 #d.

$$16 \times a + b = 908$$

. .

2:73

$$*a \cdot a = 56 b = 12$$

b. 
$$a = 506 b = 12$$

b. 
$$a = 506 b = 12$$
  
c.  $a = 14524 b = 16$ 

$$d_{\bullet} = 14424 b = 16$$

$$427 = (a \times 14) + b$$

\*a. 
$$a = 30 h = 7$$

$$b \cdot a = 37 b = 9$$

c. 
$$a = 5958 b = 14$$

$$(20 \times a) + b + 1680$$

a. 
$$a = 80 b = 20$$

\*b. 
$$a = 84 b = 0$$

c. 
$$a = 22600 b = 0$$

d. 
$$a = 33600 b = 20$$

$$763 = (a \times 32) + b$$

a. 
$$a = 23316 b = 32$$

b. 
$$a = 24416 b = 12$$

$$45 \times = 650$$

$$(15-3) \times = 800$$

$$\frac{20}{5}$$
 ×  $\boxed{\phantom{0}}$  =  $\frac{427}{7}$ 

$$\frac{36}{4} \times \boxed{ = \frac{580}{10}}$$

$$\frac{96 - 2}{72 - 6} \times \boxed{\phantom{0}} = \frac{144}{12}$$

2184

$$\frac{176}{8} = \begin{bmatrix} x & 242 & 11 \\ \hline 121 & 11 \end{bmatrix}$$

2185

2186

\_\_\_\_\_

$$\frac{16 - 2}{16 - 4} \times \boxed{\phantom{0}} = 4080$$

2187

THE STUDENT KNOWS THE DEFINITION OF MODE BY SELECTING THE MODE FOR A SET OF NUMBERS.

0070

Mode can best be described as

- a. the average of a set of numbers.
- \*b. the most frequently used in a set of numbers.
- c. the middle number in a set of numbers.
- d. the sum of a set of numbers.

Tom received these grades on 6 math tests, 65, 75, 80, 80, 90, 78. The mode for this set of scores is

2189

- a. 79
- c. 78
- d. 65

The record of the scores of the Cougar football team showed out of the last 7 games they made 10, 17, 21, 21, 10, 10, 17 points. The mode for this set of scores is

2190

- a. 21
- b. 17
- #c. 10
- d. 11

THE STUDENT KNOWS THE DEFINITION OF RANCE BY COMPUTING THE RANGE OF A SET OF NUMBERS.

0071

In a set of numbers the range is

2191

- \*a. the difference between the highest and the lowest.
- b. the sum of the elements.
- c. the middle element.
- d. the sum of the elements divided by the number of elements.

The 6 P. M. temperature was recorded for 7 days.

2192

Date	Tomp
5	70
6	68
7	. 79
8	82
9 .	72
10	62
11	58

## The range is

- a. 58 degrees
- b. 70 degrees
- c. 82 degrees
- <sup>2</sup>d. 24 degrees

{ 100, 75, 98, 68, 72, 85, 100, 88, 70, 80}

2193

The set of numbers above are the scores on a test ten students took. The range of the set is

- a. 83
- \*b. 32
- c. 100
- d. 68

Number systems



FINITE-INFINITE



THE STUDENT CAN DEMONSTRATE UNDERSTANDING OF A FINITE NUMBER SYSTEM BY DEFINING IT AND SOLVING RELEVANT PROBLEMS.

0076

A finite number system is

2194

- a. base 10
- \*b. clock arithmetic
- c. ordered numbers
- d. finite numbers

In a finite system based on the numbers on the clock we do not use 2195

- a. zero
- b. seven
- c. eight
- \*d. twelve

In the finite system seven the set of numbers is

2196

The equation in Column II can be paired with an answer in Column I.

## Column II Column I a. 3 + 7 = nС 11 2197 b. $8 + 6^{\frac{12}{n}} n$ d 9 2198 c. $10 - 11^{\frac{12}{2}}$ n a 10 2199 d. $10 + 11^{\frac{12}{2}}$ n р 2 2200 e. $9 - 6^{12}$ n

Multiplication in a finite system is based on successive additions of addends

2201

- a. 50
- b. 0
- \*c. 2
- d. 5

In finite 7 these equations in Column II are correct for which answers in Column I.

2202

Match the equations in Column II with the proper answers in Column I.

2206

2207

2208

2209

f. 3 x 6 7

2210

A finite number system cannot have

- a. distributive properties
- b. multiplication property of one
- c. associative properties
- \*d. multiplication property of zero
- e. commutative property

BY USING	DENT RECALLS THE DEFINITION OF FINITE SETS AND INFINITE SETS ITHE CARDINAL NUMBER TO DETERMINE WHETHER GIVEN SETS ARE OR INFINITE.	0034
An exam	ole of an infinite set is a set in which	<b>2</b> 212
•		
*c.	all members can be listed a cardinal number can be given a series of dots shows additional elements the last element follows three dots	
The bes	t example of a finite set is a set in which	2213
	a series of dots is given for some of the elements	
c.	all members are listed 'a cardinal number can be given for the elements the elements are always seen	
		١
Which o	f the sets is <u>NOT</u> a finite set?	2214
8.0	dog, cat	
b.	a, b, c z	
.*c.	1,2,3	
d•	Jan., Feb., Mar Dec.	
Which c	f the sets is a finite set?	221;
8.	the counting numbers	
	the polygons that can be drawn	•
	the animals in Brookfield Zoo	
l	all the odd numbers	
The mag	ic computor scans the universe. It would NOT be able to	2210
8.	the grains of sand on the beaches	
b. *c.	the fish in all the waters the sounds that can be made	
d.	brick houses in the cities	



PROPERTIES



THE STUDENT RECALLS FACTS ABOUT NUMBER PAIRS BY STATING THAT THEY ARE NOT COMMUTATIVE.

0036

The best description of number pairs is they have

2217

- a. associative properties
- b. commutative properties
- c. unrelated digits
- \*d. a definite order
- e. a mathematical function

Everytime Mary's pet hen laid an egg she added 3 pennies to her bank. 2218 Which of these sets of number shows the correct pennies for each egg?

- \*a. (1,3)
- b. (3,1)
- c. (1,4)
- d. (4,1)
- e. (2,5)

THE STUDENT CAN APPLY THE ASSOCIATIVE PROPERTY TO SOLVE A MULTIPLICATION Q052 PROBLEM.

The factors 6 x 810 are not equal to

2219

\*a. 
$$(6 \times 90) + (6 \times 90)$$

- b.  $(6 \times 800) + (6 \times 10)$
- c. 4800 + 60
- d.  $6 \times (800 + 10)$

The factors 7 x 340 are not equal to

3. 
$$(7 \times 800) + (7 \times 40)$$

- b. 7x (800 + 40)
- c.  $7 \times (7 \times 120)$
- \*d.  $(7 \times 800) + 40$



Another way of expressing the factors 6 x 1800 is

2221


- $\epsilon$ . 6 x (180 + 10)
- b. 6 x (180 + 100)
- c. 6 x (160 x 1.00)
- d.  $(6 \times 18) + (6 \times 100)$
- #e.  $6x(100 \div 300)$

THE STUDENT WILL ANALYZE 3-DIMENSIONAL ARRAYS TO DEMONSTRATE THE ASSOCIATIVE PROPERTY OF MULTIPLICATION BY IDENTIFYING THE CORRECT EQUATION SHOWN BY THE ARRAY.

0190

Which equation correctly describes this array?


- a.  $2 \times 4 = 8$
- b. 8 x 1 = 8
- "c. 2 x 4 x 1 = 8



Which equation correctly describes the following array?


2223

- \*a.  $3 \times 4 \times 2$ b.  $(4 \times 2) + (3 \times 2)$
- c. 12 x 2 :: 1



Which equation describes the following array?

- a.  $(5 \times 3) + (5 \times 1)$
- b. 1, x 5
- \*c. 3 x 5 x 1






Which equation describes the following array?

2225


- a. (2 x 3) (2 :: 1) \*b. 2 x 3 x 1
- - 3 = 3



Which equation describes the following array?

2226


- \*a. 4 x 5 x 1
- b. 5 x 6 c. 5 x 5 x 1



Which equation does NOT describe the following array?


2227

- a. 2 x 5 x 2 . \*b. (2 x 2) (2 x 5) c. 2 x 2 x 5



Which equation does NOT describe the following array?

- 3 x 3 x 2
- 3 x 2 x 3 5 x 3 x 2



Using the array, identify the equation which correctly describes it.


2229

- \*a. 3 x 3 x 2
  - b. 5 x 5
  - c. 5 x 3 x 2

Which equation correctly identifies the following array?

2230


- \*a. 4 x 4 x 1
  - b. 5 x 5 x 1
  - c. 5 x 4 x 1



Which equation correctly identifies the following array?

2231

- e. 7 x 4 x 3
- b. 4 x 8 x 3
- \*c. 4 x 5 x 3



Source: Discovering Hath 5, Merrill, pp. 68-69.

THE STUDENT WILL DEMONSTRATE HIS UNDERSTANDING OF THE ASSOCIATIVE PRINCIPLE OF MULTIPLICATION BY IDENTIFYING EQUATIONS USING THIS PRINCIPLE.

Directions: Select the correct answer.

Which number sentence below correctly illustrates the associative 2232 principle of multiplication?

- a. 4x6=6x4
- \*b. 4 x (3 x 6) c. (2 x 3) + (2 x 3)

Which number sentence below illustrates the associative principle 2233 of multiplication?

- \*a.  $(7 \times 2) \times 4$
- b.  $7 \times 4 = 4 \times 7$
- c.  $(3 \times 2) + (4 \times 2)$

Which phrase below refers to the associative principle of multipli-2234 cation?

- a. Changing order of factors
- \*b. Pairing neighboring factors
  - c. Breaking apart a factor

Which number sentence below does NOT illustrate the associative 2235 principle of multiplication?

- a. 4x(8x9)
- b. (4 x 8) x 9
- \*c. 2 x 3 = 3 x 2

2236 Which number sentence below illustrates the associative principle of multiplication?

- \*a.  $(64 \times 39) \times 21$
- b.  $(60 \times 39) + (4 \times 39)$ c.  $64 \times 39 = 39 \times 64$



Which number sentence below illustrates the associative principle of multiplication?

2237

 $c. \cdot 391 \times 426 = 426 \times 391$ 

Which number sentence below illustrates the associative principle 2238 of multiplication?

 $a \times b = b \times a$ 

Which number sentence below does NOT illustrate the associative 2239 principle of multiplication?

a. 
$$4 \times (2 \times 3)$$

b. (4 x 2) x 3 \*c. (4 x 2) + (2 x 2)

Which number sentence below illustrates the associative principle 2240 of multiplication?

b. 
$$6x4 = 4x6$$

 $c. (6 \times 3) + (6 \times 3)$ 

Which number sentence below illustrates the associative principle 2241 of multiplication?

8. 
$$5 \times 6 = 6 \times 5$$

b. 
$$(5 \times 3) + (5 \times 3)$$
  
\*c.  $(5 \times 6) \times 2$ 

Source: Merrill, Discovering Math 5, p. 31.

Harcourt, Brace, Elementary Math. 5., p. 47.

THE STUDENT WILL DEMONSTRATE AN UNDERSTANDING OF THE ASSOCIATIVE PRINCIPLE AS APPLIED TO THE MULTIPLICATION OF FRACTIONS BY IDENT-IFYING ONE FACTOR IN AN EQUATION.

0241

 $(1/3 \times 1/5) \times 1/2 = N \times 1/2$ . N is

2242

a. 1/8

b. 2/15 \*c. 1/15

2243

 $(5/1 \times 3/2) \times 1/2 = N \times 1/2$ . N is

a. 15/1 lor

\*b. 15/2 c. 8/2

 $(2/7 \times 1/3) \times 3/5 = N \times 1/3$ . N is

- CL:38 - 2

221:4

\*a. 2/21 b. 2/10 c. 1/21

 $(3/1 \times 2/1) \times 5/1 = N \times N$ . N is

 $(4/5 \times 2/3) \times 1/3 = N \times 1/3$ . N is

2245

a. 5/16 x 5/1 b. 16/1 x 1/1 \*c. 6/1 x 5/1

2246

a. 6/8 b. 6/15

 $(2/7 \times 1/5) \times 2/3 = N \times 2/3$ . N is

2247

 $(4/5 \times 2/9) \times 3/1 = N \times 3/1$ . N is

2248

a. 6/45 b. 8/14 \*c. 8/45

 $6/5 \times (1/2 \times 2/1) = 6/5 \times N_{\bullet}$  N is

2249

\*a. 2/2 b. 1/2 c. 1

 $5/1 \times (3/2 \times 1/2) = 5/1 \times N_{\bullet}$  N is

2250

 $4/5 \times (2/9 \times 3/1) = 4/5 \times N$ . N is

2251

Source: SRA Greater Cleveland Math. Program 5, p. 55.

THE STUDENT WILL APPLY HIS KNOWLEDGE OF THE ASSOCIATIVE PROPERTY OF ADDITION BY MATCHING THE GIVEN EXAMPLES WITH THE GIVEN SOLUTIONS.

Directions: Match column I with its correct solution in column II by placing the letter of the problem from column I on the line in front of its solution in column II.

Column I

\_j 2, 10, 18

<u>i</u> 1, 5, 7

2253

2256

e. 
$$6 + 10 = 8 + 4 + 2 + 2$$
  
=  $(4 + \frac{10}{10}) + (8 + 2)$   
 $6 + 10 = \frac{10}{10}$ 

$$6 + 10 = \frac{(4 + 10) + (8 + 2)}{h}$$

g. 
$$7 + 2 + 2 = 10 + 1$$
  
 $(2 + 2) + \underline{\phantom{0}}$ 

2263

1. 
$$4 + 3 = 4 + (2 + 1)$$
  
=  $(4 + 2) + 2$   
 $4 + 3 = 4$ 

Source: Houghton Mifflin, p. 39.

THE STUDENT CAN APPLY THE COMMON FACTOR PROPERTY OR THE DISTRIBU-0053 TIVE PROPERTY TO SOLVE MULTIPLICATION EQUATIONS.

If we were to find the sum of 12 addends of 7 we could write the 2264 equation

The equation for 5 sets of 8 and six sets of 8 is

2265

a. 
$$(5 \times 8) \times (6 \times 8) =$$

Eight sets of nine could not be expressed

2256

$$b \cdot (5 + 3) 9 = n$$

\*c. 
$$(5 \pi 9)(3 \pi 9) = n$$

d. 
$$45 + 27 = n$$

THE SAUDENT WILL ANALYZE ARRAYS DEMONSTRATING THE DISTRIBUTIVE PROPERTY OF MULTIPLICATION BY CORRECTLY IDENTIFYING THE BROKEN FACTOR.

01.89

Identify the distrubution of a factor in the following array.

2237

2268

Identify the distrubution of a factor in the following array.

Name the factor which is "distributed" in the following array.

2269

5 **a.** b. 60

\*c. 12

0

Name the factor which is distributed in the following array.

2270

Identify the distrubution of a factor in the following array.

2271

ifb. 
$$3 + 2 = 5$$
  
c.  $12 + 8 = 20$ 

$$c_{-}12 + 8 = 20$$

Name the factor which is distributed in the following array.

Name the factor which is distrubuted in the following array.

2273

\*a. 6

b. 18

c. 3

0 0 0 0

0 0 0 0 0 0

Which number sentence shows a broken factor in the following array?

2274

2275

c. 
$$20 + 10 = 30$$

0 0 0 0

0 Q 0

Which number sentence shows a broken factor in the following array?

b. 
$$35 + 10 = 45$$

Name the factor which is distributed in the following array.

2276

Source: Discovering Math. 5, Merrill, pp. 60-61.

THE STUDENT WILL APPLY HIS KNOWLEDGE OF THE DISTRIBUTIVE PRINCIPLE OF MULTIPLICATION BY USING THIS PRINCIPLE IN A HORIZONTAL OUTLINE.

0197

Circle the number below which is missing in the outline.

2277

 $14 \times 16 = N$   $(10 + 4) \times 16 = N$  $(10 \times 16) + ? \times 16 = N$ 

a. 10

\*b. 4

c. 14

Circle the number below which is missing in the outline.

2278

13 x 18 = N (10 + 3) x 18 = N  $(10 \times 18) + (3 \times ?) = N$ 

\*a. 18

b. 10

c. 3

Circle the number below which is missing in the outline.

2279

15 x 15 = N

 $(10 + 5) \times 15 = 11$ 

 $(10 \times 15) + (5 \times 15) = N$ 

150 + ? = N

a. 65

b. 150

\*c. 75

Circle the number below which is missing in the outline.

2280

 $12 \times 15 = N$ 

 $(10 + 2) \times 15 = N$ 

 $(10 \times 15) + (? \times 15) = N$ 

\*a. 2

b. 10

c. 15

Circle the number below which is missing in the outline. 16 x 17 " N

2281

$$(10 + ?) \times 17 = N$$

10 8.

b. 17 \*c. 6

Circle the number below which is missing in the outline.  $14 \times 16 = N$  $(10 + 4) \times (10 \times ?) = 11$ 

2282

a. 16

\*b. 6

c. h

Circle the number below which is missing in the outline. 14 x 16 = N  $(? + 4) \times (10 + 6) = N$ 

2283

\*a. 10

b. 14

6 C.

Circle the number below which is missing in the outline.  $14 \times 15 = N$ 

2284

 $(10 + 4) \times (10 + 5) = N$ 

 $(10 \times 10) \div (10 \times 5) + (4 \times 10) + (7 \times 5) = N$ 

8.

\*b. 4

10 C.

Circle the number below which is incorrectly computed in the following outline.

2285

18 x 16 m N

 $(10 + 8) \times (10 + 6) = N$   $(10 \times 10) + (10 \times 6) + (8 \times 10) + (8 \times 6) = N$ 

100 + 600 + 80 + 48 = 3

100 8.

b. 46

₩c. 600 Circle the number below which is missing in the cutline.  $13 \times 12 = 1$ 

2235

0203

$$(10 + 3) \times (10 + 3)$$

$$(10 + 3) \times (10 + 2) = N$$
  
 $(10 \times 10) \div (10 \times 2) \div (3 \times 10) \div (3 \times 2) = N$   
 $100 + 20 \div 30 + 6 = ?$ 

Source: Merrill, Discovering Math, 5. pp. 60-61.

THE STUDENT WILL APPLY HIS KNOWLEDGE OF THE DISTRIBUTIVE PRINCIPLE OF DIVISION BY IDENTIFYING MISSING NUMBERS IN GIVEN DISTRIBUTIVE OUTLINES.

Which number below is the missing number in the outline: 2287 84 - 4 = N

$$(80^{\circ} + 4) \div 4 = N$$
  
 $(80 \div 4) + (4 \div 4) = N$ 

Which number below is the missing number in the outline: 2288

$$36 \div 3 = N$$
  
 $(30 + 6) \div 3 = N$   
 $(30 \div ?) \div (6 \div 3) = N$ 

Which number below is the missing number in the outline: 2289  $216 \div 3 = N$  $(210 + ?) \stackrel{?}{.} 3 = N$ 

Which number below is the missing number in the publica: 2290  $328 \div 4 = N$ (320 + 8) + h = N (? + 4) + (8 + 4) = N328 a. 8 b. \*c. 320 Which numbers below are the missing numbers in the outline: 2291  $186 \div 2 = N$  (? +?) ÷ 2 = N 62 and 124 8. \*b. 180 and 6 100 and 86 C. 2292 Which numbers below are the missing numbers in the outline: 427 + 7 = N(? + ?) + 7 = N420 and 7 \*a. 400 and 27 300 and 120 When we rename a dividend as two addends, those addends must be 2293 round numbers a. sum of the dividend b. \*c. divisible by the given divisor 2294 Which number below is the missing number in the outline:  $1296 \div 3 = N$   $(1200 + ? + 6) \div 3 = N$ 

96

90 9

#b.

C.

Which number below is the missing number in the outline:

2295

$$936 \div 3 = N$$
  
(? + 30 + 6) ÷ 3 = N

- a
- 90 b.
- \*c. 900

Which number below is the missing number in the outline:

2296

- 1869  $\frac{4}{5}$  3 = N (?  $\frac{4}{5}$  60 + 9)  $\frac{4}{5}$  3 = N
  - 180 a.
  - \*b. 1800
  - 18 C.

Source: Discovering Math. 5, Merrill, p. 80,82.

THE STUDENT WILL DEMONSTRATE HIS KNOWLEDGE OF THE COMMUTATIVE PRINCIPLE OF MULTIPLICATION BY IDENTIFYING EQUATIONS USING THIS PRINCIPLE.

0195

Which equation below shows the commutative principle of multiplication?

2297

a. 
$$3 \times (2 \times 4)$$

#b. 
$$2 \times 4 = 4 \times 2$$

$$c_*$$
  $(5 \times 4) + (5 \times 3)$ 

Which equation below shows the commutative principle of multiplica-2298 tion?

$$y = 4a$$
.  $8 \times 4 = 4 \times 8$ 

b. 
$$(8x \ 4) + (8 \ x \ 2)$$
  
c.  $(4 \ x \ 2) \ x \ 3$ 

Which equation below does NOT when the commutative principle of multiplication?

2299

a. 
$$8 \times 9 = 9 \times 8$$
  
b.  $13 \times 11 = 11 \times 13$ 

$$*c. 2 \times (3 \times 4)$$

Which equation below does NOT show the commutative principle of multiplication?

2300

\*b. 
$$(10 \times 4) + (10 \times 4)$$

c. 
$$9 \times 10 = 10 \times 9$$

Which equation below shows the commutative principle of multiplication?

\*a. 
$$6 \times 8 = 8 \times 6$$

b. 
$$(4 \times 3) \times 6$$

c. 
$$(10 \times 2) + (4 \times 2)$$

2301

Which equation below shows the commutative principle of multiplication?

2302

a. 
$$(2 \times 5) \times 2$$
  
\*b.  $2 \times 5 = 5 \times 2$ 

$$*b. 2 \times 5 = 5 \times 2$$

c. 
$$(5 \times 2) \div (5 \times 2)$$

Which equation below shows the commutative principle of multiplication?

a. 
$$(13 \times 5) \times 5$$

\*b. 
$$13 \times 5 = 5 \times 13$$
  
c.  $(10 \times 5) \div (3 \times 5)$ 

c. 
$$(30 \times 5) = (3 \times 10^{-5})$$

Which phrase expresses the principle of commutation?

2304

- 'a. Order preasible
- b. Grouping principle
- c. Multiplication-addition principle

Which equation below shows the commutative principle of multiplica- 2305 tion?

a. (a x b) x c b. (a x c) + (b x c) \*c. a x b = b x a

Which equation below shows the commutative principle of multiplica- 2305 tion?

Source: Harcourt, Brace, Elementary Math. 5., p. 47, 56 (1)
Merrill, Discovering Math. 5, p. 29.

THE STUDENT WILL SHOW HIS KNOWLEDGE OF THE BASIC PROPERTIES FOR WHOLE 0135 NUMBERS BY MATCHING A PRINCIPLE WITH A DEFINITION.

Directions: Place the letter of the definition on the line in front of each principle.

- a. you can change the order of addends and the sum is the same
- b. any whole number multiplied by one equals that whole number
- c. you can change the grouping and the product is the same
- d. you can change the order of factors and the product is the same
- a. to any whole number add zero, the sum equals that whole number
- f. you can change the grouping and the sum is the same
- g. you can change the grouping of a subtraction problem and the difference is the same

o O principle	2307
b l principle	2308
a Communative principle, +	2309
d Communative principle, x	2310
f Associative principle, +	2311
c Associative principle, x	2312

Source: Addition Funlay, page 26.

THE STUDENT WILL APPLY KNOWLEDGE OF THE DASIC PROPERTIES FOR WHOLE OLST NUMBERS BY SELECTING THE PROPERTY IN A GIVEN SITUATION.

Directions: If the equations rhow the principle stated circle the letter P; if it does not apply to the stated principle circle the letter N.

Which of the following equations show the communative principle?

a.	36 - 29 = 29 - 36		73.75	2313
b.	29 r 0 = 0	<b>?</b>	8°77 -	2314
C.	21 + 6 n 6 + 23.	4P	35	2315
d.	32 x 7 = 7 x 32	q*	N	2316
	14 + (3 + 9) + (14 + 3) + 9	Ţ.	r.N	2317
	6 2 6 3 3 2 6	$r_{i}^{\infty}$	<b>P</b> 7	2318

Which of the Collowing equations show the associative principle?

a.	$34 \div (7 + 6) = (34 + 7) = 6$	#P	II	2319
b.	8 n (16 n 3) = (8 x 16) n 3	₽F	H	2320
	17 - (6 - 7) - (17 - 6) - 3	P	*N	2321
	14 + 8 = 8 + 11.	Ď	#11	2322
e.	26 + (5 + 9) = (26 + 5) + 9	<b>K</b> 10	17	2323
	30 - 20 - 20 - 30	9	4到	2324

RATIONAL-IRRATIONAL



THE STUDENT WILL APPLY HIS KNOWLEDGE OF RATIONAL NUMBERS BY SELECT-ING THE CORRECT ASSUMPTION FROM A PROBLEM SITUATION. Directions: Read the problem presented and choose the proper assumption. The sack of candy on the scale weighs 5/16 pound. 2325 It weighs more than 1 lb. \*b. It weighs less than 1 lb. c. It weighs 6 ounces. d. It weighs 7 ounces. A cup is 3/4 full. To make it 5/8 full you would 2326 a. do nothing b. add liquid \*c. take liquid cut 2327 The length of a show is 13/36 yard. The shoe is \*a. more than 1/3 yard b. less than 1/3 yard c. less than a foot d. equal to 1/3 yard Joe ran 50 yards in 1/6 of a minute. Tom ran 50 yards in 12/60 2328 of a minute. Joe and Tom took the same time to run the 50 yards. b. Tom ran faster than Joe.



c. Joe ran slower than Tom.\*d. Joe ran faster than Tom.

The length of a knife A is 5/12 foot. The length of a second 2329 knife B is 1/2 foot.

8.	knife	A	is	longer	than	knife	3
<b></b>	4618-0-0				A		_

- The knife B is longer than knife A c. knife B is shorter than knife A
- d. both knives are the same length

Source: Addison-Wesley Bk. 5, p. 230.

THE STUDENT WILL DEMONSTRATE HIS KNOWLEDGE OF RATIONAL NUMBER SIZE BY LISTING FRACTIONS FROM SMALLEST TO LARGEST.

Oill

Directions: List the fractions in order from smallest to largest.

h	a. 7/2	2330
C	b. 4/2	2331
ь	c. 3/2	2332
d	d. 5/2	2333
0	e. 8/12	2334
e .	£. 12/2	2335
B	g. 9/2	2336
f	h. 1/2	2337

Directions: List the fractions in order from smallest to largest.

B	8.	5/6			•	2338
ь	b.	1/3				2339
d	C.	7/6		,		2340
_ 0	đ,	2/3				2341
C.	<b>8.</b> • • • • • • • • • • • • • • • • • • •	5/3	,			2342

f	r.	4/3	2343
<u>e</u>	g,	٥/٥	2344

Directions: List the fractions in order from smallest to largest.

h	a. 8/3	2345
<u> </u>	b. 1/2	2346
	c. 3/8	2347
C	d. 3/4	2348
b	e. 5/8	2349
<u>e</u>	f. 1/8	2350
<u>d</u>	g. 1/4	2351
a	h. 0/8	2352

Directions: List the fractions in order from smallest to largest.

<u>. e .</u>	a. 2/3	2353
Control of the Contro	b. 1/2	2354
d	e. 5/6	2355
b minutes	d, 1/3	2356
B. Sandariotectris	e. 1/6	2357
anne de Santone en	f. 1/4	2358
C	g. 3/4	2359

Source: Addinon-Wesley, Dk. 5, p. 235.

THE STUDENT WILL USE HIS KNOWLEDGE OF FRACTIONS IN SELECTING THE RATIONAL AND WHOLE NUMBERS THAT ARE EQUIVALENT.

Directions: Match the whole number with their equivalent rational number.

d	7	a.	12/3	2360
b	5	b.	25/5	2361
<u>e</u>	2 .	C.	22/2	2362
f	9	d.	28/4	2363
a	h	е.	14/7	2364
i Marketinian	8	ſ.	54/6	2365
h	6	g.	2 <b>L/</b> 8	2366
<u></u>	3	h.	5 <b>4/</b> 9	2367
		i,	48/6	

Directions: Match the whole number with their equivalent rational number.

G	1.	8.	50/12		2368
C	3	b.	7/1		2369
b	7	C.,	15/5		2370
h	2	d.	1,0/10		2371
<u> </u>	5	e.	7/7		2372
d	4.	$\mathbf{f}_{ullet}$	44/10	•	2373
		g•	75/15		
		h.	24/12		

Source: Addison-Wesley, Bk. 5, p. 235.

THE STUDENT, APPLYING HIS KNOWLEDGE OF THE ADDITION AND SUBTRACTION OF FRACTIONS, WILL SELECT THE CORRECT SOLUTION FOR WORD PROBLEMS.

Directions: Read the problem and choose the correct answer.

The grapes on a scale weigh 8/10 lb. Another bunch weighing 7/10 2374. lb. was added to them. What was the total weight?

- a. 15 oz.
- b. 1 1b.
- c. 15/20 lb.
- \*d. 1 1/2 1b.

Larry rade his bike 2 9/10 miles before lunch and 4 2/10 miles after 2375 lunch. How far did he ride?

- a. 5 11/20 miles
- b. 17/10 miles
- \*c. 7 1/10 miles
- d. 7 11/20 miles

hour to get there and the same time to get back home. They visited for 3/4 of an hour.

How much time did they spend walking?

2376

0115

- a. 1 hr.
- b. 1 1/2 hr.
- c. 2 hr.
- d. 6/8 hr.

How long were they gone?

- e. 2 hr.
- #b. 21/4 hr.
- c. 21/2 hr.
- d. 3 hrs.



Butter comes in 1/4 lb. sticks.

How much would 10 sticks of butter weigh?

2378

- 4 lb. a.
- b. 3 1/4 lb.
- 2 1/2 1b. #C.
- 2 lb. d.

How much would 17 sticks of butter weigh?

2379

- 1/4 1b. 3 1/2 1b. 3 1b. 2 3/4 1b.

Source: Addison-Wesley Bk. 5, p. 243.

0116

THE STUDENT WILL DEMONSTRATE HIS ABILITY TO RECOGNIZE RATIONAL NUMBER PROBLEMS WHOSE SOLUTION REQUIRES FINDING A COMMON DENOM-INATOR FROM THOSE WHICH CAN BE SOLVED AS PRESENTED BY IDENTIFYING THOSE N EEDING COMMON DENOMINATORS.

Directions: In each of the following, one of the four equations cannot be solved unless a common denominator is found. Select that item.

a. 
$$1/2 + 3/2 = n$$

2380

- 1/2 + 3/2 = n 4/5 2/5 = n  $2/3 \div 5/6 = n$  1/4 + 3/4 = n

\*a. 
$$3/4 + 1/8 = n$$

- \*a. 3/4 + 1/8 = nb. 3/8 2/8 = nc. 4/5 + 2/5 = nd. 4/7 2/7 = n

8. 
$$6/14 + 8/14 = n$$
  
\*b.  $6/9 + 4/7 = n$   
c.  $5/8 + 3/8 = n$   
d.  $5/12 - 1/12 = n$ 

2382

\*a. 
$$6/13 = 1/14 = n$$
  
b.  $7/10 = 5/10 = n$   
c.  $2/8 + 7/8 = n$ 

2383

c. 
$$2/8 + 7/8 = n$$
  
d.  $5/9 + 3/9 = n$ 

a. 
$$9/13 + 2/13 = n$$
  
b.  $1/4 + 3/4 = n$ 

2384

b. 
$$1/4 + 3/4 = n$$
  
c.  $5/7 + 3/7 = n$   
\*d.  $8/9 - 4/19 = n$ 

2385

a. 
$$7/8 \div 5/8 = n$$
  
\*b.  $2/3 + 5/6 = n$   
c.  $12/25 + 6/25 = n$   
d.  $19/36 + 7/36 = n$ 

c. 
$$12/25 + 6/25 = n$$
  
d.  $19/36 + 7/36 = n$ 

2386

a. 
$$4/9 - 1/9 = n$$
  
b.  $7/13 - 6/13 = n$   
\*c.  $9/25 - 2/5 = n$   
d.  $5/8 = 5/8 = n$ 

THE STUDENT WILL DISPLAY HIS ABILITY TO DISTINGUISH BETWEEN FACTS THAT ARE RELEVANT AND FACTS THAT ARE NOT HELEVANT TO THE SOLUTION OF A RATIONAL NUMBER PROBLEM BY CORRECTLY IDENTIFYING THE NON-RELEVANT FACT.

0117

Directions: Choose the fact following the given equation that is nonrelevant to its solution.

5/6 + 3/4 = n

a. 
$$5/6 = 10/12$$
  
\*b.  $3/4 = 6/8$   
c.  $3/4 = 9/12$ 

\*b. 
$$3/4 = 6/8$$

c. 
$$3/4 = 9/12$$

1/2 - 1/3 = n

b. 
$$1/3 = 2/6$$

c. 
$$1/2 = 3/6$$

$$7/8 + 5/12 = n$$

a. 
$$5/12 = 10/24$$
  
\*b.  $7/8 = 14/16$   
c.  $7/8 = 21/24$ 

\*b. 
$$7/8 = 14/16$$

$$c. 7/8 = 21/24$$

$$1/8 + 1/4 = n$$

$$a \cdot 1/8 = 1/8$$

$$c. 1/4 = 2/8$$

$$1/3 + 1/6 = n$$

$$a = 1/3 = 2/6$$

a. 
$$1/3 = 2/6$$
  
b.  $1/6 = 1/6$   
\*c.  $1/6 = 2/12$ 

$$3/4 - 2/3 = n$$

$$a. 2/3 = 8/12$$

**a.** 
$$2/3 = 8/12$$
  
**\*b.**  $3/4 = 6/8$   
**c.**  $3/4 = 9/12$ 

$$c. 3/4 = 9/12$$

1.1/2 - 3/4 = r

2390

a. 
$$1 = 4/4$$

a. 
$$1 = \frac{1}{4}$$
  
b.  $1/2 = \frac{2}{4}$   
\*c.  $1 = \frac{2}{2}$ 

$$*c. 1 = 2/2$$

 $6 \frac{5}{8} + 2 \frac{1}{4} = n$ 

2394

b. 
$$5/8 = 5/8$$

$$3 \frac{1}{3} - 1 \frac{3}{4} = n$$

2395

b. 
$$1/3 = 4/12$$

\*c. 
$$1 = 4/4$$

$$9 4/9 - 7 2/3 = n$$

$$a. 1 = 3/3$$

\*a. 
$$1 = 3/3$$
b.  $2/3 = 6/9$ 
c.  $1 = 9/9$ 

Source: Addison-Wesley, Bk. 5, p. 245.

THE STUDENT WILL DEMONSTRATE HIS ABILITY TO SOLVE RATIONAL NUMBER PROBLEMS WITH UNCOMMON DENOMINATORS BY SELECTING THE CORRECT ANSWER.

0118

Directions: Choose the correct answer.

1/8 + 1/4 =



7/9 + 1/18 = 2403 8/27 b. 8/18 c. 8/9 d. 15/18 1/4 + 3/10 = 2404 4/14 4/40 11/20 12/40 5/8 - 1/12 = 2405 a. 4/4 b. 4/8 c. 7/12 \*d. 13/24 Source: Addison-Wesley, Bk. 5, p. 246, 250. THE STUDENT WILL USE HIS KNOWLEDGE OF ADDITION AND SUBTRACTION OF 0119

RATIONAL NUMBERS WITH UNLIKE DENOMINATORS TO SOLVE FRACTION WORD PROBLEMS.

Directions: Read the word problem and choose the correct answer.

Walked 7/10 mile. Ran 1/2 mile. How far altogether?

- \*a. 1 1/5 mile
- b. 8/12 mile c. 11/10 mile d. 12/20 mile



3/8 inch of rain. Another 1/4 inch of rain. How much rain?

2407

- a. 4/12 inch
- b. 4/8 inch \*c. 5/8 inch
- d. 11/16 inch

Recipe: 3/4 cup of milk, 2/3 cup of water. How much liquid?

2408

- a.  $1 \frac{1}{2} cup$

- b. 1 1/4 cup c. 1 1/3 cup \*d. 1 5/12 cup

3/4 yd. of blue material, 5/6 yd. of yellow material. How much 2409 more yellow than blue material?

- \*a. 1/12
- b. 1/6
- c. 1/4
- d. 3/24

5/8 of a picture is pink. 1/6 of the picture is blue. The rest is 2410 not colored. What part of the picture is colored?

- a. 6/14
- b. 14/16 \*c. 19/24
  - d. 35/48

How much more is pink than blue?

- a. 7/16 \*b. 11/24 c. 25/48 d. 4/14

What part is not colored?

2412

- a. 13/48
- b. 7/12
- c. 11/1
- \*d. 5/24

Source: Addison-Wesley, Bk. 5, p. 257.

THE STUDENT WILL DEMONSTRATE HIS UNDERSTANDING OF THE THREE BASIC PRINCIPLES OF RATIONAL NUMBER ADDITION BY RECOGNIZING THE DEFINITION OF EACH.

0120

Directions: Choose the correct explanation for each rational number addition principle.

0 principle

2413

- a. When you choose a rational number and add 0, the sum is 0. \*b. When you choose a rational number and add 0 the sum is the
- number you chose.

Commutative principle

2414

- a. When you add two rational numbers, the order of the addends affects the sum.
- \*b. When you add two rational numbers, the order of the addends does not affect the sum.

Associative principle

- \*a. When you add rational numbers, you can change the grouping and get the same sum.
- b. When you add rational numbers, you cannot change the grouping and get the same sum.



3.5

THE STUDENT WILL DEMONSTRATE HIS ABILITY TO DRAW INFERENCES BY EVALUATING STATEMENTS BASED ON FEMALICATIONS FROM DECIMAL WORD PROBLEMS.

0128

Directions: Read the decimal word problem and the statements below the problem. If the statement can be assumed true, cross out T; if the statement cannot be assumed true, cross out the U.

Sue went to the grocery store. She spent \$7.58 on meat, \$2.75 on fresh fruits and vegetables, and \$9.24 on other groceries.

Sue eats balanced meals	T	<b>y</b>	2416
Sue spent more on meat than vegetables.	*	U	2417
Sue went over her budget.	T	¥	2418
Sue spent \$20 on food.	T	¥	2419
Sue received \$19.57 worth of S & H stamps.	T	ν. <b>∀</b>	2420

A gallon of pure water weighs 8.345 lb. A gallon of gasoline weighs about 5.675 lb. And a gallon of oil weighs about 7.511 lb.

Water is heavier than gasoline	7	U	2421
Water is heavier than oil	<b>7</b>	U .	2422
Gasoline is heavier than oil.	T	¥	2423
Gasoline is lighter than water.	<b>z</b> i	U	2424
Oil weighs less than gasoline.	T	¥	2425



Oil is lighter than water.	7	y ·	تنفيذان
Oil will float on water.	<b>z</b> i	U	2427
Oil will float on gasoline.	T	¥	242ß
Gasoline will float on oil.	7	U	2429
Gasoline will float on water.	<b>#</b>	U :	2430
THE STUDENT WILL DEMONSTRATE HIS AB ABOUT TIME, RATE AND DISTANCE BY SE AFTER READING A GIVEN PARAGRAPH.  Directions: Read the paragraph and following it are true,	LECT!	NG THE PROPER CONCLUSION  decide if the statements	<b>O</b> 129

:

Each of three airplanes travel at the rate of 500 mph if there were no wind. An airplane that has a 40 mph head wind travels only 460 mph. An airplane that has a 40 mph tail wind travels 540 mph.

Planes travel slower with a tail wind.

a. true

\*b. false

c. can't say

Planes travel fastest with no wind.

2432

2431

a. true

\*b. false

c. can't say



Wind has a definite effect on the speed of sirplanes.

2433

- \*a. true
- b. false
- c. can't say

On a 2400 mile trip a plane with a head wind leaving before a plane with a tail wind would arrive first.

2434

- a. true
- b. false
- \*c. can't say

The first successful gas-powered car went 9 mph. The Queen Elizabeth, one of the largest ocean liners, usually travels about 32 mph. The longest straight railroad in the world averages 82 mph. Charles Lindbergh averaged about 109 mph in his flight across the Atlantic.

The Queen Elizabeth traveled as far in one day as the first car went in four days.

2435

- a. true
- \*b. false
  - c. can't say

If Lindbergh races the railroad across the Atlantic he would beat it by 15 hours.

2436

- a. true
- \*b. false
  - c. can't say

It would take the Queen Elizabeth about 3 times longer to cross the ocean than Lindbergh.

- \*a. true
  - b. false
  - c. can't say

If the gas car had a head start of 24 hours it would take the train 3 hours to catch it.

2438

- \*a. true
  - b. false
  - c. can't say

Source: Addison-Wesley, Book 5, pp. 123-281.

THE STUDENT WILL	DEMONSTRATE HIS	ABILITY	$\sigma$ r	DISTINGUISH	BETWEEN	0130
FACT AND OPINION	BY TEENTIFYING	EACH.				

Directions: Think about the sentence. If it tells a fact cross out the F; if it gives an opinion cross out the O.

F	ø	Arithmetic is difficult.	2439
¥	0	4 pecks equal 1 bushel.	2440
<b>y</b> i	0	axb xc = (axb) xc = ax(bxc)	2441
F	ø	The use of a compass is harder than a ruler.	2442
p'	0	To divide you must know how to multiply.	2443
F	ø	To subtract you must know how to add.	2444
F	ø	All boys dislike arithmetic.	2445
<b>y</b> ′	0	All rational numbers are fractions.	2446
¥	0	It is impossible to write the largest numbers.	2447
7	0	All yardsticks are 36 inches long.	2448

F Ø Graphing is fun.

2449

THE STUDENT WILL DEMONSTRATE AN UNDERSTANDING OF THE MULTIPLICATION OF RATIONAL NUMBERS THROUGH THE USE OF THE ASSOCIATIVE PRINCIPLE, BY SELECTING THE CORRECT MISSING NUMBER OF A FRACTIONAL EQUATION.

3/2 x 2/5 = (3 x 1/2) x (2 x 1/5) = a x b = N

2451

If "a" is 6, then "b" is

a. 2/10 \*b. 1/10 c. 6/10

 $4/5 \times 2/3 = (4 \times 1/5) \times (2 \times 1/3) = a \times b = N$ If "b" is 1/15, then "a" is

\*a. 8 b. 6 c. 2

 $3/4 \times 5/2 = (3 \times 1/4) \times (5 \times 1/2) = a \times b = N$  2453 If "a" is 15, then "b" is

2454

\*a. 1/8 b. 1/6 c. 1/2

 $2/7 \times 4/3 = (2 \times 1/7) \times (4 \times 1/3) = a \times b = N$ If "a" is 8, then "b" is

a. 1/10 b. 1/7 \*c. 1/21  $3/5 \times 3/2 = (3 \times 1/5) \times (3 \times 1/2) = a \times t = N$ If "a" is 9, then "b" is

a. 1/5\*b. 1/10c. 1/74/7 × 2/5 = (4 x 1/7) x (2 x 1/5) = a x b = N

If "a" = 8, and "b" = 1/35, then N is

\*a. 8/35b.  $8 \cdot 1/5$ c.  $8 \cdot 1/35$ 

 $4/5 \times 3/8 = (4 \times 1/5) \times (3 \times 1/8) = a \times b = N$ If "a" = 12, and "b" = 1/40, then N is

\*a. 12/40

b. 12 1/40

c. 1 21/40

 $5/8 \times 3/2 = (5 \times 1/8) \times (3 \times 1/2) = a \times b = N$ If "a" = 15, and "b" = 1/16, then N is

a. 15 1/16 b. 15 1/6 \*c. 15/16

 $5/6 \times 2/3 = (5 \times 1/6) \times (2 \times 1/3) = a \times b = N$ If "a" = 10 and "b" = 1/18, then N is

a. 10 1/8 \*b. 10/18 c. 10 1/18  $3/7 \times 7/2 = (3 \times 1/7) \times (7 \times 1/2) = a \times b = N$ If "a" is 21, and "b" = 1/14, then N is

2460

\*a. 21/14 b. 21 1/14 c. 21 1/4

Source: Addison-Wesley, Elementary School Math, 5., p. 292.

THE STUDENT WILL APPLY HIS KNOWLEDGE OF THE MULTIPLICATION OF RATIONAL NUMBERS BY IDENTIFYING THE CORRECT PRODUCT TO A GIVEN EQUATION.

0242

 $3/2 \times 2/5 = N$ . N is

2461

 $3/4 \times 5/2 = N$ . N is

2462

a. 8/6 \*b. 15/8 c. 8/8

 $4/7 \times 2/5 = N$ . N is

2463

\*a. 8/35 b. 6/35 c. 8/12

 $5/6 \times 2/3 = N$ . N is

2464

\*a. 10/18 b. 7/9 c. 7/18

 $3/4 \times 2/5 = N$ . N is 2465 a. 6/9 b. 5/9 \*c. 6/20  $5/6 \times 3/8 = N$ . N is 2466 a. 8/14 b. 8/48 \*c. 15/48  $3/4 \times 5/8 = N$ . N is 2467 \*a. 15/32 b. 8/32 c. 8/12  $4/7 \times 7/4 = N_{\bullet}$ N is 2468 a. 11/28 b. 28/11 \*c. 28/28  $0/7 \times 3/8 = N.$  N is 2469 \*a. 0/56 b. 3/56 c. 3/15  $5/4 \times 3/5 = N$ . N is 2470 a. 8/20 \*b. 15/20 c. 8/9

Source: Addison-Wesley, Elementary School Math 5, p. 293.

SETS

INTRODUCTION



THE STUDENT WILL RECALL THE WORDS RELATED TO SETS OF ANIMALS BY IDENTIFYING THE CORRECT WORD FROM A LIST.	0254
Directions: Put an x in front of the letter of the correct answer.	
Which of the following identifies a set of pupples? a. yoke b. litter c. flight	2471
Which of the following identifies a set of cattle? a. yokeb. flightx c. herd	2472
Which of the following identifies a set of fish?  a. flock  x b. school  c. train	<b>2473</b>
Which of the following identifies a set of camels?  x a. train b. group c. yoke	2474
Which of the following identifies a set of people? a. trainb. litterx c. group	2475

Source: Houghton Mifflin, p. 1.

THE STUDENT WILL RECALL THE WORDS RELATED TO SETS OF ANIMALS BY MATCHING THE CORRECT WORD IN COLUMN I WITH THE IDENTIFYING WORD IN COLUMN II.

0255

Directions: Place the letter from Column I on the line before the identifying word in Column II.

Column I	Column II	
a. yoke b. litter	d camels	2476
b. litter c. drove d. train e. flight f. school	people	2477
	<u>b</u> cats	2478
	<u>f</u> fish	2479
	e geese	2480
	_c sheep	2481
	horses	2482
	e oxen	2483

Source: Houghton Mifflin, p. 1.

THE STUDENT WILL DEMONSTRATE HIS COMPREHENSION OF MEMBERS OF A SET BY CORRECTLY IDENTIFYING THE MEMBERS OF A SET FROM A GIVEN LIST.

0256

Directions: Underline the correct answer.

In a classroom the children were seated as follows:

Set 1	Set 2	Set 3	Set 4
Bob	Jane	Sally	Cindy
Joe	Mary	Denise	Joan
Debbie	Bill	Pete	Eric
John	Sue	Laurie	Mike

Which student is <u>NOT</u> a member of Mary's set?	21,81;
a. Jane b. Bill c. Sue *d. Cindy	
Which girl is a member of Pete's set?	2485
a. Joan b. Debbie *c. Denise d. Mary	
Which set of girls contains the names of the members of Mike's set?	2486
*a. Cindy and Joan b. Jane and Sue c. Denise and Laurie d. Sue and Mary	
Which set of boys is made up of the boys from Debbie's set?	2487
a. Bob, Mike, John b. Joe, Bill, Eric c. Mike, Pete, John *d. John, Bob, Joe	
Which set of girls make up the members of Pete's set?	2488
<ul> <li>a. Laurie, Debbie, Sue</li> <li>b. Cindy, Mary, Joan</li> <li>*c. Denise, Laurie, Sally</li> <li>d. Jane, Denise, Laurie</li> </ul>	



Which boy is a member of Sue's set  a. Pete b. Eric c. Bob *d. Bill	·?	2489		
Which set has equal sets of girls  a. Set 1 b. Set 2 c. Set 3 *d. Set 4	and boys?	2490		
Source: Houghton Mifflin, p. 2.				
THE STUDENT WILL DEMONSTRATE HIS C SET BY CORRECTLY IDENTIFYING THE I GIVEN SET.		0257		
Directions: Place the letter of the set in Column I on the line before the correct description in Column II.				
Column I	Column II			
a. Jane, Sue, Ellen b. ounce, pound, ton	d the first five even whole numbers	2491		
c. horses, cows, goats d. 0,2,4,6,8 e. man, woman, child	1 the middle letters of the alphabet	2492		
f. breakfast, lunch, dinner g. penny, nickel, dime, quarter,	the holiday season	2493		
half-dollar h. apple, orange, banana	k the days of the week	2494		
i. V, W, X, Y, Z j. summer, winter, fall, spring	the first five prime numbers	2495		
k. Sunday, Monday, Tuesday, Wednesday, Thursday,	1 the seasons of the year	2496		
Friday, Saturday 1. 1, m, n, o, p	the unit of time measurement	2497		



g the coins of the U.S.A.

	e a	group of people	2499
		ne last five letters of the lphabet	2500
	b th	ne units of weight measurement	2501
	f th	ne meals of the day	2502
·	p	ieces of vegetables	2503
	<u>a</u> a	group of girls	2504
	c a	herd of animals	2505
	t	he first five cardinal numbers	2506
	h p	ieces of fruit	2507
	a	daily task	2508
	•		

THE STUDENT WILL DEMONSTRATE HIS KNOWLEDGE OF BASIC SET NOTATIONS

0139

BY SELECTING THE CORRECT NOTATION FOR A GIVEN TERM.

Directions: Using the information provided circle the letter that answers each question.

Given: 
$$A = \{1,3,5,7,9\}$$
 and  $B = \{1,3,6,9\}$ , 2509

AAB =

Given: 
$$A = \{1,3,5,7,9\}$$
 and  $B = \{1,3,6,9\}$ , 2510

523

AUB =



Given:  $A = \{1,3,5,7,9\}$  and  $B = \{2,4,6,8,10\}$ 

2511

AUB #

a. {1,3,5,7,9}
\*b. {1,2,3,4,5,6,7,8,9,10}
c. { 3
d. {2,4,6,8,10}

Given:  $A = \{1,3,5,7,9\}$  and  $B = \{2,4,6,8,10\}$ 

2512

AAB =

a. {1,3,5,7,9}
b. {2,4,6,8,10}
\*c. {
d. {1,2,3,4,5,6,7,8,10}

CARDINAL NUMBER



THE STUDENT CAN DEMONSTRATE UNDERSTANDING OF CARDINAL NUMBERS BY GIVING A CARDINAL NUMBER FOR ANY GIVEN SET OR GIVING A SET FOR A GIVEN CARDINAL NUMBER.

0020

The cardinal number of set A is:

2513

A = dog, cat, bird

\*a. n(A) = 3

b. n(A) = 4

c. n(A) = 6d. n(A) = 2

n(A) = 5

n(A) = 4. Which of the following are the elements of set A?

2514

a. 1, 2, 4, 8, 10

\*b. w, x, y, z

c. rose, violet, daisy, peony, lily, zinnia

d. horse, cow, sheep, pig, chicken, duck

e. b, c, d, f, g, h, j, k

0077

THE STUDENT CAN APPLY ARITHMETIC METHODS TO ILLUSTRATE THE CONCEPT THAT EVERY SET CAN BE REPRESENTED BY A CARDINAL NUMBER.

 $B = \{1, 2, 3, 5, 7\}$   $C = \{1, 2, 4, 6, 8, 10, 12\}$ 

2515

The cardinal number of set B is how much more or less than set C?

0 8.

b. 1

**\*c.** 2

d. 3

e. 4

**EMP'TY** 



THE STUDENT DEMONSTRATES KNOWLEDGE OF EMPTY SETS BY CHOOSING ITS SYMBOLIC REPRESENTATION AND ITS RELATIONSHIP TO ALL OTHER SETS.

0026

Which of the following is an empty set?

2518

$$A = \{1, 3, 5, 7\}$$

$$B = \{2, 4, 6, 8 \dots \}$$

2519

The union of sets A & B are counting numbers. If Set A intersects  $\mathbf{Set}$  B, the intersection is:



If we list the subsets of set A, which of these is NOT a subset

2520

$$A = \{a, c, d\}$$

$$B = \{e, f, g\}$$

$$B = \{e, f, g\}$$
  $C = \{c, o, m\}$ 

2521

One of the following is  $\underline{NOT}$  an empty set.

Two sets whose intersection is an empty set are disjoint sets.

$$A = \{ days \text{ of the week } \}$$

Which of the following symbolizes disjoint sets:



A = {Sam } D = {Tom, Bill }
B = {Tom } E = {Sam, Tom, Bill }
C = {Sam, Bill }
F = {Bill }

All sets can be joined in several ways. One of these is NOT true. 2523

a. E - A = D b. D - B = F

c. B C = E \*d. D - A B = F

d. D - A B = e. E - F = A B EQUAL-EQUIVALENT



THE STUDENT DEMONSTRATES KNOWLEDGE OF EQUIVALENCE BY STATING THAT TWO OR MORE SETS ARE EQUIVALENT IF N FOR THE SETS ARE EQUAL.

0021

Match the following equivalent sets by placing the letter from Column II in front of number of Column I.

d [3, 5, 7, 9, 11, 13, 15] b. [1, 2, 4, 6, 8] 25:	Column I	Column II	
	d [3, 5, 7, 9, 11, 13, 15]	b. \$1, 2, 4, 6, 8} c. } > < O m 5 d. {a, b, c, d, e, f, g}	2524 2525 2526 2527

2528

A =  $\{a, b, c, d, e\}$ B =  $\{1, 2, 3, 4, 5\}$ Which of the following is <u>not</u> correct?

a. 
$$5 + 5 = n(A B)$$
  
b.  $n(A) = n(B)$   
\*c.  $n(A) = 10$   
d.  $10 = n(A) + n(B)$   
e.  $10 - (n(A)) = n(B)$ 

 $A = \{a, b, c, d, e\}$   $B = \{1, 2, 3, 4, 5\}$ 2530

Which of the following symbols correctly shows the relationship between sets A and B?

THE STUDENT KNOWS IF THERE IS ONE TO ONE CORPESPONDENCE BETWEEN THE MEMBERS OF 2 SETS, THE SETS ARE EQUAL ONLY IF THE 2 SETS CONTAIN THE SAME MEMBERS AND THEY ARE EQUIVALENT IF ELEMENTS ARE DIFFERENT BY NAMING GIVEN PAIRS OF SETS AS EQUAL OR EQUIVALENT.

0027

 $A = \{1, 2, 3, 4, 5\}$ 

$$B = \{a,b,c,d,e\}$$

These sets are:

2531

- a. =
- \*b. ≈
- C. 74
- d. 2
- e. A <B
- f. A > B
- $g \cdot A = B$

$$A = \{a,e,i,o,u\}$$

B {sink, stove, spoon, strainer}

2532

One of the following is NOT true about sets A & B:

- a. AVB = 9
- b. AAB = { ]
- \*c.  $A \cap B = 5 4$
- $d. \quad 5 + 4 = n(A \lor B)$
- e. n(A) n(B) = 1
- f. A≠B
- g. A 2 B

A = hour numbers on a clock

B = counting numbers through 12

Which statemen ts are true about sets A & B

2533

- a. A # B
- b. A UB = 32
- c. An B = 24
- d. A # B
- \*e. n(A) = n(B)

Two equal sets each have four members. Their union is a set that has \_\_\_\_\_ members.

2534

- a. 8
- b. 0
- \*c. 4
- **d.** 6
- e. 1

Two sets each having the same number of members but different members. Their union is expressed by:

2535

- \*a. 1≈B
  - b. A = B
  - c. AVB = 8
  - d.  $A \cup B = n(A) n(B)$
  - e. A#B

THE STUDENT, APPLYING HIS KNOWLEDGE OF HOW EQUIVALENT SETS ARE BUILT, WILL SELECT THE FIRST FRACTION IN A SET.

0100

Directions: Choose the letter of the fraction necessary to begin the set.

$\frac{e}{b}$ , $\frac{2}{4}$ , $\frac{3}{6}$ , $\frac{4}{8}$ , $\frac{7}{12}$	s. 4/3	2536
b = 6/16, 9/24, 12/32,	b• 3/8	2537
$\underline{\mathbf{g}}$ [ , 2/10, 3/15, 4/20,]	c. 3/2	2538
a   8/6, 12/9, 16/12,]	d. 1/10	2539
a . 8/6, 12/9, 16/12,] d . , 2/20, 3/30, 4/40,]	e. 1/2	2540
	f. 2/5	
	g. 1/5	

Directions: Choose the letter of the fraction necessary to begin the set.

Source: Addison-Wesley, Bk. 5, p. 207.

THE STUDENT WILL DEMONSTRATE HIS KNOWLEDGE OF EQUAL SETS BY
CHOOSING EQUAL SETS FROM A GIVEN LIST.

Directions: Underline the correct equal set.

Tom, Dick, Harry 2546

- a. Tom, Dick, Joe
- \*b. Harry, Tom, Dick
- c. Tom, Don, Harry

horse, cow, goat 2547

- \*a. cow, horse, goat
  - b. horse, pig, cow
  - c. goat, cow, sheep



1,2,3,4	2548
a. 3,1,5,4 b. 2,4,6,8 *c. 3,2,4,1	
210, 410, 510	2549
a. 210, 310, 410 *b. 410, 510, 210 c. 510, 410, 110	
glass, dish, bread	2550
a. dish, spoon, bread b. cup, dish, spoon *c. dish, bread, glass	
dog, cat, car, bicycle	2551
*a. cat, car, dog, bicycle b. cat, dog, bicycle, train c. bicycle, cat, train, car	
a b c	2552
a. bec *b. cba c. dac	
5, 4, 3, 2, 1	2553
a. 5, 4, 1, 6, h b. 0, 2, 4,6, 8 *c. 3, 1, 5, h, 2	

skirt, blouse, shoes

2554

- a. blouse, pants, skirt b. shoes, skirt, blouse c. skirt, tie, shoes
- \*b.

brush, comb, hair

2555

- \*a. comb, hair, brush
- b.
- curler, heir, brush shampoo, hair, brush C.

Source: Houghton Mifflin, p. 1 & 2.

SUBSETS AND SUPERSETS



THE STUDENT DEMONSTRATES KNOWLEDGE OF SETS BY INDICATING WHETHER GIVEN SETS ARE SUBSETS, UNIVERSAL SETS OR SUPERSETS.

0028

A = {1, 2, 3, 4}

The relationship of the Element (E) to set A can be shown in different ways. One of these is NOT correct.

2556

2562

- a. 16 [A]
- b. 16 {1, 2, 3, 4}
- \*c. {1} ⊃ A
  d. {1} ⊂ A
  e. A ⊂ {1}
- $f. \{1, 2, 3, 4\} \{1\} = \{2, 3, 4\}$
- g. {1} u {2, 3, 4} \* A

The Universal sets in Column I can be paired with the sets in Column II. Mark the letter of the proper set in front of the number of its universal set.

## Column I

## . Column II

		_	
<u>b</u>	U = airplanes	a. {a,b,c,d,e,f,g}	2557
e	U = airplanes U = counting numbers	a. {a,b,c,d,e,f,g} b. { jet}	2558
а	U = notes of a musical scale	c. \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	2559
c	U = boy's who jump 20 ft. high	<pre>d. { planets, asteroids,     stars, moons }</pre>	2560
d	U celestial bodies	e. {1, 2, 3, 4, 5, 6} f. {0, 1, 2, 3}	2561

The element 7 is a subset of the counting numbers greater than 5 and less than 10. Which does not express this?

- a.  $\{7\} \subset \{6,7,8,9\}$ b.  $\{7\} \cup \{6,8,9\} = \{6,7,8,9\}$ c.  $7 \in \{6,7,8,9\}$ \*d.  $\{7\} \rightarrow \{6,7,8,9\}$



 $V = \{0,1,2,3,4,5,6\}$ 

2563

Which of the following is Not a subset of U:

- a. { }b. {counting numbers to 6}
- c. {first 3 odd numbers}
- \*d. feven numbers less than 5} e. {0}

THE STUDENT CAN DEMONSTRATE KNOWLEDGE OF SUBSETS BY JOINING SUB-SETS OF A SET TO NAME A NEW SUBSET OF THAT SET OR IF HE KNOWS THE NUMBER OF EQUIVALENT SUBSETS BEING JOINED HE CAN MULTIPLY TO FIND THE NEW SUBSET.

0065


{ A A A A A } { EA }, EA 5

A new subset would be  $\{\triangle, \triangle\}$  found by

2564

- a. 1/4 + 1/4 = 2/4 \*b. 1/5 + 1/5 = 2/5 c. 5/5 2/5 = 3/5 d. 2/5 ÷ 5/5 = 7/5

2565 The best expression for the area of the



- 1/4 \*b.  $3 \times 1/4$
- c. 3 x 4/1 d. 3/3

The numerator of the new fraction for  $4 \times 1/5$  is

2566

- a.
- \*b∙ 4
- 3 c.
- 1. d.

shaded portion of the circle is

The new fraction for  $6 \times 1/7$  is 2567 \*a. 6/7 b. 5/7 c. 7/7 d. 1/7  $5 \times 1/10 is$ 2568 a. one-fifth b. four tenths \*c. five-tenths d. one-tenth e. six-tenths If 1/6 + 1/6 + 1/6 = n, then n is 2569 one-sixth three-sixths six-sixths 0268 THE STUDENT WILL APPLY HIS KNOWLEDGE OF SUBSETS BY CHOOSING THE CORRECT SUBSET THAT IS LOCATED WITHIN A GIVEN SET. Directions: Circle the correct subset for each example. U = [all the boys of the world] 2570 a. = [Jane and Sue]\*b. = [Joe and Mike]c. = [Joe and Jane] U = [all the even numbers] 2571 a. = [1,2,3,4] b. = [1,3,5,7] \*c. = [2,4,10,12]

<pre>U = [all the animals of the world]  *a. = [cat,dog,mouse] b. = [tomatoe, giraffe, camel] c. = [giraffe, towel, kitten]</pre>	2572
<pre>U = [all the fruits of the world a. = [oranges, elms, bananas] b. = [apple, peach, corn] *c. = [grapes, oranges, lemons]</pre>	<b>2573</b>
<pre>U = [all the trees of the world] a. = [cotton, maple, corn] *b. = [maple, elm, fir] c. = [redwood, cucumber, birch]</pre>	2574
<pre>U = [all the girls of the world]  *a. = [Jane, Jeanne, Joyce] b. = [Mary, Bob, Betty] c. = [Marya, Mark, Marie]</pre>	2575
<pre>U = [all the vegetables of the world] a. = [tomatoe, potatoe, lemon] b. = [peas, orange, lettuce] *c. = [corn, beans, radishes]</pre>	2576
<pre>U = [all of the religions in the world] a. = [Catholic, Chinese, Moslem] *b. = [Protestant, Catholic, Baptist] c. = [Spanish, German, Irish]</pre>	2577



U = [all of the prime numbers]

2578

U - [all of the even numbers]

2579

Source: Houghton Mifflin, p. 27.

OPERATIONS



THE STUDENT DEMONSTRATES KNOWLEDGE OF ADDITION IN TERMS OF SETS BY SELECTING IT FROM A LIST.

0038

The subsets are being joined. Which equation correctly names the cardinal numbers.

2580

- 2 + 4 = 6a.
- 3 + 4 = 7b.
- 2 + 5 = 7
- 3+5=8 4+5=9






The subsets are being joined. Which is the correct numerical equation for this union.

2581

- \*a. 0 + 5 = 5
- b. 0 + 6 = 6
- c. 5 + 5 = 5d. 0 = 4 + 0
- e. 0 = 5 + 9



THE STUDENT DEMONSTRATES THAT HE KNOWS THAT THE UNION (  $oldsymbol{\mathsf{U}}$  ) OF 2 OR MORE SETS IS A NEW SET CONTAINING ALL ELEMENTS OF THE JOINING SETS AND COMMON ELEMENTS ARE ONLY LISTED ONCE BY SELECTING THE CORRECT REPRESENTATION. OF A UNION.

0025

$$A = \{0, 2, 4, 6, 8\}$$

$$B = \{1, 3, 5, 6, 7\}$$

The union of sets A & B will contain

2582

- a. U ={2, 3, 4, 5, 6, 7} b. U ={1, 2, 3, 4, 5, 6, 7, 8} c. U ={0, 2, 3, 4, 5, 8} \*d. U = {0, 1, 2, 3, 4, 5, 6, 7, 8} e. U ={counting numbers to 8}

 $B = \{b, c, d\}$ 2583  $A = \{a, e, o\}$ The U of sets A and B is: \*a. { a, e, o, b, c, d}
b. { b, a, d} c. { c, o, b } d. & b, a, d, e, o 3 e. § a, e, o, b, d. 5  $B = \{lamp. rug, bed\}$ 2584 A = {chair, table, lamp} The U of A and B is a. {chair, table, rug, bed } b. {chair, table, lamp, lamp, rug, bed } \*c. {chair, rug, bed, lamp table { d. { bed, chair, table, rug } e. {lamp} 2585 AUB = {Al, Ann, Amos, Andy } Set A and Set B could be represented by:  $A = \{A1\}$  B =  $\{A1, Amos, Ann\}$ \*b. A =  $\{Ann, Amos, Al\}$  B =  $\{Al, Amos, Andy\}$ c. A = {Al, Andy } B = {Ann, d. A = {Al, Ann, Amos } B = {3} B = {Ann, Andy, Al } e. A = { Al, Ann, Andy } B = {Ann, Andy }  $AVB = \{0, 1, 2, 3, 4, \dots \}$ 2586 One of the following is NOT true of sets A, B, or the A \*a. AUB = {counting numbers} b. AUB = {the whole numbers { c. A = leven numbers? d. B = { numbers divisible by two?

ERIC

Full Text Provided by ERIC

e. A = { odd numbers}

THE STUDENT WILL APPLY HIS KNOWLEDGE OF THE UNION OF SETS BY IDENTIFYING THE CORRECT NEW SET FROM A GIVEN EXAMPLE.

0259

Directions: Put an x in front of the correct G set.

E = (Jane, Sue, Mary) F = (Joe, Tom, Ed)

2587

If  $E \wedge F = G$ 

a. G = (Jane, Sue, Mary, Tom, Joe, Bill)
b. G = (Jane, Tom, Sue, Mary, Bill, Ed)
\*c. G = (Tom, Ed, Mary, Sue, Joe, Jane)

E = (car, bus, bicycle, scooter) F = (boat, train, car, bus)

2588

If E / F = G

a. G = (train, bicycle, scooter, car, bus)
\*b. G = (bicycle, car, scooter, train, boat, bus)
c. G = (bicycle, scooter, boat, train)

2589

E = (0, 5, 10, 15, 20, 25)F = (0, 10, 20, 30, 40, 50, 60)

If E / F = G

a. G = (60, 50, 40, 30, 10, 0) b. G = (0, 5, 15, 25, 30, 40, 50, 60, 0) \*c. G = 40, 50, 60, 0, 5, 10, 15, 30, 25, 20)

2590

E = (13, 3, 11, 5, 17, 7)F = (14, 2, 12, 4, 10, 6)

If E / F = G

a. G = (12, 3, 4, 0, 17, 15, 13, 9, 8, 10)\*b. G = (4, 5, 6, 7, 13, 15, 17, 3, 2, 11, 12, 10)c. G = (2, 3, 4, 13, 15, 17, 9, 10, 7, 8, 12, 6)



```
E = (red, purple, pink)
                                                                                                          2591
F = (blue, pink, yellow)
If E / F = G

    a. G = (pink, purple, blue, red, pink)
    b. G = (purple, yellow, pink, red, blue)

      c. G = (yellow, purple, red, blue, purple)
E = (\Box, \triangle, \varnothing, \Box)

F = (\Theta, \Box, \times, \otimes)
                                                                                                           2592
If F / E = G
    a. G = ( Δ, □, Ø, □, Θ, □, Θ, Χ )
b. G = ( Χ, □, Θ, Θ, Θ, □, Δ )
*c. G = ( Ø, Θ, Χ, □, Θ, Δ, □
E = (skirt, blouse, slip, shoes)
                                                                                                           2593
F = (pants, shirt, shoes, tie)
If E / F = G
     *a. G = (blouse, shoes, shirt, skirt, slip, tie, pants)

    b. G = (skirt, shirt. shoes, slip, shoes, pants, blouse)
    c. G = (pants, blouse, tie, shirt, skirt, slip, socks)

E = 1, 2, 3, 4, 5
                                                                                                           2594
F = 2,3,4,5,6,7
If E / F = G
      a. G = 1,6,7
```



b. G = 7,6,5,4,2\*c. G = 7,6,5,4,3,2,1 E = (Kirk, Cindy, Sue, Kent) F = (Denise, Keith, Kirk, Nancy)

2595 --

If  $E \wedge F = G$ 

a. G = (Kirk, Kent, Keith, Kerry)
\*b. G = (Denise, Cindy, Sue, Nancy, Kent, Kirk, Keith)
c. G = (Cindy, Sue, Denise, Nancy)

E = (s + u)F = (abcde) 2596

If EAF - G

\*a. G = (a,b,c,s)+(u,d,e)b. G = (a b c d e s t u)c. G = (u, t, s, d, v, c, a, e)

Source: Houghton Mifflin, p. 8.

THE STUDENT CAN APPLY THE DEFINITION OF INTERSECTION OF SETS TO SOLVE A SITUATION WHERE ALL INFORMATION OR THE CONCLUSION IS NOT GIVEN.

0031

"Y" is an element in Set A. Set A does not intersect Set B. We therefore know Set B.

2597

- a. has many members
- \*b. has no members in common with set A.
- c. is larger than Set A.
- d. Union Set A has twice as many members as Set A.



There are 25 boys and girls in Room 7 of Marshall School. Jane is the only member of her class in Girl Scouts. Sue and Jane are secretary and treasurer of the Science Club of 15 class members. Bob is president of the class and the Science Club. Sam doesn't like clubs. The intersection of all these sets would be:

2598


- Sam a.
- ₩b. Jane
- c. Bill
- Jane and Sue d.
- Jane, Sue and Bill

Source: Modern School of Math 4, Houghton-Mifflin, pg. 100-103

Modern School of Math 5, pgs. 100-101, 134, 139 Modern School of Math 6, pgs. 8-9, 42

THE STUDENT WILL APPLY HIS KNOWLEDGE OF THE UNION AND INTERSECTION OF SETS BY IDENTIFYING THE UNION AND INTERSECTION OF GIVEN SETS.

Directions: Given two sets, answer the question by circling the letter of the correct answer.



What identifies S V T?

2599

0085


- a. d,e,f,g,h
- b. a, b, c, f, g, h
- c. a,b,c,d,e,f
- \*d. a,b,c,d,e,f,g,h

What identifies  $S \cap T$ ?

2600

- a,b,c,d,e,f,g,h a.
- b. a,b,c
- \*c. d,c
- d.  $f, \mu, h$





What identifies TAS?

2601

- a. 1,2,3,4 b. 2,3,4 c. 1,2,3 \*d. 2,3

What identifies S V T?

2602

- \*a. 1, 2, 3, 4 b. 2, 3, 4 c. 1, 2, 3 d. 2, 3

 $\mathbf{z}$ 14 12

What identifies Z V R?

- a. 11, 12, 13
- b. 13, 14
- \*c. 11, 12, 13, 14 d. 12, 13, 14

2604

2603

- What identifies  $R \cap Z$ ?
  - a. 11, 12, 13

  - \*b. 13 c. 13, 14 d. 11, 12, 13, 14

Source: Addison-Wesley, pp. 174-175.

THE STUDENT CAN DEMONSTRATE KNOWLEDGE OF CROSS PRODUCT BY STATING THAT THE CROSS PRODUCT (OR CARTESIAL SET) IS THE MATCHING OF ALL MEMBERS OF ONE SET WITH ALL MEMBERS OF ANOTHER.

0078

Given the sets A and B,

2605

$$A = \{1,2,3\}$$
 $B = \{a,b\}$ 

the total number of cross products of sets A and B is:

- a. 2
- b. 4
- \*c. 6
- d. 8
- e. 10

Given the sets A and B, where

2606

0032

$$A = \{1,3\}$$
  
 $B = \{a,b,c\}$ 

which of the following is NOT a cross product of sets A and B?

- a. (a,1)
- \*b. (a,b)
- c. (a,3) d. (b,3)
- e. (c,1)

THE STUDENT RECALLS CROSS PRODUCT NOTATION BY SELECTING IT FROM A LIST.

Which of the following statements asks you to find the cross products: 2607

- a. AVB
- b. An B
- c. A=B
- \*d. A @ B
- e. A≈B

THE STUDENT APPLIES THE CONCEPT OF CROSS PRODUCTS OF 2 SETS TO SOLVE A PROBLEM USING ARITHMETIC METHODS.

0033

There are 6 cross-products of Set A and Set B. Which of the following would be the possible sets.

2608

a. A = (1,27

D = {33

\*b. A = {a,b? c. A = {6}

B = 1,2,3  $B = \{\}$ 

d. A = {a}

 $B = \{1, 2, 3, 4, 5\}$ 

2609 Your mother has baked a cherry, an apple, and a plum pie. She has four kinds of ice cream, vanilla, chocolate, strawberry, fudge ripple. The number of different combinations would be:


- a.
- b. 3
- c. 4
- d. 6
- \*e. 12



VENN DIAGRAMS

THE STUDENT DEMONSTRATES KNOWLEDGE OF VENN DIAGRAMS BY EXPRESSING UNION AND INTERSECTION OF SETS IN TERMS OF SUCH DIAGRAMS.

0029




$$M = \{4,5\}$$
  
 $N = \{5,6\}$   
 $0 = \{3,5,7\}$ 

2610

MUNUO .

.




$$M = \{4, 5\}$$
  
 $N = \{5, 6\}$   
 $O = \{3, 5, 7\}$ 


MANAO =

2611

Using the Venn diagram which of 2612 the following is true



a. 
$$M - N = 0$$
  
\*b.  $n(0) - n(M) = 1$   
c.  $N < M$   
d.  $M = N$   
e.  $0 \approx M$ 



A = {children who have brown eyes} 2613 B = {children with red hair}

C = {children with freckles {

One of the following does NOT name the set of children with red hair, brown eyes, that have freckles

- AABAC 8.
- b. Exs
- \*c. ξm,x,y?
- d.  $A = \{i, j, k, m\}$
- BnC 743

THE STUDENT WILL APPLY HIS KNOWLEDGE OF FRACTIONS AND SETS TO TRANSLATE SETS INTO FIGURES.

0095

Directions: Choose the correct answer after examining the set of figures.



What fraction of the figures are shaded?

2614

What fraction of the figures are triangles?

2615

- 3/5

What fraction of the figures are not triangles?

2616

- 3/7 b.
- 3/5

What fraction of the set is one figure?

2617

Directions: Choose the correct answer after examining the set of figures.



What fraction of the figures are shaded?

2618

\*a. 1/3 b. 2/3 c. 3/3

What fraction of the figures are squares?

2619

What fraction of the figures are not larger than another?

2620

What fraction of the figures are not shaded?

2621

Source: Addison-Wesley, Bk. 5, pp. 188.


GIVEN SPECIFIC DATA, THE STUDENT WILL APPLY HIS KNOWLEDGE OF SETS BY SELECTING A VENN DIAGRAM THAT ACCURATELY USES INFORMATION PROVIDED.

0138


Directions: Circle the letter of the diagram that uses all the given information.

Given:  $A = \{5,9,10\}$ , And =  $\{5,9\}$ , Bric =  $\{5,6\}$ 


2622



\*15.




C.




Given:  $A \lor B = \{1,3,5,7,9,11,13\}$ ,  $B = \{1,3,5,7,9,13\}$ 


2623



X a.



Ł



ζ.

ADVANCED TOPICS



LOGARITHMS AND EXPONENTIALS



THE STUDENT CAN DEMONSTRATE UNDERSTANDING OF COMPUTATIONAL SEQUENCE TO 0019 SOLVE A GIVEN MATHEMATICAL RELATIONSHIP INVOLVING AT LEAST THREE DIFFERENT OPERATIONS, SUCH AS MULTIPLYING, DIVIDING, RAISING TO A POWER OF, EXTRACTING A POOT.

The logarithmic value of the expression  $1560 \times 788$  is

1978

- a. 10.7912
- b. 3.7388 \*c. 4.7388
- d. 9.7912

The numerical value of the expression 1560 x 788, determined using 1979 logarithms and the anti-logarithms. 503

- \*a. 5.48 x 10<sup>4</sup>
- b. 6.18 x 10<sup>10</sup>
- c.  $5.46 \times 10^3$
- d.  $6.18 \times 10^9$

Source: Terms, Tables & Skills, CA5 Bobbie J. Woodruff, p. 148-149.





THE STUDENT CAN EMONS THATF UNDERSTANDING OF THE RELATION BETWEEN LOGS AND EXPONENTS BY TRANSLATING THE EXPONENT OF A NUMBER EX-PRESSED IN SCIENTIFIC NOTATION TO THE CHARACTERISTIC OF THE LOG-ARITHM OF THAT NUMBER.

COLA

The characteristics of the logarithms of the numbers (base 10) 1560 and 788, in this order are

2624

- 1 and 1
- \*b. 3 and 2
- 1 and 2 C.
- 2 and 3

The characteristics of the logarithms of the numbers (to the base ten) 0.104 and 0.00398 are

2625

2625

- I and 3
- b. 2 rna 3
- c. #d. I and 3

The Characteristics of the logarithm of the numbers (base 10) 0.104 and 0.00398 may be written as

- a. 9. -10 and 3
  b. 1 and 7. -10
  c. 8. -10 and 3
  \*d. 9. -10 and 7. -10

Source: Terms, Tables, and Skills, Ch. 5.

THE STUDENT CAN DEMONSTRATE UNDERSTANDING OF THE LOG TABLE BY DE-TERMINING THE FRACTIONAL PORTION OF AN EXPONENT USED TO EXPRESS THE POWER OF TEN IN ANY GIVEN NUMBER, WHICH LIES BETWEEN TWO SUCCESSIVE NUMBERS WHICH ARE EVEN POWERS OF TEN, BY USING A TABLE OF MANTISSAS KLIOWN ON A LOGARITHM TABLE.

0014

The fractional portion of the exponent of the numbers 123, which is between 100 and 1000. Sould be

2627

n. .0531

್ಣ. .C≦99

Source: Town, Rader, and Mille, Silver Burdeta

WHE STUDIES CAN HEROASTRATE UNDERSTAIDING OF A LOCATING THE HANTISTA OF THE LOCATIVE OF ANY THREE PLACE REFREIR (TO BASE 10) IN A LOCATIVEM TABLE.

0015

Directions: Using the log table in the back of your book, determine the mentiones for the following numbers. (Gircle the correct energy.)

1560 and 700

2528

e. .1931 cm .0054

b. 17(1 mad .6965

Fc. .1931 and .8935

.1761 and .635%

0.10% and 0.60998

2629

\*a. .0170 all .5999

be 2374 part 5979

c. .0170 cm1 ,5/26

d. .023.2 and .5399

Source: Towns, Tobles, Skill, Ch. 5 and p. MAC,

Dabbie J. Megiraff

Silver Enudett and Co.

THE STUTE OF PEMORSTRATE UNDERSTAIDING OF LOCARITY S IN WRITING THE COMPLETE LOCARITY OF ANY THREE PLACE NUMBER TO THE BASE 10.

CO19

Educations: The momplete logarithms of the following must be are listed in the adjoining webles. Circle the correct answer.

1500 / mi 773

4500 and 773	2630
a. 1.1931 cm: 1.0965 b. 3.1761 cmd 2.0965 *c. 3.1931 cmd 2.0965 d. 2.1761 cmd 0.6054	20,0
0.10), and 0.00373	2331
a. 0.03% and 0.5999  Th. 1.0170 and 3.5999  C. 1.0170 and 3.5999  C. 1.0772 and 3.5899	ŕ
Course: Toros, Tables, Stills, Un. 5 and p. 148 Ecobic J. Moodreff, Silver Durdost, 1966,	
ANGULA THE WEST, THE CASEING ON BEHINDERARE THE PROCESS OF USING LOSS OF FUSIONS AND SHOPINGTO TO INTERMINE THE LOGARITHM PRODUCT OF CORUMNERS USING LOGARITHMS ON THE LOGARITHM QUOTIENT OF TO PUBLICAS DELIG LOGARITHMS.	0017
one legarithm to product of multiplying 1560 and 780 is expressed in the C.MY.S by S.CO.S c. 5.00.5	2532
The logarithmic quotions of dividing 1500 by 783 is expressed in a. 6.0075	2633
%5. 0.2036 0. 0.2071 0. 1.7074 564	

USING A LCG TABLE. THE STUDENT CAN DEMONSTRATE UNDERSTANDING OF THE CO18 TOG TABLE TO LETTER THE YEAR FRODER PRODUCT OF THE MUNELERS OR THE MULTBER QUOTILIT OF TWO MUNDERS USING THE LOGARITHMS AND ANTILOG-ALITA'S,

The number product or a this-log of multiplying 1500 and 780 using logarithms is

2634

- a. 1.903 x 10°
- b. 1.152 x 10<sup>6</sup>
- c, 1.229 x 10<sup>5</sup>
- \*d. 1.23 x 10<sup>6</sup>

The number quotient of dividing 1560 by 760 is

2635

- a. 121,600
- 75. 1,90
- c. 2.03 d. 0.305

Common: France, Tables and Skills, Ch. 5 Delibio de Mesdra il, Editor Pardett, 1966.




GRAPHING



THE STUDENT CAN PERONSTRATE UNDERSTANDING OF NUMBER PAIRS BY MANUTURE OF ACCOUNTING MUNICIPAL PARTIES OF A NUMBER PLANT OF CRAPK.

0035

Given the greaks



The number pair for point A is (1,2). Point B would be:

2636

- 0,2
- b. 2,0
- c. 0,5
- #d. 3,0


The author pairs for a graph are (1,1), (2,2), (3,1), (1,1)

If a condingue line connected all points graphed a 2537 would be revocated.

- ES CHUCTE
- triengle
  - rechargle Ca.
  - d.



Using this graph,





Point A would be:

c. 
$$(2,3)$$

$$d.$$
 (3,1)

e. (3,2)





$$(0,1)$$
  $(1,3)(3,2)(0,3)(3,3)$ 

2639

2638

Using the graph and the number pairs above, you will spell

- e. Boxes
- b. Bikes
- \*c. Birds
  - d. Bands

Remove the letters of numbers pairs (4,1)(4,3)(1,4) from the graph above PA'IMERD vill spell:

- a. rate
- b. date
- tc. team
- d. pear
- c. ream

Using the graph, football spelled 2641 in number pairs will be:

a. (3,1)(3,4)(3,4)(4,5)(0,2)(0,1)(2,3)92,3)\*b. (2,1)(3,5)(3,5)(4,5)(1,2)(1,1)(3,2)(3,2)c. (1,3)(5,3)(5,3)(5,4)(2,1)(1,1)(2,3)(2,3)d. (1,3)(5,3)(5,3)(5,4)(1,2)(1,1)(3,2)(3,2)

GIVEN A LINEAR EQUATION, THE STUDENT WILL APPLY HTS KNOWLEDGE OF CRAPHING TO SELECT THE DIAGRAM THAT CORRECTLY CRAPHS THE EQUATION.

Directions: Given an equation, find the diagram that correctly graphs it.

x + 2 = y

2642

0162

a,

4 18

2 1

2 1

2 1


2 2

3 1


-1


-5


-6



**4**3







2x + -4 = y

a.

-4 = y


X - 2

X

K

--3 -- Y

l.



2644

\* 0

X X X

--( --1

.

. •

. •

FUNCTIONS



THE STUDENT WILL, DEMONSTRATE HIS ABILITY TO APPLY FUNCTION RULES IN 0168 GIVEN EQUATIONS BY SELECTING THE CORRECT RULE FROM A GIVEN LIST.

Directions: Use the function rule given to select the correct answer.

Function Rule 8x(n+5). n = 62645

72 b.

96 C.

\*d. 88

Function Rule n + 219 n = 2252646

34

\*b. 44

> C. 45

35

Function Rule 594-n n = 18 2647

576

566

476

d. 469

Function Rule  $(n = 3) + 8 \quad n = 144$ 2648

a. 46

b. 24

c. 49

\*d. 56

Function Rule  $(n \times 8) + 4 f(n) = 68$ 

2649

8.

9 b.

8 \*c.

d.

573

Function Rule (12+n) = 12 f(n) = 10

2650

\*a. 10

b. 12

c. O

d. 24

Function Rule  $(100 \stackrel{*}{\cdot} n) + 21$  f(n) = 25

2651

a. 100

b. 21

\*c. 25

d. 4

Function Rule  $(n \times 9) - 9$  f(n) = 81

2652

a. 7

\*b. 10

c. 9

d. 8

WHEN NUMBER PAIRS ARE GIVEN IN A DEFINITE ORDER, THE STUDENT KNOWS SOME FUNCTION OCCURS TO THE FIRST NUMBER RESULTING IN THE SECOND NUMBER BY INDICATING THAT FUNCTION.

0037

The second number in a number pair cannot be found until we know the: 2653

\*a. function

b. answer

c. sign

d. name

e. order

THE STUDENT DEMONSTRATES UNDERSTANDING OF FUNCTIONS WHEN GIVEN THE FIRST NUMBER AND THE FUNCTION, THE STUDENT CAN COMPUTE THE SECOND NUMBER OR GIVEN THE NUMBER PAIRS HE CAN COMPUTE FOR THE FUNCTION.

0039

5 is added to the first number. Which is the correct set of number pairs?

2654

2655

- (1,5)(2,10)(3,15)
- (2,7)(3,8)(4,9)
- (1,6)(2,11)(3,16) (5,1)(10,2)(15,3) (7,2)(8,3)(9,4) C.
- d.

The second number in a number pair is 18. It is 6 greater than the first. The first number is:

- 8. 1
- b. 3
- 6 c.
- 9 d.
- \*e. 12

The number pairs are (0,a)(1,b)(2,c)(3,e). If 7 is added to the 2656 first number which group of numbers can be substituted for the letters?

- a. 0, 6, 5, 4 b. 0, 8, 9, 10 \*c. 7, 8, 9, 10

- d. 0, 7, 14, 21

The equation is x + 11 = y. A set of number pairs would be:

2657

2658

- (3,11)(4,22)(5,33) (2,22)(3,33)(4,44) (4,15)(5,16)(6,17) (1,11)(2,12)(3,13) a.
- b.
- \*c.
- d.

Given this set of number pairs, name the function. (5,13)(6,14)(8,16)

- x + 6 = ya.
- $x \times 6 = y$
- c. x + 7 = y
- #d. x + 8 = y
  - x x 8 = y

The number pair is (3,18). Other members belonging to this set could be.

2659

- a. (4,20)(5,21)(6,22) \*b. (4,19)(5,20)(6,21) c. (4,21)(5,22)(6,23) d. (4,22)(5,23)(6,24)

The function is  $x - 7 = y_0$ is a number pair that uses 2660 this function.

- b. (7,1)
- (18,17) C.
- d. (10, 17)
- \*e. (21,14)

The number pairs (53,49)(22,18)(11,7) tell us the function performed 2661

- a. x 2 = y
- b. x 3 = y\*c. x 4 = y
- d. x 5 = y

Every time John plays marbles he loses 3 marbles. One numbered pair 2662 would be

- (m, 3) a.



INFERENCE



THE STUDENT WILL DEMONSTRATE HIS ABILITY TO LEAV INFERENCES BY EVALUATING STATEMENTS BASED ON DEDUCTIONS FROM A WORD PROBLEM.

0104

Directions: Read the word problem and the statements below. If the statement can be assumed true from the paragraph presented cross out the A; if the statement cannot be assumed from the paragraph presented cross out the

The Panama Canal crosses Central America to connect the Atlantic and Pacific Oceans. It was completed in 1914 and officially opened in 1920. Before the canal was built ships sailing from New York to San Francisco traveled about 13,000 miles. After the canal was built the same trip was 5200 miles. The canal is about 50 miles long and it takes 8 hours to pass through it. In 1962, 10,866 ships passed through the canal.

A	<b>k</b>	The Panama Canal was built in 6 years.	2663
ķ	U	The Panama Canal saves ships sailing time.	26614
ķ	U	The Panama Canal saves shipers money.	2665
A	V	The Panama Canal was dedicated by President Wilson.	2666
A	ø	The canal is 250 feet wide and 50 miles long.	2667
A	yd	Ships can only pass through the canal during the day.	2668
A	¥	Ships no longer sail around South America to get from the Atlantic to the Pacific Oceans.	2669
ķ	บ	Over 10,000 ships passed through the canal in 1962.	2670
A	y	Only commercial vessels pass through the canal.	2671
A	¥	The Panama Canal is still in use.	2672
K	Ü	The speed of a ship moving through the canal is 6.25 mph.	2673

Source: Addison-Wesley, Bk. 5, p. 233.

مظنتعت

Addition Fractions Integers Negative Numbers	35-37 37-38 196-198	Relation sign in Renaming in Rounding off divisors Which process	342-344,348-350 346-348 354-356 379-380
	9-190,192-196	Word Problems Zero in dividend	352-354,380-384 350-352
Functions Graphing	572-576 566-571	Division as repeated subtraction	39-41
Logarithms and Exponenti		Drawing conclusions	510-512
Applications and Problem S	Solving 560-576	Drawing inferences	578
Advanced Topics Drawing Conclusions	510-512	Empty set	527-530
Drawing Inferences	578	Equivalent fractions	76-92,431-432
Fact-Opinion Statements	512-513	Equivalent sets	531-537
Identifying Central Prob Number sentences	olem 423,425 420-423	_	,,
Which Process Should I t		Expanded notation	10-12,18-21
Area, measurement of	443-445	Exponential notation	9,54-62
Associative property 19	71-192,221-222,	Exponentials	560-565
· · · · · · · · · · · · · · · · · · ·	473-494,508	Exponents in Multiplicat	ion 57-63
Bases (10,8,5,3,6)	113-120	Fact-opinion statements	512-513
Basic Facts of Division	335 <b>-3</b> 39,366-	Factors	
	368	Composits numbers	148-152
Cardinal numbers insets	525-526	Greatest common factor Lowest common multiple	
Commutative Property 19	91-192,221-222,	Prime factorization	134-147
· · · · · · · · · · · · · · · · · · ·	473-494	Prime numbers	147-148
Composite Numbers	148-152	Products of Primes Rules for divisibility	152 <b>-1</b> 54 155-169
Decimals		Sieve of Eratosthenes	154
Number position, place		Using arrays	129-134
Relationship with fract	ions 109-112	Finding average	453-457
Decimals Addition of	מבו מבב	Finite-infinite system	469-472
Applications	254-255 509-510	Fractional remainder in	
Subtraction of	255-257	Division	360-365
Distributive property 1	91-192,221-222,	Fractions	
•	473-494	Addition and subtracti	
Divisibility, rules for	155-169	Applications	7-219,238-252,506 429-440,495-506
Division	·	As whole numbers	74-76
As inverse of multipli		Division of	404-409
As repeated subtraction	385-386 323-32 <b>7</b>	Equivalent Meaning	76-92 64-79
	35-339,366-368	Mixed and improper	95-99,215-217
Employing number line	339-341	Multiplication of	388-404,513-516
Fractional remainders	360-365	Reciprocals	92 <b>-</b> 95
Multiples of 10 Practice 4	332-334 57-465,327-330,	Simplification of Word Problems	225-237 437-438
3.	44-346,358-359		566-571
Properties of 3	30-332,489-491	Graphing	200~27I



Greater than, less than,		Notation, set builder	£72 £1)
	,51-52,83-85	Number line	523-524
Greatest Common factor	169-175	Locating numbers	28,46-48
Improper fractions 9	6-99,215-217	Locating regions	28-29
Inequalities	50	Number sentences	420-423
Integers	37-38	Number system finite-infinite	469-472
Lattice Method	268-269	Numbers	
Length, measurement of	1,43-445	Compact numerals	22
Linear equations in		Different ways to name	
multiplication	283-286	mumbers Expanded notation	4-7,425-426
Linear functions	572-576	Face value, place value,	9,54-62
Logarithms and Exponentials	560-565	total value Placeholders	1.4-16
Lowest common multiple	176-178	Place value, up to 100,00	00,000 12-14
Lowest term fraction	226-231	Rounding off, up to 10,000,000	24-26
Maps, measurement of	447-448	Using the number line	28,46-48
Measurement		Numeration	•
Length, area, volume	443-445	Bases (10,8,5,3,6)	113-119
Maps	447-448	Adding and subtracting	119-120
Money	449-452	Decimals	101-112
•	1-457,465-467	Fractions and the number	TOT-TY
	3-457,465-467	line	30-31,65-67
	16-99,215-217	Equivalent Properties and operations	31-35,76-85
Mode	465-467		191–192, 21–222,473,494
•		Roman numerals	122
Multiplication of fractions	41–46	Per Cent	410-415
Multiplication Employing concept of rate	271-272	Place value	12 -14
Facts to 81	288-290	Positive integers	37-38
Lattice Method Linear equations in	268269 283286	Prime factorization	134-147
Long Multiplication	273-283	Prime numbers	147-148
Multiples of 10,100,1,000	287 <b>–288,</b> 297–301	Properties of numbers 1	91-192,221-222,
Negative numbers in	319-322		473-494,508
	4-299,301-308	Rate, in multiplication	271-272
•	0-271,473-494 1-293,309-316	Reciprocals	92 -95
Repeated addition	260-268		91-293,309-316
Word problems	317–319	Repeated addition	,,, <sub>1</sub> ,,, ,,
Negative numbers in multi- plication	319-322	Roman numerals	1.22
Negative numbers	196-198	Rounding off	•
О вызычае м		Using extimating	24 <b>-2</b> 6 24



Sets Cardinal numbers Empty	<b>525-526</b> 527-530
Equivalent Introduction	531-537 519-523
Notation	523-524
Operations with	544-553
Subsets and supersets	538-543
Venn Diagrams	554-558
Sieve of Eratosthenes	154
Simplifying fractions	231-235
Statistics	453-457,465-467
Subtraction	
Basic operations	200-215
Flational numbers	217-219
Venn Diagrams	5 <b>54-</b> 558
Volume, measurement of	443-445
Which Process?	426-428

