#### DOCUMENT RESUME

ED 479 672

CE 085 379

TITLE	Automotive Technologies. State Competency Profile.
INSTITUTION	Ohio Board of Regents, Columbus.; Ohio State Dept. of Education, Columbus.; Ohio State Univ., Columbus. Tech Prep Curriculum Services.
PUB DATE	2001-00-00
NOTE	137p.
AVAILABLE FROM	For full text: http://www.ohtpcs.org/cp/automotive.asp.
PUB TYPE	Guides - Non-Classroom (055)
EDRS PRICE	EDRS Price MF01/PC06 Plus Postage.
DESCRIPTORS	Articulation (Education); Associate Degrees; *Auto Mechanics; *Competency Based Education; Computer Literacy; Education Work Relationship; Electrical Systems; Employment Potential; *Employment Qualifications; Engines; Job Skills; Minimum Competencies; Postsecondary Education; Secondary Education; State Standards; Statewide Planning; *Tech Prep; *Technical Occupations; Technology Education; *Vocational Education
IDENTIFIERS	Brakes (Automotive); Career and Technical Education; Industry Based Skill Standards; National Institute Automotive Service Excellence; *Ohio; Steering (Automotive); Transmissions (Automotive)

#### ABSTRACT

This document, which lists the technical automotive technologies competencies identified by representatives from business, industry, and labor as well as technical educators throughout Ohio, is intended to assist individuals and organizations in developing college tech prep programs that will prepare students from secondary through postsecondary associate degree programs for employment as automotive service technicians. (Automotive service technicians are individuals who apply technical knowledge and skills to diagnose, repair, service, and maintain all types of automotive vehicles.) The technical competencies are listed in the following categories: (1) preparation in all of the eight National Institute for Automotive Service Excellence (ASE) skill areas suspension and steering, brakes, electrical/electronic systems, engine performance, engine repair, heating and air conditioning, automatic transmission and transaxle, and manual drive train and axles for certification by ASE testing; (2) basic computer skills; and (3) ability to work collaboratively with others. The competencies, which are separated into essential competencies needed to ensure a minimal level of employability and recommended competencies, are organized by instructional units and include suggestions as to when students should be introduced to and proficient at them. Includes a list of technical competency profile (TCP) panel members and an automotive TCP matrix. (MO)





U.S. DEPARTMENT OF EDUCATION Office of Educational Research and Improveme EDUCATIONAL RESOURCES INFORMATION

- CENTER (ERIC) CENTER (ERIC) CET This document has been reproduced as received from the person or organization originating it.
  - Minor changes have been made to improve reproduction quality.
  - Points of view or opinions stated in this document do not necessarily represent official OERI position or policy. .

PERMISSION TO REPRODUCE AND DISSEMINATE THIS MATERIAL HAS BEEN GRANTED BY

n

TO THE EDUCATIONAL RESOURCES INFORMATION CENTER (ERIC)

1

# **AUTOMOTIVE TECHNOLOGIES**

# **State Competency Profile**

**Tech Prep Curriculum Services** In conjunction with The Ohio Department of Education And The Ohio Board of Regents

568 5803

**BESTCOPY AVAILABLE** 

# Tech Prep Automotive TCP Panel

November 16, 1999 & January 31, 2000

## **Business, Industry, and Labor Representatives**

**Bob Dye** Employer, Service Department Dave White Chevrolet

**Bob Evans** Owner/President Evans Automotive

Randy Griesdorn Owner/President, Sales/Service Department C.A.R.S., Inc.

**Dan Gross** Owner/Manager Gross Automotive

Ray Jeffers Owner Ray's Service Centers

Mark Moses Owner Moses Automotive **Ed Pastorek** Employer, Service Department Dave White Chevrolet

Lyle Pheils Manager Michel Tire Co.

**Daniel J. Schatt** President Schatt's Repair Service, Inc.

Lyn Smith Owner Smith & Company

**Rich Timbers** Service Manager Ed Schmidt Pontiac

Mark Traczyk Operations Director Mathews Ford

# Technical Educator Representatives Associate Degree Educators

Randall K. Bennett Dept. Head, Automotive Engineering Tech Stark State College

Michael Rick Francis Professor, Transportation Technologies Owens Community College

John Hatton Business Technology Instructor Cincinnati State Technical & Community College

Keith Mains, Sr. Program Chair, Automotive Service Mgmt Cincinnati State Technical & Community College Andy O'Neal Associate Dean, Technology Division Northwestern College

Andrew A. Rezin Administrator, Automotive & Applied Technology Columbus State Community College

**Ronald Roeder** Dean, Technology Division Northwestern College



### Technical Educator Representatives Secondary Educators

James Anderson Automotive Technology Instructor Greenville Senior High School

**Robert Anderson** Automotive Technology Instructor Penta County Vocational School

Glenn Ashenfelter Automotive Instructor Penta County Vocational School

Michael B. Bell Automotive Technology Instructor Great Oaks Institute of Technology & Career Development, Laurel Campus

**Rick L. Biederman** Senior Automotive Mechanics Instructor Lima Senior High School

Steve Bowman Supervisor, T&I Great Oaks Institute of Technology & Career Development

**Richard Burky** Senior Automotive Technology Instructor Jackson High School

Jeff Duncan Automotive Technology Instructor Vantage Career Center

Ronald Galloway Junior Automotive Technology Instructor Clay High School

Leon Hubbard Automotive Technology Instructor Great Oaks Institute of Technology & Career Development, Scarlet Oaks

Robert L. Joseph Automotive Technology Instructor Great Oaks Institute of Technology & Career Development, Scarlet Oaks **Robert J. McCabe** Automotive Technology Instructor Great Oaks Institute of Technology & Career Development, Live Oaks

Harry McPheron Automotive Technology Instructor Tri Star Career Compact

**Charley Overbee** Automotive Technology Instructor Northwest High School

Gerald Petak Excel Technology Instructor Mayfield High School

**Robert Posey** Automotive Mechanics Instructor Choffin Career Center

Joe Rose Automotive Technology Instructor Great Oaks Institute of Technology & Career Development, Diamond

Lynn Roth Automotive Instructor Start High School

**Dave Seiss** Supervisor, Administrator Pioneer CTC

Dale R. Sirl Department Head, Automotive Technology Instructor Valley Forge High School

**Glenn Smith** Automotive Technology Instructor Whitmer Vocational School

Richard Strode Automotive Instructor Morgan High School



iv

Å

# Tech Prep Automotive TCP Releveling Panel February 13, 2001

# Technical Educator Representatives Associate Degree Educators

#### **Brent Benzie**

Instructor, Automotive Engineering Technologies Stark State College of Technology

#### **Michael Rick Francis**

Professor, Transportation Technologies Owens Community College

# Andrew A. Rezin

Administrator, Automotive & Applied Technologies Columbus State Community College

#### **Ronald Roeder** Dean, College of Technology University of Northwestern Ohio

#### **Secondary Educators**

**James Anderson** 

Instructor, Automotive Technologies Greenville Senior High School

#### **Harry McPheron**

Instructor, Automotive Technologies Tri Star Career Compact **Glenn Smith** Instructor, Automotive Technologies Whitmer Career and Technology

**Richard Strode** Instructor, Automotive Technologies Morgan High School



# DRAFT Occupational Definition Automotive Service Technician

An individual who applies technical knowledge and skills to diagnose, repair, service, and maintain all types of automotive vehicles. Technical competencies include, but should not be limited to:

- ? Preparation in all of the following eight ASE skill areas for certification by ASE testing:
  - 1. Suspension and Steering
  - 2. Brakes
  - 3. Electrical/Electronic Systems
  - 4. Engine Performance
  - 5. Engine Repair
  - 6. Heating and Air Conditioning
  - 7. Automatic Transmission and Transaxle
  - 8. Manual Drive Train and Axles
- ? Basic computer skills
- ? Ability to work collaboratively with others



1-1

# 

# **GRADE LEVEL**

12 = by the end of grade 12

AD = by the end of the Associate Degree

# DEPTH

I = Introduce (applies to at least three or 25% of the competency builders)

# IR = Introduce and Reinforce

- R = Reinforce or add depth (after introducing or proficiency)
- P = Proficient (achievement of the competency)

# PR = Proficient and Reinforce

# **OTHER** (Determined by Business, Industry and Labor Panel)

**Essential Competency:** Competency is needed to ensure **minimal** level of employability. Entry level employees should be able to perform this competency without supervision. Competencies required for certification, licensure, and/or national skills standards should be tagged as essential.

**Recommended Competency:** Competency should be included but is not essential for minimal level of employability.

Delete: Competency should not be included.

# Example:

BIL: Essential Recommended Delete

	12	AD
EDU	Р	R
	100000	

Competency: XXXXXXX

# **Example:**

BIL: Essential Recommended Delete

	12	AD
EDU	Р	R
Competence		

Competency: YYYYYY



# AUTOMOTIVE TECHNOLOGIES COMPETENCY PROFILE MATRIX

Page	Area	Part One: NATEF Task List by Area
1	1	Engine Repair
4	2	Automatic Transmission and Transaxle
- 7	3	Manual Drive Train and Axles
10	4	Suspension and Steering
13	5	Brakes
16	6	Heating and Air Conditioning
19	7	Electrical/Electronic Systems
22	8	Engine Performance
Page	Area	Part Two: NATEF Task List by Priority/Area
1	1	Engine Repair
4	2	Automatic Transmission and Transaxle
7	3	Manual Drive Train and Axles
12	4	Suspension and Steering
16	5	Brakes
20	6	Heating and Air Conditioning
24	7	Electrical/Electronic Systems
27	8	Engine Performance
Page	Unit	Part Three: Competency Profile
1 age	1	Quality Assurance
4	2	Technical Recording and Reporting
6	3	Workplace Safety
10	4	Management and Supervision
17	5	Customer Relations
19	6	Troubleshooting and Repair
- 23	7	Electrical Theory
27	8	Equipment Maintenance
32	9	Mechanical Power Distribution
54		
41	10	Hydraulics and Pneumatics



#### AREA 1: ENGINE REPAIR

For every task in Engine Repair, the following safety requirement must be strictly enforced:

Tas	k	P	12	AD
<b>A</b> .	General Engine Diagnosis; Removal and Reinstallation (R & F	<b>R</b> )		
1.	Verify and interpret engine concern; determine necessary action.	1	IR	PR
2.	Inspect engine assembly for fuel, oil, coolant, and other leaks; determine necessary action.	2	Р	R
3.	Diagnose engine noises and vibrations; determine necessary action.	3	IR	PR
4.	Diagnose the cause of excessive oil consumption, unusual engine exhaust color, odor, and sound; determine necessary action.	3	IR	PR
5.	Perform engine vacuum tests; determine necessary action.	1	Р	
6.	Perform cylinder power balance tests; determine necessary action.	1	Р	
7.	Perform cylinder compression tests; determine necessary action.	1	Р	
8.	Perform cylinder leakage tests; determine necessary action.	1	Р	
9.	Remove engine (front-wheel drive); prepare for disassembly.	3	IR	PR
10.	Reinstall engine (front-wheel drive).	3	IR	PR
11.	Remove engine (rear-wheel drive); prepare for disassembly.	3	IR	PR
12.	Reinstall engine (rear-wheel drive).	3	IR	PR
	B. Cylinder Head and Valve Train Diagnosis and R	epair		
1.	Remove cylinder head(s); visually inspect cylinder head(s) for cracks; check gasket surface areas for warpage and leakage; check passage condition.	2	P	R
2.	Install cylinder heads and gaskets; tighten according to manufacturer's specifications and procedures.	2	Р	R
3.	Inspect and test valve springs for squareness, pressure, and free height comparison; replace as needed.	3	Ι	Р
4.	Inspect value spring retainers, locks, and valve grooves.	2	P	PR
5.	Replace valve stem seals.	3	IR	PR



9

Task			12	AD
6.	Inspect valve guides for wear; check valve guide height and	3	IR	PR
	stem-to-guide clearance; recondition or replace as needed.			
7.	Resurface values; perform necessary action.	2	IR	PR
8.	Resurface valve seats; perform necessary action.	2	IR	PR
9.	Check valve face-to-seat contact and valve seat concentricity	3	IR	PR
	(runout); service seats and valves as needed.			
10.	Check valve spring assembled height and valve stem height;	2	IR	PR
	service valve and spring assemblies as needed.			
11.	Inspect pushrods, rocker arms, rocker arm pivots and shafts for	2	IR	PR
	wear, bending, cracks, looseness, and blocked oil passages			
	(orifices); perform necessary action.			
12.	Inspect hydraulic or mechanical lifters; replace as needed.	2	IR	PR
	Adjust valves (mechanical or hydraulic lifters).	1	Р	
14.	Inspect camshaft drives (including gear wear and backlash,	2	IR	PR
	sprocket and chain wear); replace as necessary.			
15.	Inspect and replace timing belt(s), overhead camdrive sprockets,	1	Р	
	and tensioners; check belt tension; adjust as necessary.			
	Inspect camshaft for runout, journal wear and lobe wear.	3	IR	PR
17.	Inspect and measure camshaft bearing for wear, damage, out-of-	.3	IR	PR
	round, and alignment; determine necessary action.			
18.	Verify camshaft(s) timing according to manufacturer's	1	Р	
	specifications and procedure.			
			_	i
	C. Engine Block Assembly Diagnosis and Repair			
1.	Inspect and replace pans, covers, gaskets, and seals.	2	P	PR
2.	Inspect engine block for visible cracks, passage condition, core	2	Р	PR
	and gallery plug condition, and surface warpage; determine			
	necessary action.	1	D	
3.	Inspect internal and external threads; restore as needed (includes	1	Р	
	installing thread inserts).	2	D	D
4.	Remove cylinder wall ridges.	3	P	R
5.	Inspect and measure cylinder walls for damage and wear; determine necessary action.	2	IR	PR
	determine necessary action.			
		1		
6.	Deglaze and clean cylinder walls.	1	P	
6. 7.	Deglaze and clean cylinder walls. Inspect and measure camshaft bearings for wear, damage, out-of-	1 3	P IR	PR
7.	Deglaze and clean cylinder walls. Inspect and measure camshaft bearings for wear, damage, out-of- round, and alignment; determine necessary action.	3	IR	
	Deglaze and clean cylinder walls. Inspect and measure camshaft bearings for wear, damage, out-of- round, and alignment; determine necessary action. Inspect crankshaft for surface cracks and journal damage; check			PR PR
7.	Deglaze and clean cylinder walls. Inspect and measure camshaft bearings for wear, damage, out-of- round, and alignment; determine necessary action. Inspect crankshaft for surface cracks and journal damage; check oil passage condition; measure journal wear; determine necessary	3	IR	
7. 8.	Deglaze and clean cylinder walls. Inspect and measure camshaft bearings for wear, damage, out-of- round, and alignment; determine necessary action. Inspect crankshaft for surface cracks and journal damage; check oil passage condition; measure journal wear; determine necessary action.	3	IR IR	PR
7.	Deglaze and clean cylinder walls. Inspect and measure camshaft bearings for wear, damage, out-of- round, and alignment; determine necessary action. Inspect crankshaft for surface cracks and journal damage; check oil passage condition; measure journal wear; determine necessary action. Inspect and measure main and connecting rod bearings for	3	IR	
7. 8.	Deglaze and clean cylinder walls. Inspect and measure camshaft bearings for wear, damage, out-of- round, and alignment; determine necessary action. Inspect crankshaft for surface cracks and journal damage; check oil passage condition; measure journal wear; determine necessary action. Inspect and measure main and connecting rod bearings for damage, clearance, and end play; determine necessary action	3	IR IR	PR
7. 8. 9.	Deglaze and clean cylinder walls. Inspect and measure camshaft bearings for wear, damage, out-of- round, and alignment; determine necessary action. Inspect crankshaft for surface cracks and journal damage; check oil passage condition; measure journal wear; determine necessary action. Inspect and measure main and connecting rod bearings for damage, clearance, and end play; determine necessary action (includes the proper selection of bearings).	3 3 2	IR IR IR	PR PR
7. 8. 9.	Deglaze and clean cylinder walls. Inspect and measure camshaft bearings for wear, damage, out-of- round, and alignment; determine necessary action. Inspect crankshaft for surface cracks and journal damage; check oil passage condition; measure journal wear; determine necessary action. Inspect and measure main and connecting rod bearings for damage, clearance, and end play; determine necessary action (includes the proper selection of bearings). Identify piston and bearing wear patterns that indicate connecting	3	IR IR	PR
7. 8. 9.	Deglaze and clean cylinder walls. Inspect and measure camshaft bearings for wear, damage, out-of- round, and alignment; determine necessary action. Inspect crankshaft for surface cracks and journal damage; check oil passage condition; measure journal wear; determine necessary action. Inspect and measure main and connecting rod bearings for damage, clearance, and end play; determine necessary action (includes the proper selection of bearings). Identify piston and bearing wear patterns that indicate connecting rod alignment and main bearing bore problems; inspect rod	3 3 2	IR IR IR	PR PR
7. 8. 9.	Deglaze and clean cylinder walls. Inspect and measure camshaft bearings for wear, damage, out-of- round, and alignment; determine necessary action. Inspect crankshaft for surface cracks and journal damage; check oil passage condition; measure journal wear; determine necessary action. Inspect and measure main and connecting rod bearings for damage, clearance, and end play; determine necessary action (includes the proper selection of bearings). Identify piston and bearing wear patterns that indicate connecting	3 3 2	IR IR IR	PR PR



Task	Р	12	AD
necessary action.			
12. Inspect, measure, and install piston rings.	2	IR	PR
13. Inspect, repair or replace crankshaft vibration damper (harmonic balancer).	3	Р	PR
<ol> <li>Reassemble engine components using correct gaskets and sealants.</li> </ol>	2	Р	R
15. Inspect auxiliary (balance, intermediate, idler, counterbalance or silencer) shaft(s); inspect shaft(s) and support bearing for damage and wear; determine necessary action; reinstall and time.	3	Ι	Р
16. Prime engine lubrication system.	1	IR	PR
D. Lubrication and Cooling Systems Diagnosis and R	lepair		
1. Perform oil pressure tests; determine necessary action.	1	Р	
2. Inspect oil pump gears or rotors, housing, pressure relief devices, and pump drive; perform necessary action.	3	IR	PR
3. Perform cooling system, cap, and recovery system tests (pressure, combustion leakage, and temperature); determine necessary action.	1	Р	
4. Inspect, replace, and adjust drive belts, tensioners, and pulleys.	1	Р	
5. Inspect and replace engine cooling and heater system hoses.	2	P	PR
6. Inspect, test, and replace thermostat and housing.	2	P	PR
<ol> <li>Test coolant; drain and recover coolant; flush and refill cooling system with recommended coolant; bleed air as required.</li> </ol>	1	Р	
8. Inspect, test, remove, and replace water pump.	2	IR	PR
9. Remove and replace radiator.	2	IR	PR
10. Inspect, and test fan(s) (electrical or mechanical), fan clutch, fan shroud, and air dams.	2	IR	PR
11. Inspect auxiliary oil coolers; replace as needed.	3	Р	PR
<ol> <li>Inspect, test, and replace oil temperature and pressure switches and sensors.</li> </ol>	2	IR	PR
13. Perform oil and filter change.	1	P	



•

### AREA 2: AUTOMATIC TRANSMISSION AND TRANSAXLE

For every task in Automatic Transmission and Transaxle, the following safety requirement must be strictly enforced:

Ta	sk	P	12	AD
	A. General Transmission and Transaxle Diagnosi	is		
1.	Identify and interpret transmission concern; assure proper engine operation; determine necessary action.	1	Ι	Р
2.	Diagnose unusual fluid usage, level, and condition concerns; determine necessary action.	1	I	Р
3.	Perform pressure tests; determine necessary action.	1		Р
4.	Perform lock-up converter system tests; determine necessary action.	2		Р
5.	Diagnose electronic, mechanical, hydraulic, vacuum control system concerns; determine necessary action.	1	Ι	Р
6.	Diagnose noise and vibration concerns; determine necessary action.	3		Р
	B. Transmission and Transaxle Maintenance and Adju		·	
1.	Inspect, adjust or replace throttle (TV) linkages or cables, check gear select indicator (as applicable).	1	IR	PR
2.	Service transmission; perform visual inspection, replace fluids and filters.	1	IR	PR
	C. In-Vehicle Transmission and Transaxle Repai			
1	Inspect, adjust or replace (as applicable) vacuum modulator;	3	IR	P
1.	inspect and repair or replace lines and hoses.			
2.	Inspect, repair, and replace governor assembly.	3	Ι	P
3.	Inspect and replace external seals and gaskets.	2	I	P
4.	Inspect extension housing, bushings and seals; perform necessary action.	3	IR	Р
5.	Inspect, leak test, flush, and replace cooler, lines, and fittings.	1	Ι	P
6.	Inspect and replace speedometer drive gear, driven gear, vehicle speed sensor (VSS), and retainers.	3	IR	Р
7.	Inspect and test, adjust, repair or replace transmission related electrical and electronic components (includes computers, solenoids, sensors, relays, switches, and harnesses).	1	Ι	Р
8.	Inspect, replace, and align powertrain mounts.	3	Р	PR



Off-Vehicle Transmission and Transaxle Repair         I. Removal, Disassembly, and Reinstallation         Remove and reinstall transmission and torque converter (rearwheel drive).         Remove and reinstall transaxle and torque converter assembly.         Disassemble, clean, and inspect transmission/transaxle.         nspect, measure, clean, and replace valve body (includes surfaces and bores, springs, valves, sleeves, retainers, brackets, check-balls, screens, spacers, and gaskets), and torque valve body bolts.         nspect servo bore, piston, seals, pin, spring, and retainers; determine necessary action.         Assemble transmission/transaxle.         2. Oil Pump and Converter         Inspect converter flex plate, attaching parts, pilot, pump drive, and seal areas.         Measure torque converter endplay and check for interference;	2 1 2 3 3 1 2	IR IR	P P P P P
Remove and reinstall transmission and torque converter (rear- wheel drive). Remove and reinstall transaxle and torque converter assembly. Disassemble, clean, and inspect transmission/transaxle. Inspect, measure, clean, and replace valve body (includes surfaces and bores, springs, valves, sleeves, retainers, brackets, check-balls, screens, spacers, and gaskets), and torque valve body bolts. Inspect servo bore, piston, seals, pin, spring, and retainers; determine necessary action. Inspect accumulator bore, piston, seals, spring, and retainer; determine necessary action. Assemble transmission/transaxle. 2. Oil Pump and Converter Inspect converter flex plate, attaching parts, pilot, pump drive, and seal areas.	2 1 2 3 3 1		P P P
Remove and reinstall transmission and torque converter (rear- wheel drive). Remove and reinstall transaxle and torque converter assembly. Disassemble, clean, and inspect transmission/transaxle. Inspect, measure, clean, and replace valve body (includes surfaces and bores, springs, valves, sleeves, retainers, brackets, check-balls, screens, spacers, and gaskets), and torque valve body bolts. Inspect servo bore, piston, seals, pin, spring, and retainers; determine necessary action. Inspect accumulator bore, piston, seals, spring, and retainer; determine necessary action. Assemble transmission/transaxle. 2. Oil Pump and Converter Inspect converter flex plate, attaching parts, pilot, pump drive, and seal areas.	2 1 2 3 3 1		P P P
Remove and reinstall transaxle and torque converter assembly. Disassemble, clean, and inspect transmission/transaxle. Inspect, measure, clean, and replace valve body (includes surfaces and bores, springs, valves, sleeves, retainers, brackets, check-balls, screens, spacers, and gaskets), and torque valve body bolts. Inspect servo bore, piston, seals, pin, spring, and retainers; letermine necessary action. Inspect accumulator bore, piston, seals, spring, and retainer; letermine necessary action. Assemble transmission/transaxle. 2. Oil Pump and Converter Inspect converter flex plate, attaching parts, pilot, pump drive, and seal areas.	1 2 3 3 1	IR	P P P
Disassemble, clean, and inspect transmission/transaxle. nspect, measure, clean, and replace valve body (includes surfaces and bores, springs, valves, sleeves, retainers, brackets, check-balls, screens, spacers, and gaskets), and torque valve body bolts. Inspect servo bore, piston, seals, pin, spring, and retainers; letermine necessary action. Inspect accumulator bore, piston, seals, spring, and retainer; letermine necessary action. Assemble transmission/transaxle. 2. Oil Pump and Converter Inspect converter flex plate, attaching parts, pilot, pump drive, and seal areas.	2 3 3 1		P
<ul> <li>Inspect, measure, clean, and replace valve body (includes surfaces and bores, springs, valves, sleeves, retainers, brackets, check-balls, screens, spacers, and gaskets), and torque valve body bolts.</li> <li>Inspect servo bore, piston, seals, pin, spring, and retainers; letermine necessary action.</li> <li>Inspect accumulator bore, piston, seals, spring, and retainer; letermine necessary action.</li> <li>Assemble transmission/transaxle.</li> <li>2. Oil Pump and Converter</li> <li>Inspect converter flex plate, attaching parts, pilot, pump drive, and seal areas.</li> </ul>	3 3 1		Р
Inspect servo bore, piston, seals, pin, spring, and retainers; letermine necessary action. Inspect accumulator bore, piston, seals, spring, and retainer; letermine necessary action. Assemble transmission/transaxle. 2. Oil Pump and Converter Inspect converter flex plate, attaching parts, pilot, pump drive, and seal areas.	3		
Inspect accumulator bore, piston, seals, spring, and retainer; letermine necessary action. Assemble transmission/transaxle. 2. Oil Pump and Converter Inspect converter flex plate, attaching parts, pilot, pump drive, and seal areas.	1		Р
Assemble transmission/transaxle. 2. Oil Pump and Converter Inspect converter flex plate, attaching parts, pilot, pump drive, and seal areas.			
2. Oil Pump and Converter Inspect converter flex plate, attaching parts, pilot, pump drive, and seal areas.	2		P
inspect converter flex plate, attaching parts, pilot, pump drive, and seal areas.	2		
		IR	P
check stator clutch.	2		Р
Inspect, measure, and replace oil pump assembly and components.	-3		Р
Check torque converter and transmission cooling system for contamination.	1		Р
3. Gear Train, Shafts, Bushings and Case			
Measure endplay or preload; determine necessary action.	1	Γ	P.
	2		Р
Inspect oil delivery seal rings, ring grooves, and sealing surface areas.	2		Р
Inspect bushings; replace as needed.	2		Р
Inspect and measure planetary gear assembly (includes sun, ring gear, thrust washers, planetary gears, and carrier assembly); replace as needed.	2		Р
Inspect case bores, passages, bushings, vents, and mating surfaces; determine necessary action.	2		P
Inspect transaxle drive, link chains, sprockets, gears, bearings,	2		Р
Inspect, measure, repair, adjust or replace transaxle final drive	2		Р
Inspect and reinstall parking pawl, shaft, spring, and retainer; determine necessary action.	3		P
4. Friction and Reaction Units			
Inspect clutch drum, piston, check-balls, springs, retainers, seals, and friction and pressure plates; replace as needed.	2		P
	1		<u>P</u>
Measure clutch pack clearance; adjust as needed.	1		P
	reas. nspect bushings; replace as needed. nspect and measure planetary gear assembly (includes sun, ring gear, thrust washers, planetary gears, and carrier assembly); eplace as needed. nspect case bores, passages, bushings, vents, and mating urfaces; determine necessary action. nspect transaxle drive, link chains, sprockets, gears, bearings, nd bushings; perform necessary action. nspect, measure, repair, adjust or replace transaxle final drive omponents. nspect and reinstall parking pawl, shaft, spring, and retainer; letermine necessary action. <b>Friction and Reaction Units</b> nspect clutch drum, piston, check-balls, springs, retainers, seals, nd friction and pressure plates; replace as needed. Measure clutch pack clearance; adjust as needed.	Inspect oil delivery seal rings, ring grooves, and sealing surface2reas.2nspect bushings; replace as needed.2nspect and measure planetary gear assembly (includes sun, ring gear, thrust washers, planetary gears, and carrier assembly); eplace as needed.2eplace as needed.2nspect case bores, passages, bushings, vents, and mating urfaces; determine necessary action.2nspect transaxle drive, link chains, sprockets, gears, bearings, n bushings; perform necessary action.2nspect, measure, repair, adjust or replace transaxle final drive omponents.2nspect and reinstall parking pawl, shaft, spring, and retainer; letermine necessary action.3 <b>A. Friction and Reaction Units</b> nspect clutch drum, piston, check-balls, springs, retainers, seals, neasure clutch pack clearance; adjust as needed.1	Image: construct of the second sec



1-8

Ta	sk	P	12	AD
4.	Inspect roller and sprag clutch, races, rollers, sprags, springs, cages, and retainers; replace as needed.	2		Р
5.	Inspect bands and drums; adjust or replace as needed.	3		P



•

1-9 1

### AREA 3: MANUAL DRIVE TRAIN AND AXLES

For every task in Manual Drive Train and Axles, the following safety requirement must be strictly enforced:

Tas	sk	P	12	AD
	A. Clutch Diagnosis and Repair			
1.	Diagnose clutch noise, binding, slippage, puls ation, and chatter; determine necessary action.	1	I	Р
2.	Inspect clutch pedal linkage, cables, automatic adjuster mechanisms, brackets, bushings, pivots, and springs; perform necessary action.	1	Ι	Р
3.	Inspect hydraulic clutch slave and master cylinders, lines, and hoses; perform necessary action.	1	Ι	Р
4.	Inspect release (throw-out) bearing, lever, and pivot; perform necessary action.	1 -	Ι	Р
5.	Inspect and replace clutch pressure plate assembly and clutch disc.	1	IR	Р
6.	Inspect, remove or replace crankshaft pilot bearing or bushing (as applicable).	1	IR	Р
7.	Inspect flywheel and ring gear for wear and cracks, measure runout; determine necessary action.	1	IR	Р
8.	Inspect engine block, clutch (bell) housing, and transmission/transaxle case mating surfaces; determine necessary action.	3	IR	PR
9.	Measure flywheel-to-block runout and crankshaft endplay; determine necessary action.	3	IR	PR
	B. Transmission/Transaxle Diagnosis and Repai			, ·
<u>1.</u> 2.	Remove and reinstall transmission/transaxle. Disassemble, clean, and reassemble transmission/transaxle components.	2 2	IR I	PR PR
3.	Inspect transmission/transaxle case, extension housing, case mating surfaces, bores, bushings, and vents; perform necessary action.	3		Р
4.	Diagnose noise, hard shifting, jumping out of gear, and fluid leakage concerns; determine necessary action.	3	I	PR
5.	Inspect, adjust, and reinstall shift linkages, brackets, bushings, cables, pivots, and levers.	3	IR	PR
6.	Inspect and reinstall powertrain mounts.	3	Р	PR
7.	Inspect and replace gaskets, seals, and sealants; inspect sealing	2	IR	PR



Tas	k	P	12	AD
	surfaces.			
8.	Remove and replace transaxle final drive.	3	Ι	PR
9.	Inspect, adjust, and reinstall shift cover, forks, levers, grommets,	2	Ι	PR
	shafts, sleeves, detent mechanism, interlocks, and springs.			
10.	Measure endplay or preload (shim or spacer selection procedure) on transmission/transaxle shafts; perform necessary action.	1		Р
11.	Inspect and reinstall synchronizer hub, sleeve, keys (inserts), springs, and blocking rings.	2	Ι	PR
12.	Inspect and reinstall speedometer drive gear, driven gear, vehicle speed sensor (VSS), and retainers.	2	IR	PR
13.	Diagnose transaxle final drive assembly noise and vibration concerns; determine necessary action.	3		Р
14.	Remove, inspect, measure, adjust, and reinstall transaxle final drive pinion gears (spiders), shaft, side gears, side bearings, thrust washers, and case assembly.	2	Ι	PR
15.	Inspect lubrication devices (oil pump or slingers); perform necessary action.	3		Р
16.	Inspect, test, and replace transmission/transaxle sensors and switches.	1	I	Р
		l		
C.	Drive Shaft and Half Shaft, Universal and Constant-Velocity (CV) Joint Diagno	osis and	Repair	
1.	Diagnose constant-velocity (CV) joint noise and vibration concerns; determine necessary action.	2	IR	PR
2.	Diagnose universal joint noise and vibration concerns; perform necessary action.	2	IR	PR
3.	Replace front wheel drive (FWD) front wheel bearing.	2	Ι	PR
4.	Inspect, service, and replace shafts, yokes, boots, and CV joints.	1	Р	PR
5.	Inspect, service, and replace shaft center support bearings.	3	IR	P
6.	Check shaft balance; measure shaft runout; measure and adjust driveline angles.	3	Ι	Р
D.	Drive Axle Diagnosis and Repair			
	1. Ring and Pinion Gears and Differential Case Assembly			
1.	Diagnose noise and vibration concerns; determine necessary action.	2	Ι	PR
2.	Diagnose fluid leakage concerns; determine necessary action.	2	IR	PR
3.	Inspect and replace companion flange and pinion seal; measure companion flange runout.	2	I	PR
4.	Inspect ring gear and measure runout; determine necessary action.	2	Ι	PR
5.	Remove, inspect, and reinstall drive pinion and ring gear,	2	Ι	PR
0.	spacers, sleeves, and bearings.			1
6.	spacers, sleeves, and bearings.	2	Ι	PR



16

Tas	k	P	12	AD
8.	Measure and adjust side bearing preload and ring and pinion gear	2	Ι	PR
	total backlash and backlash variation on a differential carrier			
	assembly (threaded cup or shim types).			
9.	Check ring and pinion tooth contact patterns; perform necessary	1	I	Р
	action			
10.	Disassemble, inspect, measure, and adjust or replace differential	2	- I	PR
	pinion gears (spiders), shaft side gears, side bearings, thrust			
	washers, and case.			
11.	Reassemble and reinstall differential case assembly; measure	2	Ι	PR
	runout; determine necessary action.			
	2. Limited Slip Differential			
1.	Diagnose noise, slippage, and chatter concerns; determine	3	Ι	PR
	necessary action.			
2.	Inspect and flush differential housing; refill with correct	2	Р	PR
	lubricant.			
3.	Inspect and reinstall clutch (cone or plate) components.	3		Р
4.	Measure rotating torque; determine necessary action.	3		P
	3. Drive Axle Shaft			
1.	Diagnose drive axle shafts, bearings, and seals for noise,	2	Ι	PR
	vibration, and fluid leakage concerns; determine necessary	1		
	action.			
2.	Inspect and replace drive axle shaft wheel studs.	3	Р	PR
3.	Remove and replace drive axle shafts.	1	Р	PR
4.	Inspect and replace drive axle shaft seals, bearings, and retainers.	2	Ι	PR
5.	Measure drive axle flange runout and shaft endplay; determine	2	I I	PR
	necessary action.			
E.	Four-wheel Drive/All-wheel Drive Component Diagnosis and I	Repair	•	
1.	Diagnose noise, vibration, and unusual steering concerns;	3		Р
	determine necessary action.			
2.	Inspect, adjust, and repair shifting controls (mechanical,	3		P
	electrical, and vacuum), bushings, mounts, levers, and brackets.			
3.	Remove and reinstall transfer case.	3		P
4.	Disassemble, service, and reassemble transfer case and	3		P
	components.			
5.	Inspect front-wheel bearings and locking hubs; perform	3		Р
	necessary action.			
6.	Check drive assembly seals and vents; check lube level.	3 -	IR	PR
7.	Diagnose test, adjust, and replace electrical/electronic	3		Р
	components of four-wheel drive systems.			



### AREA 4: SUSPENSION AND STEERING

For every task in Suspension and Steering, the following safety requirement must be strictly enforced:

Tas	k	P	12	AD
<b>A.</b>	Steering Systems Diagnosis and Repair			
1.	Disable and enable supplemental restraint system (SRS) in	1	Ι	PR
	accordance with manufacturer's procedures.			
2.	Remove and replace steering wheel; center/time supplemental restraint system (SRS) coil in accordance with manufacturer's procedures.	1	Ι	Р
3.	Diagnose steering column noises, looseness, and binding concerns (including tilt mechanisms); determine necessary action.	3	IR	PR
4.	Diagnose power steering gear (non-rack and pinion) binding, uneven turning effort, loosenesss, hard steering, and fluid leakage concerns; determine necessary action.	3	IR	PR
5.	Diagnose power steering gear (rack and pinion) binding, uneven turning effort, looseness, hard steering, and fluid leakage concerns; determine necessary action.	3	IR	PR
6.	Inspect steering shaft universal-joint(s), flexible coupling(s), collapsible column, lock cylinder mechanism, and steering wheel; perform necessary action.	2	IR	PR
7.	Adjust manual or power non-rack and pinion worm bearing preload and sector lash.	3	Ι	Р
8.	Remove and replace manual or power rack and pinion steering gear; inspect mounting bushings and brackets.	2	P	
9.	Disassemble, inspect, perform necessary action and reassemble rack and pinion steering gear.	3	Ι	R
10.	Adjust manual or power rack and pinion steering gear.	3	Ι	
11.	Inspect and replace manual or power rack and pinion steering gear inner tie rod ends (sockets) and bellows boots.	2	Р	
12	Inspect power steering fluid levels and condition.	1	Р	
	Flush, fill, and bleed power steering system.	2	Р	R
	Diagnose power steering fluid leakage; determine necessary action.	2	Р	
15	Remove, inspect, replace, and adjust power steering pump belt.	1	Р	
	Remove, inspect, and replace power steering pump, mounts, seals, and gaskets.	3	Р	PR



Tas	k	P	12	AD
17.	Remove, inspect, and replace power steering pump pulley; check alignment.	3	P	R
18.	Inspect and replace power steering hoses and fittings.	2	Р	
	Inspect and replace pitman arm, relay (centerlink/intermediate) rod, idler arm and mountings, and steering linkage damper.	3	Р	R
20.	Inspect, replace, and adjust tie rod ends (sockets), tie rod sleeves, and clamps.	2	P	
21.	Diagnose and adjust components of electronically controlled steering systems; determine necessary action.	3	Ι	Р
<b>B</b> .	Suspension Systems Diagnosis and Repair			
	1. Front Suspension			
1.	Diagnose short and long arm suspension system noises, body sway, and uneven riding height concerns; determine necessary action.	1	Ι	Р
2.	Diagnose MacPherson strut suspension system noises, body sway, and uneven riding height concerns; determine necessary action.	1	Ι	Р
3.	Remove, inspect, and install upper and lower control arms, bushings, shafts, and rebound bumpers.	2	Р	
4.	Remove, inspect, install, and adjust strut (compression/tension) rods and bushings.	2	Р	
5.	Remove, inspect, and install upper and lower ball joints on short and long arm suspension systems.	2	Р	
6.	Remove, inspect, and install steering knuckle assemblies.	2	Р	
7.	Remove, inspect, and install short and long arm suspension system coil springs and spring insulators.	2	Р	
8.	Remove, inspect, install, and adjust suspension system torsion bars; inspect mounts.	3	Р	R
9.	Remove, inspect, and install stabilizer bar bushings, brackets, and links.	3	Р	R
10.	Remove, inspect, and install MacPherson strut cartridge or assembly, strut coil spring, insulators (silencers), and upper strut bearing mount.	1	Р	
11.	Lubricate suspension and steering systems.	2	Р	ł
	2. Rear Suspension		· · · · ·	•
1.	Remove, inspect, and install coil springs and spring insulators.	2	Р	
2.	Remove, inspect, and install transverse links, control arms, bushings, and mounts.	2	Р	
3.	Remove, inspect, and install leaf springs, leaf spring insulators (silencers), shackles, brackets, bushings, and mounts.	3	Р	R
4.	Remove, inspect, and install MacPherson strut cartridge or assembly, strut coil spring, and insulators (silencers).	2	Р	



Tas	k	P	12	AD
	3. Miscellaneous Service			
1.	Inspect, remove, and replace shock absorbers.	1	Р	
2.	Remove, inspect, and service or replace front and rear wheel	1	Р	
	bearings.			
3.	Diagnose, inspect, adjust, repair or replace components of	2	Ι	Р
	electronically controlled suspension systems.			
	C. Wheel Alignment Diagnosis, Adjustment, and Re	epair		
1.	Diagnose vehicle wander, drift, pull, hard steering, bump steer,	1	Ι	P
	memory steer, torque steer, and steering return concerns;			
	determine necessary action.			
2.	Perform prealignment inspection; perform necessary action.	1	Р	R
3.	Measure vehicle riding height; determine necessary action.	1	P	R
4.	Check and adjust front and rear wheel camber; perform	1	Р	R
	necessary action.			
5.	Check and adjust caster; perform necessary action.	1	P	R
6.	Check and adjust front wheel toe; adjust as needed.	1	P	R
7.	Center steering wheel.	1	P	R
8.	Check toe-out-on-turns (turning radius); determine necessary	2	IR	PR
	action.			
9.	Check SAI (steering axis inclination) and included angle;	2	IR	PR
	determine necessary action.			
10.	Check and adjust rear wheel toe.	2	IR	PR
11.	Check rear wheel thrust angle; determine necessary action.	2	IR	PR
12.	Check for front wheel setback; determine necessary action.	2	IR	PR
13.	Check front cradle (subframe) alignment; determine necessary	3	P	R
	action			ļ
	D. Wheel and Tire Diagnosis and Repair	_		
1.	Diagnose tire wear patterns; determine necessary action.	1	Р	
2.	Inspect tires; check and adjust air pressure.	1	P	
3.	Diagnose wheel/tire vibration, shimmy, and noise; determine	2	P	
	necessary action.			
4.	Rotate tires according to manufacturer's recommendations.	1	<u>P</u>	
5.	Measure wheel, tire, axle, and hub runout; determine necessary	2	P	
	action			
6.	Diagnose tire pull (lead) problem; determine necessary action.	2	P	
7.	Balance wheel and tire assembly (static and dynamic).	1	P	
8.	Dismount, inspect, repair, and remount tire on wheel.	2	P	<u> </u>
9.	Reinstall wheel; torque lug nuts.	1	P _	



#### AREA 5: BRAKES

For every task in Brakes, the following safety requirement must be strictly enforced:

Comply with personal and environmental safety practices associated with clothing; eye protection; hand tools; power equipment; proper ventilation; and the handling, storage, and disposal of chemicals/materials in accordance with local, state, and federal safety and environmental regulations.

Tas	k	P	12	AD
Ā.	Hydraulic System Diagnosis and Repair		•	
1.	Measure and adjust pedal height.	2	Р	
2.	Check master cylinder for internal and external leaks and proper	2	Р	
	operation; determine necessary action.			
3.	Remove, bench bleed, and reinstall master cylinder.	1	Р	
4.	Diagnose poor stopping, pulling or dragging concerns caused by	1	Р	
	problems in the hydraulic system; determine necessary action.			
5.	Inspect brake lines, flexible hoses, and fittings for leaks, dents,	2	Р	
	kinks, rust, cracks, bulging or wear; tighten loose fittings and			
	supports; determine necessary action.			
6.	Fabricate and install brake lines (double flare and ISO types);	2	Р	
	replace hoses, fittings, and supports as needed.			
7.	Select, handle, store, and install brake fluids to proper level.	1	Р	
8.	Inspect, test, and replace metering (hold-off), proportioning	3	P	R
_	(balance), pressure differential, and combination valves.			
9.	Inspect, test, replace, and adjust height (load) sensing	3	IR	PR
	proportioning valve.			
10.	Inspect, test, and replace components of brake warning light	3	P.	R
	system.			
	Bleed (manual, pressure, vacuum or surge) brake system.	1	P	
12.	Flush hydraulic system.	3	P	
	B. Drum Brake Diagnosis and Repair			1
1.	Diagnose poor stopping, noise, pulling, grabbing, dragging or	1	P	
	pedal pulsation concerns; determine necessary action.			
2.	Remove, clean (using proper safety procedures), inspect, and	1	Р	
	measure brake drums; service or replace as needed.			
3.	Mount brake drum on lathe; machine braking surface.	2	P	
4.	Remove, clean, and inspect brake shoes, springs, pins, clips,	2.	P	
	levers, adjusters/self-adjusters, other related brake hardware, and			
	backing support plates; lubricate and reassemble.			
5.	Remove, Inspect, and install wheel cylinders.	2	P	
6.	Pre-adjust brake shoes and parking brake before installing brake	1	P	
	drums or drum/hub assemblies and wheel bearings.		<u> </u>	L
7.	Install wheel, torque lug nuts, and make final checks and	1	P	
	adjustments.			



しし

21

Tas	k	P	12	AD
C.	Disc Brake Diagnosis and Repair			
1.	Diagnose poor stopping, noise, puling, grabbing, dragging or pedal pulsation concerns; determine necessary action.	1	Р	
2.	Remove caliper assembly from mountings; clean and inspect for leaks and damage to caliper housing; determine necessary action.	1	Р	
3.	Clean and inspect caliper mounting and slides for wear and damage; determine necessary action.	1	Р	
4.	Remove, clean, and inspect pads and retaining hardware; determine necessary action.	1	Р	
5.	Disassemble and clean caliper assembly; inspect parts for wear, rust, scoring, and damage; replace seal, boot, and damaged or worn parts.	1	Р	
6.	Reassemble, lubricate, and reinstall caliper, pads, and related hardware; seat pads, and inspect for leaks.	1	Р	
7.	Clean, inspect, and measure rotor with a dial indicator and a micrometer; follow manufacturer's recommendations in determining need to machine or replace.	1	Р	
8.	Refinish rotor according to manufacturer's recommendations.	1	Р	
9.	Adjust calipers with integrated parking brake system.	3	Р	PR
10.	Install wheel, torque lug nuts, and make final checks and adjustments.	1	Р	
11.	Remove and replace rotor.	2	P	
D.	Power Assist Units Diagnosis and Repair			
1.	Test pedal free travel with and without engine running; check power assist operation.	2	Р	PR
2.	Check vacuum supply (manifold or auxiliary pump) to vacuum- type power booster.	2	Р	
3.	Inspect the vacuum-type power booster unit for vacuum leaks; inspect the check valve for proper operation; determine necessary action.	2	Р	
4.	Inspect and test hydro-boost system and accumulator for leaks and proper operation; determine necessary action.	3	Р	R
				1
Ē.	Miscellaneous (Wheel Bearings, Parking Brakes, Electrical, Etc.)	Diagno	sis and	1
E.	Repair Diagnose wheel bearing noises, wheel shimmy, and vibration concerns; determine necessary action.	Diagno	Р	
	Repair Diagnose wheel bearing noises, wheel shimmy, and vibration	1	P P	
1.	RepairDiagnose wheel bearing noises, wheel shimmy, and vibration concerns; determine necessary action.Remove, clean, inspect, repack, and install wheel bearings and replace seals; install hub and adjust wheel bearings.Check parking brake cables and components for wear, rusting,	Diagno	Р	
1. 2.	RepairDiagnose wheel bearing noises, wheel shimmy, and vibration concerns; determine necessary action.Remove, clean, inspect, repack, and install wheel bearings and replace seals; install hub and adjust wheel bearings.	1	P P	

•



22 

Ta	sk	P	12	AD
6.	Check operation of brake stop light system; adjust and service as needed.	1	Р	
7.	Replace wheel bearing and race.	1	Р	
	F. Anti-lock Brake System			_
1.	Inspect and test anti-lock brake system (ABS) components; determine necessary action.	2	·I	Р
2.	Diagnose poor stopping, wheel lock-up, abnormal pedal feel or pulsation, and noise concerns caused by the anti-lock brake system (ABS); determine necessary action.	2	Ι	Р
3.	Diagnose anti-lock brake system (ABS) electronic control(s) and components using self-diagnosis and/or recommended test equipment; determine necessary action.	1	Р	
4.	Depressurize high-pressure components of the anti-lock brake system (ABS).	2	P	R
5.	Bleed the anti-lock brake system's (ABS) front and rear hydraulic circuits.	2	Ι	Р
6.	Remove and install anti-lock brake system (ABS) electrical/electronic and hydraulic components.	3	I	Р
7.	Service, test, and adjust anti-lock brake system (ABS) speed sensors.	2	IR	PR
8.	Diagnose anti-lock brake system (ABS) braking concerns caused by vehicle modifications (tire size, curb height, final drive ratio, etc.).	3	Ι	P



# AREA 6: ELECTRICAL/ELECTRONIC SYSTEMS

For every task in Electrical/Electronic Systems, the following safety requirement must be strictly enforced:

Tas	k	<b>P</b> .	12	AD
	A. General Electrical System Diagnosis			
1.	Use wiring diagrams during diagnosis of electrical circuit problems.	1	Р	
2.	Check electrical circuits with a test light; determine necessary action.	2	Р	R
3.	Check voltage and voltage drop in electrical/electronic circuits using a digital multimeter (DMM); determine necessary action.	1	Р	
4.	Check current flow in electrical/electronic circuits and components using an ammeter; determine necessary action.	1	Р	
5.	Check continuity and resistances in electrical/electronic circuits and components with an ohmmeter; determine necessary action.	1	P	
6.	Check electrical circuits using jumper wires; determine necessary action.	2	Р	R
7.	Locate shorts, grounds, opens, and resistance problems in electrical/electronic circuits; determine necessary action.	1	P	
8.	Measure and diagnose the cause(s) of abnormal key-off battery drain; determine necessary action.	1	Р	
9.	Inspect and test fusible links, circuit breakers, and fuses; determine necessary action.	1	Р	
10.	Inspect and test switches, connectors, relays, and wires of electrical/electronic circuits; perform necessary action.	1	Р	
11.	Repair wiring harnesses and connectors.	1	P	
	Perform solder repair of electrical wiring.	1	Р	
	B. Battery Diagnosis and Service		<u> </u>	
1.	Perform battery state-of-charge test; determine needed service.	1	P	
2.	Perform battery capacity test; determine needed service.	1	Р	
3.	Maintain or restore electronic memory functions.	2	P	R
4.	Inspect, clean, fill, and replace battery.	2	P	PR
5.	Perform slow/fast battery charge.	2	P	PR
6.	Inspect and clean battery cables, connectors, clamps, and hold- downs; repair or replace as needed.	1	Р	
7.	Start a vehicle using jumper cables and a battery or auxiliary power supply according to manufacturers recommended specifications.	1	P	
			I	1



24

Ta	sk	Р	12	AD
	C. Starting System Diagnosis and Repair			
1.	Perform starter current draw tests; determine necessary action.	1	Р	
2.	Perform starter circuit voltage drop tests; determine necessary	1	Р	
	action.			
3.	Inspect and test starter relays and solenoids; replace as needed.	2	IR	PR
4.	Remove and install starter.	2	P	
5.	Perform starter bench tests; determine necessary action.	3	IR	PR
6.	Inspect and test switches, connectors, and wires of starter control	2	Р	R
	circuits; perform necessary action.	_		
7.	Disassemble, clean, inspect, and test starter components; replace	3	IR	PR
	as needed.			
-				
	D. Charging System Diagnosis and Repair	1	D	
1.	Perform charging system output test; determine necessary action.	1	P	
2.	Diagnose charging system for the cause of undercharge, no-	1	Р	
<u> </u>	charge, and overcharge conditions.	1	Р	
3.	Inspect and adjust generator (alternator) drive belts; replace as	1	r	
4	needed.	2	Р	R
4.	Inspect and test voltage regulator/regulating circuit; perform	2	P	ĸ
5	necessary action.	- 2	Р	PR
5.	Remove inspect, and install generator (alternator).	2		PR PR
6.	Disassemble generator (alternator), clean, inspect, and test	3	IR	PK
~	components; determine necessary action.	1	Р	
7.	Perform charging circuit voltage drop tests; determine necessary	1	P	
	action.			
	E. Lighting Systems Diagnosis and Repair			
1.	Diagnose the cause of brighter than normal, intermittent, dim, or	2	Р	PR
	no light operation; determine necessary action.	_		
2.	Inspect, replace, and aim headlights and bulbs.	2	Р	
3.	Inspect and diagnose incorrect turn signal or hazard light	2		PR
	operation; perform necessary action.			
			_	
	F. Gauges, Warning Devices, and Driver Information Systems	Diagn	osis a	nd
	Repair			
1.	Inspect and test gauges and gauge sending units for cause of	2	I	P
	intermittent, high, low, or no gauge readings; determine			
	necessary action.			
2.	Inspect and test connectors, wires, and printed circuit boards of	3	Ι	P
	gauge circuits; determine necessary action.			
3.	Diagnose the cause of incorrect operation of warning devices and	1	P	
	other driver information systems; determine necessary action.			
4.	Inspect and test sensors, connectors, and wires of electronic	3	Ι	Р
	instrument circuits; determine necessary action.			



Ta	sk	P	12	AD
	G. Horn and Wiper/Washer Diagnosis and Repair	ir		
1.	Diagnose incorrect horn operation; perform necessary action.	3	Р	R
2.	Diagnose incorrect wiper operation; diagnose wiper speed control and park problems; perform necessary action.	3	IR	PR
3.	Diagnose incorrect windshield washer operation; perform necessary action.	3	Р	PR
	H. Accessories Diagnosis and Repair			
1.	Diagnose incorrect operation of motor-driven accessory circuits; determine necessary action.	2	I	Р
2.	Diagnose incorrect heated glass operation; determine necessary action.	3	Р	PR
3.	Diagnose incorrect electric lock operation; determine necessary action.	3	IR	PR
4.	Diagnose incorrect operation of cruise control systems; repair as needed.	3	IR	PR
5.	Diagnose supplemental restraint system (SRS) concerns; determine necessary action. (Note: Follow manufacturer's safety procedures to prevent accidental deployment.)	2	Ι	PR
6.	Diagnose radio static and weak, intermittent, or no radio reception; determine necessary action.	3	Ι	Р



### AREA 7: HEATING AND AIR CONDITIONING

For every task in Heating and Air Conditioning, the following safety requirement must be strictly enforced:

Tas	sk	P	12	AD	
<b>A.</b>	A/C System Diagnosis and Repair				
1.	Diagnose unusual operating noises in the A/C system; determine necessary action.	2	Ι	PR	
2.	Identify refrigerant type; conduct a performance test of the A/C system; determine necessary action.	1	Р	R	
3.	Leak test A/C system; determine necessary action.	1	Р	R	
4.	Inspect the condition of discharged oil; determine necessary action.	2	Ι	Р	
5.	Select oil type; measure, and add oil to the A/C system as needed.	2	Р	PR	
<b>B.</b>	Refrigeration System Component Diagnosis and Repair				
	1. Compressor and Clutch				
1.	Diagnose A/C system conditions that cause the protection	2	I	P	
	devices (pressure, thermal, and PCM) to interrupt system				
	operation; determine necessary action.		D		
2.	Inspect A/C compressor drive belts; replace and adjust as needed.	2	Р	R	
3.	Inspect, test, and replace A/C compressor clutch components or assembly.	2	Р	R	
4.	Remove and replace A/C compressor and mountings.	2	Р	R	
	2. Evaporator, Condenser, and Related Components				
1.	Determine need for A/C system filter; perform necessary action.	3	Р	PR	
2.	Remove and inspect A/C system mufflers, hoses, lines, fittings,	2	P	R	
	o-rings, seals, and service valves; perform necessary action.				
3.	Inspect A/C condenser for airflow restrictions; perform necessary action.	1	Р	R	
4.	Remove and install receiver/drier or accumulator/drier.	2	P	R	
5.	Remove and install expansion valve or orifice (expansion) tube.	2	P	R	
6.	Inspect evaporator housing water drain; perform necessary	3	P	R	
0.	action.				



I a	sk	P	12	AD
С.	Heating, Ventilation, and Engine Cooling Systems Diagnosis and	nd Rej	pair	
1.	Diagnose temperature control problems in the heater/ventilation system; determine necessary action.	2	IR	PR
2.	Perform cooling system, cap, and recovery system tests (pressure, combustion	1	Р	
	leakage, and temperature); determine necessary action.			
3.	Inspect engine cooling and heater system hoses and belts; perform necessary action.	1	Р	
4.	Inspect, test, and replace thermostat and housing.	1	Р	
5.	Determine coolant condition; drain and recover coolant.	1	Р	
6.	Flush system; refill system with recommended coolant; bleed system.	1	Р	
7.	Inspect and test fan, fan clutch (electrical and mechanical), fan shroud, and air	1	Р	PR
	dams; perform necessary action.			
8.	Inspect and test electrical fan control system and circuits.	1	IR	PR
9.	Inspect and test heater control valve(s); perform necessary action.	2	P	R
D.	Operating Systems and Related Controls Diagnosis and Repai			
1.	Diagnose failures in the electrical controls of heating, ventilation, and A/C (HVAC) systems; determine necessary action.	2	IR	PR
2.	Inspect and test A/C-heater blower, motors, resistors, switches, relays, wiring, and protection devices; perform necessary action.	2	IR	PR
3.	Test A/C compressor load cut-off systems; determine necessary action.	3		
5.				
4.	Diagnose failures in the vacuum and mechanical components and controls of the heating, ventilation, and A/C (HVAC) system; determine necessary action.	2	IR	PR
		1	I	L



28 

Ta	sk	P	12	AI
6.	Inspect and test A/C-heater control cables and linkages; perform necessary	3	IR	PF
	action.			
7.	Inspect and test A/C-heater ducts, doors, hoses, and outlets; perform necessary	3	IR	PI
	action.		- -	
8.	Check operation of automatic and semi-automatic heating, ventilation, and air-	3		
	conditioning (HVAC) control systems; determine necessary action.			
E.	Refrigerant Recovery, Recycling, and Handling			
1.	Verify correct operation and maintenance of refrigerant handling equipment.	1	Р	
2.	Identify (by label application or use of a refrigerant identifier) and recover	1	P	
	A/C system refrigerant.			
3.	Recycle refrigerant.	1	Р.	$\vdash$
4.	Label and store refrigerant.	1	Р	
5.	Test recycled refrigerant for non-condensable gases.	1	Р	
6.	Evacuate and charge A/C system.	1	P	



#### AREA 8: ENGINE PERFORMANCE

For every task in Engine Performance, the following safety requirement must be strictly enforced:

Task			AD
General Engine Diagnosis			
Interpret and verify concern; determine necessary action.	1	Ι	Р
Inspect engine assembly for fuel, oil, coolant, and other leaks; determine necessary action.	2	Р	R
Diagnose unusual engine noise or vibration concerns; determine necessary action.	2	I	Р
Diagnose unusual exhaust color, odor, and sound; determine necessary action.	2	Р	PR
Perform engine absolute (vacuum/boost) manifold pressure tests; determine necessary action.	1	Р	R
Perform cylinder power balance test; determine necessary action.	1	Р	
Perform cylinder compression test; determine necessary action.	1	Р	
Perform cylinder leakage test; determine necessary action.	1	Р	
Diagnose engine mechanical, electrical, electronic, fuel, and ignition concerns with an oscilloscope and engine diagnostic equipment; determine necessary action.	1	I	Р
Prepare 4 or 5 gas analyzer; inspect and prepare vehicle for test, and obtain exhaust readings; interpret readings, and determine necessary action.	1	1	Р
	General Engine Diagnosis         Interpret and verify concern; determine necessary action.         Inspect engine assembly for fuel, oil, coolant, and other leaks; determine         necessary action.         Diagnose unusual engine noise or vibration concerns; determine necessary         action.         Diagnose unusual exhaust color, odor, and sound; determine necessary action.         Perform engine absolute (vacuum/boost) manifold pressure tests; determine         necessary action.         Perform cylinder power balance test; determine necessary action.         Perform cylinder compression test; determine necessary action.         Perform cylinder leakage test; determine necessary action.         Diagnose engine mechanical, electrical, electronic, fuel, and ignition concerns with an oscilloscope and engine diagnostic equipment; determine necessary action.         Prepare 4 or 5 gas analyzer; inspect and prepare vehicle for test, and obtain	General Engine DiagnosisInterpret and verify concern; determine necessary action.1Inspect engine assembly for fuel, oil, coolant, and other leaks; determine necessary action.2Diagnose unusual engine noise or vibration concerns; determine necessary action.2Diagnose unusual exhaust color, odor, and sound; determine necessary action.2Perform engine absolute (vacuum/boost) manifold pressure tests; determine necessary action.1Perform cylinder power balance test; determine necessary action.1Perform cylinder compression test; determine necessary action.1Diagnose engine mechanical, electrical, electronic, fuel, and ignition concerns with an oscilloscope and engine diagnostic equipment; determine necessary action.1Prepare 4 or 5 gas analyzer; inspect and prepare vehicle for test, and obtain1	General Engine DiagnosisInterpret and verify concern; determine necessary action.11Inspect engine assembly for fuel, oil, coolant, and other leaks; determine necessary action.2PDiagnose unusual engine noise or vibration concerns; determine necessary action.21Diagnose unusual exhaust color, odor, and sound; determine necessary action.2PPerform engine absolute (vacuum/boost) manifold pressure tests; determine necessary action.1PPerform cylinder power balance test; determine necessary action.1PPerform cylinder compression test; determine necessary action.1PDiagnose engine mechanical, electrical, electronic, fuel, and ignition concerns action.11IP1PPerform cylinder leakage test; determine necessary action.11IP11Perform cylinder leakage test; determine necessary action.11IP11Perform cylinder leakage test; determine necessary action.11IP11Perform cylinder leakage test; determine necessary action.11IP11I11I11I11I11I11I11I11I11I11I11II1<



Tas		P	12	
<b>B</b> .	Computerized Engine Controls Diagnosis and Repair		•	
1.	Retrieve and record stored OBD I diagnostic trouble codes; clear codes.	1	Р	
2.	Retrieve and record stored OBD II diagnostic trouble codes; clear codes.	3	Р	
3.	Diagnose the causes of emissions or driveability concerns resulting from	1	·I	
	failure of computerized engine controls with stored diagnostic trouble codes.			
4.	Diagnose emissions or driveability concerns resulting from failure of	1	Ι	
	computerized engine controls with no stored diagnostic trouble codes;			
	determine necessary action.			
5.	Inspect and test computerized engine control system sensors, powertrain	2	I	
	control module (PCM), actuators, and circuits; perform necessary action.			
6.	Obtain and interpret digital multimeter (DMM) readings.	1	Р	
7.	Access and use electronic service information (ESI).	3	Р	
8.	Locate and interpret vehicle and major component identification numbers	1	Р	
	(VIN, vehicle certification labels, and calibration decals).			
9.	Inspect and test power and ground circuits and connections; service or replace	1	Р	
	as needed.			
10.	Practice recommended precautions when handling static sensitive devices.	2	Р	
11.	Diagnose driveability and emissions problems resulting from failures of	2	I	
	interrelated systems (cruise control, security alarms, suspension controls,			
	traction controls, A/C, automatic transmissions, non-OEM-installed			
	accessories, and similar systems); determine necessary action.			
С.	Ignition System Diagnosis and Repair			
1.	Diagnose no-starting, driveability, and emissions concerns on	1	I	
	vehicles with electronic ignition (EI/DIS) (distributorless)			
	systems; determine necessary action.		<u> </u> _	
2.	Diagnose no-starting, driveability, and emissions concerns on	1		



1-26

Tas	k	P	12	AD
	vehicles with distributor ignition (DI) systems; determine			
	necessary action.			
3.	Inspect and test ignition primary circuit wiring and components; perform necessary action.	2	P	R
4.	Inspect and test distributor; perform necessary action.	3	P	PR
5.	Inspect and test ignition system secondary circuit wiring and components; perform necessary action.	2	Р	R
6.	Inspect and test ignition coil(s); perform necessary action.	2	Р	R
7.	Check and adjust (where applicable) ignition system timing and timing advance/retard.	1	Р	
8.	Inspect and test ignition system pick-up sensor or triggering devices; perform necessary action.	2	IR	PR
9.	Inspect and test ignition control module; perform necessary action.	2	IR	PR
<b>D</b> .	Fuel, Air Induction, and Exhaust Systems Diagnosis and Repa		-	
1.	Diagnose hot or cold no-starting, hard starting, poor driveability, incorrect idle speed, poor idle, flooding, hesitation, surging, engine misfire, power loss, stalling, poor mileage, dieseling, and emissions problems on vehicles with carburetor-type fuel systems; determine necessary action.	3	Ι	Р
2.	Diagnose hot or cold no-starting, hard starting, poor driveability, incorrect idle speed, poor idle, flooding, hesitation, surging, engine misfire, power loss, stalling, poor mileage, dieseling, and emissions problems on vehicles with injection-type fuel systems; determine necessary action.	1	I	Р
3.	Inspect fuel tank and fuel cap, fuel lines, fittings, and hoses, perform necessary action.	2	Р	PR
4.	Check fuel for contaminants and quality; determine necessary action.	2	I	Р
5.	Inspect and test mechanical and electrical fuel pumps and pump control systems; perform necessary action.	2	IR	PR
6.	Replace fuel filters.	1	Р	
7.	Inspect and test fuel pressure regulation system and components of injection-type fuel systems; perform necessary action.	1	I	Р
8.	Inspect and test cold enrichment system and components; perform necessary action.	3	Ι	Р
9.	Remove, service, and install throttle body; adjust related linkages.	2	Р	R
10.	Inspect, test, and clean fuel injectors.	2	IR	PR
	Inspect throttle body mounting plates, air induction and filtration system, intake manifold, and gaskets; perform necessary action.	2	Р	R
12	Check idle speed and fuel mixture.	2	P	PR
	Adjust (carborated) idle speed and fuel mixture.	3	P	PR
	Remove, inspect, and test vacuum and electrical circuits, components and connections of fuel system; perform necessary	2	I	P



I-27 32

			_	
Tas	sk	P	_ 12	AD
	action.			
15.	Inspect exhaust manifold, exhaust pipes, muffler(s), catalytic converter(s), resonator(s), tail pipe(s), and heat shield(s); perform	2	Р	R
	necessary action.			
16.	Perform exhaust system back-pressure test; determine necessary	1	I	
	action.			
17.	Test the operation of turbocharger/supercharger systems;	3	I	Р
-	determine necessary action.			
E.	Emissions Control Systems Diagnosis and Repair			
	1. Positive Crankcase Ventilation			
1.	Diagnose oil leaks, emissions, and driveability problems	1	Р	R
	resulting from failure of the positive crankcase ventilation (PCV)			
	system; determine necessary action.			
2.	Inspect and test positive crankcase ventilation (PCV)	2	P	R
	filter/breather cap, valve, tubes, orifices, and hoses; perform			
	necessary action.			
	2. Exhaust Gas Recirculation			
1.	Diagnose emissions and driveability problems caused by failure	1	Ι	P
	of the exhaust gas recirculation (EGR) system; determine			
	necessary action.			
2.	Inspect and test valve, valve manifold, and exhaust passages of	2	IR	PR
	exhaust gas recirculation (EGR) systems; perform necessary			
	action.			
3.	Inspect and test vacuum/pressure controls, filters, and hoses of	2	I I	P
	exhaust gas recirculation (EGR) systems; perform necessary			
	action.		L_	
4.	Inspect and test electrical/electronic sensors, controls, and wiring	2	I	P
	of exhaust gas recirculation (EGR) systems; perform necessary			
	action.			
1	3. Exhaust Gas Treatment		Тт	
1.	Diagnose emissions and driveability problems resulting from	2	I	PR
	failure of the secondary air injection and catalytic converter			
<u> </u>	systems; determine necessary action.	2	I	
2.	Inspect and test mechanical components of secondary air	Z		PR
	injection systems; perform necessary action.	2	I	P
3.	Inspect and test electrical/electronically-operated components	Z		r
-	and circuits of air injection systems; perform necessary action.	2	IR	PR
4.	Inspect and test components of catalytic converter systems;	Z		rk
	perform necessary action.			
1	4. Intake Air Temperature Controls	3	Т	PR
1.	Diagnose emissions and driveability problems resulting from failure of the intake air temperature control system; determine	3		
	-		l	i i
<u></u>	necessary action.	2	T	םם
2.	Inspect and test components of intake air temperature control	3	I	PR
	system; perform necessary action.		I	



33

Tas	sk	P	12	AD
	5. Early Fuel Evaporation (Intake Manifold Temperature) C	ontrol	s	
1.	Diagnose emissions and driveability problems resulting from	3	Ι	PR
	failure of early fuel evaporation control system; determine			
	necessary action.			
2.	Inspect and test components of early fuel evaporation control	3	Ι	PR
	system; perform necessary action.			
	6. Evaporative Emissions Controls			
1.	Diagnose emissions and driveability problems resulting from	2	Ī	Р
	failure of evaporative emissions control system; determine			
	necessary action.			
2.	Inspect and test components and hoses of evaporative emissions	2	IR	PR
	control system; perform necessary action.			
F.	Engine Related Service			
1.	Adjust valves on engines with mechanical or hydraulic lifters.	1	Р	
2.	Verify correct camshaft timing; determine necessary action	1	Р	
3.	Verify engine operating temperature; determine necessary action.	1	Р	
4.	Perform cooling system pressure tests; check coolant condition;	1	Р	
	inspect and test radiator, pressure cap, coolant recovery tank, and			
	hoses; perform necessary action.			
5.	Inspect and test thermostat, by-pass, and housing; perform	1	Р	
	necessary action.			
6.	Inspect and test mechanical/electrical fans, fan clutch, fan	2	IR	PR
	shroud/ducting, air dams, and fan control devices; perform			
	necessary action.			

.



34

#### **AREA 1: SUSPENSION AND STEERING**

For every task in Suspension and Steering, the following safety requirement must be strictly enforced:

Task			12	AD
<b>A</b> .	Steering Systems Diagnosis and Repair			
1.	Disable and enable supplemental restraint system (SRS) in accordance with manufacturer's procedures.	1	I	PR
2.	Remove and replace steering wheel; center/time supplemental restraint system (SRS) coil in accordance with manufacturer's procedures.	1	I	Р
3.	Diagnose steering column noises, looseness, and binding concerns (including tilt mechanisms); determine necessary action.	3	IR	PR
4.	Diagnose power steering gear (non-rack and pinion) binding, uneven turning effort, loosenesss, hard steering, and fluid leakage concerns; determine necessary action.	3	IR	PR
5.	Diagnose power steering gear (rack and pinion) binding, uneven turning effort, looseness, hard steering, and fluid leakage concerns; determine necessary action.	3	IR	PR
6.	Inspect steering shaft universal-joint(s), flexible coupling(s), collapsible column, lock cylinder mechanism, and steering wheel; perform necessary action.	2	IR	PR
7.	Adjust manual or power non-rack and pinion worm bearing preload and sector lash.	3	I	Р
8.	Remove and replace manual or power rack and pinion steering gear; inspect mounting bushings and brackets.	2	Р	
9.	Disassemble, inspect, perform necessary action and reassemble rack and pinion steering gear.	3	I	R
10.	Adjust manual or power rack and pinion steering gear.	3	I	
11.	Inspect and replace manual or power rack and pinion steering gear inner tie rod ends (sockets) and bellows boots.	2	Р	
12.	Inspect power steering fluid levels and condition.	1	Р	
13.	Flush, fill, and bleed power steering system.	2	Р	R
14.	Diagnose power steering fluid leakage; determine necessary action.	2	Р	
15.	Remove, inspect, replace, and adjust power steering pump belt.	1	Р	
16.	Remove, inspect, and replace power steering pump, mounts, seals, and gaskets.	3	Р	PR
17.	Remove, inspect, and replace power steering pump pulley; check alignment.	3	Р	R
18.	Inspect and replace power steering hoses and fittings.	2	Р	
19.	Inspect and replace pitman arm, relay (centerlink/intermediate) rod, idler arm and mountings, and steering linkage damper.	3	Р	R
20.	Inspect, replace, and adjust tie rod ends (sockets), tie rod sleeves, and clamps.	2	Р	

35 U U

Tas	k	Р	12	AD
21.		3	1	Р
<b>B</b> .	Suspension Systems Diagnosis and Repair			
	4. Front Suspension			
1.	Diagnose short and long arm suspension system noises, body sway, and uneven riding height concerns; determine necessary action.	1	I	Р
2.	Diagnose MacPherson strut suspension system noises, body sway, and uneven riding height concerns; determine necessary action.	1	1	Р
3.	Remove, inspect, and install upper and lower control arms, bushings, shafts, and rebound bumpers.	2	Р	
4.	Remove, inspect, install, and adjust strut (compression/tension) rods and bushings.	2	Р	
5.	Remove, inspect, and install upper and lower ball joints on short and long arm suspension systems.	2	Р	
6.	Remove, inspect, and install steering knuckle assemblies.	2	Р	
7.	Remove, inspect, and install short and long arm suspension system coil springs and spring insulators.	2	Р	
8.	Remove, inspect, install, and adjust suspension system torsion bars; inspect mounts.	3	Р	R
9.	Remove, inspect, and install stabilizer bar bushings, brackets, and links.	3	Р	R
10.	Remove, inspect, and install MacPherson strut cartridge or assembly, strut coil spring, insulators (silencers), and upper strut bearing mount.	1	Р	
11.	Lubricate suspension and steering systems.	2	Р	
	5. Rear Suspension		-	
1.	Remove, inspect, and install coil springs and spring insulators.	2	Р	
2.	Remove, inspect, and install transverse links, control arms, bushings, and mounts.	2	Р	
3.	Remove, inspect, and install leaf springs, leaf spring insulators (silencers), shackles, brackets, bushings, and mounts.	3	Р	R
4.	Remove, inspect, and install MacPherson strut cartridge or assembly, strut coil spring, and insulators (silencers).	2	Р	
	6. Miscellaneous Service	_		
1.	Inspect, remove, and replace shock absorbers.	1	Р	
2.	Remove, inspect, and service or replace front and rear wheel bearings.	1	Р	
3.	Diagnose, inspect, adjust, repair or replace components of electronically controlled suspension systems.	2	I	Р
	C. Wheel Alignment Diagnosis, Adjustment, and Re	pair		
1.	Diagnose vehicle wander, drift, pull, hard steering, bump steer, memory steer, torque steer, and steering return concerns; determine necessary action.	1	I	Р
2.	Perform prealignment inspection; perform necessary action.	1	Р	R
3.	Measure vehicle riding height; determine necessary action.	1	Р	R
4.	Check and adjust front and rear wheel camber; perform necessary action.	1	Р	R
5.	Check and adjust caster; perform necessary action.	1	P	R
6.	Check and adjust front wheel toe; adjust as needed.	1	Р	R
7.	Center steering wheel.	1	Р	R
8. 9.	Check toe-out-on-turns (turning radius); determine necessary action. Check SAI (steering axis inclination) and included angle; determine necessary	22	IR IR	PR PR
10	action.		TD	DD
10.	Check and adjust rear wheel toe.	2	IR IP	PR PP
11.	Check rear wheel thrust angle; determine necessary action.	2	IR IR	PR PR
12.	Check for front wheel setback; determine necessary action.	3	P	R
13.	Check front cradle (subframe) alignment; determine necessary action.	3	L r	



Tas	k	Р	12	AD	
D. Wheel and Tire Diagnosis and Repair					
1.	Diagnose tire wear patterns; determine necessary action.	1	P		
2.	Inspect tires; check and adjust air pressure.	1	Р		
3.	Diagnose wheel/tire vibration, shimmy, and noise; determine necessary action.	2	Р		
4.	Rotate tires according to manufacturer's recommendations.	1	Р		
5.	Measure wheel, tire, axle, and hub runout; determine necessary action.	2	Р		
6.	Diagnose tire pull (lead) problem; determine necessary action.	2	P		
7.	Balance wheel and tire assembly (static and dynamic).	1	P	_	
8.	Dismount, inspect, repair, and remount tire on wheel.	2	Р		
9.	Reinstall wheel; torque lug nuts.	1	P		

## AREA 2: BRAKES--Priority One (22)

Tas	sk	12	AD
A.	Hydraulic System Diagnosis and Repair		
3.	Remove, bench bleed, and reinstall master cylinder.	Р	
4.	Diagnose poor stopping, pulling or dragging concerns caused by problems in the hydraulic	Р	
	system; determine necessary action.		
7.	Select, handle, store, and install brake fluids to proper level.	P	
11.	Bleed (manual, pressure, vacuum or surge) brake system.	Р	
	B. Drum Brake Diagnosis and Repair		
1.	Diagnose poor stopping, noise, pulling, grabbing, dragging or pedal pulsation concerns; determine necessary action.	Р	
2.	Remove, clean (using proper safety procedures), inspect, and measure brake drums; service or replace as needed.	Р	
6.	Pre-adjust brake shoes and parking brake before installing brake drums or drum/hub assemblies and wheel bearings.	Р	
7.	Install wheel, torque lug nuts, and make final checks and adjustments.	Р	
<u> </u>			
C.	Disc Brake Diagnosis and Repair		
1.	Diagnose poor stopping, noise, puling, grabbing, dragging or pedal pulsation concerns; determine necessary action.	Р	
2.	Remove caliper assembly from mountings; clean and inspect for leaks and damage to caliper housing; determine necessary action.	Р	
3.	Clean and inspect caliper mounting and slides for wear and damage; determine necessary action.	Р	
4.	Remove, clean, and inspect pads and retaining hardware; determine necessary action.	Р	
	Disassemble and clean caliper assembly; inspect parts for wear, rust, scoring, and damage; replace seal, boot, and damaged or worn parts.	Р	
6.	Reassemble, lubricate, and reinstall caliper, pads, and related hardware; seat pads, and inspect for leaks.	Р	
7.	Clean, inspect, and measure rotor with a dial indicator and a micrometer; follow manufacturer's recommendations in determining need to machine or replace.	Р	
8.	Refinish rotor according to manufacturer's recommendations.	P	
	Install wheel, torque lug nuts, and make final checks and adjustments.	Р	
D.	Power Assist Units Diagnosis and Repair (NONE)		
		L	L <u>.</u>
E.	Miscellaneous (Wheel Bearings, Parking Brakes, Electrical, Etc.) Diagnosis a		)air
1.	Diagnose wheel bearing noises, wheel shimmy, and vibration concerns; determine necessary action.	Р	



12	AD
P	
Р	
P	
Р	<u> </u>
_L	L
Р	
	P P P P



Ta	sk	12	AD
Α.	Hydraulic System Diagnosis and Repair		
1.	Measure and adjust pedal height.	Р	
2.	Check master cylinder for internal and external leaks and proper operation; determine necessary	Р	
	action.		
5.		Р	
	wear; tighten loose fittings and supports; determine necessary action.		
6.		Р	
	supports as needed.		
<u> </u>	B. Drum Brake Diagnosis and Repair		
<u> </u>		Р	
3.	Mount brake drum on lathe; machine braking surface.	<u>Р</u> Р	
4.	Remove, clean, and inspect brake shoes, springs, pins, clips, levers, adjusters/self-adjusters,	Р	
<u> </u>	other related brake hardware, and backing support plates; lubricate and reassemble.		
_5.	Remove, Inspect, and install wheel cylinders.	P	
	D's Duche Diamasia and Danain		
<b>C</b> .	Disc Brake Diagnosis and Repair		
<u> </u>	Remove and replace rotor.	Р	
<b>D</b> .	Power Assist Units Diagnosis and Repair	<u> </u>	
1.	Test pedal free travel with and without engine running; check power assist operation.	Р	PR
1.	Test pedal free travel with and without engine running, check power assist operation.		
2.	Check vacuum supply (manifold or auxiliary pump) to vacuum-type power booster.	Р	
3.	Inspect the vacuum-type power booster unit for vacuum leaks; inspect the check valve for	P	
	proper operation; determine necessary action.		
			L <u>.                                    </u>
E.	Miscellaneous (Wheel Bearings, Parking Brakes, Electrical, Etc.) Diagnosis a		bair
3.	Check parking brake cables and components for wear, rusting, binding, and corrosion; clean,	Р	
	lubricate, and replace as needed.		
		1	
	F. Anti-lock Brake System		
1.	Inspect and test anti-lock brake system (ABS) components; determine necessary action.	P	R
2.	Diagnose poor stopping, wheel lock-up, abnormal pedal feel or pulsation, and noise concerns	Р	R
<u> </u>	caused by the anti-lock brake system (ABS); determine necessary action.		
4.	Depressurize high-pressure components of the anti-lock brake system (ABS).	P	R
5.	Bleed the anti-lock brake system's (ABS) front and rear hydraulic circuits.	P	R
7.	Service, test, and adjust anti-lock brake system (ABS) speed sensors.	IR	PR
1			1

#### AREA 2: BRAKES--Priority Two (14)

### AREA 2: BRAKES--Priority Three (5)

Task	12	AD
. Hydraulic System Diagnosis and Repair		
8. Inspect, test, and replace metering (hold-off), proportioning (balance), pressure differential, and combination valves.	Р	R
9. Inspect, test, replace, and adjust height (load) sensing proportioning valve.	IR	PR
10. Inspect, test, and replace components of brake warning light system.	P	R
12. Flush hydraulic system.	P	<b>—</b> —
B. Drum Brake Diagnosis and Repair (NONE)		i T



С.	Disc Brake Diagnosis and Repair		
9.	Adjust calipers with integrated parking brake system.	P	PR
D.	Power Assist Units Diagnosis and Repair		L
4.	Inspect and test hydro-boost system and accumulator for leaks and proper operation; determine necessary action.	P	R
E.	Miscellaneous (Wheel Bearings, Parking Brakes, Electrical, Etc.) Diagnosis a	ind Rep	bair
5.	Check operation of parking brake indicator light system.	Р	
	F. Anti-lock Brake System		L
6.	Remove and install anti-lock brake system (ABS) electrical/electronic and hydraulic components.	Ι	Р
8.	Diagnose anti-lock brake system (ABS) braking concerns caused by vehicle modifications (tire size, curb height, final drive ratio, etc.).	I	P



.

### AREA 3: ELECTRICAL/ELECTRONIC SYSTEMS

.

For every task in Electrical/Electronic Systems, the following safety requirement must be strictly enforced:

Comply with personal and environmental safety practices associated with clothing; eye protection; hand tools; power equipment; proper ventilation; and the handling, storage, and disposal of chemicals/materials in accordance with local, state, and federal safety and environmental regulations.

Tas	k	Р	12	AD
	A. General Electrical System Diagnosis			
1.	Use wiring diagrams during diagnosis of electrical circuit problems.	1	Р	
2.	Check electrical circuits with a test light; determine necessary action.	2	Р	R
3.	Check voltage and voltage drop in electrical/electronic circuits using a digital multimeter (DMM); determine necessary action.	1	Р	
4.	Check current flow in electrical/electronic circuits and components using an ammeter; determine necessary action.	1	Р	
5.	Check continuity and resistances in electrical/electronic circuits and components with an ohmmeter; determine necessary action.	1	Р	
6.	Check electrical circuits using jumper wires; determine necessary action.	2	Р	R
7.	Locate shorts, grounds, opens, and resistance problems in electrical/electronic circuits; determine necessary action.	1	Р	
8.	Measure and diagnose the cause(s) of abnormal key-off battery drain; determine necessary action.	1	Р	
9.	Inspect and test fusible links, circuit breakers, and fuses; determine necessary action.	1	Р	
10.	Inspect and test switches, connectors, relays, and wires of electrical/electronic circuits; perform necessary action.	1	Р	
11.	Repair wiring harnesses and connectors.	1	Р	
12.	Perform solder repair of electrical wiring.	1	Р	
	B. Battery Diagnosis and Service			
1.	Perform battery state-of-charge test; determine needed service.	1	Р	
2.	Perform battery capacity test; determine needed service.	1	P	1
3.	Maintain or restore electronic memory functions.	2	P	R
4.	Inspect, clean, fill, and replace battery.	2	P	PR
5.	Perform slow/fast battery charge.	2	P	PR
6.	Inspect and clean battery cables, connectors, clamps, and hold-downs; repair or replace as needed	1	P	
	Inspect and clean battery cables, connectors, clamps, and hold-downs; repair or replace as needed. Start a vehicle using jumper cables and a battery or auxiliary power supply according to manufacturers recommended specifications.	1	P	
6.	or replace as needed. Start a vehicle using jumper cables and a battery or auxiliary power supply according to manufacturers recommended specifications.	-		
6. 7.	or replace as needed. Start a vehicle using jumper cables and a battery or auxiliary power supply according to manufacturers recommended specifications. C. Starting System Diagnosis and Repair	1	P	
6. 7.  1.	or replace as needed. Start a vehicle using jumper cables and a battery or auxiliary power supply according to manufacturers recommended specifications. C. Starting System Diagnosis and Repair Perform starter current draw tests; determine necessary action.	1		
6. 7.	or replace as needed. Start a vehicle using jumper cables and a battery or auxiliary power supply according to manufacturers recommended specifications. C. Starting System Diagnosis and Repair	1	P P	PR



BEST COPY AVAILABLE

5.	k	Р	12	AD
J.	Perform starter bench tests; determine necessary action.	3	IR	PR
6.	Inspect and test switches, connectors, and wires of starter control circuits;	2	Р	R
	perform necessary action.			
7.	Disassemble, clean, inspect, and test starter components; replace as needed.	3	IR	PR
	D. Charging System Diagnosis and Repair		1	
1.	Perform charging system output test; determine necessary action.	1	Р	
<u>1.</u> 2.	Diagnose charging system for the cause of undercharge, no-charge, and	1	P	
Ζ.	overcharge conditions.	1	F	
3.	Inspect and adjust generator (alternator) drive belts; replace as needed.	1	Р	
4.	Inspect and test voltage regulator/regulating circuit; perform necessary action.	2	P	R
5.	Remove inspect, and install generator (alternator).	2	Р	PR
6.	Disassemble generator (alternator), clean, inspect, and test components; determine necessary action.	3	IR	PR
7.	Perform charging circuit voltage drop tests; determine necessary action.	1	Р	
	E. Lighting Systems Diagnosis and Repair			
1.	Diagnose the cause of brighter than normal, intermittent, dim, or no light operation; determine necessary action.	2	Р	PR
2.	Inspect, replace, and aim headlights and bulbs.	2	P	
<u>2.</u> 3.	Inspect and diagnose incorrect turn signal or hazard light operation; perform	2	P	PR
5.	necessary action.	2		
			<u> </u>	
	F. Gauges, Warning Devices, and Driver Information Systems	Diagr	losis al	nd
	Repair			
1.	Inspect and test gauges and gauge sending units for cause of intermittent,	2	I	Р
	high, low, or no gauge readings; determine necessary action.			
2.	Inspect and test connectors, wires, and printed circuit boards of gauge circuits;	3	I	Р
	determine necessary action.			
3.	Diagnose the cause of incorrect operation of warning devices and other driver	1	P	
	information systems; determine necessary action.			
4.	Inspect and test sensors, connectors, and wires of electronic instrument	3	I	P
	circuits; determine necessary action.			
	G. Horn and Wiper/Washer Diagnosis and Repai			
		r		
1				R
1.	Diagnose incorrect horn operation; perform necessary action.	<b>r</b>	P	R
	Diagnose incorrect horn operation; perform necessary action.	3		
	Diagnose incorrect horn operation; perform necessary action. Diagnose incorrect wiper operation; diagnose wiper speed control and park		P IR	R PR
2.	Diagnose incorrect horn operation; perform necessary action.	3		
2.	Diagnose incorrect horn operation; perform necessary action. Diagnose incorrect wiper operation; diagnose wiper speed control and park problems; perform necessary action. Diagnose incorrect windshield washer operation; perform necessary action.	3	IR	PR
2.	Diagnose incorrect horn operation; perform necessary action. Diagnose incorrect wiper operation; diagnose wiper speed control and park problems; perform necessary action. Diagnose incorrect windshield washer operation; perform necessary action. H. Accessories Diagnosis and Repair	3 3 3	IR P	PR PR
2.	Diagnose incorrect horn operation; perform necessary action. Diagnose incorrect wiper operation; diagnose wiper speed control and park problems; perform necessary action. Diagnose incorrect windshield washer operation; perform necessary action. H. Accessories Diagnosis and Repair Diagnose incorrect operation of motor-driven accessory circuits; determine	3	IR	PR
2. 3. 1.	Diagnose incorrect horn operation; perform necessary action. Diagnose incorrect wiper operation; diagnose wiper speed control and park problems; perform necessary action. Diagnose incorrect windshield washer operation; perform necessary action. H. Accessories Diagnosis and Repair Diagnose incorrect operation of motor-driven accessory circuits; determine necessary action.	3 3 3 2	IR P I	PR PR P
2. 3 1. 2	Diagnose incorrect horn operation; perform necessary action. Diagnose incorrect wiper operation; diagnose wiper speed control and park problems; perform necessary action. Diagnose incorrect windshield washer operation; perform necessary action. H. Accessories Diagnosis and Repair Diagnose incorrect operation of motor-driven accessory circuits; determine necessary action. Diagnose incorrect heated glass operation; determine necessary action.	3 3 3 2 3	IR P I P	PR PR P P
2. 3. 1. 2. 3.	Diagnose incorrect horn operation; perform necessary action. Diagnose incorrect wiper operation; diagnose wiper speed control and park problems; perform necessary action. Diagnose incorrect windshield washer operation; perform necessary action. H. Accessories Diagnosis and Repair Diagnose incorrect operation of motor-driven accessory circuits; determine necessary action. Diagnose incorrect heated glass operation; determine necessary action. Diagnose incorrect electric lock operation; determine necessary action.	3 3 3 2 3 3 3	IR P I R IR	PR PR P PR PR
2. 3. 1. 2. 3. 4.	Diagnose incorrect horn operation; perform necessary action. Diagnose incorrect wiper operation; diagnose wiper speed control and park problems; perform necessary action. Diagnose incorrect windshield washer operation; perform necessary action. H. Accessories Diagnosis and Repair Diagnose incorrect operation of motor-driven accessory circuits; determine necessary action. Diagnose incorrect heated glass operation; determine necessary action. Diagnose incorrect electric lock operation; determine necessary action. Diagnose incorrect operation of cruise control systems; repair as needed.	3 3 3 2 3 3 3 3 3	IR P I IR IR	PR PR PR PR PR PR
2. 3. 1. 2. 3. 4.	Diagnose incorrect horn operation; perform necessary action. Diagnose incorrect wiper operation; diagnose wiper speed control and park problems; perform necessary action. Diagnose incorrect windshield washer operation; perform necessary action. H. Accessories Diagnosis and Repair Diagnose incorrect operation of motor-driven accessory circuits; determine necessary action. Diagnose incorrect heated glass operation; determine necessary action. Diagnose incorrect electric lock operation; determine necessary action. Diagnose incorrect operation of cruise control systems; repair as needed. Diagnose supplemental restraint system (SRS) concerns; determine necessary action. (Note: Follow manufacturer's safety procedures to prevent accidental	3 3 3 2 3 3 3	IR P I R IR	PR PR P PR PR
1.           2.           3.           1.           2.           3.           4.           5.           6.	Diagnose incorrect horn operation; perform necessary action. Diagnose incorrect wiper operation; diagnose wiper speed control and park problems; perform necessary action. Diagnose incorrect windshield washer operation; perform necessary action. H. Accessories Diagnosis and Repair Diagnose incorrect operation of motor-driven accessory circuits; determine necessary action. Diagnose incorrect heated glass operation; determine necessary action. Diagnose incorrect electric lock operation; determine necessary action. Diagnose incorrect operation of cruise control systems; repair as needed. Diagnose supplemental restraint system (SRS) concerns; determine necessary	3 3 3 2 3 3 3 3 3	IR P I IR IR	PR PR PR PR PR PR



#### AREA 4: ENGINE PERFORMANCE

For every task in Engine Performance, the following safety requirement must be strictly enforced:

Comply with personal and environmental safety practices associated with clothing; eye protection; hand tools; power equipment; proper ventilation; and the handling, storage, and disposal of chemicals/materials in accordance with local, state, and federal safety and environmental regulations.

Tas	k	Р	12	AD
<b>A</b> .	General Engine Diagnosis			
1.	Interpret and verify concern; determine necessary action.	1	I	Р
2.	Inspect engine assembly for fuel, oil, coolant, and other leaks; determine necessary action.	2	P	R
3.	Diagnose unusual engine noise or vibration concerns; determine necessary action.	2	I	Р
4.	Diagnose unusual exhaust color, odor, and sound; determine necessary action.	2	Ι	Р
5.	Perform engine absolute (vacuum/boost) manifold pressure tests; determine necessary action.	1	Р	R
6.	Perform cylinder power balance test; determine necessary action.	1	P	
7.	Perform cylinder compression test; determine necessary action.	1	Р	
8.	Perform cylinder leakage test; determine necessary action.	1	Р	
9.	Diagnose engine mechanical, electrical, electronic, fuel, and ignition concerns with an oscilloscope and engine diagnostic equipment; determine necessary action.	1	I	Р



ر) ک

43

Tasl		P	12	AD
10.	Prepare 4 or 5 gas analyzer; inspect and prepare vehicle for test, and obtain	1	Ι	Р
	exhaust readings; interpret readings, and determine necessary action.			
<b>B.</b>	Computerized Engine Controls Diagnosis and Repair			
1.	Retrieve and record stored OBD I diagnostic trouble codes; clear codes.	1	Р	R
2.	Retrieve and record stored OBD II diagnostic trouble codes; clear codes.	3	Р	R
3.	Diagnose the causes of emissions or driveability concerns resulting from	1	Ι	Р
	failure of computerized engine controls with stored diagnostic trouble codes.			P
4.	Diagnose emissions or driveability concerns resulting from failure of computerized engine controls with no stored diagnostic trouble codes;	1		г
	determine necessary action.			
5.	Inspect and test computerized engine control system sensors, powertrain	2	I	Р
	control module (PCM), actuators, and circuits; perform necessary action.			
6.	Obtain and interpret digital multimeter (DMM) readings.	1	P	R
7.	Access and use electronic service information (ESI).	3	Р	R
8.	Locate and interpret vehicle and major component identification numbers	1	Р	
	(VIN, vehicle certification labels, and calibration decals).			
9.	Inspect and test power and ground circuits and connections; service or replace as needed.	1	Р	R
10.	Practice recommended precautions when handling static sensitive devices.	2	P	R
		2		P
11.	Diagnose driveability and emissions problems resulting from failures of interrelated systems (cruise control, security alarms, suspension controls,	2		Г
	traction controls, A/C, automatic transmissions, non-OEM-installed			
	accessories, and similar systems); determine necessary action.			



44

Tasl	ـــــــــــــــــــــــــــــــــــــ	Р	12	AD
<u>C</u> .	Ignition System Diagnosis and Repair			
1.	Diagnose no-starting, driveability, and emissions concerns on vehicles with electronic ignition (EI/DIS) (distributorless) systems; determine necessary action.	1	I	Р
2.	Diagnose no-starting, driveability, and emissions concerns on vehicles with distributor ignition (DI) systems; determine necessary action.	1	Ι	Р
3.	Inspect and test ignition primary circuit wiring and components; perform necessary action.	2	P	R
4.	Inspect and test distributor; perform necessary action.	3	Р	PR
5.	Inspect and test ignition system secondary circuit wiring and components; perform necessary action.	2	I	Р
6.	Inspect and test ignition coil(s); perform necessary action.	2	Р	R
7.	Check and adjust (where applicable) ignition system timing and timing advance/retard.	1	Р	
8.	Inspect and test ignition system pick-up sensor or triggering devices; perform necessary action.	2	IR	PR
9.	Inspect and test ignition control module; perform necessary action.	2	IR	PR
D.	Fuel, Air Induction, and Exhaust Systems Diagnosis and Repa	ir	1	I
1.	Diagnose hot or cold no-starting, hard starting, poor driveability, incorrect idle speed, poor idle, flooding, hesitation, surging, engine misfire, power loss, stalling, poor mileage, dieseling, and emissions problems on vehicles with carburetor-type fuel systems; determine necessary action.	3	I	Р
2.	Diagnose hot or cold no-starting, hard starting, poor driveability, incorrect idle speed, poor idle, flooding, hesitation, surging, engine misfire, power loss, stalling, poor mileage, dieseling, and emissions problems on vehicles with injection-type fuel systems; determine necessary action.	1	Ι	Р
3.	Inspect fuel tank and fuel cap, fuel lines, fittings, and hoses, perform necessary action.	2	Р	PR
4.	Check fuel for contaminants and quality; determine necessary action.	2	· I·	Р
5.	Inspect and test mechanical and electrical fuel pumps and pump control systems; perform necessary action.	2	IR	PR
6.	Replace fuel filters.	1	Р	
7.	Inspect and test fuel pressure regulation system and components of injection- type fuel systems; perform necessary action.	1	I	Р
8.	Inspect and test cold enrichment system and components; perform necessary action.	3	Ι	Р
9.	Remove, service, and install throttle body; adjust related linkages.	2	Р	R
10.	Inspect, test, and clean fuel injectors.	2	IR	PR
11.	Inspect throttle body mounting plates, air induction and filtration system, intake manifold, and gaskets; perform necessary action.	2	Р	R
12.	Check idle speed and fuel mixture.	2	Р	PR
13.	Adjust (carborated) idle speed and fuel mixture.	3	I	Р
14.	Remove, inspect, and test vacuum and electrical circuits, components and connections of fuel system; perform necessary action.	2	I	Р
15.	Inspect exhaust manifold, exhaust pipes, muffler(s), catalytic converter(s), resonator(s), tail pipe(s), and heat shield(s); perform necessary action.	2	Р	R
16.	Perform exhaust system back-pressure test; determine necessary action.	1	I	
17.	Test the operation of turbocharger/supercharger systems; determine necessary action.	3	I	Р
E.	Emissions Control Systems Diagnosis and Repair			
	1. Positive Crankcase Ventilation			
1.	Diagnose oil leaks, emissions, and driveability problems resulting from failure of the positive crankcase ventilation (PCV) system; determine necessary	1	Р	R



45

Tas	k	Р	12	AD
	action.			
2.	Inspect and test positive crankcase ventilation (PCV) filter/breather cap, valve, tubes, orifices, and hoses; perform necessary action.	2	Р	R
	2. Exhaust Gas Recirculation			
1.	Diagnose emissions and driveability problems caused by failure of the exhaust	1	Ι	Р
	gas recirculation (EGR) system; determine necessary action.			
2.	Inspect and test valve, valve manifold, and exhaust passages of exhaust gas	2	IR	PR
	recirculation (EGR) systems; perform necessary action.			
3.	Inspect and test vacuum/pressure controls, filters, and hoses of exhaust gas	2	I	Р
	recirculation (EGR) systems; perform necessary action.			
4.	Inspect and test electrical/electronic sensors, controls, and wiring of exhaust	2	I	Р
	gas recirculation (EGR) systems; perform necessary action.			
	3. Exhaust Gas Treatment			
1.	Diagnose emissions and driveability problems resulting from failure of the	2	I	PR
	secondary air injection and catalytic converter systems; determine necessary			
-	action.			
2.	Inspect and test mechanical components of secondary air injection systems;	2	I	PR
	perform necessary action.		<u> </u>	
3.	Inspect and test electrical/electronically-operated components and circuits of	2	I	Р
	air injection systems; perform necessary action.			
4.	Inspect and test components of catalytic converter systems; perform necessary	2	IR	PR
	action.			
1	4. Intake Air Temperature Controls	3	<u> </u>	PR
1.	Diagnose emissions and driveability problems resulting from failure of the	3		PR
	intake air temperature control system; determine necessary action.	3		PR
2.	Inspect and test components of intake air temperature control system; perform	3		PK
	necessary action.	ontrol		L
	5. Early Fuel Evaporation (Intake Manifold Temperature) C			
1.	Diagnose emissions and driveability problems resulting from failure of early	3		PR
	fuel evaporation control system; determine necessary action.	3		PR
2.	Inspect and test components of early fuel evaporation control system; perform	3		
	necessary action.		1	
1	6. Evaporative Emissions Controls Diagnose emissions and driveability problems resulting from failure of	2	I	Р
1.	evaporative emissions control system; determine necessary action.	2		
2.	Inspect and test components and hoses of evaporative emissions control	2	IR	PR
2.	system; perform necessary action.	2		
			ł	
F.	Engine Related Service			
1.	Adjust valves on engines with mechanical or hydraulic lifters.	1	Р	
2.	Verify correct camshaft timing; determine necessary action.	1	Р	
3.	Verify engine operating temperature; determine necessary action.	1	Р	
4.	Perform cooling system pressure tests; check coolant condition; inspect and	1	Р	
	test radiator, pressure cap, coolant recovery tank, and hoses; perform			
	necessary action.			
5.	Inspect and test thermostat, by-pass, and housing; perform necessary action.	1	P	
6.	Inspect and test mechanical/electrical fans, fan clutch, fan shroud/ducting, air	2	IR	PR
	dams, and fan control devices; perform necessary action.			



#### AREA 5: ENGINE REPAIR

For every task in Engine Repair, the following safety requirement must be strictly enforced:

Comply with personal and environmental safety practices associated with clothing; eye protection; hand tools; power equipment; proper ventilation; and the handling, storage, and disposal of chemicals/materials in accordance with local, state, and federal safety and environmental regulations.

Tas		P	12	AD				
<b>B</b> .	General Engine Diagnosis; Removal and Reinstallation (R & R)		-					
1.	Verify and interpret engine concern; determine necessary action.	1						
			IR	PR				
2.	Inspect engine assembly for fuel, oil, coolant, and other leaks; determine	2	P	R				
2.	inspect engine asseriory for fuer, on, coordin, and other reaks, determine	-	-					
	necessary action.							
3.	Diagnose engine noises and vibrations; determine necessary action.	3		PR				
			IR					
4.	Diagnose the cause of excessive oil consumption, unusual engine exhaust	3	IR	PF				
	color, odor, and sound; determine necessary action.	1						
5.	Perform engine vacuum tests; determine necessary action.	1	Р					
6.	Perform cylinder power balance tests; determine necessary action.	ľ	Р					
7.	Perform cylinder compression tests; determine necessary action.	1	Р					
8.	Perform cylinder leakage tests; determine necessary action.	1	<b>P</b> .					
9.	Remove engine (front-wheel drive); prepare for disassembly.	3	IR	PF				
10.	Reinstall engine (front-wheel drive).	3	IR	PF				
11.	Remove engine (rear-wheel drive); prepare for disassembly.	3	IR	PF				
12.	Reinstall engine (rear-wheel drive).	3	IR	PF				
			1					
	B. Cylinder Head and Valve Train Diagnosis and Repair							
1.	Remove cylinder head(s); visually inspect cylinder head(s) for cracks; check	2	Р	R				
1.	gasket surface areas for warpage and leakage; check passage condition.	_						
2.	Install cylinder heads and gaskets; tighten according to manufacturer's	2	Р	R				
2.	specifications and procedures.	_						
3.	Inspect and test valve springs for squareness, pressure, and free height	3		Р				
2.	comparison; replace as needed.							
4.	Inspect value spring retainers, locks, and valve grooves.	2	Р	PF				
5.	Replace valve stem seals.	3	IR	PF				
6.	Inspect valve guides for wear; check valve guide height and stem-to-guide	3	IR	PF				
	clearance; recondition or replace as needed.		· ·					
7.	Resurface values; perform necessary action.	2	IR	PF				
8.	Resurface valve seats; perform necessary action.	2	IR	PF				
<u>9.</u>	Check valve face-to-seat contact and valve seat concentricity (runout); service	3	IR	PF				
	seats and valves as needed.		<b>.</b>					
10.	Check valve spring assembled height and valve stem height; service valve and	2	IR	PF				
	spring assemblies as needed.							
11.	Inspect pushrods, rocker arms, rocker arm pivots and shafts for wear, bending,	2	IR	PF				
	cracks, looseness, and blocked oil passages (orifices); perform necessary							
	action.							
12.	Inspect hydraulic or mechanical lifters; replace as needed.	2	IR	PF				
13.	Adjust valves (mechanical or hydraulic lifters).	1	Р	1				
14.	Inspect camshaft drives (including gear wear and backlash, sprocket and chain	2	IR	PF				
	wear); replace as necessary.							
	Inspect and replace timing belt(s), overhead camdrive sprockets, and	1	P	t —				



10.       Inspect camshaft for runout, journal vear and lobe vear.       3       IR       PR         11.       Inspect camshaft for runout, journal vear and lobe vear.       3       IR       PR         12.       Inspect camshaft bearing for wear, damage, out-of-round, and alignment; determine necessary action.       1       P         18.       Verify camshaft(s) timing according to manufacturer's specifications and procedure.       1       P         11.       Inspect and replace pans, covers, gaskets, and seals.       2       P       PR         2.       Inspect and replace pans, covers, gaskets, and seals.       2       P       PR         2.       Inspect and replace pans, covers, gaskets, and seals.       2       P       PR         3.       Inspect internal and external htmcads; restore as needed (includes installing thread inserts).       1       P         4.       Remove cylinder wall ridges.       3       P       R         5.       Inspect and measure cylinder walls for damage and wear; determine necessary action.       1       P         6.       Deglaze and clean cylinder walls.       1       P       R         7.       Inspect and measure camshaft bearings for wear, damage; check oil passage condition; measure journal wear; determine necessary action.       2       IR         9.				10	
16.       Inspect camshaft for nunout, journal wear and lobe wear.       3       IR       PR         17.       Inspect and measure camshaft bearing for wear, damage, out-of-round, and       3       IR       PR         18.       Verify camshaft(s) timing according to manufacturer's specifications and procedure.       1       P         18.       Verify camshaft(s) timing according to manufacturer's specifications and procedure.       1       P         10.       Inspect and replace pans, covers, gaskets, and scals.       2       P       PR         2.       Inspect and replace pans, covers, gaskets, and scals.       2       P       PR         9.       Inspect and replace opans, covers, gaskets, and scals.       2       P       PR         3.       Inspect and replace pans, covers, gaskets, and scals.       1       P       -         4.       Remove cylinder walls for damage and wear, determine necessary action.       1       P         3.       Inspect and measure camshaft bearings for wear, damage, out-of-round, and       3       IR       PR         6.       Deglaze and clean cylinder walls.       1       P       -       -       -         7.       Inspect rankshaft for surface cranks and journal damage; check oil passage       3       IR       PR       -       -	Tas		P	12	AD
17.       Inspect and measure camshaft bearing for wear, damage, out-of-round, and alignment; determine necessary action.       3       IR       PR         18.       Verify camshaft(s) timing according to manufacturer's specifications and procedure.       1       P         11.       Inspect and replace pans, covers, gaskets, and seals.       2       P       PR         21.       Inspect engine block for visible cracks, passage condition, core and gallery       2       P       PR         21.       Inspect engine block for visible cracks, passage condition, core and gallery       2       P       PR         31.       Inspect internal and external threads; restore as needed (includes installing thread inserts).       1       P         4.       Remove cylinder wall ridges.       3       P       R         5.       Inspect and measure curshaft bearings for wear, damage, out-of-round, and alignment; determine necessary action.       3       IR       PR         8.       Inspect and measure main and connecting rob bearings for damage, clearance; and end play; determine necessary action (includes the proper selection of bearings).       1       PR         9.       Inspect, measure, and install biston rings.       2       IR       PR         10.       Identify piston and bearing wear patterns that indicate connecting rod alignment and bearing bore problems; inspect rod alignment and bearing bore problem				- 10	
alignment; determine necessary action.       1       P         18. Verify camshaf(s) timing according to manufacturer's specifications and procedure.       1       P         1       Inspect and replace pans, covers, gaskets, and seals.       2       P       PR         2. Inspect engine block for visible cracks, passage condition, core and gallery plug condition, and surface warpage; determine necessary action.       1       P         3. Inspect internal and external threads; restore as needed (includes installing 1       P       P         4. Remove cylinder wall ridges.       3       P       R         5. Inspect and measure cylinder walls.       1       P         7. Inspect and measure camshaft bearings for wear, damage, out-of-round, and alignment; determine necessary action.       1       R         8. Inspect and measure camshaft bearings for wear, damage, clearance, and end play; determine necessary action (includes the proper selection of bearings).       1       R         10. Identify piston and bearing wear patterns that indicate connecting rod bange, clearance, alignment and main bearing bore problems; inspect oralignment and bearing bore problems; inspect outerbalance or silencer).       3       IR       PR         11. Inspect, measure, and service pistons and pins; determine necessary action.       2       IR       PR         13. Inspect and measure components using correct gaskets and sealants.       2       PR       PR				_	
18.       Verify camshaft(s) timing according to manufacturer's specifications and procedure.       1       P         C. Engine Block Assembly Diagnosis and Repair         1.       Inspect and replace pans, covers, gaskets, and seals.       2       P       PR         2.       Inspect engine block for visible cracks, passage condition, core and gallery       2       P       PR         3.       Inspect internal and external threads; restore as needed (includes installing       1       P         4.       Remove cylinder wall ridges.       3       P       R         5.       Inspect and measure cylinder walls for damage and wear; determine necessary action.       1       P         7.       Inspect and measure camshaft bearings for wear, damage, out-of-round, and alignment; determine necessary action.       1       R         9.       Inspect and measure camshaft bearings for damage; check oil passage condition; measure journal wear, determine necessary action.       2       IR       PR         9.       Inspect and main thearing wear patterns that indicate connecting rod bearings for damage, clearance, alignment and main bearing bore problems; inspect rod alignment and bearing bore condition.       2       IR       PR         10.       Identify piston and bearing wear patterns that indicate connecting rod bearing.       3       IR       PR         11.       Inspect, me	17.		3	IK	РК
procedure.         Image: C. Engine Block Assembly Diagnosis and Repair           1.         Inspect and replace pans, covers, gaskets, and seals.         2         P         PR           2.         Inspect engine block for visible cracks, passage condition, core and gallery plug condition, and surface warpage; determine necessary action.         2         P         PR           3.         Inspect internal and external threads; restore as needed (includes installing thread inserts).         1         P           4.         Remove cylinder walls for damage and wear; determine necessary action.         1         P           6.         Deglaze and clean cylinder walls for damage and wear; determine necessary action.         1         P           7.         Inspect and measure camshaft bearings for wear, damage, cut-of-round, and alignment; determine necessary action.         1         R           8.         Inspect and measure camshaft bearings for wear, damage; check oil passage condition; measure journal waar, determine necessary action of bearings.         3         IR         PR           9.         Inspect and measure main and connecting rod bearings for damage, clearance, and end play; determine necessary action insistor inspect rod alignment and main bearing wear patterns that indicate connecting rod alignment and bearing bore problems; inspect rod alignment and bearing wear patterns that indicate connecting rod alaignment and main install bistor ings.         1         IR         PR           10. </td <td></td> <td></td> <td></td> <td></td> <td></td>					
C. Engine Block Assembly Diagnosis and Repair         1. Inspect and replace pans, covers, gaskets, and seals.       2       P       P         2. Inspect engine block for visible cracks, passage condition, core and gallery       2       P       P         3. Inspect internal and external threads; restore as needed (includes installing       1       P         4. Remove cylinder wall ridges.       3       P       R         5. Inspect and measure cylinder walls for damage and wear; determine necessary action.       1       P         6. Deglaze and clean cylinder walls.       1       P       1         7. Inspect and measure camshaft bearings for wear, damage, out-of-round, and alignment; determine necessary action.       3       IR       PR         8. Inspect rankshaft for surface cracks and journal damage; check oil passage       3       IR       PR         10. Identify piston and bearing wear pattern ine necessary action of bearings).       3       IR       PR         11. Inspect, measure, and service pistons and pins; determine necessary action.       2       IR       PR         12. Inspect, measure, and service pistons and pins; determine necessary action.       2       IR       PR         13. Inspect, measure, and service pistons inspect rod alignment and bearing bore condition.       3       IR       PR         13. Inspect, measure, and service pis	18.		1	Р	
1.       Inspect and replace pans, covers, gaskets, and seals.       2       P       PR         2.       Inspect engine block for visible cracks, passage condition, core and gallery       2       P       PR         3.       Inspect internal and external threads; restore as needed (includes installing thread inserts).       1       P         4.       Remove cylinder wall ridges.       3       P       R         5.       Inspect and measure cylinder walls for damage and wear; determine necessary action.       1       P         7.       Inspect and measure camshaft bearings for wear, damage, out-of-round, and alignment; determine necessary action.       3       IR       PR         9.       Inspect and measure camshaft bearings for damage; check oil passage condition; measure journal wear; determine necessary action.       3       IR       PR         9.       Inspect and measure main and connecting rod bearings for damage, clearance, and end play; determine necessary action (includes the proper selection of bearings).       3       IR       PR         10.       Identify piston and bearing bore problems; inspect rod alignment and bearing bore condition.       2       IR       PR         11.       Inspect, measure, and install piston rings.       2       IR       PR         13.       Inspect, repair or replace rankshadh vibration damper (harmonic balancer).       3 <td< td=""><td></td><td>procedure.</td><td></td><td></td><td></td></td<>		procedure.			
1.       Inspect and replace pans, covers, gaskets, and seals.       2       P       PR         2.       Inspect engine block for visible cracks, passage condition, core and gallery       2       P       PR         3.       Inspect internal and external threads; restore as needed (includes installing thread inserts).       1       P         4.       Remove cylinder wall ridges.       3       P       R         5.       Inspect and measure cylinder walls for damage and wear; determine necessary action.       1       P         7.       Inspect and measure camshaft bearings for wear, damage, out-of-round, and alignment; determine necessary action.       3       IR       PR         9.       Inspect and measure camshaft bearings for damage; check oil passage condition; measure journal wear; determine necessary action.       3       IR       PR         9.       Inspect and measure main and connecting rod bearings for damage, clearance, and end play; determine necessary action (includes the proper selection of bearings).       3       IR       PR         10.       Identify piston and bearing bore problems; inspect rod alignment and bearing bore condition.       2       IR       PR         11.       Inspect, measure, and install piston rings.       2       IR       PR         13.       Inspect, repair or replace rankshadh vibration damper (harmonic balancer).       3 <td< td=""><td></td><td>C. Engine Disch Assembly Diagnosis and Dansis</td><td></td><td></td><td></td></td<>		C. Engine Disch Assembly Diagnosis and Dansis			
2       Inspect engine block for visible cracks, passage condition, core and gallery       2       P       PR         1       Inspect internal and external threads; restore as needed (includes installing       1       P         4.       Remove cylinder wall ridges.       3       P       R         5.       Inspect and measure cylinder walls for damage and wear; determine necessary       2       IR       PR         6.       Deglaze and clean cylinder walls.       1       P       -         7.       Inspect and measure camshaft bearings for wear, damage, out-of-round, and       3       IR       PR         9.       Inspect and measure camshaft bearings for wear, damage, check oil passage       3       IR       PR         9.       Inspect and measure main and connecting rod bearings for damage, clearance, and end play; determine necessary action (includes the proper selection of bearings).       3       IR       PR         10.       Identify piston and bearing wear patterns that indicate connecting rod alignment and main bearing bore problems; inspect rod alignment and bearing bore condition.       3       IR       PR         11.       Inspect, measure, and install piston rings.       2       IR       PR         12.       Inspect, measure, and install piston rings.       2       IR       PR         13.       Inspect,				n	DD
plug condition, and surface warpage; determine necessary action.         Inspect internal and external threads; restore as needed (includes installing thread inserts).         P           4.         Remove cylinder wall ridges.         3         P         R           5.         Inspect and measure cylinder walls for damage and wear; determine necessary action.         3         P         R           6.         Deglaze and clean cylinder walls.         1         P         P           7.         Inspect and measure camshaft bearings for wear, damage, out-of-round, and alignment; determine necessary action.         1         P           7.         Inspect and measure ioural wear; determine necessary action.         3         IR         PR           9.         Inspect and measure main and connecting rob bearings for damage, clearance, and end play; determine necessary action (includes the proper selection of bearings).         3         IR         PR           10.         Identify piston and bearing bore problems; inspect rod alignment and bearing bore condition.         2         IR         PR           13.         Inspect, measure, and install piston rings.         2         IR         PR           14.         Reassemble engine components using correct gaskets and sealants.         2         P         R           14.         Reassemble engine components using correct gaskets and sealants.	• •		_		
3.       Inspect internal and external threads; restore as needed (includes installing       1       P         thread insert).       3       P       R         4.       Remove cylinder wall ridges.       3       P       R         5.       Inspect and measure cylinder walls for damage and wear; determine necessary       2       IR       PR         action.       1       P       P       P       P         7.       Inspect and measure camshaft bearings for wear, damage, out-of-round, and alignment; determine necessary action.       3       IR       PR         8.       Inspect and measure journal wear; determine necessary action.       2       IR       PR         9.       Inspect and measure main and connecting rod bearings for damage, clearance, and end play; determine necessary action (includes the proper selection of bearings).       3       IR       PR         10.       Identify piston and bearing bore problems; inspect rod alignment and bearing bore condition.       3       IR       PR         11.       Inspect, measure, and install piston rings.       2       IR       PR         12.       Inspect, measure, and install piston rings.       2       IR       PR         13.       Inspect, repair or replace crankshaft vibration damper (harmonic balancer).       3       I       P <td>2.</td> <td></td> <td>2</td> <td>Р</td> <td>PK</td>	2.		2	Р	PK
a.       Remove cylinder wall ridges.       3       P       R         5.       Inspect and measure cylinder walls for damage and wear; determine necessary 2       IR       PR         action.       1       P       P         7.       Inspect and measure camshaft bearings for wear, damage, out-of-round, and alignment; determine necessary action.       1       P         7.       Inspect and measure camshaft bearings for wear, damage, out-of-round, and alignment; determine necessary action.       3       IR       PR         9.       Inspect and measure main and connecting rod bearings for damage, clearance, and end play; determine necessary action (includes the proper selection of bearings).       10.       Identify piston and bearing wear patterns that indicate connecting rod alignment and main bearing bore problems; inspect rod alignment and bearing bore condition.       3       IR       PR         10.       Identify piston and bearing wear patterns that indicate connecting rod alignment and bearing bore problems; inspect rod alignment and bearing bore problems; inspect rod alignment and bearing bore condition.       2       IR       PR         11.       Inspect, measure, and service pistons and pins; determine necessary action.       2       IR       PR         12.       Inspect, measure, and service piston sand pins; determine necessary action.       2       P       R         13.       Inspect, repaice crankshaft vibration damper (har			1		
4.       Remove cylinder wall ridges.       3       P       R         5.       Inspect and measure cylinder walls for damage and wear; determine necessary action.       2       IR       PR         6.       Deglaze and clean cylinder walls.       1       P       P         7.       Inspect and measure camshaft bearings for wear, damage, out-of-round, and alignment; determine necessary action.       1       P         8.       Inspect crankshaft for surface cracks and journal damage; check oil passage condition; measure journal wear; determine necessary action.       2       IR       PR         9.       Inspect and measure main and connecting rod bearings for damage, clearance, and end play; determine necessary action (includes the proper selection of bearings).       3       IR       PR         10.       Identify piston and bearing wear patterns that indicate connecting rod alignment and main bearing bore problems; inspect rod alignment and bearing bore condition.       3       IR       PR         12.       Inspect, measure, and install piston rings.       2       IR       PR         13.       Inspect, measure, and install piston rings.       2       IR       PR         14.       Reassemble engine components using correct gaskets and sealants.       2       P       R         14.       Reassemble engine components using correct gaskets and sealants.       2	<b>* </b> 3.	•	I	Р	
5.       Inspect and measure cylinder walls for damage and wear; determine necessary       2       IR       PR         action.       1       P       1       P         6.       Deglaze and clean cylinder walls.       1       P       1         7.       Inspect and measure camshaft bearings for wear, damage, out-of-round, and alignment; determine necessary action.       3       IR       PR         8.       Inspect crankshaft for surface cracks and journal damage; check oil passage condition; measure journal wear; determine necessary action.       2       IR       PR         9.       Inspect and measure main and connecting rod bearings for damage, clearance, and end play; determine necessary action (includes the proper selection of bearings).       3       IR       PR         10.       Identify piston and bearing wear patterns that indicate connecting rod alignment and main bearing bore problems; inspect rod alignment and bearing bore condition.       2       IR       PR         11.       Inspect, measure, and service pistons and pins; determine necessary action.       2       IR       PR         12.       Inspect, repair or replace crankshaft vibration damper (harmonic balancer).       3       P       PR         13.       Inspect auxiliary (balance, intermediate, idler, counterbalance or silencer)       3       I       P         14.       Reassemble engine corbones,			2		
action.       1       P         6. Deglaze and clean cylinder walls.       1       P         7. Inspect and measure camshaft bearings for wear, damage, out-of-round, and alignment; determine necessary action.       3       IR       PR         8. Inspect rankshaft for surface cracks and journal damage; check oil passage condition; measure journal wear; determine necessary action.       3       IR       PR         9. Inspect and measure main and connecting rod bearings for damage, clearance, and end play; determine necessary action (includes the proper selection of bearings).       3       IR       PR         10. Identify piston and bearing wear patterns that indicate connecting rod alignment and main bearing bore problems; inspect rod alignment and bearing bore condition.       3       IR       PR         11. Inspect, measure, and install piston rings.       2       IR       PR         12. Inspect, measure, and install piston rings.       2       IR       PR         13. Inspect, measure, and install piston rings.       2       IR       PR         14. Reassemble engine components using correct gaskets and sealants.       2       P       R         15. Inspect, rensitian (balance, intermediate, idler, counterbalance or silencer)       3       I       P         16. Prime engine lubrication system.       1       IR       PR         2. Inspect, ist, and replace online, and recovery					
6.       Deglaze and clean cylinder walls.       1       P         7.       Inspect and measure camshaft bearings for wear, damage, out-of-round, and alignment; determine necessary action.       3       IR       PR         8.       Inspect crankshaft for surface cracks and journal damage; check oil passage condition; measure journal wear; determine necessary action.       3       IR       PR         9.       Inspect and measure main and connecting rod bearings for damage, clearance, and end play; determine necessary action (includes the proper selection of bearings).       3       IR       PR         10.       Identify piston and bearing wear patterns that indicate connecting rod alignment and main bearing bore condition.       3       IR       PR         11.       Inspect, measure, and install piston rings.       2       IR       PR         13.       Inspect, repair or replace crankshaft vibration damper (harmonic balancer).       3       P       PR         14.       Reassemble engine components using correct gaskets and sealants.       2       P       R         15.       Inspect auxiliary (balance, intermediate, idler, counterbalance or silencer)       3       I       P         16.       Prime engine lubrication system.       1       IR       PR         2.       Inspect auxiliary (balance, intermediate, idler, counterbalance or silencer)       3       I	5.		2	IK	PK
7.       Inspect and measure camshaft bearings for wear, damage, out-of-round, and alignment; determine necessary action.       3       IR       PR         8.       Inspect crankshaft for surface cracks and journal damage; check oil passage condition; measure journal wear, determine necessary action.       3       IR       PR         9.       Inspect and measure main and connecting rod bearings for damage, clearance, and end play; determine necessary action (includes the proper selection of bearings).       10       IR       PR         10.       Identify piston and bearing wear patterns that indicate connecting rod alignment and bearing bore problems; inspect rod alignment and bearing bore condition.       3       IR       PR         11.       Inspect, measure, and install piston rings.       2       IR       PR         13.       Inspect, measure, and install piston rings.       2       IR       PR         13.       Inspect, measure, and install piston rings.       2       IR       PR         14.       Reassemble engine components using correct gaskets and selants.       2       P       R         15.       Inspect auxiliary (balance, intermediate, idler, counterbalance or silencer) shaft(s); and support bearing for damage and wear; determine necessary action.       1       IR       PR         16.       Prime engine lubrication system.       1       IR       P       IR       P			-	n	
alignment; determine necessary action.       IR       PR         8. Inspect rankshaft for surface cracks and journal damage; check oil passage condition; measure journal wear; determine necessary action.       3       IR       PR         9. Inspect and measure main and connecting rob bearings for damage, clearance, and end play; determine necessary action (includes the proper selection of bearings).       1       IR       PR         10. Identify piston and bearing wear patterns that indicate connecting rod alignment and main bearing bore problems; inspect rod alignment and bearing bore condition.       3       IR       PR         11. Inspect, measure, and service pistons and pins; determine necessary action.       2       IR       PR         12. Inspect, repair or replace crankshaft vibration damper (harmonic balancer).       3       P       PR         13. Inspect auxiliary (balance, intermediate, idler, counterbalance or silencer) shaft(s); inspectshaft(s) and support bearing for damage and wear; determine necessary action; reinstall and time.       1       IR       PR         12. Inspect inpresent tests; determine necessary action.       1       IR       PR         13. Inspect auxiliary (balance, intermediate, idler, counterbalance or silencer) shaft(s); inspectshaft(s) and support bearing for damage and wear; determine necessary action; reinstall and time.       1       IR       PR         14. Perform oil pressure tests; determine necessary action.       1       IR       PR					
8.       Inspect crankshaft for surface cracks and journal damage; check oil passage condition; measure journal wear; determine necessary action.       3       IR       PR         9.       Inspect and measure main and connecting rod bearings for damage, clearance, and end play; determine necessary action (includes the proper selection of bearings).       10       Identify piston and bearing wear patterns that indicate connecting rod alignment and main bearing bore problems; inspect rod alignment and bearing bore condition.       3       IR       PR         10.       Identify piston and bearing bore problems; inspect rod alignment and bearing bore condition.       2       IR       PR         11.       Inspect, measure, and service pistons and pins; determine necessary action.       2       IR       PR         12.       Inspect, repair or replace crankshaft vibration damper (harmonic balancer).       3       P       PR         13.       Inspect auxiliary (balance, intermediate, idler, counterbalance or silencer) shaft(s); inspect shaft(s) and support bearing for damage and wear; determine necessary action; reinstall and time.       1       IR       PR         16.       Prime engine lubrication system.       1       IR       PR         2.       Inspect and replace can, and recovery system tests (pressure, combustion leakage, and temperature); determine necessary action.       1       P         2.       Inspect and replace engine cooling and heater system hose.       2 <td>7.</td> <td></td> <td>3</td> <td>IR</td> <td>РК</td>	7.		3	IR	РК
condition; measure journal wear; determine necessary action.       Image: clearance, and measure main and connecting rod bearings for damage, clearance, and end play; determine necessary action (includes the proper selection of bearings).       IR       PR         10. Identify piston and bearing wear patterns that indicate connecting rod alignment and main bearing bore problems; inspect rod alignment and bearing bore condition.       3       IR       PR         11. Inspect, measure, and service pistons and pins; determine necessary action.       2       IR       PR         12. Inspect, measure, and install piston rings.       2       IR       PR         13. Inspect, repair or replace crankshaft vibration damper (harmonic balancer).       3       P       PR         14. Reassemble engine components using correct gaskets and sealants.       2       P       R         15. Inspect auxiliary (balance, intermediate, idler, counterbalance or silencer)       3       I       P         16. Prime engine lubrication system.       1       IR       PR         1.       Perform oil pressure tests; determine necessary action.       1       P         2.       Inspect oil pump gears or rotors, housing, pressure relief devices, and pump drive; perform necessary action.       1       P         2.       Inspect, teplace, and adjust drive belts, tensioners, and pulleys.       1       P         3.       I. Repect, test, and r				ID	DD
9.       Inspect and measure main and connecting rod bearings for damage, clearance, and end play; determine necessary action (includes the proper selection of bearings).       IR       PR         10.       Identify piston and bearing wear patterns that indicate connecting rod alignment and main bearing bore problems; inspect rod alignment and bearing bore condition.       3       IR       PR         11.       Inspect, measure, and service pistons and pins; determine necessary action.       2       IR       PR         12.       Inspect, repair or replace crankshaft vibration damper (harmonic balancer).       3       P       PR         13.       Inspect, repair or replace crankshaft vibration damper (harmonic balancer).       3       I       P         14.       Reassemble engine components using correct gaskets and sealants.       2       P       R         15.       Inspect auxiliary (balance, intermediate, idler, counterbalance or silencer) shaft(s); inspectshaft(s) and support bearing for damage and wear; determine necessary action; reinstall and time.       1       IR       PR         16.       Prime engine lubrication system.       1       IR       PR         2.       Inspect replace, and adjust drive belts, tensioners, and pump drive; perform necessary action.       1       IP         2.       Inspect and replace and adjust drive belts, tensioners, and pulleys.       1       P       IR	8.		3	IK	РК
and end play; determine necessary action (includes the proper selection of bearings).       III         10. Identify piston and bearing wear patterns that indicate connecting rod alignment and main bearing bore problems; inspect rod alignment and bearing bore condition.       IIII         11. Inspect, measure, and service pistons and pins; determine necessary action.       IIII       IR       PR         12. Inspect, measure, and install piston rings.       IIIII       IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII					
bearings).       Identify piston and bearing wear patterns that indicate connecting rod alignment and main bearing bore problems; inspect rod alignment and bearing bore condition.       3       IR       PR         11.       Inspect, measure, and service pistons and pins; determine necessary action.       2       IR       PR         12.       Inspect, measure, and install piston rings.       2       IR       PR         13.       Inspect, repair or replace crankshaft vibration damper (harmonic balancer).       3       P       PR         14.       Reassemble engine components using correct gaskets and sealants.       2       P       R         15.       Inspect auxiliary (balance, intermediate, idler, counterbalance or silencer) shaft(s); inspectshaft(s) and support bearing for damage and wear; determine necessary action; reinstall and time.       1       IR       PR         16.       Prime engine lubrication system.       1       IR       PR         2.       Inspect oil pump gears or rotors, housing, pressure relief devices, and pump drive; perform necessary action.       1       P         2.       Inspect, replace, and algust drive belts, tensioners, and pulleys.       1       P         3.       Perform cooling system, cap, and recover system hoses.       2       P       PR         4.       Inspect, replace, and algust drive belts, tensioners, and pulleys.       1	9.		2	IK	РК
10.       Identify piston and bearing wear patterns that indicate connecting rod alignment and main bearing bore problems; inspect rod alignment and bearing bore condition.       3       IR       PR         11.       Inspect, measure, and service pistons and pins; determine necessary action.       2       IR       PR         12.       Inspect, measure, and install piston rings.       2       IR       PR         13.       Inspect, repair or replace crankshaft vibration damper (harmonic balancer).       3       P       PR         14.       Reassemble engine components using correct gaskets and sealants.       2       P       R         15.       Inspect auxiliary (balance, intermediate, idler, counterbalance or silencer)       3       I       P         shaft(s); inspectshaft(s) and support bearing for damage and wear; determine necessary action; reinstall and time.       1       IR       PR         16.       Prime engine lubrication and Cooling Systems Diagnosis and Repair       1       IR       PR         2.       Inspect oil pump gears or rotors, housing, pressure relief devices, and pump       3       IR       PR         2.       Inspect, replace, and adjust drive belts, tensioners, and pulleys.       1       P       1         2.       Inspect and replace engine cooling and heater system hoses.       2       P       PR					
alignment and main bearing bore problems; inspect rod alignment and bearing bore condition.       Image: condition of the image: conditited: condition of the image: condition of the		bearings).			
bore condition.       IR       PR         11.       Inspect, measure, and install piston rings.       2       IR       PR         12.       Inspect, measure, and install piston rings.       2       IR       PR         13.       Inspect, repair or replace crankshaft vibration damper (harmonic balancer).       3       P       PR         14.       Reassemble engine components using correct gaskets and sealants.       2       P       R         15.       Inspect auxiliary (balance, intermediate, idler, counterbalance or silencer)       3       I       P         shaft(s); inspect shaft(s) and support bearing for damage and wear; determine necessary action; reinstall and time.       1       IR       PR         16.       Prime engine lubrication system.       1       IR       PR         17.       Perform oil pressure tests; determine necessary action.       1       P         2.       Inspect oil pump gears or rotors, housing, pressure relief devices, and pump drive; perform necessary action.       1       P         2.       Inspect, replace, and adjust drive belts, tensioners, and pulleys.       1       P         3.       Perform cooling system, cap, and recovery system tests (pressure, combustion leakage, and temperature); determine necessary action.       1       P         3.       Inspect, test, and replace t	10.	Identify piston and bearing wear patterns that indicate connecting rod	3	IR	PR
11.       Inspect, measure, and service pistons and pins; determine necessary action.       2       IR       PR         12.       Inspect, measure, and install piston rings.       2       IR       PR         13.       Inspect, repair or replace crankshaft vibration damper (harmonic balancer).       3       P       PR         14.       Reassemble engine components using correct gaskets and sealants.       2       P       R         15.       Inspect auxiliary (balance, intermediate, idler, counterbalance or silencer) shaft(s); inspectshaft(s) and support bearing for damage and wear; determine necessary action; reinstall and time.       1       IR       PR         16.       Prime engine lubrication system.       1       IR       PR         2.       Inspect oil pump gears or rotors, housing, pressure relief devices, and pump drive; perform necessary action.       1       P         2.       Inspect, replace, and adjust drive belts, tensioners, and pulleys.       1       P         3.       Perform cooling system, cap, and recovery system tests (pressure, combustion leakage, and temperature); determine necessary action.       1       P         3.       Inspect, replace, and adjust drive belts, tensioners, and pulleys.       1       P         5.       Inspect, replace, and adjust drive belts, tensioners, and pulleys.       2       P       PR         6. <td></td> <td></td> <td></td> <td></td> <td></td>					
12.       Inspect, measure, and install piston rings.       2       IR       PR         13.       Inspect, repair or replace crankshaft vibration damper (harmonic balancer).       3       P       PR         14.       Reassemble engine components using correct gaskets and sealants.       2       P       R         15.       Inspect auxiliary (balance, intermediate, idler, counterbalance or silencer) shaft(s); inspect shaft(s) and support bearing for damage and wear; determine necessary action; reinstall and time.       1       IR       PR         16.       Prime engine lubrication system.       1       IR       PR         2.       Inspect oil pump gears or rotors, housing, pressure relief devices, and pump drive; perform necessary action.       1       P         2.       Inspect, englace, and dijust drive belts, tensioners, and pulleys.       1       P         3.       Perform cooling system, cap, and recover system hoses.       2       P       PR         4.       Inspect, test, and replace thermostat and housing.       2       P       PR         5.       Inspect and replace engine cooling and heater system hoses.       2       P       PR         5.       Inspect, test, and replace thermostat and housing.       2       P       PR         6.       Inspect, test, remove, and replace water pump.       2 <t< td=""><td></td><td></td><td></td><td></td><td></td></t<>					
13.       Inspect, repair or replace crankshaft vibration damper (harmonic balancer).       3       P       PR         14.       Reassemble engine components using correct gaskets and sealants.       2       P       R         15.       Inspect auxiliary (balance, intermediate, idler, counterbalance or silencer) shaft(s); inspectshaft(s) and support bearing for damage and wear; determine necessary action; reinstall and time.       3       I       P         16.       Prime engine lubrication system.       1       IR       PR         2.       Inspect oil pressure tests; determine necessary action.       1       P         2.       Inspect oil pump gears or rotors, housing, pressure relief devices, and pump drive; perform necessary action.       1       P         3.       Perform cooling system, cap, and recovery system tests (pressure, combustion leakage, and temperature); determine necessary action.       1       P         3.       Inspect, replace and adjust drive belts, tensioners, and pulleys.       1       P         5.       Inspect, test, and replace thermostat and housing.       2       P       PR         6.       Inspect, test, and replace thermostat and housing.       2       P       PR         7.       Test coolant; drain and recover coolant; flush and refill cooling system with recommended coolant; bleed air as required.       2       IR       PR					
14. Reassemble engine components using correct gaskets and sealants.       2       P       R         15. Inspect auxiliary (balance, intermediate, idler, counterbalance or silencer) shaft(s); inspectshaft(s) and support bearing for damage and wear; determine necessary action; reinstall and time.       3       I       P         16. Prime engine lubrication system.       1       IR       PR         17. Perform oil pressure tests; determine necessary action.       1       P         2. Inspect oil pump gears or rotors, housing, pressure relief devices, and pump drive; perform necessary action.       1       P         3. Perform cooling system, cap, and recovery system tests (pressure, combustion leakage, and temperature); determine necessary action.       1       P         4. Inspect, replace, and adjust drive belts, tensioners, and pulleys.       1       P         5. Inspect and replace engine cooling and heater system hoses.       2       P       PR         6. Inspect, test, and replace thermostat and housing.       2       P       PR         7. Test coolant; the ain and recover coolant; flush and refill cooling system with recommended coolant; bleed air as required.       2       IR       PR         9. Remove and replace radiator.       2       IR       PR         9. Remove and replace radiator.       2       IR       PR         9. Remove and replace radiator.       2       I					
15.       Inspect auxiliary (balance, intermediate, idler, counterbalance or silencer) shaft(s); inspectshaft(s) and support bearing for damage and wear; determine necessary action; reinstall and time.       3       I       P         16.       Prime engine lubrication system.       1       IR       PR         2.       D.       Lubrication and Cooling Systems Diagnosis and Repair         2.       Inspect oil pressure tests; determine necessary action.       1       P         2.       Inspect oil pump gears or rotors, housing, pressure relief devices, and pump drive; perform necessary action.       1       P         3.       Perform cooling system, cap, and recovery system tests (pressure, combustion leakage, and temperature); determine necessary action.       1       P         4.       Inspect, replace, and adjust drive belts, tensioners, and pulleys.       1       P         5.       Inspect, test, and replace thermostat and housing.       2       P       PR         6.       Inspect, test, and replace thermostat and housing.       2       P       PR         7.       Test coolant; bleed air as required.       1       P         8.       Inspect, test, remove, and replace water pump.       2       IR       PR         9.       Remove and replace radiator.       2       IR       PR         9.       Remove and					
shaft(s); inspectshaft(s) and support bearing for damage and wear; determine       Image: state of the state					
necessary action; reinstall and time.       1       IR       PR         16. Prime engine lubrication system.       1       IR       PR <b>D. Lubrication and Cooling Systems Diagnosis and Repair</b> 1. Perform oil pressure tests; determine necessary action.       1       P         2. Inspect oil pump gears or rotors, housing, pressure relief devices, and pump drive; perform necessary action.       3       IR       PR         3. Perform cooling system, cap, and recovery system tests (pressure, combustion leakage, and temperature); determine necessary action.       1       P         4. Inspect, replace, and adjust drive belts, tensioners, and pulleys.       1       P         5. Inspect and replace engine cooling and heater system hoses.       2       P       PR         6. Inspect, test, and replace thermostat and housing.       2       P       PR         7. Test coolant; drain and recover coolant; flush and refill cooling system with recommended coolant; bleed air as required.       1       P         8. Inspect, test, remove, and replace water pump.       2       IR       PR         9. Remove and replace radiator.       2       IR       PR         9. Remove and replace radiator.       2       IR       PR         10. Inspect, and test fan(s) (electrical or mechanical), fan clutch, fan shroud, and air dams.       2       IR       PR </td <td>15.</td> <td></td> <td>3</td> <td>I</td> <td>Р</td>	15.		3	I	Р
16. Prime engine lubrication system.       1       IR       PR         D. Lubrication and Cooling Systems Diagnosis and Repair         1. Perform oil pressure tests; determine necessary action.       1       P         2. Inspect oil pump gears or rotors, housing, pressure relief devices, and pump       3       IR       PR         3. Perform cooling system, cap, and recovery system tests (pressure, combustion leakage, and temperature); determine necessary action.       1       P         4. Inspect, replace, and adjust drive belts, tensioners, and pulleys.       1       P         5. Inspect and replace engine cooling and heater system hoses.       2       P       PR         6. Inspect, test, and replace thermostat and housing.       2       P       PR         7. Test coolant; drain and recover coolant; flush and refill cooling system with recommended coolant; bleed air as required.       1       P         8. Inspect, test, remove, and replace water pump.       2       IR       PR         9. Remove and replace radiator.       2       IR       PR         10. Inspect, and test fan(s) (electrical or mechanical), fan clutch, fan shroud, and air dams.       2       IR       PR         11. Inspect auxiliary oil coolers; replace as needed.       3       P       PR         11. Inspect, test, and replace oil temperature and pressure switches and sensors.       <					
D.       Lubrication and Cooling Systems Diagnosis and Repair         1.       Perform oil pressure tests; determine necessary action.       1       P         2.       Inspect oil pump gears or rotors, housing, pressure relief devices, and pump drive; perform necessary action.       3       IR       PR         3.       Perform cooling system, cap, and recovery system tests (pressure, combustion leakage, and temperature); determine necessary action.       1       P         4.       Inspect, replace, and adjust drive belts, tensioners, and pulleys.       1       P         5.       Inspect, replace engine cooling and heater system hoses.       2       P       PR         6.       Inspect, test, and replace thermostat and housing.       2       P       PR         7.       Test coolant; drain and recover coolant; flush and refill cooling system with recommended coolant; bleed air as required.       1       P         8.       Inspect, test, remove, and replace water pump.       2       IR       PR         9.       Remove and replace radiator.       2       IR       PR         10.       Inspect, and test fan(s) (electrical or mechanical), fan clutch, fan shroud, and air dams.       2       IR       PR         11.       Inspect, test, and replace oil temperature and pressure switches and sensors.       2       IR       PR   <					
1.       Perform oil pressure tests; determine necessary action.       1       P         2.       Inspect oil pump gears or rotors, housing, pressure relief devices, and pump       3       IR       PR         drive; perform necessary action.       3       Perform cooling system, cap, and recovery system tests (pressure, combustion leakage, and temperature); determine necessary action.       1       P         3.       Perform cooling system, cap, and recovery system tests (pressure, combustion leakage, and temperature); determine necessary action.       1       P         4.       Inspect, replace, and adjust drive belts, tensioners, and pulleys.       1       P         5.       Inspect and replace engine cooling and heater system hoses.       2       P       PR         6.       Inspect, test, and replace thermostat and housing.       2       P       PR         7.       Test coolant; drain and recover coolant; flush and refill cooling system with recommended coolant; bleed air as required.       1       P         8.       Inspect, test, remove, and replace water pump.       2       IR       PR         9.       Remove and replace radiator.       2       IR       PR         10.       Inspect, and test fan(s) (electrical or mechanical), fan clutch, fan shroud, and air dams.       2       IR       PR         11.       Inspect, test, and replace	16.	Prime engine lubrication system.	1		PR
1.       Perform oil pressure tests; determine necessary action.       1       P         2.       Inspect oil pump gears or rotors, housing, pressure relief devices, and pump       3       IR       PR         drive; perform necessary action.       3       Perform cooling system, cap, and recovery system tests (pressure, combustion leakage, and temperature); determine necessary action.       1       P         3.       Perform cooling system, cap, and recovery system tests (pressure, combustion leakage, and temperature); determine necessary action.       1       P         4.       Inspect, replace, and adjust drive belts, tensioners, and pulleys.       1       P         5.       Inspect and replace engine cooling and heater system hoses.       2       P       PR         6.       Inspect, test, and replace thermostat and housing.       2       P       PR         7.       Test coolant; drain and recover coolant; flush and refill cooling system with recommended coolant; bleed air as required.       1       P         8.       Inspect, test, remove, and replace water pump.       2       IR       PR         9.       Remove and replace radiator.       2       IR       PR         10.       Inspect, and test fan(s) (electrical or mechanical), fan clutch, fan shroud, and air dams.       2       IR       PR         11.       Inspect, test, and replace					
2.       Inspect oil pump gears or rotors, housing, pressure relief devices, and pump drive; perform necessary action.       3       IR       PR         3.       Perform cooling system, cap, and recovery system tests (pressure, combustion leakage, and temperature); determine necessary action.       1       P         4.       Inspect, replace, and adjust drive belts, tensioners, and pulleys.       1       P         5.       Inspect and replace engine cooling and heater system hoses.       2       P       PR         6.       Inspect, test, and replace thermostat and housing.       2       P       PR         7.       Test coolant; drain and recover coolant; flush and refill cooling system with recommended coolant; bleed air as required.       1       P         8.       Inspect, test, remove, and replace water pump.       2       IR       PR         9.       Remove and replace radiator.       2       IR       PR         10.       Inspect, and test fan(s) (electrical or mechanical), fan clutch, fan shroud, and air dams.       2       IR       PR         11.       Inspect, test, and replace oil temperature and pressure switches and sensors.       2       IR       PR			epair		
drive; perform necessary action.Image: constraint of the system is the syst		Perform oil pressure tests; determine necessary action.	1		
3.       Perform cooling system, cap, and recovery system tests (pressure, combustion leakage, and temperature); determine necessary action.       1       P         4.       Inspect, replace, and adjust drive belts, tensioners, and pulleys.       1       P         5.       Inspect and replace engine cooling and heater system hoses.       2       P       PR         6.       Inspect, test, and replace thermostat and housing.       2       P       PR         7.       Test coolant; drain and recover coolant; flush and refill cooling system with recommended coolant; bleed air as required.       1       P         8.       Inspect, test, remove, and replace water pump.       2       IR       PR         9.       Remove and replace radiator.       2       IR       PR         10.       Inspect, and test fan(s) (electrical or mechanical), fan clutch, fan shroud, and air dams.       2       IR       PR         11.       Inspect auxiliary oil coolers; replace as needed.       3       P       PR         12.       Inspect, test, and replace oil temperature and pressure switches and sensors.       2       IR       PR	2.		3	IR	PR
leakage, and temperature); determine necessary action.1P4. Inspect, replace, and adjust drive belts, tensioners, and pulleys.1P5. Inspect and replace engine cooling and heater system hoses.2PPR6. Inspect, test, and replace thermostat and housing.2PPR7. Test coolant; drain and recover coolant; flush and refill cooling system with recommended coolant; bleed air as required.1P8. Inspect, test, remove, and replace water pump.2IRPR9. Remove and replace radiator.2IRPR10. Inspect, and test fan(s) (electrical or mechanical), fan clutch, fan shroud, and air dams.2IRPR11. Inspect auxiliary oil coolers; replace as needed.3PPR12. Inspect, test, and replace oil temperature and pressure switches and sensors.2IRPR					
4.Inspect, replace, and adjust drive belts, tensioners, and pulleys.1P5.Inspect and replace engine cooling and heater system hoses.2PPR6.Inspect, test, and replace thermostat and housing.2PPR7.Test coolant; drain and recover coolant; flush and refill cooling system with recommended coolant; bleed air as required.1P8.Inspect, test, remove, and replace water pump.2IRPR9.Remove and replace radiator.2IRPR10.Inspect, and test fan(s) (electrical or mechanical), fan clutch, fan shroud, and air dams.2IRPR11.Inspect auxiliary oil coolers; replace as needed.3PPR12.Inspect, test, and replace oil temperature and pressure switches and sensors.2IRPR	3.		1	Р	
5.       Inspect and replace engine cooling and heater system hoses.       2       P       PR         6.       Inspect, test, and replace thermostat and housing.       2       P       PR         7.       Test coolant; drain and recover coolant; flush and refill cooling system with recommended coolant; bleed air as required.       1       P         8.       Inspect, test, remove, and replace water pump.       2       IR       PR         9.       Remove and replace radiator.       2       IR       PR         10.       Inspect, and test fan(s) (electrical or mechanical), fan clutch, fan shroud, and air dams.       2       IR       PR         11.       Inspect, test, and replace oil temperature and pressure switches and sensors.       2       IR       PR		leakage, and temperature); determine necessary action.			
6.       Inspect, test, and replace thermostat and housing.       2       P       PR         7.       Test coolant; drain and recover coolant; flush and refill cooling system with recommended coolant; bleed air as required.       1       P         8.       Inspect, test, remove, and replace water pump.       2       IR       PR         9.       Remove and replace radiator.       2       IR       PR         10.       Inspect, and test fan(s) (electrical or mechanical), fan clutch, fan shroud, and air dams.       2       IR       PR         11.       Inspect auxiliary oil coolers; replace as needed.       3       P       PR         12.       Inspect, test, and replace oil temperature and pressure switches and sensors.       2       IR       PR	4.	Inspect, replace, and adjust drive belts, tensioners, and pulleys.		Р	
6.       Inspect, test, and replace thermostat and housing.       2       P       PR         7.       Test coolant; drain and recover coolant; flush and refill cooling system with recommended coolant; bleed air as required.       1       P         8.       Inspect, test, remove, and replace water pump.       2       IR       PR         9.       Remove and replace radiator.       2       IR       PR         10.       Inspect, and test fan(s) (electrical or mechanical), fan clutch, fan shroud, and air dams.       2       IR       PR         11.       Inspect, test, and replace oil temperature and pressure switches and sensors.       2       IR       PR	5.	Inspect and replace engine cooling and heater system hoses.	2	Р	PR
7.       Test coolant; drain and recover coolant; flush and refill cooling system with recommended coolant; bleed air as required.       1       P         8.       Inspect, test, remove, and replace water pump.       2       IR       PR         9.       Remove and replace radiator.       2       IR       PR         10.       Inspect, and test fan(s) (electrical or mechanical), fan clutch, fan shroud, and air dams.       2       IR       PR         11.       Inspect auxiliary oil coolers; replace as needed.       3       P       PR         12.       Inspect, test, and replace oil temperature and pressure switches and sensors.       2       IR       PR	<b>~</b> _6.		2	Р	PR
recommended coolant; bleed air as required.       2       IR       PR         8. Inspect, test, remove, and replace water pump.       2       IR       PR         9. Remove and replace radiator.       2       IR       PR         10. Inspect, and test fan(s) (electrical or mechanical), fan clutch, fan shroud, and air dams.       2       IR       PR         11. Inspect auxiliary oil coolers; replace as needed.       3       P       PR         12. Inspect, test, and replace oil temperature and pressure switches and sensors.       2       IR       PR	* 7.		1	Р	
8.       Inspect, test, remove, and replace water pump.       2       IR       PR         9.       Remove and replace radiator.       2       IR       PR         10.       Inspect, and test fan(s) (electrical or mechanical), fan clutch, fan shroud, and air dams.       2       IR       PR         11.       Inspect auxiliary oil coolers; replace as needed.       3       P       PR         12.       Inspect, test, and replace oil temperature and pressure switches and sensors.       2       IR       PR	1				
9. Remove and replace radiator.       2       IR       PR         10. Inspect, and test fan(s) (electrical or mechanical), fan clutch, fan shroud, and air dams.       2       IR       PR         11. Inspect auxiliary oil coolers; replace as needed.       3       P       PR         12. Inspect, test, and replace oil temperature and pressure switches and sensors.       2       IR       PR	8.		2	IR	PR
10.Inspect, and test fan(s) (electrical or mechanical), fan clutch, fan shroud, and air dams.2IRPR11.Inspect auxiliary oil coolers; replace as needed.3PPR12.Inspect, test, and replace oil temperature and pressure switches and sensors.2IRPR			2	IR	PR
air dams.       11. Inspect auxiliary oil coolers; replace as needed.       3       P       PR         12. Inspect, test, and replace oil temperature and pressure switches and sensors.       2       IR       PR					
11.Inspect auxiliary oil coolers; replace as needed.3PPR12.Inspect, test, and replace oil temperature and pressure switches and sensors.2IRPR	-	•			
12. Inspect, test, and replace oil temperature and pressure switches and sensors. 2 IR PR	11.		3	Р	PR
	13.	Perform oil and filter change.		P	

\* Full Text Provided by ERIC

#### AREA 6: AUTOMATIC TRANSMISSION AND TRANSAXLE

For every task in Automatic Transmission and Transaxle, the following safety requirement must be strictly enforced:

Comply with personal and environmental safety practices associated with clothing; eye protection; hand tools; power equipment; proper ventilation; and the handling, storage, and disposal of chemicals/materials in accordance with local, state, and federal safety and environmental regulations.

ſ	Tas	k	P	12	AD
ſ		A. General Transmission and Transaxle Diagnosi	s		
ľ	1.	Identify and interpret transmission concern; assure proper engine operation; determine necessary action.	1	I	P.
*	2.	Diagnose unusual fluid usage, level, and condition concerns; determine necessary action.	1	I	Р
[	3.	Perform pressure tests; determine necessary action.	1		Р
[	4.	Perform lock-up converter system tests; determine necessary action.	2		Р
	5.	Diagnose electronic, mechanical, hydraulic, vacuum control system concerns; determine necessary action.	1	I	Р
F	6.	Diagnose noise and vibration concerns; determine necessary action.	3		Р
Ī		B. Transmission and Transaxle Maintenance and Adju	stmen	t	
*	1.	Inspect, adjust or replace throttle (TV) linkages or cables, check gear select indicator (as applicable).	1	Ι	P
*	2.	Service transmission; perform visual inspection; replace fluids and filters.	1	Р	PR
┟	_	C In Vakiele Transmission and Transarle Dansi			
╞		C. In-Vehicle Transmission and Transaxle Repai		ID	
	1.	Inspect, adjust or replace (as applicable) vacuum modulator; inspect and repair or replace lines and hoses.	3	IR	P
┟	2.	Inspect, repair, and replace governor assembly.	3	P	PR_
*	3.	Inspect and replace external seals and gaskets.	2		<u>P</u>
.	4.	Inspect extension housing, bushings and seals; perform necessary action.	3	IR	P
┟	5.	Inspect, leak test, flush, and replace cooler, lines, and fittings.	1	P	PR
*	6.	Inspect and replace speedometer drive gear, driven gear, vehicle speed sensor (VSS), and retainers.	3	IR	Р
	7.	Inspect and test, adjust, repair or replace transmission related electrical and electronic components (includes computers, solenoids, s ensors, relays, switches, and harnesses).	1	I	Р
*	8.	Inspect, replace, and align powertrain mounts.	3	Р	PR
1	<u> </u>				
┝	D.	Off-Vehicle Transmission and Transaxle Repair			
┟		5. Removal, Disassembly, and Reinstallation	2	ID	D
┟	1.	Remove and reinstall transmission and torque converter (rear-wheel drive).	2	IR IR	P P
┟	2.	Remove and reinstall transaxle and torque converter assembly.		IK	-
ł	3.	Disassemble, clean, and inspect transmission/transaxle.	2		P P
	4.	Inspect, measure, clean, and replace valve body (includes surfaces and bores, springs, valves, sleeves, retainers, brackets, check-balls, screens, spacers, and gaskets), and torque valve body bolts.	2		г
	5.	Inspect servo bore, piston, seals, pin, spring, and retainers; determine necessary action.	3		Р
	6.	Inspect accumulator bore, pis ton, seals, spring, and retainer; determine necessary action.	3		Р
ļ	7.	Assemble transmission/transaxle.	1		Р
1		6. Oil Pump and Converter			



Tas	k	Р	12	AD
1.	Inspect converter flex plate, attaching parts, pilot, pump drive, and seal areas.	2		
2.	Measure torque converter endplay and check for interference; check stator clutch.	2		Р
3.	Inspect, measure, and replace oil pump assembly and components.	3		Р
4.	Check torque converter and transmission cooling system for contamination.	1		Р
	7. Gear Train, Shafts, Bushings and Case			-
1.	Measure endplay or preload; determine necessary action.	1		P
2.	Inspect, measure, and replace thrust washers and bearings.	2		P
3.	Inspect oil delivery seal rings, ring grooves, and sealing surface areas.	2		P
4.	Inspect bushings; replace as needed.	2		P
5.	Inspect and measure planetary gear assembly (includes sun, ring gear, thrust washers, planetary gears, and carrier assembly); replace as needed.	2		Р
6.	Inspect case bores, passages, bushings, vents, and mating surfaces; determine necessary action.	2		Р
7.	Inspect transaxle drive, link chains, sprockets, gears, bearings, and bushings; perform necessary action.	2		Р
8.	Inspect, measure, repair, adjust or replace transaxle final drive components.	2		Р
9.	Inspect and reinstall parking pawl, shaft, spring, and retainer; determine necessary action.	3		Р
	8. Friction and Reaction Units			
1.	Inspect clutch drum, piston, check-balls, springs, retainers, seals, and friction and pressure plates; replace as needed.	2		Р
2.	Measure clutch pack clearance; adjust as needed.	1		Р
3.	Air test operation of clutch and servo assemblies.	1		Р
4.	Inspect roller and sprag clutch, races, rollers, sprags, springs, cages, and retainers; replace as needed.	2		Р
5.	Inspect bands and drums; adjust or replace as needed.	3		Р



#### AREA 7: MANUAL DRIVE TRAIN AND AXLES

For every task in Manual Drive Train and Axles, the following safety requirement must be strictly enforced:

Comply with personal and environmental safety practices associated with clothing; eye protection; hand tools; power equipment; proper ventilation; and the handling, storage, and disposal of chemicals/materials in accordance with local, state, and federal safety and environmental regulations.

Tas	k	Р	12	AD
A.       Clutch Diagnosis and Repair         1.       Diagnose clutch noise, binding, slippage, pulsation, and chatter; determine       1       1         necessary action.       1       1       1         2.       Inspect clutch pedal linkage, cables, automatic adjuster mechanisms, brackets, bushings, pivots, and springs; perform necessary action.       1       1         3.       Inspect hydraulic clutch slave and master cylinders, lines, and hoses; perform       1       1         4.       Inspect release (throw-out) bearing, lever, and pivot; perform necessary action.       1       1         5.       Inspect and replace clutch pressure plate assembly and clutch disc.       1       IR         6.       Inspect flywheel and ring gear for wear and cracks, measure runout; determine       1       IR         7.       Inspect negine block, clutch (bell) housing, and transmission/transaxle case       3       IR         8.       Inspect engine block, clutch (bell) housing, and transmission/transaxle case       3       IR				
1.	Diagnose clutch noise, binding, slippage, pulsation, and chatter; determine	1	I	Р
2.		1	I	Р
3.	necessary action.	1	I	Р
4.		1	I	Р
5.	Inspect and replace clutch pressure plate assembly and clutch disc.	1	IR	Р
		1	IR	Р
7.	Inspect flywheel and ring gear for wear and cracks, measure runout; determine	1	IR	Р
8.		3	IR	PR
9.	Measure flywheel-to-block runout and crankshaft endplay; determine	3	IR	PR
	B. Transmission/Transaxle Diagnosis and Repair			DD
1.	Remove and reinstall transmission/transaxle.	2	IR	PR PR
2. 3.	Disassemble, clean, and reassemble transmission/transaxle components. Inspect transmission/transaxle case, extension housing, case mating surfaces, bores, bushings, and vents; perform necessary action.	3	I	<u>РК</u> Р
4.	Diagnose noise, hard shifting, jumping out of gear, and fluid leakage concerns; determine necessary action.	3	I	PR
5.	Inspect, adjust, and reinstall shift linkages, brackets, bushings, cables, pivots, and levers.	3	IR	PR
6.	Inspect and reinstall powertrain mounts.	3	Р	PR_
7.	Inspect and replace gaskets, seals, and sealants; inspect sealing surfaces.	2	IR	PR
8.	Remove and replace transaxle final drive.	3	I	PR
9.	Inspect, adjust, and reinstall shift cover, forks, levers, grommets, shafts, sleeves, detent mechanism, interlocks, and springs.	2	I	PR
10.	Measure endplay or preload (shim or spacer selection procedure) on transmission/transaxle shafts; perform necessary action.	1		Р
11.	Inspect and reinstall synchronizer hub, sleeve, keys (inserts), springs, and blocking rings.	2	Ι	PR
12.	Inspect and reinstall speedometer drive gear, driven gear, vehicle speed sensor (VSS), and retainers.	2	IR	PR
13.	Diagnose transaxle final drive assembly noise and vibration concerns;	3		Р



L	Tasl		Р	12	AD
[		determine necessary action.		_	
ſ	14.	Remove, inspect, measure, adjust, and reinstall transaxle final drive pinion	2	I	PR
		gears (spiders), shaft, side gears, side bearings, thrust washers, and case			
L		assembly.			
	15.	Inspect lubrication devices (oil pump or slingers); perform necessary action.	3		<u>P</u>
ſ	16.	Inspect, test, and replace transmission/transaxle sensors and switches.	1	I	P
Γ					
	C.	Drive Shaft and Half Shaft, Universal and Constant-Velocity (CV) Joint Diagno	sis and I	Repair	
	1.	Diagnose constant-velocity (CV) joint noise and vibration concerns; determine necessary action.	2	IR	PR
ŀ	2.	Diagnose universal joint noise and vibration concerns; perform necessary	2	IR	PR
╞		action.			
	3	Replace front wheel drive (FWD) front wheel bearing.	2	<u> </u>	PR_
✻	4	Inspect, service, and replace shafts, yokes, boots, and CV joints.	1	Р	PR
	5.	Inspect, service, and replace shaft center support bearings.	3	IR	P
	6.	Check shaft balance; measure shaft runout; measure and adjust driveline	3	I	P
		angles.			
Γ					
ſ	<b>D</b> .	Drive Axle Diagnosis and Repair			
ŀ		4. Ring and Pinion Gears and Differential Case Assembly			
ł	1.	Diagnose noise and vibration concerns; determine necessary action.	2	I	PR
ŀ	2.	Diagnose fluid leakage concerns; determine necessary action.	2	P	PR
ŀ	3.	Inspect and replace companion flange and pinion seal; measure companion	2	1	PR
*	5.	flange runout.	-	•	
ŀ	4.	Inspect ring gear and measure runout; determine necessary action.	2	I	PR
ł	5.	Remove, inspect, and reinstall drive pinion and ring gear, spacers, sleeves, and	2	1	PR
		bearings.	_	-	
ŀ	6.	Measure and adjust drive pinion depth.	2	1	PR
┢	7.	Measure and adjust drive pinion deput. Measure and adjust drive pinion bearing preload.	1	<u> </u>	P
⊦	<u>7.</u> 8.	Measure and adjust side bearing preload and ring and pinion gear total	2	I	PR
	0.	backlash and backlash variation on a differential carrier assembly (threaded	2	1	
		cup or shim types).			
$\mathbf{F}$	0		1	1	P
┝	<u>9.</u>	Check ring and pinion tooth contact patterns; perform necessary action.	2		
	10.	Disassemble, inspect, measure, and adjust or replace differential pinion gears	2	I	PR
┝		(spiders), shaft side gears, side bearings, thrust washers, and case.		<u>т</u>	PR
	11.	Reassemble and reinstall differential case assembly; measure runout;	2	I	
┝		determine necessary action.			L
┝		5. Limited Slip Differential	_		
╞	1.	Diagnose noise, slippage, and chatter concerns; determine necessary action.	3	1	PR
✻	2.	Inspect and flush differential housing; refill with correct lubricant.	2	Р	PR
L	3.	Inspect and reinstall clutch (cone or plate) components.	3		P
	4.	Measure rotating torque; determine necessary action.	3		P
		6. Drive Axle Shaft			
ſ	1.	Diagnose drive axle shafts, bearings, and seals for noise, vibration, and fluid	2	1	PR
		leakage concerns; determine necessary action.			
$\star$	2.	Inspect and replace drive axle shaft wheel studs.	3	Р	PR
*	3.	Remove and replace drive axle shafts.	1	Р	PR
Ī	4.	Inspect and replace drive axle shaft seals, bearings, and retainers.	2	1	PR
ľ	5.	Measure drive axle flange runout and shaft endplay; determine necessary	2	1	PR
	-	action.			
ŀ					-
L	E.	Four-wheel Drive/All-wheel Drive Component Diagnosis and F	Repair	·	•
Γ					
F	1.	Diagnose noise, vibration, and unusual steering concerns; determine necessary	3		Р



Tas	;k	P	12	AD
2.	Inspect, adjust, and repair shifting controls (mechanical, electrical, and vacuum), bushings, mounts, levers, and brackets.	3		Р
3.	Remove and reinstall transfer case.	3		Р
4.	Disassemble, service, and reassemble transfer case and components.	3		Р
5.	Inspect front-wheel bearings and locking hubs; perform necessary action.	3		Р
6.	Check drive assembly seals and vents; check lube level.	3	Р	PR
7.	Diagnose test, adjust, and replace electrical/electronic components of four- wheel drive systems.	3		P



#### AREA 8: HEATING AND AIR CONDITIONING

For every task in Heating and Air Conditioning, the following safety requirement must be strictly enforced:

Comply with personal and environmental safety practices associated with clothing; eye protection; hand tools; power equipment; proper ventilation; and the handling, storage, and disposal of chemicals/materials in accordance with local, state, and federal safety and environmental regulations.

l Ta	sk	Р	12	AD
A.				
1.	Diagnose unusual operating noises in the A/C system; determine necessary action.	2	Ι	PR
* 2.	Identify refrigerant type; conduct a performance test of the A/C system; determine necessary action.	1	I	Р
3.	Leak test A/C system; determine necessary action.	1	I	Р
<b>4</b> .	Inspect the condition of discharged oil; determine necessary action.	2	Ι	Р
5.	Select oil type; measure, and add oil to the A/C system as needed.	2	P	PR
B.	Refrigeration System Component Diagnosis and Repair			
	1. Compressor and Clutch			
1.	Diagnose A/C system conditions that cause the protection devices (pressure,	2	I	Р
	thermal, and PCM) to interrupt system operation; determine necessary action.			
* 2.	Inspect A/C compressor drive belts; replace and adjust as needed.	2	Р	R
3.	Inspect, test, and replace A/C compressor clutch components or assembly.	2	Р	R
4.	Remove and replace A/C compressor and mountings.	2	Р	R
	3. Evaporator, Condenser, and Related Components			
1.	Determine need for A/C system filter; perform necessary action.	3	Р	PR
2.	Remove and inspect A/C system mufflers, hoses, lines, fittings, o-rings, seals,	2	Р	R
	and service valves; perform necessary action.			
3.	Inspect A/C condenser for airflow restrictions; perform necessary action.	1	Р	R
4.	Remove and install receiver/drier or accumulator/drier.	2	Р	R
5.	Remove and install expansion valve or orifice (expansion) tube.	2	Р	R
6.	Inspect evaporator housing water drain; perform necessary action.	3	Р	R
C	Heating, Ventilation, and Engine Cooling Systems Diagnosis and	nd Re	l <u>air</u>	
1.	Diagnose temperature control problems in the heater/ventilation system;	2	IR	PR
	determine necessary action.			
2.	Perform cooling system, cap, and recovery system tests (pressure, combustion	1	Р	
	leakage, and temperature); determine necessary action.			
<b>*</b> 3.	Inspect engine cooling and heater system hoses and belts; perform necessary	1	Р	
	action.			
4.	Inspect, test, and replace thermostat and housing.	1	Р	
5.	Determine coolant condition; drain and recover coolant.	1	Р	



Tas		Р	12	
6.	Flush system; refill system with recommended coolant; bleed system.	1	P	
7.	Inspect and test fan, fan clutch (electrical and mechanical), fan shroud, and air	1	Р	
	dams; perform necessary action.			
8.	Inspect and test electrical fan control system and circuits.	1	I	
9.	Inspect and test heater control valve(s); perform necessary action.	2	P	
D.	Operating Systems and Related Controls Diagnosis and Repair	•		
1.	Diagnose failures in the electrical controls of heating, ventilation, and A/C	2	IR	
	(HVAC) systems; determine necessary action.			
2.	Inspect and test A/C-heater blower, motors, resistors, switches, relays, wiring,	2	IR	
	and protection devices; perform necessary action.			
3.	Test A/C compressor load cut-off systems; determine necessary action.	3	I	
4.	Diagnose failures in the vacuum and mechanical components and controls of	2	IR	
	the heating, ventilation, and A/C (HVAC) system; determine necessary action.			
5.	Inspect and test A/C-heater control panel assembly; determine necessary	3	IR	
	action.			
6.	Inspect and test A/C-heater control cables and linkages; perform necessary	3	IR	$\left  \right $
	action.			
7.	Inspect and test A/C-heater ducts, doors, hoses, and outlets; perform necessary	3	IR	
	action.			
8.	Check operation of automatic and semi-automatic heating, ventilation, and air-	3	I	
	conditioning (HVAC) control systems; determine necessary action.			
E.	Refrigerant Recovery, Recycling, and Handling			
1.	Verify correct operation and maintenance of refrigerant handling equipment.	1	Р	



1	Task	P	12	AD
*	2. Identify (by label application or use of a refrigerant identifier) and recover	1	Р	
*	A/C system refrigerant.			
*	3. Recycle refrigerant.	1	Р	
	4. Label and store refrigerant.	1	Р	
*	5. Test recycled refrigerant for non-condensable gases.	1	Р	
*	6. Evacuate and charge A/C system.	1	Р	



# AREA 1: SUSPENSION AND STEERING--Priority One (20)

Task	12	AD
A. Steering Systems Diagnosis and Repair		
1. Disable and enable supplemental restraint system (SRS) in accordance with	I	PR
manufacturer's procedures.		
2. Remove and replace steering wheel; center/time supplemental restraint system	Ι	Р
(SRS) coil in accordance with manufacturer's procedures.		
12. Inspect power steering fluid levels and condition.	P	
15. Remove, inspect, replace, and adjust power steering pump belt.	P	
B. Suspension Systems Diagnosis and Repair		
1. Front Suspension		
1. Diagnose short and long arm suspension system noises, body sway, and uneven		Р
riding height concerns; determine necessary action.	I	
2. Diagnose MacPherson strut suspension system noises, body sway, and uneven	Ι	P
riding height concerns; determine necessary action.		
10. Remove, inspect, and install MacPherson strut cartridge or assembly, strut coil		
spring, insulators (silencers), and upper strut bearing mount.	P	
2. Rear Suspension(NONE)		
3. Miscellaneous Service		
1. Inspect, remove, and replace shock absorbers.		
	P	
2. Remove, inspect, and service or replace front and rear wheel bearings.	Р	
C. Wheel Alignment Diagnosis, Adjustment, and Repair		
1. Diagnose vehicle wander, drift, pull, hard steering, bump steer, memory steer,	I	P
torque steer, and steering return concerns; determine necessary action.		
2. Perform prealignment inspection; perform necessary action.	P	R
3. Measure vehicle riding height; determine necessary action.	Р	R
4. Check and adjust front and rear wheel camber; perform necessary action.	P	R
5. Check and adjust caster; perform necessary action.	Р	R
6. Check and adjust front wheel toe; adjust as needed.	Р	R
7. Center steering wheel.	Р	R
D. Wheel and Tire Diagnosis and Repair		
1. Diagnose tire wear patterns; determine necessary action.		
	P	
2. Inspect tires; check and adjust air pressure.	Р	
4. Rotate tires according to manufacturer's recommendations.	Р	
7. Balance wheel and tire assembly (static and dynamic).	P	



.-

Task	12	AD
9. Reinstall wheel; torque lug nuts.	P	



Task	12	AD
A. Steering Systems Diagnosis and Repair	-	
6. Inspect steering shaft universal-joint(s), flexible coupling(s), collapsible column, lock cylinder mechanism, and steering wheel; perform necessary	IR	PR
action.		
8. Remove and replace manual or power rack and pinion steering gear; inspect mounting bushings and brackets.	Р	
11. Inspect and replace manual or power rack and pinion steering gear inner tie rod ends (sockets) and bellows boots.	Р	
13. Flush, fill, and bleed power steering system.	Р	R
14. Diagnose power steering fluid leakage; determine necessary action.	P	
18. Inspect and replace power steering hoses and fittings.	P	
20. Inspect, replace, and adjust tie rod ends (sockets), tie rod sleeves, and clamps.	Р	
B. Suspension Systems Diagnosis and Repair		
1. Front Suspension		
3. Remove, inspect, and install upper and lower control arms, bushings, shafts, and rebound bumpers.	Р	
<ol> <li>Remove, inspect, install, and adjust strut (compression/tension) rods and bushings.</li> </ol>	Р	
<ol> <li>Remove, inspect, and install upper and lower ball joints on short and long arm suspension systems.</li> </ol>	P	
6. Remove, inspect, and install steering knuckle assemblies.	P	
<ol> <li>Remove, inspect, and install short and long arm suspension system coil springs and spring insulators.</li> </ol>	P	
11. Lubricate suspension and steering systems.	P	
2. Rear Suspension	<b>_</b>	1
1. Remove, inspect, and install coil springs and spring insulators.	P	
<ol> <li>Remove, inspect, and install transverse links, control arms, bushings, and mounts.</li> </ol>	P	
<ul> <li>4. Remove, inspect, and install MacPherson strut cartridge or assembly, strut coil spring, and insulators (silencers).</li> </ul>	Р	
3. Miscellaneous Service		
3. Diagnose, inspect, adjust, repair or replace components of electronically controlled suspension systems.	Ι	P
C. Wheel Alignment Diagnosis, Adjustment, and Repair		
8. Check toe-out-on-turns (turning radius); determine necessary action.	IR	PR
<ol> <li>9. Check SAI (steering axis inclination) and included angle; determine necessary action.</li> </ol>	IR	PR
10. Check and adjust rear wheel toe.	IR	PR
11. Check rear wheel thrust angle; determine necessary action.	IR	PR
12. Check for front wheel setback; determine necessary action.	IR	PR

# AREA 1: SUSPENSION AND STEERING--Priority Two (21)



U 12

Task	12	AD
D. Wheel and Tire Diagnosis and Repair		
3. Diagnose wheel/tire vibration, shimmy, and noise; determine necessary action.	P	
5. Measure wheel, tire, axle, and hub runout; determine necessary action.	Р	
6. Diagnose tire pull (lead) problem; determine necessary action.	Р	
8. Dismount, inspect, repair, and remount tire on wheel.	Р	
		_



AREA 1:	SUSPENSION AND STEERINGPriority Three	(7)	

Task	12	AD
A. Steering Systems Diagnosis and Repair		
3. Diagnose steering column noises, looseness, and binding concerns (including tilt mechanisms); determine necessary action.	IR	PR
4. Diagnose power steering gear (non-rack and pinion) binding, uneven turning effort, loosenesss, hard steering, and fluid leakage concerns; determine necessary action.	IR	PR
5. Diagnose power steering gear (rack and pinion) binding, uneven turning effort, looseness, hard steering, and fluid leakage concerns; determine necessary action.	IR	PR
7. Adjust manual or power non-rack and pinion worm bearing preload and sector lash.	Ι	P
9. Disassemble, inspect, perform necessary action and reassemble rack and pinion steering gear.	Ι	R
10. Adjust manual or power rack and pinion steering gear.	I	
16. Remove, inspect, and replace power steering pump, mounts, seals, and gaskets.	P	PR
17. Remove, inspect, and replace power steering pump pulley; check alignment.	P	R
19. Inspect and replace pitman arm, relay (centerlink/intermediate) rod, idler arm and mountings, and steering linkage damper.	Р	R
21. Diagnose and adjust components of electronically controlled steering systems; determine necessary action.	Ι	Р
B. Suspension Systems Diagnosis and Repair		<u> </u>
1. Front Suspension		
8. Remove, inspect, install, and adjust suspension system torsion bars; inspect mounts.	Р	R
9. Remove, inspect, and install stabilizer bar bushings, brackets, and links.	P	R
2. Rear Suspension		
3. Remove, inspect, and install leaf springs, leaf spring insulators (silencers), shackles, brackets, bushings, and mounts.	Р	R
3. Miscellaneous Service (NONE)	1	
C. Wheel Alignment Diagnosis, Adjustment, and Repair		L
13. Check front cradle (subframe) alignment; determine necessary action.	P	R
D. Wheel and Tire Diagnosis and Repair (NONE)		
D. Wheel and The Diagnosis and Repair (NONE)		-



## AREA 2: BRAKES--Priority One (22)

Task	12	AD
Hydraulic System Diagnosis and Repair		
3. Remove, bench bleed, and reinstall master cylinder.	P	
4. Diagnose poor stopping, pulling or dragging concerns caused by problems in	Р	
the hydraulic system; determine necessary action.		
7. Select, handle, store, and install brake fluids to proper level.	P	
11. Bleed (manual, pressure, vacuum or surge) brake system.	P	
B. Drum Brake Diagnosis and Repair		
1. Diagnose poor stopping, noise, pulling, grabbing, dragging or pedal pulsation	[ P	
concerns; determine necessary action.		
2. Remove, clean (using proper safety procedures), inspect, and measure brake	Р	
drums; service or replace as needed.		
6. Pre-adjust brake shoes and parking brake before installing brake drums or	P	
drum/hub assemblies and wheel bearings.		
7. Install wheel, torque lug nuts, and make final checks and adjustments.	P	
C. Disc Brake Diagnosis and Repair		-
1. Diagnose poor stopping, noise, puling, grabbing, dragging or pedal pulsation	P	
concerns; determine necessary action.		
2. Remove caliper assembly from mountings; clean and inspect for leaks and	P	
damage to caliper housing; determine necessary action.		
3. Clean and inspect caliper mounting and slides for wear and damage; determine	P	
necessary action.		L
4. Remove, clean, and inspect pads and retaining hardware; determine necessary	P	
action.		
5. Disassemble and clean caliper assembly; inspect parts for wear, rust, scoring,	P	
and damage; replace seal, boot, and damaged or worn parts.		
6. Reassemble, lubricate, and reinstall caliper, pads, and related hardware; seat	P	
pads, and inspect for leaks.		
7. Clean, inspect, and measure rotor with a dial indicator and a micrometer; follow	P	
manufacturer's recommendations in determining need to machine or replace.		
8. Refinish rotor according to manufacturer's recommendations.	Р	
10. Install wheel, torque lug nuts, and make final checks and adjustments.	P	_
D. Power Assist Units Diagnosis and Repair (NONE)		
E. Miscellaneous (Wheel Bearings, Parking Brakes, Electrical, Etc.) Diagnosis a		Jair
1. Diagnose wheel bearing noises, wheel shimmy, and vibration concerns; determine necessary action.	Р	
2. Remove, clean, inspect, repack, and install wheel bearings and replace seals;	P	<u> </u>
install hub and adjust wheel bearings.		<u> </u>
4. Check parking brake operation; adjust as needed.	P	



Task	12	AD
6. Check operation of brake stop light system; adjust and service as needed.	Р	
7. Replace wheel bearing and race.	P	
F. Anti-lock Brake System		
3. Diagnose anti-lock brake system (ABS) electronic control(s) and components using self-diagnosis and/or recommended test equipment; determine necessary action.	Р	



Task	12	AD
A. Hydraulic System Diagnosis and Repair		
1. Measure and adjust pedal height.	P	
2. Check master cylinder for internal and external leaks and proper operation;	Р	
determine necessary action.		
5. Inspect brake lines, flexible hoses, and fittings for leaks, dents, kinks, rust,	Р	
cracks, bulging or wear; tighten loose fittings and supports; determine		
necessary action.		
6. Fabricate and install brake lines (double flare and ISO types); replace hoses,	Р	
fittings, and supports as needed.		
B. Drum Brake Diagnosis and Repair		
3. Mount brake drum on lathe; machine braking surface.	P	
4. Remove, clean, and inspect brake shoes, springs, pins, clips, levers,	P	
adjusters/self-adjusters, other related brake hardware, and backing support		
plates; lubricate and reassemble.		
5. Remove, Inspect, and install wheel cylinders.	P	
	1	
C. Disc Brake Diagnosis and Repair		
11. Remove and replace rotor.	P	L
D. Power Assist Units Diagnosis and Repair		
1. Test pedal free travel with and without engine running; check power assist operation.	P	PR
2. Check vacuum supply (manifold or auxiliary pump) to vacuum-type power booster.	Р	
3. Inspect the vacuum-type power booster unit for vacuum leaks; inspect the	Р	
check valve for proper operation; determine necessary action.		
E. Miscellaneous (Wheel Bearings, Parking Brakes, Electrical, Etc.) Diagnosis	and Rep	bair
3. Check parking brake cables and components for wear, rusting, binding, and	P	
corrosion; clean, lubricate, and replace as needed.		
F. Anti-lock Brake System		_
1. Inspect and test anti-lock brake system (ABS) components; determine	Р	R
necessary action.		
2. Diagnose poor stopping, wheel lock-up, abnormal pedal feel or pulsation, and	P	R
noise concerns caused by the anti-lock brake system (ABS); determine		
necessary action.		
4. Depressurize high-pressure components of the anti-lock brake system (ABS).	Р	R
5. Bleed the anti-lock brake system's (ABS) front and rear hydraulic circuits.	P	R
7. Service, test, and adjust anti-lock brake system (ABS) speed sensors.	IR	PR
		<u> </u>

## AREA 2: BRAKES--Priority Two (14)



Task	12	AD
A. Hydraulic System Diagnosis and Repair	14	
	P	
8. Inspect, test, and replace metering (hold-off), proportioning (balance), pressure		R
differential, and combination valves.	10	
9. Inspect, test, replace, and adjust height (load) sensing proportioning valve.	IR	PR
10. Inspect, test, and replace components of brake warning light system.	<u> </u>	R
12. Flush hydraulic system.	P	
B. Drum Brake Diagnosis and Repair (NONE)		1
C. Disc Brake Diagnosis and Repair		
9. Adjust calipers with integrated parking brake system.	Р	PR
	_	
D. Power Assist Units Diagnosis and Repair		
4. Inspect and test hydro-boost system and accumulator for leaks and proper	Р	R
operation; determine necessary action.		
E. Miscellaneous (Wheel Bearings, Parking Brakes, Electrical, Etc.) Diagnosis	s and Rep	air
5. Check operation of parking brake indicator light system.	Р	
F. Anti-lock Brake System		
6. Remove and install anti-lock brake system (ABS) electrical/electronic and	I	P
hydraulic components.		
8. Diagnose anti-lock brake system (ABS) braking concerns caused by vehicle	I	P
modifications (tire size, curb height, final drive ratio, etc.).		

# AREA 2: BRAKES--Priority Three (5)



## AREA 3: ELECTRICAL/ELECTRONIC SYSTEMS—Priority One (20)

Task	12	AD
A. General Electrical System Diagnosis		
1. Use wiring diagrams during diagnosis of electrical circuit problems.	Р	
3. Check voltage and voltage drop in electrical/electronic circuits using a digital multimeter (DMM); determine necessary action.	Р	
<ul> <li>4. Check current flow in electrical/electronic circuits and components using an ammeter; determine necessary action.</li> </ul>	Р	
<ol> <li>Check continuity and resistances in electrical/electronic circuits and components with an ohmmeter; determine necessary action.</li> </ol>	Р	
<ol> <li>Components with an oninneces, accorning necessary action.</li> <li>Locate shorts, grounds, opens, and resistance problems in electrical/electronic circuits; determine necessary action.</li> </ol>	Р	
<ol> <li>Measure and diagnose the cause(s) of abnormal key-off battery drain; determine necessary action.</li> </ol>	Р	
<ol> <li>Inspect and test fusible links, circuit breakers, and fuses; determine necessary action.</li> </ol>	Р	
10. Inspect and test switches, connectors, relays, and wires of electrical/electronic circuits; perform necessary action.	Р	
11. Repair wiring harnesses and connectors.	Р	
12. Perform solder repair of electrical wiring.	Р	
B. Battery Diagnosis and Service	·	<del>.</del>
1. Perform battery state-of-charge test; determine needed service.	P	
2 Perform battery capacity test; determine needed service.	P	
6. Inspect and clean battery cables, connectors, clamps, and hold-downs; repair or replace as needed.	Р	
<ol> <li>Start a vehicle using jumper cables and a battery or auxiliary power supply according to manufacturers recommended specifications.</li> </ol>	Р	
C. Starting System Diagnosis and Repair	-	F
1. Perform starter current draw tests; determine necessary action.	P	
2. Perform starter circuit voltage drop tests; determine necessary action.	Р	
		L
D. Charging System Diagnosis and Repair		1
1. Perform charging system output test; determine necessary action.	P	
2. Diagnose charging system for the cause of undercharge, no-charge, and overcharge conditions.	Р	
3. Inspect and adjust generator (alternator) drive belts; replace as needed.	Р	
7. Perform charging circuit voltage drop tests; determine necessary action.	Р	
E. Lighting Systems Diagnosis and Repair (NONE)		
	1	



Task	12	AD
Gauges, Warning Devices, and Driver Information Systems Diagnosis and	Repair	r _
3. Diagnose the cause of incorrect operation of warning devices and other driver	P	
information systems; determine necessary action.		_
G. Horn and Wiper/Washer Diagnosis and Repair (NONE)		
H. Accessories Diagnosis and Repair (NONE)	,	




# AREA 3: ELECTRICAL/ELECTRONIC SYSTEMS—Priority Two (13)

Task	12	AD
A. General Electrical System Diagnosis		
2. Check electrical circuits with a test light; determine necessary action.	P	R
6. Check electrical circuits using jumper wires; determine necessary action.	P	R
		_
B. Battery Diagnosis and Service		
3. Maintain or restore electronic memory functions.	P	R
4. Inspect, clean, fill, and replace battery.	P	PR
5. Perform slow/fast battery charge.	P	PR
C Stauting System Diagnosis and Dansin		
C. Starting System Diagnosis and Repair	IR	PR
3. Inspect and test starter relays and solenoids; replace as needed.	$\frac{1}{P}$	
4. Remove and install starter.	P P	R
6. Inspect and test switches, connectors, and wires of starter control circuits; perform necessary action.	P	ĸ
	+	
D. Charging System Diagnosis and Repair		L
4. Inspect and test voltage regulator/regulating circuit; perform necessary action.	P	R
5. Remove inspect, and install generator (alternator).	P	PR
E. Lighting Systems Diagnosis and Repair		
1. Diagnose the cause of brighter than normal, intermittent, dim, or no light	P	PR
operation; determine necessary action.		
2. Inspect, replace, and aim headlights and bulbs.	P	
3. Inspect and diagnose incorrect turn signal or hazard light operation; perform	P	PR
necessary action.		
Gauges, Warning Devices, and Driver Information Systems Diagnosis and	Repai	
1. Inspect and test gauges and gauge sending units for cause of intermittent, high,	I	P
low, or no gauge readings; determine necessary action.		ļ
C Horn and Winer (Wesher Diagnosis and Donair (NONE)		
G. Horn and Wiper/Washer Diagnosis and Repair (NONE)		1
H. Accessories Diagnosis and Repair	I	L
1. Diagnose incorrect operation of motor-driven accessory circuits; determine	I	P
necessary action.		
5. Diagnose supplemental restraint system (SRS) concerns; determine necessary	I	PR
action. (Note: Follow manufacturer's safety procedures to prevent accidental		
deployment.)		



Task	12	AD
A. General Electrical System Diagnosis (NONE)		-
B. Battery Diagnosis and Service (NONE)		
C. Starting System Diagnosis and Repair		
5. Perform starter bench tests; determine necessary action.	IR	PR
7. Disassemble, clean, inspect, and test starter components; replace as needed.	IR	PR
· · · · · · · · · · · · · · · · · · ·		
D. Charging System Diagnosis and Repair		-
6. Disassemble generator (alternator), clean, inspect, and test components;	IR	PR
determine necessary action.		
E. Lighting Systems Diagnosis and Repair (NONE)		
. Gauges, Warning Devices, and Driver Information Systems Diagnosis and	Repair	
2. Inspect and test connectors, wires, and printed circuit boards of gauge circuits;	I	P
determine necessary action.		
4. Inspect and test sensors, connectors, and wires of electronic instrument circuits;	I	P
determine necessary action.	<u> </u>	
G. Horn and Wiper/Washer Diagnosis and Repair		
1. Diagnose incorrect horn operation; perform necessary action.	P	R
2. Diagnose incorrect wiper operation; diagnose wiper speed control and park	IR	PR
2. Diagnose incorrect wiper operation, diagnose wiper speed control and park problems; perform necessary action.		
3. Diagnose incorrect windshield washer operation; perform necessary action.	Р	PR
H. Accessories Diagnosis and Repair		
2. Diagnose incorrect heated glass operation; determine necessary action.	P	PR

### AREA 3: ELECTRICAL/ELECTRONIC SYSTEMS—Priority Three (6)





# AREA 4: ENGINE PERFORMANCE—Priority One (26)

Task		12	AD
A.	General Engine Diagnosis		
1.	Interpret and verify concern; determine necessary action.	Ι	Р
5.	Perform engine absolute (vacuum/boost) manifold pressure tests; determine necessary action.	Р	R
6.	Perform cylinder power balance test; determine necessary action.	Р	
7.	Perform cylinder compression test; determine necessary action.	Р	
8.	Perform cylinder leakage test; determine necessary action.	P	 
9.	Diagnose engine mechanical, electrical, electronic, fuel, and ignition concerns with an	I	P
	oscilloscope and engine diagnostic equipment; determine necessary action.		
10.	Prepare 4 or 5 gas analyzer; inspect and prepare vehicle for test, and obtain exhaust readings;	I	Р
	interpret readings, and determine necessary action.		
B.	Computerized Engine Controls Diagnosis and Repair		
1.	Retrieve and record stored OBD I diagnostic trouble codes; clear codes.	Р	R
3.	Diagnose the causes of emissions or driveability concerns resulting from failure of	Ι	Р
	computerized engine controls with stored diagnostic trouble codes.		
4.	Diagnose emissions or driveability concerns resulting from failure of computerized engine	I	Р
	controls with no stored diagnostic trouble codes; determine necessary action.		
6.	Obtain and interpret digital multimeter (DMM) readings.	I	R
8.	Locate and interpret vehicle and major component identification numbers (VIN, vehicle	Р	
	certification labels, and calibration decals).		
9.	Inspect and test power and ground circuits and connections; service or replace as needed.	Р	R



Task	12	AD
C. Ignition System Diagnosis and Repair		
1. Diagnose no-starting, driveability, and emissions concerns on vehicles with electronic ignition (EI/DIS) (distributorless) systems; determine necessary	Ι	Р
action.	I	P
2. Diagnose no-starting, driveability, and emissions concerns on vehicles with distributor ignition (DI) systems; determine necessary action.	1	P
7. Check and adjust (where applicable) ignition system timing and timing advance/retard.	Р	
D. Fuel, Air Induction, and Exhaust Systems Diagnosis and Repair		
2. Diagnose hot or cold no-starting, hard starting, poor driveability, incorrect idle		Р
speed, poor idle, flooding, hesitation, surging, engine misfire, power loss, stalling, poor mileage, dieseling, and emissions problems on vehicles with injection-type fuel systems; determine necessary action.	Ι	-
6. Replace fuel filters.	Р	
7. Inspect and test fuel pressure regulation system and components of injection-	I	P
type fuel systems; perform necessary action.	I	
16. Perform exhaust system back-pressure test; determine necessary action.	1	
E. Emissions Control Systems Diagnosis and Repair	·	
1. Positive Crankcase Ventilation		
1. Diagnose oil leaks, emissions, and driveability problems resulting from failure		R
of the positive crankcase ventilation (PCV) system; determine necessary action.	P	
2. Exhaust Gas Recirculation		
1. Diagnose emissions and driveability problems caused by failure of the exhaust	_	P
gas recirculation (EGR) system; determine necessary action.	Ι	
3. Exhaust Gas Treatment (NONE)		
4. Intake Air Temperature Controls (NONE)		
5. Early Fuel Evaporation (Intake Manifold Temperature) Controls	(NON	E)
6. Evaporative Emissions Controls (NONE)		
F. Engine Related Service		
1. Adjust valves on engines with mechanical or hydraulic lifters.		
	Ι.	
2. Verify correct camshaft timing; determine necessary action.	Р	
3. Verify engine operating temperature; determine necessary action.	Р	
4. Perform cooling system pressure tests; check coolant condition; inspect and test radiator, pressure cap, coolant recovery tank, and hoses; perform necessary action.	Р	
5. Inspect and test thermostat, by-pass, and housing; perform necessary action.	P	
5. Inspect and test mermostat, 63-pass, and notsing, perform necessary action.	<u>↓</u>	<u> </u>



# AREA 4: ENGINE PERFORMANCE—Priority Two (25)

Ta	sk	12	AD
<b>A</b> .	General Engine Diagnosis	•	
2.	Inspect engine assembly for fuel, oil, coolant, and other leaks; determine necessary action.	P	R
3.	Diagnose unusual engine noise or vibration concerns; determine necessary action.	I	Р
4.	Diagnose unusual exhaust color, odor, and sound; determine necessary action.	I	Р
<u>B.</u>	Computerized Engine Controls Diagnosis and Repair	<u> </u>	
5.	Inspect and test computerized engine control system sensors, powertrain control module (PCM), actuators, and circuits; perform necessary action.		Р
10.	Practice recommended precautions when handling static sensitive devices.	Р	R
11.	Diagnose driveability and emissions problems resulting from failures of interrelated systems (cruise control, security alarms, suspension controls, traction controls, A/C, automatic	I	Р
	transmissions, non-OEM-installed accessories, and similar systems); determine necessary		
	action.		
C.	Ignition System Diagnosis and Repair		
_	Inspect and test ignition primary circuit wiring and components; perform necessary action.	Р	R
5.	Inspect and test ignition system secondary circuit wiring and components; perform necessary action.	I	Р
6.	Inspect and test ignition coil(s); perform necessary action.	Р	R
8.	Inspect and test ignition system pick-up sensor or triggering devices; perform necessary action.	IR	PR
9.	Inspect and test ignition control module; perform necessary action.	IR 	PR
<u>D.</u>	Fuel, Air Induction, and Exhaust Systems Diagnosis and Repair		
	Inspect fuel tank and fuel cap, fuel lines, fittings, and hoses, perform necessary action.	P	PR
4.	Check fuel for contaminants and quality; determine necessary action.	I	Р



Task	12	AD
5. Inspect and test mechanical and electrical fuel pumps and pump control systems; perform necessary action.	IR	PR
9. Remove, service, and install throttle body; adjust related linkages.	Р	R
10. Inspect, test, and clean fuel injectors.	IR	PR
11. Inspect throttle body mounting plates, air induction and filtration system, intake manifold, and gaskets; perform necessary action.	Р	R
12. Check idle speed and fuel mixture.	Р	PR
14. Remove, inspect, and test vacuum and electrical circuits, components and connections of fuel system; perform necessary action.	Ι	P
15. Inspect exhaust manifold, exhaust pipes, muffler(s), catalytic converter(s), resonator(s), tail pipe(s), and heat shield(s); perform necessary action.	Р	R
E. Emissions Control Systems Diagnosis and Repair		
1. Positive Crankcase Ventilation		
<ol> <li>Inspect and test positive crankcase ventilation (PCV) filter/breather cap, valve, tubes, orifices, and hoses; perform necessary action.</li> </ol>	Р	R
2. Exhaust Gas Recirculation		
2. Inspect and test valve, valve manifold, and exhaust passages of exhaust gas recirculation (EGR) systems; perform necessary action.	IR	PR
3. Inspect and test vacuum/pressure controls, filters, and hoses of exhaust gas recirculation (EGR) systems; perform necessary action.	I	Р
4. Inspect and test electrical/electronic sensors, controls, and wiring of exhaust gas recirculation (EGR) systems; perform necessary action.	I	Р
3. Exhaust Gas Treatment	<u> </u>	<b></b>
1. Diagnose emissions and driveability problems resulting from failure of the secondary air injection and catalytic converter systems; determine necessary action.	I	PR
<ol> <li>Inspect and test mechanical components of secondary air injection systems; perform necessary action.</li> </ol>	I	PR
<ol> <li>Inspect and test electrical/electronically-operated components and circuits of air injection systems; perform necessary action.</li> </ol>	I	Р
4. Inspect and test components of catalytic converter systems; perform necessary action.	IR	PR
4. Intake Air Temperature Controls (NONE)		
5. Early Fuel Evaporation (Intake Manifold Temperature) Controls	(NON	E)
6. Evaporative Emissions Controls		. ——-
1. Diagnose emissions and driveability problems resulting from failure of evaporative emissions control system; determine necessary action.	I	Р
2. Inspect and test components and hoses of evaporative emissions control system; perform necessary action.	IR	PR



Ta	Task		AD
<b>F</b> .	Engine Related Service		
6.	Inspect and test mechanical/electrical fans, fan clutch, fan shroud/ducting, air dams, and fan control devices; perform necessary action.	IR	PR



AREA 4: ENGINE PERFORMANCE—Phony Three (0)	AREA 4:	ENGINE PERFORMANCE—Priority Three	(6)
--	---------	-----------------------------------	-----

Task	12	AD
A. General Engine Diagnosis (NONE)		
B. Computerized Engine Controls Diagnosis and Repair		
2. Retrieve and record stored OBD II diagnostic trouble codes; clear codes.	Р	R
7. Access and use electronic service information (ESI).	Р	R
C. Ignition System Diagnosis and Repair		
4. Inspect and test distributor; perform necessary action.	P	PR
D. Fuel, Air Induction, and Exhaust Systems Diagnosis and Repair	I	
1. Diagnose hot or cold no-starting, hard starting, poor driveability, incorrec	t idle I	
speed, poor idle, flooding, hesitation, surging, engine misfire, power loss,		
stalling, poor mileage, dieseling, and emissions problems on vehicles with		
carburetor-type fuel systems; determine necessary action.		
8. Inspect and test cold enrichment system and components; perform necessary	arv I	P
action.		_
13. Adjust (carborated) idle speed and fuel mixture.	I	Р
17. Test the operation of turbocharger/supercharger systems; determine neces	ssary I	P
action.		
E. Emissions Control Systems Diagnosis and Repair		
1. Positive Crankcase Ventilation (NONE)		
2. Exhaust Gas Recirculation (NONE)		
3. Exhaust Gas Treatment (NONE)		
4. Intake Air Temperature Controls		
1. Diagnose emissions and driveability problems resulting from failure of th	ne I	PR
intake air temperature control system; determine necessary action.		_
2. Inspect and test components of intake air temperature control system; per	form I	PR
necessary action.		
5. Early Fuel Evaporation (Intake Manifold Temperature) C	ontrols	
1. Diagnose emissions and driveability problems resulting from failure of ea	arly I	PR
fuel evaporation control system; determine necessary action.		
2. Inspect and test components of early fuel evaporation control system; per	form I	PR
necessary action.		
6. Evaporative Emissions Controls (NONE)		
F. Engine Related Service (NONE)		



Certification in the following four areas is not required to meet minimum ASE requirements (1999 Standards) or the new Ohio Tech Prep Standards.

- 1. Engine Repair
- 2. Automatic Transmission and Transaxle
- 3. Manual Drive Train and Axles
- 4. Heating and Air Conditioning

In Ohio, participation in any of the above certification programs is strictly optional. However, if a school pursues certification in any of these areas, then the competencies listed in the applicable section of the following technical competency profiles must be taught to the depth and at the level specified.

In addition, the Automotive Technical Competency Releveling Advisory Panel requires that the asterisk (\*) competencies in the following TCPs be covered in any Automotive Tech Prep program in Ohio (even if certification is not pursued in these areas).



ſ	Task	12		AD
	C. General Engine Diagnosis; Removal and Reinstallation (F	₹& R)		
ľ	1. Verify and interpret engine concern; determine necessary action.	IR		PR
Ī	5. Perform engine vacuum tests; determine necessary action.			
		P		
	6. Perform cylinder power balance tests; determine necessary action.	P	T	
	7. Perform cylinder compression tests; determine necessary action.	P		
	8. Perform cylinder leakage tests; determine necessary action.	Р		
	B. Cylinder Head and Valve Train Diagnosis and Repa	ir		
	13. Adjust valves (mechanical or hydraulic lifters).	P		
*	15. Inspect and replace timing belt(s), overhead camdrive sprockets, and ten	sioners; P		
	check belt tension; adjust as necessary.			
	18. Verify camshaft(s) timing according to manufacturer's specifications and	d P		
	procedure			
	C. Engine Block Assembly Diagnosis and Repai			
×	· · · · · · · · · · · · · · · · · · ·	ng P		
	thread inserts).			
	6. Deglaze and clean cylinder walls.	P		
	16. Prime engine lubrication system.	IR		PR
	D. Lubrication and Cooling Systems Diagnosis and Repa			
*	1. Perform oil pressure tests; determine necessary action.	P		
	3. Perform cooling system, cap, and recovery system tests (pressure, combined and the contract of the contract	ustion P		
	leakage, and temperature); determine necessary action.			
*		P	-	
*		vith P		
	recommended coolant; bleed air as required.			
*	13. Perform oil and filter change.	P		

#### AREA 5: ENGINE REPAIR--Priority One (15)



Task	12	A
A. General Engine Diagnosis; Removal and Reinstallation (R & R)		
2. Inspect engine assembly for fuel, oil, coolant, and other leaks; determine necessary action.	P.	F
D Calindan Head and Value Tuoin Diagnosis and Danair		
B. Cylinder Head and Valve Train Diagnosis and Repair	Р	F
<ol> <li>Remove cylinder head(s); visually inspect cylinder head(s) for cracks; check gasket surface areas for warpage and leakage; check passage condition.</li> </ol>	P	
2. Install cylinder heads and gaskets; tighten according to manufacturer's specifications and procedures.	Р	F
4. Inspect value spring retainers, locks, and valve grooves.	Р	Р
7. Resurface values; perform necessary action.	IR	Р
8. Resurface valve seats; perform necessary action.	IR	Р
10. Check valve spring assembled height and valve stem height; service valve and spring assemblies as needed.	IR	P
11. Inspect pushrods, rocker arms, rocker arm pivots and shafts for wear, bending, cracks, looseness, and blocked oil passages (orifices); perform necessary action.	IR	P
12. Inspect hydraulic or mechanical lifters; replace as needed.	IR	P
14. Inspect camshaft drives (including gear wear and backlash, sprocket and chain wear); replace as necessary.	IR	Р
C. Engine Block Assembly Diagnosis and Repair	r _	
1. Inspect and replace pans, covers, gaskets, and seals.	P	P
2. Inspect engine block for visible cracks, passage condition, core and gallery plug condition, and surface warpage; determine necessary action.	Р	P
5. Inspect and measure cylinder walls for damage and wear; determine necessary action.	IR	P
9. Inspect and measure main and connecting rod bearings for damage, clearance, and end play; determine necessary action (includes the proper selection of bearings).	IR	Р
11. Inspect, measure, and service pistons and pins; determine necessary action.	IR I	P
12. Inspect, measure, and install piston rings.	IR	P
14. Reassemble engine components using correct gaskets and sealants.	Р	
D. Lubrication and Cooling Systems Diagnosis and Repair	1	<b>I</b>
5. Inspect and replace engine cooling and heater system hoses.	P	P
6. Inspect, test, and replace thermostat and housing.	P	P
8. Inspect, test, remove, and replace water pump.	IR	P
9. Remove and replace radiator.	IR	P
<ul> <li>10. Inspect, and test fan(s) (electrical or mechanical), fan clutch, fan shroud, and air dams.</li> </ul>	IR	P
12. Inspect, test, and replace oil temperature and pressure switches and sensors.	IR	<b>P</b>
12. Inspect, test, and replace oil temperature and pressure switches and sensors.	<u> </u>	<u>†</u>

# AREA 5: ENGINE REPAIR-- Priority Two (18)



Task	12	AD
A. General Engine Diagnosis; Removal and Reinstallation (R & R)		
3. Diagnose engine noises and vibrations; determine necessary action.	IR	PR
4. Diagnose the cause of excessive oil consumption, unusual engine exhaust color,	IR	PR
odor, and sound; determine necessary action.		
9. Remove engine (front-wheel drive); prepare for disassembly.	IR	PR
10. Reinstall engine (front-wheel drive).	IR	PR
11. Remove engine (rear-wheel drive); prepare for disassembly.	IR	PR
12. Reinstall engine (rear-wheel drive).	IR	PR
B. Cylinder Head and Valve Train Diagnosis and Repair		
3. Inspect and test valve springs for squareness, pressure, and free height comparison; replace as needed.	Ι	Р
5. Replace valve stem seals.	IR	PR
6. Inspect valve guides for wear; check valve guide height and stem-to-guide clearance.	IR	PR
<ol> <li>Check valve face-to-seat contact and valve seat concentricity (runout); service seats and valves as needed.</li> </ol>	IR	PR
16. Inspect camshaft for runout, journal wear and lobe wear.	IR	PR
17. Inspect and measure camshaft bearing for wear, damage, out-of-round, and	IR	PR
alignment; determine necessary action.		
C. Engine Block Assembly Diagnosis and Repair		•
4. Remove cylinder wall ridges.	Р	R
7. Inspect and measure crankshaft bearings for wear, damage, out-of-round, and	IR	PR
alignment; determine necessary action.		
8. Inspect crankshaft for surface cracks and journal damage; check oil passage condition; measure journal wear; determine necessary action.	IR	PR
<ul> <li>10. Identify piston and bearing wear patterns that indicate connecting rod alignment and main bearing bore problems; inspect rod alignment and bearing bore condition.</li> </ul>	IR	PR
13. Inspect, repair or replace crankshaft vibration damper (harmonic balancer).	Р	PR
15. Inspect auxiliary (balance, intermediate, idler, counterbalance or silencer)	Ι	Р
shaft(s); inspect shaft(s) and support bearing for damage and wear; determine		
necessary action; reinstall and time.		
D. Lubrication and Cooling Systems Diagnosis and Repair		
2. Inspect oil pump gears or rotors, housing, pressure relief devices, and pump drive; perform necessary action.	IR	PR
11. Inspect auxiliary oil coolers; replace as needed.	Р	PR

# AREA 5: ENGINE REPAIR--Priority Three (10)



# AREA 6: AUTOMATIC TRANSMISSION AND TRANSAXLE—Priority One

	Ta	sk	12	AD
		A. General Transmission and Transaxle Diagnosis		
	1.	Identify and interpret transmission concern; assure proper engine operation;	Ι	Р
		determine necessary action.		
*	2.	Diagnose unusual fluid usage, level, and condition concerns; determine	Ι	P
		necessary action.		
	3.	Perform pressure tests; determine necessary action.		Р
	5.	Diagnose electronic, mechanical, hydraulic, vacuum control system concerns;	I	Р
	_	determine necessary action.		
		B. Transmission and Transaxle Maintenance and Adjustment		
	1	Inspect, adjust or replace throttle (TV) linkages or cables, check gear select	T	Р
*	1.	indicator (as applicable).	1	Г
*	2.		P	R
		C. In-Vehicle Transmission and Trans axle Repair		
*		Inspect, leak test, flush, and replace cooler, lines, and fittings.	P	R
	7.	Inspect and test, adjust, repair or replace transmission related electrical and	Ι	P
		electronic components (includes computers, solenoids, sensors, relays,		
		switches, and harnesses).		
	D.			
		9. Removal, Disassembly, and Reinstallation		
		Disassemble, clean, and inspect transmission/transaxle.		P
	7.	Assemble transmission/transaxle.		P
		10. Oil Pump and Converter	1	Р
	4.	Check torque converter and transmission cooling system for contamination.		<u> </u>
	1	11. Gear Train, Shafts, Bushings and Case		D
	1.	Measure endplay or preload; determine necessary action		Р
	2			P
	2.	Measure clutch pack clearance; adjust as needed.		P P
	3.	Air test operation of clutch and servo assemblies.		r



# AREA 6: AUTOMATIC TRANSMISSION AND TRANSAXLE—Priority Two

T٤	sk	12	AD
	A. General Transmission and Transaxle Diagnosis		
4.	Perform lock-up converter system tests; determine necessary action.		P
	B. Transmission and Transaxle Maintenance and Adjustment (NO	NE)	
	C. In-Vehicle Transmission and Transaxle Repair		
3.	Inspect and replace external seals and gaskets.	P	R
D.	Off-Vehicle Transmission and Transaxle Repair		
	1. Removal, Disassembly, and Reinstallation		
1.	Remove and reinstall transmission and torque converter (rear-wheel drive).	IR	P
2.	Remove and reinstall transaxle and torque converter assembly.	IR	Р
4.	Inspect, measure, clean, and replace valve body (includes surfaces and bores,		Р
	springs, valves, sleeves, retainers, brackets, check-balls, screens, spacers, and		
	gaskets), and torque valve body bolts.		
	2. Oil Pump and Converter		
1.	Inspect converter flex plate, attaching parts, pilot, pump drive, and seal areas.	IR	P
	Measure torque converter endplay and check for interference; check stator		P
	clutch.		
	3. Gear Train, Shafts, Bushings and Case		
2.	Inspect, measure, and replace thrust washers and bearings.		Р
3.	Inspect oil delivery seal rings, ring grooves, and sealing surface areas.		P
4.	Inspect bushings; replace as needed.		Р
5.	Inspect and measure planetary gear assembly (includes sun, ring gear, thrust		Р
	washers, planetary gears, and carrier assembly); replace as needed.		
6.	Inspect case bores, passages, bushings, vents, and mating surfaces; determine		P
	necessary action.		
7.	Inspect transaxle drive, link chains, sprockets, gears, bearings, and bushings;		P
	perform necessary action.		
8.	Inspect, measure, repair, adjust or replace transaxle final drive components.		P
	4. Friction and Reaction Units		
1.	Inspect clutch drum, piston, check-balls, springs, retainers, seals, and friction		Р
	and pressure plates; replace as needed.		
4.	Inspect roller and sprag clutch, races, rollers, sprags, springs, cages, and		P
	retainers; replace as needed.		



# AREA 6: AUTOMATIC TRANSMISSION AND TRANSAXLE—Priority Three

Γ	Ta	sk	12	AD
		A. General Transmission and Transaxle Diagnosis		
	6.	Diagnose noise and vibration concerns; determine necessary action.		Р
Γ				
Γ		B. Transmission and Transaxle Maintenance and Adjustment (NO	NE)	
Γ				
		C. In-Vehicle Transmission and Transaxle Repair		
	1.	Inspect, adjust or replace (as applicable) vacuum modulator; inspect and repair	IR	Р
		or replace lines and hoses.		
	2.	Inspect, repair, and replace governor assembly.	I	Р
	4.	Inspect extension housing, bushings and seals; perform necessary action.	IR	Р
	6.	Inspect and replace speedometer drive gear, driven gear, vehicle speed sensor	IR	P
		(VSS), and retainers.		
∗{	8.	Inspect, replace, and align powertrain mounts.	P	PR
Γ	D.	Off-Vehicle Transmission and Transaxle Repair		
		1. Removal, Disassembly, and Reinstallation		
Γ	5.	Inspect servo bore, piston, seals, pin, spring, and retainers; determine necessary		P
		action		
Γ	6.	Inspect accumulator bore, piston, seals, spring, and retainer; determine		P
		necessary action.		
L		2. Oil Pump and Converter	<u> </u>	
L	3.	Inspect, measure, and replace oil pump assembly and components.		P
		3. Gear Train, Shafts, Bushings and Case	<b>.</b>	
	9.	Inspect and reinstall parking pawl, shaft, spring, and retainer; determine		P
L		necessary action.		
		4. Friction and Reaction Units	T	
ſ	5.	Inspect bands and drums; adjust or replace as needed.		P



# AREA 7: MANUAL DRIVE TRAIN AND AXLES—Priority One

Task	12	A
A. Clutch Diagnosis and Repair		
1. Diagnose clutch noise, binding, slippage, pulsation, and chatter; determine necessary action.	I	P
2. Inspect clutch pedal linkage, cables, automatic adjuster mechanisms, brackets, bushings, pivots, and springs; perform necessary action.	Ι	F
3. Inspect hydraulic clutch slave and master cylinders, lines, and hoses; perform necessary action.	Ι	F
4. Inspect release (throw-out) bearing, lever, and pivot; perform necessary action.	I	F
5. Inspect and replace clutch pressure plate assembly and clutch disc.	IR	F
6. Inspect, remove or replace crankshaft pilot bearing or bushing (as applicable).	IR	I
7. Inspect flywheel and ring gear for wear and cracks, measure runout; determine necessary action.	IR	I
B. Transmission/Transaxle Diagnosis and Repair		
10. Measure endplay or preload (shim or spacer selection procedure) on	T	H
transmission/transaxle shafts; perform necessary action.		
16. Inspect, test, and replace transmission/transaxle sensors and switches.	I	F
C. Drive Shaft and Half Shaft, Universal and Constant-Velocity (CV) Joint and Repair	Diagn	osis
4. Inspect, service, and replace shafts, yokes, boots, and CV joints.	P	P
D. Drive Axle Diagnosis and Repair		
7. Ring and Pinion Gears and Differential Case Assen		
7. Measure and adjust drive pinion bearing preload.	I	I
9. Check ring and pinion tooth contact patterns; perform necessary action.	Ι	]
8. Limited Slip Differential (NONE)		
9. Drive Axle Shaft		
3. Remove and replace drive axle shafts.	P	F
	1	1
E. Four-wheel Drive/All-wheel Drive Component Diagnosis and Repair (NO		



#### AREA 7: MANUAL DRIVE TRAIN AND AXLES-Priority Two

Ta		12	AD
	A. Clutch Diagnosis and Repair (NONE)	<u> </u>	
1	B. Transmission/Transaxle Diagnosis and Repair		
	Remove and reinstall transmission/transaxle.		
	Disassemble, clean, and reassemble transmission/transaxle components.	I	PF PF
	Inspect and replace gaskets, seals, and sealants; inspect sealing surfaces.	IR	PR
9.	sleeves, detent mechanism, interlocks, and springs.	I	
11.	Inspect and reinstall synchronizer hub, sleeve, keys (inserts), springs, and blocking rings.	I	PF
12	Inspect and reinstall speedometer drive gear, driven gear, vehicle speed sensor (VSS), and retainers.	IR	PF
14	Remove, inspect, measure, adjust, and reinstall transaxle final drive pinion	I	PF
	gears (spiders), shaft, side gears, side bearings, thrust washers, and case assembly.		
C.	Drive Shaft and Half Shaft, Universal and Constant-Velocity (CV) Joint and Repair	Diagn	osis
1.		IR	PF
2.	Diagnose universal joint noise and vibration concerns; perform necessary action.	IR	PF
3.	Replace front wheel drive (FWD) front wheel bearing.	Ι	PF
D.	Drive Axle Diagnosis and Repair		
	1. Ring and Pinion Gears and Differential Case Assembly		
1.	Diagnose noise and vibration concerns; determine necessary action.	Ι	PF
2.		Р	R
3.	Inspect and replace companion flange and pinion seal; measure companion flange runout.	Ι	PF
4.	Inspect ring gear and measure runout; determine necessary action.	I	PI
5.		I	PI
6	Measure and adjust drive pinion depth.	I	PI
	Measure and adjust side bearing preload and ring and pinion gear total backlash	I	PH
0.	and backlash variation on a differential carrier assembly (threaded cup or shim types).		
10.	Disassemble, inspect, measure, and adjust or replace differential pinion gears (spiders), shaft side gears, side bearings, thrust washers, and case.	Ι	PI
	Reassemble and reinstall differential case assembly; measure runout; determine	I	PI



[	Ta	sk	12	AD
ľ		2. Limited Slip Differential		
*	2.	Inspect and flush differential housing; refill with correct lubricant.	P	PR
		3. Drive Axle Shaft		
	1.	Diagnose drive axle shafts, bearings, and seals for noise, vibration, and fluid	Ι	PR
		leakage concerns; determine necessary action.		
Ì	4.	Inspect and replace drive axle shaft seals, bearings, and retainers.	Ι	PR
Ī	5.	Measure drive axle flange runout and shaft endplay; determine necessary	I	PR
		action.		_
			I	
	E.	Four-wheel Drive/All-wheel Drive Component Diagnosis and Repair (NO	NE)	



#### AREA 7: MANUAL DRIVE TRAIN AND AXLES—Priority Three

Ta	sk	12	AI		
	A. Clutch Diagnosis and Repair				
8.	Inspect engine block, clutch (bell) housing, and transmission/transaxle case mating surfaces; determine necessary action.	IR	PI		
9.	Measure flywheel-to-block runout and crankshaft endplay; determine necessary action.	IR	PI		
	B. Transmission/Transaxle Diagnosis and Repair				
3	Inspect transmission/transaxle case, extension housing, case mating surfaces,		P		
5.	bores, bushings, and vents; perform necessary action.		<b>1</b>		
4	Diagnose noise, hard shifting, jumping out of gear, and fluid leakage concerns;	I	PI		
ч.	determine necessary action.				
5.		IR	PI		
5.	and levers.				
6	Inspect and reinstall powertrain mounts.	P	PI		
	Remove and replace transaxle final drive.	I	PI		
_	Diagnose transaxle final drive assembly noise and vibration concerns;		P		
15	determine necessary action.				
15	Inspect lubrication devices (oil pump or slingers); perform necessary action.		P		
15	. Inspect fubrication devices (on pump of singers), perform necessary action.				
<b>C.</b> 5.	Drive Shaft and Half Shaft, Universal and Constant-Velocity (CV) Joint and Repair Inspect, service, and replace shaft center support bearings.	Diagn IR			
<u>5.</u> 6.	Check shaft balance; measure shaft runout; measure and adjust driveline angles.	I			
0.	Check shart balance, measure shart runout, measure and aujust urivenne angles.				
D.	Drive Arle Diagnosis and Panair	1			
υ.	D.         Drive Axle Diagnosis and Repair           1.         Ring and Pinion Gears and Differential Case Assembly (NONE)				
	2. Limited Slip Differential	5)			
1	Diagnose noise, slippage, and chatter concerns; determine necessary action.	I	PI		
$\frac{1}{2}$		-	P		
	Inspect and reinstall clutch (cone or plate) components.		r P		
4.	Measure rotating torque; determine necessary action. 3. Drive Axle Shaft		P		
-		P	PI		
2.	Inspect and replace drive axle shaft wheel studs.	r			
Ē.	Four-wheel Drive/All-wheel Drive Component Diagnosis and Repair				
1.	Diagnose noise, vibration, and unusual steering concerns; determine necessary action.		P		
2.	Inspect, adjust, and repair shifting controls (mechanical, electrical, and		P		
	vacuum), bushings, mounts, levers, and brackets.				
3.	Remove and reinstall transfer case.		P		
4.	Disassemble, service, and reassemble transfer case and components.		P		
	Inspect front-wheel bearings and locking hubs; perform necessary action.	<u> </u>	P		
			R		
6.	Check drive assembly seals and vents; check lube level.	P	1 1		
6. 7.	Check drive assembly seals and vents; check lube level. Diagnose test, adjust, and replace electrical/electronic components of four- wheel drive systems.	<u> </u>	P		



#### AREA 8: HEATING AND AIR CONDITIONING—Priority One (15)

	Ta	sk	12	AD
	<b>A.</b>	A/C System Diagnosis and Repair		
*	2.	Identify refrigerant type; conduct a performance test of the A/C system;	Ι	<b>P</b> .
		determine necessary action.		
*	3.	Leak test A/C system; determine necessary action.	<u>     I                               </u>	P
	<u>B.</u>	Refrigeration System Component Diagnosis and Repair		
		1. Compressor and Clutch (NONE)		
	- <u>-</u> -	4.         Evaporator, Condenser, and Related Components           Inspect A/C condenser for airflow restrictions; perform necessary action.	Р	-
*	э.	Inspect A/C condenser for annow restrictions, perform necessary action.	I	R
	C.	Heating, Ventilation, and Engine Cooling Systems Diagnosis and Repair		
		Perform cooling system, cap, and recovery system tests (pressure, combustion leakage, and	Р	
		temperature); determine necessary action.		
	2		P	
*	3.	Inspect engine cooling and heater system hoses and belts; perform necessary action.	r	
	4	Inspect, test, and replace thermostat and housing.	Р	
	ч.	inspeet, test, and replace thermostat and nousing.	-	
	5.	Determine coolant condition; drain and recover coolant.	Р	
	5.			
	6.	Flush system; refill system with recommended coolant; bleed system.	Р	
	7.	Inspect and test fan, fan clutch (electrical and mechanical), fan shroud, and air dams; perform	Р	PR
		noncomposition		
		necessary action.		
	8.	Inspect and test electrical fan control system and circuits.	I	P
	0.		-	
	D.	Operating Systems and Related Controls Diagnosis and Repair (NONE)		
	E.	Refrigerant Recovery, Recycling, and Handling		
*		Verify correct operation and maintenance of refrigerant handling equipment.	Р	
*				
	2.	Identify (by label application or use of a refrigerant identifier) and recover A/C system	Р	
		refrigerant.		
*		-		
	3.	Recycle refrigerant.	Р	
*	4.	Label and store refrigerant.	P	

ſ	Task	12	AD
ſ	5. Test recycled refrigerant for non-condensable gases.	Р	
*	· · ·		
ſ	6. Evacuate and charge A/C system.	Р	
ŀ			1



AREA 8: HEATING AND AIR CONDITIONING—Priority Two (12)

	Ta	sk	12	AD
	Α.	A/C System Diagnosis and Repair		
	1.	Diagnose unusual operating noises in the A/C system; determine necessary action.	Ι	PR
	4.	Inspect the condition of discharged oil; determine necessary action.	Ι	Р
		Select oil type; measure, and add oil to the A/C system as needed.	Р	PR
	<b>B</b> .	Refrigeration System Component Diagnosis and Repair		
		1. Compressor and Clutch		
	1.	Diagnose A/C system conditions that cause the protection devices (pressure, thermal, and PCM) to interrupt system operation; determine necessary action.	Ι	Р
*	2	Inspect A/C compressor drive belts; replace and adjust as needed.	Р	R
^		Inspect, test, and replace A/C compressor clutch components or assembly.	P	
				R
	4.	Remove and replace A/C compressor and mountings.	P	R
		2. Evaporator, Condenser, and Related Components		_
	2.	Remove and inspect A/C system mufflers, hoses, lines, fittings, o-rings, seals, and service valves; perform necessary action.	Р	R
	4	Remove and install receiver/drier or accumulator/drier.	Р	R
		Remove and install expansion valve or orifice (expansion) tube.	P	R
	Э.	Remove and install expansion value of office (expansion) tube.	1	
	C.	Heating, Ventilation, and Engine Cooling Systems Diagnosis and Repair		
	<u> </u>	Diagnose temperature control problems in the heater/ventilation system; determine necessary	IR	PR
		action.		
	9.	Inspect and test heater control valve(s); perform necessary action.	Р	R
	D.	Operating Systems and Related Controls Diagnosis and Repair		
	1.	Diagnose failures in the electrical controls of heating, ventilation, and A/C (HVAC) systems;	IR	PR
		determine necessary action.		
	2.	Inspect and test A/C-heater blower, motors, resistors, switches, relays, wiring, and protection	IR	PR
		devices; perform necessary action.		
	4.	Diagnose failures in the vacuum and mechanical components and controls of the heating,	IR	PR
		ventilation, and A/C (HVAC) system; determine necessary action.		
				1
	E.	Refrigerant Recovery, Recycling, and Handling (NONE)	L	




# AREA 8: HEATING AND AIR CONDITIONING—Priority Three (4)

Ta	isk	12	AD
А.	A/C System Diagnosis and Repair (NONE)		
<b>B</b> .			
	1. Compressor and Clutch (NONE)		
	2. Evaporator, Condenser, and Related Components		
	Determine need for A/C system filter; perform necessary action.	P	PR
6.	Inspect evaporator housing water drain; perform necessary action.	P	R
C.	Heating, Ventilation, and Engine Cooling Systems Diagnosis and Repair	<u> </u> • (NON]	<u> </u> E)
		Ť	
D.	Operating Systems and Related Controls Diagnosis and Repair		
3.		I	P
5.	Inspect and test A/C-heater control panel assembly; determine necessary action.	IR	PR
6.	Inspect and test A/C-heater control cables and linkages; perform necessary action.	IR	PR
7.	Inspect and test A/C-heater ducts, doors, hoses, and outlets; perform necessary action.	IR	PR
8.	Check operation of automatic and semi-automatic heating, ventilation, and air-conditioning	I	IR
	(HVAC) control systems; determine necessary action.		
			<u> </u>
E.	Refrigerant Recovery, Recycling, and Handling (NONE)	1	т –



# Unit 1: Quality Assurance



	12	AD
EDU:	Р	R

#### Competency 1.1: Demonstrate knowledge of quality assurance

#### **Competency Builders:**

Explain changes brought about by quality leaders in the world

Define quality terms

Define quality functions

Identify features of quality planning

Explain the relationship among organizational structures, policies, procedures, and quality assurance

Explain importance of internal and external customers

Describe successful efforts by industry to improve quality and/or reduce costs Differentiate between prevention and detection

**BIL:** Essential

AC:

	12	AD
EDU:	Ι	Р

#### Competency 1.2: Demonstrate knowledge of quality cost implications

#### **Competency Builders:**

Identify cost/quality objectives

Classify costs (i.e., direct and indirect, fixed and variable, methods and standards) Classify quality costs (i.e., prevention, evaluation, pre-delivery failure, postdelivery failure)


Define product liability

Interpret quality cost reports

Explain consumerism and liability prevention



Define safety terms of product Identify safety responsibility within organization Differentiate between expressed and implied warranty Differentiate between warranty and product liability Explain how warranties are part of contract law List questions that would need answering in liability claim



	12	AD
EDU:	Ι	Р

#### Competency 1.3: Demonstrate knowledge of providing a quality service

#### **Competency Builders:**

Associate customer satisfaction with service characteristics (e.g., usefulness, price, operation, life, reliability, safety, cost of operation)

Identify steps in service design (e.g., brainstorming, thumbnail sketches, rendering) Define reliability factors (e.g., cost, human, producibility)

Identify ways reliability is achieved (e.g., maintainability, good design, design simplification, design redundancy)

Explain the relationship of maintainability to reliability

Define failure

Explain the tole of testing and reliability

Define value performance


Define quality objectives

Identify cost components as they relate to quality objectives

Classify quality costs (i.e., preventive, evaluation, pre-delivery failures, post-

delivery failures)





	12	AD
EDU:	P	R

Competency 1.4: Explain importance of interdepartmental relationships to quality assurance

#### **Competency Builders:**

Explain need for everyone's commitment in assuring quality

Explain phrase "Everyone is a customer/supplier"

Define quality improvement team models

Explain the importance of top management's support of quality

Explain project selection

Explain project implementation

Explain project evaluation

Explain continuing improvement



# Unit 2: Technical Recording and Reporting

BIL: Essential AC:

	12	AD
EDU:	Р	R

Competency 2.1: Demonstrate proficiency in technical recording

## **Competency Builders:**

Describe various documentation procedures Interpret specifications or drawings Observe process Ask open-ended questions Record process (e.g., flowchart, step-by-step) Identify parameters Record accurate, truthful data Maintain test logs Compile cumulative references notebook/record Measure appropriate parameters Draft preventative maintenance

Apply calibration procedures

BIL:	Essential
AC:	

	12	AD
EDU:	Р	R

#### Competency 2.2: Demonstrate proficiency in technical reporting

## **Competency Builders:**

Use data books and cross reference/technical manuals Compose technical memoranda Identify type of report or format needed Use appropriate format



Compile relevant data Design charts and graphs Analyze data Draw conclusions Explain analytical methods used Outline reports Present reports



# Unit 3: Workplace Safety



	12	AD
EDU:	Р	R

Essential

Competency 3.1: Apply general safety precautions

#### **Competency Builders:**

Identify local, state, and federal regulatory agencies Identify personal protective wear and equipment Identify visual controls (e.g., monitors, read outs) Identify auditory controls Identify common sense housekeeping

Interpret hazardous materials notices on containers

Use personal protective wear and equipment

Apply personal safety rules and procedures

Apply workplace organization (e.g., housekeeping)

Apply applicable electrical, mechanical, steam, hydraulic, and pneumatic safety rules and procedures

Apply fire safety rules and procedures

Apply hazardous wastes rules and procedures

Apply first aid

Locate MSDS


Perform lockout and tagout

Recycle scrap metal, chips, shavings, coolants, colvents, trash, and waste materials

Apply common sense housekeeping

Use preventative maintenance checklists






	12	AD
EDU:	Р	PR

#### Competency 3.2: Demonstrate knowledge of safety and workplace hazards

#### **Competency Builders:**

Describe corrective procedures for unsafe conditions Identify types of potential level of workplace hazards (e.g., physical hazards, fire, chemicals, noise, ionizing radiation, ultraviolet, temperature extremes, ergonomics, biological hazards) Identify safety materials/equipment (e.g., absorbant socks, oil dry) Interpret Material Safety Data Sheets (MSDS) Explain purpose(s) of NEC and NFPA Identify purpose of emergency evacuation routes, master switch and lockout locations, and safety color coding systems Identify roles of industrial hygienists, safety professionals, occupational physicians, and occupational nurses Describe methods of evaluating potential hazards (e.g., visual analysis) Describe methods of correcting potential hazards Describe various types of toxicity (e.g., chronic, immediate) Identify need for reporting accidents Explain precautions required when using toxic of flammable materials Define confined space and related requirements





	12	AD
EDU:	Р	PR

Competency 3.3: Explain purpose of industrial pollution control systems

#### **Competency Builders:**

Describe types of air, water, solid waste, and noise pollution Explain purpose of air pollution control systems Explain purpose of water pollution control systems Explain purpose of solid waste pollution control systems Explain purpose of noise pollution control systems Explain basic philo sophy of "right to know" legislation Explain purpose(s) of EPA Identify "costs" of industrial pollution control (i.e., dollars vs. impact to environment)

Describe ethics of environmental issues



	12	AD
EDU:	Р	PR

Competency 3.4: Demonstrate knowledge of ergonomics

#### **Competency Builders:**

Define ergonomics

Define risk factor Define maximum permissible limit (MPL) and action limit (AL) for lifting Define cumulative trauma disorder Minimize extreme joint movement Minimize use of excessive muscle force Minimize repetitive tasks



Minimize mechanical stresses (e.g., sharp edges, heat, cold, hard surfaces, weights, vibration)

Minimize awkward body positions

Explain use of rest pauses

Explain need for mats and footrest for standing jobs

Explain need for appropriate working heights of chairs, stools, workbenches, and equipment

Explain need for adequate lighting



# Unit 4: Management and Supervision

BIL: Essential AC:

	12	AD
EDU:	Р	R

# Competency 4.1: Maintain a safe working environment

# **Competency Builders**:

Demonstrate knowledge of the relationship between health, safety, and productivity

Identify health and safety standards established by government agencies Access needed safety information using company and manufacturers' references

(e.g., procedural manuals, documentation, standards, and flowcharts) Establish preventive measure for dealing with the main causes of accidents in the

facility

Establish preventive measures for dealing with the main causes of health problems in the facility

Establish preventive measures for dealing with violations of personnel security Ensure compliance with government and/or company rules and regulations related

to health and safety

Ensure maintenance of a clean work area

Perform safety audits and inspections

Solve safety problems using problem solving, decision-making, and critical

thinking strategies

BIL: Essential AC:

	12	AD
EDU:	Р	R

**Competency 4.2:** 

# Guide progress in assigned areas of responsibility/accountability

#### **Competency Builders:**

Set short- and long-term goals for assigned areas of responsibility/accountability Demonstrate commitment to established goals and vision Obtain support for goals Provide support for goals Monitor goal achievement Adjust goals Communicate goal achievement Provide recognition for goal achievement

**BIL:** Recommended **AC:** 

	12	AD
EDU:	Ι	I

#### **Competency 4.3:** Perform staffing functions

#### **Competency Builders:**

Develop plans and procedures for identifying staffing needs

Identify staffing needs in accordance with plans

Develop job descriptions

Develop hiring and promotion policies and procedures in compliance with state and federal employment laws

Establish guidelines for selecting the most qualified person for a specific position Comply with state and federal employment laws and company hiring policies and

procedures

Identify resources for locating candidates

Recruit candidates

Identify most appropriate candidates for position in accordance with established guidelines

Interview candidates for position

Follow up on information provided on job applications

Recommend or select applicants for employment

Orient new employees

Maintain personnel records


Comply with labor contracts


Comply with Workers' Compensation guidelines



Provide for unconventional work schedules (e.g., flextime, shared positions) Identify additional or alternative employee benefits that the company might

consider furnishing to employees





Competency 4.4: Manage employee performance

### **Competency Builders:**

Apply management/leadership style appropriate for situation

Clarify roles and relationships using organizational charts

Communicate performance expectations

Clarify company policies and procedures

Create/maintain an environment supportive of productivity

Establish office procedures

Maintain office procedure manual(s)

Monitor employee performance

Maintain performance records

Document personnel issues

Evaluate employee performance

Provide employees with constructive criticism and feedback

Counsel employees

Discipline employees

Make recommendations based on employee performance (e.g., transfer, promotion, or dismissal)

Manage the change process (e.g., for right-sizing, technological updating, globalization, retraining)

Adhere to company policies and federal laws governing discrimination and harassment

- Demonstrate sensitivity to diversity, including differences in gender, culture, race, language, physical and mental challenges, and family structures
- Apply knowledge of motivational theory in selecting management techniques



**BIL:** Recommended **AC:** 

	12	AD
EDU:	Ι	IR

#### **Competency 4.5:** Perform strategic planning functions

#### **Competency Builders:**

Guide the planning process using problem-solving, decision-making, and critical thinking strategies

Analyze needs

Secure needed information through research

Develop goals and objectives

Prioritize goals and objectives

Develop action plan for achieving objectives

Project trends and outcomes using forecasting techniques

Prepare budgets

Analyze budgets

Develop strategic plan

<b>BIL:</b>	Recommended
AC:	

	12	AD
EDU:	Ι	R

## **Competency 4.6:** Perform routine management functions

#### **Competency Builders:**

Guide the management process using problem-solving, decision-making, and critical thinking strategies

Develop management objectives

Conduct task analyses

Create/maintain organizational and/or departmental charts

Maintain procedure manuals



Solve space utilization problems using math and problem-solving skills Follow the chain of command Maintain confidentiality Clarify company policies and procedures Communicate cost-containment factors Monitor budget activity Prepare managerial reports Analyze daily production reports Represent the organization to the public

BIL:	Recommended
AC:	

	12	AD
EDU:	Ι	R

**Competency 4.7:** Manage work flow and operations

#### **Competency Builders:**

Plan physical layout and work flow

Illustrate business or job procedures/operations using flowcharts

Prioritize work

Establish/maintain operating policies and procedures

Establish/maintain production standards

Establish/maintain linkages with other departments

Systematize work

Delegate work

Communicate operating policies and procedures, priorities, linkages, and standards to others

Provide work assignments and instructions


Monitor progress

Solve work flow/operations problems using problem-solving, decision-making, and critical thinking strategies

Prepare productivity reports

Communicate contents of productivity reports to others in accordance with company procedures





	12	AD
EDU:	Ι	Р

**Competency 4.8:** Maintain company security

#### **Competency Builders:**

Access needed information using company references Plan security procedures in accordance with business ethics Communicate security procedures internally Ensure compliance with security procedures Document security procedures Perform security checks Correct security problems

BIL: Essential AC:

	12	AD
EDU:	Ι	Р

Competency 4.9: Support the company's social and community involvement

#### **Competency Builders:**

Propose environmental, educational, and community needs and social issues on which to focus company support Select issues on which to focus company support


Participate in social and/or community activities

Encourage staff involvement

Recognize the importance of the company's social and community relationships and their effects on the company



# Unit 5: Customer Relations



	12	AD
EDU:	Р	PR

Competency 5.1: Demonstrate positive relations with custome
---

#### **Competency Builders:**

Identify importance of customers to business

Differentiate between customer needs and wants

Comply with dispatch orders

Calculate job cost estimate

Provide prompt and courteous service

Resolve customer inquires and complaints and/or refer customer to appropriate

person

Identify methods of addressing dissatisfied customers

Make thoughtful commitments

Demonstrate proper phone etiquette

Write service report

BIL:	Recommended
AC:	

	12	AD
EDU:	IR	PR

Competency 5.2: Perform scheduling functions to meet customer's needs

#### **Competency Builders:**

Create calendar/schedule Maintain appointment calendars

Process requests for appointments


Verify appointments




Notify customer of changes in schedule Manage scheduling conflicts



# Unit 6: Troubleshooting and Repair





Competency 6.1: Demonstrate troubleshooting skills

#### **Competency Builders:**

Explain role of preventive maintenance

Differentiate normal and abnormal operations

Explain troubleshooting procedures

Explain logical actions taken to troubleshoot

Use proper troubleshooting aids

Demonstrate knowledge of safety rule for troubleshooting and repair procedures Maintain troubleshooting and repair records

Use manufacturer's manuals, schematics, and troubleshooting charts

Isolate faults, shorts, and open circuits

AC:

	12	AD
EDU:	Р	R


Competency 6.2: Apply troubleshooting techniques to DC circuits

# **Competency Builders:**


Identify noise problems Isolate faults in series, parallel and series parallel Isolate faults in bridge circuits Isolate faults in DC power supplies Perform polarity check Isolate faults to DC drive system



Isolate faults in voltage divider circuits Repair faults



	12	AD
EDU:	Ι	Р



#### **Competency Builders:**

Isolate faults in diode circuits Isolate faults in thyristor circuitry (e.g., SCR, TRIAC, DIAC) Isolate faults in transistor circuits Isolate faults in operational amplifier circuits Isolate faults in single-stage amplifiers Repair faults

BIL: Recommended

AC:

	12	AD
EDU:		Ι


#### Competency 6.4: Apply troubleshooting techniques to analog circuits

#### **Competency Builders:**


Isolate faults in single and multistage amplifiers Isolate faults in audio power amplifiers Isolate faults in regulated and switching power supply circuits Isolate faults in active filter circuits Isolate faults in oscillator circuits Isolate faults in operational amplifier circuits



Isolate faults in power supplies (loaded and unloaded) and filters Repair faults



	12	AD
EDU:		I



#### **Competency Builders:**

Identify noise problems Isolate faults in multiplexer and demultiplexer circuits Isolate faults in logic gates Isolate faults in arithmetic-log circuits Isolate faults in encoders and decoders Isolate faults in digital-display devices Repair faults





	12	AD
EDU:	Ι	Р

Competency 6.6: Apply troubleshooting techniques to a microcomputer system

#### **Competency Builders:**

Isolate faults to systems boards Isolate faults to memory circuits Isolate faults to data storage devices Isolate faults in power supplies Troubleshoot I/O ports Isolate faults in I/O interface circuitry Use diagnostic software




110

Repair faults



### **Unit 7: Electrical Theory**



	12	AD
EDU:	Р	R

Competency 7.1: Explain basic electrical theory

#### **Competency Builders:**

Describe atomic structure and its relationship to electricity

Describe the relationship between electrical and magnetic properties

Describe the electrical and magnetic properties of a magnet

Describe the photoelectric effect

Describe the thermocouple effect

Describe the electrical effect of friction

Identify sources of electricity

Identify potential sources of electricity

Describe differences between AC/DC

Describe effects varying degrees of electricity have on the human body

BIL:	Essential
AC:	


	12	AD
EDU:	Р	R

Competency 7.2: Explain operation of electrical distribution systems

#### **Competency Builders:**

Explain generation of electricity Explain transmission of electricity





	12	AD
EDU:	Р	R

#### Competency 7.3: Demonstrate proficiency in direct current (DC) circuits

#### **Competency Builders:**

Describe voltage, current, resistance, power, and energy

Solve algebraic problems to include exponential (prerequisite to DC)

Measure properties of a circuit using volt-ohm meter (VOM) and digital volt-ohm meter (DVM) meters and oscilloscopes

Apply Ohm's Law

Construct parallel circuits

Construct series circuits

Construct series parallel and bridge circuits

Define voltage divider circuits (loaded and unloaded)

Construct DC circuits that demonstrate the maximum power transfer theory

Solve problems in electrical units utilizing metric units

Describe the principles and operation of electrochemical supplies

Apply Kirchoff's law

Interpret color codes and symbols to identify electrical components and values Measure properties of a circuit using analog and digital meters and oscilloscopes

Measure conductance and resistance of conductors and insulators

Describe magnetic properties of circuits and devices

Describe the physical and electrical characteristics of capacitors and inductors

Describe RC and RL time constants


Set up power supplies for DC circuits

Operate power supplies for DC circuits

Analyze frequency spectrums

Apply Thevenin's and Norton's theorems





	12	AD
EDU:	IR	Р

#### Competency 7.4: Demonstrate proficiency in alternating current (AC) circuits

#### **Competency Builders:**

Analyze AC signals utilizing VOM, DVM, oscilloscope, frequency counter, and function generator

Measure power in AC circuits

Analyze properties of an AC signal

Identify AC sources

Describe the principles and operation of the characteristics of capacitive circuits

Describe the principles and operation of the characteristics of inductive circuits Demonstrate the operation of inductive circuits

Describe the principles and operation of the principles of transformers

Demonstrate the operation of AC circuits utilizing transformers

Describe basic motor theory and operation

Describe basic generator theory and operation

Operate power supplies for AC circuits

Describe the principles and operation of various power conditioning (e.g., isolation transformers, surge suppressors, uninterruptable power systems)

Describe the principles and operation of various safety grounding systems (e.g.,

lightning arresters, ground fault interrupters, etc.)





	12	AD
EDU:	IR	P


Competency 7.5: Demonstrate proficient use of electrical measurement equipment

#### **Competency Builders:**

Describe function and operation of analog volt-ohm-meter (AVM) Describe function and operation of digital volt-ohm-meter (DVM) Describe function and operation of amp probe Describe function and operation of oscilloscopes Describe function and operation of operation of infrared heat sensor Apply measurement equipment to DC circuits Apply measurement equipment to AC circuits Apply measurement equipment to solid-state devices Apply measurement equipment to digital circuits Apply measurement equipment to analog circuits Apply measurement equipment to microprocessors



### Unit 8: Equipment Maintenance



	12	AD
EDU:	Р	PR

Competency 8.1: Perform housekeeping

#### **Competency Builders:**

Dispose of scrap metal chips, shavings, trash and waste Clean work area

Store hand tools, cutters, fixtures, jigs, and attachments

Store grinding wheels

Follow tool crib procedures

Inspect machine guards

Replace or adjust machine guards

Report problems to supervisor

BIL:	Essential
AC:	

	12	AD
EDU:	Ι	PR


Competency 8.2: Perform recordkeeping

#### **Competency Builders:**

Explain reasons for keeping maintenance records Explain reasons for keeping cost records Complete work order Complete internal requisition Complete external requisition Complete time cards Complete job status reports Complete equipment failure reports



Record preventive maintenance activities Record repair activities Read job orders and process sheets Locate tooling and set up information File reports Prepare new/replacement equipment recommendations



	12	AD
EDU:	Ι	PR

Competency 8.3: Inspect machine systems

#### **Competency Builders:**

Explain planned maintenance Explain preventive maintenance measures (e.g., lubrication) Log machine histories Explain machine system(s) calibration Inspect linkages and lever mechanisms Inspect drive couplings Inspect drive couplings Inspect clutches Inspect roller ball bearings Inspect safety systems Analyze system failure Make minor adjustments/repairs Coordinate maintenance services




# BIL: Recommended AC:

	12	AD
EDU:	Ι	I

Competency 8.4: Perform machine maintenance

#### **Competency Builders:**

Use operator's and manufacturer's manuals Operate individual machines Diagnose malfunctions Apply lockout/tagout procedure Disassemble defective section Clean equipment Lubricate equipment Check equipment for wear and alignment Repair or replace defective parts Test machine for performance Make minor adjustments to equipment Prepare planned maintenance schedules Explain breakdown maintenance



	12	AD
EDU:	Р	R

Competency 8.5: Operate hand tools

#### **Competency Builders:**

Demonstrate use and care of measuring devices (e.g., rules, tapes, calipers, micrometers, multimeter, thermometer, and coordinate measuring system)

Demonstrate use and care of common hand tools



#### Demonstrate proper metal working bench skills (including use of vices, hacksaws, files, tapes, dies, and reamers) Demonstrate use and care of pipe clearing equipment

**BIL:** Essential **AC:** 

	12	AD
EDU:	Р	R

**Competency 8.6:** Operate portable power tools

#### **Competency Builders:**

Demonstrate use and care of light-duty and heavy-duty drills Demonstrate use and care of electric hammers Demonstrate use and care of pneumatic drills and hammers Demonstrate use and care of power screwdrivers and impact wrenches Demonstrate use and care of belt, pad, and disc sanders Demonstrate use and care of grinders Demonstrate use and care of lifts

BIL:	Essential
AC:	

	12	AD
EDU:	Р	R

Competency 8.7: Operate stationary equipment

#### **Competency Builders:**

Demonstrate use and care of mechanical presses Demonstrate use and care of hydraulic presses Demonstrate use and care of drill presses

Demonstrate use and care of bench grinders

Demonstrate use and care of power saws (e.g., hack, cut-off, chop, band, jig, and table)



### **Unit 9: Mechanical Power Distribution**

BIL: Essential AC:

	12	AD
EDU:	IR	PR

Competency 9.1: Demonstrate knowledge of basic mechanics

#### **Competency Builders:**

Explain working forces of torque, tension, and compression

Explain the laws of motion

Explain how to calculate work in several ways

Explain the function of simple machines including levers, inclined plane, wedge

wheel and axle, pulley and screw, gears

Explain the types of power and the method of producing power

Explain the laws of friction

Explain mechanical efficiency

Apply basic knowledge of physics

Calculate speed changes

BIL:	Essential
AC:	

	12	AD
EDU:	Ι	Р

#### Competency 9.2: Describe mechanical power distribution systems

#### **Competency Builders:**

Describe the principles and operation of compound and reverted gear trains Describe the principles and operation of internal and planetary gear trains Describe the principles and operation of helical and bevel gear trains Describe the principles and operation of rack and pinion, worm and wheel, and

block and screw mechanisms



Describe the principles and operation of counter rotating mechanisms and differentials

Describe the principles and operation of spring mechanisms, pulley blocks, and differentials


Describe the principles and operation of chain, belt and disc drives and universal joints

Describe the principles and operation of clutch and coupling mechanisms Describe the principles and operation of braking mechanisms

Describe the necessity for proper alignment and fit of mechanical devices

Describe the necessity for proper balance of system components

Describe proper component matching (e.g., sheave sets, gear sets)




	12	AD
EDU:	Р	PR

Competency 9.3: Use bearings

#### **Competency Builders:**

Define bearing Define bearing theory Define bearing purpose Identify types of bearings and their applications Identify installation method Install bearings Maintain bearings (e.g., lubrication) Remove bearings Identify bearing failure modes





	12	AD
EDU:	Р	PR

Competency 9.4: Use seals

### **Competency Builders:**

Define seal Define seal theory Define seal purpose Identify types of seals and their applications Identify installation method Install seals Maintain seals Remove seals Identify failure modes

BIL: Essential AC:

	12	AD
EDU:	IR	PR


Competency 9.5: Use gears

#### **Competency Builders:**

Define gears Define gear theory Define gear purpose Explain impact of electronic systems on gears Identify types of gears, their materials, and their applications Identify installation method Install gears Maintain gears (e.g., lubrication)



Remove gears Identify failure modes



	12	AD
EDU:	Р	PR

Competency 9.6: Use belts and pulleys

#### **Competency Builders:**

Define belts and pulleys Define belt and pulley theory Define belt and pulley purpose Explain impact of electronic systems on belts and pulleys Identify types of belts and pulleys and their applications Identify installation method Install belts and pulleys Maintain belts and pulleys Remove belts and pulleys Identify failure modes



	12	AD
EDU:	Р	PR


Competency 9.7: Use sprockets and chains

#### **Competency Builders:**

Define sprockets and chains Define sprocket and chain theory Define sprocket and chain purpose Explain impact of electronic systems on sprockets and chains 123



Identify types of sprockets and chains and their applications Identify installation method Install sprockets and chains Maintain sprockets and chains Remove sprockets and chains Identify failure modes




	12	AD
EDU:	IR	PR

Competency 9.8: Use cams and levers

#### **Competency Builders:**

Define cams and levers Define cam and lever theory Define cam and lever purpose Explain impact of electronic systems on cams and levers Identify types of cams and levers and their applications Identify installation method Install cams and levers Maintain cams and levers Remove cams and levers Identify failure modes






	12	AD
EDU:	IR	PR

Competency 9.9: Use clutches and brakes

#### **Competency Builders:**

Define clutches and brakes Define clutch and brake theory Define clutch and brake purpose Explain impact of electronic systems on clutches and brakes Identify types of clutches and brakes and their applications Identify installation Install clutches and brakes Maintain clutches and brakes Remove clutches and brakes Identify failure modes



	12	AD
EDU:	Ι	Р

Competency 9.10: Install drive components

#### **Competency Builders:**

Identify types of couplings and their applications Define drive component theory Install solid coupling Install jaw coupling Install molded rubber coupling Install chain type coupling Align bearings, bushing, and cams Install belts and adjust tensions



Explain the purposes and advantages of a chain drive system in relation to a belt drive system Explain the function of speed reducers Explain the function of gears and variable speed reducers Install shafts Align shafts Mount drive sprockets and chains Mount gears on open gear drives Align gears on open gear drives Install a mechanical clutch system Install adjustable speed drives Troubleshoot adjustable speed drives Explain the operation of fluid couplings/torque converters Install torque converters Perform preventive maintenance on drive components Inspect completed work Describe types of fit and tolerances Explain importance of balance

Explain impact of electrical systems on drive components

BIL: Essential AC:

	12	AD
EDU:	IR	PR

#### Competency 9.11: Demonstrate knowledge of levers, linkages, and mechanisms

#### **Competency Builders:**

Describe class one, two, three, and compound levers

Describe the principles and operation of rocker arm and bell crank linkages and combined mechanisms


Describe the principles and operation of drag link and intermediate mechanisms Describe the principles and operation of cam mechanisms

Describe the principles and operation of pivoted follower mechanisms

Describe the principles and operation of toggle, quick return, and ratchet mechanisms

Explain impact of electronic systems on mechanisms, linkages, and levers





	12	AD
EDU:	IR	PR

Competency 9.12: Apply knowledge of lubricants

#### **Competency Builders:**

Explain the function of lubricants Explain lubricant and friction theory Explain purpose of lubricants Explain the properties of oil lubricants and factors determining the selection of lubricants Identify types and functions of lubricant additives Describe types of circulating oils and their purposes Describe lubricating systems, including the charts and methods used Demonstrate proper grease application Demonstrate proper grease application Demonstrate proper lubricant storage and handling Lubricate a piece of industrial equipment Identify specified lubricant or equivalent Identify specified lubricant or equivalent Explain lubricant recovery and disposal Explain use of oil analysis reports



### **Unit 10: Hydraulics and Pneumatics**

Essential

BIL: AC:

	12	AD
EDU:	Ι	Р

Competency 10.1: Describe fluid concepts

#### **Competency Builders:**

Explain Pascal's Law Explain Boyle's Law Explain Bernoulli's Law Describe flow velocity Explain how heat and pressure relate to power and transmission Describe physical properties of a fluid Describe fluids in motion in closed conductors Describe continuity of mass flow Identify types of fluids Identify properties of fluids Identify English and metric units of measurement for pressure, density, and viscosity

Explain impact of electronic systems on pneumatic systems

BIL: Essential AC:

	12	AD
EDU:	Ι	Р

Competency 10.2: Describe energy conservation

### **Competency Builders:**

Differentiate work and power Differentiate potential and kinetic energy Explain energy conservation concept



Explain hydraulic horsepower Explain work of compression in compressible fluids

BIL:	Essential
AC:	

	12	AD
EDU:	Ι	Р

Competency 10.3: Describe system losses

#### **Competency Builders:**

Differentiate turbulent and laminar flow

Explain friction factor

Explain pressure losses

Identify potential system losses (e.g., leaks, wear, component sizing, heat, dirt)

BIL: Essential AC:


	12	AD
EDU:	Ι	Р

Competency 10.4: Describe hydrostatics

#### **Competency Builders:**

Explain pressure, density, and viscosity Explain buoyancy Explain equilibrium





	12	AD
EDU:	Ι	Р

Competency 10.5: Calculate energy

#### **Competency Builders:**

Apply Pascal's Law Apply Bernoulli's Principle Apply Boyle's Law Calculate work and power Calculate potential and kinetic energy Calculate hydraulic horsepower Calculate hydraulic horsepower Calculate flow velocity and pressure Calculate pressure losses Calculate pressure losses Calculate pump capacity Calculate systems requirements **BIL:** Essential **AC:** 


	12	AD
EDU:	IR	PR

Competency 10.6: Describe component system

#### **Competency Builders:**

Use common symbols Create circuit diagrams (i.e., schematics) Diagram closed-loop hydraulic system Diagram an air supply system





	12	AD
EDU:	IR	PR

Competency 10.7: Describe component operation

#### **Competency Builders:**

Identify functions and operation of hydraulic components Identify functions and operation of phenmatic components Explain application(s) of different materials

BIL:	Essential
AC:	


	12	AD
EDU:	IR	PR

**Competency 10.8:** Interpret hydraulic and pneumatic schematics

#### **Competency Builders:**

Identify common symbols Sketch circuit diagrams (i.e., schematics) Interpret circuit analysis Sketch circuit analysis Diagram an air supply system






	12	AD
EDU:	IR	PR

Competency 10.9: Troubleshoot hydraulic and pneumatic circuits

### **Competency Builders:**

Analyze hydraulic circuits Troubleshoot hydraulic circuits Analyze pneumatic circuits Troubleshoot pneumatic circuits




	12	AD
EDU:	IR	PR

Competency 10.10: Perform pump maintenance and repair

#### **Competency Builders:**

Identify types and operating features of pumps Identify pump capacity and system requirements Explain packing and seal requirements Explain operating principles of pumps (e.g., centrifugal, propeller and turbine rotary, metering) Perform pump maintenance Disassemble a pump Reassemble a pump





	12	AD
EDU:	IR	PR

Competency 10.11: Maintain piping and accessories for high and low pressure fluid power systems

#### **Competency Builders:**

Identify components of a piping system

Explain maintenance features of both metallic and non-metallic piping systems Explain types of valves and their operation and maintenance

Explain use of maintenance of strainers, filters, and traps in piping systems Join common fittings

Join metallic pipe

<b>BIL:</b>	Essential
AC:	

	12	AD
EDU:	IR	PR


#### Competency 10.12: Troubleshoot hydraulic systems

#### **Competency Builders:**

Interpret hydraulic schematic

Identify causes of failure modes Connect electrically controlled valves Explain hydraulic system troubleshooting techniques Repair or replace hydraulic valves Repair or replace hydraulic cylinders Repair or replace hydraulic pumps and motors Install hydraulic components





	12	AD
EDU:	IR	PR

Competency 10.13: Maintain vacuum systems

#### **Competency Builders:**

Describe characteristics associated with vacuum systems and sub-atmospheric pressure

Describe the principles and operation of vacuum gauges

Demonstrate use of vacuum gauges

Repair or replace vacuum gauges

Describe the principles and operation of vacuum pumps

Demonstrate use of vacuum pumps

Repair or replace vacuum pumps

Describe the principles and operation of vacuum controls

Demonstrate use of vacuum controls


Repair or replace vacuum controls

Describe effect of electronic system on vacuum system

Explain impact of electronic systems on vacuum systems



### Unit 11: Basic Materials Science



	12	AD
EDU:	Ι	R

Competency 11.1: Demonstrate basic knowledge of metallurgy

#### **Competency Builders:**

Define metallurgy Define metal forming (e.g., general process) Identify forming industries (e.g., stamping, forging, fabricating) Describe metal forming principles Describe the metal forming process Identify frequently used metals List physical properties of common metals Describe measures of metal strength Identify examples of raw materials processed by hot rolling, cold rolling, forging, drawing, extrusion, spinning and powered metallurgy

Explain secondary finishing operations (e.g., paint, anodizing)

BIL:	Recommended

AC:

	12	AD
EDU:	Ι	R

Competency 11.2: Demonstrate basic knowledge of metal characteristics and formability

#### **Competency Builders:**

Explain metal grades and coatings Explain tensile test Explain surface test Describe process of heat treating



Define types of heat treating (e.g., case hardening, annealing, drawing, stress relieving, tempering, quenching, critical temperature)

BIL:	Recommended
AC:	

	12	AD
EDU:	Ι	R

Competency 11.3: Demonstrate basic knowledge of casting

#### **Competency Builders:**

Identify frequently used metals List physical properties of common metals Define permanent mold casting Define shell mold casting Define sand casting and pattern making Define die casting Identify basic casting materials Identify advantages/disadvantages of casting processes

BIL:	Recommended
AC:	

	12	AD
EDU:	Ι	R

Competency 11.4: Demonstrate knowledge of corrosion and protection

#### **Competency Builders:**

Identify causes of corrosion Identify types of corrosion List solutions to minimize problems Identify corrosion testing



BIL: Recommended AC:

	12	AD
EDU:	Ι	R

Competency 11.5: Demonstrate basic knowledge of rubber manufacturing

#### **Competency Builders:**

Compare properties of natural rubber with those of synthetic rubber Explain vulcanization, mastication, and cure systems

Explain how synthetic rubber is manufactured (e.g., neoprene, butyl, styrenebutadiene)





U.S. Department of Education Office of Educational Research and Improvement (OERI) National Library of Education (NLE) Educational Resources Information Center (ERIC)



# **NOTICE**

## **Reproduction Basis**

X

This document is covered by a signed "Reproduction Release (Blanket)" form (on file within the ERIC system), encompassing all or classes of documents from its source organization and, therefore, does not require a "Specific Document" Release form.

This document is Federally-funded, or carries its own permission to reproduce, or is otherwise in the public domain and, therefore, may be reproduced by ERIC without a signed Reproduction Release form (either "Specific Document" or "Blanket").

