





## قرار لجنة المناقشة

نوقشت هذه الرسالة (إيذاء الذات وعلاقته باضطراب الشخصية الحدية والاكتئاب لدى عينة من نزلاء مراكز الإصلاح والتأهيل) وأجيزت بتاريخ ٢٠٠٧/٧/٣٠

### أعضاء لجنة المناقشة

التوقيع

.....

الدكتور خليل إبراهيم البياتي، مشرفاً

أستاذ علم النفس التجريبي الفسيولوجي – علم النفس

.....

الدكتور تيسير فؤاد إلياس أحمد، مشرف مشارك

أستاذ مساعد علم النفس الإكلينيكي – الخدمات الملكية

.....

الدكتورة ياسمين سالم حداد، عضواً

أستاذة علم النفس الاجتماعي – علم النفس

.....

الدكتور فارس حلمي جبر، عضواً

أستاذ مشارك علم النفس الاجتماعي – علم النفس

.....

الدكتور موفق "محمود شوقي" الحمداني، عضواً

أستاذ علم النفس التعلم والمعرفة – جامعة عمان العربية

تعتمد كلية الدراسات العليا  
هذه النسخة من الرسالة  
التوقيع.....التاريخ.....

....

...

.

.

...

.

...

.

...

.

...

...

..

..

..

..

"

"



## فهرس المحتويات

<u>رقم الصفحة</u>	<u>الموضوع</u>
أ	نموذج التفويض
ب	قرار لجنة المناقشة
ج	الاهداء
د	شكر وتقدير
هـ	فهرس المحتويات
ز	قائمة الجداول
ح	قائمة الملاحق
ط	ملخص باللغة العربية
<b>الفصل الأول</b>	
٢	المقدمة
٤	مراكز الإصلاح والتاهيل
٧	مفهوم إيذاء الذات
٨	اشكال وكيفيات ظهور إيذاء الذات
١٢	متلازمة سلوك إيذاء الذات تورنر
١٢	إيذاء الذات كسلوك اعتمادي
١٣	مقاييس إيذاء الذات
١٤	الاكتئاب
١٥	نسبة الانتشار
١٦	تعريفات للاكتئاب
١٧	نظريات تفسير الاكتئاب
١٩	تصنيف الاكتئاب
٢٠	أعراض الاكتئاب
٢١	اضطراب الشخصية الحدية
٢٤	تصنيف الاضطراب
٢٥	طبيعة المعاناة لدى الشخص الذي يعاني من اضطراب الشخصية الحدية
٢٧	نسبة الانتشار
٢٨	الدراسات السابقة
٤٠	مشكلة الدراسة و اهميتها
٤١	التعريفات الاجرائية لمتغيرات الدراسة
٤٢	اسئلة الدراسة
<b>الفصل الثاني: الطريقة والإجراءات</b>	
٤٤	عينة الدراسة
٥٣	أدوات الدراسة
٥٧	اجراءات التطبيق
<b>الفصل الثالث: النتائج (٦١)</b>	

الفصل الرابع: مناقشة النتائج (٧٢)	
٨١	التوصيات
٨٣	المراجع
٩١	الملاحق
٩٩	الملخص باللغة الانجليزية

## قائمة الجداول

الصفحة	عنوان الجدول	الرقم
١٦	نسب احتمالات الاصابة باضطرابات المزاج لدى وجود اصابة عند فرد من افراد العائلة كدليل على دور الوراثة	١ . ١
٤٥	توزيع العينة حسب الجنس	٢ . ١
٤٥	توزيع افراد العينة على الاقاليم	٢ . ٢
٤٦	توزيع افراد العينة حسب الحالة الاجتماعية	٢ . ٣
٤٧	توزيع افراد العينة حسب الجرم	٢ . ٤
٤٨	التكرارات و النسب لأشكال إيذاء الذات بين أفراد عينة إيذاء الذات	٢ . ٥
٥٠	تكرارات ونسب الإيذاء لدى افراد العينة بالنسبة لمناطق الجسم المختلفة	٢ . ٦
٥١	طبيعة المشاعر اللاحقة لعملية الإيذاء	٢ . ٧
٥١	التكرارات و النسب للإيذاء بدون سبب و التخلص من التوتر	٢ . ٨
٥٢	التكرارات و النسب لعلاقة إيذاء الذات بالإيماءات الانتحارية	٢ . ٩
٦١	علاقة إيذاء الذات باضطراب الشخصية الحدية بحيث يظهر التكرارات و النسب	٣ . ١
٦٢	يوضح المتوسطات والانحرافات المعيارية المستخرجة لطبيعة العلاقة ما بين إيذاء الذات والاكتئاب	٣ . ٢
٦٣	مستوى العلاقة ما بين الاكتئاب وأعراض اضطراب الشخصية الحدية من خلال عرض المتوسطات والانحرافات المعيارية	٣ . ٣
٦٤	الفرق بين الجنسين في اشكال الإيذاء ودلالاتها	٣ . ٤
٦٦	اشكال إيذاء الذات الاكثر دلالة عند من يعانون من أعراض اضطراب الشخصية الحدية	٣ . ٥
٦٨	اشكال إيذاء الذات الاكثر دلالة عند من يعانون من الاكتئاب	٣ . ٦
٦٩	علاقة تناول الكحول والمواد والعقاقير مع إيذاء الذات	٣ . ٧
٧٠	تكرار وإيذاء الذات بوجود صلة قرابة مع آخرين يؤذون انفسهم	٣ . ٨



## قائمة الملاحق

الصفحة	عنوان	الرقم
٩١	النموذج الأخلاقي لمشاركة النزلاء	١
٩٢	البيانات الديموغرافية	٢
٩٣	إستبانة أعراض اضطراب الشخصية الحدية	٣
٩٥	قائمة بيك لوصف الشعور	٤
٩٨	المقابلة شبه المفتوحة	٥

" "

( )  
( )

( ) ( )  
( ) ( )





:

(Mcarthur, Camilleri & Weeb

. ,1999)

. ( Palmer , Connelly , 2005 )

. ( Favazza , 1987 )

. (Whitehead , 2002 )

( Mckay , Cavigan & Kulchky , 2004 )

. ( Jones, Davies & Jenkins , 2004 )

( Favazza ,1987 )

( )  
(

. (Jeffry ,& Warm , 2002 )

( Pavilion , 2005 )

. ( , )

. ( Mcarther , Camilleri ,& Weeb , 1999 )

. (Whitehead , 2002 )

.  
.

. ( Daniel , Fleming , 2005 )

:

)

. (

( ) .( )

.( )

( ) .( )

:

(  
(  
(  
(

.( )

. )

)

(

: ( )

(

(

(

(

": ( )

."

":

."

. ( )

( )

( )

. ( )

( Fazel & Danesh

2002 )

( - )

)

( ) (

(% )

% )

( )

( %

( % )



( % )

( )

:

" Self – Harm "

:

Self – injury ( SI ) , Self – inflicted violence ( SIV ) , Self – injurious behavior( SIB ) , Self – mutilation , Parasuicide

[http://www.nationmaster.com/encyclopedia/Self\\_harm](http://www.nationmaster.com/encyclopedia/Self_harm)

( )

. ( Jones , Davies , Jenkins , 2004 )

. (Cmckay , Gavigan & Knlchyky 2004)

U.N Nottingham

( Pavilion , 2005 )

( Mills ,& Kroner , 2005 )

:

(

(

. ( Mcarthur , Camilleri ,& Weeb , 1999 )

%

%

%

. ( Turp , 2002)

( Turp , 2002 )

( )

:

:

( )

:

( )

. (Whitehead , 2002 )

:

( Faffaza , 1986 )

: Major Self mutilation

•

...

:Stereotypic Self - Injury •

: Superficial •

( 2002 ) Jeffry & Warm

( , )

. ( Pavilion , 2005 )

. ( Jonnes, Davies & Jenkins , 2004 )

(Pavilion

., 2005 )

. ( Milligan ,& Andrews , 2005 )

(1999) Birmingham , Mason & Grubin

%

. ( Leviter , 2002 )

( ) Sansone & Sansone

. (Sansone & Sansone , 2002 )

. ( Mckay , Cavigan & Kulchyky , 2004 )

.( Favazza , 1987 )

( )

:

(  
(  
(  
(  
(  
(  
(  
(  
(  
(

.( )

/

. ( Waska , 1998 ) .

( Favvaza, 1996 )

:

: Compulsive (

) Trichotillomania

.(

: Impulsive Self – harm (

(Axis I)

( DSM – IV – TR )

. Impuls Disorder

. DSM

( Turner , 2002 )

)

.(

( Impulse – Control Disorder )

:( ) \_\_\_\_\_ •

Research Criteria For ( #XXX.X) Self – Injurious Behavior Syndrom :

:

(

(

(

(

(

(

(

)

.(

(

( Turner , 2002 )

:( ) \_\_\_\_\_ •

Research Criteria For Self – Injury Dependence ( #XXX.X) :

:

Distress

:

(

-



:Dysfunctional Implusivity -

(  
Deur , 2000 )

. ( Macdonald , 2004 )

:

:  
Chronic Self – Destructiveness Scale (CSDS) -

( ) -

Harkavy Asnis Suicide Survey II ( HASS II )

Impulsive Behavior Survey -

Self – Harm Behavior Survey -

Self – Harm Inventory ( SHI ) -

Self – Injurious Behavior Questionnaire ( SIB-Q ) -

Self – Injury Questionnaire ( SIQ ) -



Self – Injury Survey -

Timed Self – Injurious Behavior Scal -

. ( Sansone , Sansone , 2002 )

:

( . - ) ( )

Malancholia

( )

( )

MAYO CLINIC

( )

)

.(



( . )

%	
%	
% -	
%	
% -	

::

" . "

::

- 
- 
- 
- 
- 

( ).

( ).

( )

. ( )  
%  
( )  
Beck ,  
( 1979 )  
( )  
( )  
:  
-  
)  
( )  
( )  
( - )  
( )  
)

. ( 1998 ) )

. ( Grambill , 1981 ) .

)

. ( Wortman , Loftuus & Weaver , 1999

. ( )

( 1978 ) Beck

" "

( )

:

Serotonin

norepinephrin

( , ) .

( Wortman , Loftus ,& Weaver ,

. 1999 )

( )	:
:	DSM-IV-TR .
( )	:
:	Depressive Disorder
Major Depressive Disorder	*
Single Episode ( 296.2X )	-
Recurrent ( 296.3X )	-
Dysthymic Disorder ( 300.4 )	*
Depressive Disorder Not Otherwise	*
Specified ( NOS ) (311)	-
( )	ICD-10
Depressive episode ( F32)	
. Recurrent depressive disorder ( F33 ) ( )	
affect	mood
. ( )	

:

DSM-

:

IV- TR

-

- :

.(

)

)

.(

(

)

-

-

.( American Psychiatric Association , 2000 )

. ( )  
( )  
% % :  
% % % % %  
% % % % %  
% % % % %  
% % % % %

### Border line personality Disorder

. ( Andereasen , Blak , 2001 )

)

. ( )  
( )

- - " . ( )  
( American Psychiatric Association , 1994 )



ICD -

10

( )

. ( American Psychiatric Association , 2000 )

. ( Kaplan,& Sadock,1996)

( )

: (Personality pattern disturbance ) (

:(Personality trait disturbance ) (

: (

( DSM- IV) & (DSM-IV-TR )

: ( Cluster )

Cluster A (

:

Cluster B (

:

Cluster C (

:

( Hugues )

. ( ) .

)

. (

. ( ) .

(andereasen ,

.blak , 2001 )

( )

. ( Linehan , 1993 )

:

:

: DSM-IV & DSM-IV-TR

Axis

AXIS

(301)

( II)

( 301.83)

-

/

:ICD-10

( )

( F60)

Speceific personality disorder

Emotionally unstable personality disorder

F60.3

border line ( ) -

ICD-10

. F60.31

. ( )

:

[www.nafsany.com/showarticle.php?idd=154](http://www.nafsany.com/showarticle.php?idd=154)

:

[www.alriyadh.com/2005/07/08/article78610.html](http://www.alriyadh.com/2005/07/08/article78610.html)

. ( )

( )

. ( Kaplan,& Sadock, 1996 )

: DSM – IV- TR



www . Stanford . Edu /~ Corelli / brderline . html

. ( Ohshima , 2001 )

:

( Andreasen ,& Black , 2001 ) % -

Kaplan ,& ) .

. ( Sadock ,1996

:

:

:

( Ahmad , 1993 )

(Zoubi , Dabbas & Ahmad , 1995 )

( )

كما قام عبد الحميد و زملاؤه ( Abdul-hamid , Smith & Sivakmuar , 1999 ) بدراسة سلوك إيذاء الذات لدى المسنين في ميدستون وأمريكا مقارنتها بالسلوكيات لدى مجموعة من المراهقين و الراشدين صغار السن. حيث تمت مقابلة كبار السن ( فوق ٦٥ ) وألذين ادخلوا الى

مستشفى ميدستون خلال أربعة اعوام حسب استبيان أعد مسبقاً و قورن بعينة عشوائية ممن هم اصغر سناً في نفس الفترة. وقد دلت الأرقام على انها في الحد الأدنى مقارنة بالدراسات السابقة فلم يكن هناك فروقاً ذات دلالة ، إلا أن المسنين اظهروا ميلاً أكبر للانتحار. وقد تم استنتاج أن تواجد الأمراض العضوية بشكل أكبر لدى المسنين و قلة تحويلهم الى المختص في الوقت المناسب يؤكد على أهمية السعي لوجود فريق مختص لمراعاة هذه الظروف في أقسام الرعاية الأولية.

( El-Rufaie , Swadi & Ghubash , 1997 )

( )

(

Osman ,& Ibrahim , 1997 )

( % , )

( % , )

( Khouzam , Boutros & Youssef , 1998 )





( Sayegh , 2004 )

%

( )

/ / / /

( ICD - 9 )

. ) ( % . )

( % )

( % )

( % )

"

"

%

( % . )

"

" " % . "

% . " " ( % . )

" " % .

( % . ) ( % . )

% . " "

" " %

:

( Birmingham , Mason & Grubin , 1999 )

)

(

( Milligan & Andrews , 2005 )

( % )

( Mckay , Gavigan & kulchyky , 2004 )

( Sansane , Songer , Gaither ,

& 2001 )

,( SHI )

DSM – IV

. DSM – IV

( Andover et al ., 2005 )

( Sansone et al ., 2000 )

)

Laxatives

(

( Chapman , Matthew & Cellucci , 2005)

)

(

( % , )

( Harold et al ., 1999 )

(Danesh ,& Seena 2002 )

) ( - )  
( ) ( ) ( )  
(% ) (% ) (% )  
(% ) (% )  
( )

( Tuisku et al ., 2006 )

( - )

SAPS -PL- k

( :

(

(

( Sansone et al ., 2005 )

- -

-



Trauma

( Marchetto , 2006 )

( Parker et al ., 2005 )

%

:

:

:

::

-

:

-

::

-

::

-

١٠٠

١٠٠

١٠٠

١٠٠

١٠٠

١٠٠

١٠٠

١٠٠

١٠٠

١٠٠

١٠٠

١٠٠

١٠٠

١٠٠



:

.

::

( )

-

-

( )

( )

)

:

(

:

-

( )

( )

( )

( )

:

-

( - )

( . )

	%	( )
	%	( )
	% ,	/
	% ,	/

: -  
( . )

( . )

	% ,		%	
	% ,		%	
	% ,		%	

: -  
( )  
( . )



( . )

	%		%	
	% ,		%	
	% ,		%	
			%	

( ) ( % ) ( )  
( ) ( % )  
( % , )  
( % ) ( )  
( % , ) ( )  
( % ) ( )  
( % ) ( % )  
( )  
( )  
( )



( . )

% ,		
% ,		
% ,		
% ,		
% ,		
% ,		
% ,		
% ,		
% ,		
% ,		
% ,		
% ,		
% ,		
% ,		
% ,		
% ,		
% ,		
% ,		
% ,		
% ,		
% ,		

( % ) ( )  
( )  
( % , )  
( , ) ( )  
( )  
( , )  
( , ) ( )  
( , ) ( )  
( , ) ( )  
( , ) ( )  
( , ) ( )  
( , ) ( )  
( , ) ( )  
( , ) ( )  
( , ) ( )  
( , ) ( )  
( , ) ( )  
( , ) ( )  
( , ) ( )  
( , ) ( )  
( , ) ( )  
( , ) ( )  
( , ) ( )  
( , ) ( )  
( , ) ( )  
( , ) ( )  
( , ) ( )  
( , ) ( )  
( , ) ( )

:

-

:

∴

( . )

% ,		
% ,		
% ,		
% ,		
% ,		
% ,		

( % , )

( % , )

( % , )

( % , )

( % , )

:

-

( )

( )

( % , )

( % , )

( )

( % , ) ( )

: ( - )

( . )

% ,		
% ,		
% ,		
% ,		
% ,		
% ,		
% ,		

: -

( . )

% ,		
% ,		

( % ) ( )

( )

( % , )

.

:

( )

(% , )

(% , ) ( )

(% ) ( )

( )

(% , )

:

( . )

( . )

% ,		
% ,		
% ,		
% ,		
% ,		
% ,		
% ,		
% ,		

:

:

-

-

-

-

-

-

-

-

-

-

-

:





.( , )

::

( )

( )

( )

( )

( )

( ) ( )

( )

( )

:

-

( - )

( Marnat , 1990 )

( )

"

( )

( , = )

% ,

:

( Al-Issa , AlZubaidi , Fung , 2000 )

)

(

:

:

( Beck , 1967 )

( - )

( - )

( - )

( - )

( )

:

-

( )

( )

..

( )

( )  
( ) ( )  
( )  
( )  
:

( )





.....  
:  
.....  
( , ) ( )  
.....  
( )  
(% , ) ( ) (% )  
  
( ) (% , ) ( )  
(% , )  
:  
( . )

% ,		% ,		
% ,		%		

( , )

.( Bruning & kintz , 1968)



:

-

:  
( . )

,	,	
,	,	

( , )

)

( , )

( , )

t test

( ,

· ,

( , )

:

-

:

( . )

,	,		
,	,		

( , )

( , )

( , )

( , )

( , - )

,

.

::

,

-

.

( . )

*	%		%		
			%		
	%		%		
*	%		%		
	%		%		
	%		%		
	%		%		
	%		%		
	%		%		
	%		%		
	%		%		
	%		%		
	%		%		
	%		%		
	%		%		
	%		%		
	%		%		
	%		%		
*	%		%		

( , )

( )

:

( , )

( , )

)

(

:

-

:



( - )

:

(

( , , , , , , )

..

:

-

( - )

.

( . )

,	
,	
,	
,	
,	
,	
,	
,	
,	
,	
,	
,	
,	
,	
,	
,	
,	
,	
*	
,	
,	
,	
,	

\*

( , )

:

:

:

-

( . )

% ,		% ,		

( , )

:

-

:



( . )

*	%		
*	%		
*	%		

\*

)

(% ) (

(% , ) ( )

( )

, , )

(% )

( ,



(Zoubi , Dabbas & Ahmad , 1995 )

( Sansane , Songer & Gaither

, , 2001 )

( Andover et al ., 2005 )

(Sansone et al ., 2005 )

( Ahmad ,

1993 )

( )

"

%

%

"

( Parker et al ., 2005 )

%

( Tuisku et al ., 2006 )

( Andover et al ., 2005 )

( Khouzam , Boutros , Youssef , 1998 )

( Andover et al.,

2005 )

( Harold et al ., 1999 )

( Ahmad , 1993 )

(

( zoubi , Dabbas

Sansone et al ., 2000 )

& Ahmad , 1995 )

( Mckay , Gavigan & kulchyky )

, 2004

:

( Marchetto , 2006 )

Trauma

( Sansane , Songer & Gaither , 2001 )

( Chapman , Matthew & Cellucci , 2005)

( Birmigham , Mason & Grubin , 1999)

( zoubi , Dabbas & Ahmad , 1995 )

( Ahmad , 1993)

( Andover et al ., .

2005 )

( Tuisku et al ., 2006 )



:

:

-

:

-

( )

(% )

(% , ) ( )

(% ) ( )

( Ahmad ,

1993 )

(Abdul-hamid , Smith , Sivakmuar , عبد الحميد وزملائه ,

1999 ) أن تواجد الأمراض العضوية بشكل أكبر لدى المسنين و قلة تحويلهم الى المختص في

الوقت المناسب كان من أسباب ارتفاع درجة سلوك إيذاء الذات ،

( Tuisku et al ., 2006 )

( Samarraï , Hussein , 2000 ) .  
% , %  
.  
( )  
" % " "  
( % . ) "  
" % " "  
" ( % . ) "  
% . % . "  
" "  
" % % . "  
( Milligan , Andrews , 2005 )

(Mckay , Gavigan & kulchyky , 2004)

( Chapman , Matthew

& Cellucci , 2005)

( Sansone et al . , 2005)

(Parker et al., 2005)

:

:

-

-

-

-

-

-

-

-

( )

## المراجع

- . ( ) , : ( )
- , ( ) , ,
- : . ( ) ( )
- : ( ) , . ( ) , ,
- : ( ) , . ( ) , ,
- : ( ) , . ( ) , ,
- , . ( ) , , :
- , : ( ) , . ( ) , ,
- , ( ) , ,
- , ( ) , ,
- . ( ) , - : ( )

، : . . ( ) ، - ' : )  
: . ( - ' : )  
: ، ، ( ) ، ،  
. ( ) ، ، ، ، ،  
( ) ( ) ( ) ( ) :  
. ( ) ، ، ، ، ،  
: ( ) ( )  
: ( ) ( )  
: ( ) ( )  
، : ( ) ، ( ) ، ، ،  
: ، ( ) ، ( ) ، ، ،

. ( ) , ( , ) , ( ) : . ( ) .

, ( ) ,

. ( ) , : ( ) ,

, ( ) ,

, ( )

, ( ) ,



## المراجع الأجنبية :

Abdul-Hamed Walid , Smith Martin , K.Sivakumer .(1999),Deliberate Self-Harm in the Eldery :A Comparison with Younger Adults, **The Arab Journal of Psychiatry**, Vol. 10 No. 2 . 92-98

Ahmad , Tayseer , ( 1993 ) ., Aspects of self – harm , paper presented in the **scientific medical day** , King Hussein medical center , 1-8

Al – Issa Ihsan , Al Zubaidi Abdulgawi , Bakal Donald & S.Fung Tak . (2000) , Beck Anxiety Inventory Symptoms in Arab College Student ., **The Aram Journal of Psychiatry** ., Vol . 11 No .1 , 41-47

American Psychiatric Association , ( 1994 ) , **Diagnostic and statistical manual of mental Disorder** ( 4<sup>th</sup> ed ) , Washington . DC , APA

American Psychiatric Association , ( 2000 ) , **Diagnostic and statistical manual of mental Disorder** ( 5<sup>th</sup> ed ) revised , Washington . DC , APA

Andover,Margare.,pepper, carolyn., ryabchenko , Karen ., orrico, Elizabeth ., and Gibb , Brandon.(2005) **Self-Mutilation and symptoms of Depression,Anxiety,and Borderline Personality Disorder.The American Association of suicidology** .35(5),581-591

Andreasen , Nancy and Black , Donald .,( 2001 ) , **Introductory Textbook Of Psychiatry** , Washington . DC , APA

Beck , Aron .,( 1978) , **Cognitiv Therapy and the Emotional Disorder** , New York : Interational Universties press.

Birmingham,Luke.,Mason,Debbie.,and grubin,Don.(1999).The psychiatric implications of visible tattoos in an adult male prison population.**The Jornal of Forensic Psychiatry**.vol 10 No 3,687-695

Boyce Philip , Carter Greg , Penrose-Wall Jonine , Wilhelm Kay & Goldney Robert (2003),Summary Australian and New Zealand Clinical Practice Guideline for the management of adult deliberate self-harm .,**Australasian psychiatry** .,Vol .11 , No.2 ., 150 – 155

Chapman,Alexander.,specht,Matthew,and cellucci ,Tone .(2005).Borderline personality Disorder and Deliberate self-harm:Dose Experiental avoidance play arole?. **The American Association of Suicidology**. 35(4),388-399

Dear , Greg , ( 2000 ) , Functional and Dysfunctional Impulsivity : Depression and Suicidal Ideation in a Prison Population , **The Jurnal of psychology** , 134 ( 1 ) , 77 –80

E.Daniel Anasseril & Fleming Jennifer .(2005) ,Serious suicide attempts in a state correctional System and strategies to prevent suicide , **The Journal of psychiatry & Law**, 33, 227 – 247

El-Rufia Omer , Swadi Hairth , Ghubash Rafia .(1997),Who Develops Psychiatric Disorder Among Male Prisoners,**The Arab Journal of Psychiatry** ,Vol. 8, No. 2 . 99 – 105

Farah Sayegh Fairouz .(2004) , Psychiatry in Military Courts : Influence On Verdicts, **The Arab Journal of Psychiatry**,Vol. 15 , No.2 ., 106-112

Favazza , Armando .(1987) ,Self-mutilation in culture and psychiatry , Bodies Under Saeg ,Baltimore : **The Johnsm Hopkins University Press**

Favazza , Armando ., (1996) ., Bodies Under Siege : Self – Mutilation and Body Modification in Culture and Psychiatry , 2<sup>nd</sup> ed.Baltimore : **The Johnsm Hopkins University Press**

F.Mills Jeremy & G.Korner Dary., (2005) Screening for suicide risk factor in prison Inmates : Evaluating the efficiency of the Depression , Hopelessness and Suicide Screening From (DHS), **The British psychological Society, Lega and Criminological** (2005) , 10, 1-12

Ibrahim , Ibrahim , Karim osama –Abdul . (1997), Deliberate Non- Fatal Self Harm in Patient Attending, A General Hospital in Saudi Arabia.**The Arab Journal of Psychiatry** , Vo.8. No.1. 31-41

Jeffery,Debra.,warm,Anna.(2002).A study of service providers,under standing of self-harm.**Jornal of Mental helth** 11,3,295-303

Mckay,Dean.,Gavigan,Carie.,and Kulchycky, Sonia.(2004). Social skills and sex-Role functioning in Borderline personality Disorder :Relationship to self-Mutlating Behavior.**cognitive Behaviour Therapy** .vol 33,No.,pp.27-35

John Danesh , Fazel Seena .(2002),Serious mental disorder in 23 000 prisoners : a systematic, **Review of 62 surveys .,The lancet** ,Vol. 359. ,545-550

Jones Victoria , Daviies Rachel & Jenkins Rob .(2004),Self-harm by people with learning difficulties : something To be expected or investgated ., **Disability & Society** ,Vol. 19, No. 5 ., 487 – 500

Kaplan , Harold & Sadock , Bengamin ., ( 1996 ) , Pocket Handbook of clinical psychiatry , ( 2<sup>nd</sup> ed ) , **Egypt , Mas publishing CO.**

Koenigsberg,Harold,Anwunah,Iseoma.,New,Antonia.,Mitropoulou , vivian , Schopick , Frances ., and siever,larry.(1999) Relationship Between Depression and Borderline personality Disorder.**Depression and Anxiety**.10 : 158-167

Lineham , Marsha ., ( 1993 ) , **Skills Training Manual For Treating Borderline Perssonality Disorder** , New York .

Marchetto,M.j.(2006).Repetitiveskin-cutting : parental bonding,prsonality and gender.psychologyand psychotherapy : **Theory,Rresearchand practice** .79,445-459

Marnat , G ., ( 1990 ) ., **Handbook of Psychological Assessment** , ( 2<sup>nd</sup> ed ) , a wiley nterscience publication John Wiley & sons , New York , Singapre .

McArthur Morag ., Camilleri Peter & Webb Honey (1999)Strategies for Managing uicide & Self-harm in Prisons ,**Astralian Institute Of Riminology** , No. 125 ., 1 : 6

Milligan,Rhonda.,and Andrews,Bernica .(2005).suicidal and other self-harming behaviour in offender women : The role of shame ,anger and childhoob abuse , **legal and criminological psychology**.10,13-25

Mckay,Dean.,Gavigan,Carie.,and Kulchycky, Sonia.(2004). Social skills and sex-Role functioning in Borderline personality Disorder : Relationship to self-Mutlating Behavior. **cognitive Behaviour Therapy** .vol 33, No., pp. 27 - 35

Ohshima, Tatsuo ., (2001) , Borderline personality traist in hysterical neurosis. **Psychiatry and Clinical Neurosciences** ., 55, 131 – 136

palmer,Emma,&connelly,Rachael.(2005), Depress.Noople,Essness and suicide ideation among vulnerable prisoners.,**criminal Behaviour and mental health** .15 (3) : 164 - 170

Parker,G.,Malhi,Gin.,Mitchell,PhillipKotze,Beth.,Wilhelm,Kay.,ParkerKay.(2005) . self-harming in depressedpatient : pattern analysis.**Australian and new zealand Journal of psychiatry**.39,899-906

Sansone , Randy.,Wiederman , Micheal., Sansone,Lori.,and Monteith , Doug . (2000) , Patterns of self-harm Behavior among Women with Borderline personality symptomatology : psychiatry versus primary care samples.**General Hospital psychiatry** . 22 , 174-178

Sansone , Randy., songer,Douglas.,and Gaither,George.(2001). Diagnostic approaches to borderline personality and their relationship to self-harm behavior . **international Journal of psychiatry in Clinical pratic**.vol 5,273-277

Sansone , Randy ., Saonsone , Lori . (2002) . Assessment Tools for self-harm Behavior among Those with Eating Disorder. **Eating Disorders** . 10 , 193-203

Sanson,Randy.,Gaither,George.,Songer,Douglas.,and Allen,Jaryn.( 2005). Multiple psychiatric dignoses andself-harm behavior. **International Jornal of psychiatryin in clinical practice.g** (1) ,41-44

Shuneigat Walid , Shuriquie Nasser , Shaban Faiq & Raodm Abdullah .(2004) Self-injury with a strange motive in a mentally retarded male, **The Arab Journal of psychiatry**,Vol. 15 No. 2 ., 102-105

The Arab Federation of psychiatrists . (1998),**The Arab Journal Of Psychiatry** , **Volume 9** , NO.1. 26-31

The Arab Federation of Psychiatrists .(2000) , **The Arab Journal Of Psychiatry** ,Vol.11 , No.2

The University of Nottingham , ( 2005 ) Understanding self harm , yong people and self – harm , Pavilion in association with APSA , **Nspcc National Training Center** , **Leicester** .

Tuisku,Virpi.,pelkonen,Mijami.,Karlsson,Linnea.,Kiviruuu,Olli.,Holi,Matti.,Ruuttu Titta.,punama ki,Raija.,Marttunen,Mauri .(2006) . Suicidal idetation , deliprate self-harm behavior and suicide attemptsamong adoleseent out patints with depressive mood disorders and comorbid axis I disorder . **Eur childadolesc psychiatry** .15 , 199-206

Turner , V.J , ( 2002 ) , Secret Scars : Uncovering and Understanding the Addiction of Self – Injury , **Minnesota , Hazelden .**

Turp Maggie .(2002),The many faces of self-harm, **Psychodynamic Practice**

Waska,Robert.(1998).self-Mutilation,substance abuse,and the psychoanalytic Approach : four cases. **American journal of psychotherapy**,vol.52 ,No.1,18-26

Whitehead , Linda ., ( 2002 ) , supporting students who self – harm , OSMHN Workshop . **John radcliffe Hospital .**

Wijeratne Chanaka ., Stern Julian & Howard Robert (1996) .Self – Mutilation in an Elderly Patient with personality Disorder .**International Journal Of Geriatric Psychiatry** ,Vol . 11 : 75 – 79

Zoubi , Bashir &Dabbas , Malik & Ahmad ,Tayseer , ( 1995 ) Tattooing and Border line personality disorder among a group of military personnel , paper presented in the scientific medical day , **King Hussein medical center** , 1- 11

## الملاحق

### النموذج الأخلاقي لمشاركة النزلاء

#### المحلق ١.

أخي النزيل / أختي النزيلة

( )

/

## البيانات الديموغرافية

### المحلق ٢.

تتكون هذه الإستبانة من ثلاث أجزاء أرجو الإهتمام بتعبئتها كاملة .

#### المعلومات الأولية :

- ١- العمر ( )
- ٢- الجنس : ذكر ( ) ، أنثى ( )
- ٣- مكان السكن : إقليم الوسط ( ) ، إقليم الشمال ( ) ، إقليم الجنوب ( )
- ٤- الحالة الإجتماعية : أعزب ( ) ، متزوج ( ) ، منفصل ( ) ، أرمل ( )

### المحلق ٣.

#### إستبانة أعراض اضطراب الشخصية الحدية

الجزء الأول

أرجو الاجابة عن الفقرات التالية ولاتي تصف بعض المواقف مع تحديد مقدار أنطباقها عليك حسب الدرجات المعطاة على يسار الفقرة، حيث أن لديك ٥ أختيارات تبدأ من لا ينطبق وتنتهي بعبارة ينطبق دائماً ، ولدى أي صعوبة أرجو الإستفسار عن ذلك . مع الشكر .

الفقرات	لا ينطبق	ينطبق قليلاً	ينطبق بشكل متوسط	ينطبق كثيراً	ينطبق دائماً
١ إذا انشغل عني إنسان عزيزاً عليّ أتخيل بأنه سيتركني .					
٢ تتصف علاقاتي مع الاشخاص المقربين مني بعدم الإستقرار و التذبذب بشكل واضح .					
٣ أجد صعوبة في البقاء و الإستقرار على رأي واحد لأن أفكارني و إتجاهاتي تتغير و تنقلب بسرعة .					
٤ أندفع للقيام بأعمال متهورة تكون عواقبها وخيمة عليّ .					
٥ مزاجي متقلب بدون وجود أي سبب واضح لذلك .					
٦ لقد سبق لي وأن فكرت في إنهاء حياتي بشكل جدي .					
٧ يرافقني الشعور بالضجر حتى لو كان لدي ما يشغلني .					
٨ أنا شخص حاد المزاج وعصبي بشكل يفقدني السيطرة على نفسي وتصرفاتي.					
٩ تتناوبني مشاعر من الشك و الريبة إتجاه نوايا الاخرين عندما أكون تحت ضغط نفسي .					
١٠ ألاحق الشخص العزيز علي كثيراً لانني أخاف أن يتركني .					
١١ تتناوبني مشاعر متناقضة إتجاه الاخرين تتضمن الحب و الكراهية معاً في نفس الوقت .					
١٢ أشعر وكأنني أظهر للآخرين بشكل مختلف عما أنا عليه في الحقيقة .					
١٣ أنا شخص متهور و أندفاعي حتى في قيادة السيارات أو في تناول الطعام .					
١٤ تسبب مزاجيتي إنزعاج الاخرين مني بشكل واضح .					



الفقرات	لا ينطبق	ينطبق قليلاً	ينطبق بشكل متوسط	ينطبق كثيراً	ينطبق دائماً
١٥					قمت فيما مضى بإيذاء جسدي أو جرح جلدي بنفسني بضع مرات .
١٦					تترافقتي مشاعر داخلية بعدم الراحة دون سبب واضح .
١٧					عندما أغضب أفقد السيطرة على نفسي لدرجة أنني أصبح عدوانياً أضرب الآخرين أو أحطم الأشياء .
١٨					تنتابني مشاعر بأنني غريب عن من حولي على الرغم من معرفتي السابقة بهم .
١٩					إذا عرفت أن شخصاً عزيزاً عليّ سيهجرني فسأحاول بأي وسيلة أن امنعه من ذلك حتى لو اضطرت لتهديده كي لا يفعل ذلك .
٢٠					الأشخاص المقربين مني يظهرون عدم محبتهم لي دون أن اعرف سبب ذلك .
٢١					أنظر لنفسي بشكل سلبي كلياً وبشكل إيجابي كلياً في الوقت ذاته .
٢٢					عندما الجاء للكحول أو اقوم بتعاطي العقاقير فأنتني أبالغ في الكمية التي اتعاطاها .
٢٣					أحتاج لوقت طويل للتخلص من مشاعر التوتر و التهيج عندما انزعاج من شيء ما .
٢٤					أشعر برغبة قوية بأن أوذي نفسي عندما أكون تحت ضغط نفسي .
٢٥					ليس لدي القدرة على أشغال نفسي نفسي بأمر ما حتى لو كان مهماً .
٢٦					أنا شخص غاضب باستمرار .
٢٧					أشعر وكأنني شخص منبوذ ممن هم حولي .

## قائمة بك لوصف الشعور

### المحلق ٤ .

#### الجزء الثاني :

يرجى قراءة الفقرات اللاحقة والإجابة بصدق عن ماتراه الأقرب لمشاعرك و تنطبق عليك تماماً في الأسبوعين الأخيرين ، ولا يوجد وصف صحيح و اخر خاطيء حيث أنها كلها مشاعر و اوصاف لماتشعر به في الفترة الاخيرة وتختلف هذه المشاعر من شخص لآخر.

\*\* و تكون الإجابة بوضع دائرة حول رقم العبارة التي تنطبق عليك تماماً مثل المثال التالي :

- ٠ - إنني لا أشعر بالحزن .
- ١ - إنني أشعر بالحزن بعض الوقت .
- ٢ - أشعر بالحزن طيلة الوقت و لا أستطيع التخلص من هذا الشعور .
- ٣ - إنني أشعر بالحزن و التعاسة لدرجة لا أستطيع إحتمالها .

وهذا معناه أن مشاعرك في الأسبوعين الأخيرين كانت تنطبق على العبارة رقم ٢ أكثر من العبارات الأخرى .

والآن ستقوم بالإجابة على الأسئلة اللاحقة بنفس الطريقة .

	- - - -	
	- - - -	
	- - - -	
	- - - -	
	- - - -	

	-	-	-	-	-
	-	-	-	-	-
	-	-	-	-	-
	-	-	-	-	-
	-	-	-	-	-
	-	-	-	-	-
	-	-	-	-	-
	-	-	-	-	-
	-	-	-	-	-
	-	-	-	-	-
	-	-	-	-	-




**SELF –HARM AND ITS RELATION TO BORDERLINE PERSONALITY DISORDER AND DEPRESSION IN A SAMPLE OF INMATES AT A CORRECTIONAL AND REHABILITATION center.**

By  
Yousef Musalam

Supervisor

Dr.Khalil Ibrahim Bayati, Prof.

Co-supervisor  
Dr.Tayseer Elias

**ABSTRACT**

This study aims to define self harm and its relation to borderline personality Disorder and depression in a sample of residents of correctional and rehabs.centers, addition to learn the patterns of self harm within the sample.

The sample was Formed from two groups, whereby the number of participants of the control group was (95) resident, of which were (31) women and (34) men.

Where as the numbers of participants in the (self harm) group were (85) (29) of which were women and (56) were men all the participants were preident of the correctional and rehabilitation center since early month of may until early month of June 2007.

To achieves the objectives of this study, a number of assessment.

These tools are : Beck inventory for depression , to measure the intensity of the symptoms of their depression Borderline personality disorder scale , developed by the researcher of this paper , which is divided to diagnostic criteria and DSMIV , and semi – open interviews , to gather certian specific answers.

The researcher administers as informed centers to all participants, with an open right to decline their participant. Result of the study statistical significane of the presence of relationship between self harm and personality disorder, on one level and a relation between depressions on the other. Level. In comparison to the control group.

The most re – current patterns of self – harm that showed prevelance towards men than women was Alcohlc drinking, tatoodrawing and unsafe sex. As for patterns of self harm that showed significance for those that suffers from a borderline personality disorder from both genders was using sharp objects large tatoos self motivation and finally abstaining from eating .

Whereas the patterns of significance for those suffering from a high level of depression was restraining from eating results indicates a high level of depression with significance for those suffering from borderline personality disorder and enduct self harm behavior in compassion with those that don't suffer from a borderline personality disorder there was no significance relationship between self –harm behavior under the influence of Alcohohlc and addictive substances , thats why alcohlc and substance abuse wasn't from the serious variables although according to close Kin with self- harm behavior it was a serious variable in addition to having a friend with such behavior.