

العنوان:	نظم معلومات الذكاء المعتمد على العوامل المتعددة في التصنيع الافتراضي
المصدر:	تنمية الرافدين
الناشر:	جامعة الموصل - كلية الإدارة والاقتصاد
المؤلف الرئيسي:	Al Atroshi, Akela M.
مؤلفين آخرين:	Al Aubaidy, Sama Talee Azez, Khudur, Abd Alsatar M.(Co.Auth)
المجلد/العدد:	مج 30, ع 91
محكمة:	نعم
التاريخ الميلادي:	2008
الصفحات:	19 - 41
رقم MD:	423697
نوع المحتوى:	بحوث ومقالات
قواعد المعلومات:	EcoLink
مواضيع:	نظم معلومات الذكاء ، مستخلصات الأبحاث، نظم المعلومات، الخوارزميات الجينية ، لغات البرمجة، برامج الحاسوب، التصنيع الافتراضي
رابط:	http://search.mandumah.com/Record/423697

Multi - Agents Based Intelligent Information System For Virtual Manufacturing

Akela M. Al - Atroshi (PhD)
Professor

Abdulsatar M. Khudur (PhD)
Lecturer

Sama Talee Azez Al - Aubaidy (PhD)
Lecturer

ABSTRACT

The current research concentrates on designing and applying an intelligent information system by the use of (Oracle). Distributed Database Management System based on multi - agents manufacturing process, in order to produce a new product by using the available potentialities of the company or by cooperating partners in the next future within the concept of the Virtual Manufacturing. Every Agent (user) has its own *roles and privileges*. The virtual manufacturing is a powerful production philosophy to provide a modeling and simulation to "*manufacturing in the computer*".

The research has special objectives in innovating a network among the Multi - Agents in the Designed Proposed System and Planning priorities for Job Sequencing by the use of Genetic Algorithm logic. The product is designed in this agent by the use of the *AutoCAD2004* software according to the specifications requested by the customer and the manufacturing capabilities of the company. Supervisor Agent has a vital and essential role in achieving compatibility and integration among the agents. It has the role of the DBA. The application results indicate that the VM philosophy has been performed efficiently by the use of the intelligent Multi – Agents which is managed and which attains integration by the server Agent that uses the available interfaces as Oracle DDBMS capabilities such as DDE, OLE and run – product. These capabilities have contributed in achieving quick response to the customers' orders.

نظام معلومات الذكاء المعتمد على العوامل المتعددة في التصنيع الافتراضي

المستخلص

يركز البحث على تصميم وتطبيق نظام معلومات ذكي باستخدام نظام إدارة قواعد البيانات (Oracle) وعلى أساس خلايا تصنيعية وفق مفهوم (Multi-Agents). إذ تختص هذه الخلايا بإنتاج منتوجات جديدة في إطار الإمكانيات المتاحة للمصنع أو من خلال التعاون مع شركات أخرى، ضمن مفهوم التصنيع الافتراضي. وإن كل خلية (Agents) لها أدوار وصلاحيات خاصة بها، إذ توفر فلسفة التصنيع الافتراضي إمكانيات النمذجة والمحاكاة لعمليات التصنيع داخل الحاسوب.

ويهدف البحث كذلك إلى ربط خلايا التصنيع الموزعة في النظام المصمم بشبكة كفوءة، فضلاً عن التخطيط لأسبقيات تسلسل الأعمال باستخدام تقنية الخوارزميات الجينية وبلغة ++C. هذا ويتم تصميم المنتوج في النظام المصمم باستخدام AutoCAD2004 وذلك استناداً إلى مواصفات مقدمة من قبل الزبون وضمن إمكانيات المصنع. وتؤدي الخلية المشرفة دور أساس في تحقيق التوافق والتكامل بين خلايا التصنيع المتعددة.

تاريخ قبول النشر ٢٠٠٧/٩/٣

تاريخ استلام البحث ٢٠٠٧/٦/٢٧

تؤشر نتائج التطبيق أن فلسفة التصنيع الافتراضي تتحقق بكفاءة من خلال تبني مفهوم خلايا التصنيع الذكية، ويقوم الخادم (Server Agent) بدور كبير في تحقيق التكامل باستخدام (Oracle) مثل DDE,OLE والتي تساعد وعلى نحو كبير في تحقيق الاستجابة السريعة لطلبات الزبائن.

1. Introduction to the Problem Domain

The problem of this research has been derived from the role of information and communication technology in designing and applying the modern manufacturing philosophies. The problem includes the effect that the gap leaves between the Iraqi industrial companies and the huge development in the international manufacturing philosophies. Due to this effect, the industrial companies may face difficulties in survival, development and continuity in a highly competitive environment. The narrowing of the gap requires adopting one of the modern philosophies in manufacturing; so that these companies can develop to some extent. The basic and critical problem in the adoption decision is how to provide an intelligent information system that can support the planning operations and control the production of a product as well as providing certain mechanism for information exchange among production units within the company itself and other companies in remote geographical locations.

Our justification to choose the topic of this study which is "virtual manufacturing" lies in the field of Knowledge Engineering, and the Importance of the VM to the Iraqi Industry. It has been shown through the review of both theoretical and applied study of information and communication technology that there has been clear and insistent direction towards information systems and its intelligent application which is the cornerstone of virtual manufacturing in particular together with all manufacturing philosophies of the 21st century. In changing environment, the enterprises are heavily focusing on cross- enterprise teams to share the intellectual capital in real time to produce the time to market in the product life cycle. This requires to involve suppliers, partners, customers and the knowledge workers with enterprise in the product life cycle processes.

According to what have been stated above , this study concentrates on designing and applying an intelligent information system based on manufacturing process to produce a new product by using the available potentialities of the company or by cooperating with partners in the future within the concept of the 'Agility'.

The research has the following special objectives:

Designing an intelligent information system by the use of (Oracle) language as a basis for the virtual manufacturing philosophy supporting the planning operations and controlling the product manufacturing within the computer's capabilities and its advanced technology.

Planning priorities for Job Sequencing by using of the Genetic Algorithm.

Innovating a network among the manufacturing cells in the production system. This will be carried out according to the principle of the Multi - Agents' concept within the framework of the supply chain.

Applying the designed system as a case study at the "National Company for Furniture Manufacturing in Mosul" at the level of producing an actual product in order to achieve an acceptable degree of compatibility between the designed system and the application environment.

2. The Mechanism of the Proposed System

The proposed system uses Agents based concurrent engineering application which is a system developed for the integration of design, manufacturing capability analysis, process planning and scheduling in framework of Virtual Manufacturing. To achieve the above mentioned system, an individual database for a local enterprise is being established which is then integrated via the Internet. [4].

Agile manufacturing makes use of modern information technology to form a virtual enterprise. Partners must maintain a high amount of communication and data exchange between themselves for success of the virtual enterprise. Data exchange does not mean just verbal communication; but rather the companies must exchange complete information about their products, all the way from design, manufacturing to inspection and shipping. [2] [7]

While, a virtual Enterprise is a temporary network of independent companies, suppliers, customers, design units and manufacturing process are linked by Information Technology (IT) to share skills, cost and access to one another. [1] [11]. The virtual manufacturing is a powerful production philosophy to provide a modeling and simulation to "manufacturing in the computer". [2] [13].

The proposed VM system represented by DB schema has been mainly designed by depending on 12 object types, 18 tables, 5 views, 1 trigger and 3 packages^(*). The package which includes a group of procedures or functions has been used to facilitate granting it an execution privilege by the users or agents to perform the tasks assigned to it. Figure (1) illustrates the work mechanism of the designed system according to DB schema. As regard to the roles and privileges of the proposed system, it is possible to say that the system has been designed on the basis of 5 agents. Every agent (user) has its own roles and privileges.

The supervisor has the role of Database Administrator (DBA) which entitles him all the roles and privileges available at the Oracle, because he is the General Manager. This also entitles him to give every agent roles and privileges according to the nature of their jobs. Accordingly, all the agents

(^{*}) For more details, See Appendix (A); also see Appendix (B), (C),(D) for the details of how the structure of object type has been generated, in the thesis.

can work cooperatively to perform the goal of the company efficiently and securely. To describe the information flow within a virtual manufacturing philosophy, we use a sample scenario to simulate actual ground and to illustrate its Operational Model which includes collaboration between an MRP planner in a high level planning and the design engineers in the virtual enterprise




Figure 1
Mechanism of Proposed Information System.

2.1 Design Agent

The Design Agent within the framework of the proposed system constitutes a very crucial stage for the manufacturing operation. The product is designed in this agent by the use of the *AutoCAD2004* software according to the specifications requested by the customer and the manufacturing capabilities of the company. The Design Agent needs during the design processes information transfer among all the agents in the system through the communication network. As soon as the design is completed the design together with the attached data file are sent to the Related Agents by the process of the product manufacturing. Figure (2) illustrates the structure of the Design Agent. The Knowledge Processing Unit is distinguished to the expert rules by having a controlling information exchange. [9] [14]

The aim of CAD is to apply computers to both the modeling and communication of designs. Models of customer requirements for the design may develop and change as the design progresses, models of constraints on the design, imposed for example by available materials and manufacturing processes, these are the core of design process. CAD provides the designer with a variety of techniques for the definition of geometric entities (points, lines, arcs, conic section, and other curves). [5] [20]. A well designed CAD system should allow ease of repetition of detail, rapid modification of entities, modification and reuse of existing models, design the product simplicity and clarity, and help to reduce the number of parts in the product this reduce assembly costs and simplifies assembly. [3] [14].




Figure 2

The Structure of the Design Agent.

One application of a **3D model** is in the generation of an engineering drawing by arranging multiple views of the model on a drawing sheet and then annotating these views with dimensions. The great advantage in 3D modeling when used to design complex modeled shapes for visualization or manufacture. The methods that have been developed for three dimensional modeling involve the representation of geometry as a collection of lines and other curves, or of surfaces, or of solids in space. The generation of realistic images involves the application of techniques in two distinct areas: the removal of hidden surfaces from the image, and the shading or coloring of the visible surfaces in a manner appropriate to the modeled lighting conditions. There are new techniques for representing the three dimensional modeling [3] [16]:

1. *Wire Frame Geometry*: In this the geometry is defined as a series (collection) of lines and curves representing the edges of, and perhaps sections through, the object. The name of this schema arises from the wire-like appearance of the models when viewed on a computer screen.
2. *The Surface Representation Scheme*: In which the component geometry is represented as a collection of surfaces, often attached to a wire frame. The most elementary of surface types is the flat plane, which may be defined in a number of ways including through a line and a point.
3. *Solid Modeling*: For many engineering purposes these representations are satisfactory. Any well-defined geometric property of any represented solid is to be calculated automatically. These models are like cuboids, cylinders, spheres, cones and the like.

In addition to entities, it can also use attributes (non geometric data) with the geometric model; these are typically name-value pairs and they are linked with design model elements through pointers from the elements to the attributes. The classic use of attributes (part name, part code, required quantities), is for the *bills of materials* from a computer based drawing or model (BOM derived from the attributes in the figure) [3]. However, the process of obtaining BOM, in this way, is still considered to be inefficient especially when it contains items that can not be designed like glue, paints, cotton and softening paper and the unfamiliarity of the designer with the codes of the items which are to be used in the database. Consequently, the form would be good enough to enter to the autocad software and to store BOM by selecting the required items from stock table. The SQL to view the BOM report so that the concerned agents can make use of it is as follows:

```
SELECT '( ' || p.prod_code || ' ) ' || p.prod.item.name1, b.mat_code,
       s.inventory.item.name1, s.inventory.item.name2, b.measure.qunt,
       b.measure.scale, s.loc_code
FROM bom b, product p, stock s
WHERE ((b.prod_code = :product_code) AND (p.prod_code =
       :product_code) AND (b.mat_code = s.mat_code))
```

ORDER BY s.loc_code || s.inventory.item.name1;

A CAD application environment is structured as a model with various layers. The partitioning of a drawing or model may be assisted by the use of layers or levels. Layers have two status, active layer being displayed and selectable, and inactive layer will not be displayed. The usefulness of layers depends on the extent to which the user is prepared to use them systematically to organize a model. On every office furniture design three layers have been generated. The first layer involves the final design for the product; the second layer shows the design of the product into individual parts showing how the parts can be constructed with its dimensions and the points of the holes (to fix the screws); the third layer explains the details [3 14].

2.2 Manufacturing Capability and Cost Estimation Agent(MC&CE)

This agent has a significant role by answering all the Design Agent enquiries as regard to technical available possibilities for manufacturing a new product and plans for its manufacturing. As soon as the design is completed a copy of the attached data file is sent to the MC&CE agent. This file includes the technical equation of the product according to which the decision of the manufacturing process is to be taken and as follows:

1. If the raw materials and the parts are not generally available at the warehouse, the agent will issue a report of the required quantities with their measurement units to the supervisor agent who in his turn will send that report to the supplier in order to supply these requirements in time.
2. But if the manufacturing requirements are available, the agent will calculate the cost and price of each product included in the order separately then calculate the final price of the order and send a report to the supervisor agent who in his turn will send to the customer informing him of the prices.

The SQL which represents the stages of this agent work also represents as views of the manufacturing stages especially when comparing the stocked quantities with the actual required quantities for manufacturing the order is done. In addition to that, it includes the stage of calculating the costs and prices and as follows:

1. The stage of calculating the total quantity of the raw materials required for manufacturing the order. This stage is accomplished by *stock_qunt_need_v* because some of these materials enter also in a number of products in the customer's order.

```
CREATE OR REPLACE VIEW
"VM_SYSTEM"."STOCK_QUNT_NEED_V"
("ORDER_DATE","MAT_CODE","TOTAL_QUNT") AS
SELECT
p.request.order_date,b.mat_code,sum(p.request.qunt*b.measure.qunt)
```



```

FROM product_order p, bom b
WHERE p.prod_code = b.prod_code
GROUP BY p.request.order_date, b.mat_code;

```

- The stage of finding the latest date of the credit of each raw material entered in manufacturing the order: This stage is important to compare the current credit for the raw material in the stock with what the factory needs to manufacture the order.

```

CREATE OR REPLACE VIEW "VM_SYSTEM"
"BALANCE_ORDER_DATE_V" ("ORDER_DATE", "MAT_CODE",
"NEAREST_BALANCE_DATE") AS
SELECT p.request.order_date ,b.mat_code , max(s.stock.batch_date)
FROM product_order p, bom b, stock_balance s
WHERE p.prod_code = b.prod_code AND b.mat_code = s.mat_code
AND
s.stock.batch_date < p.request.order_date
GROUP BY p.request.order_date,b.mat_code;

```

- The stage of mixing the credit dates with the total quantities of the material entered in manufacturing the order.

```

CREATE OR REPLACE VIEW "VM_SYSTEM".
"NEED_NEAREST_BALANCE_V" ("ORDER_DATE",
"MAT_CODE", "TOTAL_QUNT", "NEAREST_BALANCE_DATE")
AS
SELECT s.order_date, s.mat_code, s.total_qunt, b.nearest_balance_date
FROM stock_qunt_need_v s
LEFT OUTER JOIN balance_order_date_v b ON b.order_date = s.order_date
AND b.mat_code = s.mat_code
ORDER BY s.order_date, s.mat_code;

```

- The stage of mixing the credit quantities and their prices with the total required quantities for manufacturing: This stage is done regardless of the unavailability of enough credit for the material entered in the order manufacturing.

```

CREATE OR REPLACE VIEW "VM_SYSTEM"."ITEM_ORDER_V"
("ORDER_DATE","MAT_CODE","TOTAL_QUNT","NEAREST_BALANCE_DATE",
"QUNT_AVAILABLE","PRICE") AS
SELECT n.order_date , n.mat_code , n.total_qunt , n.nearest_balance_date,
nvl(s.stock.qunt,0) , nvl(s.stock.price,0)
FROM need_nearest_balance_v n
LEFT OUTER JOIN stock_balance s ON
n.nearest_balance_date = s.stock.batch_date AND
n.mat_code = s.mat_code
ORDER BY n.order_date , n.mat_code;

```

2.3 Process Planning

As soon as the this Agent receives the **BOM** file it will prepare itself to perform a number of activities upon receiving an informing from the Supervisor Agent:

1. It will define the routing of each new job in the order, otherwise it will search for the file and prepare it for use. The machines used for manufacturing each product are also defined.
2. It will also define the product's processing time with its parts and interior components as well as waiting periods for purchasing the orders. There is also setup-time for preparing machines for each manufacturing process. These have been taken into consideration when calculating the total time used for manufacturing the product, which is called the "lead time".

Calculating the lead time: The lead time means the total time spent in setup and operating every machine contributing in manufacturing the product, the SQL specialized in defining the routing and process time as follows:

```
CREATE OR REPLACE VIEW "VM_SYSTEM"."PROCESS_TIME_V"
("FACTORY","PROCESS_CODE","NAME1","NAME2","SETUP_TIME",
"OPER_TIME") AS
```

```
SELECT P.factory, o.process_code, o.process.name1, o.process.name2,
o.times.setup_time, o.times.oper_time
```

```
FROM operation_time o, prod_dept p
```

```
WHERE p.mach_code = trim(substr(o.process_code,1,4));
```

But to calculate the lead time for a new product is as follows:

```
:prod_lead_time:=
```

```
technical_engineer_p.product_time(:path_tech.prod_code);
```

When any modification on the routing takes place a trigger *calculate_lead_time* is executed automatically to modify the lead time for a previously existing product and storing it respectively.

```
CREATE OR REPLACE TRIGGER "VM_SYSTEM"."CALCULATE_LEAD_TIME"
AFTER UPDATE OF "TIMES" ON "VM_SYSTEM"."OPERATION_TIME"
```

```
BEGIN
```

```
UPDATE product p SET p.prod.lead_time =
```

```
(SELECT sum(o.times.setup_time + o.times.oper_time)
```

```
FROM operation_time o, path_tech pt
```

```
WHERE o.process_code = pt.process_code AND
```

```
pt.prod_code = p.prod_code );
```

```
END;
```

2.4 Priority Planning Agent (pp-Agent)

Scheduling is defined as the problem of allocation of machines over time to complete jobs. The **m*n** job shop scheduling problem denotes a problem where a set of **n** jobs has to be processed on a set of **m** machines.

Each job consists of a chain of operations, each of which requires a specified processing time on a specific machine [12][8][18]. The applied studies in this field have shown that the "Genetic Algorithm" is considered to be the most widely used technology in assigning machines jobs and obtaining best planning for jobs sequences on machines.

In case of performing sequence of jobs for the first time, they will be stored directly in the *job_sched* database table. If the optimal solution obtained is better than the stored one, it will be updated otherwise the database table will stay unchanged.

```

SELECT count(j.order_date) INTO c FROM job_sched j
WHERE j.order_date=:product_order.request_order_date AND f=j.fitness_fun;
if c = 0 then
  INSERT INTO job_sched
  values(:product_order.request_order_date,p,f,spt,sft,sjl,act,utl,anj,ajl);
Else UPDATE job_sched SET
order_date=:product_order.request_order_date,jobs=p, fitness_fun=f, s_p_t=spt,
s_f_t=sft, s_j_l=sjl, a_c_t=act, u=utl, a_n_j=anj, a_j_l=ajl
WHERE
(f=job_sched.fitness_fun AND
:product_order.request_order_date=job_sched.order_date)
AND ( (job_sched.a_c_t > act and f='average completion time') OR
(job_sched.u < utl and f='utilization') OR
(job_sched.a_n_j < anj AND f='average no. of jobs in the system')
OR
(job_sched.a_j_l > ajl AND f='average job lateness') ); end if;
commit;
pl :=create_parameter_list('Q_1');
if not id_null(pl) then
  add_parameter(pl,'d',text_parameter,to_char(:request_order_date,'DD-
MM-YY HH24:MI:SS'));
end if;
run_product(reports,'c:\reports\job_seq.rdf',synchronous,runtime,filesystem,
pl,null);
if not id_null(pl) then
  destroy_parameter_list(pl);
end if;
Then the agent will issue a report about all the fitness functions that have
been previously applied to the customer's order. Accordingly, the SQL
report will be as follows:
SELECT js.order_date,js.jobs, js.fitness_fun, js.s_p_t, js.s_f_t, js.s_j_l,
js.a_c_t, js.u, js.a_n_j, js.a_j_l
FROM job_sched js WHERE js.order_date = :d;

```

2.5 Supervisor Agent (SV-Agent)

This agent has a vital and essential role in achieving compatibility and integration among the agents as it has the role of the DBA.

In case the manufacturer is not in a position that allows him to manufacture the order due to a shortage in the warehouse, this agent will inform the supplier with the short of raw materials with quantities and measurement unit.. This agent is also specialized in calculating the final price of the customer's order and calculating the total time required for treating the order and consequently deciding the delivery date of the customer's order.

This agent will perform the following procedures:

1. Distributing the customer's order to the concerned agents. The SQL report will be as follows:

```
SELECT po.request.order_date, p.prod.item.name1, po.request.qunt,
po.request.due_date
```

```
FROM product p, product_order po
```

```
WHERE p.prod_code = po.prod_code AND po.request.order_date = :d;
```

Where :d represents the date of the order.

2. Informing the concerned warehouses with the decided issuing: Informing the concerned warehouses with issuing the quantities with their measurement unit to be delivered to the concerned factory to manufacture the order. Accordingly all the credits are modified automatically with the decided quantities to be issued. The SQL informing report will be as follows:

```
SELECT s.inventory.item.name1,i.qunt_available, i.total_qunt,
i.qunt_available-i.total_qunt,
```

```
s.inventory.mes_unt ,sl.loc_name || ' (' || s.loc_code || ' )'
```

```
FROM item_order_v i , stock s, stock_loc sl
```

```
WHERE i.mat_code = s.mat_code AND sl.loc_code = s.loc_code
AND i.order_date = :d
```

```
ORDER BY sl.loc_name || s.inventory.item.name1;
```

3. Informing the customer with the cost of each product and the total cost of the whole order. The SQL report will be as follows:

```
SELECT pp.order_date, pp.prod_name, pp.work_cost, pp.manuf_cost,
pp.mng_mrkt_cost,
```

```
pp.prod_cost, pp.profit, pp.prod_price, bc.item_name, bc.unit_price,
bc.item_cost,
```

```
b.measure.qunt, b.measure.scale
```

```
FROM product_price_v pp, bom_cost_v bc, bom b, product p, stock s
```

```
WHERE ( (pp.order_date = bc.order_date) AND (pp.order_date = :d) AND
```

```
(pp.prod_name = bc.prod_name) AND (pp.prod_name= p.prod.item.name1)
```

```
AND
```

```
(p.prod_code=b.prod_code) AND (bc.item_name= s.inventory.item.name1)
```

```
AND
```

(s.mat_code=b.mat_code))

ORDER BY bc.item_name;

4. Calculating the official price of the order:

$$\text{Order_price} = \sum_{i=1}^N \text{prod_price}(i) \times \text{prod_qunt_need}(i) \quad (11)$$

where N : No. of products in the order.

5. Calculating the order's delivery date:

Order_lead_time (Minutes) =

$$\sum_{i=1}^N \text{lead_time}(i) \times \text{prod_qunt_need}(i) \quad \dots (12)$$

where N : No. of products in the order.

The SQL of the special report for the last two procedures is as follows:

```
SELECT pp.prod_name, po.request.qunt, p.prod.lead_time,
       p.prod.lead_time * po.request.qunt Total_Lead_time(Minutes),
       po.request.due_date,
       ceil (p.prod.lead_time * po.request.qunt/360) Lead_Time(Days),
       pp.prod_price,
       pp.prod_price * po.request.qunt Total_Price
FROM product_price_v pp , product p , product_order po
WHERE pp.prod_name = p.prod.item.name1 AND pp.order_date =
po.request.order_date
      AND p.prod_code = po.prod_code AND pp.order_date = :d
ORDER BY pp.prod_name;
```

3. Interfaces between Agents

Programming interface applications communicate with the database server by using a programming interface such as ODBC, JDBC, OLE, DDE, or embedded SQL. Each programming interface provides a library of function calls for communicating with the database. The interface library is located on each client computer (agent).

The open system architecture is supported by multiple interfaces and integration capacities (ActiveX, CAD, Oracle SQL, ODBC, XML, Socket, etc.) [17][19]. The Object Linking and Embedding (OLE) is a standard method, defined by Microsoft, for exchanging information between windows applications. Host applications (known as containers) are linked to OLE objects when they contain references to those objects. An embedded object, by contrast, contains an actual copy of the object [15][6]. OLE, is one of software tools, solutions and technologies that include the simulations tools, has been used for Process Control (OPC). OPC is an open interoperability industrial standard for sharing manufacturing information in an enterprise-wide manner. It is based on the Microsoft technologies of OLE. It provides 'plug-and-play' connectivity and interoperability between disparate automation devices, systems and software [10]. Forms Developer applications can be readily integrated with OLE such as spreadsheets,

autocad, and word processors. The OLE built-in package allows your programs to access any functions or properties exposed by the object model of the OLE container. The DDE Package provides Dynamic Data Exchange (DDE) support within Developer components. DDE is a mechanism by which applications can communicate and exchange data in Windows. The PL/SQL package for DDE support provides application developers with an Application Programming Interface (API) for accessing DDE functionality from within PL/SQL procedures and triggers. The DDE functions enable Oracle applications to communicate with other DDE-compliant Windows applications (servers) in three ways: importing data, exporting data, and executing commands against the DDE Server.

The job of activating embodies the mechanism of the designed system as the nature of the work inside the manufacturing system implies integration and compatibility among the production units represented by the agents. Accordingly, the designs translate these relations into messages for exchanging information through the communication network among the agents and by the server. The figure (1) shows the flow of information between the agents and server through many modules which constitute the structure of the designed system. The Information system designed has the following features:

1. Local primitive information storage stores in server. DBMS manages local primitive information accessing, updating and constraint maintenance.
2. Application programs in each Agent (Client) access information storage through the WorkFlow Manager (WFM), and knowledge base stores agent policies and inter-agent protocols, support agent transaction workflow.
3. The agents (Clients and Server) are responsible for connecting to the network and transmitting information.
4. The workflow manager is responsible for converting agent queries to agent workflow. The workflow is defined as a collection of sub queries organized to fulfill a business task.

The messages sent between agents are either data text files (.dat), autocad files (.dwg) or reports files (.rdf). The agent writes these reports by the oracle report developer who has the capacity of either printing or sending the reports to the rest of the agents through LAN or the Internet as .htm, .pdf, XML files or through the E-mail. The most used interfaces for carrying these messages are explained below according to the nature of the agent.

4. Implementation of Proposed System

The system simulation involves selecting order from a number of orders received by the company during the period of the designed system

application. The selected order are distinguished by having a number of jobs as explained in Table (1). These two orders have been selected due to the following reasons:

1. Selecting and applying planning jobs priorities software according to the genetic algorithm which demands the availability of several jobs to obtain efficient results.
2. The first order is distinguished by the fact that all the requirements for manufacturing all its jobs are available at the company's warehouses. On the other hand, the requirements needed for manufacturing the second order's jobs are unavailable and need to be provided by the suppliers.

Table (1) illustrates that the first order includes 7 jobs arriving at 9:00 on 10 July 2005 whereas the second order includes 3 jobs arriving at 10:00 on 1 October 2005. A product made of Melamen desk and a product made of a teak desk have been selected to follow up the manufacturing processes within the integration framework between the manufacturing stages represented by the Multi-Agents mentioned in the designed system.

Table 1
Customer Order Report

Customer_Order		
Order Date	10-JUL-05 09:00:00	
Jobs	Qunt	Due Date
3 Drawer Teak Desk 150*80 Cm	2	2
4 Drawer Teak Desk 150*80 Cm	4	3
Warkaa Melamen Desk 150*80 Cm	3	3
Warkaa Melamen Desk Appendix 120*40 Cm	2	1
Ashor Ellipse Teak Desk 240*120 Cm	3	2
Ashor Ellipse Melamen Desk 240*120 Cm	2	2
Ashor Teak Desk Appendix 120*40Cm	3	2
Order Date	01-OCT-05 10:00:00	
Jobs	Qunt	Due Date
Warkaa Melamen Desk Appendix 120*40 Cm	3	4
Warkaa Melamen Desk 150*80 Cm	5	3
4 Drawer Teak Desk 150*80 Cm	5	3

4.1. Product Design

One of the main tasks of this agent after receiving the technical (engineering) specifications of the products, which reflects the customer's desire and the company's consent, is to start designing the *prototype* by the use of *AutoCAD2004*.

The product's designing stage, in the designed system, is distinguished by viewing the design in three forms. Each form is stored in a layer. Accordingly, each design file contains three layers. Figure (3) represents an unconnected structure for Melamen desk product and its appendix; the figure shows the product's measurement and dimensions. It also gives

Table (1): Warkaa Melamen Desk (3-214).
 Dimensions (Cm.): Height: 70, Width: 80, Length: 150.
 Melamen Wood Dimensions (Cm.): 244 × 122 × 1.6.
 Oak Wood Dimensions (Cm.): 200 × 10 × 5.

Part No.	Parts of Desk	Parts Dimension (Cm.)	Melamen Qty.
1	Desktop	150×80	1
2	The side	66×60	2
3	Front Joint	140×42	1
4	Legs	70×4	Oak Wood Qty. 2

Table (2): Information Associated Product Design.
 Dimensions (Cm.): Height: 60, Width: 40, Length: 120.
 Melamen Wood Dimensions (Cm.): 244 × 122 × 1.6.

Part No.	Parts of Desk	Parts Dimension (Cm.)	Melamen Qty.
1	Desktop	120×40	1
2	Sides	58.4×40	2
3	Door	47.6×34.3	1
4	Shelf	80.3×38.8	1
5	Base	116.8×38.8	1
6	Plate	116.8×9	1
7	Middle side	47.8×38.4	1
8	Back	116.8×58.4	1

4.2. Manufacturability Evaluation

The ME Agent receives the orders and then approves them through a constant and genuine dialogue with the customer. Relying on the attached file of the design, the ME Agent, according to the logic of HL/MRP treatment will:

1. Define the floors factory, which is the location of manufacturing the two products in the order, this will be done in agreement with the Design-Agent.
2. Create a technical structure file for all the products' technical structures .

Table (3) represents the technical structure of the melamen desk with its appendix as well as the teak desk for each unit of the product. A copy of the *BOM* file is then sent to the Supervisor Agent which in its turn sends it to the Related Agents.

4.3 Product Cost Estimation

The MC&CE-Agent receives a copy of BOM file for each product planned to be manufactured. The MC&CE Agent will calculate the product's cost as soon as it receives an informing from the SV-Agent.

According to the logic of the MRP system treatment the total quantities of materials, parts and components needed for manufacturing each product are compared with the available credits at the company's warehouses. According to these procedures the following decisions will be taken:

Table 3
Product Bill of Material.

Product : Warkaa Melamen Desk 150*80 Cm 3-214					
<i>Item_code</i>	<i>Item</i>	<i>Item_Type</i>	<i>Qunt</i>	<i>Measure</i>	<i>Loc_Code</i>
131-64D	Awaes Glue	Glutinous	0.1	Kg	KHT
135-285D	Connection Screw	Decoration	8	Number	TLW
135-460D	Cotton	Materials	0.03	Kg	TLW
131-98C	Damalock	Solvent And Paint	0.03	Kg	KHT
131-114H	Melamen 244*220*1.8 Cm	Tabulate Wood	1.35	Layer	KHT
131-113C	Melamen Tape 2 Cm	Edge Tape	0.5	Roll	KHT
131-42	Oak 200*10*2.5 Cm	Solid Wood	0	Cube Meter	KHT
131-98A	Spirit	Solvent	0.5	Liter	KHT
Product : Warkaa Melamen Desk Appendix 120*40 Cm 3-213					
<i>Item_code</i>	<i>Item</i>	<i>Item_Type</i>	<i>Qunt</i>	<i>Measure</i>	<i>Loc_Code</i>
131-64D	Awaes Glue	Glutinous	0.15	Kg	KHT
135-675Q	Golden Handle	Decoration	1	Number	TLW
135_271	Hinges	Decoration	1	Number	TLW
131-114H	Melamen 244*220*1.8 Cm	Tabulate Wood	1.1	Layer	KHT
131-113C	Melamen Tape 2 Cm	Edge Tape	0.5	Roll	KHT
135-285A	Screw 0.75 Inch*0.4 Cm	Decoration	2	Carton	TLW
135-476	Screw 2 Inch*0.8 Cm	Decoration	1	Carton	TLW
135_470C	Switch	Decoration	1	Number	TLW

1. It has been confirmed by comparison that all the materials required for manufacturing all the jobs in the first order dated 9:0:0 10 July 2005 were available at the company's warehouses. The required quantities will be issued in due time.
2. It has been also confirmed that the materials required for the second order dated 10:0:0 1 October 2005 were not available at the company's warehouses. In this case a report of the required materials and quantities has to be prepared and sent to the supplier in order to be provided in the due time as explained in table(4).

Table 4
Report Send to Supplier.

Request_Planning
| 01-OCT-05 10:00:00

<i>Item Code</i>	<i>Item</i>	<i>Quantity Needed</i>	<i>Measure Unit</i>
131-54	Banal Layer 122*244*0.4 Cm	2.3	Layer
131-98C	Damalock	1,125	Kg
131_69E	Dough	.125	Kg
135-285A	Screw 0.75 Inch*0.4 Cm	6	Carton
135-476	Screw 2 Inch*0.8 Cm	3	Carton
131-98A	Spirit	7.5	Liter
135_470C	Switch	3	Number
131-79	Teak 244*122*0.4 Cm	5.1	Layer

Table (5) shows the manufacturing requirements for all the jobs stated in the first order to be later issued from the company's warehouses.

Table 5
Manufacturing Requirements for the Order

Release_Order
10-JUL-05 09:00:00

Stock : Materials Storage (135) / (TLT)				
<i>Items</i>	<i>Item Available</i>	<i>Pull Quantity</i>	<i>Item Balance</i>	<i>Measure Unit</i>
Nail 25 mm	30	19.5	10.5	Carton
Stock : Materials Storage (135) / (TLW)				
<i>Items</i>	<i>Item Available</i>	<i>Pull Quantity</i>	<i>Item Balance</i>	<i>Measure Unit</i>
Connection Screw	768	44	724	Number
Cotton	20	1,125	18,875	Kg
Golden Handle	100	37	63	Number
Hinges	10	10	0	Number
Screw 0.75 Inch*0.4 Cm	10	9.5	.5	Carton
Screw 2 Inch*0.8 Cm	20	2	18	Carton
Switch	30	14	16	Number
Stock : Primary Items Storage (131) / (KHT)				
<i>Items</i>	<i>Item Available</i>	<i>Pull Quantity</i>	<i>Item Balance</i>	<i>Measure Unit</i>
Awas Glue	200	15	185	Kg
Banal Layer 122*244*0.4 Cm	270	8,826	261,174	Layer
Block Board 122*244*1.8 Cm	30	15,122	14,878	Layer
Damalock	2,055	2,055	0	Kg
Dough	.15	.15	0	Kg
Mahogany 200*10*2.5 Cm	30	.02	29.98	Cube Meter
Melamen 244*220*1.8 Cm	50	13,25	36.75	Layer
Melamen Tape 2 Cm	50	4.5	45.5	Roll
Oak 200*10*2.5 Cm	266.89	.4444	266.4456	Cube Meter
Spirit	20	20	0	Liter
Teak 244*122*0.4 Cm	185	18,06	166.94	Layer

According to the above mentioned information as regard to the costs; the costs of the planned products to be manufactured as well as the labor costs and manufacturing managerial and marketing expenses together with the profit margin will be calculated see table (6) for details.

4.4 Priority Dispatching Rules

The Priority Planning Agent receives the *order.dat* file from the process Planning Agent. This file contains the required information about the orders and is considered as one of the main inputs for those software designed by the use of C++ language according to the genetic algorithm logic for planning job priorities in the shop floor.

By cooperation with the *Supervisor Agent* one of the rules relied on in designing software to plan for job priorities, is selected. The rule of the *Average Completion time* has been selected to be a fitness function according to which the optimal sequence for executing the manufacturing planned jobs has also been selected. This rule aims at reducing the lead time for products' manufacturing and achieving quick response for the customers' orders.

Table 6
Cost of Products.
Customer Order Cost

<i>Order Date</i> 10-JUL-05 09:00:00					
<i>Product</i> : Warkaa Melamen Desk 150*80 Cm					
<i>Price/One Product</i> : 23314.19646528					
<i>Product Cost</i> : 19428.4970544		<i>Work Cost</i> : 3330.59949504			
<i>Profit/One_Product</i> : 3885.69941088		<i>Manufacture Cost</i> : 3330.59949504			
		<i>MNG & MRKT Cost</i> : 1665.29974752			
<i>Item Name</i>	<i>BOM Qunt</i>	<i>Unit Price</i>	<i>BOM Item</i>	<i>Cost</i>	<i>Measure Unit</i>
Awaes Glue	.1	2000	200		Kg
Connection Screw	8	82.25	658		Number
Cotton	.025	10000	250		Kg
Damalook	.025	7750	193.75		Kg
Melamen 244*220*1.8 Cm	1.35	6320	8532		Layer
Melamen Tape 2 Cm	.5	2000	1000		Roll
Oak 200*10*2.5 Cm	.0048	260.066	1.2483168		Cube Meter
Spirit	.5	534	267		Liter
<i>Tota_Item_Cost</i> :			11101.9983168		

Product : <i>Warkaa Melamen Desk Appendix 120*40 Cm</i>						
Price/One Product : 28931.7						
Product_Cost : 24109.75			Work_Cost : 4133.1			
Profit/One_Product : 4821.95			Manufacture Cost : 4133.1			
			MNG & MRKT_Cost : 2066.55			
Item Name	BOM	Qunt	Unit Price	BOM Item	Cost	Measure Unit
Awacs Glue	.15	2000	300			Kg
Golden Handle	1	500	500			Number
Hinges	1	1750	1750			Number
Melamen 244*220*1.8 Cm	1.1	6320	6952			Layer
Melamen Tape 2 Cm	.5	2000	1000			Roll
Screw 0.75 Inch*0.4 Cm	2	250	500			Carton
Screw 2 Inch*0.8 Cm	1	25	25			Carton
Switch	1	2750	2750			Number
Total Item Cost :				13777		

According to what has been mentioned above, table (7) illustrates the softwares execution results according to *ACT* function. The execution outlets a certain sequence for the jobs each time. According to this sequence the value of the fitness function is estimated. The best sequence for jobs executions has been selected according to the lowest value of fitness function of 10.143 as explained in the Table (7).

After calculating the order's lead time with the products involved, estimating the product's costs and consequently the order's total cost, the customer is informed with all this information as explained in the Table (8). As soon as the customer agrees on this, the Supervisor Agent will issue an order release for the product to be manufactured in the factory.

Table 7
The Optimal Job Sequence According to Average Completion Time

Order Date 10-07-05 09:00:00		
Fitness Function : average completion time		
Average_Completion_Time (A.C.T) :	10.143	Sum_Flow_Time (S.F.T) : 71
Utilization (U) :	35.211	Sum_Process_Time (S.P.T) : 25
Average No of Jobs in the System (A.J.S) :	2.84	%
Average_Job_Tarness (A.J.T) :	8.143	Sum_Job_Latness (S.J.L) : 57
Jobs		
Ashor_Ellipse_Melamen_Desk_240*120_Cm		
Warkaa_Melamen_Desk_Appendix_130*40_Cm		
Warkaa_Melamen_Desk_150*80_Cm		
3_Drawer_Teak_Desk_150*80_Cm		
Ashor_Teak_Desk_Appendix_120*40Cm		
Ashor_Ellipse_Teak_Desk_240*120_Cm		
4_Drawer_Teak_Desk_150*80_Cm		

Table 8
Manufacturing Order's Price and Lead-time.
 Product_Order (Price & Lead_time)

10-JUL-05 09:00:00

Product	Doc Date	Qunt	Lead Time (Min.)	Total Lead Time (Min.)	Total Lead Time (Days)	Unit_Price	Total_Price
3 Drawer Teak Desk 150*80 Cm	2	2	568.97	1137.94	4	200310.600	400621.2
4 Drawer Teak Desk 150*80 Cm	3	4	554.02	2216.08	7	179638.249	718553.0
Ashur Ellipse Melamen Desk 240*120 Cm	2	2	72.45	144.9	1	70806.750	141613.5
Ashur Ellipse Teak Desk 240*120 Cm	2	3	589.8	1769.4	5	273309.926	819929.8
Ashur Teak Desk Appendix 120*40Cm	2	3	568.97	1706.91	5	110436.188	331308.6
Warkaa Melamen Desk 150*80 Cm	3	3	229.87	689.61	2	23314.196	69942.6
Warkaa Melamen Desk Appendix 120*40 Cm	1	2	51.62	103.24	1	28931.700	57863.4
Total :			2635.70	7768.08	25		2539832.0

5. Discussion and Analysis of the Application Results

It has been shown so far that the basic idea of our system design and its application is to manufacture a product by the use of the computer, as procedures end as soon as commands are given to manufacture an order at the shop floor inside the factory. Accordingly, the application process represents assimilation to the actual manufacturing environment under study. As it has been explained before two orders which have, to some extent, some different features have been chosen. In order to explain the capabilities of the designed system at different stages of manufacturing, and within the framework of integration between (*CAD/CAPP/HLMRP*) and after all for the sake of implementing the philosophy of the virtual manufacturing, each order consists of a number of products. In the same way and concept the network, designed by the use of window server 2003 to the server and the window XP assigned to the clients, has a great role in achieving the concept of the VM. This has been demonstrated by the efficient flow of information and data throughout the manufacturing environment.

While the application has embodied the second objective of the thesis, it has, at the same time, provided integrated information to attain the other objectives.

6. Conclusions

1. The *literature review* of this research has revealed that the virtual manufacturing is based on Knowledge Engineering , *manufacturing*

technology, system modeling technology and imitate reality technology that are supported by computer technology.

2. The resulting software will take manufacturing process plans as inputs and automatically generate a manufacturing schedule for a shop floor, a plant or an enterprise, with estimation of production costs and delivery options. This will allow the manufacturing enterprise to respond to customer requests quickly and therefore to win in the increasingly competitive markets.
3. The application results indicate that the VM philosophy has been performed efficiently by the use of the intelligent Multi–Agents which is managed and which attains integration by the server Agent that uses the available interfaces as Oracle language capabilities such as DDE, OLE and run–product. These capabilities have contributed in achieving quick response to the customers' orders.
4. The application results have confirmed that the use of *Multi-Agent* philosophy decreases the load on the server as far as each Agent represents a manufacturing cell. This means that the product manufacturing operations are distributed on the processing units .
5. The application and design operations have confirmed that the Oracle is distinguished by high efficiency as being easily compatible with the adopted software whether *Oracle with AutoCAD* or *Oracle with C⁺⁺*. The Oracle is also distinguished by its ability to prepare a network Software easily and make configuration on that net.
6. The practical part of the *designed system* has confirmed that the Agent based on manufacturing using Oracle in designing the database has achieved reality by capabilities such as triggers, privileges and role. This, undoubtedly, *achieves speed, accuracy and security in information exchange*.
7. The **DDE** and **OLE** interface tools are described to be contributing in making the designed system to have open system architecture which in its turn makes its suitable for the philosophy of the agile manufacturing.
8. The designed system is *distinguished* by having previously easy and rapid communication among the users. The actual dialogue among the users including the customer is considered to be one of the main goals of the VM system.
9. The *Oracle possesses*, through the enterprise manager console, the ability to give different privileges to every field within the database table.

References

1. Bohemia E., Working Collaboratively in Today Global Environment: A Global Product Development Course. Internet Engineering and Product Design Conference, 2004.

2. Byrne, J., The virtual corporation: the company of the future will be the ultimate in adaptability, Business Week, 1993.
3. Chris M., Jimmie Browne, CAD/CAM principles, practice and manufacturing management, 2nd edition, Addison Wesley, 1998.
4. Christian, I. and others, Agile manufacturing transitional strategies, Proceedings of the Fourth SMESME International Conference, 2001.
5. Dai F., Gobel M.: Virtual prototyping-An approach using VR-techniques, in proceedings of the ASME international computers in engineering conference, September 11-14, Minneapolis, Minnesota, USA, 1994.
6. Herrera F., M. Lozano, and J. L. Verdegay, 'Tuning Fuzzy Logic Controllers by Genetic Algorithms', International Journal of Approximate Reasoning, 1995.
7. Highsmith, J., What is agile software development? The Journal of Defense Software Engineering, October 2002.
8. Hondroudakis A., Malard, J., Wilson, 'G.V.A An Introduction to Genetic Algorithm Using RPL2 EPCC TRACS', Student note 1995.
9. Kress H., Kiolein I., Rix J.: CAD data preparation in a virtual prototyping environment, in proceedings of the IFIP conference on life-cycle modeling for innovative products and processes, 1995.
10. Leo J. De Vin, Amos H.C., Jan Oscarsson, 'Simulation Based Decision Support for Manufacturing System Life Cycle Management', Published in Journal of Advanced Manufacturing Systems, Volume 3 Number 2, December 2004.
11. NIIP, National Industrial Information Infrastructure Protocols Project, 2005, [\www.niip.org/public/home.nsf/vPubDocsByDocID/NIIP-
12. Pinedo, M., Scheduling Theory: Algorithms and Systems, Prentice Hall, Second Edition, 2002.
13. Putnik, E.D., Cunha, M.M., Sousa, R. and Avila, P., Virtual enterprise integration: technological and organization perspectives, Idea Group Publishing, 2005.
14. Roller D., Brunet P., CAD systems development tools and methods, Springer, 1997.
15. Satish Jain, 'Informatics practices', BPB publications, Vol. 1, 2004.
16. Schroeder K., Kress H.: Distributed conferencing tools for product design, in proceedings of the IFIP-workshop on interfaces in industrial systems for production and engineering, March 15-17, 1993, Elsevier publishers.
17. SQL Anywhere 10 Introduction, Inc. Portions Sybase, 2006, <http://www.iAnywhere.com/trademarks>.
18. Takeshi Y., Ryohei N., 'A genetic algorithm with multi-step crossover for job-shop scheduling problems', International conference on genetic algorithms in engineering systems: innovations and applications, 1995.
19. TAMER F. ABDELMAGUID, MAGED M. DESSOUKY, 'A genetic algorithm approach to the integrated inventory distribution problem', 2004, <http://www-rcf.usc.edu/~maged/publications/GAinventoryrouting.pdf>, Email: maged@usc.edu
20. Weiming Shen, Sherman Lang, Vibhor Gupta, Peter Orban, Lihui Wang, Qi Hao, 'Application of Intelligent Systems Technologies to Advanced Manufacturing', By Integrated Manufacturing Technologies Institute (IMTI), National Research Council Canada, 2005.